OFFICIAL.

(29)

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1904.

DUBLIN:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,

BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

1905.

Price Three Pence.

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll.	
No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1904.

Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1904 (52 weeks) 11,164 births —5,627 boys and 5,537 girls—being equal to 1 in 34, or 29 per 1,000 of the estimated population.* The average rate for the preceding ten years was 28 per 1,000.

Of the 11,164 births registered in 1904, 9,459, or 32 in every 1,000 of the population, occurred in the city, and 1,705, or only 20 in every 1,000 inhabitants, in the urban districts named above.

Of the 11,164 births in the entire district, 2,815 were registered during the first quarter of the year, 2,902 in the second, 2,843 in the third, and 2,604 in the fourth, the weekly average being 215.

In London the number of births registered during the year 1904 (52 weeks) was 129,335, being equal to a rate of 28 in every 1,000 of the estimated population; in Glasgow the number was 24,708, equal to 31 per 1,000; and in Edinburgh it was 7,760, or 23 per 1,000 of the population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the year 1904 was 9,264 (4,656 males and 4,608 females)—equal to 1 in 41, or 24·4 in every 1,000 of the estimated population. The average death-rate for the ten years 1894–1903 was 25·8 per 1,000 of the estimated population of the Area as then constituted. Thus the rate for last year is 1·4 below the average—a decrease equivalent to 5·4 per cent.

Omitting 418 deaths, which, being those of persons admitted into public institutions from localities outside the Dublin Registration Area, are not properly chargeable to it, the death-rate for last year (52 weeks) is 23·3 per 1,000 of the population, the rate for the city being 24·9 per 1,000 (23·7 on the North side, and 26·3 on the South), and for the suburbs 17·9 per 1,000. The rates for the several Registrars' districts range from 16·6 for Clontarf and Howth, No. 1, part of, to 30·7 for South City No. 2 (Castle street).

Of the 9,264 deaths in the entire district, 2,765 were registered during the first quarter of the year, 2,172 in the second, 2,053 in the third, and 2,274 in the fourth, the weekly average being 178.

* See note (*), page xv.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging in order from the lowest to the highest:—Ballymena, 15·5, per 1,000 of the population*; Portadown, 15·9; Newry, 16·0; Dundalk, 16·7; Londonderry, 16·7; Queenstown, 17·3; Drogheda, 17·5; Sligo, 17·9; Lurgan, 18·4; Tralee, 18·5; Waterford, 18·5; Newtownards, 19·8; Clonmel, 19·9; Lisburn, 19·9; Kilkenny, 20·4; Belfast, 20·8; Armagh, 21·0; Limerick, 21·3; Cork, 21·6; Wexford, 24·4; and Galway, 29·1.

The number of deaths registered in London during the year 1904 (52 weeks) was 77,094, or 16·6 in every 1,000 of the inhabitants; in Glasgow, 15,326, equal to 19·2 per 1,000; and in Edinburgh, 5,493, or 16·5 in every 1,000 of the estimated population.

Public Institutions.—Of the 9,264 deaths registered in the Dublin Registration Area last year 3,600, or 38·9 per cent., occurred in public institutions, viz.:—1,968 in the various hospitals, prisons, and lunatic asylums; 746 in the North Dublin Union Workhouse; 859 in the South Dublin Union Workhouse; and 27 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

Diseases.—*Dublin Registration Area.*—(See Tables III. and IV.)—The mortality last year shows that the total number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area was 909. This number is equal to a rate of 2·4 per 1,000 of the estimated population, the average rate for the preceding ten years being 2·6 per 1,000.

Small-pox.—Although it appears that 4 persons, suffering from small-pox were treated in hospital and discharged therefrom during the year, the records do not contain the registration of any one death from this disease in the Dublin Registration Area for the year 1904.

Measles.—The deaths (191) from measles represent a rate of 5·0 per 10,000 of the estimated population of the Area, the average annual rate for this disease for the 10 years, 1894 to 1903, being 4·6 per 10,000. The highest mortality recorded during these years was in 1899 when there were 656 deaths, equal to a rate of 18·8 per 10,000, and the lowest was in the year 1895, when only 3 deaths were recorded.

From Table I. it would appear that during the year, 851 persons suffering from measles were admitted to hospitals, 655 were discharged, 85, or about 10 per cent. of the number of admissions, died, and 131 patients were under treatment in hospitals at the close of the annual period.

Of the total deaths from measles 68 were from North City Districts, 112 from South City Districts—51 of the latter appertaining to the Registrar's District of South City No. 1, and 11 deaths were referred to the Urban Districts which, with the City, constitute the Dublin Registration Area.

Scarlet Fever.—In the decennial period which ended with the year 1903, the mortality from scarlet fever was highest in the years 1896, 1897, and 1898, when 148, 134, and 89 deaths were respectively registered; and lowest in the years 1900, 1901, and 1895, when 22, 31, and 44 deaths from scarlet fever were respectively registered. In the year 1904 the deaths (26), represented an annual rate of 0·7 per 10,000, the average rate for the preceding 10 years being 1·9 per 10,000 of the estimated population of the Area. It may be seen from Table I. that during the year 515 cases of scarlet fever were admitted to hospitals, and that 19 deaths occurred therein in the same period. It may further be seen in Table II. that of 542 cases of scarlet fever notified to the Public Health Authorities, 359 were in the City of Dublin; 69 in the Urban District of Rathmines and Rathgar; 48 in the Pembroke Urban District; 24 in Blackrock Urban District; and 42 in the Urban District of Kingstown.

Typhus.—One death from typhus was registered in the September quarter of the year, the average number of deaths from this disease in the 10 years preceding being 6. It appears from Table IV. that the death from typhus was assigned to North

* See note (*). page xv.

† Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued fever, enteric fever, diarrhœa, and dysentery.

City No. 3 District. Table I. shows that 15 cases of this disease were treated in Dublin hospitals during the year, that 14 persons were discharged, and that at the close of the year there was no case of the disease under treatment.

Whooping-cough.—The deaths from whooping-cough, 239 in number, are the highest from any of the principal epidemic diseases, with the exception of those attributed to diarrhœal diseases. They represent an annual rate of 6·3 per 10,000 of the estimated population of the Area, which is above the average annual rate (4·7) for the 10 years ending with 1903, and is also higher than the death rate for whooping-cough in any of the 10 years preceding, with the exception of the year 1897, in which year 392 deaths, equal to a rate of 11·2 per 10,000, were recorded. Of the deaths (239), 110 were registered in March quarter, 71 in June quarter, 36 in September quarter, and 22 in the December quarter of 1904. In Table IV. it may be seen that 16 deaths from whooping-cough were tabulated to North City No. 1, East, District, 17 to North City, No. 1, West, 24 to North City No. 2, 22 to North City No. 3 District; and that 34 deaths were tabulated to South City No. 1, 18 to South City No. 2, 30 to South City No. 3, and 36 to South City No. 4 District. Of 21 deaths from this disease tabulated to the Urban Districts, 13 appertained to the Pembroke Urban District.

Diphtheria.—Deaths from diphtheria which in the first 3 years of the decennial period 1894 to 1903 were comparatively low, being respectively 17, 21, and 18, rose to 75 in 1897, numbered 65, 66, 54, and 54 respectively in the following 4 years, rose to 85 (the highest annual mortality in the decennium) in 1902, declining to 60 in 1903, and further declining to 35 in the annual period now under notice. The 35 deaths represent an annual rate of 0·9 per 10,000 of the estimated population, the annual average rate for the preceding 10 years being 1·4 per 10,000.

From Table I. it appears that 262 cases of diphtheria were admitted for treatment to the principal Dublin hospitals, that 234 patients were discharged, and that 30 deaths occurred therein during the year, at the close of which 20 patients remained under treatment.

Enteric Fever.—It is worthy of notice that the deaths (74) from enteric fever which were registered during the year, and which represent a rate of 2·0 per 10,000, are below the number recorded in any previous year, for the Dublin Registration Area, the average rate for the preceding 10 years being 3·7 per 10,000 of the population. Of the 74 deaths, 30 were registered in the first quarter of the year, 16 in the second, and 14 in each of the third and fourth quarters of the year 1904.

Of the total deaths registered 13 appertain to the district of North City No. 1 E.; 10 to the district of South City No. 1; and eight of the number registered were of persons admitted to institutions from without the Registration Area. Table I. indicates that 422 persons suffering from enteric fever were admitted to Dublin Hospitals, and that 39 deaths occurred therein during the year.

During the year 4 deaths were attributed to simple continued or ill-defined forms of Fever.

Diarrhœal Diseases.—The deaths from "diarrhœal diseases" include those returned under the following designations:—Epidemic diarrhœa, epidemic enteritis, *diarrhœa*, choleraic diarrhœa and dysentery, and for the year 1904, amount to 339, representing an annual rate of 9·0 per 10,000 of the estimated population of the area; the annual average rate for the 10 years preceding being 8·8 per 10,000. The deaths from this group of disease constitute 37 per cent of the total deaths from the principal epidemic diseases*; of the 339 deaths, 243 were registered during the months of July, August and September, and 68 were registered in the December quarter of the year.

The deaths were distributed as follows:—141 deaths appertained to North City Districts, 142 to South City Districts, and 53 to the Urban Districts, while 3 of the deaths were of persons admitted to institutions from without the Dublin Registration Area.

* See note (†) page iv.

Tuberculosis.—The deaths from all forms of tuberculosis amount to 1,779, and include 313 from tuberculous phthisis, 859 from *phthisis*, 163 from tuberculous meningitis (acute hydrocephalus), 60 from tuberculous peritonitis, 45 from *tabes mesenterica*, 5 from scrofula, and 334 from other forms of the disease. They constitute over 19 per cent. of the deaths from all causes.

The annual death-rate for all forms of tuberculous disease for the Dublin Registration Area was 46·9 per 10,000 of the estimated population.

The death rate for the pulmonary form of the disease was 30·9 per 10,000 as compared with 33·3 per 10,000, the average annual rate for the preceding 10 years. Excluding deaths in institutions of persons admitted from without the Dublin Registration Area the rate for *phthisis* was for Dublin North City 31·4 per 10,000, for Dublin South City 33·7 per 10,000, and for the Urban Districts which with the city constitute the Dublin Registration Area, 20·1 per 10,000.

Cancer.—Under the general heading "cancer," 136 deaths were attributed to carcinoma, 16 to sarcoma, and 215 to *cancer*, or *malignant disease* (not otherwise defined).

Diseases of the Nervous System.—The deaths (720) from diseases of the brain and nervous system, include those of 317 persons from *convulsions*; of the latter figure 313 deaths were of infants under the age of 5 years.

Diseases of the heart and blood vessels.—The deaths from diseased conditions of the organs of blood circulation numbered 1,290. Of this number 225 deaths were caused by valvular heart disease, and 20 deaths were due to aneurysm.

Diseases of the Respiratory System.—The number of deaths tabulated to this group amounts to 1,787, and represents an annual rate of 47·1 per 10,000, the average annual rate for the 10 years preceding being 50·4 per 10,000 of the estimated population. The deaths included 42 from croupous pneumonia, 248 from broncho-pneumonia, and 324 from *pneumonia* (not defined). The total deaths include those of 1,054 persons from bronchitis.

Violence.—The deaths of 198 persons were attributed to violence, in the course of the year; 188 of these being due to accidental circumstances. Of the accidental deaths, 43 resulted from burns, scalds or explosions, including 21 of children under 5 years of age. Four deaths were due to homicide, and 6 deaths by suicide were reported.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (52 weeks) **ended Saturday, 31st December, 1904,** in the principal Dublin Hospitals in which cases of infective diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Dis-charged.	Died.	No. under treatment on above date.
Small Pox, . . .	.	4	4	.	.
Measles, . .	20	851	655	85	131
Scarlet Fever, . .	101	515	528	19	69*
Typhus „ . .	3	12	14	1	.
Diphtheria, . .	24	262	234	30	20
Enteric Fever, . .	63	422	400	39	46
Pneumonia, . .	16	317	286	30	17

* Exclusive of 14 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 377 cases the cause of death was uncertified, there having been no medical attendant during the last illness: of these 377 cases, 253, or 67·1 per cent., were deaths of children under 5 years of age: these 253 deaths form 8·4 per cent. of the total number of deaths of children of that age period. Of the deaths of 536 infants under 1 month old registered, there were 109 (or 20·3 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE II.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year (52 weeks) ended 31st December, 1904. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1904.*	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	293,385	4	229†	—	359	7	.	210	4	133	587	645	4	—	—	—	—	.	2,182
Rathmines and Rathgar Urban District.	33,203	.	—	—	69	.	.	21	1	1	34	19	.	—	—	—	—	—	145
Pembroke Urban District.	26,025	.	175	.	48	.	2	21	.	6	32	21	2	—	446	1	—	—	757
Blackrock Urban District.	8,759	.	—	—	24	.	.	6	.	.	2	3	.	14†	—	—	—	—	49
Kingstown Urban District.	17,622	.	—	—	42	.	.	19	.	.	5	7	.	7†	—	—	—	—	80
City of Belfast.	358,680	135	—	—	636	9	.	209	48	488	530	409	23	—	—	—	—	—	2,487

* See note (*) on page xv. † Notifiable for portion of the year only.

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES of DEATH in

Names of Diseases.	Number of Deaths									
	1894 (52 weeks).	1895 (52 weeks).	1896 (53† weeks).	1897 (52 weeks).	1898 (52 weeks).	1899 (52 weeks).	1900 (52 weeks).	1901 (52 weeks)	1902 (53† weeks).	1903 (52 weeks).
General Diseases:—										
Small Pox,	68	121	4	2	.	.	.	.	.	36
Measles,	48	3	10	474	9	656	75	7	392	49
Scarlet Fever (Scarlatina),	55	44	148	134	89	51	22	31	76	63
Typhus,	11	2	11	14	2	5	2	3	8	2
Whooping Cough,	200	95	174	392	154	150	137	235	59	129
Diphtheria,	17	21	18	75	65	66	54	54	85	60
Simple continued Fever,	10	12	12	8	7	4	6	10	4	3
Enteric Fever,	147	107	135	182	179	182	133	107	121	94
Diarrhœal Diseases,	202	298	365	356	381	529	365	390	237	151
Phthisis,	1,253	1,201	1,107	1,147	1,232	1,293	1,348	1,274	1,261	1,218
Other General Diseases,‡	1,408	1,655	1,483	1,691	1,788	1,845	1,884	1,664	1,473	1,669
Total,	3,419	3,559	3,467	4,475	3,906	4,781	4,026	3,775	3,716	3,474
Local Diseases:—										
Diseases of: Nervous System, Heart and Blood Vessels,	1,743	1,987	1,822	1,765	1,716	1,822	1,894	1,996	961 / 1,073	809 / 1,365
Organs of Special Sense,	9	5	7	7	10	10	6	9	10	7
Respiratory System,	1,603	2,143	1,575	1,961	1,741	2,083	2,062	1,860	1,959	1,705
Digestive System,	400	454	448	448	394	460	453	427	554	515
Lymphatic System, &c.,	5	11	7	9	9	14	13	14	14	22
Urinary System,	175	216	218	209	196	214	223	260	276	261
Generative System,	15	21	25	26	15	12	18	21	20	19
Accidents of Childbirth,	23	24	17	19	21	22	23	24	40	26
Diseases of Locomotive System,	23	32	32	27	26	20	15	20	29	14
Diseases of Integumentary‡ „	24	33	26	26	31	19	30	37	31	22
Total,	4,020	4,926	4,177	4,497	4,159	4,676	4,737	4,668	4,967	4,765
Other Specified Diseases,	.	.	.	.	.	.	.	.	.	.
Deaths from ill-defined and unspecified causes,	993	1,027	929	879	1,031	999	989	877	823	591
Violent Deaths,	217	230	283	266	238	274	235	251	221	217
Deaths from all causes,	8,649	9,742	8,856	10,117	9,334	10,730	9,987	9,571	9,727	9,047
Annual Death Rate per 1,000 of Pop.,*	24·1	26·9	23·9	27·5	25·2	28·7	26·5	25·4	25·3	23·9
Mean Temperature of the Air (Fahr.),	48°·1	47°·0	48°·7	49°·0	49°·8	49°·2	.	47°·7	47°·9	47°·7
Rainfall in inches,	30·25	32·60	29·06	31·02	29·61	26·87	37·21	25·79	26·97	32·48

* The figures given for 1894–1900 are for the Dublin Registration Area as then constituted; those for 1901 1904 for

† The numbers for the years 1896 and 1902 respectively, embrace the returns for 53 weeks. This

‡ Deaths from Carbuncle, Cellulitis, Phlegmon, and Lupus which for the years 1894–1901 were included in "Disease

the years 1894–1904, with the Ratio of the Deaths to the Population.

Registered.						Number of Deaths from each Disease to every 10,000 Persons living.		Names of Diseases.
Yearly Average, 1894–03.	1904.							
	Total (52 weeks)	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Yearly Average, 1894–03.	1904. (52 weeks)	
								General Diseases :—
23	.	.	.	.	.	0·6	.	Small Pox.
172	191	19	32	43	97	4·6	5·0	Measles.
71	26	8	7	3	8	1·9	0·7	Scarlet Fever (Scarlatina.)
6	1	.	.	1	.	0·2	0·0	Typhus.
173	239	110	71	36	22	4·7	6·3	Whooping Cough.
52	35	7	12	10	6	1·4	0·9	Diphtheria.
8	4	1	2	1	.	0·2	0·1	Simple continued Fever.
139	74	30	16	14	14	3·7	2·0	Enteric Fever.
327	339	18	10	243	68	8·8	9·0	Diarrhœal Diseases.
1,233	1,172	344	304	241	283	33·3	30·9	Phthisis.
1,656	1,735	511	437	396	391	44·7	45·8	Other General Diseases.‡
3,860	3,816	1,048	891	988	889	104·1	100·7	Total.
								Local Diseases :—
1,895	720	223	171	157	169	51·1	19·0	Nervous System. (Diseases of)
	1,290	371	305	278	336		34·0	Heart and Blood Vessels. (Diseases of)
8	11	3	4	1	3	0·2	0·3	Organs of Special Sense. (Diseases of)
1,869	1,787	643	430	238	476	50·4	47·1	Respiratory System. (Diseases of)
455	553	138	122	167	126	12·3	14·6	Digestive System. (Diseases of)
12	20	8	4	.	8	0·3	0·5	Lymphatic System, &c. (Diseases of)
225	283	74	79	69	61	6·1	7·5	Urinary System. (Diseases of)
19	22	7	3	5	7	0·5	0·6	Generative System. (Diseases of)
24	21	8	5	3	5	0·7	0·5	Accidents of Childbirth.
24	10	2	5	1	2	0·6	0·3	Diseases of Locomotive System.
28	14	5	3	4	2	0·8	0·4	Diseases of Integumentary‡ ,,
4,559	4,731	1,482	1,131	923	1,195	123·0	124·8	Total.
.	.	.	.	.	.	.	.	Other Specified Diseases.
914	519	170	111	100	138	24·6	13·7	Deaths from ill-defined and Unspecified causes.
243	198	65	39	42	52	6·6	5·2	Violent Deaths.
9,576	9,264	2,765	2,172	2,053	2,274	258·3	244·4	Deaths from all causes.
25·8	24·4	29·2	22·9	21·7	24·0	.	.	Annual Death Rate per 1,000 of Population.*
.	48°·1	40°·1	50°·8	56°·8	44°·6	.	.	Mean Temperature of the Air (Fahr.)
30·19	22·620	8·385	4·930	5·695	3·610	.	.	Rainfall in inches.

the area as at present existing. The rates are calculated on the population estimated to the middle of the respective years.
arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.
of the Integumentary System," have been tabulated under "Other General Diseases" for the years 1902, 1903, and 1904.

TABLE IV.—Showing, for the **Year 1904 (52 weeks)** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases;* with the Mortality from some of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

	REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1904.†	YEAR 1904 (52 WEEKS). ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–13.	TOTAL DEATHS.	DEATHS CAUSED BY: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
NORTH CITY.	NORTH CITY, No. 1, E.,	28,332	22·5	2·7	637	.	7	1	.	16	2	1	13	37	93	136	21
	" 1, W.	39,146	25·0	2·0	977	.	10	2	.	17	3	1	7	39	125	206	13
	" 2, .	30,107	26·7	2·5	805	.	9	2	.	24	1	.	5	34	127	160	12
	" 3, .	31,673	23·2	2·9	736	.	40	1	1	22	4	1	4	20	86	149	9
	CLONTARF & HOWTH, No. 1, part of, .	4,806	16·6	1·9	80	.	1	1	.	3	.	.	2	2	8	13	.
	COOLOCK & DRUMCONDRA, No. 1, part of, .	10,017	20·7	1·4	207	.	1	1	.	5	1	.	4	2	23	37	6
	FINGLAS AND GLASNEVIN, part of, .	6,665	19·1	2·0	127	.	.	.	.	6	.	.	.	7	11	16	5
SOUTH CITY.	SOUTH CITY, No. 1, .	38,384	28·0	3·5	1,073	.	51	1	.	34	2	.	10	36	146	225	19
	" 2, .	18,286	30·7	3·8	562	.	18	2	.	18	.	.	5	27	79	123	7
	" 3, .	41,940	26·1	2·8	1,094	.	22	3	.	30	5	.	6	50	128	197	24
	" 4, .	35,138	24·6	2·6	865	.	21	1	.	36	4	.	4	26	118	173	28
	NEW KILMAINHAM, .	8,891	17·0	1·5	151	.	.	2	.	7	.	.	1	3	9	34	1
URBAN DISTRICTS.	RATHMINES AND RATHGAR, . .	33,203	17·3	1·2	574	.	9	2	.	7	1	.	2	19	57	98	15
	PEMBROKE, .	26,025	17·8	1·7	463	.	1	3	.	13	2	1	2	21	55	82	10
	BLACKROCK, . .	8,759	16·9	0·7	148	.	.	.	.	.	.	.	1	5	18	26	3
	KINGSTOWN, .	17,622	19·7	0·9	347	.	1	1	.	1	5	.	.	8	42	70	9
TOTAL CITY,	NORTH, .	150,746	23·7	2·4	3,569	.	68	8	1	93	11	3	35	141	473	717	66
	SOUTH, .	142,639	26·3	3·0	3,745	.	112	9	.	125	11	.	26	142	480	752	79
	N. & S., .	293,385	24·9	2·7	7,314	.	180	17	1	218	22	3	61	283	953	1,469	145
TOTAL URBAN DISTRICTS,		85,609	17·9	1·2	1,532	.	11	6	.	21	8	1	5	53	172	276	37
TOTAL REGISTRATION AREA, ...		378,994	23·3	2·3	8,846	.	191	23	1	239	30	4	66	336	1125	1,745	182
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . . .					418	.	.	3	.	.	5	.	8	3	47	42	16

* See note (†) on page iv. † See note (*) on page xv.

Ages.—Of the 9,264 deaths registered during the year, 3,023, or 33 per cent., were of children under five years of age, and 2,334, or 25 per cent., were of persons aged 60 years and upwards, including those of 1,065 persons aged 70 years and upwards, of whom 47 were stated to have been nonagenarians, and 4 females were stated to have been aged 100, 103, 103, and 110 years, respectively.

The deaths of infants under 1 year old were equal to 171 for every 1,000 births registered, against 153 in the preceding year, and 164 in 1902.

TABLE V.—Showing by certain Age-Periods, the Population of the Dublin Registration Area * in 1901, the Number of Deaths registered in each of the years 1894–1904, and the proportion which the Deaths at each age-period bear to the estimated Population at the same age.

Years, &c.		Ages.							
		All Ages	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Census Population in 1901,		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
Number of Deaths *Registered.*	Year 1894,	8,649	2,344	692	3,036	1,573	1,827	1,850	363
	„ 1895,	9,742	2,689	743	3,432	1,602	2,100	2,155	453
	„ 1896,†	8,856	2,715	778	3,493	1,484	1,792	1,695	392
	„ 1897,	10,117	3,854	865	4,719	1,487	1,775	1,771	365
	„ 1898,	9,334	2,923	738	3,661	1,507	1,801	1,955	410
	„ 1899,	10,730	3,776	817	4,593	1,573	2,067	2,069	428
	„ 1900,	9,987	2,885	765	3,650	1,627	2,111	2,119	480
	„ 1901,	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	„ 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	„ 1903,	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	Yearly average, 1894-1903,	9,576	2,969	756	3,725	1,551	1,933	1,952	415
	Year 1904,	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	1st Quarter, 1904,	2,765	791	167	958	455	563	641	148
	2nd „ „	2,172	603	207	810	355	470	457	80
	3rd „ „	2,053	828	144	972	288	368	349	76
	4th „ „	2,274	801	136	937	317	407	480	103
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population* at same Age.	Year 1894,	24·1	61·7	6·6	21·3	12·8	27·3	75·8	194·4
	„ 1895,	26·9	70·2	7·0	23·9	12·9	31·1	87·6	240·7
	„ 1896,†	23·9	69·2	7·2	23·7	11·7	25·9	67·2	203·3
	„ 1897,	27·5	99·0	8·1	32·3	11·8	25·9	70·9	190·9
	„ 1898,	25·2	74·5	6·8	24·9	11·9	26·0	77·6	212·8
	„ 1899,	28·7	95·5	7·5	31·0	12·3	29·7	81·5	220·4
	„ 1900,	26·5	72·4	7·0	24·4	12·6	30·0	82·8	245·3
	„ 1901,	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	„ 1902,†	25·3	81·5	6·0	26·6	11·4	27·3	74·5	209·9
	„ 1903,	23·9	67·2	6·1	22·2	11·2	28·4	80·8	211·1
	Yearly average, 1894-1903,	25·7	76·3	7·1	25·4	12·0	28·1	78·4	216·5
	Year 1904,	24·4	79·2	6·1	25·4	10·6	26·3	79·4	213·8

Occupations.—Table VII. on page xiii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 18·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·4 per 1,000; among the "Artizan Class and Petty Shopkeepers" it was 19·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 33·7. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age-periods in the following Table.

* See note (*), pages viii.-ix. † See note (†), pages viii.-ix.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1901.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	AGES. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS,	375,350	38,157	67,552	39,171	135,683	68,610	24,273	1,904
	CLASSES.								
	Families of the—								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	937	2,136	1,322	5,665	4,490	2,532	354
II.	MIDDLE CLASS,	87,188	7,418	14,383	9,936	33,875	15,662	5,460	454
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	12,336	21,973	11,462	37,921	20,434	5,920	377
IV.	GENERAL SERVICE CLASS,	154,279	17,205	28,768	16,320	57,135	26,398	7,989	464
V.	INMATES OF WORKHOUSES,	6,024	261	292	131	1,087	1,626	2,372	255
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, and other Professions; Naval and Military Officers; and Heads of Public Departments,	7,799	541	997	548	2,654	2,196	793	70
	2. Merchants and Manufacturers, Higher Class,	1,277	139	268	98	325	322	116	9
	3. Persons of Rank and Property, not otherwise described,	8,360	257	871	676	2,686	1,972	1,623	275
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	822	1,509	822	2,461	1,658	412	28
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	2,849	5,110	1,330	6,494	4,995	1,181	57
	6. Clerks and Commercial Assistants,	30,432	2,477	3,842	5,170	14,637	3,630	653	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	1,270	3,922	2,614	10,283	5,379	3,204	356
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	1,364	2,151	940	3,627	1,512	271	9
	9. Building and Furnishing Trades,	29,801	4,037	6,963	2,619	9,373	5,452	1,289	68
	10. Clothing Trades,	23,260	1,359	2,995	3,338	9,277	4,484	1,700	107
	11 Food Supply Trades,	9,242	1,279	2,023	742	3,300	1,565	320	13
	12. Other Trades and Callings ranking with Trades,	30,352	3,472	6,258	3,151	9,923	5,623	1,770	155
	13. Petty Shopkeepers,	7,894	825	1,583	672	2,421	1,798	570	25
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	1,376	2,217	2,238	5,068	1,655	836	35
	15. Domestic Servants,	36,603	916	2,256	5,873	18,887	6,290	2,203	178
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	2,250	3,385	838	5,084	2,416	407	10
	17. Hawkers, Porters, Labourers, &c.,	89,861	12,663	20,910	7,371	28,096	16,037	4,543	241
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates,	6,024	261	292	131	1,087	1,626	2,372	255

Registration Area during the **52 weeks ending Saturday, 31st December, 1904**; the Annual Death-rate represented by the Deaths registered, Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death.

REGISTRATION OF DEATHS, (52 WEEKS) ENDING SATURDAY, 31ST DECEMBER, 1904.

Class.	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	24·7	9,264	3,023	654	1,445	1,808	1,927	407	.	191	26	1	239	35	4	74	339	909	1,172	317	1,787	198	4,881
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	18·4	320	18	7	33	63	130	69	.	.	1	.	3	.	1	2	6	13	13	.	50	3	241
II.	Middle Class,	87,188	16·4	1,433	292	125	258	271	366	121	.	8	6	.	25	7	1	17	42	106	142	31	235	25	894
III.	Artisan Class and Petty Shopkeepers,	110,423	19·1	2,106	724	166	334	451	371	60	.	41	9	.	59	10	.	13	89	221	290	83	410	39	1,063
IV.	General Service Class,	154,279	33·7	3773	1,727	306	573	618	483	66	.	140	10	1	149	18	2	37	179	536	452	179	713	126	1,767
V.	Inmates of Workhouses,	6,024		1632	262	50	247	405	577	91	.	2	.	.	3	.	.	5	23	33	275	24	379	5	916
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	26·3	205	12	5	22	41	85	40	.	.	1	.	1	.	.	.	3	5	7	.	31	2	160
	2. Merchants and Manufacturers, Higher Class,	1,277	7·8	10	4	.	2	2	1	1	.	.	.	.	1	.	.	.	1	2	.	.	2	.	6
	3. Persons of Rank and Property, not otherwise described,	8,360	12·6	105	2	2	9	20	44	28	.	.	.	.	1	.	1	2	2	6	6	.	17	1	75
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	15·4	119	23	6	13	27	40	10	.	1	.	.	3	1	.	1	2	8	10	2	19	1	79
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	17·2	379	74	17	66	97	100	25	.	4	2	.	6	3	.	2	11	28	23	4	69	5	250
	6. Clerks and Commercial Assistants,	30,432	13·8	420	133	37	106	65	58	21	.	1	3	.	13	2	1	9	20	49	61	20	64	5	221
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	19·1	515	62	65	73	82	168	65	.	2	1	.	3	1	.	5	9	21	48	5	83	14	344
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	19·1	189	77	18	36	34	19	5	.	2	.	.	7	3	.	.	6	18	34	9	31	5	92
	9. Building and Furnishing Trades,	29,801	23·4	696	287	66	83	142	105	13	.	17	3	.	28	5	.	5	33	91	94	27	137	16	331
	10. Clothing Trades,	23,260	13·5	315	81	25	70	67	56	16	.	4	4	.	5	.	.	4	9	26	45	7	67	2	158
	11. Food Supply Trades,	9,242	17·2	159	55	10	20	37	32	5	.	3	1	.	5	.	.	.	8	17	16	8	41	1	76
	12. Other Trades and Callings ranking with Trades,	30,352	19·0	578	162	40	102	140	119	15	.	10	.	.	12	2	.	3	26	53	86	22	95	8	314
	13. Petty Shopkeepers,	7,894	21·4	169	62	7	23	31	40	6	.	5	1	.	2	.	.	1	7	16	15	10	39	7	82
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	24·8	333	127	16	45	46	84	15	.	5	1	.	7	2	.	5	20	40	30	9	60	6	188
	15. Domestic Servants,	36,603	8·6	315	97	21	90	55	40	12	.	2	1	.	7	2	.	7	14	33	58	11	40	5	168
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·1	361	155	21	60	75	46	4	.	9	1	.	14	1	.	2	24	51	44	16	71	13	166
	17. Hawkers, Porters, Labourers, &c.,	89,861	30·8	2,764	1,348	248	378	442	313	35	.	124	7	1	121	13	2	23	121	412	320	143	542	102	1,245
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	6,024	.	1,632	262	50	247	405	577	91	.	2	.	.	3	.	.	5	23	33	275	24	379	5	916

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest :—Dundalk, 0·4; Drogheda, 0·5; Kilkenny, 0·5; Clonmel, 0·5; Sligo, 0·6; Newry, 0·7; Ballymena, 0·8; Galway, 1·0; Newtownards, 1·0; Cork, 1·0; Londonderry, 1·0; Tralee, 1·1; Waterford, 1·1; Lurgan, 1·2; Limerick, 1·2; Portadown, 1·3; Wexford, 1·3; Queenstown, 1·4; Armagh, 2·0; Lisburn, 2·2; and Belfast, 2·5.

Small-pox.—Eight deaths of residents of Belfast occurred in the small-pox hospital, Purdysburn, in the Registrar's District of Ballylesson and Union of Lisburn, and 2 deaths from small-pox were registered in Armagh.

Measles.—196 deaths were registered in Belfast, 8 in Cork, and 7 in Galway.

Scarlet Fever.—Twenty-one deaths were registered in Belfast, 4 in Newtownards, 2 deaths each in the towns of Lisburn, Wexford, and Portadown, and 1 in each of Cork, Londonderry, Waterford, and Queenstown.

Typhus.—Six deaths were registered in Belfast, and 1 death in each of Cork, Londonderry, Kilkenny, and Newtownards.

Whooping-cough.—The deaths registered were, 260 in Belfast, 32 in Limerick, 27 in Cork, 18 in Lisburn, 12 in Lurgan, 8 in each of Wexford and Armagh, 7 in Queenstown, 5 in each of Newry and Tralee, 3 in each of Londonderry, Drogheda, and Portadown, and 1 in each of Ballymena, Clonmel, and Newtownards.

Diphtheria.—Twenty-eight deaths were registered in Belfast, 12 in Londonderry, 6 in Cork, 2 in each of Ballymena, Sligo, and Portadown, and 1 in each of Galway, Lurgan, Lisburn, and Tralee.

Enteric Fever.—In Belfast 111 deaths were registered, in Cork 8, in Sligo 3. In each of the Urban Districts of Londonderry, Ballymena, Portadown, and Queenstown, 2 deaths were registered, and 1 death was registered in each of the following Urban Districts :—Limerick County Borough, Drogheda, and Newry.

Twelve deaths were registered as being due to Simple Continued or Ill-defined Fevers.

Diarrhœal Diseases.—Of 395 deaths registered, 251 appertained to Belfast, 27 to each of Cork and Waterford, 24 to Londonderry, and 13 to Limerick.

Phthisis (*Tuberculous Phthisis*).—The number of deaths from *phthisis* registered in the twenty-one Town Districts amounted to 2,211, exceeding the number registered in 1903 by 184 deaths. The total is equal to an annual rate of 3·1 per 1,000 of the aggregate population of the twenty-one Urban Districts. The deaths in Belfast, 1,120, represent a rate of 3·1 per 1,000 of the estimated population. In the twenty other Urban Districts the deaths, 1,091, represent an annual rate of 3·1 per 1,000 of the aggregate population of these areas. The death rate for phthisis in the Dublin Registration Area is equal to 3·0 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the **Year 1904** (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-two Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes.

TOWNS AND DISTRICTS.	Census Statistics of Districts.*		REGISTRATION—YEAR 1904 (52 WEEKS).																					
			Annual Rate per 1,000 persons represented by			NUMBERS REGISTERED.																		
							DEATHS.																	
				DEATHS from						Caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Diseases in Cols. 10-18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,093,289	19·2	29·4	21·3	2·0	32,120	23,311	4,735	5,712	10	405	58	11	633	86	16	199	731	3,336	4,809	485	910	6,516
DUBLIN REGISTRATION AREA,	378,994	27·5	29·5	23·3	2·3	11,164	8,846	1,886	2,227	.	191	23	1	239	30	4	66	336	1,125	1,745	182	262	3,182
URBAN DISTRICTS.																								
BELFAST,†	358,680	24·4	31·6	20·8	2·5	11,323	7,474	1,749	1,429	8	196	21	6	260	28	8	111	251	1,120	1,765	171	413	1,498
CORK,	76,122	33·6	27·4	21·6	1·0	2,089	1,642	249	408	.	8	1	1	27	6	1	8	27	352	275	39	75	563
LONDONDERRY,	41,397	19·1	29·0	16·7	1·0	1,199	692	121	190	.	.	1	1	3	12	.	2	24	107	150	18	29	101
LIMERICK,	38,151	18·1	31·0	21·3	1·2	1,182	812	152	220	.	.	.	.	32	.	.	1	13	109	180	7	22	299
WATERFORD,	26,769	18·7	22·2	18·5	1·1	593	495	66	142	.	2	1	.	.	.	.	.	27	87	96	14	20	197
GALWAY,	13,426	2·5	26·6	29·1	1·0	357	391	48	148	.	7	.	.	.	1	2	.	3	50	97	10	5	132
DUNDALK,	13,076	9·4	24·0	16·7	0·4	314	218	30	68	.	.	.	.	.	.	.	.	5	29	41	6	10	32
DROGHEDA,	12,760	8·6	23·1	17·5	0·5	295	223	31	85	.	.	.	.	3	.	1	1	1	18	10	.	9	56
NEWRY,	12,405	17·8	26·0	16·0	0·7	322	199	28	74	.	.	.	.	5	.	.	1	3	16	30	2	4	1
LURGAN,	11,782	13·8	29·1	18·4	1·2	343	217	40	55	.	.	.	.	12	1	.	.	1	35	42	3	4	35
LISBURN	11,461	10·1	25·6	19·9	2·2	293	228	38	57	.	.	2	.	18	1	.	.	4	30	48	1	9	36
WEXFORD,	11,168	23·2	26·7	24·4	1·3	298	273	41	91	.	.	2	.	8	.	.	.	5	39	68	5	4	50
BALLYMENA,	10,886	8·9	28·3	15·5	0·8	308	169	29	47	.	.	.	.	1	2	.	2	4	32	31	2	3	16
SLIGO,	10,870	3·7	24·4	17·9	0·6	265	195	32	66	.	.	.	.	.	2	.	3	2	30	31	.	6	50
KILKENNY,	10,609	11·5	28·0	20·4	0·5	297	216	30	74	.	.	.	1	.	.	.	.	4	30	33	1	4	66
CLONMEL,	10,167	7·8	24·2	19·9	0·5	246	202	24	68	.	.	.	.	1	.	.	.	4	30	46	3	6	69
PORTADOWN,	10,092	13·2	30·6	15·9	1·3	309	160	35	38	.	1	2	.	3	2	.	2	3	23	29	7	9	.
TRALEE,	9,867	16·6	27·4	18·5	1·1	270	183	29	71	.	.	.	.	5	1	.	.	5	16	9	1	2	60
NEWTOWNARDS,	9,110	18·9	28·2	19·8	1·0	257	180	28	72	.	.	4	1	1	.	.	.	3	21	34	6	4	37
QUEENSTOWN,	7,909	14·4	27·2	17·3	1·4	215	137	17	38	.	.	1	.	7	.	.	2	1	19	28	5	5	10
ARMAGH,	7,588	22·2	23·9	21·0	2·0	181	159	32	44	2	.	.	.	8	.	.	.	5	18	21	2	5	26

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is the estimated population in the middle of the year 1904; that for each of the other districts is the Population according to the Census of 1901.

† Including 8 deaths from Small-pox of persons admitted from the City of Belfast to the Small-pox Hospital, Purdysburn, in the Registrar's District of Ballylesson, and Union of Lisburn.

TABLE IX.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST* and CORK registered during the **Year** (52 weeks) ended 31st DECEMBER, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS: the Number of Deaths from some of the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	478	23·8	2·6	351	82	27	172	70	.	.	.	.	12	.	1	5	20	57	80	12	48	86
" 2 "	47,959	1,388	19·6	1·9	938	218	113	425	182	2	7	2	4	23	5	1	17	29	140	226	15	32	190
" 3 "	47,214	1,490	20·3	2·9	959	229	128	421	181	.	44	1	1	27	5	.	10	50	162	223	16	51	130
" 4 "	40,911	1,559	25·7	2·9	1,050	278	136	441	195	1	21	6	.	40	2	1	16	31	134	252	26	61	825
" 5 "	17,387	466	22·9	2·5	398	79	49	193	77	1	11	1	.	9	1	.	9	11	74	107	9	33	119
" 6 "	48,122	1,076	19·5	2·2	940	169	64	472	235	2	5	1	.	31	7	1	21	38	159	229	23	50	214
" 7 "	1,524	53	32·8	2·6	50	12	6	25	7	.	.	.	.	.	.	.	2	2	4	12	1	4	22
" 8 "	5,060	156	23·9	3·4	121	40	19	41	21	.	5	.	.	4	1	.	1	6	13	80	5	11	20
" 9 "	19,569	647	21·7	3·0	424	91	54	209	70	.	12	1	.	24	.	1	2	18	60	67	8	18	82
" 10 "	23,064	892	22·4	3·2	517	135	80	222	80	.	33	3	1	12	1	.	5	18	82	113	2	19	58
" 11 "	34,802	1,154	19·7	2·6	684	154	85	309	136	.	24	1	.	34	2	2	10	19	129	145	24	42	96
" 12 "	33,588	1,411	23·1	2·6	776	207	151	303	115	2	24	5	.	36	2	1	13	7	93	219	29	35	129
" 13 "	15,006	553	17·5	1·5	262	55	38	110	59	.	10	.	.	8	2	.	.	2	33	62	1	9	25
" 14 "	240	5	16·7	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.		.	.	.	2
Total,	349,180	11,323	21·4	2·5	7,474	1,749	951	3,345	1,429	8	196	21	6	260	28	8	111	251	1,120	1,765	171	413	1,498
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	312	23·9	0·5	308	41	16	161	90	.	.	1	.	4	1	.	1	.	72	48	3	5	164
" 2 "	10,701	333	19·8	1·8	212	43	24	111	34	.	1	.	.	1	2	1	5	9	41	47	8	10	66
" 3 "	9,978	304	23·2	1·8	231	35	28	110	58	.	2	.	1	6	.	.	1	8	64	62	6	11	78
" 4 "	8,666	239	20·5	0·5	178	20	23	79	56	.	.	.	.	3	.	.	.	1	30	30	7	12	57
" 5 "	6,592	162	20·0	0·2	132	23	13	65	31	.	.	.	.	.	.	.	1	.	20	17	6	17	32
" 6 "	10,702	245	17·9	0·7	192	28	22	98	44	.	.	.	.	4	.	.	.	3	43	14	2	5	41
" 7 "	16,616	494	23·4	1·4	389	59	47	188	95	.	5	.	.	9	3	.	.	6	82	57	7	15	125
Total,	76,122	2,089	21·6	1·0	1,642	249	173	812	408	.	8	1	1	27	6	1	8	27	352	275	39	75	563

* Including 8 deaths from Small-pox of persons admitted from the City of Belfast to the Small-pox Hospital, Purdysburn, in the Registrar's District of Ballylesson, and Union of Lisburn.

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 16*th February,* 1905.

ROBERT E. MATHESON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, and 89, Abbey-street.
360. P. 461. 12. 04.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 9TH JANUARY, 1904. [No. 1.

General Register Office, Charlemont House, Dublin, 11th January, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 19.	Week ending Dec. 26.	Week ending Jan. 2.	Week ending Jan. 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 19.	Week ending Dec. 26.	Week ending Jan. 2.	Week ending Jan. 9.	Average Rate for 4 weeks
22 Town Dists.	26·0	19·1	27·6	27·0	24·9	Lisburn, . .	27·3	18·2	13·6	13·3	18·2
Armagh, . .	27·5	6·9	34·4	13·7	20·6	Londonderry .	26·5	12·6	20·2	16·4	18·9
Ballymena, .	19·2	4·8	19·2	14·4	14·4	Lurgan, . .	31·0	8·9	26·6	44·3	27·7
Belfast, . .	25·9	23·0	26·5	27·6	25·8	Newry, . .	21·0	12·6	21·0	33·6	22·1
Clonmel, . .	25·6	25·6	25·6	15·4	23·1	Newtownards, .	34·3	28·6	22·9	28·6	28·6
Cork, . . .	17·8	15·1	20·5	31·5	21·2	Portadown, .	31·0	20·7	20·7	20·7	23·3
Drogheda, . .	28·6	12·3	12·3	20·4	18·4	Queenstown, .	46·1	13·2	.	19·8	19·8
Dublin Reg. Area,	25·6	19·9	31·8	27·8	26·3	Sligo, .	19·2	.	24·0	9·6	13·2
Dundalk, . .	23·9	27·9	12·0	23·9	21·9	Tralee, .	15·9	.	10·6	21·1	11·9
Galway, . .	15·5	35·0	35·0	46·6	33·0	Waterford, .	31·2	13·6	27·3	21·4	23·4
Kilkenny, . .	63·9	19·7	29·5	9·8	30·7	Wexford, . .	23·3	9·3	23·3	42·0	24·5
Limerick, . .	36·9	8·2	50·6	31·4	31·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·9 in Armagh. Among the 190 deaths from all causes registered in Belfast are 3 from measles, one from scarlet fever, 12 from whooping-cough, 2 from diphtheria, one from enteric fever, and 2 from diarrhœal diseases; and the 46 deaths from all causes in Cork include 2 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—100 boys and 95 girls; and the deaths to 208—103 males and 105 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·6 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 27·8 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

There were 2 deaths from measles, and 3 deaths from scarlet fever; influenza and diphtheria each caused one death; there were 3 deaths from diarrhœal diseases, and 9 deaths from whooping-cough, which in the 4 weeks preceding caused 7, 4, 3, and 12 deaths respectively. Enteric fever caused 6 deaths.

The deaths from tuberculous disease, 37 in number, include 5 from tuberculous phthisis, 21 deaths attributed to *phthisis*, 3 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 7 deaths from other forms of the disease.

Seven deaths were assigned to *cancer, malignant disease.*

In the total (17) deaths from diseases of the brain and nervous system, 11 deaths (all being infants under one year) were attributed to *convulsions.*

Twenty-six deaths from diseases of the heart and blood-vessels were registered.

Diseases of the respiratory organs were accountable for a total of 57 deaths, equal to an annual rate of 7·8 per 1,000 of the population, the average rate for the corresponding week in the past 10 years being 7·4 per 1,000. In the total, 35 deaths from bronchitis, 2 deaths from croupous pneumonia, 6 deaths from broncho-pneumonia, and 9 deaths from *pneumonia* are included.

Three deaths from accidental violence were recorded.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under one year old.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 9 were under one month old), and 59 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·8 per 1,000, the rate in the City was 29·0 (North City Districts, 31·5; South, 26·3), and in the Suburbs, 23·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·2 per 1,000, inhabitants, the rate for the City being 3·4 (4·5 in the North City Districts, and 2·2 in the South), and for the Suburbs, 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 35·0 per 1,000. There were 2 deaths from whooping-cough, one from influenza, 5 from tuberculous disease, and 6 (including 2 deaths from broncho-pneumonia) from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000. Measles and enteric fever each caused one death; there were 6 deaths from tuberculous disease, also 6 deaths from diseases of the respiratory system; one accidental death was registered.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000. There were 4 deaths from whooping-cough, one death from *diarrhœa*, 4 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 per 1,000. Measles, whooping-cough, enteric fever, tuberculous phthisis, tuberculous meningitis, caused severally, one death; there were 6 deaths from diseases of the respiratory system, including 2 deaths from *pneumonia*, registered.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 23·5. The only death from any epidemic disease registered was one from scarlet fever for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District.—(South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. Scarlet fever and enteric fever each caused one death; there were 4 deaths from tuberculous diseases, and the 5 deaths tabulated to diseases of the respiratory system include one death from broncho-pneumonia and 2 deaths from *pneumonia.*

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000. There was one death from enteric fever, there were 2 deaths from tuberculous disease, and the 6 deaths from diseases of the respiratory system include one death from broncho-pneumonia.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000. There were 2 deaths from *phthisis*, and 5 deaths, including one death from broncho-pneumonia, from diseases of the respiratory system.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·7 per 1,000. Scarlet fever caused one death, *diarrhœa* also caused one death; 2 deaths were due to *phthisis*, and 3 to alcoholism; four deaths were caused by diseases of the respiratory system, including two deaths from *pneumonia.*

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. There was one death from whooping-cough.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 24·0; Blackrock, 29·8; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts comprised one from whooping-cough for Rathmines and Rathgar, one from enteric fever for Blackrock, one from diphtheria and one from *diarrhœa* for Kingstown.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th January, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 19,	.	1	.	13	.	.	5	.	3	19	16	.	.	2	59
	Dec. 26,	.	14	.	7	.	.	.	.	1	16	14	.	.	.	52
	Jan. 2,	.	12	.	13	.	.	8	.	.	17	11	.	.	.	61
	Jan. 9,	.	9	.	13	1	.	3	.	2	6	19	.	1	.	54
Rathmines and Rathgar Urban District.	Dec. 19,	.	.	.	1	.	.	1	.	.	2	.	.	.	.	4
	Dec. 26,	.	.	.	1	.	.	.	.	.	3	.	.	.	1	5
	Jan. 2,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	3
	Jan. 9,	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3
Pembroke Urban District.	Dec. 19,	.	.	.	.	.	.	.	.	.	.	1	.	.	2	3
	Dec. 26,	.	.	.	.	.	.	.	.	.	.	.	.	6	.	6
	Jan. 2,	.	.	.	.	.	.	3	.	.	1	.	.	1	3	8
	Jan. 9,	.	.	.	.	.	.	1	.	.	1	.	.	.	2	4
Blackrock Urban District.	Dec. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 26,	.	.	.	3	.	.	.	.	.	.	1	.	.	.	4
	Jan. 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Jan. 9,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
Kingstown Urban District.	Dec. 19,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Dec. 26,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	Jan. 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Jan. 9,	.	.	.	1	.	.	1	.	.	1	.	.	.	.	3
City of Belfast.	Dec. 19,	5	–	.	24	1	.	10	2	5	10	13	.	.	.	70
	Dec. 26,	1	–	.	22	.	.	2	.	5	4	11	2	.	.	47
	Jan. 2,	2	–	.	15	.	.	1	1	8	4	13	2	.	.	46
	Jan. 9,	2	–	.	16	.	.	9	.	4	8	11	1	.	.	51

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th January, 1904.

From this it appears that:—

Twenty-one cases of measles were admitted to hospital during the week, 2 were discharged, there was one death, and 38 patients remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 14 cases were discharged, there were 3 deaths, and 97* cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, and 4 remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 4 were discharged, there was one death, and 27 cases remained under treatment at the close of the week.

Fifteen cases of enteric fever were admitted to hospital, 9 cases were discharged, there was one death, and 68 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 2 patients were discharged, there were 2 deaths, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·4), was equal to an average annual death-rate of 20·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·2 per 1,000, the rate for Glasgow being 24·8, and for Edinburgh 20·4.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th January, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 9th January, 1904. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 9th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th Dec., 1903. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,093,280	19·2	28·6	27·0	2·4	600	566	109	147	.	5	4	.	25	3	.	6	7	70	180	11	21	138	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total.‡	878,994	27·5	26·8	27·8	3·2	195	202	32	58	.	2	3	.	9	1	.	5	3	26	57	3	6	59	§50·0	25·3	40·0	1·52	§45·8	22·4	36·3	0·09	§54·8	26·7	39·7	0·29
City of Dublin	293,885	37·1	29·0	29·0	3·4	163	163	29	40	.	2	3	.	8	.	.	4	2	20	46	3	6	53	a52·0 b50·5	31·8 27·0	42·3 40·0	1·31 1·40	a47·0 b45·6	27·8 22·0	38·1 37·3	0·43 0·21	a55·8 b55·8	28·9 24·0	42·4 40·0	0·08 0·25
Urban Districts. Rathmines and Rathgar.	33,203	19·4	22·0	25·1	1·6	14	16	2	7	.	.	.	.	1	.	.	.	.	1	5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	24·0	.	11	12	.	7	.	.	.	.	.	.	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	.	29·8	6·0	.	5	.	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	20·7	17·8	5·9	7	6	1	3	.	.	.	.	.	1	.	.	1	1	1	.	.	2	51	36·5	44·6	.	47	31·5	88·9	0·4	54	32·5	43·3	0·31
Urban Districts.																																			
Belfast	358,680	24·4	32·9	27·6	3·1	226	190	51	33	.	3	1	.	12	2	.	1	2	22	79	2	7	32	48·0	31·0	39·3	1·71	41·7	28·5	34·4	0·05	52·0	30·0	42·7	0·69
Cork	76,122	33·6	27·4	31·5	2·1	40	46	8	13	.	.	.	.	2	.	.	.	1	5	13	2	2	16	50	37	44·3	1·54	49	33	41·9	0·63	52	31	42·8	0·76
Londonderry	41,397	19·1	34·0	16·4	.	27	18	3	5	.	.	.	.	.	.	.	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	27·3	31·4	2·7	20	23	5	6	.	.	.	.	2	.	.	.	.	4	10	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	28·4	21·4	.	12	11	.	4	.	.	.	.	.	.	.	.	.	2	.	1	2	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	19·4	46·6	.	5	12	4	3	.	.	.	.	.	.	.	.	.	3	1	.	.	6	51	32	41·5	1·09	45	23	32·6	0·00	52	26	40·7	0·21
Dundalk	18,076	9·4	31·9	22·9	.	8	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	20·4	20·4	.	5	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	33·6	33·6	.	8	8	1	5	.	.	.	.	.	.	.	.	.	1	1	1	1	.	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47	51·7	26·3	41·0	0·46
Lurgan	11,782	13·8	17·7	44·3	.	4	10	.	5	.	.	.	.	.	.	.	.	.	1	3	.	1	.	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47	51·7	26·3	41·0	0·46
Lisburn	11,461	10·1	13·6	13·6	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47	51·7	26·3	41·0	0·46
Wexford	11,168	23·2	28·0	42·0	.	6	9	.	2	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	19·2	14·4	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	38·4	9·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	48·3	33·2	39·2	1·22	43·9	22·4	33·2	0·43	52·9	27·1	39·9	0·66
Kilkenny	10,609	11·5	.	9·8	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	50	32	40·7	1·17	48	25	36·7	0·88	52	25	39·1	0·54
Clonmel	10,167	7·8	25·6	15·4	.	5	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	20·7	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47	51·7	26·3	41·0	0·46
Tralee	9,867	16·6	37·0	21·1	.	7	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	28·6	28·6	.	5	5	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	4	48	32	41·7	0·69	47	37	39·8	0·25	52	36	43·6	0·58
Queenstown	7,909	14·4	6·6	19·8	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	50	37	44·3	1·54	49	33	41·9	0·63	52	31	42·8	0·76
Armagh	7,588	22·2	41·2	13·7	6·9	6	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47	51·7	26·3	41·0	0·46

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 6 deaths of persons (including one at 63 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park. *a* Observations by Sir John Moore taken at Fitzwilliam Square.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 9th of January, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	4	1	.	.	.	.	.	.	.	1	1	.	.	.	9	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	1	.	.	.	1	1	.	.	.	.	.	1	.	5	1
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	3	.
Phthisis,	4	3	3	1	.	2	.	2	1	2	2	.	1	3	1	1	26	.
Other General Diseases,	2	5	3	1	.	1	1	3	1	4	5	.	2	1	2	.	31	2
Total,	8	10	11	5	.	4	1	7	3	6	9	1	4	4	4	3	80	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	1	1	.	.	.	1	2	.	2	.	2	1	.	1	15	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	1	2	1	1	.	2	1	5	1	.	4	3	.	1	26	.
Respiratory System,	6	6	4	6	.	.	2	5	6	5	4	2	5	4	1	1	57	.
Digestive System,	.	.	1	2	1	1	.	1	.	.	1	.	.	.	.	.	7	.
Lymphatic System, &c.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	1	2	1	.	.	.	.	.	1	.	.	.	1	.	.	.	6	1
Generative System,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	11	13	8	11	2	2	2	9	10	11	9	2	12	8	1	3	114	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	.	.	3	.	.	.	.	.	.	.	.	5	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Deaths from all Causes,	19	25	19	17	2	6	3	19	13	17	20	3	16	12	5	6	202	6
Annual Rate of Mortality in every 1,000 of the population.	35·0	33·3	32·9	28·0	21·7	31·2	23·5	25·8	37·1	21·1	29·7	17·6	25·1	24·0	29·8	17·8	27·6	.
	31·5							26·3					23·8					
	29·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	5	.	4	.	2	.	2	3	3	9	.	1	.	.	1	31	5
Workhouse Hospitals,	2	2	5	6	.	.	.	2	1	2	4	.	3	.	.	1	28	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere
week of the ten years, 1894-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1894-1903.	In the Week ending Saturday 9th January, 1904.							
												Deaths of Persons of the Ages							
	Jan. 6, 1894.	Jan. 5, 1895.	Jan. 4, 1896	Jan. 9, 1897.	Jan. 8, 1898.	Jan. 7, 1899	Jan. 6, 1900.	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 31·1	° 32·8	° 48·7	° 41·6	° 44·4	° 40·3	° 38·8	° 41·1	° 45·4	° 39·4	° 40·4	Mean Temp. ° 40·0							
ALL CAUSES.	182	190	193	236	208	179	337	203	223	206	215·7	208	9	23	31	15	40	31	50
Small-pox, Vaccinated, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	.	9	.	.	10	2	.	2	2·6	2	.	.	2	.	.	.	.
Scarlet Fever	1	.	2	4	5	.	.	.	.	2	1·4	3	.	.	3	.	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	7	2	1	1	5	4	19	.	2	7	4·8	1	.	.	1	.	.	.	.
Whooping Cough, ...	5	1	2	19	4	6	1	13	1	2	5·4	9	.	3	5	1	.	.	.
Diphtheria, ...	.	.	.	.	.	1	.	4	3	3	1·1	1	.	.	.	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	2	3	4	6	4	5	3	2	3	3·4	6	.	.	.	2	4	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	2	.	3	3	2	2	1	4	. / 3	2·2	. / 3	.	.	2	.	.	.	1
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	.	.	1	.	1	2	.	·6	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	1	.	2	.	.	.	1	. / . / .	·5	. / . / .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	2	1	2	.	.	.	.	.	.	·6	1	.	.	.	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	3	2	.	.	.	.	. / .	·5	. / .	.	.	.	.	.	.	.
Septic-Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	24	30	28	14	14	19	40	24	30	1 / 22	24·6	5 / 21	.	.	.	2	3	.	.
Tuberculous Meningitis, (Acute Hydrocephalus).	2	3	3	3	3	6	2	4	2	2	3·0	3	.	1	2	.	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	3	6	3	1	5	4	5	5	1	1 / .	3·4	1 / .	.	1	.	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	4	2	3	5	5	3	6	4	3	3 / .	3·8	7 / .	.	2	3	1	1	.	.
Alcoholism	2	.	.	2	1	.	.	2	3	2	1·2	4	.	.	.	.	3	.	1
Rheumatic Fever	.	.	1	1	1	.	.	2	.	1	·6	.	.	.	.	.	.	.	.
Gout	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are for

e FIRST WEEK ending Saturday, 9th January, 1904, with the deaths from each cause in the corresponding
d the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 6, 1894	Jan. 5, 1895.	Jan. 4, 1896.	Jan. 9, 1897.	Jan. 8, 1898.	Jan. 7, 1899.	Jan. 6, 1900.	Jan. 5, 1901.	Jan. 4, 1902.	Jan. 10, 1903.	Averages in 1st Week of the 10 years 1894–1903.	In the Week ending Saturday, 9th January, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 31·1	° 32·8	° 48·7	° 41·6	° 44·4	° 40·3	° 38·8	° 41·1	° 45·4	° 39·4	° 40·4	Mean Temp. ° 40·0								
Carcinoma	8	4	4	7	9	8	5	2	11	2	6·4	.	.	.	.	.	.	.	.	.
Sarcoma										.		.	.	.	.	.	.	.	.	.
Cancer, Malignant Disease ...										4		7	.	.	.	.	3	4	.	.
Diabetes Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Premature Birth	.	3	2	.	3	.	4	5	2	7	2·6	4	3	1	.	.	.	.	.	.
Meningitis (not tuberc.)										6		2	.	1	.	.	.	1	.	.
Insanity, G. P. of Insane										2		2	.	.	.	1	.	.	1	.
Epilepsy										2		1	.	.	.	1	.	.	.	.
Convulsions										11		11	4	7	.	.	.	.	.	.
Locomotor Ataxy										.		.	.	.	.	.	.	.	.	.
Paraplegia Dis. of Cord										.		1	.	.	.	.	.	1	.	.
Nervous System (other Dis.) ...	29	45	37	40	33	43	61	41	47	.	43·4	.	.	.	.	.	.	.	.	.
Valv. Dis., Endocarditis										7		.	.	.	.	.	.	.	.	.
Cerebr. Hæm. Thromb.										4		2	.	.	.	.	.	.	.	2
Apoplexy, Hemiplegia										7		9	.	.	.	.	1	2	6	.
Aneurysm										2		.	.	.	.	.	.	.	.	.
Embolism, Thromb. (not cerebral)										1		.	.	.	.	.	.	.	.	.
Heart and Blood Vessel Dis.										16		15	.	.	.	1	3	2	7	2
Croup (not Spasm. or Memb.) ...	1	1	1	1	1	.	2	2	.	.	·9	.	.	.	.	.	.	.	.	.
Bronchitis	29	31	23	41	31	23	80	31	37	15	34·1	35	.	1	5	.	1	8	19	1
Croupous Pneumonia										1		2	.	.	.	.	.	2	.	.
Broncho-Pneumonia	14	13	14	14	17	13	25	11	16	1	14·8	6	.	3	2	.	1	.	.	.
"*Pneumonia*"										9		9	.	2	1	1	1	4	.	.
Asthma, Emphysema										1		1	.	.	.	.	.	1	.	.
Pleurisy	4	3	2	3	2	1	3	2	4	.	2·8	.	.	.	.	.	.	.	.	.
Respiratory Dis. (other)										3		4	.	.	1	.	1	.	2	.
Consillitis, Quinsy	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Enteritis (not Epid.)	1	1	.	.	1	.	2	1	.	2	·8	.	.	.	.	.	.	.	.	.
Gastro Enteritis										.		1	.	1	.	.	.	.	.	.
Peritonitis (not Puerp.)	.	.	.	2	.	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver	.	2	4	4	2	.	3	6	3	.	2·5	.	.	.	.	.	.	.	.	.
Liver Dis. (other)										1		2	.	.	.	1	1	.	.	.
Digestive Dis. (other)	9	2	7	8	7	6	6	4	11	6	6·6	4	.	.	2	1	.	.	1	.
Nephritis, Acute										.		4	.	.	.	1	2	1	.	.
Bright's Dis., Albuminuria ...	1	2	3	6	9	6	6	3	4	4	4·5	3	.	.	.	.	1	.	2	.
Urinary Sys. (Other Dis.) ...										1		.	.	.	.	.	.	.	.	.
Generative Organs Dis.	.	2	1	.	2	.	1	1	.	.	·7	2	.	.	.	.	.	1	.	1
Childbirth (Accid. of)	1	1	.	.	2	.	.	1	5	1	1·1	.	.	.	.	.	.	.	.	.
Old Age	17	11	16	11	11	15	25	11	10	10	13·7	3	.	.	.	.	.	1	2	.
Other Diseases	9	11	13	21	14	6	19	13	12	18	13·6	8	2	.	2	.	1	1	2	.
ACCIDENT.																				
By Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
By Vehicles and Horses	.	.	1	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
In Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
In Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
In Conflagrations	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
By Burns, Scalds, Explosions ...	.	.	.	1	2	1	2	1	1	2	1·0	.	.	.	.	.	.	.	.	.
By Drowning	1	.	13	2	.	.	2	.	1	2	2·1	1	.	.	.	.	1	.	.	.
By Suffocation in Bed	.	.	.	1	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.
By Poison or Poisonous Vapours...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Other Deaths by Accidents ...	1	.	3	.	4	4	.	1	3	2	1·8	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
Homicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Execution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ie Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
Births registered,	188	174	239	177	199	227	243	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195
*Average Births in corresponding week of previous 10 years,**	195	190	196	208	195	199	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210
Deaths registered,	124	131	141	137	136	169	176	116	145	146	165	139	150	145	164	182	166	157	182	188	207	186	198	153	240	208
Annual Death-rate per 1,000,	17·1	18·0	19·4	18·8	18·7	23·3	24·2	16·0	19·9	20·1	23·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6
*Average Deaths in corresponding week of previous 10 years,**	148	158	160	170	165	160	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216
Ages, Under 5 years,	37	21	49	46	38	49	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	48	69	63
5—20 „	15	13	11	6	10	8	9	5	13	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15
20—40 „	27	24	33	19	24	32	38	19	28	25	26	30	35	29	28	25	21	24	31	25	38	28	23	26	39	40
40—60 „	16	35	25	36	27	38	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31
60—80 „	24	29	20	22	31	38	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50
80 years and upwards,	5	9	3	8	6	4	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9
Deaths from Small-pox,	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	1	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2
„ Scarlet Fever	3	1	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	3
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
„ Whooping-cough,	1	3	.	1	1	1	3	4	1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9
„ Diphtheria,	1	.	.	.	1	1	2	.	1	1	1	.	1	.	.	1	.	.	2	1	2	.	2	.	.	1
„ Simple Continued Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
„ Enteric Fever,	.	1	1	.	2	.	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6
„ Diarrhœal Diseases,	1	1	4	5	2	11	9	10	7	5	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3
„ Phthisis,	26	17	23	14	23	22	28	16	22	22	27	19	27	25	19	24	26	16	20	23	23	22	16	31	25	26
„ Diseases of Heart and Blood Vessels,	17	29	18	27	18	22	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26
„ Diseases of Respiratory System,	14	16	15	15	20	23	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57
Violent Deaths,	3	5	6	5	2	4	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3
Mean Temperature of the Air (Phœnix Park),	56·9	57·4	55·4	56·5	54·7	53·3	54·5	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	48·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0
Average Mean Temperature in corresponding week of previous 10 years,	59·0	60·4	59·1	59·2	57·9	59·6	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4
Rainfall in inches,	3·313	·840	·814	·266	1·011	1·301	·888	·323	1·938	·010	·640	·265	·710	·473	·338	·618	·208	·898	·070	1·153	·443	1·003	·245	·290	·085	1·515
Mean Humidity of the Air, complete Saturation 1·0,	·90	·88	·86	·77	·84	·84	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th January, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 9th January, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	28·9	208	63	15	40	31	50	9	.	2	3	.	9	1	.	6	3	24	26	11	57	3	87
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	32·9	11	.	.	2	2	6	1	.	.	.	.	.	.	.	1	1	2	1	.	4	.	4
II.	MIDDLE CLASS,	87,188	19·1	32	7	5	8	6	5	1	.	.	.	.	2	.	.	2	.	4	3	2	7	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	17·9	40	10	2	13	5	8	3	.	1	1	.	1	.	.	2	.	5	7	2	11	.	15
IV.	GENERAL SERVICE CLASS,	152,279	40·3	96	42	6	16	14	15	3	.	1	2	.	6	1	.	1	2	13	13	7	25	3	35
V.	INMATES OF WORKHOUSES,	6,024		29	4	2	2	4	16	1	.	.	.	.	.	.	.	.	.	.	2	.	10	.	17
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	56·1	9	.	.	2	2	4	1	.	.	.	.	.	.	.	1	1	2	1	.	3	.	3
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	3	1	1	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	10
	6. Clerks and Commercial Assistants,	30,432	22·3	13	4	2	4	2	1	.	.	.	.	.	1	.	.	1	.	2	2	2	3	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	.	2	3	.	2	.	.	.	.	.	1	.	.	1	.	2	1	.	2	.	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	.	1	.	1	.	.	.	.	.	1	.	.	.	.	1	1	1	.	.	1
	9. Building and Furnishing Trades,	29,801	22·7	13	4	1	3	1	4	.	.	1	1	.	.	.	.	1	.	3	2	.	3	.	5
	10. Clothing Trades,	23,260	22·4	10	2	.	5	1	1	1	.	.	.	.	.	.	.	1	.	1	1	1	4	.	3
	11. Food Supply Trades,	9,242	16·9	3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	2	1	2	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	5
	13. Petty Shopkeepers,	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	15. Domestic Servants,	36,603	7·1	5	1	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2	.	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	3	.	.	4	2	1	.	.	.	.	.	.	.	.	.	.	2	1	2	.	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	48·5	75	35	6	14	10	9	1	.	1	2	.	5	.	.	1	2	11	11	6	20	3	24
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	6,024	.	29	4	2	2	4	16	1	.	.	.	.	.	.	.	.	.	.	2	.	10	.	17

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	Nov. 21,	18·4	.	10	.	.	.	.	.	.	.	.	.	.	3	.
	„ 28,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	2	5	.
	Dec. 5	22·1	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	4	2
	„ 19,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1
	Jan. 2,	46·5	3·7	22	.	.	.	.	2	.	.	.	.	.	6	.
	„ 9,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	4	6	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Nov. 21,	29·3	2·7	22	.	.	1	.	.	1	.	.	1	1	6	.
	„ 28,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	2	6	.
	Dec. 5,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	8	.
	„ 12,	37·3	2·7	28	.	.	.	.	.	.	.	.	2	5	9	.
	„ 19,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	3	.
	„ 26,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	4	.
	Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
	„ 9,	33·3	2·7	25	.	1	.	.	.	.	.	1	.	3	6	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Nov. 21,	27·7	1·7	16	.	.	.	.	.	.	.	2	1	3	4	.
	„ 28,	22·5	1·7	13	.	.	.	.	1	.	.	.	.	2	3	.
	Dec. 5,	32·9	6·9	19	.	.	.	.	2	.	1	.	.	2	3	1
	„ 12,	38·1	5·2	22	.	.	.	.	3	.	.	1	.	4	6	2
	„ 19,	46·8	1·7	27	.	.	1	.	.	.	.	.	.	2	10	.
	„ 26,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	3	3	.
	Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 9,	32·9	3·7	19	.	.	.	.	4	.	.	.	1	3	4	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Nov. 21,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	.	2	.
	„ 28,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	4	.
	Dec. 5,	36·2	4·9	22	.	.	.	.	2	1	.	.	.	1	6	.
	„ 12,	29·6	4·9	18	.	1	.	.	2	.	.	.	.	1	4	.
	„ 19,	14·8	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	23·0	1·6	14	.	1	.	.	.	.	.	.	.	2	3	.
	Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
	„ 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Nov. 21,	29·9	1·4	22	.	.	.	.	.	.	.	.	1	2	8	.
	„ 28,	28·5	.	21	.	.	.	.	.	.	.	.	.	3	3	.
	Dec. 5,	29·9	4·1	22	.	.	1	.	1	.	.	1	.	3	3	.
	„ 12,	17·7	1·4	13	.	.	.	.	.	.	.	1	.	2	2	.
	„ 19,	32·6	4·1	24	.	.	1	.	.	.	.	1	1	.	4	.
	„ 26,	21·7	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
	„ 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Nov. 21,	31·4	2·9	11	.	.	.	.	1	.	.	.	.	1	6	.
	„ 28,	31·4	2·9	11	.	.	.	.	1	.	.	.	.	2	5	.
	Dec. 5,	31·4	.	11	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Nov. 21,	32·3	1·2	26	.	.	.	.	.	1	.	.	.	5	7	.
	„ 28,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	4	5	.
	Dec. 5,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	7	4	.
	„ 12,	29·8	.	24	.	.	.	.	.	.	.	.	.	1	10	1
	„ 19,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	4	.
	„ 26,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	4	2	1
	Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	„ 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Nov. 21,	22·3	.	15	.	.	.	.	.	.	.	.	.	4	5	.
	„ 28,	23·7	3·0	16	.	.	.	.	1	1	.	.	.	4	3	.
	Dec. 5,	35·6	.	24	.	.	.	.	.	.	.	.	.	2	8	1
	„ 12,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	9	.
	„ 19,	26·7	3·0	18	.	.	.	.	2	.	.	.	.	2	4	.
	„ 26,	20·8	3·0	14	.	.	.	.	2	.	.	.	.	3	2	.
	Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
	„ 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Nov. 21,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	1	1
	„ 28,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	2	.
	Dec. 5,	17·3	1·6	11	.	.	1	.	.	.	.	.	.	.	2	.
	„ 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	6	.
	„ 19,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 26,	18·8	1·6	12	.	.	1	.	.	.	.	.	.	1	3	.
	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	3	3	.
	„ 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Nov. 21,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	„ 28,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	20·0	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	„ 19,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Nov. 21,	26·6	3·0	9	.	.	.	.	.	.	.	.	1	1	3	.
	„ 28,	41·4	.	14	.	.	.	.	.	.	.	.	.	3	.	1
	Dec. 5,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	1	.
	„ 19,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·8	3·0	4	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Nov. 21,	20·1	1·6	138	.	3	1	.	1	.	.	1	5	18	29	3
	„ 28,	17·4	1·7	120	.	.	.	.	11	.	.	1	.	16	33	5
	Dec. 5,	23·7	2·3	163	.	.	1	.	10	1	.	3	1	20	50	6
	„ 12,	21·1	1·6	145	.	.	1	.	8	1	.	.	1	12	43	4
	„ 19,	25·9	2·5	178	.	.	2	1	10	1	.	3	.	20	70	4
	„ 26,	23·0	3·2	158	.	.	.	.	15	2	1	2	2	20	50	4
	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	„ 9,	27·6	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
Cork. Pop. (in 1901) 76,122.	Nov. 21,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	7	6	.
	„ 28,	10·3	.	15	.	.	.	.	.	.	.	.	.	2	5	.
	Dec. 5,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	6	2	1
	„ 12,	19·9	1·4	29	.	.	.	.	1	1	.	.	.	5	4	1
	„ 19,	17·8	.	26	.	.	.	.	.	.	.	.	.	5	5	.
	„ 26,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	6	4	1
	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	8	3	.
	„ 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
Londonderry. Pop. in 1904 (Est.) 41,397	Nov. 21,	6·3	1·3	5	.	.	.	.	.	.	.	.	1	.	.	.
	„ 28,	11·3	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	Dec. 5,	22·7	5·0	18	.	.	.	.	3	.	.	.	1	.	5	.
	„ 12,	10·1	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	„ 19,	26·5	1·3	21	.	.	.	1	.	.	.	.	.	2	7	1
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	3	5	.
	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	2	4	.
	„ 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
Limerick. Pop. (in 1901) 38,151.	Nov. 21,	17·8	2·7	13	.	.	.	.	2	.	.	.	.	2	3	.
	„ 28,	19·1	1·4	14	.	.	.	.	.	.	.	.	1	1	3	.
	Dec. 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	3	7	.
	„ 12,	23·2	.	17	.	.	.	.	.	.	.	.	.	5	4	.
	„ 19,	36·9	1·4	27	.	.	.	.	1	.	.	.	.	2	7	.
	„ 26,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	„ 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
Waterford. Pop. (in 1901) 26,769.	Nov. 21,	21·4	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 28,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	Dec. 5,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 12,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	3	2	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	6	.
	„ 26,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	„ 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th January, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	7	46·0	7·1	13	3	2	5	3	.	.	.	.		.	.	.	1	3	3	1	3	4
Do. 2 "	47,959	42	32·6	4·3	30	13	6	10	1	.	.	.	.		1	.	.	.	5	10	1	1	5
Do 3 "	47,214	29	15·5	1·1	14	5	2	3	4	.	.	.	.	1	.	.	.	.	.	4	.	.	1
Do. 4 "	40,911	34	31·9	2·5	25	4	4	11	6	.	.	1	.		.	.	1	.	1	8	.	1	7
Do. 5 "	17,387	12	27·0	.	9	1	1	5	2	.	.	.	.		.	.	.	.	2	4	.	1	4
Do. 6 "	48,122	17	32·5	4·3	30	6	4	12	8	.	.	.	.	4	.	.	.	.	.	19	.	.	2
Do. 7 "	1,524	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 "	5,060	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	9	34·6	5·3	13	4	3	4	2	.	1	.	.	.	.	.	.	1	.	10	.	.	2
Do. 10 "	23,064	18	31·7	.	14	1	3	8	2	.	.	.	.	.	.	.	.	.	2	5	.	1	.
Do. 11 "	34,802	25	18·0	1·5	12	3	1	7	1	.		.	.	.	.	.	.	.	4	6	.	.	4
Do. 12 "	33,588	19	35·7	7·8	23	8	4	8		.	1	.	.	3	1	.	.	.	5	8	.	.	2
Do. 13 "	15,006	11	20·8	.	6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	226	28·4	3·1	190	51	30	76	33	.	3	1	.	12	2	.	1	2	22	79	2	7	32
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	7	36·5	.	9	3	.	4	2	.	.	.	.	.	.	.	.	.	.	3	.	.	3
Do. 2 "	10,701	3	9·7	4·9	2	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 3 "	9,978	7	36·6	.	7	2	1	3	1	.	.	.	.	.	.	.	.	.	1	2	1	1	4
Do. 4 "	8,666	8	30·1	.	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Do. 5 "	6,592	1	47·5	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	3	.	.	2
Do. 6 "	10,702	5	24·4	4·9	5	.	2	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1
Do. 7 "	16,616	9	37·7	3·1	12	1	1	6	4	.	.	.	.	1	.	.	.	.	2	5	.	.	4
Total,	76,122	40	31·5	2·1	46	8	5	20	13	.	.	.	.	2	.	.	.	1	5	13	2	2	16

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903—Week ending																									
	July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15	Aug. 22	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered,	190	213	217	239	196	237	252	192	172	219	219	219	242	257	203	201	212	193	221	206	231	204	187	123	252	226
DEATHS registered.	112	105	126	152	132	103	131	110	114	122	105	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190
Annual Death-rate per 1,000 of estimated Population,	16·3	15·3	18·3	22·1	19·2	15·0	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6
AGES, Under 1 year,	25	22	31	40	50	35	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51
AGES, 1–5 years,	9	13	14	14	11	5	8	11	9	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30
AGES, 5–60 years,	55	47	51	72	53	46	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76
AGES, 60 years and upwards,	23	23	30	26	18	17	28	15	21	18	13	16	31	19	22	18	15	26	28	20	26	31	38	25	37	33
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	1	5	.	4	1	1	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3
„ Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
„ Whooping cough,	2	2	2	.	.	3	.	2	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12
„ Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2
„ Simple Continued Fever,	.	.	1	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
„ Enteric Fever,	6	4	2	6	4	2	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1
„ Diarrhœal Diseases,	3	11	17	22	18	15	19	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2
„ Phthisis	19	16	15	14	15	16	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22
„ Diseases of Respiratory System,	14	7	14	20	16	11	19	16	21	21	10	16	25	16	21	21	25	29	29	33	50	43	70	50	60	79
Violent Deaths,	1	4	1	2	2	3	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th January, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Varicella.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 1, West,	.	1	.	1	1	.	.	.	.	2	4	.	.	9
" " 2,	.	4	.	1	.	.	.	.	1	.	.	.	.	6
" " 3,	.	4	.	1	.	.	1	.	.	1	2	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	3	.	.	1	.	.	.	1	.	.	5
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	.	.	.	1	11	.	.	14
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	2	.	.	.	.	1	2	.	1	.	6
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	9	.	13	1	.	3	.	2	6	19	1	.	54

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th January, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th January.			
	Dec. 19.	Dec. 26.	Jan. 2.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	3	13	20	21	2	1	38
Scarlet Fever,	109	103	101	13	14	3	97*
Typhus "	2	1	3	1	.	.	4
Diphtheria,	14	13	22	10	4	1	27
Enteric Fever,	75	77	63	15	9	1	68
Pneumonia,	10	12	16	9	2	2	21

*Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,613,812	Jan. 9,	2,862	1,731	19·4	.	58	10	14	28	5	16
EDINBURGH,	327,441	„ 9,	147	130	20·4	.	.	.	.	.	1	1
GLASGOW,	786,897	„ 9,	549	379	24·8	3	12	1	2	3	1	10
CALCUTTA,	847,793	Nov. 7,	.	461	28·2	.	1	.	.	.	149‡	61*
BOMBAY,	776,006	Dec. 15,	438	587	39·3	4	.	.	.	.	51†	50*
MADRAS,	509,346	Nov. 13,	430	395	40·3	.	.	?	?	?	121	53
PARIS,	2,660,559	Dec. 26,	977	934	19·3	1	2	1	5†	1	4	36
BRUSSELS (with 8 Faubourgs).	575,896	„ 19,	225	157	14·2	.	.	1	1†	.	.	11
AMSTERDAM,	544,678	„ 19,	283	176	16·8	.	15	.	3†	2	6	2
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	416,000	Dec. 19,	253	123	15·4	.	.	.	.	5	.	3
CHRISTIANIA,	225,709	„ 26,	125	57	13·1	.	.	.	.	1	.	2
ST. PETERSBURG,	1,248,122	„ 26,	556	530	22·1	.	14	5	10†	8	11	44
BERLIN,	1,932,411	„ 12,	890	613	16·3	.	4	9	4	9	1	30
HAMBURG,	737,328	„ 19.	.	243	17·1	.	.	4	4†	.	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	512,000	Dec. 26,	.	204	20·7	.	2	.	2†	1	.	23
VIENNA (with suburbs).	1,744,177	„ 26,	953	645	18·8	.	3	2	12†	2	2	33
BUDA-PESTH	790,529	„ 26,	370	251	16·5	1§	.	5	9†	.	3	11
PRAGUE and Faubourgs.	423,990	„ 19,	175	152	18·7	..	4	1	3†	.	2	12
ROME,	491,074	Oct. 3,	217	154	16·0	.	.	.	.	.	6	20
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Nov. 28,	86	71	22·2	.	.	.	.	.	1	3
NEW YORK,	3,732,903	Dec. 12,	1,891	1,315	18·4	.	6	3	41†	4	15	34
PHILADELPHIA,	1,378,624	„ 12,	.	496	18·8	16	3	3	21†	1	12	2

* Including 14 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 19 deaths from bubonic fever in Calcutta, and 56 in Bombay.
§ Variola, Varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th January, 1904:—

"Atmospheric pressure again ruled highest over Russia and Central Europe, and was relatively low both off the west coasts of Ireland and Scotland and in the Mediterranean Basin. Steady frost held in Germany and Eastern France until Saturday, when a general thaw took place. In the British Isles and along the shores of the Bay of Biscay and of Norway conditions were milder, the skies were clouded, and rain was of frequent occurrence. In Dublin a sudden chill took place at 9 a.m. of Sunday, when the thermometer fell several degrees in a few minutes consequent on a shift of wind from S. to W. The change was accompanied by a formation of 'festooned cloud,' or inverted cumulus, and was followed by a downpour of hail, rain and sleet, amounting to over half an inch of rainfall in 3 hours. The afternoon was fair, and a bright full moon was seen in the evening. On Monday morning a deep depression lay off the S.W. of Ireland, the barometer being down to 29·13 inches at Valentia. This system moved southeastwards to France and dispersed. Tuesday was fine, but foggy in the morning and evening—a frost occurring at night. By Wednesday morning a new depression reached Mayo, and S. winds were blowing with clouds and high temperature. Heavy rain fell along the western seaboard of Ireland, Wales, and Scotland—1·11 inches being measured at Blacksod Point. Thunder and lightning were experienced in the evening in the S.W. and W. of Ireland. On Friday a small secondary to a large depression in the N.W. and N. passed northeastwards across Brittany, causing rain in the W. of France and S. of England. In Ireland the weather at the same time became finer and colder. In Dublin the mean height of the barometer was 29·725 inches, the range being from 29·371 inches at 9 a.m. of Monday (wind, S.E.) to 30·081 inches at 9 a.m. of Wednesday (wind also S.E.). The corrected mean temperature was 42·3°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was also 42·3°. The screened thermometers fell to 31·8° on Wednesday and rose to 52·0° on Thursday. Twelve hours of bright sunshine were estimated, 4¼ hours falling on Friday. Rain fell on 5 days to the amount of 1·309 inches, ·550 inch being measured on Sunday. The prevalent winds were S.E. and S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·736 inches. The highest reading (30·166) was on Tuesday at 9 p.m., air calm, and the lowest (29·382) on Monday at 9 a.m., wind E.S.E.

The mean temperature for the week was 40·0°, being 0·4° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Thursday, on which day the thermometer registered 50·0°, and was lowest on Wednesday, the mercury having fallen to 25·3°. The mean of the Dry Bulb for the week was 41·0°, and of the Wet Bulb 39·6°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 14·1 hours. The rainfall during the week measured 1·515 inches.

At Greenwich the mean temperature for the week was 39·8°, the maximum 47·7°, and the minimum 29·3°; at Glasgow the maximum was 48·4°, the minimum 33·8°, and the mean 40·4°; and at Edinburgh the maximum was 47·5°, the minimum 31·6°, and the mean 38·9°. The rainfall at Greenwich measured 0·29 inch; at Glasgow 1·40 inches; and at Edinburgh 0·80 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 3,	29·459	48·5	35·1	41·8	39·5	38·5	·92	·4	1·2	·485	S.S.E.	S.W.
Monday, „ 4,	29·417	44·3	31·2	39·3	43·0	41·6	·90	·5	0·0	·505	E.S.E.	E.N.E.
Tuesday, „ 5,	30·033	48·3	28·9	38·6	36·2	25·5	·90	·1	4·3	·015	N.E.	Calm.
Wednesday, „ 6,	30·027	49·8	25·3	37·6	46·9	44·5	·83	·7	0·0	·025	S.S.E.	S.S.W.
Thursday, „ 7,	29·700	50·0	38·9	44·5	43·9	42·4	·89	·3	0·1	·265	S.E.	S.W.
Friday, „ 8,	29·695	43·7	36·0	39·7	38·1	36·9	·90	·1	4·6	—	S.W.	W.
Saturday, „ 9,	29·821	45·2	31·9	38·6	39·4	37·6	·85	·7	3·9	·220	W.	W.S.W.
Mean, . .	29·736	47·1	32·9	40·0	41·0	39·6	·88	·4	Total 14·1	1·515	Prevailing Wind, Variable.	

Sunday—Overcast, heavy rain a.m., fine, cloudy p.m.; night clear. *Monday*—Cloudy a.m., overcast and wet p.m.; night overcast, drizzling rain to 1 a.m. *Tuesday*—Cloudy, foggy and light rain a.m., bright p.m.; night sky clear, foggy. *Wednesday*—A dull day, light rain p.m.; night overcast, light rain 8 to 9 a.m. *Thursday*—Overcast, heavy rain a.m., cloudy p.m.; night clear. *Friday*—A fine day, bright p.m.; night cloudy. *Saturday*—A fine day; night cloudy p.m., overcast, wet, and heavy squalls to 6 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 16TH JANUARY, 1904. [No. 2.

General Register Office, Charlemont House, Dublin, 18th January, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 26.	Week ending Jan. 2.	Week ending Jan. 9.	Week ending Jan. 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 26.	Week ending Jan. 2.	Week ending Jan. 9.	Week ending Jan. 16.	Average Rate for 4 weeks
22 Town Dists.	19·1	27·6	27·0	26·5	25·1	Lisburn,	18·2	13·6	13·6	36·4	20·5
Armagh,	6·9	34·4	13·7	.	13·8	Londonderry	12·6	20·2	16·4	22·7	18·0
Ballymena,	4·8	19·2	14·4	23·9	15·6	Lurgan,	8·9	26·6	44·3	26·6	26·6
Belfast,	23·0	26·5	27·6	28·9	26·5	Newry,	12·6	21·0	33·6	33·6	25·2
Clonmel,	25·6	25·6	15·4	20·5	21·8	Newtownards,	28·6	22·9	28·6	17·2	24·3
Cork,	15·1	20·5	31·5	19·9	21·8	Portadown,	20·7	20·7	20·7	25·8	22·0
Drogheda,	12·3	12·3	20·4	20·4	16·4	Queenstown,	13·2	.	19·8	13·2	11·6
Dublin Reg. Area,	19·9	31·8	27·8	28·8	27·1	Sligo,	.	24·0	9·6	9·6	8·6
Dundalk,	27·9	12·0	23·9	19·9	20·9	Tralee,	.	10·6	21·1	10·6	10·6
Galway,	35·0	35·0	46·6	27·2	36·0	Waterford,	13·6	27·3	21·4	15·6	19·5
Kilkenny,	19·7	29·5	9·8	4·9	16·0	Wexford,	9·3	23·3	42·0	28·0	25·7
Limerick,	8·2	50·6	31·4	31·4	30·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fourteen of the districts to 5·2 in Portadown. Among the 199 deaths from all causes registered in Belfast are one from measles, 9 from whooping-cough, 3 from enteric fever, and one from diarrhœa; and the 18 deaths from all causes in Londonderry include one from typhus and one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—107 boys and 95 girls; and the deaths to 216—117 males and 99 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·7 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 28·8 per 1,000. During the two weeks ending with Saturday last the death-rate averaged 29·2, and was 1·8 below the mean rate for the corresponding portions of the ten years 1894–1903.

There were 2 deaths from influenza, 5 deaths from whooping-cough, 3 deaths from enteric fever, and 3 deaths from diarrhœal diseases. In the 4 weeks preceding whoop-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

ing-cough caused 4, 3, 12, and 9 deaths, and enteric fever caused one, 2, one, and 6 deaths, respectively. There was not one death from small-pox, measles, scarlet fever, or diphtheria registered during the week.

Of 43 deaths assigned to tuberculous disease, 8 deaths were attributed to tuberculous phthisis, 22 to *phthisis*, 5 to tuberculous meningitis, one to tuberculous peritonitis, and 7 deaths to other forms of the disease.

There was one death from carcinoma, and 6 deaths were attributed to *cancer, malignant disease.*

Of 19 deaths from diseases of the nervous system, 6 were registered as *convulsions;* of these 5 were of infants under one year in age.

Diseases of the heart and blood-vessels caused 36 deaths.

The total number (45) of deaths from diseases of the respiratory system are equal to an annual rate of 6·2 per 1,000 of the population of the Dublin Registration Area, the average rate for the corresponding week in the last 10 years being 8·1 per 1,000. Included in the total are 28 deaths from bronchitis, one death from croupous pneumonia, 10 deaths from broncho-pneumonia, and 5 deaths from *pneumonia.*

Five accidental deaths were registered, inclusive of one death from poison.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under one year old and the death of one person aged 81 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 9 were under one month old), and 61 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 12 were octogenarians.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 25 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·8 per 1,000, the rate in the City was 30·9 (North City Districts, 26·6; South, 35·5), and in the Suburbs, 21·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·8 (0·7 in the North City Districts, and 2·9 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There was one death each from tuberculous phthisis, *phthisis* and tuberculous peritonitis, and the 3 deaths from diseases of the respiratory system include one death each from broncho-pneumonia and from *pneumonia.*

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000. There was one death from enteric fever; the 6 deaths due to tuberculous disease include 2 deaths from pulmonary tuberculosis, and one death from tuberculous meningitis; and the 8 deaths from diseases of the respiratory system include 2 from broncho-pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There was one death from whooping-cough, tuberculous disease caused 4 deaths, and diseases of the respiratory system caused 3 deaths, including one death from broncho-pneumonia.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. There were 3 deaths from *phthisis*, and one death from tuberculous meningitis, and the 5 deaths registered from diseases of the respiratory system include 2 deaths from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 15·6.

No. 1 South City District.—(South Earl-street).—The deaths (30) represent an annual rate of 40·8 per 1,000. There were 2 deaths from diarrhœal diseases, and 5 deaths from tuberculous disease, including one death from tuberculous phthisis and one death from tuberculous meningitis; there were 7 deaths from diseases of the heart and blood-vessels, and 4 deaths from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 45·6 per 1,000. There were 2 deaths from whooping-cough, also 2 deaths from tuberculous disease, and 3 deaths (including one from croupous pneumonia) from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000. Influenza and *diarrhœa* each caused one death; there were 7 deaths from tuberculous disease, and 5 deaths from diseases of the respiratory system, including one death from broncho-pneumonia and two deaths from *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (24) are equivalent to an annual rate of 35·6 per 1,000. There were 2 deaths from whooping-cough, one death from enteric fever, one death from influenza, 3 deaths from tuberculous disease, including one death from pulmonary tuberculosis and one death from tuberculous meningitis, and 7 deaths from diseases of the respiratory system, including one death from broncho-pneumonia and one death from *pneumonia.*

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 14·0; Blackrock, 11·9; and Kingstown, 41·4. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Three deaths from diseases of the heart and blood-vessels were tabulated for Rathmines and Rathgar, 2 for Pembroke, and 5 for Kingstown; 3 deaths from diseases of the respiratory system were tabulated for Rathmines and Rathgar, one for Pembroke, and one for Kingstown.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:– the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th January, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 26,	.	14	.	7	.	.	.	.	1	16	14	.	.	.	52
	Jan. 2,	.	12	.	13	.	.	8	.	.	17	11	.	.	.	61
	Jan. 9,	.	9	.	13	1	.	3	.	2	6	19	.	1	.	54
	Jan. 16,	.	5	.	12	1	..	2	.	1	23	16	.	.	.	60
Rathmines and Rathgar Urban District.	Dec. 26,	.	.	.	1	.	.	.	.	.	3	.	.	.	1	5
	Jan. 2,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	3
	Jan. 9,	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3
	Jan. 16,	.	.	.	2	.	.	.	.	.	.	1	.	.	.	3
Pembroke Urban District.	Dec. 26,	.	.	.	.	.	.	.	.	.	.	.	.	6	.	6
	Jan. 2,	.	.	.	.	.	.	3	.	.	1	.	.	1	3	8
	Jan. 9,	.	.	.	.	.	.	1	.	.	1	.	.	.	2	4
	Jan. 16,	.	1	.	2	.	.	1	.	.	3	.	.	2	.	9
Blackrock Urban District.	Dec. 26,	.	.	.	3	.	.	.	.	.	.	1	.	.	.	4
	Jan. 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Jan. 9,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
	Jan. 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	Dec. 26,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	Jan. 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Jan. 9,	.	.	.	1	.	.	1	.	.	1	.	.	.	.	3
	Jan. 16,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
City of Belfast.	Dec. 26,	1	–	.	22	.	.	2	.	5	4	11	2	.	.	47
	Jan. 2,	2	–	.	15	.	.	1	1	8	4	13	2	.	.	46
	Jan. 9,	2	–	.	16	.	.	9	.	4	8	11	1	.	.	51
	Jan. 16,	2	–	.	13	..	.	2	.	2	6	7	.	.	.	32

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th January, 1904.

From this it appears that:—

Two cases of measles were admitted to hospital during the week, 2 were discharged, and 38 patients remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 13 cases were discharged, and 102* cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, 2 were discharged, and 4 remained under treatment at the close of the week.

One case of diphtheria was admitted to hospital, 8 were discharged, and 20 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 18 cases were discharged, there was one death, and 60 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 5 patients were discharged, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 19·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·2 per 1,000, the rate for Glasgow being 20·2, and for Edinburgh 16·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th January, 1904, in the DUBLIN REGISTRAITON AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 16th January, 1904. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 16th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,093,289	19·2	27·7	26·5	1·5	580	555	94	164	.	3	.	1	16	.	.	5	6	65	159	8	18	167	°	°	°	°	°	°	°	°	°	°	°	°
Dublin Registration Area:—																																			
Total.‡	378,994	27·5	27·8	28·8	1·4	202	209	31	61	.	.	.	.	5	.	.	2	3	27	45	4	4	82	§50·9	28·8	39·4	0·55	§50·0	25·3	40·0	1·52	§45·8	22·4	36·3	0·09
City of Dublin	293,385	37·1	30·0	30·9	1·8	169	174	26	48	.	.	.	.	5	.	.	2	3	25	40	3	4	72	a52·1 b51·6	31·5 30·0	41·1 39·6	0·39 0·51	a52·0 b50·5	31·8 27·0	42·3 40·0	1·31 1·40	a47·0 b45·6	27·8 22·0	38·1 37·3	0·43 0·21
Urban Districts. Rathmines and Rathgar	33,208	19·4	11·0	18·8	.	7	12	1	6	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	32·1	14·0	.	16	7	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	11·9	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	17·8	41·4	.	6	14	1	4	.	.	.	.	.	.	.	.	.	1	1	1	.	7	52·5	33·5	42·2	0·27	51	36·5	44·6	.	47	31·5	38·9	0·4
Urban Districts.																																			
Belfast	358,680	24·4	31·0	28·9	2·0	213	199	48	47	.	1	.	.	9	.	.	3	1	23	82	3	9	40	48·0	31·0	38·0	0·86	48·0	31·0	39·3	1·71	41·7	28·5	34·4	0·05
Cork	76,122	33·6	21·9	19·9	.	32	29	4	9	.	.	.	.	.	.	.	.	.	5	8	1	3	11	51	36	43·5	0·74	50	37	44·3	1·54	49	33	41·9	0·63
Londonderry	41,897	19·1	39·0	22·7	2·5	31	18	2	9	.	.	.	1	1	.	.	.	.	1	4	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	19·1	31·4	1·4	14	23	3	8	.	.	.	.	1	.	.	.	.	.	5	.	1	12	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	13·6	15·6	.	7	8	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	15·5	27·2	3·9	4	7	.	4	.	1	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	51	32	41·5	1·09	45	23	32·6	0·00
Dundalk	13,076	9·4	8·0	19·9	.	2	5	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	24·5	20·4	.	6	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	12·6	33·6	.	3	8	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47
Lurgan	11,782	13·8	17·7	26·6	.	4	6	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47
Lisburn	11,461	10·1	22·7	36·4	.	5	8	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47
Wexford	11,168	23·2	32·7	28·0	4·7	7	6	1	4	.	.	.	.	.	.	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	33·5	23·9	.	7	5	.	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	19·2	9·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	49·5	33·5	40·1	1·56	48·3	32·2	39·2	1·22	43·9	22·4	33·2	0·43
Kilkenny	10,609	11·5	19·7	4·9	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52	28	39·7	0·68	50	32	40·7	1·17	48	25	36·7	0·88
Clonmel	10,167	7·8	51·3	20·5	5·1	10	4	.	2	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	20·7	25·8	5·2	4	5	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47
Tralee	9,867	16·6	37·0	10·6	.	7	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	28·6	17·2	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	49	32	38·5	0·77	48	32	41·7	0·69	47	37	39·8	0·25
Queenstown	7,909	14·4	39·6	13·2	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	51	36	48·5	0·74	50	37	44·3	1·54	49	33	41·9	0·63
Armagh	7,588	22·2	29·6	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19	42·5	26·7	35·6	0·47

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Malkree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Exclusive of 7 deaths of persons admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park.

a Observations by Sir John Moore taken at Fitzwilliam Square.

b Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 16th of January, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	.	.	.	.	.	2	.	2	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Diarrhœal Diseases,	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	.
Phthisis,	2	5	3	3	.	1	1	3	1	4	2	.	1	.	.	1	27	3
Other General Diseases,	3	2	1	3	.	1	.	7	3	6	5	.	1	2	.	2	36	1
Total,	5	8	5	6	.	2	1	12	6	11	10	.	2	2	.	3	73	5
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	.	1	.	.	.	.	4	1	2	3	1	1	2	1	1	18	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	3	2	2	1	.	.	7	3	3	2	.	3	2	.	5	36	.
Respiratory System,	3	3	3	5	.	.	.	4	3	5	7	2	3	1	.	1	45	.
Digestive System,	.	2	2	1	.	1	.	.	.	2	.	.	2	.	.	3	13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	2	2	.	.	1	.	.	.	1	.	1	.	.	.	1	.	8	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	15	9	8	2	1	.	16	8	12	13	3	9	5	2	10	121	1
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	2	.	.	.	3	1	2	.	.	.	1	1	.	.	.	11	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	4	1
Deaths from all Causes,	14	25	14	14	2	6	2	30	16	23	24	4	12	7	2	14	209	7
Annual Rate of Mortality in every 1,000 of the population	25·8	33·3	24·2	23·0	21·7	31·2	15·6	40·8	45·6	28·6	35·6	23·5	18·8	14·0	11·9	41·4	28·8	.
	26·6							35·5					21·3					
	30·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	4	1	.	2	.	4	6	3	5	.	1	1	.	4	37	5
Workhouse Hospitals,	1	11	2	4	.	1	.	8	1	7	5	1	1	.	.	3	45	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1894-1903.	In the Week ending Saturday, 16th January, 1904. Deaths of Persons of the Ages of						
	Jan. 13, 1894.	Jan. 12, 1895.	Jan. 11, 1896	Jan. 16, 1897.	Jan. 15, 1898.	Jan. 14, 1899	Jan. 13, 1900.	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 43·0	° 31·0	° 38·8	° 35·9	° 43·4	° 42·8	° 42·2	° 37·3	° 44·7	° 32·3	° 39·1	Mean Temp. ° 39·4							
ALL CAUSES.	285	208	190	233	213	182	331	191	186	227	224·6	216	9	22	19	13	45	47	49
Small-pox, Vaccinated, ...	.	5	.	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	6	.	.	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	.	1	9	.	.	18	.	1	3	3·9	.	.	.	.	.	.	.	.
Scarlet Fever	.	2	.	5	3	1	1	1	.	1	1·4	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	2	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	7	1	5	5	9	5	20	2	1	4	5·9	2	.	.	.	.	.	1	.
Whooping Cough, ...	6	2	1	27	2	3	1	10	2	2	5·6	5	1	.	4	.	.	.	.
Diphtheria, ...	.	.	.	.	4	2	3	2	3	6	2·0	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	2	2	2	2	1	5	3	3	5	2·7	3	.	.	.	1	2	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	2	3	2	1	3	3	2	2	. .	2·2	1 2	. .	. 1	1 .	. .	. .	. .	. 1
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	2	.	1	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	. . 1	·1	1 . .	. . .	. . .	. . .	. . .	1 . .	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	2	1	.	.	1	.	.	.	·6	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	2	.	.	.	1	2	2	.	1 .	·9	1 1	. .	1 .	. .	. 1	. .	. .	. .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Tuberculous Phthisis, ... "*Phthisis*,"	34	22	24	23	26	18	27	19	30	2 24	24·9	8 22	. .	. .	. .	1 1	4 13	3 7	. 1
Tuberculous Meningitis, (Acute Hydrocephalus).	.	2	2	4	7	6	10	2	3	2	3·8	5	.	1	1	3	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	4	1	6	4	3	3	5	5	2	2 1	3·6	1 .	. .	. .	. .	1 .	. .	. .	. .
Tuberculous Dis. (other), ... *Scrofula*, ...	2	4	2	3	5	2	5	3	4	4 1	3·5	7 .	. .	2 .	1 .	3 .	1 .	. .	. .
Alcoholism	1	.	.	.	4	1	2	.	.	1	·9	.	.	.	.	.	.	.	.
Rheumatic Fever	.	1	.	.	.	3	1	.	.	.	·5	.	.	.	.	.	.	.	.
Gout	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are for

COND WEEK ending Saturday, 16th January, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 13, 1894	Jan. 12, 1895.	Jan. 11, 1896.	Jan. 16, 1897.	Jan. 15, 1898.	Jan. 14, 1899.	Jan. 13, 1900.	Jan. 12, 1901.	Jan. 11, 1902.	Jan. 17, 1903.	Averages in 2nd Week of the 10 years 1894-1903.	In the Week ending Saturday, 16th January, 1904. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	43·0°	31·0°	38·8°	35·9°	43·4°	42·8°	42·2°	37·3°	44·7°	32·3°	39·1°		39·4°								
.oma	7	2	3	3	7	5	8	4	6	1	5·1	1		.	.	.		1	.	.
na										.		.		.	.	.		.	.	.
, *Malignant Disease* ...										5		6		.	.	.	1	4	1	.
tes Mellitus	.	.	.	.	.	.	.	.	.	2	·2	.		.	.	.	.	.	.	.
ature Birth	2	1	1	.	3	3	2	4	1	3	2·0	4		4	.	.	.	.	.	.
gitis (not tuberc.)										3		.		.	.	.	.	.	.	.
ty, G. P. of Insane										1		8		.	.	.	1	3	4	.
osy										.		1		.	.	.	.	.	1	.
lsions										9		6		1	4	1	.	.	.	.
notor Ataxy										.		1		.	.	.	.	1	.	.
legia Dis. of Cord										2		.		.	.	.	.	.	.	.
us System (other Dis.) ...	44	41	44	35	36	35	41	41	37	2	40·8	3		.	.	.	2	1	.	.
Dis., Endocarditis										6		8		.	.	.	2	.	6	.
r. Hæm. Thromb.										3		3		.	.	.	1	1	.	1
xy, Hemiplegia										11		8		.	.	.	.	3	4	1
ysm										.		2		.	.	.	1	1	.	.
lism, Thromb. (not cerebral) and Blood Vessel Dis.										. 17		15		.	.	.	2	3	6	4
(not Spasm. or Memb.) ...	.	1	.	2	.	2	.	.	.	.	·5	28		.	2	4	.	1	4	16	1
hitis	56	38	29	30	28	32	80	32	25	34	38·4	1		.	.	.	.	.	1	.	.
ous Pneumonia										.		10		.	4	3	.	3	.	.	.
ho-Pneumonia	18	14	10	18	24	13	28	13	8	5	15·4	5		.	1	1	1	1	.	.	.
monia"										3		1		.	.	.	.	1	.	.
na, Emphysema										.		.		.	.	.	.	.	.	.
isy	7	4	1	2	2	3	2	5	1	1	3·0	.		.	.	.	.	.	.	.
ratory Dis. (other)										2		.		.	.	.	.	.	.	.
llitis, Quinsy	.	1	.	.	1	.	.	.	.	.	·2	.		.	.	.	.	.	.	.
itis (not Epid.)	.	.	2	.	2	.	2	.	3	1	1·0	.		.	.	.	.	.	.	.
Enteritis										.		.		.	.	.	.	.	.	.
nitis (not Puerp.)	3	.	2	1	.	.	1	.	3	.	1·0	.		.	.	.	.	.	.	.
osis of Liver	5	1	3	4	2	3	6	6	5	1	3·7	2		.	.	.	.	1	1	.
Dis. (other)										1		2		.	.	.	.	1	.	1
tive Dis. (other)	4	4	3	10	2	5	3	2	6	5	4·4	9		.	3	2	.	1	3	.	.
ritis, Acute										.		2		.	.	.	.	1	1	.	.
t's Dis., Albuminuria ...	4	8	4	3	4	4	7	6	5	5	5·0	6		.	.	.	.	2	2	2	.
ary Sys. (Other Dis.) ...										.		.		.	.	.	.	.	.	.	.
rative Organs Dis.	.	.	.	1	1	.	1	.	1	.	·4	.		.	.	.	.	.	.	.	.
birth (Accid. of)	.	3	.	1	.	.	.	1	1	.	·6	1		.	.	.	.	1	.	.	.
lge	28	13	16	8	16	13	29	9	13	12	15·7	8		.	.	.	.	.	5	3	
r Diseases	28	19	13	25	15	8	12	10	13	22	16·5	10		3	3	1	1	.	2	.	.
ACCIDENT.																					
ailways	.	.	.	.	.	.	.	1	.	.	·1	.		.	.	.	.	.	.	.	.
ehicles and Horses	.	.	1	.	.	.	.	.	1	.	·2	1		.	.	.	.	1	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	3	3	1	1	1	1	.	1	1	5	1·7	1		.	.	.	.	.	1	.	.
rowning	2	.	4	.	1	.	1	1	1	1	1·1	.		.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	1	.	.	.	.	.	.	1	.		.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	1	1	.	.	.	1	1	.	·4	1		.	.	.	.	1	.	.	.
r Deaths by Accidents ...	1	.	2	.	1	5	4	1	2	1	1·7	2		.	.	.	.	2	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																					
icide	1	.	.	.	.	.	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
ide	.	.	.	.	.	.	.	2	.	.	·2	.		.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908-4—Week ending																									
	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept 19.	Sept 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
Births registered,	174	239	177	199	227	248	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202
*Average Births in corresponding week of previous 10 years,**	190	196	208	195	199	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205
Deaths registered,	131	141	137	136	169	176	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216
Annual Death-rate per 1,000,	18·0	19·4	18·8	18·7	23·3	24·2	16·0	19·9	20·1	22·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7
*Average Deaths in corresponding week of previous 10 years,**	158	160	170	165	160	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225
Ages, Under 5 years,	21	49	46	38	49	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50
5—20 "	13	11	6	10	8	9	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	18
20—40 "	24	33	19	24	32	38	19	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45
40—60 "	35	25	36	27	38	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47
60—80 "	29	20	22	31	38	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49
80 years and upwards,	9	3	8	6	4	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12
Deaths from Small-pox,	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.
" Scarlet Fever	1	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	3	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Whooping-cough,	3	.	1	1	1	3	4	1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5
" Diphtheria,	.	.	.	1	1	2	.	1	1	1	.	1	.	.	1	.	.	2	1	2	.	2	.	.	1	.
" Simple Continued Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
" Enteric Fever,	1	1	.	2	.	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6	3
" Diarrhœal Diseases,	1	4	5	2	11	9	10	7	5	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3
" Phthisis,	17	23	14	23	22	28	16	29	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30
" Diseases of Heart and Blood Vessels,	29	18	27	18	22	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36
" Diseases of Respiratory System,	16	15	15	20	23	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45
Violent Deaths,	5	6	5	2	4	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5
Mean Temperature of the Air (Phœnix Park),	57·4	55·4	56·5	54·7	53·3	54·5	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4
Average Mean Temperature in corresponding week of previous 10 years,	60·4	59·1	59·2	57·9	59·6	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1
Rainfall in inches,	·840	·814	·266	1·011	1·301	·883	·323	1·938	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·443	1·008	·245	·290	·085	1·515	·546
Mean Humidity of the Air, complete Saturation 1·0,	·88	·86	·77	·84	·84	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th January, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 16th January, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	30·0	216	50	13	45	47	49	12	.	.	.	.	5	.	.	3	3	11	30	6	45	5	119
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	23·9	8	1	.	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
II.	MIDDLE CLASS,	87,188	19·1	32	5	4	5	7	6	5	.	.	.	.	.	.	.	1	.	1	6	2	5	.	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	25·5	54	14	2	12	13	12	1	.	.	.	.	.	.	.	.	1	1	8	.	13	2	30
IV.	GENERAL SERVICE CLASS,	154,279	39·7	75	26	6	16	15	9	3	.	.	.	.	5	.	.	1	2	8	9	3	11	3	41
V.	INMATES OF WORKHOUSES,	6,024		47	4	1	11	10	19	2	.	.	.	.	.	.	.	1	.	1	7	1	15	.	23
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	54·1	8	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2
	6. Clerks and Commercial Assistants,	30,432	13·7	8	3	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	2	2	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	25·1	13	2	3	2	2	2	2	.	.	.	.	.	.	.	.	.	.	3	.	1	.	9
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	9. Building and Furnishing Trades,	29,801	35·0	20	7	.	5	8	5	.	.	.	.	.	.	.	.	.	1	1	4	.	3	1	11
	10. Clothing Trades,	23,260	13·5	6	2	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	11. Food Supply Trades,	9,242	39·5	7	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	3
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	1	1	4	6	2	.	.	.	.	.	.	.	.	.	.	.	3	.	3	1	7
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	50·5	13	3	1	3	2	3	1	.	.	.	.	1	.	.	.	1	2	4	.	1	.	6
	15. Domestic Servants,	36,603	2·8	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	32·6	9	2	1	.	2	2	1	.	.	.	.	1	.	.	1	.	2	.	.	1	1	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·6	51	21	4	10	11	4	1	.	.	.	.	3	.	.	.	1	4	5	3	9	2	28
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	47	4	1	11	10	19	2	.	.	.	.	.	.	.	1	.	1	7	1	15	.	23

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1904 (Est.) 28,332.	Nov. 28,	29·4	1·8	16	.	.	.	.	.	.	.	1	.	2	5	.
		Dec. 5	22·1	.	12	.	.	.	.	.	.	.	.	.	1	4	.
		„ 12,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	4	2
		„ 19,	35·0	8·7	19	.	.	.	.	2	.	.	.	.	1	4	.
		„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1
		Jan. 2,	40·5	8·7	22	.	.	.	.	2	.	.	.	.	.	6	.
		„ 9,	35·0	8·7	19	.	.	.	.	2	.	.	.	.	4	6	.
		„ 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1904 (Est.) 39,146.	Nov. 28,	29·3	1·3	22	.	.	.	.	.	.	.	1	.	2	6	.
		Dec. 5,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	8	.
		„ 12,	37·3	2·7	28	.	.	.	.	.	.	.	.	2	5	9	.
		„ 19,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	8	.
		„ 26,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	4	.
		Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
		„ 9,	33·3	2·7	25	.	1	.	.	.	.	.	1	.	3	6	1
		„ 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1904 (Est.) 30,107.	Nov. 28,	22·5	1·7	13	.	.	.	.	1	.	.	.	.	2	3	.
		Dec. 5,	32·9	6·9	19	.	.	.	.	2	.	1	.	.	2	3	1
		„ 12,	38·1	5·2	22	.	.	.	.	3	.	.	1	.	4	6	2
		„ 19,	46·8	1·7	27	.	.	1	.	.	.	.	.	.	2	10	.
		„ 26,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	3	3	.
		Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
		„ 9,	32·9	8·7	19	.	.	.	.	4	.	.	.	1	3	4	.
		„ 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	North City, No. 3. (Office, Benburb-street.) Pop. in 1904 (Est.) 31,678.	Nov. 28,	24·7	.	15	.	.	.	.	.	.	.	.	.	.	4	.
		Dec. 5,	36·2	4·9	22	.	.	.	.	2	1	.	.	.	1	6	.
		„ 12,	29·6	4·9	18	.	1	.	.	2	.	.	.	.	1	4	.
		„ 19,	14·8	.	9	.	.	.	.	.	.	.	.	.	1	1	.
		„ 26,	23·0	1·6	14	.	1	.	.	.	.	.	.	.	2	3	.
		Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
		„ 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
		„ 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1904 (Est.) 38,384.	Nov. 28,	28·5	.	21	.	.	.	.	.	.	.	.	.	3	3	.
		Dec. 5,	29·9	4·1	22	.	.	1	.	1	.	.	1	.	3	3	.
		„ 12,	17·7	1·4	13	.	.	.	.	.	.	.	1	.	2	2	.
		„ 19,	32·6	4·1	24	.	.	1	.	.	.	.	1	1	.	4	.
		„ 26,	21·7	.	16	.	.	.	.	.	.	.	.	.	6	2	.
		Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
		„ 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
		„ 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1904 (Est.) 16,286.	Nov. 28,	31·4	2·9	11	.	.	.	.	1	.	.	.	.	2	5	.
		Dec. 5,	31·4	.	11	.	.	.	.	.	.	.	.	.	3	3	.
		„ 12,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1
		„ 19	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	.
		„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	2	.
		Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
		„ 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
		„ 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	South City, No. 3. (Office, Peter-street.) Pop. in 1904 (Est.) 41,940.	Nov. 28,	27·4	1·2	22	.	.	.	.	.	.	.	.	1	4	5	.
		Dec. 5,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	7	4	.
		„ 12,	29·8	.	24	.	.	.	.	.	.	.	.	.	1	10	1
		„ 19,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	4	.
		„ 26,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	4	2	1
		Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
		„ 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
		„ 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1904 (Est.) 35,188	Nov. 28,	28·7	3·0	16	.	.	.	.	1	1	.	.	.	4	3	.
		Dec. 5,	35·6	.	24	.	.	.	.	.	.	.	.	.	2	8	1
		„ 12,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	9	.
		„ 19,	26·7	3·0	18	.	.	.	.	2	.	.	.	.	2	4	.
		„ 26,	20·8	3·0	14	.	.	.	.	2	.	.	.	.	3	2	.
		Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
		„ 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2
		„ 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-18	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,208.	Nov. 28,	15·7	3·1	10	.	.	.	.	.	.	.	.	2	2	2	.
	Dec. 5,	17·3	1·6	11	.	.	1	.	.	.	.	.	.	.	2	.
	" 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	6	.
	" 19,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	" 26,	18·8	1·6	12	.	.	1	.	.	.	.	.	.	1	3	.
	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	3	3	.
	" 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	" 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Nov. 28,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	" 12,	20·0	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	" 19,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	" 26,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	" 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	" 16,	14·6	.	7	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Nov. 28,	41·4	.	14	.	.	.	.	.	.	.	.	.	3	.	1
	Dec. 5,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	" 12,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	1	.
	" 19,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 26,	11·8	3·0	4	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	" 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	" 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
Belfast. Pop. in 1904 (Est.) 358,680.	Nov. 28,	17·4	1·7	120	.	.	.	.	11	.	.	1	.	16	33	5
	Dec. 5,	23·7	2·3	163	.	.	1	.	10	1	.	3	1	20	50	6
	" 12,	21·1	1·6	145	.	.	1	.	8	1	.	.	1	12	43	4
	" 19,	25·9	2·5	178	.	.	2	1	10	1	.	3	.	20	70	4
	" 26,	23·0	3·2	158	.	.	.	.	15	2	1	2	2	20	50	4
	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	" 9,	27·8	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	" 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	23	82	3
Cork. Pop. (in 1901) 76,122.	Nov. 28,	10·3	.	15	.	.	.	.	.	.	.	.	.	2	5	.
	Dec. 5,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	6	2	1
	" 12,	19·9	1·4	29	.	.	.	.	1	1	.	.	.	5	4	1
	" 19,	17·8	.	26	.	.	.	.	.	.	.	.	.	5	5	.
	" 26,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	6	4	1
	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	8	3	.
	" 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
	" 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	6	1
Londonderry. Pop. in 1904 (Est.) 41,397	Nov. 28,	11·3	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	Dec. 5,	22·7	5·0	18	.	.	.	.	3	.	.	.	1	.	5	.
	" 12,	10·1	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	" 19,	26·5	1·3	21	.	.	.	1	.	.	.	.	.	2	7	1
	" 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	3	5	.
	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	2	4	.
	" 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	" 16,	22·7	2·5	18	.	.	.	1	1	.	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,151.	Nov. 28,	19·1	1·4	14	.	.	.	.	.	.	.	.	1	1	3	.
	Dec. 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	3	7	.
	" 12,	23·2	.	17	.	.	.	.	.	.	.	.	.	5	4	.
	" 19,	36·9	1·4	27	.	.	.	.	1	.	.	.	.	2	7	.
	" 26,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	" 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	" 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
Waterford. Pop. (in 1901) 26,769.	Nov. 28,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	1	1
	Dec. 5,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	" 12,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	3	2	1
	" 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	6	.
	" 26,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	" 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	" 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th January, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No. 1 DISTRICT,	14,734	4	21·2	3·5	6	2	.	3	1	.	.	.	.	1	.	.	.	.	1	3	.	.	.
Do. 2 "	47,959	25	26·1	1·1	24	7	1	10	6	.	.	.	.	.	.	.	1	.	3	9	.	.	5
Do. 3 "	47,214	28	21·0	.	19	3	1	9	6	.	.	.	.	.	.	.	.	.	3	6	.	1	4
Do. 4 "	40,911	31	44·6	.	35	5	2	17	11	.	.	.	.	.	.	.	.	.	3	16	1	3	7
Do. 5 "	17,387	14	36·0	6·0	12	2	1	7	2	.	.	.	.	2	.	.	.	.	1	3	.	2	5
Do. 6 "	48,122	26	24·9	3·3	23	4	2	11	6	.	.	.	.	2	.	.	1	.	2	8	1	1	7
Do. 7 "	1,524	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 8 "	5,060	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	8	34·6	.	13	2	2	6	3	.	.	.	.	.	.	.	.	.	2	6	1	1	2
Do. 10 "	23,064	14	22·6	.	10	3	.	6	1	.	.	.	.	.	.	.	.	.	3	3	.	.	1
Do. 11 "	34,802	16	30·0	3·0	20	9	1	6	4	.	.	.	.	1	.	.	.	1	2	8	.	1	5
Do. 12 "	33,588	30	48·1	7·8	31	9	9	8	5	.	1	.	.	3	.	.	1	.	3	15	.	.	2
Do. 13 "	15,006	13	17·4	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1
Do. 14 "	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	213	29·7	2·1	199	48	19	85	47	.	1	.	.	9	.	.	3	1	23	82	3	9	40
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	3	16·2	.	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 2 "	10,701	5	24·4	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	.	1	1	3
Do. 3 "	9,978	5	26·1	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	4	.	1	2
Do. 4 "	8,666	2	24·1	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 5 "	6,592	3	7·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	3	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	11	25·1	.	8	.	1	4	3	.	.	.	.	.	.	.	.	.	.	3	.	.	5
Total,	76,122	32	19·9	.	29	4	2	14	9	.	.	.	.	.	.	.	.	.	5	8	1	3	11

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	July 25.	Aug. 1.	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9	Jan. 16.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered,	213	217	289	196	237	252	192	172	219	219	219	242	257	203	201	212	193	221	206	234	204	187	128	252	226	213
DEATHS registered,	105	126	152	132	108	131	110	114	122	105	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190	199
Annual Death-rate per 1,000 of estimated Population,	15·3	18·3	22·1	19·2	15·0	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9
AGES, Under 1 year,	22	31	40	50	35	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	46
AGES, 1–5 years,	13	14	14	11	5	8	11	9	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19
AGES, 5–60 years,	47	51	72	53	46	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85
AGES, 60 years and upwards,	23	30	26	18	17	28	15	21	18	13	16	31	19	22	18	15	26	28	20	26	31	38	25	37	33	47
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	5	.	4	1	1	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1
" Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Whooping cough,	2	2	.	.	3	.	2	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9
" Diphtheria,	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.
" Simple Continued Fever,	.	1	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Enteric Fever,	4	2	6	4	2	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3
" Diarrhœal Diseases,	11	17	22	18	15	19	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1
" Phthisis	16	15	14	15	16	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23
" Diseases of Respiratory System,	7	14	20	16	11	19	16	21	21	10	16	25	16	21	21	25	29	29	33	50	43	70	50	60	79	82
Violent Deaths,	4	1	2	2	3	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th January, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	.	.	1	4	1	.	.	7
" " 2,	.	2	.	.	.	.	.	.	.	.	.	.	.	2
" " 3,	.	3	.	2	.	.	.	.	.	2	2	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	4	.	.	.	.	.	2	1	.	.	7
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	4	1	.	.	.	.	8	11	.	.	24
" " 2,	.	.	.	.	.	.	1	.	.	.	1	.	.	2
" " 3,	.	.	.	1	.	.	1	.	.	6	.	.	.	8
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	5	.	12	1	.	2	.	1	23	16	.	.	60

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th January, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th January.			
	Dec. 26.	Jan. 2.	Jan. 9.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	13	20	38	2	2	.	38
Scarlet Fever,	103	101	97	18	13	.	102*
Typhus "	1	3	4	2	2	.	4
Diphtheria,	13	22	27	1	8	.	20
Enteric Fever,	77	63	68	11	18	1	60
Pneumonia,	12	16	21	8	5	.	24

*Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated)	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Jan. 16,	2,589	1,677	18·8	.	49	10	11	37	9	19
EDINBURGH,	331,977	„ 16,	146	107	16·8	.	.	.	1	2	.	6
GLASGOW,	798,357	„ 16,	421	309	20·2	4	19	.	.	2	2	4
CALCUTTA,	847,796	Nov. 14,	.	491	30·1	.	1	.	1	.	136‡	77*
BOMBAY,	776,006	Dec. 22,	461	581	38·9	2	4	.	.	.	45‡	55
MADRAS,	509,346	Nov. 20,	434	453	46·2	.	.	?	?	?	122	59*
PARIS,	2,660,559	Jan. 2,	921	982	20·3	1	11	1	3†	3	8	25
BRUSSELS (with 8 Faubourgs).	575,896	Dec. 26,	174	167	15·1	.	.	.	1†	1	.	8
AMSTERDAM,	544,678	„ 26,	269	158	15·1	.	13	.	.	1	2	9
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	416,000	Dec. 26,	178	80	10·0	.	.	.	.	1	1	3
CHRISTIANIA,	225,709	Jan. 2,	159	72	16·6	.	.	.	2	.	.	3
ST. PETERSBURG,	1,248,122	—	.	.	.	.	.	.	.	.	.	.
BERLIN,	1,932,411	Dec. 19,	833	633	16·8	.	9	4	6	15	.	29
HAMBURG,	737,328	„ 26,	.	227	16·0	.	.	1	1†	1	.	5
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	512,000	Jan. 2,	.	220	22·3	.	3	.	2†	2	.	22
VIENNA (with suburbs).	1,744,177	„ 2,	930	670	19·6	.	6	3	13†	1	2	35
BUDA-PESTH	790,529	„ 2,	458	250	16·4	.	3	9	8†	.	1	5
PRAGUE and Faubourgs.	423,990	Dec. 26,	189	164	20·1	.	3	.	5†	2	2	6
ROME,	491,074	Oct. 10,	222	141	15·0	.	.	.	.	1	7	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Dec. 5,	73	75	23·5	.	.	.	.	.	2	10
NEW YORK,	3,732,903	„ 19,	1,575	1,288	18·0	.	9	18	40†	6	14	31
PHILADELPHIA,	1,378,624	„ 19,	.	579	21·9	22	19	9	17†	2	12	4

* Including 36 deaths from cholera in Calcutta, and 3 in Madras.
† Including deaths from croup
‡ Exclusive of 16 deaths from bubonic fever in Calcutta, and 65 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th January, 1904 :—

"Cyclonic, rough and unsettled weather prevailed all through this week. On Sunday morning a deep atmospheric depression, in which the barometer was below 29 inches, was near the Shetlands, while a V-shaped secondary was moving eastwards across the Bristol Channel and S.W. of England. The thermometer had been up to 49·7° in Dublin during the previous night, but about 4 a.m. the wind veered sharply from S. to W. with rain, hail and lightning, and temperature fell quickly to 37·1° at 9 a.m. On Monday another depression swept eastwards across the southern portion of the British Islands but at night it dispersed, the weather improving for a time. Tuesday was dull, mild, and damp—in the evening the barometer fell fast as an immense depression approached the N.W. coasts of the British Islands from the Atlantic. By 8 a.m. of Wednesday the mercury had fallen below 28·8 inches in Mayo and Donegal and over the N.W. and N. of Scotland. Temperature became generally high and a thaw occurred throughout Central Europe. Fresh to strong S.W. gales prevailed. In Ireland temperature gave way and vivid flashes of lightning illumined the sky at intervals in the evening, thunder and lightning being reported from Scilly and Portland Bill. About 1.30 a.m. of Thursday the barometer touched its lowest point in Dublin—28·757 inches, but at 8 a.m. the low reading of 28·33 inches was recorded at Sumburgh Head in the Shetlands. The vast cyclone moved slowly east-south-eastwards and low temperatures and snow and hail squalls followed in its wake. In Dublin the ground was white with snow for the first time in the present winter on Saturday. In this city the mean height of the barometer was 29·497 inches, the range being from 28·757 inches about 1.30 a.m. of Thursday (wind, W.S.W.) to 30·241 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 41·1°, highest reading being 52·1° on Wednesday, lowest 31·5° on Saturday. The mean dry bulb reading at 9 a.m. and 9 p.m. was 39·5°. Westerly winds prevailed. Bright sunshine was estimated at 16¾ hours, 4½ falling on Sunday and 4 on Friday. The rainfall was ·389 inch on six days, ·171 inch being recorded on Tuesday. Hail fell on 4 days, snow on 2 days. Lightning was seen on 2 nights."

ERRATUM in the Report for the week ended January 9, 1904.

The highest reading of the barometer was 30·148 inches at 9 p.m. of Tuesday (wind calm,).

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·512 inches. The highest reading (30·253) was on Saturday at 9 p.m., wind W., and the lowest (28·871) on Wednesday at 9 a.m., wind S.W.

The mean temperature for the week was 39·4° being 0·3 above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 50·9°, and was lowest on Saturday, the mercury having fallen to 28·8°. The mean of the Dry Bulb for the week was 38·5°, and of the Wet Bulb 37·1°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 17·5 hours. The rainfall during the week measured ·546 inch.

At Greenwich the mean temperature for the week was 42·1°, the maximum 54·8°, and the minimum 33·0°; at Glasgow the maximum was 47·1°, the minimum 30·8°, and the mean 39·3°; and at Edinburgh the maximum was 46·0°, the minimum 29·2°, and the mean 36·7°. The rainfall at Greenwich measured 0·69 inch; at Glasgow 1·62 inches; and at Edinburgh 1·33 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 10,	29·684	48·6	35·8	42·2	36·7	35·0	·86	·5	5·0	·023	W.S.W.	S.W.
Monday, „ 11,	29·622	44·7	36·0	40·4	39·1	38·0	·91	·8	1·1	·075	S.W.	W.
Tuesday, „ 12,	29·362	48·8	34·8	41·8	45·3	44·3	·93	·4	0·0	·275	S.W.	Calm.
Wednesday, „ 13,	28·876	50·9	35·7	43·3	43·5	40·7	·80	1·0	1·7	·125	S.W.	S.W.
Thursday, „ 14,	29·184	43·0	33·5	38·3	37·4	35·9	·86	·8	0·5	·013	W.S.W.	W.
Friday, „ 15,	29·721	39·0	32·2	35·6	34·3	33·1	·86	·5	4·8	·010	W.S.W.	W.
Saturday, „ 16,	30·135	39·0	28·8	33·9	33·1	32·8	·92	·3	4·4	·025	W.	W.
Mean, . .	29·512	44·9	33·8	39·4	38·5	37·1	·88	·6	Total 17·5	·546	Prevailing Wind, W. & S.W.	

Sunday—A fine day; night clear p.m., cloudy a.m., showers. *Monday*—A cloudy day, showers p.m.; night clear to 3.30 a.m., overcast and drizzling rain to 7.30 a.m. *Tuesday*—Day overcast, showers; night overcast, heavy rain. *Wednesday*—A cloudy day, heavy squalls and showers; night cloudy. *Thursday*—A cloudy day, light rain a.m.; night cloudy. *Friday*—A cloudy day, snow showers 10.30 a.m., 2 p.m.; night sky clear, snow 10.30 to 11.30 p.m. *Saturday*—A cloudy day, snow 10 to 10.30 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 23RD JANUARY, 1904. [No. 3.

General Register Office, Charlemont House, Dublin, 25th January, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 2.	Week ending Jan. 9.	Week ending Jan. 16.	Week ending Jan. 23.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 2.	Week ending Jan. 9.	Week ending Jan. 16.	Week ending Jan. 23.	Average Rate for 4 weeks
22 Town Dists.	27·6	27·0	26·5	23·9	26·2	Lisburn,	13·6	13·6	36·4	22·7	21·6
Armagh,	24·4	13·7	.	41·2	22·3	Londonderry	20·2	16·4	22·7	17·6	19·2
Ballymena,	19·2	14·4	23·9	19·2	19·2	Lurgan,	26·6	44·3	26·6	22·1	29·9
Belfast,	26·5	27·6	28·9	20·4	25·9	Newry,	21·0	33·6	33·6	21·0	27·3
Clonmel,	25·6	15·4	20·5	15·4	19·2	Newtownards,	22·9	28·6	17·2	17·2	21·5
Cork,	20·5	31·5	19·9	28·1	25·0	Portadown,	20·7	20·7	25·8	15·5	20·7
Drogheda,	12·3	20·4	20·4	20·4	18·4	Queenstown,	.	19·8	13·2	19·8	13·2
Dublin Reg. Area,	31·8	27·3	28·8	26·0	28·6	Sligo,	24·0	9·6	9·6	4·8	12·0
Dundalk,	12·0	23·9	19·9	23·9	19·9	Tralee,	10·6	21·1	10·6	26·4	17·2
Galway,	35·0	46·6	27·2	27·2	34·0	Waterford,	27·3	21·4	15·6	33·1	24·4
Kilkenny,	29·5	9·8	4·9	44·2	22·1	Wexford,	23·3	42·0	28·0	37·4	32·7
Limerick,	50·6	31·4	31·4	31·4	36·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·1 in Lisburn, the 5 deaths from all causes registered in that district including one from whooping-cough and one from diphtheria. Among the 140 deaths from all causes registered in Belfast are 5 from whooping-cough, 2 from diphtheria, and one from enteric fever; and the 41 deaths from all causes in Cork include one from scarlet fever, 2 from whooping-cough, and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—109 boys and 94 girls; and the deaths to 195—102 males and 93 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·8 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 26·0 per 1,000. During the three weeks ending with Saturday last the death-rate averaged 28·4, and was 2·7 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

Whooping-cough caused 5 deaths, enteric fever 3, influenza 3, and scarlet fever one. In the 4 weeks preceding, whooping-cough caused 3, 12, 9, and 5 deaths, and enteric fever 2, one, 6, and 3 deaths, respectively. There was no death from small-pox, measles, or diphtheria registered during the week.

Tuberculous disease caused 37 deaths, of which 10 were attributed to tuberculous phthisis, 17 to *phthisis*, one to tuberculous meningitis, and 9 to other forms of the disease.

There were 2 deaths from carcinoma and 5 from *cancer, malignant disease.*

Diseases of the nervous system caused 15 deaths, including 7 from *convulsions;* 6 of the latter were of children under one year old.

Diseases of the heart and blood-vessels caused 26 deaths.

The deaths from diseases of the respiratory system were 44 in number, equal to an annual rate of 6·1 per 1,000 of the population, the average rate for the corresponding week of the previous 10 years being 7·6 per 1,000. The 44 deaths include 27 from bronchitis, 10 from broncho-pneumonia, and 6 from *pneumonia.*

Four accidental deaths were registered, including 2 from drowning.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 4 persons aged 60 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 17 were under one month old), and 52 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 10 were octogenarians, and 3 (females) were stated to have been aged 93, 96, and 97 years respectively.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, and 29 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·0 per 1,000, the rate in the City was 29·1 (North City Districts, 27·0; South, 31·4), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·4 (1·4 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·0.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. There were 2 deaths from whooping-cough, one from *phthisis*, and 5 from diseases of the respiratory system, including one from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Tuberculous phthisis caused 2 deaths, *phthisis* one, and diseases of the respiratory system 5, including 2 from broncho-pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. One death was caused by whooping-cough, 4 by *phthisis*, and 6 by diseases of the respiratory system, including one from broncho-pneumonia.

No. 3 *North City District* (Benburb-street).—The deaths (16) represent an annual rate of 26·3 per 1,000. Diseases of the nervous system caused 2 deaths, diseases of the heart and blood-vessels 2, and diseases of the respiratory system 4, including one from broncho-pneumonia, and one from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 43·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 23·5. There was one death from enteric fever registered for Coolock and Drumcondra No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 38·0 per 1,000. Enteric fever caused 2 deaths, tuberculous disease 9, and diseases of the respiratory system 2.

No. 2 *South City District* (Castle-street).—The deaths (17) are equal to an annual rate of 48·5 per 1,000. Seven deaths were caused by tuberculous disease, 4 by diseases of the heart and blood-vessels, and 3 by diseases of the respiratory system, including one from broncho-pneumonia, and one from *pneumonia.*

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 per 1,000. They include 4 from tuberculous disease, 4 from diseases of the nervous system, 3 from diseases of the heart and blood-vessels, and 9 from diseases of the respiratory system, including one from broncho-pneumonia, and one from *pneumonia.*

No. 4 *South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Amongst them are 2 from whooping-cough, 3 from tuberculous disease, and 2 from diseases of the heart and blood-vessels.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 12·0; Blackrock, 11·9; and Kingstown, 29·6. There were no deaths from any of the principal epidemic diseases tabulated for these districts. There were 3 deaths from diseases of the respiratory system, including one from *pneumonia*, and one from broncho-pneumonia, tabulated for Rathmines and Rathgar. There were 3 deaths from *phthisis* and 2 from *pneumonia* tabulated for Kingstown.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd January, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 2,	.	12	.	13	.	.	8	.	.	17	11	.	.	.	61
	Jan. 9,	.	9	.	13	1	.	3	.	2	6	19	.	1	.	54
	Jan. 16,	.	5	.	12	1	.	2	.	1	23	16	.	.	.	60
	Jan. 23,	.	11	.	20	.	.	2	.	4	18	8	1	.	.	64
Rathmines and Rathgar Urban District.	Jan. 2,	.	.	.	1	.	.	.	.	.	1	1	.	.	.	3
	Jan. 9,	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3
	Jan. 16,	.	.	.	2	.	.	.	.	.	.	1	.	.	.	3
	Jan. 23,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
Pembroke Urban District.	Jan. 2,	.	.	.	.	.	.	3	.	.	1	.	.	1	3	8
	Jan. 9,	.	.	.	.	.	.	1	.	.	1	.	.	.	2	4
	Jan. 16,	.	1	.	2	.	.	1	.	.	3	.	.	2	.	9
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
Blackrock Urban District.	Jan. 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Jan. 9,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
	Jan. 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	Jan. 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Jan. 9,	.	.	.	1	.	.	1	.	.	1	.	.	.	.	3
	Jan. 16,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
City of Belfast.	Jan. 2,	2	–	.	15	.	.	1	1	8	4	13	2	.	.	46
	Jan. 9,	2	–	.	16	.	.	9	.	4	8	11	1	.	.	51
	Jan. 16,	2	–	.	13	.	.	2	.	2	6	7	.	.	.	32
	Jan. 23,	7	–	.	20	.	.	3	1	4	5	16	1	.	.	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd January, 1904.

From this it appears that :—

Thirteen cases of measles were admitted to hospital during the week, 11 were discharged, and 40 patients remained under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 10 cases were discharged, there was one death, and 107* cases remained under treatment at the close of the week.

Four cases of typhus fever remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 9 were discharged, and 14 cases remained under treatment at the close of the week.

Sixteen cases of enteric fever were admitted to hospital, 12 cases were discharged, there was one death, and 63 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 9 patients were discharged, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 18·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·8 per 1,000, the rate for Glasgow being 20·7, and for Edinburgh 17·4.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd January, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 23rd January, 1904. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
							Deaths. Caused by																
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	28·0	23·9	1·4	587	502	106	135	.	.	2	.	16	4	.	5	2	68	120	13	20	145
Dublin Registration Area:—																							
Total,‡	373,994	27·5	27·9	26·0	1·1	203	189	40	52	.	.	.	.	5	.	.	3	.	26	44	4	5	67
City of Dublin	293,385	37·1	31·8	29·1	1·4	179	164	38	37	.	.	.	.	5	.	.	3	.	22	38	4	5	65
Urban Districts. Rathmines and Rathgar	33,208	19·4	7·9	11·0	.	5	7	2	3	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Urban Districts. Pembroke	26,025	16·4	16·0	12·0	.	8	6	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Urban Districts. Blackrock	8,759	8·1	11·9	11·9	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	17,622	12·1	26·6	29·6	.	9	10	.	5	.	.	.	.	.	.	.	.	.	3	2	.	.	.
Urban Districts.																							
Belfast	358,680	24·4	31·3	20·4	1·2	215	140	34	31	.	.	.	.	5	2	.	1	.	21	39	5	8	30
Cork	76,122	33·6	30·1	28·1	2·7	44	41	7	12	.	.	1	.	2	1	.	.	.	7	7	1	3	24
Londonderry	41,397	19·1	21·4	17·6	1·3	17	14	1	6	.	.	.	.	.	.	.	.	1	1	5	1	1	.
Limerick	38,151	18·1	28·7	31·4	4·1	21	23	7	3	.	.	.	.	3	.	.	.	.	2	6	1	1	4
Waterford	26,769	18·7	17·5	33·1	.	9	17	3	7	.	.	.	.	.	.	.	.	.	3	3	.	.	7
Galway	18,426	2·5	11·7	27·2	.	3	7	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	2
Dundalk	18,076	9·4	35·9	23·9	.	9	6	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	1
Drogheda	12,760	8·6	20·4	20·4	4·1	5	5	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Newry	12,405	17·8	37·8	21·0	.	9	5	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Lurgan	11,782	13·8	26·6	22·1	.	6	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Lisburn	11,461	10·1	31·8	22·7	9·1	7	5	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Wexford	11,168	23·2	28·0	37·4	.	6	8	2	1	.	.	.	.	.	.	.	.	.	.	4	.	.	1
Ballymena	10,886	8·9	23·9	19·2	.	5	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Sligo	10,870	8·7	14·4	4·8	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	10,609	11·5	39·3	44·2	4·9	8	9	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Clonmel	10,167	7·8	5·1	15·4	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Portadown	10,092	13·2	25·8	15·5	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tralee	9,867	16·6	31·7	26·4	.	6	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Newtownards	9,110	18·9	11·4	17·2	.	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Queenstown	7,909	14·4	13·2	19·8	6·6	2	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	6·9	41·2	.	1	6	1	4	.	.	.	.	.	.	.	.	.	.	3	.	.	1

Towns and Districts.	Meteorology.† Week ending 23rd Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
	°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—												
Total,‡	§50·4	29·4	42·4	0·14	§50·9	28·8	39·4	0·55	§50·0	25·3	40·0	1·52
City of Dublin	a52·1 b50·9	34·9 30·2	44·7 42·4	0·11 0·15	a52·1 b51·6	31·5 30·0	41·1 39·6	0·39 0·51	a52·0 b50·5	31·8 27·0	42·3 40·0	1·31 1·40
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	52·5	35·5	44·2	0·07	52·5	33·5	42·2	0·27	51	36·5	44·6	.
Urban Districts.												
Belfast	50·0	31·0	41·0	0·31	48·0	31·0	38·0	0·86	48·0	31·0	39·3	1·71
Cork	52	36	44·1	0·05	51	36	43·5	0·74	50	37	44·3	1·54
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	54	31	43·5	0·17	51	30	43	1·59	51	32	41·5	1·09
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19
Lurgan	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19
Lisburn	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	52·4	32·3	44·4	0·40	49·5	33·5	40·1	1·56	48·3	32·2	39·2	1·22
Kilkenny	52	30	42·0	0·14	52	28	39·7	0·68	50	32	40·7	1·17
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	52	32	43·1	0·26	49	32	38·5	0·77	48	33	41·7	0·69
Queenstown	52	36	44·1	0·05	51	36	43·5	0·74	50	37	44·3	1·54
Armagh	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69	47·0	33·7	39·8	1·19

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 6 deaths of persons admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 23rd of January, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	3	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	1	3	4	.	.	.	.	6	4	1	3	.	1	.	.	3	26	1
Other General Diseases,	3	1	3	4	1	1	1	8	4	6	2	.	.	1	.	2	37	2
Total,	6	4	8	4	1	2	1	16	8	7	7	.	1	1	.	5	71	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	2	2	2	.	.	.	2	1	4	.	.	.	1	.	.	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	.	3	2	1	.	.	3	4	3	2	1	1	3	.	2	26	.
Respiratory System,	5	5	6	4	1	1	.	2	3	9	1	1	3	1	.	2	44	.
Digestive System,	1	2	.	1	.	.	.	.	1	.	1	.	.	.	2	.	8	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Urinary System,	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	9	11	9	2	1	.	8	9	18	5	2	4	5	2	4	97	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	2	2	3	1	.	2	3	.	.	.	.	2	.	.	1	17	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	4	.
Deaths from all Causes,	16	15	21	16	4	3	3	28	17	26	13	2	7	6	2	10	189	6
Annual Rate of Mortality in every 1,000 of the population	29·4	20·0	36·4	26·3	43·4	15·6	23·5	38·0	48·5	32·3	19·3	11·7	11·0	12·0	11·9	29·6	26·0	.
	27·0							31·4					15·2					
	29·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	4	3	3	.	1	.	2	3	5	2	.	.	1	.	.	24	6
Workhouse Hospitals,	1	2	5	5	.	.	1	12	7	6	2	1	.	1	.	.	43	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1894-1903.	In the Week ending Saturday, 23rd January, 1904. Deaths of Persons of the Ages o							
												ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
	Jan. 20, 1894.	Jan. 19, 1895.	Jan. 18, 1896	Jan. 23, 1897.	Jan. 22, 1898.	Jan. 21, 1899	Jan. 20, 1900.	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 24, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.				
Mean Temperature.	43·9	37·4	45·0	32·7	48·9	45·7	40·7	44·7	37·3	42·2	41·9	42·4							
ALL CAUSES.	207	274	151	294	221	192	295	209	177	211	223·1	195	17	23	15	10	33	45	39
Small-pox, Vaccinated, ...	.	5	.	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	4	1	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	.	15	.	.	9	.	1	1	2·9	.	.	.	.	.	.	.	.
Scarlet Fever ...	.	1	1	4	2	1	.	.	.	2	1·1	1	.	.	1	.	.	.	.
Typhus, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	9	5	4	.	9	3	24	3	2	2	6·1	3	.	.	.	.	.	1	.
Whooping Cough, ...	12	4	.	23	2	4	3	12	.	.	6·0	5	.	3	1	1	.	.	.
Diphtheria, ...	1	.	.	1	6	1	2	.	1	3	1·5	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	2	.	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
Enteric Fever, ...	5	2	2	2	7	2	2	3	1	3	2·9	3	.	.	.	1	1	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	4	.	10	3	1	6	2	2	. 1	3·3	. .	. .	. .	. .	. .	. .	. .	. .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	.	4	1	2	.	2	·9	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	2	2	1	.	.	.	.	.	.	. . .	·5	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	2	1	1	.	.	1	.	·7	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	.	1	.	2	.	1	1	. .	·6	2 .	.	.	.	. 1	2 .	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	12	39	17	35	37	24	29	19	20	1 28	26·1	10 17	. .	. .	1 .	2 .	4 12	2 5	1 .
Tuberculous Meningitis, (Acute Hydrocephalus).	2	4	5	5	6	4	9	4	2	4	4·5	1	.	.	1	.	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	5	5	2	6	7	4	4	6	2	. .	4·1	. .	. .	. .	. .	. .	. .	. .	. .
Tuberculous Dis. (other), ... *Scrofula*, ...	2	3	6	5	7	7	4	6	4	1 .	4·5	9 .	.	3	3	.	1	1	1
Alcoholism ...	.	1	.	.	2	.	3	.	.	.	·6	.	.	.	.	.	.	.	.
Rheumatic Fever ...	.	.	.	1	.	1	.	.	.	1	·3	1	.	.	.	1	.	.	.
Gout ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are f

IRD WEEK ending Saturday, 23rd January, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 20, 1894	Jan. 19, 1895.	Jan. 18, 1896.	Jan. 23, 1897.	Jan. 22, 1898.	Jan. 21, 1899.	Jan. 20, 1900.	Jan. 19, 1901.	Jan. 18, 1902.	Jan. 21, 1903.	Averages in 3rd Week of the 10 years 1894–1903.	In the Week ending Saturday, 23rd January, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·9	° 37·4	° 45·0	° 32·7	° 48·9	° 45·7	° 40·7	° 44·7	° 37·3	° 42·2	° 41·9	Mean Temp. ° 42·4								
ioma										3		2	.	.	.	.	2	.	.	.
ma	5	5	7	3	8	7	5	8	1	1	5·7	.	.	.	.	.	.	.	.	.
, Malignant Disease ...										4		5	.	.	.	.	5	.	.	.
tes Mellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
ature Birth	1	7	5	6	.	5	.	3	4	3	3·4	7	6	1	.	.	.	.	.	.
igitis (not tuberc.)										6		1	.	1	.	.	.	.	.	.
ity, G. P. of Insane										1		5	.	.	.	2	2	.	1	.
osy										2		2	.	1	.	1	.	.	.	.
lsions										12		7	3	3	1	.	.	.	.	.
notor Ataxy										.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord										2		.	.	.	.	.	.	.	.	.
ous System (other Dis.) ...	37	53	31	46	30	40	40	44	43	5	42·8	.	.	.	.	.	.	.	.	.
Dis., Endocarditis										3		6	.	.	.	2	1	.	2	1
or. Hæm. Thromb.										3		1	.	.	.	.	.	.	.	1
exy, Hemiplegia										12		2	.	.	.	.	.	2	.	.
rysm										.		1	.	.	.	1	.	.	.	.
olism, Thromb. (not cerebral)										.		.	.	.	.	.	.	.	.	.
; and Blood Vessel Dis.										18		16	.	.	.	.	.	7	7	2
o (not Spasm. or Memb.) ...	1	2	.	.	.	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.
chitis	37	52	19	55	25	24	64	33	31	38	37·8	27	.	3	2	1	.	8	13	.
oous Pneumonia										.		.	.	.	.	.	.	.	.	.
cho-Pneumonia	12	11	9	20	11	5	23	18	8	2	12·7	10	1	3	4	.	1	1	.	.
umonia"										8		6	.	.	.	.	1	2	3	.
na, Emphysema										.		.	.	.	.	.	.	.	.	.
risy	3	4	5	5	.	.	5	4	3	.	3·1	.	.	.	.	.	.	.	.	.
iratory Dis. (other)										2		1	.	1	.	.	.	.	.	.
illitis, Quinsy	1	.	.	1	.	.	2	.	.	.	·4	1	.	.	.	.	.	.	1	.
ritis (not Epid.)	.	.	1	.	1	1	.	2	2	2	1·0	1	.	.	.	.	1	.	.	.
o *Enteritis*										1		.	.	.	.	.	.	.	.	.
onitis (not Puerp.)	.	1	2	1	.	2	1	.	.	.	·7	1	.	.	.	1	.	.	.	.
osis of Liver										2		.	.	.	.	.	.	.	.	.
r Dis. (other)	.	3	1	3	9	2	3	3	5	.	3·1	3	1	.	.	.	.	1	1	.
stive Dis. (other)	6	4	1	6	3	2	7	5	5	6	4·5	3	.	1	.	.	1	.	1	.
ritis, Acute										2		.	.	.	.	.	.	.	.	.
nt's Dis., Albuminuria ...	3	7	5	1	5	7	2	2	8	3	4·5	3	.	.	.	.	.	2	1	.
ary Sys. (Other Dis.) ...										.		.	.	.	.	.	.	.	.	.
rative Organs Dis.	1	1	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	1	.	.	.
ibirth (Accid. of)	.	.	1	.	1	.	3	1	.	.	·6	.	.	.	.	.	.	.	.	.
Age	18	19	6	10	17	16	29	6	11	2	13·4	11	.	.	.	.	.	.	5	6
r Diseases	17	15	13	20	14	14	10	16	17	12	14·8	15	6	3	1	.	1	1	3	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses	1	.	.	.	.	.	.	1	.	1	·3	1	.	.	.	.	.	1	.	.
hips, Boats, Docks (exclusive	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Drowning)																				
Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	2	3	1	2	3	3	3	2	.	1	2·0	.	.	.	.	.	.	.	.	.
Drowning	1	.	.	.	.	1	1	1	.	1	·5	2	.	.	.	.	2	.	.	.
Suffocation in Bed	.	1	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
er Deaths by Accidents ...	3	1	3	2	3	1	.	1	1	1	1·6	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
nicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cide	.	1	2	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908–4—Week ending																									
	Aug. 1.	Aug. 8.	Aug. 15.	Aug 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept 19.	Sept. 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
Births registered,	239	177	199	227	248	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203
*Average Births in corresponding week of previous 10 years,**	196	208	195	199	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198
Deaths registered,	141	137	136	169	176	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195
Annual Death-rate per 1,000,	19·4	18·8	18·7	23·3	24·2	16·0	19·9	20·1	22·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8
*Average Deaths in corresponding week of previous 10 years,**	160	170	165	160	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223
Ages, Under 5 years,	49	46	38	49	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55
5—20 "	11	6	10	8	9	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10
20—40 "	33	19	24	32	38	19	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	43	33
40—60 "	25	36	27	38	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45
60—80 "	20	22	31	38	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39
80 years and upwards,	3	8	6	4	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13
Deaths from Small-pox,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.
" Scarlet Fever	.	.	.	.	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	8	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Whooping-cough,	.	1	1	1	3	.	1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5
" Diphtheria,	.	.	1	1	2	.	1	1	1	.	1	.	.	1	.	.	2	1	2	.	2	.	.	1	.	.
" Simple Continued Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
" Enteric Fever,	1	.	2	.	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6	3	3
" Diarrhœal Diseases,	4	5	2	11	9	10	7	5	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.
" Phthisis,	23	14	23	22	28	16	29	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27
" Diseases of Heart and Blood Vessels,	18	27	18	22	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26
" Diseases of Respiratory System,	15	15	20	23	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44
Violent Deaths,	6	5	2	4	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4
Mean Temperature of the Air (Phœnix Park),	55·4	56·5	54·7	53·3	54·5	51·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4	42·4
Average Mean Temperature in corresponding week of previous 10 years,	59·1	59·2	57·9	59·6	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9
Rainfall in inches,	·814	·266	1·011	1·301	·388	·323	1·938	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135
Mean Humidity of the Air, complete Saturation 1·0,	·86	·77	·84	·84	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd January, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 23rd January, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	27·1	195	55	10	33	45	39	18	.	.	1	.	5	.	.	8	.	9	27	7	44	4	104
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	26·9	9	1	.	1	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
II.	MIDDLE CLASS,	87,188	16·7	28	9	2	5	3	6	3	.	.	1	.	.	.	.	1	.	2	3	2	4	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	20·3	43	12	4	6	10	10	1	.	.	.	.	1	.	.	.	.	1	5	2	14	.	21
IV.	GENERAL SERVICE CLASS,	154,279	37·4	72	26	4	12	17	11	2	.	.	.	.	4	.	.	2	.	6	9	2	16	4	35
V.	INMATES OF WORKHOUSES,	6,024		43	7	.	9	15	10	2	.	.	.	.	.	.	.	.	.	.	10	1	8	.	24
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	18·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	31·7	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	31·2	5	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	26·1	11	3	.	1	2	4	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	7
	6. Clerks and Commercial Assistants,	30,432	15·4	9	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	2	2	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	1	.	1	1	2	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	9. Building and Furnishing Trades,	29,801	21·0	12	4	3	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	3	.	6
	10. Clothing Trades,	23,260	15·7	7	1	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	11. Food Supply Trades,	9,242	28·2	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	2	.	1	3	3	1	.	.	.	.	.	1	.	.	.	1	1	.	3	.	5
	13. Petty Shopkeepers,	7,894	46·2	7	2	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	15. Domestic Servants,	36,603	10·0	7	.	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	33·1	57	23	4	7	13	8	2	.	.	.	.	4	.	.	2	.	6	5	2	14	4	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	43	7	.	9	15	10	2	.	.	.	.	.	.	.	.	.	.	10	1	8	.	24

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	Dec. 5	22·1	.	13	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	4	2
	„ 19,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1
	Jan. 2,	40·5	3·7	24	.	.	.	.	2	.	.	.	.	.	6	.
	„ 9,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	4	6	.
	„ 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Dec. 5,	29·3	.	22	.	.	.	.	.	.	.	.	.	2	8	.
	„ 12,	37·3	2·7	28	.	.	.	.	.	.	.	.	2	5	9	.
	„ 19,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	3	.
	„ 26,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	4	.
	Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
	„ 9,	33·3	2·7	25	.	.	.	.	.	.	.	1	.	3	6	1
	„ 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	„ 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Dec. 5,	32·9	6·9	19	.	.	.	.	2	.	1	.	.	2	3	1
	„ 12,	38·1	5·2	22	.	.	.	.	3	.	.	1	.	4	6	2
	„ 19,	46·8	1·7	27	.	.	1	.	.	.	.	.	.	2	10	.
	„ 26,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	3	3	.
	Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 9,	32·9	3·7	19	.	.	.	.	4	.	.	.	1	3	4	.
	„ 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Dec. 5,	36·2	4·9	22	.	.	.	.	2	1	.	.	.	1	6	.
	„ 12,	29·6	4·9	18	.	1	.	.	2	.	.	.	.	1	4	.
	„ 19,	14·8	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	23·0	1·6	14	.	1	.	.	.	.	.	.	.	2	3	.
	Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
	„ 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
	„ 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Dec. 5,	29·9	4·1	22	.	.	1	.	1	.	.	1	.	3	3	.
	„ 12,	17·7	1·4	13	.	.	.	.	.	.	.	1	.	2	2	.
	„ 19,	33·6	4·1	24	.	.	1	.	.	.	.	1	1	.	4	.
	„ 26,	21·7	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
	„ 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
	„ 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	„ 23,	33·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Dec. 5,	31·4	.	11	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
	„ 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	„ 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Dec. 5,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	7	4	.
	„ 12,	29·8	.	24	.	.	.	.	.	.	.	.	.	1	10	1
	„ 19,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	4	.
	„ 26,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	4	2	1
	Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	„ 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
	„ 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Dec. 5,	35·6	.	24	.	.	.	.	.	.	.	.	.	2	8	1
	„ 12,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	9	.
	„ 19,	26·7	3·0	18	.	.	.	.	2	.	.	.	.	2	4	.
	„ 26,	20·8	3·0	14	.	.	.	.	2	.	.	.	.	3	2	.
	Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
	„ 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2
	„ 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	„ 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhoal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Dec. 5,	17·3	1·6	11	.	.	1	.	.	.	.	.	.	.	2	.
	„ 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	6	.
	„ 19,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 26,	18·8	1·6	12	.	.	1	.	.	.	.	.	.	1	3	.
	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	3	3	.
	„ 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	„ 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Dec. 5,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	20·0	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	„ 19,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,632.	Dec. 5,	29·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 12,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	1	.
	„ 19,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·8	3·0	4	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	„ 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Dec. 5,	23·7	2·3	163	.	.	1	.	10	1	.	3	1	20	50	6
	„ 12,	21·1	1·6	145	.	.	1	.	8	1	.	.	1	12	43	4
	„ 19,	25·9	2·5	178	.	.	2	1	10	1	.	3	.	20	70	4
	„ 26,	23·0	3·2	158	.	.	.	.	15	2	1	2	2	20	50	4
	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	„ 9,	27·6	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	„ 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	23	82	3
	„ 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
Cork. Pop. (in 1901) 76,122.	Dec. 5,	15·8	0·7	23	.	.	.	.	1	.	.	.	.	6	2	1
	„ 12,	19·9	1·4	29	.	.	.	.	1	1	.	.	.	5	4	1
	„ 19,	17·8	.	26	.	.	.	.	.	.	.	.	.	5	5	.
	„ 26,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	6	4	1
	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	8	3	.
	„ 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
	„ 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	„ 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
Londonderry. Pop. in 1904 (Est.) 41,397	Dec. 5,	22·7	5·0	18	.	.	.	.	3	.	.	.	1	.	5	.
	„ 12,	10·1	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	„ 19,	26·5	1·3	21	.	.	.	1	.	.	.	.	.	2	7	1
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	3	5	.
	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	3	4	.
	„ 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 16,	22·7	2·5	18	.	.	.	1	1	.	.	.	.	1	4	.
	„ 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
Limerick. Pop. (in 1901) 38,151.	Dec. 5,	26·0	.	19	.	.	.	.	.	.	.	.	.	3	7	.
	„ 12,	23·2	.	17	.	.	.	.	.	.	.	.	.	5	4	.
	„ 19,	36·9	1·4	27	.	.	.	.	1	.	.	.	.	2	7	.
	„ 26,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	„ 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	„ 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	„ 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
Waterford. Pop. (in 1901) 26,769.	Dec. 5,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 12,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	3	2	
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	6	.
	„ 26,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	„ 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd January, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	6	10·6	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 2 "	47,959	34	25·0	1·1	23	9	1	7	6	.	.	.	.	1	.	.	.	.	1	6	2	2	7
Do. 3 "	47,214	35	23·2	2·2	21	2	3	11	5	.	.	.	.	.	1	.	1	.	5	3	1	1	2
Do. 4 "	40,911	29	17·8	.	14	4	2	4	4	.	.	.	.	.	.	.	.	.	2	5	.	1	3
Do. 5 "	17,387	10	15·0	3·0	5	1	.	3	1	.	.	.	.	1	.	.	.	.	1	1	.	1	1
Do. 6 "	48,122	18	18·4	3·3	17	4	2	7	4	.	.	.	.	2	1	.	.	.	1	6	.	.	4
Do. 7 "	1,524	3	.	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 8 "	5,060	2	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 9 "	19,569		37·3	.	14	4	1	9	.	.	.	.	.	.	.	.	.	.	3	5	.	1	3
Do. 10 "	23,064	12	18·1	.	8	1	1	4	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Do. 11 "	34,802	24	16·5	.	11	1	1	7	2	.	.	.	.	.	.	.	.	.	3	2	2	2	1
Do. 12 "	33,588	20	17·1	1·6	11	5	.	3	3	.	.	.	.	1	.	.	.	.	.	4	.	.	4
Do. 13 "	15,006	12	31·3	.	9	2	2	3	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1
Do. 14 "	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	215	20·9	1·2	140	34	13	62	31	.	.	.	.	5	2	.	1	.	21	39	5	8	30
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	6	28·4	4·1	7	1	2	3	1	.	.	1	.	.	.	.	.	.	3	2	.	1	3
Do. 2 "	10,701	12	19·5	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Do. 3 "	9,978	4	41·8	5·2	8	2	.	1	5	.	.	.	.	1	.	.	.	.	.	1	.	.	5
Do. 4 "	8,666	3	30·1	6·0	5	1	.	3	1	.	.	.	.	1	.	.	.	.	1	1	.	1	3
Do. 5 "	6,592	2	15·8	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Do. 6 "	10,702	5	24·4	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 7 "	16,616	12	31·4	3·1	10	3	2	3	2	.	.	.	.	.	1	.	.	.	2	2	.	.	6
Total,	76,122	44	28·1	2·7	41	7	4	18	12	.	.	1	.	2	1	.	.	.	7	7	1	3	24

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Aug. 1.	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered,	217	239	196	237	252	192	172	219	219	219	242	257	208	201	212	198	221	206	234	204	187	128	252	226	218	215
DEATHS registered.	126	152	132	103	131	110	114	122	105	118	125	113	125	118	124	113	138	120	163	145	178	158	183	190	199	140
Annual Death-rate per 1,000 of estimated Population.	18·3	22·1	19·2	15·0	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4
AGES, Under 1 year,	31	40	50	35	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34
AGES, 1–5 years,	14	14	11	5	8	11	9	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19	13
AGES, 5–60 years,	51	72	53	46	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62
AGES, 60 years and upwards,	30	26	18	17	28	15	21	18	18	16	31	19	22	18	15	26	28	20	26	31	38	25	37	33	47	31
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	4	1	1	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.
" Scarlet Fever,	.	.	1	.	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Whooping cough,	2	.	.	3	.	2	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5
" Diphtheria,	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2
" Simple Continued Fever,	1	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	2	6	4	2	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1
" Diarrhœal Diseases,	17	22	18	15	19	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.
" Phthisis	15	14	15	16	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21
" Diseases of Respiratory System,	14	20	16	11	19	16	21	21	10	16	25	16	21	21	25	29	29	33	50	43	70	50	60	79	83	39
Violent Deaths,	1	2	2	3	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd January, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	1	.	3	.	.	.	.	3	4	1	.	.	12
" " 2,	.	.	.	2	.	.	.	.	1	4	.	.	.	7
" " 3,	.	8	.	2	.	.	1	.	.	2	1	.	.	14
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	2	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	1	.	.	.	.	.	1	.	.	.	2
South City No. 1,	.	2	.	3	.	.	.	.	.	2	4	.	.	11
" " 2,	.	.	.	.	.	.	1	.	.	.	2	.	.	3
" " 3,	.	.	.	4	.	.	.	.	.	2	.	.	.	6
" " 4,	.	.	.	3	.	.	.	.	.	.	.	1	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	11	.	20	.	.	2	.	4	18	8	1	.	64

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd January, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd January.			
	Jan. 2.	Jan. 9.	Jan. 16.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	20	38	38	13	11	.	40
Scarlet Fever,	101	97	102	16	10	1	107*
Typhus "	3	4	4	.	.	.	4
Diphtheria,	22	27	20	3	9	.	14
Enteric Fever,	63	68	60	16	12	1	63
Pneumonia,	16	21	24	4	9	.	19

*Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated)	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4.649,088	Jan. 23,	2,515	1,549	17·4	.	46	10	10	29	5	25
EDINBURGH,	331,977	„ 23,	172	111	17·4	.	.	.	.	4	.	4
GLASGOW,	798,357	„ 23,	512	316	20·7	2	13	.	3	2	3	5
CALCUTTA,	847,796	Nov. 21,	.	526	32·8	.	.	.	.	2	155‡	79*
BOMBAY,	776,006	—	.	.	.	.	.	.	.	.	.	.
MADRAS,	509,346	Nov. 27,	426	453	46·2	.	1	?	?	?	147	56*
PARIS,	2,660,559	Jan. 9,	1,024	1,005	20·8	.	12	2	8†	1	6	35
BRUSSELS (with 8 Faubourgs).	575,896	„ 2,	213	189	17·1	.	.	.	.	1	.	8
AMSTERDAM,	545,593	„ 2,	277	170	16·2	1	15	.	.	.	2	8
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	416,000	Jan. 2,	223	127	15·9	.	1	1	1	.	1	10
CHRISTIANIA,	225,709	„ 9,	133	55	12·7	.	.	.	1	.	.	2
ST. PETERSBURG,	1,248,122	„ 9,	333	577	24·2	.	12	5	11†	8	11	64
BERLIN,	1,932,411	Dec. 26,	939	618	16·4	.	9	3	5	12	1	24
HAMBURG,	737,328	Jan. 2,	.	248	17·5	.	1	7	2†	.	1	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	512,000	Jan. 9,	.	236	23·6	.	1	.	2†	3	.	15
VIENNA (with suburbs).	1,744,177	„ 9,	881	648	18·9	.	2	2	6†	3	.	33
BUDA-PESTH	790,529	„ 9,	412	317	20·3	.	6	12	8†	2	.	14
PRAGUE and Faubourgs.	423,990	„ 2,	167	189	23·2	.	1	.	2†	.	.	13
ROME,	491,074	Oct. 17,	196	152	16·1	.	.	.	.	1	11	16
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Dec. 12,	83	59	18·5	.	.	.	.	.	1	1
NEW YORK,	3,732,903	„ 26,	1,249	1,321	18·5	.	6	27	50†	3	16	33
PHILADELPHIA,	1,378,624	„ 26,	.	554	21·0	14	17	6	23†	5	10	1

* Including 35 deaths from cholera in Calcutta, and 1 in Madras.
† Including deaths from croup.
‡ Exclusive of 22 deaths from bubonic fever in Calcutta.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd January, 1904:—

"Clouds, gloom, dampness and fog—these features made up the weather of this week, which was especially noticeable for a remarkably high atmospheric pressure in the British Islands and over Central Europe. In the Mediterranean Basin and also over the extreme North of Europe, on the other hand, atmospheric depressions were in evidence throughout the period. At the beginning, the anticyclone, which ultimately sent the barometer up to 30·76 inches on Friday morning, was central off the N.W. of Spain. It threw a warm, moist Atlantic air on the British coasts, so that the thermometer rose many degrees on Sunday after a frosty morning in Central England. The evening of this day was very dull and rainy in Dublin owing to the formation of a shallow V-shaped depression within the confines of the anticyclone. On Tuesday the highest pressure was over Ireland, the barometer ranging from 30·55 inches at Valentia to 29·63 inches at Haparanda on the Gulf of Bothnia in a northeasterly direction and to 29·90 inches or less over Italy and Sicily. On Wednesday another depression approached Scotland and Norway, a shallow secondary of the V-shaped type, subsequently forming over the North Sea. As these systems passed away the barometer rose again, and on Friday the isobar of 30·7 inches embraced nearly the whole of Ireland, England and Wales. Frost again occurred in Central England, but elsewhere there was merely cold and damp weather as well as fog, without frost. Saturday was fine but dull. In Dublin the mean height of the barometer was 30·522 inches, the range of pressure being from 30·274 inches at 9 p.m. of Sunday (wind, W.S.W.) to 30·757 inches at 9 a.m. of Friday (wind, N.W.). This was the highest pressure recorded in Dublin since February 1, 1902. The mean height of the barometer was 1·025 inches above that of the previous week. The corrected mean temperature was 44·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·6°. The screened thermometers rose to 52·0° on Monday and fell to 34·9° on Friday. Only 3¾ hours of bright sunshine were observed. Westerly winds prevailed. Rain fell on 3 days to the amount of ·113 inch, ·088 inch being recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·537 inches. The highest reading (30·775) was on Friday at 9 a.m., air calm, and the lowest (30·286) on Sunday at 9 p.m., wind W.S.W.

The mean temperature for the week was 42·4° being 0·5 above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Monday, on which day the thermometer registered 50·4°, and was lowest on Friday, the mercury having fallen to 29·4°. The mean of the Dry Bulb for the week was 42·1°, and of the Wet Bulb 41·2°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 2·4 hours. The rainfall during the week measured 0·135 inch.

At Greenwich the mean temperature for the week was 35·7°, the maximum 48·9°, and the minimum 26·2°; at Glasgow the maximum was 52·6°, the minimum 31·7°, and the mean 43·8°; and at Edinburgh the maximum was 50·2°, the minimum 30·2°, and the mean 42·7°. The rainfall at Greenwich measured 0·18 inch; at Glasgow 0·15 inch; and at Edinburgh 0·01 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 17,	30·328	45·5	33·1	39·3	41·9	41·2	·95	·7	0·2	·105	S.W.	W.S.W.
Monday, „ 18,	30·394	50·4	44·2	47·3	47·9	46·7	·91	·9	0·0	—	S.W.	W.
Tuesday, „ 19,	30·539	49·3	43·9	46·6	45·2	45·0	·99	·3	0·0	·020	W.S.W.	Calm.
Wednesday, „ 20,	30·532	48·7	40·9	44·8	43·7	43·4	·98	·6	0·8	·010	Calm.	W.
Thursday, „ 21,	30·698	46·8	33·5	40·2	37·3	36·7	·95	·3	1·4	—	W.	Calm.
Friday, „ 22,	30·737	43·3	29·4	36·4	37·7	36·1	·87	·2	0·0	—	Calm.	W.
Saturday, „ 23,	30·531	45·3	38·9	42·1	40·7	39·4	·91	·1	0·0	—	Calm.	Calm.
Mean, . .	30·537	47·0	37·7	42·4	42·1	41·2	·94	·4	Total 2·4	·135	Prevailing Wind, Calm.	

Sunday—Day overcast and wet, fine 10 to 11 a.m.; night overcast. *Monday*—Day fine but dull; night overcast. *Tuesday*—Day overcast, drizzling rain; night overcast. *Wednesday*—A cloudy day, drizzling rain p.m.; night overcast. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—Day fine but dull; night cloudy. *Saturday*—A fine day, but dull and foggy; night overcast.

Note. The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 30TH JANUARY, 1904. [No. 4.

General Register Office, Charlemont House,
Dublin, 1st February, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 9.	Week ending Jan. 16.	Week ending Jan. 23.	Week ending Jan. 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 9.	Week ending Jan. 16.	Week ending Jan. 23.	Week ending Jan. 30.	Average Rate for 4 weeks
22 Town Dists.	27·0	26·5	23·9	22·4	25·0	Lisburn,	13·6	36·4	22·7	18·2	22·7
Armagh,	13·7	.	41·2	20·6	18·9	Londonderry	16·4	22·7	17·6	15·1	18·0
Ballymena,	14·4	23·9	19·2	14·4	18·0	Lurgan,	44·3	26·6	22·1	.	23·3
Belfast,	27·6	28·9	20·4	21·7	24·7	Newry,	33·6	33·6	21·0	25·2	28·4
Clonmel,	15·4	20·5	15·4	51·3	25·7	Newtownards,	28·6	17·2	17·2	17·2	20·1
Cork,	31·5	19·9	28·1	16·4	24·0	Portadown,	20·7	25·8	15·5	10·3	18·1
Drogheda	20·4	20·4	20·4	16·3	19·4	Queenstown,	19·8	13·2	19·8	46·1	24·7
Dublin Reg. Area,	27·8	28·8	26·0	25·6	27·1	Sligo,	9·6	9·6	4·8	19·2	10·8
Dundalk,	23·9	19·9	23·9	8·0	18·9	Tralee,	21·1	10·6	26·4	37·0	23·8
Galway,	46·6	27·2	27·2	42·7	35·9	Waterford,	21·4	15·6	33·1	15·6	21·4
Kilkenny,	9·8	4·9	44·2	9·8	17·2	Wexford,	42·0	28·0	37·4	9·3	29·2
Limerick,	31·4	31·4	31·4	27·3	30·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·6 in Queenstown. Among the 149 deaths from all causes registered in Belfast are one from measles, 10 from whooping-cough, and one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 190—95 boys and 95 girls; and the deaths to 196—103 males and 93 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·0 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 25·6 per 1,000. During the four weeks ending with Saturday last the death-rate averaged 28·0, and was 2·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

There was one death from measles; there were 3 deaths from influenza, and 11 deaths from whooping-cough; in the 4 weeks preceding, the latter caused 12, 9, 5, and 5 deaths respectively. There was one death from enteric fever, which, in the 4 weeks preceding, caused one, 6, 3, and 3 deaths respectively; *diarrhœa* caused one death.

Of 35 deaths due to tuberculous disease, 4 were attributed to tuberculous phthisis, 22 to *phthisis*, 4 to tuberculous meningitis, and 5 deaths to other forms of the disease.

Two deaths were registered as being due to carcinoma, 2 to sarcoma, and 4 to *cancer, malignant disease.*

The 18 deaths from diseases of the brain and nervous system include the deaths of 7 children (under 5 years of age) from *convulsions.*

Thirty deaths were attributed to diseases of the heart and blood-vessels.

The total (41) deaths from diseases of the respiratory system is equal to an annual rate of 5·6 per 1,000 of the population, the annual rate for the corresponding week in the previous 10 years being 6·8 per 1,000. Twenty-nine deaths from bronchitis, 4 deaths from broncho-pneumonia, and 4 deaths from *pneumonia* are included in the total.

Seven deaths from accidental violence were registered.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 5 were under one month old), and 52 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a female) was stated to have been aged 90 years.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·6 per 1,000, the rate in the City was 26·7 (North City Districts, 28·0; South, 25·2), and in the Suburbs, 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·1 (3·4 in the North City Districts, and 0·7 in the South), and for the Suburbs, 1·2.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 38·6 per 1,000. There were 2 deaths from whooping-cough, and one death each from enteric fever and *diarrhœa*, also one death from influenza, 4 deaths from tuberculous disease, 5 deaths from diseases of the respiratory system, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. There were 3 deaths from *phthisis*; the 8 deaths from diseases of the respiratory system include 2 deaths from broncho-pneumonia and 1 death from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. Whooping-cough caused 4 deaths, influenza caused one death; there were 3 deaths from *phthisis*, and one death from tuberculous meningitis, and there were 4 deaths from diseases of the respiratory system

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 11·5 per 1,000. There was one death from measles, there was one death each from *phthisis* and tuberculous meningitis, and 2 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 31·3. The only death from any of the principal epidemic diseases tabulated for these districts was from whooping-cough for Coolock and Drumcondra No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 14·9 per 1,000. There were 4 deaths from tuberculous disease, and the 3 deaths from diseases of the respiratory system include one death from *pneumonia*. One death from accidental violence was registered.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. There were 3 deaths from *phthisis*.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 26·1 per 1,000. There were 2 deaths from tuberculous disease, 4 deaths from diseases of the respiratory system (including one from broncho-pneumonia), and 2 deaths from accidental violence,

No. 4 South City District (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 34·1 per 1,000. There were 2 deaths from whooping-cough, 6 deaths from diseases of the respiratory system, and one death from accidental violence registered.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 30·1; Blackrock, 23·8; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar, and one for Pembroke. Amongst the 10 deaths tabulated for Rathmines and Rathgar were 3 from *phthisis* and 2 from diseases of the respiratory system. The 15 deaths tabulated for Pembroke include 3 from *phthisis*, one from influenza, and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 30th January, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 9,	.	9	.	13	1	.	3	.	2	6	19	.	1	.	54
	Jan. 16,	.	5	.	12	1	.	2	.	1	23	16	.	.	.	60
	Jan. 23,	.	11	.	20	.	.	2	.	4	18	8	1	.	.	64
	Jan. 30,	.	7	1	15	.	.	7	.	1	18	22	.	.	.	71
Rathmines and Rathgar Urban District.	Jan. 9,	.	.	.	.	.	.	.	.	.	2	1	.	.	.	3
	Jan. 16,	.	.	.	2	.	.	.	.	.	.	1	.	.	.	3
	Jan. 23,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
	Jan. 30,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Pembroke Urban District.	Jan. 9,	.	.	.	.	.	.	1	.	.	1	.	.	.	2	4
	Jan. 16,	.	1	.	2	.	.	1	.	.	3	.	.	2	.	9
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
	Jan. 30,	.	.	.	.	.	.	.	.	1	3	1	.	.	6	11
Blackrock Urban District.	Jan. 9,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
	Jan. 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Kingstown Urban District.	Jan. 9,	.	.	.	1	.	.	1	.	.	1	.	.	.	.	3
	Jan. 16,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
City of Belfast.	Jan. 9,	2	–	.	16	.	.	9	.	4	8	11	1	.	.	51
	Jan. 16,	2	–	.	13	.	.	2	.	2	6	7	.	.	.	32
	Jan. 23,	7	–	.	20	.	.	3	1	4	5	16	1	.	.	57
	Jan. 30,	3	–	.	17	.	.	5	1	4	11	9	.	.	.	50

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th January, 1904.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, 10 were discharged, there was one death, and 36 patients remained under treatment at its close.

Seventeen cases of scarlet fever were admitted to hospital, 23 cases were discharged, and 101* cases remained under treatment at the close of the week.

Four cases of typhus fever remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 6 were discharged, and 16 cases remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital, 8 cases were discharged, and 67 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 7 patients were discharged, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·5), was equal to an average annual death-rate of 19·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·4 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 16·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th January, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	REGISTRATION—WEEK ENDING SATURDAY, 30TH JANUARY, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† Week ending 30th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS	1,093,289	19·2	27·6	22·4	1·4	579	469	88	120	.	3	.	.	23	.	.	3	1	52	117	10	19	137	.	.	.	.	.	.	.	.	.	.	.	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,	878,994	27·5	26·1	25·6	1·9	190	186	29	50	.	1	.	.	11	.	.	1	1	26	39	6	3	75	§52·8	29·9	41·9	0·28	§50·4	29·4	42·4	0·14	§50·9	28·8	39·4	0·55
CITY OF DUBLIN	293,385	37·1	27·2	26·7	2·1	157	150	25	40	.	1	.	.	9	.	.	1	1	19	35	5	3	66	a54·8 b53·5	36·0 34·0	44·2 42·7	0·29 0·26	a52·0 b50·9	31·9 30·2	44·7 42·4	0·11 0·15	a52·1 b51·6	31·5 30·0	41·1 39·6	0·39 0·51
Urban Districts. RATHMINES AND RATHGAR.	33,203	19·4	14·1	15·7	1·6	9	10	1	3	.	.	.	.	1	.	.	.	.	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE	26,025	16·4	32·1	30·1	2·0	16	15	3	3	.	.	.	.	1	.	.	.	.	3	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK	8,759	8·1	.	23·8	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,622	12·1	23·7	20·7	.	8	7	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	53·5	36·5	44·3	0·45	52·5	35·5	44·2	0·07	52·5	33·5	42·2	0·27
URBAN DISTRICTS.																																			
BELFAST	358,680	24·4	27·3	21·7	1·7	188	149	40	28	.	1	.	.	10	.	.	1	.	14	48	3	9	26	51·0	30·5	41·7	0·45	50·0	31·0	41·0	0·31	48·0	31·0	38·0	0·86
CORK	76,122	33·6	28·8	16·4	0·7	42	24	4	7	.	.	.	.	1	.	.	.	.	3	5	.	1	8	50	37	44·8	1·38	52	36	44·1	0·05	51	36	43·5	0·74
LONDONDERRY	41,397	19·1	37·8	15·1	.	30	12	4	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK	38,151	18·1	16·4	27·3	.	12	20	.	7	.	.	.	.	.	.	.	.	.	1	7	.	1	8	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	26,769	18·7	9·7	15·6	.	5	8	1	2	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY	18,426	25	27·2	42·7	3·9	7	11	1	4	.	1	.	.	.	.	.	.	.	1	5	.	.	4	52	33	43	0·72	54	31	43·5	0·17	51	30	43	1·59
DUNDALK	13,076	9·4	63·8	8·0	.	16	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	12,760	8·6	.	16·3	.	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY	12,405	17·8	42·0	25·2	.	10	6	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69
LURGAN	11,782	13·8	26·6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69
LISBURN	11,461	10·1	31·8	18·2	4·5	7	4	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69
WEXFORD	11,168	22·2	28·0	9·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	10,886	8·9	43·1	14·4	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	10,870	8·7	38·4	19·2	.	8	4	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	50·0	34·4	41·3	0·87	52·4	32·3	44·4	0·40	49·5	33·5	40·1	1·56
KILKENNY	10,609	11·5	19·7	9·8	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	54	28	41·4	·23	52	30	42·0	0·14	52	28	39·7	0·68
CLONMEL	10,167	7·8	20·5	51·3	.	4	10	1	4	.	.	.	.	.	.	.	.	.	1	1	.	1	6	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	10,092	13·2	36·2	10·3	.	7	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69
TRALEE	9,867	16·6	84·6	37·0	.	16	7	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS	9,110	18·9	40·1	17·2	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	49	32	42·1	0·58	52	32	43·1	0·26	49	32	38·5	0·77
QUEENSTOWN	7,909	14·4	6·6	46·1	6·6	1	7	1	1	.	.	.	.	.	.	.	1	.	2	2	.	.	4	50	37	44·8	1·38	52	36	44·1	0·05	51	36	43·5	0·74
ARMAGH	7,588	22·2	27·5	20·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06	47·5	30·0	37·0	0·69

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan Newry and Portadown, those at Markree for Sligo, and those at Roche's

† Exclusive of 10 deaths of persons (including one under 1 year old and 2 at 60 years or upwards) admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 30th of January, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban District of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	North City No. 1 E.	North City No 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	.	4	.	.	1	.	.	.	.	2	.	1	1	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	3	3	3	1	.	1	.	3	3	2	.	.	3	3	.	1	26	.
Other General Diseases,	2	1	4	1	.	2	1	1	1	3	5	.	1	5	2	2	31	3
Total,	9	4	11	3	.	4	1	4	4	5	7	.	5	9	2	3	71	3
B. Local Diseases:																		
Diseases of Nervous System	2	2	1	1	.	1	.	1	2	.	1	.	1	2	.	2	16	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	4	7	.	.	2	.	1	2	3	3	1	2	2	1	1	30	.
Respiratory System,	5	8	4	2	.	.	1	3	.	4	6	2	2	1	.	1	39	2
Digestive System,	1	.	.	.	.	.	1	.	1	3	2	1	.	.	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Urinary System,	2	1	.	.	.	.	1	.	.	1	1	.	.	.	.	.	6	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Total,	11	15	12	3	.	3	3	5	6	12	13	4	5	5	1	4	102	6
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	.	.	1	.	.	.	1	.	2	2	.	.	1	.	.	7	.
E. Violent Deaths,	1	.	.	.	.	.	.	1	.	2	1	.	.	.	1	.	6	1
Deaths from all Causes,	21	19	23	7	.	7	4	11	10	21	23	4	10	15	4	7	186	10
Annual Rate of Mortality in every 1,000 of the population	38·6	25·3	39·8	11·5	.	36·4	31·3	14·9	28·5	26·1	34·1	28·5	15·7	30·1	28·8	20·7	25·6	.
	28·0							25·3					21·9					
	26·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	3	1	.	2	2	2	2	6	7	2	1	2	2	2	42	7
Workhouse Hospitals,	2	2	9	3	.	.	.	3	4	5	3	.	.	2	.	.	33	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1894-1903.	In the Week ending Saturday, 30th January, 1904. Deaths of Persons of the Ages of							
	Jan. 27, 1894.	Jan. 26, 1895.	Jan. 25, 1896.	Jan. 30, 1897.	Jan. 29, 1898.	Jan. 28, 1899	Jan. 27, 1900.	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 40·4	° 35·6	° 39·2	° 33·7	° 47·3	° 36·6	° 43·8	° 41·5	° 45·0	° 46·7	° 41·0	° 41·9							
ALL CAUSES.	217	208	184	284	194	167	259	196	158	187	205·4	196	5	25	23	13	35	43	48
Small-pox, Vaccinated, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	.	7	.	.	5	.	1	.	1·6	1	.	.	.	1	.	.	.
Scarlet Fever	2	2	1	6	3	1	.	1	.	3	1·9	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
Plague, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,...	9	3	3	5	10	3	27	3	.	3	6·6	3	.	.	.	.	.	1	2
Whooping Cough, ...	11	2	1	27	4	5	3	8	1	.	6·2	11	.	6	4	1	.	.	.
Diphtheria, ...	2	1	.	.	1	.	1	2	1	1	·9	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	.	.	.	2	.	.	1	.	.	·4	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	5	6	1	6	5	1	5	2	2	3·5	1	.	.	.	.	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	3	3	4	1	.	..	3	4	. / 7	2·6	. / 1	.	.	.	.	.	.	1
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	2	.	1	.	1	1	.	·6	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	2	.	.	.	.	.	.	. / 2	·5	. / . / .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	2	2	1	.	.	.	.	·7	2	.	.	.	.	.	1	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	2	1	2	2	.	1	1	1	1	1 / .	1·2	1 / .	.	.	.	1	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Tuberculous Phthisis, ... "*Phthisis*,"	26	22	20	21	23	18	36	26	19	1 / 17	22·9	4 / 22	.	.	2	.	1	1	.
Tuberculous Meningitis, (Acute Hydrocephalus).	3	4	3	2	9	5	8	2	2	1	3·9	4	.	2	2	.	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	4	7	5	7	3	6	6	4	1	. / 1	4·4	. / .	.	.	.	.	.	.	.
Tuberculous Dis. (other), .. *Scrofula*, ...	3	3	.	9	3	3	6	6	7	7 / .	4·7	5 / .	.	.	2	1	1	.	1
Alcoholism	.	1	.	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.
Rheumatic Fever	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Gout	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are fo

FOURTH WEEK ending Saturday, 30th January, 1904, with the deaths from each cause in the corresponding
he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Jan. 27, 1894	Jan. 26, 1895.	Jan. 25, 1896.	Jan. 30, 1897.	Jan. 29, 1898.	Jan. 28, 1899.	Jan. 27, 1900.	Jan. 26, 1901.	Jan. 25, 1902.	Jan. 31, 1903.	Averages in 4th Week of the 10 years 1894-1903.	In the Week ending Saturday, 30th January, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 40·4	° 35·6	° 39·2	° 33·7	° 47·3	° 36·6	° 43·8	° 41·5	° 45·0	° 46·7	° 41·0	Mean Temp. ° 41·9								
cinoma	5	7	7	2	8	6	6	5	8	2	5·9	2	.	.	.	.	.	1	1	.
coma										.		2	.	.	.	1	1	.	.	.
cer, *Malignant Disease* ...										3		4	.	.	.	.	2	2	.	.
betes Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
mature Birth	2	.	4	8	2	1	2	2	3	3	2·7	5	4	1	.	.	.	.	.	.
ningitis (not tuberc.)										4		3	.	1	1	.	1	.	.	.
nity, G. P. of Insane										2		3	.	.	.	.	.	2	1	.
lepsy										.		1	.	.	.	.	.	1	.	.
vulsions										6		7	.	5	2	.	.	.	.	.
omotor Ataxy										.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord										.		2	.	.	.	.	.	1	1	.
vous System (other Dis.) ...	32	41	44	38	35	39	51	30	32	2	38·4	2	.	.	.	.	.	2	.	.
v. Dis., Endocarditis										4		3	.	.	.	.	1	1	1	.
ebr. Hæm. Thromb.										3		2	.	.	.	.	.	1	1	.
plexy, *Hemiplegia*										5		4	.	.	.	.	.	1	2	1
urysm										1		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not cerebral)										.		.	.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.										15		21	.	.	.	1	1	8	11	.
up (not Spasm. or Memb.) ...	3	1	2	1	.	1	2	1	1	.	1·2	.	.	.	.	.	.	.	.	.
nchitis	33	29	28	67	26	19	30	34	14	29	30·9	29	.	4	6	1	.	5	12	1
upous Pneumonia										.		.	.	.	.	.	.	.	.	.
ncho-Pneumonia	7	15	10	14	15	10	20	12	20	3	13·4	4	.	1	1	1	.	.	1	.
neumonia"										8		4	.	.	.	.	2	2	.	.
hma, Emphysema										1		1	.	.	.	.	.	.	1	.
urisy	5	3	2	4	2	.	3	5	.	.	2·8	.	.	.	.	.	.	.	.	.
piratory Dis. (other)										3		3	1	.	.	.	.	2	.	.
sillitis, Quinsy	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
eritis (not Epid.)	1	.	.	.	.	1	.	1	1	1	·6	1	.	.	.	.	1	.	.	.
tro Enteritis										1		4	.	4	.	.	.	.	.	.
itonitis (not Puerp.)	.	.	.	.	2	1	.	.	.	1	·4	1	.	.	.	.	.	.	1	.
rhosis of Liver	4	1	3	.	3	2	2	3	2	2	2·4	.	.	.	.	.	.	.	.	.
er Dis. (other)										2		.	.	.	.	.	.	.	.	.
estive Dis. (other)	10	5	3	8	4	4	6	2	3	9	5·4	3	.	.	1	.	1	1	.	.
bhritis, Acute										.		1	.	.	.	.	.	1	.	.
ght's Dis., Albuminuria ...	5	12	3	1	6	5	6	6	4	4	5·3	5	.	.	.	.	3	1	1	.
nary Sys. (Other Dis.) ...										1		1	.	.	.	.	.	.	1	.
nerative Organs Dis.	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
ldbirth (Accid. of)	1	.	1	1	.	2	.	.	1	1	·7	.	.	.	.	.	.	.	.	.
Age	10	15	10	13	11	9	19	17	12	6	12·2	4	.	.	.	.	.	.	3	1
ner Diseases	22	12	12	18	8	7	13	10	12	14	12·8	9	.	.	2	1	3	.	3	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive f Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	.	3	1	2	1	4	.	2	2	2	1·7	1	.	.	.	.	.	1	.	.
Drowning	2	.	4	2	1	.	1	1	1	1	1·3	1	.	.	.	.	.	1	.	.
Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	1	.	.	.	2	·3	.	.	.	.	.	.	.	.	.
her Deaths by Accidents ...	2	1	3	7	1	2	1	1	2	.	2·0	5	.	1	.	.	2	1	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
micide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icide	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	Aug. 8.	Aug. 15.	Aug 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept 19.	Sept 26	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
Births registered,	177	199	227	248	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	208	190
*Average Births in corresponding week of previous 10 years,**	208	195	199	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197
Deaths registered,	137	136	169	176	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196
Annual Death-rate per 1,000,	18·8	18·7	23·3	24·2	16·0	19·9	20·1	23·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0
*Average Deaths in corresponding week of previous 10 years,**	170	165	160	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205
Ages, Under 5 years,	46	38	49	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53
5—20 ,,	6	10	8	9	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13
20—40 ,,	19	24	32	38	19	28	25	26	30	35	29	23	25	21	24	31	25	38	28	23	26	39	40	45	33	35
40—60 ,,	36	27	38	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43
60—80 ,,	22	31	38	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48
80 years and upwards,	8	6	4	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	18	4
Deaths from Small-pox,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1
,, Scarlet Fever	.	.	.	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	3	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	1	3	.	1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11
,, Diphtheria,	.	1	1	2	.	1	1	1	.	1	.	.	1	.	.	2	1	2	.	2	.	.	1	.	.	.
,, Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
,, Enteric Fever,	.	2	.	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6	3	3	1
,, Diarrhœal Diseases,	5	2	11	9	10	7	5	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1
,, Phthisis,	14	23	22	28	16	22	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26
,, Diseases of Heart and Blood Vessels,	27	18	22	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30
,, Diseases of Respiratory System,	15	20	23	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41
Violent Deaths,	5	2	4	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7
Mean Temperature of the Air (Phœnix Park),	56·5	54·7	53·3	54·5	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4	42·4	41·9
Average Mean Temperature in corresponding week of previous 10 years,	59·2	57·9	59·6	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0
Rainfall in inches,	·266	1·011	1·301	·888	·323	1·938	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·443	1·008	·245	·290	·08	1·515	·546	·135	·280
Mean Humidity of the Air, complete Saturation 1·0,	·77	·84	·84	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th January, 1904; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	27·2	196	53	13	35	43	48	4	.	1	.	.	11	.	.	1	1	14	26	7	41	7	101
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	26·9	9	.	1	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
II.	MIDDLE CLASS,	87,188	12·6	21	1	2	3	9	5	1	.	.	.	.	.	.	.	.	.	.	2	.	4	1	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	20·3	43	14	1	11	5	10	2	.	.	.	.	2	.	.	1	1	4	5	3	11	1	19
IV.	GENERAL SERVICE CLASS,	154,279	40·0	87	32	9	16	16	14	.	.	1	.	.	8	.	.	.	.	9	14	3	15	4	42
V.	INMATES OF WORKHOUSES,	6,024		36	6	.	4	10	16	.	.	.	.	.	1	.	.	.	.	1	5	1	9	1	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	1	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	.	.	1	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1	4
	6. Clerks and Commercial Assistants,	30,432	12·0	7	1	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	1	2	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	2	1	.
	9. Building and Furnishing Trades,	29,801	21·0	12	4	.	2	1	4	1	.	.	.	.	1	.	.	.	.	1	2	.	4	.	5
	10. Clothing Trades,	23,260	15·7	7	2	.	3	1	.	1	.	.	.	.	.	.	.	1	.	1	.	1	.	.	5
	11. Food Supply Trades,	9,242	16·0	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	3	.	2	3	4	.	.	.	.	.	.	.	.	.	1	1	2	1	2	.	6
	13. Petty Shopkeepers,	7,894	26·4	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·1	8	2	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	5
	15. Domestic Servants,	36,603	11·4	8	1	1	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	43·5	12	4	.	2	4	2	.	.	.	.	.	1	.	.	.	.	1	3	.	2	.	6
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·2	59	25	7	13	7	7	.	.	1	.	.	7	.	.	.	.	8	10	2	10	4	25
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	36	6	.	4	10	16	.	.	.	.	.	1	.	.	.	.	1	5	1	9	1	19

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.)	Dec. 12,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	4	2
	„ 19,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1
(*Office, Clarence-street, Nth.*)	Jan. 2,	40·5	3·7	22	.	.	.	.	2	.	.	.	.	.	6	.
	„ 9,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	4	6	.
	„ 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
Pop. in 1904 (Est.) 28,332.	„ 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	„ 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
North City, No. 1 (W.)	Dec. 12,	37·3	2·7	28	.	.	.	.	.	.	.	.	2	5	9	.
	„ 19,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	3	.
	„ 26,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	4	.
(*Office, Summer-hill.*)	Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
	„ 9,	33·3	2·7	25	.	.	.	.	.	.	.	1	.	3	6	1
	„ 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	„ 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
Pop. in 1904 (Est.) 39,146.	„ 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
North City, No. 2.	Dec. 12,	38·1	5·2	22	.	.	.	.	3	.	.	.	.	4	6	2
	„ 19,	46·8	1·7	27	.	.	1	.	.	.	.	.	.	2	10	.
	„ 26,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	3	3	.
	Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
(*Office, Lisburn-street.*)	„ 9,	32·9	3·7	19	.	.	.	.	4	.	.	.	1	3	4	.
	„ 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
Pop. in 1904 (Est.) 30,107.	„ 30,	39·8	6·9	23	.	.	.	.	4	.	.	.	.	3	4	.
North City, No. 3.	Dec. 12,	29·6	4·9	18	.	1	.	.	2	.	.	.	.	1	4	.
	„ 19,	14·8	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	23·0	1·6	14	.	1	.	.	.	.	.	.	.	2	3	.
	Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
(*Office, Benburb-street.*)	„ 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
	„ 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
Pop. in 1904 Est. 31,678.	„ 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
South City, No. 1.	Dec. 12,	17·7	1·4	13	.	.	.	.	.	.	.	1	.	2	2	.
	„ 19,	32·6	4·1	24	.	.	1	.	.	.	.	1	1	.	4	.
	„ 26,	21·7	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
(*Office, South Earl-street.*)	„ 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
	„ 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
Pop. in 1904 (Est.) 32,384.	„ 23,	38·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
	„ 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
South City, No. 2.	Dec. 12,	14·3	.	5	.	.	.	.	.	.	.	.	.	.	1	1
	„ 19	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
(*Office, Castle-street.*)	„ 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
	„ 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
Pop. in 1904 (Est.) 18,286.	„ 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	„ 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
South City, No. 3.	Dec. 12,	29·8	.	24	.	.	.	.	.	.	.	.	.	1	10	1
	„ 19,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	4	.
	„ 26,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	4	2	1
	Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
(*Office, Peter-street.*)	„ 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
Pop. in 1904 (Est.) 41,940.	„ 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	„ 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
South City, No. 4.	Dec. 12,	20·8	.	14	.	.	.	.	.	.	.	.	.	.	9	.
	„ 19,	26·7	3·0	18	.	.	.	.	2	.	.	.	.	2	4	.
	„ 26,	20·8	3·0	14	.	.	.	.	2	.	.	.	.	3	2	.
(*Office, Grand Canal-street*)	Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
	„ 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2
Pop. in 1904 (Est.) 35,138	„ 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	„ 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1
	„ 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Dec. 12,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	6	.
	„ 19,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 26,	18·8	1·6	12	.	.	1	.	.	.	.	.	.	1	3	.
	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	3	3	.
	„ 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	„ 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Dec 12,	20·0	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	„ 19,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Dec. 12,	20·7	3·0	7	.	.	.	.	1	.	.	.	.	.	1	.
	„ 19,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·8	3·0	4	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	„ 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Dec. 12,	21·1	1·6	145	.	.	1	.	8	1	.	.	1	12	43	4
	„ 19,	25·9	2·5	178	.	.	2	1	10	1	.	3	.	20	70	4
	„ 26,	28·0	3·2	158	.	.	.	.	15	2	1	2	2	20	50	4
	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	„ 9,	27·6	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	„ 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	23	82	3
	„ 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	„ 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
Cork. Pop. (in 1901) 76,122.	Dec. 12,	19·9	1·4	29	.	.	.	.	1	1	.	.	.	5	4	1
	„ 19,	17·8	.	26	.	.	.	.	.	.	.	.	.	5	5	.
	„ 26,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	6	4	1
	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	8	3	.
	„ 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	18	2
	„ 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	„ 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	„ 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
Londonderry. Pop. in 1904 (Est.) 41,397	Dec. 12,	10·1	.	8	.	.	.	.	.	.	.	.	.	1	4	.
	„ 19,	26·5	1·3	21	.	.	.	1	.	.	.	.	.	2	7	1
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	3	5	.
	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	2	4	.
	„ 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 16,	22·7	2·5	18	.	.	.	1	1	.	.	.	.	1	4	.
	„ 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	„ 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
Limerick. Pop. (in 1901) 38,151.	Dec. 12,	23·2	.	17	.	.	.	.	.	.	.	.	.	5	4	.
	„ 19,	36·9	1·4	27	.	.	.	.	1	.	.	.	.	2	7	.
	„ 26,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	„ 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	„ 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	„ 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	„ 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
Waterford. Pop. (in 1901) 26,769.	Dec. 12,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	3	2	1
	„ 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	6	.
	„ 26,	18·6	.	7	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	„ 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th January, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	5	24·8	3·5	7	2	1	4	.	.	.	.	.	1	.	.	.	.	.	1	.		4
Do. 2 ,,	47,959	24	27·2	5·4	25	7	4	9	5	.	1	.	.	4	.	.	.	.	3	9	.	.	4
Do. 3 ,,	47,214	25	23·2	2·2	21	6	3	7	5	.	.	.	.	2	.	.	.	.	2	8	.		2
Do. 4 ,,	40,911	27	21·7	1·3	17	4	.	10	3	.	.	.	.	.	.	.	1	.	4	4	.	.	6
Do. 5 ,,	17,387	7	18·0	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Do. 6 ,,	48,122	22	18·4	.	17	6	.	6	5	.	.	.	.	.	.	.	.	.	1	3	.	1	3
Do. 7 ,,	1,524	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 8 ,,	5,060	3	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	14	16·0	2·7	6	2	2	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Do. 10 ,,	28,064	10	22·6	.	10	1	2	7	.	.	.	.	.	.	.	.	.	.	2	4	.	.	1
Do. 11 ,,	34,862	20	18·0	.	12	4	.	5	3	.	.	.	.	.	.	.	.	.	2	2	2	2	1
Do. 12 ,,	33,588	23	32·6	3·1	21	6	6	6	3	.	.	.	.	2	.	.	.	.	.	12	1	2	3
Do. 13 ,,	15,006	7	17·4	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 14 ,,	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	188	22·3	1·8	149	40	18	63	28	.	1	.	.	10	.	.	1	.	14	48	3	9	26
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	3	20·3	.	5	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Do. 2 ,,	10,701	6	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 3 ,,	9,978	9	10·5	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.
Do. 4 ,,	8,666	4	30·1	6·0	5	.	1	2	2	.	.	.	.	1	.	.	.	.	.	2	.	.	2
Do. 5 ,,	6,592	1	23·7	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 ,,	10,702	9	14·6	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 7 ,,	16,616	10	12·6	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Total,	76,122	42	16·4	0·7	24	4	2	11	7	.	.	.	.	1	.	.	.	.	3	5	.	1	8

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																								
	Aug. 8.	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9	Jan. 16.	Jan. 23.	Jan. 30.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered,	289	196	237	252	192	172	219	219	219	242	257	203	201	212	193	221	206	231	204	187	128	252	226	213	215	188
DEATHS registered.	152	132	103	131	110	114	122	105	118	125	113	125	118	124	113	138	120	168	145	178	158	182	190	199	140	149
Annual Death-rate per 1,000 of estimated Population,	22·1	19·2	15·0	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7
AGES, Under 1 year,	40	50	35	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40
1–5 years,	14	11	5	8	11	9	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19	13	18
5–60 years,	72	53	46	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63
60 years and upwards,	26	18	17	28	15	21	18	13	16	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	1	1	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1
" Scarlet Fever,	.	1	.	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Whooping cough,	.	.	3	.	2	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10
" Diphtheria,	.	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.
" Simple Continued Fever,	1	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Enteric Fever,	6	4	2	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1
" Diarrhœal Diseases,	22	18	15	19	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.
" Phthisis	14	15	16	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14
" Diseases of Respiratory System,	20	16	11	19	16	21	21	10	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48
Violent Deaths,	2	2	3	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th January, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	1	.	.	2	.	1	2	2	.	.	8
" " 2,	.	2	.	1	.	.	.	.	.	.	1	.	.	4
" " 3,	.	4	.	2	.	.	4	.	.	2	4	.	.	16
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	4	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	.	.	.	5	9	.	.	15
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	.	1	2	.	.	1	.	.	4	3	.	.	11
" " 4,	.	.	.	3	.	.	.	.	.	3	3	.	.	9
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	7	1	15	.	.	7	.	1	18	22	.	.	71

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th January, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th January.			
	Jan. 9.	Jan. 16.	Jan. 23.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	38	38	40	7	10	1	36
Scarlet Fever,	97	102	107	17	23	.	101*
Typhus "	4	4	4	.	.	.	4
Diphtheria,	27	20	14	8	6	.	16
Enteric Fever,	68	60	63	12	8	.	67
Pneumonia,	21	24	19	2	7	.	14

*Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated)	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Fever	Diarrhœal Diseases.
LONDON,	4.649,088	Jan. 30,	2,434	1,734	19·5	.	38	9	25	43	3	17
EDINBURGH,	331,977	„ 30,	110	107	16·8	.	.	1	1	3	.	1
GLASGOW,	798,357	„ 30,	465	272	17·8	3	6	3	5	1	1	8
CALCUTTA,	847,796	Nov. 28,	.	465	28·5	.	1	.	2	.	125‡	79*
BOMBAY,	776,006	Dec. 29,	339	627	42·0	3	2	.	1	.	43‡	57
MADRAS,	509,346	„ 4,	412	396	40·4	.	1	?	?	?	111‡	54*
PARIS,	2,660,559	Jan. 16,	970	1,109	22·9	2	14	1	9†	2	8	27
BRUSSELS (with 8 Faubourgs).	575,896	„ 9,	251	214	19·3	.	.	.	3†	2	1	4
AMSTERDAM,	545,593	„ 9,	279	210	20·1	.	20	.	2	2	1	10
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	416,000	Jan. 9,	224	136	17·0	.	1	.	1	3	1	7
CHRISTIANIA,	225,709	„ 16,	110	53	12·2	.	.	.	.	1	.	2
ST. PETERSBURG,	1,248,122	„ 16,	712	627	26·2	1	16	9	10†	6	17	59
BERLIN,	1,932,411	Dec. 27–31.	577	420	15·6	.	9	1	7	5	1	17
HAMBURG,	737,328	Jan. 9,	.	249	17·2	.	.	2	4†	4	1	9
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH	512,000	Jan. 16,	.	218	21·3	.	.	.	2†	1	.	24
VIENNA (with suburbs).	1,744,177	„ 16,	857	624	18·2	.	5	1	7†	1	1	26
BUDA PESTH	790,529	„ 16,	398	260	16·5	.	8	11	11†	2	2	9
PRAGUE and Faubourgs.	423,990	„ 16,	177	193	23·7	.	4	.	.	1	4	8
ROME,	491,074	Oct. 24,	227	167	17·7	.	1	.	.	.	8	19
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Dec. 19,	76	45	14·1	.	.	.	1†	.	.	5
NEW YORK,	3,732,903	Jan. 2,	1,778	1,420	19·3	1	15	23	58†	2	10	32
PHILADELPHIA,	1,378,624	„ 2,	.	607	23·0	11	10	5	26†	1	20	2

* Including 29 deaths from cholera in Calcutta, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 21 deaths from bubonic fever in Calcutta, 64 in Bombay, and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th January, 1904:—

"The week opened with anticyclonic conditions, but from Tuesday (inclusive) onwards large and deep atmospheric depressions kept travelling northwards or northeastwards past the western shores of Ireland, Scotland, and Norway. On Sunday morning the anticyclone was central over North Germany and Holland. Frost prevailed in England, and in Ireland the S.E. and S. winds became very keen in the afternoon. The sky was densely clouded, and only in North Wales and the North East of Scotland did the duration of bright sunshine reach or exceed 4 hours. On Monday a general decrease of pressure was in progress. It was most marked in the W. of Ireland, to which district Atlantic depressions were fast approaching. By Tuesday a warm southerly wind current was fully established over the British Isles, but the cold became more intense on the Continent, Munich reporting a minimum of 12° F. on the day named and one of 7° F. on Wednesday. In the course of Tuesday night the thermometer rose to 54·8° in Dublin. At 8 a.m. of Thursday the barometer varied from 28·81 inches at Malin Head, Co. Donegal, to 30·32 inches at Munich, where the thermometer stood at 7°, having been down to 5° F. Thunder and lightning had occurred in the W. and N. of Ireland on Wednesday, and fresh or strong S.W. gales were reported from the Irish and Welsh stations. Scarcely had the disturbance passed off when another deep depression passed northeastwards across Ireland on Friday afternoon, causing gales and showers. Even with a very low barometer Saturday proved fine in Ireland, a secondary depression in the S. equalising atmospheric pressure in this country. In Dublin the mean height of the barometer was 29·596 inches, the range being from 30·245 inches at 9 a.m. of Sunday (wind, S.S.E.) to 29·208 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 44·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·2°. The screened thermometers rose to 54·8° (in the night) on Wednesday and fell to 36·0° on Friday. Bright sunshine was estimated at 12½ hours, of which 6 fell on Thursday. The rainfall was ·292 inch on four days, ·163 inch falling on Friday. S. and S.W. winds prevailed."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·605 inches. The highest reading (30·248) was on Sunday at 9 a.m., wind S., and the lowest (29·217) on Friday at 9 p.m., wind S.S.W.

The mean temperature for the week was 41·9°, being 0·9 above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 52·8°, and was lowest on Friday, the mercury having fallen to 29·9°. The mean of the Dry Bulb for the week was 42·4°, and of the Wet Bulb 39·5°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·3 hours. The rainfall during the week measured 0·280 inch.

At Greenwich the mean temperature for the week was 40·9°, the maximum 50·9°, and the minimum 28·8°; at Glasgow the maximum was 51·0°, the minimum 33·0°, and the mean 42·6°; and at Edinburgh the maximum was 50·3°, the minimum 31·7°, and the mean 41·0°. The rainfall at Greenwich measured 0·92 inch; at Glasgow 0·60 inch; and at Edinburgh 0·26 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 24,	30·176	42·7	34·9	38·8	38·6	35·7	·77	·4	0·0	—	S.	S.S.E.
Monday, „ 25,	29·882	46·2	35·9	41·1	44·2	41·0	·77	·4	1·1	·025	S.E.	S.S.W,
Tuesday, „ 26,	29·560	50·7	41·4	46·1	46·9	44·5	·83	·3	0·7	·020	S.S.W.	S.S.W.
Wednesday, „ 27,	29·360	52·8	39·8	46·3	45·3	42·7	·82	·4	3·8	·110	S.W.	S.W.
Thursday, „ 28,	29·519	47·5	36·8	42·2	41·3	38·3	·78	·3	5·2	—	S.W.	W.
Friday, „ 29,	29·480	47·8	29·9	38·9	42·0	38·6	·75	·4	0·5	·125	S.W.	S.S.W.
Saturday, „ 30,	29·259	45·3	33·8	39·6	38·3	36·0	·82	·4	2·0	—	S.W.	Calm.
Mean, . .	29·605	47·6	36·1	41·9	42·4	39·5	·79	·4	Total 13·3	·280	Prevailing Wind, S.W.	

Sunday—Fine but dull; night overcast. *Monday*—Overcast a.m., cloudy, showery p.m; night cloudy. passing showers. *Tuesday*—Cloudy a.m., dull p.m., fine throughout; night cloudy, passing showers, *Wednesday*—Bright a.m., cloudy p.m., heavy rain 4 p.m.; night cloudy, heavy rain 10.15 p.m. *Thursday*—A fine day; night clear. *Friday*—A clouuy day, heavy rain 5.30 to 7.30, squally; night cloudy p.m., clear a.m. *Saturday*—A fine day; night cloudy, lunar halo observed.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 6TH FEBRUARY, 1904. [No. 5.

General Register Office, Charlemont House,
Dublin, 8th February, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 16.	Week ending Jan. 23.	Week ending Jan. 30.	Week ending Feb. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 16.	Week ending Jan. 23.	Week ending Jan. 30.	Week ending Feb. 6.	Average Rate for 4 weeks.
22 Town Dists.	26·5	23·9	22·4	26·1	24·7	Lisburn,	36·4	22·7	18·2	18·2	23·9
Armagh,	.	41·2	20·6	20·6	20·6	Londonderry	22·7	17·6	15·1	11·3	16·7
Ballymena,	23·9	19·2	14·4	28·7	21·6	Lurgan,	26·6	22·1	.	17·7	16·6
Belfast,	28·9	20·4	21·7	21·8	23·2	Newry,	33·6	21·0	25·2	16·8	24·2
Clonmel,	20·5	15·4	51·3	15·4	25·7	Newtownards,	17·2	17·2	17·2	17·2	17·2
Cork,	19·9	28·1	16·4	29·5	23·5	Portadown,	25·8	15·5	10·3	20·7	18·1
Drogheda,	20·4	20·4	16·3	16·3	18·4	Queenstown,	13·2	19·8	46·1	.	19·8
Dublin Reg. Area,	28·8	26·0	25·6	30·6	27·7	Sligo,	9·6	4·8	19·2	52·8	21·6
Dundalk,	19·9	23·9	8·0	27·9	19·9	Tralee,	10·6	26·4	37·0	21·1	23·8
Galway,	27·2	27·2	42·7	38·8	34·0	Waterford,	15·6	33·1	15·6	33·1	24·4
Kilkenny,	4·9	44·2	9·8	63·9	30·7	Wexford,	28·0	37·4	9·3	32·7	26·9
Limerick,	31·4	31·4	27·3	27·3	29·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·2 in Portadown. Among the 150 deaths from all causes registered in Belfast are 11 from whooping-cough, one from diphtheria, and 3 from enteric fever; and the 43 deaths from all causes registered in Cork include one from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 255—138 boys and 117 girls; and the deaths to 233—117 males and 116 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 32·1 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 30·6 per 1,000. During the five weeks ending with Saturday last the death-rate averaged 28·8, and was 1·7 below the mean rate for the corresponding portions of the ten years 1894–1903.

Three deaths from influenza, 9 deaths from whooping-cough, one death from enteric fever, one death from *diarrhœa,* and one death from diphtheria were registered during

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

the week. In the 4 weeks preceding, 9, 5, 5, and 11 deaths were ascribed to whooping-cough, and in the same weekly periods 6, 3, 3, and one were the respective numbers of deaths due to enteric fever. There was not one death registered from small-pox, measles, scarlet fever, or typhus.

The number of deaths attributed to tuberculosis was 34, namely, 7 deaths from tuberculous phthisis, 16 deaths from *phthisis*, 4 deaths from tuberculous meningitis, one death from tuberculous peritonitis, 2 deaths from tabes mesenterica, and 4 deaths from other forms of the disease.

Four deaths were due to carcinoma, and 7 to *cancer, malignant disease.*

Of 24 deaths from diseases of the nervous system, 15 (all of children under 5 years of age) were ascribed to *convulsions.*

Twenty-three deaths were due to diseases of the heart and blood-vessels.

Diseases of the respiratory system caused 51 deaths, corresponding to an annual rate of 7·0 per 1,000 of the population of the Area, the annual average rate in the corresponding week of the past 10 years being 7·8 per 1,000. Of the total deaths 32 were from bronchitis, 4 from broncho-pneumonia, and 12 from *pneumonia.*

Eight deaths from accidental causes were registered, 3 of this number being deaths of children under 5 years of age from burns or scalds.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 9 children under 5 years of age (including 7 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Seventy-one of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 24 were under one month old), and 76 were aged 60 years and upwards, including 41 persons aged 70 and upwards, of whom 8 were octogenarians, and 3 (one male and 2 females) were stated to have been aged 96, 93, and 90 years respectively.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 30·6 per 1,000, the rate in the City was 33·1 (North City Districts, 29·1; South, 37·3), and in the Suburbs, 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·1 (1·4 in the North City Districts, and 2·9 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. One death from whooping-cough, one death from *phthisis*, and two deaths from accidental violence were registered.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 34·6 per 1,000. There were 5 deaths from tuberculous disease, and diseases of the respiratory system caused 9 deaths (including 2 deaths from *pneumonia*).

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·1 per 1,000. One death from whooping-cough and 7 deaths from tuberculous disease were registered.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. Whooping-cough and diphtheria each caused one death; there were 3 deaths from *phthisis*, 2 deaths from broncho-pneumonia, and one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 31·3. The 2 deaths tabulated for Clontarf and Howth, No. 1, part of, were from diseases of the heart and blood-vessels. There was one death from *pneumonia* tabulated for Coolock and Drumcondra, No. 1, part of, and one from bronchitis for Finglas and Glasnevin (part of).

No. 1 South City District (South Earl-street).—The deaths (35) represent an annual rate of 47·5 per 1,000. There was one death from whooping-cough, also one death from enteric fever; 3 deaths were due to influenza, 4 to *phthisis*, one to tuberculous phthisis, and one to tuberculous meningitis; the 8 deaths assigned to diseases of the respiratory system include 4 from *pneumonia.* One death from accidental violence was registered.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. There were 3 deaths from whooping-cough, and 2 deaths from tuberculous disease; there was one death from broncho-pneumonia and one death from *pneumonia.*

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 per 1,000. One death was due to *diarrhœa*, and tuberculous disease caused 3 deaths; there were 4 deaths from diseases of the respiratory system, and 3 deaths from accidental violence.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. There were 2 deaths from whooping-cough, and 6 deaths (including one death from broncho-pneumonia) from diseases of the respiratory system.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000. Four of the deaths were from diseases of the respiratory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 22·0; Blackrock, 29·8; and Kingstown, 17·8. Of the 14 deaths tabulated for Rathmines and Rathgar, 6 were from diseases of the heart and blood-vessels, one was from *phthisis*, and one from tuberculous phthisis. The 11 deaths tabulated for Pembroke include 2 from *pneumonia.* There were 3 deaths from bronchitis tabulated for Blackrock and 2 deaths from bronchitis for Kingstown.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 6th February, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 16,	.	5	.	12	1	.	2	.	1	23	16	.	.	.	60
	Jan. 23,	.	11	.	20	.	.	2	.	4	18	8	1	.	.	64
	Jan. 30,	.	7	1	15	.	.	7	.	1	18	22	.	.	.	71
	Feb. 6,	.	12	.	11	.	.	3	1	.	12	15	.	.	.	54
Rathmines and Rathgar Urban District.	Jan. 16,	.	.	.	2	.	.	.	.	.	.	1	.	.	.	3
	Jan. 23,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
	Jan. 30,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	Feb. 6,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Pembroke Urban District.	Jan. 16,	.	1	.	2	.	.	1	.	.	3	.	.	2	.	9
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
	Jan. 30,	.	.	.	.	.	.	.	.	1	3	1	.	.	6	11
	Feb. 6,	.	.	.	1	.	.	.	.	1	3	.	.	4	9	18
Blackrock Urban District.	Jan. 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	Feb. 6,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Kingstown Urban District.	Jan. 16,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	Jan. 23,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	Feb. 6,	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
City of Belfast.	Jan. 16,	2	–	.	13	.	.	2	.	2	6	7	.	.	.	32
	Jan. 23,	7	–	.	20	.	.	3	1	4	5	16	1	.	.	57
	Jan. 30,	3	–	.	17	.	.	5	1	4	11	9	.	.	.	50
	Feb. 6,	3	–	.	15	.	.	5	.	7	8	18	1	.	.	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th February, 1904.

From this it appears that:—

Ten cases of measles were admitted to hospital during the week, 6 were discharged, and 40 patients remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 16 cases were discharged, and 103* cases remained under treatment at the close of the week.

One case of typhus fever was discharged, and 3 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, one was discharged, there was one death, and 18 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 8 cases were discharged, and 64 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 6 patients were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 17·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·5 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 16·0.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th February, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by. Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 6th February, 1904. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 6th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	29·6	26·1	1·5	620	548	106	164	.	.	.	.	23	2	.	4	8	74	139	13	21	159	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	373,994	27·5	35·1	30·6	1·7	255	222	42	73	.	.	.	.	9	1	.	1	1	23	49	7	8	77	§43·6	25·9	37·0	1·36	§52·8	29·9	41·9	0·28	§50·4	29·4	42·4	0·14
City of Dublin	293,385	37·1	39·6	33·1	2·1	223	186	39	56	.	.	.	.	9	1	.	1	1	20	42	6	7	63	a43·1 b44·6	30·1 26·2	39·0 37·8	1·47 1·57	a54·8 b53·5	36·0 31·0	41·2 42·7	0·29 0·26	a52·0 b50·9	34·9 30·2	44·7 42·4	0·11 0·15
Urban Districts. Rathmines and Rathgar	33,203	19·4	20·4	22·0	.	13	14	1	7	.	.	.	.	.	.	.	.	.	2	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	14·0	22·0		7	11	2	5	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	29·8	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	26·6	17·8	.	9	6	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	4	45	33·5	39·7	1·32	53·5	36·5	44·3	0·45	52·5	35·5	44·2	0·07
Urban Districts.																																			
Belfast	358,680	24·4	27·6	21·8	2·2	190	150	39	24	.	.	.	.	11	1	.	3	.	26	48	1	4	29	46·9	26·8	36·9	0·61	51·0	30·5	41·7	0·45	50·0	31·0	41·0	0·31
Cork	76,122	33·6	26·7	29·5	1·4	39	43	9	12	.	.	.	.	1	.	.	.	1	8	7	3	4	17	46	30	38·9	1·48	50	37	41·8	1·38	52	36	44·1	0·05
Londonderry	41,397	19·1	26·5	11·8	.	21	9	3	4	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	88,151	18·1	17·8	27·3	1·4	13	20	2	9	.	.	.	.	1	.	.	.	.	3	6	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	17·5	33·1	.	9	17	.	5	.	.	.	.	.	.	.	.	.	4	2	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	35·0	38·8	.	9	10	.	8	.	.	.	.	.	.	.	.	.	2	2	.	.	7	.	.	.	.	52	33	43	0·72	54	31	43·5	0·17
Dundalk	13,076	9·4	23·9	27·9	.	6	7	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	36·8	16·3	.	9	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	16·8	.	6	4	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06
Lurgan	11,782	13·8	17·7	17·7	.	4	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06
Lisburn	11,461	10·1	13·6	18·2	.	3	4	3	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06
Wexford	11,168	23·2	28·0	32·7		6	7	.	4	.	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	19·2	28·7	.	4	6	.	4	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	19·2	52·8	.	4	11	.	8	.	.	.	.	.	.	.	.	.	.	5	.	.	7	44·4	23·6	33·8	0·68	50·0	34·4	41·3	0·87	52·4	32·8	44·4	0·40
Kilkenny	10,609	11·5	14·7	63·9	4·9	3	13	2	5	.	.	.	.	.	.	.	.	1	1	2	.	.	6	44	24	35·6	1·00	54	28	41·4	1·23	52	30	42·0	0·14
Clonmel	10,167	7·8	66·7	15·4	.	13	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	41·3	20·7	5·2	8	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06
Tralee	9,867	16·6	42·3	21·1	.	8	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	.	17·2	.	.	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	46	29	38·5	0·51	49	32	42·1	0·58	52	32	43·1	0·26
Queenstown	7,909	14·4	26·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46	30	38·9	1·48	50	37	44·8	1·38	52	36	44·1	0·05
Armagh	7,588	22·2	41·2	20·6	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47	51·2	33·5	43·0	0·06

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

‡ Observations at Vartry [illegible] and 2 of 60 years or upwards) admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th of February 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	1	1	.	.	.	1	3	.	2	.	.	.	.	.	9	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Phthisis,	1	4	2	3	.	1	.	5	2	2	.	.	2	.	.	1	23	.
Other General Diseases,	2	3	5	1	.	2	.	4	3	7	5	.	2	5	.	2	41	2
Total,	4	7	8	6	.	3	.	11	8	10	7	.	4	5	.	3	76	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	3	4	2	2	.	.	1	4	.	2	1	.	1	1	.	1	22	2
Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	.	2	1	1	2	.	.	1	1	3	4	1	6	1	.	.	23	.
Respiratory System,	.	9	3	3	.	1	1	8	3	4	6	4	.	2	3	2	49	2
Digestive System,	3	.	1	.	.	.	1	3	.	1	1	1	.	.	1	.	12	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Urinary System,	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6	2
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	18	8	6	2	1	3	17	4	10	12	6	8	5	5	3	116	7
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	1	1	1	.	2	1	6	2	3	2	.	1	1	.	.	23	1
E. VIOLENT DEATHS,	2	.	.	.	.	.	.	1	.	3	.	.	1	.	.	.	7	1
Deaths from all Causes,	16	26	17	13	2	6	4	35	14	26	21	6	14	11	5	6	222	11
Annual Rate of Mortality in every 1,000 of the population	29·4	34·6	29·4	21·4	21·7	31·2	31·3	47·5	39·9	32·3	31·2	35·2	22·0	22·0	29·8	17·8	30·6	.
	29·1							37·3					21·9					
	33·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	7	.	.	.	5	2	5	2	.	3	2	3	4	40	9
Workhouse Hospitals,	4	5	6	1	.	.	1	9	3	3	3	.	2	.	.	.	37	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1894-1903.	In the Week ending Saturday, 6th February, 1904.							
												Deaths of Persons of the Ages of							
	Feb. 3, 1894.	Feb. 2, 1895.	Feb. 1, 1896.	Feb. 6, 1897.	Feb. 5, 1898.	Feb. 4, 1899.	Feb. 3, 1900.	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.		ALL AGES.	0 to 5.						
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	41·0	33·2	41·5	38·7	44·6	35·8	35·6	35·9	34·9	44·6	38·6	37·0							
ALL CAUSES.	225	214	178	296	220	213	238	186	169	202	214·1	233	24	21	26	13	33	40	65
Small-pox, Vaccinated,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, No Statement,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	.	18	.	.	4	.	1	.	2·6	.	.	.	.	.	.	.	.
Scarlet Fever	2	1	1	4	2	2	1	.	1	3	1·7	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	10	.	4	.	14	2	18	3	2	1	5·4	3	.	.	.	.	.	.	3
Whooping Cough,	10	3	2	24	3	3	.	12	1	3	6·1	9	.	3	5	1	.	.	.
Diphtheria,	1	.	.	1	.	.	3	1	1	3	1·0	1	.	.	.	1	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	1	1	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Enteric Fever,	1	3	2	2	7	1	2	3	.	.	2·1	1	.	.	.	.	1	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	2	3	1	3	2	4	3	2	.	. / 1	2·1	. / 1	.	.	1	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	2	1	.	1	.	1	1	·6	1	1	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	.	1	1 / . / .	·2	. / . / .	.	.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	1	1	.	.	.	.	.	.	1	.	·3	1	.	.	.	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	.	.	1	.	.	.	1	.	. / .	·2	. / .	.	.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	29	27	17	31	32	18	29	20	33	2 / 19	25·7	7 / 16	.	.	.	3	2	1	1
Tuberculous Meningitis, (Acute Hydrocephalus).	5	10	4	5	7	8	7	2	.	4	5·2	4	.	1	2	.	1	.	.
Tuberculous Peritonitis, Tabes Mesenterica,	5	3	2	6	9	4	5	2	.	1 / 1	3·8	1 / 2	.	.	. / 2	.	1	.	.
Tuberculous Dis. (other), *Scrofula*,	4	2	9	5	3	4	4	5	6	5 / .	4·7	4 / .	.	.	1	1	2	.	.
Alcoholism	.	.	.	1	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.
Rheumatic Fever	.	1	.	.	1	.	1	2	.	1	·6	1	.	.	.	.	1	.	.
Gout	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are fo

'IFTH WEEK ending Saturday, 6th February, 1904, with the deaths from each cause in the corresponding ıe average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Feb. 3, 1894	Feb. 2, 1895.	Feb. 1, 1896.	Feb. 6, 1897.	Feb. 5, 1898.	Feb. 4, 1899.	Feb. 3, 1900.	Feb. 2, 1901.	Feb. 1, 1902.	Feb. 7, 1903.	Averages in 5th Week of the 10 years 1894–1903.	In the Week ending Saturday, 6th February, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 41·0	° 33·2	° 41·5	° 38·7	° 44·6	° 35·8	° 35·6	° 35·9	° 34·9	° 44·6	° 38·6	Mean Temp. ° 37·0								
cinoma	5	8	6	5	7	12	5	4	7	1	6·3	4	.	.	.	.	.	1	3	.
coma										2		.	.	.	.	.	.	.	.	.
cer, *Malignant Disease* ...										1		7	.	.	.	.	.	5	2	.
betes Mellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
mature Birth	3	7	3	6	4	3	3	2	2	8	4·1	9	9	.	.	.	.	.	.	.
ningitis (not tuberc.)										4		1	.	.	.	1	.	.	.	.
anity, G. P. of Insane										1		5	.	.	.	.	1	1	3	.
ilepsy										.		1	.	.	.	.	.	1	.	.
ıvulsions										8		15	7	6	2	.	.	.	.	.
omotor Ataxy										.		.	.	.	.	.	.	.	.	.
aplegia Dis. of Cord										3		2	.	.	.	.	.	1	1	.
rvous System (other Dis.) ...	38	36	41	47	39	53	42	35	30	.	40·9	.	.	.	.	.	.	.	.	.
tv. Dis., Endocarditis										5		6	.	.	.	.	2	1	3	.
ebr. Hæm. Thromb.										.		1	.	.	.	.	.	1	.	.
pplexy, *Hemiplegia*										7		5	.	.	.	.	.	1	4	.
eurysm										1		.	.	.	.	.	.	.	.	.
ıbolism, Thromb. (not cerebral)										.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.										19		11	.	1	.	.	.	3	7	.
oup (not Spasm. or Memb.) ...	.	2	.	.	.	2	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
onchitis	38	44	27	54	32	42	44	27	29	37	37·4	32	.	5	3	.	.	7	16	1
oupous Pneumonia										2		.	.	.	.	.	.	.	.	.
oncho-Pneumonia	14	8	15	14	15	5	17	19	15	4	13·9	4	.	.	3	1	.	.	.	.
neumonia"										11		12	.	1	2	.	3	3	2	1
thma, Emphysema										.		.	.	.	.	.	.	.	.	.
eurisy	2	5	3	7	.	3	5	3	3	2	3·6	.	.	.	.	.	.	.	.	.
spiratory Dis. (other)										3		3	.	2	.	.	.	1	.	.
nsillitis, Quinsy	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
teritis (not Epid.)										1		.	.	.	.	.	.	.	.	.
stro Enteritis	.	.	1	.	.	1	.	1	3	.	·7	.	.	.	.	.	.	.	.	.
ritonitis (not Puerp.)										.	·6	2	.	.	.	1	.	.	1	.
rrhosis of Liver	2	1	1	.	.	.	2	.	.	.		2	.	.	.	.	.	.	2	.
ver Dis. (other)	6	2	.	4	3	3	3	1	3	.	2·5	3	1	.	.	.	1	1	.	.
gestive Dis. (other)	2	4	4	4	2	2	6	2	4	4	3·4	5	.	.	.	2	1	.	2	.
phritis, Acute										2		.	.	.	.	.	.	.	.	.
ight's Dis., Albuminuria ...	2	2	3	4	4	5	1	2	8	2	3·6	6	.	.	.	.	3	2	1	.
inary Sys. (Other Dis.) ...										1		2	.	.	.	.	.	1	1	.
enerative Organs Dis.	.	.	.	1	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
ildbirth (Accid. of)	.	.	.	1	1	.	2	1	.	1	·6	2	.	.	.	.	2	.	.	.
d Age	15	16	11	20	7	15	15	11	6	4	12·0	18	.	.	.	.	.	.	10	8
her Diseases	19	12	10	20	15	15	8	15	9	17	14·0	15	6	2	2	1	1	1	1	1
ACCIDENT.																				
y Railways	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Vehicles and Horses	1	.	.	.	1	.	.	2	.	.	·4	1	.	.	.	.	1	.	.	.
ı Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ı Building Operations	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ı Conflagrations	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
y Burns, Scalds, Explosions ...	2	4	1	.	1	.	3	3	2	.	1·6	3	.	.	3	.	.	.	.	.
y Drowning	.	.	3	.	.	.	.	1	.	1	·5	2	.	.	.	.	1	1	.	.
y Suffocation in Bed	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
y Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ther Deaths by Accidents ...	.	2	3	6	4	4	1	2	.	1	2·3	1	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
lomicide	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
uicide	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

e Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	Aug. 15.	Aug 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
Births registered,	199	227	248	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203	190	255
*Average Births in corresponding week of previous 10 years,**	195	199	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211
Deaths registered,	136	169	176	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	198	153	240	208	216	195	196	233
Annual Death-rate per 1,000,	18·7	23·3	24·2	16·0	19·9	20·1	22·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1
*Average Deaths in corresponding week of previous 10 years,**	165	160	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214
Ages, Under 5 years,	38	49	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71
5—20 ,,	10	8	9	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13
20—40 ,,	24	32	38	19	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33
40—60 ,,	27	38	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40
60—80 ,,	31	38	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65
80 years and upwards,	6	4	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.
,, Scarlet Fever	.	.	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	3	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	1	3		1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9
,, Diphtheria,	1	1	2	.	1	1	1	.	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1
,, Simple Continued Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	2	.	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6	3	3	1	1
,, Diarrhœal Diseases,	2	11	9	10	7	5	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1
,, Phthisis,	23	22	28	16	29	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23
,, Diseases of Heart and Blood Vessels,	18	22	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23
,, Diseases of Respiratory System,	20	23	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51
Violent Deaths,	2	4	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8
Mean Temperature of the Air (Phœnix Park),	54·7	53·3	54·5	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4	42·4	41·9	37·0
Average Mean Temperature in corresponding week of previous 10 years,	57·9	59·6	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6
Rainfall in inches,	1·011	1·301	·888	·323	1·938	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360
Mean Humidity of the Air, complete Saturation 1·0,	·84	·84	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th February, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 6th February, 1904		Ages.						Causes of Death.														
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	32·4	233	71	13	33	40	65	11	.	.	.	.	9	1	.	1	1	12	23	15	51	8	124
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	23·9	8	1	.	1	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
II.	MIDDLE CLASS,	87,188	18·5	31	6	.	6	2	14	3	.	.	.	.	.	.	.	.	.	.	.	3	3	.	25
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	23·6	50	21	5	8	7	7	2	.	.	.	.	3	.	.	.	.	3	8	3	14	1	21
IV.	GENERAL SERVICE CLASS,	154,279	46·8	105	38	6	12	22	23	4	.	.	.	.	6	1	.	.	1	8	10	9	27	6	45
V.	INMATES OF WORKHOUSES,	6,024		39	5	2	6	9	17	.	.	.	.	.	.	.	.	1	.	1	5	.	6	1	26
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	1	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	18·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	2	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
	6. Clerks and Commercial Assistants,	30,432	13·7	8	4	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	.	.	1	1	7	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	11
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades,	29,801	33·2	19	13	2	.	2	2	.	.	.	.	.	2	.	.	.	.	2	.	1	6	.	10
	10. Clothing Trades,	23,260	17·9	8	.	1	4	2	.	1	.	.	.	.	.	.	.	.	.	.	6	.	1	.	1
	11. Food Supply Trades,	9,242	5·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	29·2	17	6	1	3	3	4	.	.	.	.	.	1	.	.	.	.	1	1	2	6	1	6
	13. Petty Shopkeepers,	7,894	33·0	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	38·8	10	2	1	.	2	3	2	.	.	.	.	.	1	.	.	.	1	.	.	3	.	6
	15. Domestic Servants,	36,603	15·7	11	1	.	.	6	2	2	.	.	.	.	.	.	.	.	.	.	1	1	3	1	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	39·9	11	5	.	4	1	1	.	.	.	.	.	1	.	.	.	.	1	2	1	2	1	4
	17. Hawkers, Porters, Labourers, &c.,	89,861	42·4	78	30	5	8	13	17	.	.	.	.	.	5	.	.	.	1	6	7	7	19	4	30
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	39	5	2	6	9	17	.	.	.	.	.	.	.	.	1	.	1	5	.	6	1	26

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Dec. 19,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	1	4	.
	„ 23,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1
	Jan. 2,	40·5	3·7	22	.	.	.	.	2	.	.	.	.	.	6	.
	„ 9,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	4	6	.
	„ 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	„ 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
	Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Dec. 19,	25·3	.	19	.	.	.	.	.	.	.	.	.	1	3	.
	„ 26,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	4	.
	Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
	„ 9,	33·3	2·7	25	.	.	.	.	.	.	.	1	.	3	6	1
	„ 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	„ 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Dec. 19,	46·8	1·7	27	.	.	1	.	.	.	.	.	.	2	10	.
	„ 26,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	3	3	.
	Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 9,	32·9	8·7	19	.	.	.	.	4	.	.	.	1	3	4	.
	„ 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
	„ 30,	39·8	6·9	23	.	.	.	.	4	.	.	.	.	3	4	.
	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,673.	Dec. 19,	14·8	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	23·0	1·6	14	.	1	.	.	.	.	.	.	.	2	3	.
	Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
	„ 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
	„ 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
	Feb. 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 32,384.	Dec. 19,	32·6	4·1	24	.	.	1	.	.	.	.	1	1	.	4	.
	„ 26,	21·7	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
	„ 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
	„ 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	„ 23,	33·0	2·7	23	.	.	.	.	.	.	.	2	.	6	2	1
	„ 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Dec. 19,	25·7	.	9	.	.	.	.	.	.	.	.	.	.	2	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
	„ 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	„ 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	„ 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Dec. 19,	31·1	1·2	25	.	.	.	.	.	1	.	.	.	3	4	.
	„ 26,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	4	2	1
	Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	„ 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
	„ 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	„ 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Dec. 19,	26·7	3·0	18	.	.	.	.	2	.	.	.	.	2	4	.
	„ 26,	20·8	3·0	14	.	.	.	.	2	.	.	.	.	3	2	.
	Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
	„ 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2
	„ 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	„ 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1
	„ 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhoeal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,203.	Dec. 19,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 26,	18·8	1·6	12	.	.	1	.	.	.	.	.	.	1	3	.
	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	2	3	.
	„ 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	„ 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Dec. 19,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	.	1
	„ 26,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Dec. 19,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	11·8	3·0	4	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	17·8	3·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	„ 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Dec. 19,	25·9	2·5	178	.	.	2	1	10	1	.	3	.	20	70	4
	„ 26,	28·0	3·2	188	.	.	.	.	15	2	1	2	2	20	50	4
	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	„ 9,	27·6	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	„ 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	23	82	3
	„ 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	„ 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	43	1
Cork. Pop. (in 1901) 76,122.	Dec. 19,	17·8	.	26	.	.	.	.	.	.	.	.	.	5	5	.
	„ 26,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	6	4	1
	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	8	3	.
	„ 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
	„ 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	„ 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	„ 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
Londonderry. Pop. in 1904 (Est.) 41,397	Dec. 19,	26·5	1·3	21	.	.	.	1	.	.	.	.	.	2	7	1
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	3	5	.
	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	2	4	.
	„ 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 16,	22·7	2·5	18	.	.	.	1	1	.	.	.	.	1	4	.
	„ 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	„ 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
Limerick. Pop. (in 1901) 38,151.	Dec. 19,	36·9	1·4	27	.	.	.	.	1	.	.	.	.	2	7	.
	„ 26,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	„ 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	„ 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	„ 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	„ 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
Waterford. Pop. (in 1901) 26,769.	Dec. 19,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	6	.
	„ 26,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	„ 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th February, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	11	10·6	..	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Do. 2 ,,	47,959	35	21·7	4·3	20	3	6	8	3	.	.	.	.	3	.	.	1	.	2	7	.	.	3
Do 3 ,,	47,214	12	22·1	2·2	20	6	4	7	3	.	.	.	.	2	.	.	.	.	3	5	.	.	3
Do. 4 ,,	40,911	23	22·9	2·5	18	8	1	6	3	.	.	.	.	1	.	.	1	.	3	6	1	1	6
Do 5 ,,	17,387	10	21·0	.	7	.	2	5	.	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Do. 6 ,,	48,122	14	20·6	4·3	19	6	.	9	4	.	.	.	.	4	.	.	.	.	4	4	.	.	4
Do. 7 ,,	1,52	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	8	51·5	10·3	5	3	.	2	.	.	.	.	.	.	1	.	.	.	.	2	.	1	.
Do. 9 ,,	19,569	10	29·3	.	11	1	1	8	1	.	.	.	.	.	.	.	.	.	1	2	.	1	4
Do. 10 ,,	23,064	10	18·1	.	8	3	.	4	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Do. 11 ,,	34,802	18	21·0	1·5	14	1	.	8	5	.	.	.	.	.	.	.	1	.	3	5	.	.	2
Do. 12 ,,	33,588	29	27·9	.	18	4	1	11	2	.	.	.	.	.	.	.	.	.	5	7	.	1	3
Do. 13 ,,	15,006	9	24·3	3·5	7	3	2	1	1	.	.	.	.	1	.	.	.	.	1	4	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	190	22·4	2·2	150	39	17	70	24	.	.	.	.	11	1	.	3	.	26	48	1	4	29
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	7	40·5	4·1	10	2	.	4	4	.	.	.	.	1	.	.	.	.	3	1	.	.	6
Do. 2 ,,	10,701	9	39·0	4·9	8	3	1	3	1	.	.	.	.	.	.	.	.	1	.	1	1	1	3
Do. 3 ,,	9,978	3	26·1	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Do. 4 ,,	8,666	1	24·1	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
Do. 5 ,,	6,592	1	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Do. 6 ,,	10,702	6	24·4	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Do. 7 ,,	16,616	12	28·2	.	9	1	.	3	5	.	.	.	.	.	.	.	.	.	2	2	1	1	3
Total,	76,122	39	29·5	1·4	43	9	1	21	12	.	.	.	.	1	.	.	.	1	8	7	3	4	17

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Aug. 15	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 8.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered,	196	237	252	192	172	219	219	219	242	257	208	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190
DEATHS registered,	132	108	131	110	114	122	105	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190	199	140	149	150
Annual Death-rate per 1,000 of estimated Population,	19·2	15·0	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	28·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8
AGES, Under 1 year,	50	35	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39
AGES, 1-5 years,	11	5	8	11	9	10	11	12	13	14	13	11	12	13	19	13	25	24	35	27	25	30	19	13	18	17
AGES, 5-60 years,	53	46	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70
AGES, 60 years and upwards,	18	17	28	15	21	18	13	16	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.
" Scarlet Fever,	1	.	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Whooping cough,	.	3	.	2	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10	11
" Diphtheria,	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1
" Simple Continued Fever,	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	4	2	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3
" Diarrhœal Diseases,	18	15	19	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.
" Phthisis	15	16	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26
" Diseases of Respiratory System,	16	11	19	16	21	21	10	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	48
Violent Deaths,	2	3	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th February, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
" " 1, West,	.	.	.	2	.	.	.	.	.	2	2	.	.	6
" " 2,	.	5	.	1	.	.	.	.	.	1	2	.	.	9
" " 3,	.	5	.	.	.	.	1	.	.	4	8	.	.	18
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	3	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	1	.	.	2	.	.	2	3	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	.	1	.	.	.	.	.	1
" " 4,	.	1	.	1	.	.	.	.	.	2	.	.	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	12	.	11	.	.	3	1	.	12	15	.	.	54

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th February, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th February.			
	Jan. 16.	Jan. 23.	Jan. 30.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	38	40	36	10	6	.	40
Scarlet Fever,	102	107	101	18	16	.	103*
Typhus "	4	4	4	.	1	.	3
Diphtheria,	20	14	16	4	1	1	18
Enteric Fever,	60	63	67	5	8	.	64
Pneumonia,	24	19	14	8	6	.	16

*Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated)	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Feb. 6,	2,748	1,554	17·4	.	31	3	13	45	4	20
EDINBURGH,	331,977	„ 6,	137	102	16·0	.	.	.	.	1	.	3
GLASGOW,	793,357	„ 6,	443	267	17·5	2	6	2	3	2	.	3
CALCUTTA,	847,796	Dec. 5,	.	493	30·2	.	1	.	2	.	120‡	105*
BOMBAY,	776,006	Jan. 5,	317	728	48·8	3	2	.	.	.	56†	57
MADRAS,	509,346	Dec. 11,	386	439	44·8	.	2	?	?	?	132	65
PARIS,	2,660,559	Jan. 23,	1,012	967	20·1	9	15	.	7†	7	5	20
BRUSSELS (with 8 Faubourgs).	575,896	„ 16,	222	189	17·0	.	.	.	4†	4	.	3
AMSTERDAM,	546,533	„ 16,	278	210	20·1	1	13	.	1	5	.	7
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	416,000	Jan. 16,	227	133	16·7	.	.	1	.	3	1	5
CHRISTIANIA.	225,709	„ 23,	155	64	14·7	.	.	.	1†	.	.	.
ST. PETERSBURG,	1,248,122	„ 23,	637	514	21·5	4	17	3	12†	3	11	61
BERLIN,	1,932,411	„ 9,	992	657	17·2	.	6	7	9†	12	1	37
HAMBURG,	737,328	„ 16,	.	254	17·6	.	.	.	2†	1	1	7
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Jan. 23,	.	168	16·8	.	2	.	1†	1	.	13
VIENNA (with suburbs).	1,779,869	„ 23,	862	590	17·2	.	2	1	9†	.	2	22
BUDA-PESTH,	790,529	„ 23,	452	318	20·3	.	12	8	5†	3	.	11
PRAGUE and Faubourgs.	423,990	„ 23,	200	205	25·2	.	2	1	1†	1	1	7
ROME,	491,074	Oct. 31,	188	196	20·8	.	.	.	1	1	8	21
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Dec. 26,	67	63	19·7	.	.	.	.	.	1	3
NEW YORK,	3,732,903	Jan. 9,	2,312	1,635	22·2	.	14	34	57†	1	10	33
PHILADELPHIA,	1,378,624	—	.	.	.	.	.	.	.	.	.	.

* Including 42 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 14 deaths from bubonic fever in Calcutta, and 125 in Bombay

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th February, 1904 :—

"Fair at the beginning and end, the weather was excessively gloomy, wet and cold during the greater part of this week. After Monday the sun never re-appeared until the approach of noon on Saturday. Sunday was at first fair and frosty in Ireland, but rain fell in the course of the day over Great Britain. The fine weather in Ireland and the wet weather in Great Britain were both caused by an atmospheric depression which travelled from the mouth of the English Channel across England—at first towards N.E., afterwards in a northerly direction. Its presence caused the wind to fall light in Ireland, and (as the sky was clear) temperature fell fast—to 22° at Birr, King's Co., early on Monday morning. By that time, however, a new disturbance had reached Kerry, advancing eastwards so that it was central over the Scilly Isles on Tuesday morning (barometer reading 28·96 inches at St. Mary's). It brought easterly winds and cold, dull, wet weather to most districts, and was accompanied by a tidal wave of great magnitude, which broke upon the shores of Brittany, Cornwall, and the Scilly Islands on Tuesday morning. The record of the four following days is one of gloom and wet—hail and sleet falling at times, so that the Dublin and Wicklow Mountains re-appeared from their cloud-veil deeply covered with snow on Saturday forenoon. On Friday severe frost set in throughout Scandinavia, where this winter had hitherto been tolerably open—at 8 a.m. the thermometer marked −10° F. at Haparanda, +12° at Bodö in Norway and Hernösand in Sweden, and 19° at Stockholm. In Dublin the mean atmospheric pressure was 29·335 inches, the barometer falling to 29·143 inches at 9 a.m. of Tuesday (wind, E. by S.) and rising to 29·477 inches at 9 p.m. of Friday (wind, N.N.E.). The mean temperature was 39·0°, the screened thermometers rising to 43·1° on Saturday, having fallen to 30·1° on Monday. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 38·2°. The estimated duration of bright sunshine was 11 hours, of which 4½ fell on Sunday. The sun was not seen from Monday to Saturday. W. and E.N.E. winds were the most prevalent. The rainfall was 1·469 inches on five days, ·417 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·343 inches. The highest reading (29·482) was on Friday at 9 p.m., wind N., and the lowest (29·126) on Monday at 9 p.m., wind E.

The mean temperature for the week was 37·0° being 1·6 below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Tuesday, on which day the thermometer registered 43·6°, and was lowest on Monday, the mercury having fallen to 25·9°. The mean of the Dry Bulb for the week was 36·7°, and of the Wet Bulb 35·9°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·8 hours. The rainfall during the week measured 1·360 inches.

At Greenwich the mean temperature for the week was 40·6°, the maximum 49·5°, and the minimum 31·7°; at Glasgow the maximum was 46·4°, the minimum 27·8°, and the mean 37·2°; and at Edinburgh the maximum was 44·4°, the minimum 31·6°, and the mean 36·2°. The rainfall at Greenwich measured 1·15 inches; at Glasgow 0·37 inch; and at Edinburgh 1·59 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Jan. 31,	29·381	42·3	26·2	34·3	32·8	33·0	·92	·6	5·3	—	N.	W.
Monday, Feb. 1,	29·222	40·4	25·9	33·2	34·3	32·5	·83	·3	6·7	·160	Calm.	E.
Tuesday, " 2,	29·207	43·6	37·8	40·7	39·9	39·7	·99	·1	0·1	·190	N.E.	E.
Wednesday, " 3,	29·336	40·7	36·4	38·6	38·8	38·3	·96	·8	0·0	·280	N.E.	N.
Thursday, " 4,	29·382	39·6	32·5	36·1	35·9	35·4	·95	·3	0·0	·360	W.	N.E.
Friday, " 5,	29·470	40·7	36·9	38·8	38·1	37·2	·93	·7	0·0	·370	N.E.	N.
Saturday, " 6,	29·400	43·1	31·0	37·1	36·1	35·3	·93	·5	3·7	—	S.W.	S.W.
Mean, . .	29·343	41·5	32·4	37·0	36·7	35·9	·93	·5	Total 15·8	1·360	Prevailing Wind, N.E.	

Sunday—A fine bright day; night cloudy. *Monday*—A fine bright day; night overcast, wet a.m. *Tuesday*—Cloudy, light rain a.m.; night overcast and wet. *Wednesday*—Day overcast and wet; night cloudy p.m., overcast, wet a.m. *Thursday*—Day overcast and wet; night overcast, heavy rain 9.30 to 10 p.m.; light rain 3 to 9 a.m. *Friday*—Day overcast and wet; night overcast, light rain 5.30 to 8.30 a.m. *Saturday*—Overcast a.m., cloudy p.m., fine; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 13TH FEBRUARY, 1904. [No. 6.

General Register Office, Charlemont House, Dublin, 15th February, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Average Rate for 4 weeks
22 Town Dists.	23·9	22·4	26·1	27·6	25·0	Lisburn, . .	22·7	18·2	18·2	63·7	30·7
Armagh, . .	41·2	20·6	20·6	34·4	29·2	Londonderry .	17·6	15·1	11·3	13·9	14·5
Ballymena, .	19·2	14·4	28·7	28·7	22·8	Lurgan, . .	22·1	.	17·7	8·9	12·2
Belfast, . .	20·4	21·7	21·8	29·5	23·4	Newry, . .	21·0	25·2	16·8	25·2	22·1
Clonmel, . .	15·4	51·3	15·4	25·6	26·9	Newtownards, .	17·2	17·2	17·2	57·2	27·2
Cork, . . .	28·1	16·4	29·5	26·7	25·2	Portadown, .	15·5	10·3	20·7	10·3	14·2
Drogheda, . .	20·4	16·3	16·3	28·6	20·4	Queenstown, .	19·8	46·1	.	13·2	19·8
Dublin Reg. Area,	26·0	25·6	30·6	27·2	27·4	Sligo, .	4·8	19·2	52·8	.	19·2
Dundalk, . .	23·9	8·0	27·9	19·9	19·9	Tralee, .	26·4	37·0	21·1	10·6	23·8
Galway, . .	27·2	42·7	38·8	50·5	39·8	Waterford, .	33·1	15·6	33·1	23·4	26·3
Kilkenny, . .	44·2	9·8	63·9	29·5	36·9	Wexford, . .	37·4	9·3	32·7	28·0	26·9
Limerick, . .	31·4	27·3	27·3	34·2	30·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·8 in Limerick, the 25 deaths from all causes registered in that district including 5 from whooping-cough. The 203 deaths from all causes in Belfast include one from measles and 13 from whooping-cough; and the 39 deaths from all causes registered in Cork include 4 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—91 boys and 90 girls; and the deaths to 207—109 males and 98 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·5 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 27·2 per 1,000. During the six weeks ending with Saturday last the death-rate averaged 28·8, and was 1·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

There was one death from scarlet fever; 7 deaths from influenza, 6 deaths from whooping-cough, one death from diphtheria, 2 deaths from enteric fever, and 2 deaths from diarrhœal diseases were registered. In the 4 weeks preceding the deaths registered

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

from whooping-cough were 5, 5, 11, and 9, and from enteric fever were 3, 3, one, and one respectively. There was not one death registered from small-pox, measles, or typhus.

The deaths from tuberculosis comprised 4 from tuberculous phthisis, 15 from *phthisis*, 8 from tuberculous meningitis, 2 from tuberculous peritonitis, one from tabes mesenterica, and 7 deaths from other forms of the disease, making a total of 37 deaths registered during the week.

There was one death from carcinoma, also one death from sarcoma, and 9 deaths were attributed to *cancer, malignant disease.*

Of 18 deaths from diseases of the nervous system, 10 were caused by *convulsions;* all these latter were infants under one year old.

There were 28 deaths from diseases of the heart and blood-vessels.

The total number (57) of deaths from diseases of the respiratory system is equal to an annual rate of 7·8 per 1,000 of the population of the Area, the average annual rate for the corresponding week of the preceding 10 years being 7·7 per 1,000. Included in the above total are 34 deaths from bronchitis, 4 deaths from croupous-pneumonia, 5 deaths from broncho-pneumonia, and 12 deaths from *pneumonia.*

Five deaths were registered from accidental violence, of these 2 were caused by burns.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year old and the deaths of 2 persons aged 60 years and upwards.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 5 were under one month old), and 60 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 9 were octogenarians, and 3 (one male and 2 females) were stated to have been aged 90, 91, and 95 years respectively.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·2 per 1,000, the rate in the City was 29·9 (North City Districts, 27·0; South, 32·9), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·8 (1·4 in the North City Districts, and 2·2 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There was a death from whooping-cough, also one from influenza; there were 3 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system, including one death from *pneumonia*; there was one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000. There was one death from enteric fever, tuberculous disease caused 3 deaths, and diseases of the respiratory system caused 7 deaths, including one from lobar pneumonia, one from broncho-pneumonia, and one death from *pneumonia.*

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. Whooping-cough, *diarrhœa*, and tabes mesenterica each caused one death; there were 4 deaths from diseases of the respiratory system, and one death from accidental violence.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 24·7 per 1,000. There was one death from *phthisis*, diseases of the respiratory organs caused 7 deaths, including 2 deaths from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Finglas and Glasnevin, part of, 7·8; and Clontarf and Howth, No. 1, part of, 0·0. One death from *phthisis*, one from *pneumonia*, and one from lobar pneumonia were tabulated for the first-named district.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 36·7 per 1,000. One death was due to epidemic diarrhœa, tuberculous disease caused 5 deaths, and diseases of the respiratory system caused 9 deaths, including one from lobar pneumonia, one from broncho-pneumonia, and 2 from *pneumonia.*

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000. There was one death from tuberculous disease, there were 2 deaths from cancer, and 4 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (33) are equal to an annual rate of 41·0 per 1,000. Diphtheria and influenza each caused one death; there were 9 deaths from tuberculous disease, and 3 deaths from cancer; the 8 deaths from diseases of the respiratory system include one death from broncho-pneumonia, and one death from *pneumonia*; there were 2 deaths due to accidental causes.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. There was one death from influenza, there were 4 deaths from whooping-cough, there were 7 deaths from tuberculous disease, and 2 deaths from broncho-pneumonia; one death was due to an accident.

New Kilmainham District.—There was only one death (equalling an annual rate of 5·9 per 1,000) registered in this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 20·0; Blackrock, 17·9; and Kingstown, 23·7. Two deaths from influenza, one from tuberculous meningitis, and one from bronchitis are amongst the deaths tabulated for Rathmines and Rathgar. Amongst those tabulated for Pembroke are 2 from *phthisis*, one from influenza, and one each from *pneumonia* and bronchitis. The deaths tabulated for Blackrock include 2 from bronchitis. The 8 deaths tabulated for Kingstown include one from *phthisis*, and one each from *pneumonia* and bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 13th February, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 23,	.	11	.	20	.	.	2	.	4	18	8	1	.	.	64
	Jan. 30,	.	7	1	15	.	.	7	.	1	18	22	.	.	.	71
	Feb. 6,	.	12	.	11	.	.	3	1	.	12	15	.	.	.	54
	Feb. 13,	.	4	.	2	.	.	2	.	2	6	14	.	.	2	32
Rathmines and Rathgar Urban District.	Jan. 23,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
	Jan. 30,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	Feb. 6,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Feb. 13,	.	.	.	3	.	.	.	.	.	1	.	.	.	.	4
Pembroke Urban District.	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4
	Jan. 30,	.	.	.	.	.	.	.	.	1	3	1	.	.	6	11
	Feb. 6,	.	.	.	1	.	.	.	.	1	3	.	.	4	9	18
	Feb. 13,	.	.	.	4	.	.	1	.	.	1	1	.	2	9	18
Blackrock Urban District.	Jan. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	Feb. 6,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	Feb. 13,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
Kingstown Urban District.	Jan. 23,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	Feb. 6,	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
	Feb. 13,	.	.	.	5	.	.	.	.	.	.	.	.	.	.	5
City of Belfast.	Jan. 23,	7	–	.	20	.	.	3	1	4	5	16	1	.	.	57
	Jan. 30,	3	–	.	17	.	.	5	1	4	11	9	.	.	.	50
	Feb. 6,	3	–	.	15	.	.	5	.	7	8	18	1	.	.	57
	Feb. 13,	1	–	.	8	.	.	.	.	2	4	10	.	.	.	25

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th February, 1904.

From this it appears that :—

Six cases of measles were admitted to hospital during the week, 10 were discharged, and 36 patients remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 10 cases were discharged, there was one death, and 105* cases remained under treatment at the close of the week.

One case of typhus fever was admitted to hospital, and 4 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 16 cases remained under treatment at the close of the week.

Fifteen cases of enteric fever were admitted to hospital, 7 cases were discharged, there was one death, and 71 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 2 patients were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·7), was equal to an average annual death-rate of 18·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 19·2 per 1,000, the rate for Glasgow being 19·9, and for Edinburgh 15·9.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th February, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 13th February, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	1)		(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	25·8	27·6	1·6	540	579	105	168	.	1	.	.	28	2	.	1	2	81	155	15	24	156
Dublin Registration Area:—																							
Total,‡	373,994	27·5	24·9	27·2	1·4	181	198	36	59	.	.	.	.	6	1	.	1	2	18	54	5	3	67
City of Dublin	298,885	37·1	25·9	29·9	1·8	146	168	29	50	.	.	.	.	6	1	.	1	2	15	47	5	2	63
Urban Districts: Rathmines and Rathgar	33,203	19·4	18·8	14·1	.	12	9	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urban Districts: Pembroke	26,025	16·4	26·0	20·0	.	13	10	2	3	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Urban Districts: Blackrock	8,759	8·1	17·9	17·9	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Urban Districts: Kingstown	17,622	12·1	20·7	23·7	.	7	8	1	3	.	.	.	.	.	.	.	.	.	1	2	.	1	1
Urban Districts.																							
Belfast	358,680	24·4	29·2	29·5	2·0	201	203	41	44	.	1	.	.	13	.	.	.	.	40	58	9	21	46
Cork	76,122	33·6	20·5	26·7	2·7	30	39	4	16	.	.	.	.	4	.	.	.	.	6	9	.	.	10
Londonderry	41,397	19·1	31·5	13·9	1·3	25	11	1	4	.	.	.	.	.	1	.	.	.	2	4	.	.	.
Limerick	38,151	18·1	9·6	34·2	6·8	7	25	5	6	.	.	.	.	5	.	.	.	.	7	5	.	.	8
Waterford	26,769	18·7	25·3	23·4	.	13	12	1	3	.	.	.	.	.	.	.	.	.	2	3	.	.	7
Galway	18,426	2·5	27·2	50·5	.	7	13	6	1	.	.	.	.	.	.	.	.	.	2	7	.	.	6
Dundalk	13,076	9·4	12·0	19·9	.	3	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,760	8·6	12·3	28·6	.	3	7	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Newry	12,405	17·8	29·4	25·2	.	7	6	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lurgan	11,782	13·8	35·4	8·9	.	8	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lisburn	11,461	10·1	18·2	63·7	.	4	14	3	6	.	.	.	.	.	.	.	.	.	.	6	.	.	5
Wexford	11,168	23·2	23·3	28·0	.	5	6	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Ballymena	10,886	8·9	28·7	28·7	.	6	6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	14·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	10,609	11·5	49·1	29·5	.	10	6	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Clonmel	10,167	7·8	20·5	25·6	.	4	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	31·0	10·3	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tralee	9,867	16·6	21·1	10·6	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Newtownards	9,110	18·9	22·9	57·2	.	4	10	1	4	.	.	.	.	.	.	.	.	.	.	3	1	.	1
Queenstown	7,909	14·4	19·8	13·2	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	41·2	34·4	.	6	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1

Towns and Districts.	Meteorology.† Week ending 13th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th Jan., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§51·8	28·9	38·3	0·57	§43·6	25·9	37·0	1·36	§52·8	29·9	41·9	0·28
City of Dublin	a52·2 b51·9	32·9 29·0	40·0 38·3	0·84 0·60	a43·1 b44·6	30·1 26·2	39·0 37·8	1·47 1·57	a54·8 b53·5	36·0 34·0	44·2 42·7	0·29 0·26
Urban Districts: Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts: Kingstown	52	32·5	40·9	0·86	45	33·5	39·7	1·32	53·5	36·5	44·3	0·45
Urban Districts.												
Belfast	48·2	26·3	36·2	0·73	46·9	26·8	36·9	0·61	51·0	30·5	41·7	0·45
Cork	50	34	42·2	2·00	46	30	38·9	1·48	50	37	44·8	1·38
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	.	.	.	.	.	.	.	.	52	33	43	0·72
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47
Lurgan	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47
Lisburn	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	47·4	23·7	36·2	1·42	44·4	23·6	33·8	0·68	50·0	34·4	41·3	0·87
Kilkenny	51	30	37·6	1·96	44	24	35·6	1·00	54	28	41·4	1·23
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	48	26	38·1	0·60	46	29	38·5	0·51	49	32	42·1	0·58
Queenstown	50	34	42·2	2·00	46	30	38·9	1·48	50	37	44·8	1·38
Armagh	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64	50·7	34·0	41·4	0·47

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 9 deaths of persons (including 1 at 71 years) admitted to hospital from localities outside the area.

§ Observations at Ordnance Survey Office, Phœnix Park. *a* Observations by Sir John Moore taken at Fitzwilliam Square.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th of February, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	1	.	.	.	.	.	.	.	4	.	.	.	.	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœal Diseases,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Phthisis,	2	.	.	1	.	1	.	2	.	4	4	.	.	2	.	1	18	1
Other General Diseases,	5	4	2	1	.	.	.	8	8	9	6	.	4	4	.	1	47	1
Total,	8	6	4	2	.	1	.	11	8	14	14	.	4	6	.	2	75	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	2	4	3	.	1	.	.	.	3	.	1	2	.	1	.	18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	5	2	2	.	2	.	4	4	4	1	.	1	1	.	2	28	.
Respiratory System,	3	7	4	7	.	3	.	9	4	8	2	.	1	2	2	2	54	3
Digestive System,	.	3	1	.	.	.	1	.	.	.	.	.	1	.	.	1	7	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	18	11	13	.	6	1	13	8	15	3	1	5	3	3	6	110	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	.	.	.	.	.	3	.	2	.	.	.	1	.	.	8	.
E. VIOLENT DEATHS,	1	.	1	.	.	.	.	.	.	2	1	.	.	.	.	.	5	.
Deaths from all Causes,	14	25	16	15	.	7	1	27	11	33	18	1	9	10	3	8	198	9
Annual Rate of Mortality in every 1,000 of the population	25·8	33·3	27·7	24·7	.	36·4	7·8	36·7	31·4	41·0	26·7	5·9	14·1	20·0	17·9	23·7	27·2	.
	27·0							32·9					18·3					
	29·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	2	2	.	2	1	3	2	10	4	.	1	2	.	1	36	8
Workhouse Hospitals,	2	3	6	4	.	1	.	4	4	6	1	.	.	.	.	.	31	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1894-1903.	In the Week ending Saturday, 13th February, 1904. Deaths of Persons of the Ages of							
	Feb. 10, 1894.	Feb. 9, 1895.	Feb. 8, 1896.	Feb. 13, 1897.	Feb. 12, 1898.	Feb. 11, 1899.	Feb. 10, 1900.	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 13, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	46·4°	29·4°	45·5°	43·4°	43·8°	46·1°	29·9°	36·9°	35·7°	49·1°	40·6°	Mean Temp. 38·3°							
ALL CAUSES.	222	214	165	276	234	212	199	229	181	193	212·5	207	5	31	17	14	31	49	48
Small-pox, Vaccinated,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated,	.	5	.	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
Small-pox, No Statement,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Cowpox,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Measles,	1	.	.	26	.	.	3	.	.	2	3·2	.	.	.	.	.	.	.	.
Scarlet Fever	3	1	1	2	3	1	2	.	.	3	1·6	1	.	.	.	.	1	.	.
Typhus,	1	.	.	2	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	6	1	4	6	9	3	13	5	3	2	5·2	7	1	1	.	.	1	2	2
Whooping Cough,	8	5	2	25	2	2	5	9	2	3	6·3	6	.	2	3	1	.	.	.
Diphtheria,	2	.	.	.	2	1	5	.	.	1	1·1	1	.	.	.	.	.	1	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.
Enteric Fever,	2	4	2	1	7	4	.	4	2	1	2·7	2	.	.	1	1	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	3	2	5	1	3	.	2	2	1	1 / 3	2·3	1 / 1	. / .	. / 1	1 / .	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	1	3	.	.	.	.	.	2	·7	2	.	2	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	1	1	1	.	.	.	. / . / .	·3	1 / . / 1	. / . / .	. / . / .	. / . / .	. / . / .	1 / . / 1	. / . / .	. / . / .
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	.	1	1	.	1	.	.	·4	1	.	.	.	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	1	.	1	1	1	.	1	1	1	2 / .	·9	. / .	. / .	. / .	. / .	. / .	. / .	. / .	. / .
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	25	17	21	20	35	30	23	28	31	1 / 27	25·8	4 / 15	. / .	. / .	. / .	1 / 2	3 / 7	. / 4	. / 1
Tuberculous Meningitis, (Acute Hydrocephalus).	5	2	5	2	6	7	5	2	.	6	4·0	8	.	3	2	3	.	.	.
Tuberculous Peritonitis, Tabes Mesenterica,	5	6	3	7	3	4	4	7	1	1 / 1	4·2	2 / 1	. / .	1 / .	1 / .	. / 1	. / .	. / .	. / .
Tuberculous Dis. (other), *Scrofula*,	6	3	3	7	4	5	5	4	6	7 / .	5·0	7 / .	. / .	1 / .	2 / .	1 / .	2 / .	1 / .	. / .
Alcoholism,	.	.	1	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	1	1	.	.	.	1	.	·3	1	.	.	.	.	1	.	.
Gout	.	.	.	1	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are fo

XTH WEEK ending Saturday, 13th February, 1904, with the deaths from each cause in the corresponding
e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Feb. 10, 1894	Feb. 9, 1895.	Feb. 8, 1896.	Feb. 13, 1897.	Feb. 12, 1898.	Feb. 11, 1899.	Feb. 10, 1900.	Feb. 9, 1901.	Feb. 8, 1902.	Feb. 13, 1903.	Averages in 6th Week of the 10 years 1894–1903.	In the Week ending Saturday, 13th February, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 46·4	° 29·4	° 45·5	° 43·4	° 43·8	° 46·1	° 29·9	° 36·9	° 35·7	° 49·1	° 40·6	Mean Temp. ° 38·3								
noma	6	10	5	4	7	11	3	4	6	.	6·2	1	.	.	.	.	.	1	.
oma										.		1	.	.	.	.	1	.	.
er, *Malignant Disease* ...										6		9	.	.	.	.	7	2	.
etes Mellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
iature Birth	3	1	2	4	8	1	1	4	3	1	2·8	2	1	1	.	.	.	.	.
ngitis (not tuberc.)										6		2	.	1	.	.	1	.	.
ity, G. P. of Insane										1		1	.	.	.	.	1	.	.
psy										3		.	.	.	.	.	.	.	.
ulsions										5		10	1	9	.	.	.	.	.
motor Ataxy										.		1	.	.	.	.	1	.	.
plegia Dis. of Cord										1		1	.	.	.	.	1	.	.
ous System (other Dis.) ...	40	55	41	34	37	36	33	43	36	.	39·0	3	.	.	.	2	1	.	.
Dis., Endocarditis										2		4	.	.	.	1	1	1	1
or. Hæm. Thromb.										3		4	.	.	.	.	1	3	.
lexy, Hemiplegia										2		4	.	.	.	.	4	.	.
rysm										.		.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)										1		.	.	.	.	.	.	.	.
t and Blood Vessel Dis.										11		16	.	.	.	1	2	10	3
p (not Spasm. or Memb.) ...	.	.	1	1	2	.	.	2	.	.	·6	1	.	1	.	.	.	.	.
chitis	35	38	24	53	48	43	45	39	29	26	38·0	34	.	4	1	.	2	6	16	5
pous Pneumonia										.		4	.	.	2	.	1	1	.	.
cho-Pneumonia	15	13	7	23	16	9	17	18	5	2	13·2	5	.	1	1	.	.	1	2	.
umonia"										7		12	1	2	2	1	2	4	.	.
ma, Emphysema										1		1	.	.	.	.	.	1	.	.
risy	3	5	4	3	.	2	3	3	2	1	3·1	.	.	.	.	.	.	.	.	.
iratory Dis. (other)										4		.	.	.	.	.	.	.	.	.
illitis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ritis (not Epid.)										2		.	.	.	.	.	.	.	.	.
o Enteritis	.	1	2	.	.	1	.	.	.	1	·7	1	.	.	.	.	.	.	1	.
onitis (not Puerp.)	2	1	.	1	3	.	.	1	.	.	·8	1	.	.	.	.	.	1	.	.
osis of Liver	4	3	1	3	2	4	1	1	1	.	2·3	2	.	.	.	.	1	.	1	.
r Dis. (other)										3		.	.	.	.	.	.	.	.	.
stive Dis. (other)	6	4	7	3	3	6	1	5	7	9	5·1	4	.	1	.	1	1	1	.	.
ritis, Acute										3		.	.	.	.	.	.	.	.	.
ht's Dis., Albuminuria ...	6	4	3	2	3	4	2	5	5	4	4·2	2	.	.	.	.	1	1	.	.
ary Sys. (Other Dis.) ...										1		.	.	.	.	.	.	.	.	.
rative Organs Dis.	.	2	.	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
lbirth (Accid. of)	.	.	1	.	1	.	.	.	3	2	·7	2	.	.	.	2	.	.	.	.
Age	10	11	7	14	9	18	11	20	9	6	11·5	6	.	.	.	.	.	4	2	.
r Diseases	17	12	7	18	12	12	10	13	21	11	13·3	6	1	.	1	.	1	2	1	.
ACCIDENT.																				
ailways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ehicles and Horses	.	.	.	.	.	1	.	1	1	.	·3	1	.	.	.	.	.	.	1	.
ips, Boats, Docks (exclusive Drowning)	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	2	1	3	3	2	1	2	2	.	1·6	2	.	.	.	2	.	.	.	.
rowning	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	2	.	.	.	1	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
er Deaths by Accidents ...	3	1	2	3	.	.	1	1	.	2	1·3	2	.	.	.	.	2	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ide	.	.	.	.	1	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	Aug 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
Births registered,	227	243	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203	190	255	181
*Average Births in corresponding week of previous 10 years,**	199	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211
Deaths registered,	169	176	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207
Annual Death-rate per 1,000,	23·3	24·2	16·0	19·9	20·1	23·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5
*Average Deaths in corresponding week of previous 10 years,**	160	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213
Ages, Under 5 years,	49	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53
5—20 "	8	9	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14
20—40 "	32	38	19	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31
40—60 "	38	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49
60—80 "	38	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48
80 years and upwards,	4	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.
" Scarlet Fever	.	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	3	.	1	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	3	.	1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6
" Diphtheria,	1	2	.	1	1	1	.	1	.	.	1	.	.	2	.	2	.	2	.	.	1	.	.	.	1	1
" Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	.	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6	3	3	1	1	2
" Diarrhœal Diseases,	11	9	10	7	5	14	8	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2
" Phthisis,	22	28	16	29	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19
" Diseases of Heart and Blood Vessels,	22	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	28	28
" Diseases of Respiratory System,	3	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57
Violent Deaths,	4	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5
Mean Temperature of the Air (Phœnix Park),	53·3	54·5	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4	42·4	41·9	37·0	38·3
Average Mean Temperature in corresponding week of previous 10 years,	59·6	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6
Rainfall in inches,	1·301	·888	·323	1·988	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·448	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360	·565
Mean Humidity of the Air, complete Saturation 1·0,	·84	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th February, 1904; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 13th February, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	28·8	207	53	14	31	49	48	12	.	.	1	.	6	1	.	2	2	12	19	10	57	5	104
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	.	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
II.	MIDDLE CLASS,	87,188	23·3	39	7	2	6	6	13	5	.	.	.	.	1	.	.	.	.	1	4	.	13	1	20
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·2	45	10	2	7	12	11	3	.	.	.	.	1	.	.	1	.	2	4	1	10	1	27
IV.	GENERAL SERVICE CLASS,	154,279	28·4	86	30	9	15	19	12	1	.	.	1	.	4	1	.	1	1	8	9	9	19	3	38
V.	INMATES OF WORKHOUSES,	6,024		32	6	.	3	11	10	2	.	.	.	.	.	.	.	.	1	1	1	.	14	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	40·6	6	.	1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	4	.	1	1	4	2	.	.	.	.	1	.	.	.	.	1	.	.	2	1	8
	6. Clerks and Commercial Assistants,	30,432	17·1	10	1	1	3	2	3	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	2	.	2	1	5	1	.	.	.	.	.	.	.	.	.	.	1	.	7	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	9. Building and Furnishing Trades,	29,801	23·2	15	5	1	2	3	3	1	.	.	.	.	1	.	.	1	.	2	1	.	3	.	9
	10. Clothing Trades,	23,260	22·4	10	.	.	2	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	11. Food Supply Trades,	9,242	45·1	8	3	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	1	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	35·0	9	4	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	5
	15. Domestic Servants,	36,603	5·7	4	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	39·9	11	5	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	4	1	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	36·0	62	21	8	11	12	9	1	.	.	1	.	4	1	.	.	1	7	6	8	12	2	27
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	32	6	.	3	11	10	2	.	.	.	.	.	.	.	.	1	1	1	.	14	.	16

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN . the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	Dec. 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	.	2	1
	Jan. 2,	40·5	3·7	22	.	.	.	.	2	.	.	.	.	.	6	.
	„ 9,	35·0	3·7	19	.	.	.	.	2	.	.	.	.	4	6	.
	„ 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	„ 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
	Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
	„ 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Dec. 26,	21·3	.	16	.	.	.	.	.	.	.	.	.	4	4	.
	Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
	„ 9,	33·3	2·7	25	.	.	.	.	.	.	.	1	.	3	6	1
	„ 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	„ 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
	„ 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Dec. 26,	31·2	1·7	18	.	.	.	.	1	.	.	.	.	3	3	.
	Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 9,	32·9	6·7	19	.	.	.	.	4	.	.	.	1	3	4	.
	„ 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
	„ 30,	39·8	6·9	23	.	.	.	.	4	.	.	.	.	3	4	.
	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
	„ 13,	27·7	5·5	16	.	.	.	.	1	.	.	.	1	.	4	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Dec. 26,	23·0	1·6	14	.	1	.	.	.	.	.	.	.	2	3	.
	Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
	„ 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
	„ 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
	Feb. 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
	„ 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Dec. 26,	21·7	.	16	.	.	.	.	.	.	.	.	.	6	2	.
	Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
	„ 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
	„ 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	„ 23,	38·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
	„ 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
	„ 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Dec. 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	2	.
	Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
	„ 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	„ 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	„ 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
	„ 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Dec. 26,	17·4	1·2	14	.	.	.	.	.	.	.	1	.	4	2	1
	Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	„ 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
	„ 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	„ 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
	„ 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Dec. 26,	20·8	3·0	14	.	.	.	.	2	.	.	.	.	3	2	.
	Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
	„ 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2
	„ 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	„ 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1
	„ 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
	„ 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1903-4 Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Dec. 26,	18·8	1·6	12	.	.	1	.	.	.	.	.	.	1	3	.
	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	3	3	.
	" 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	" 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	" 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	" 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	" 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Dec. 26,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	" 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	" 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	" 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	" 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	" 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Dec. 26,	11·8	3·0	4	.	.	.	.	.	.	.	1	.	.	.	.
	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	" 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	" 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	" 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	" 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	" 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Dec. 26,	23·0	3·2	158	.	.	.	.	15	2	1	2	2	20	50	4
	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	" 9,	27·6	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	" 16,	28·9	2·0	199	.	1	.	.	9	.	.	8	1	23	82	3
	" 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	" 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	48	1
	" 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
Cork. Pop. (in 1901) 76,122.	Dec. 26,	15·1	0·7	22	.	.	.	.	1	.	.	.	.	6	4	1
	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	8	3	.
	" 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
	" 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	" 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	" 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	" 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
Londonderry. Pop. in 1904 (Est.) 41,397	Dec. 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	3	5	.
	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	2	4	.
	" 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	" 16,	22·7	2·3	18	.	.	.	1	1	.	.	.	.	1	4	.
	" 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	" 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	" 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
Limerick. Pop. (in 1901) 38,151.	Dec. 26,	8·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	" 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	" 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	" 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	" 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
	" 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
Waterford. Pop. (in 1901) 26,769.	Dec. 26,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	3	1
	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	" 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	" 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	" 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	" 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	" 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th February, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 6 years.	6 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	7	35·4	3·5	10	1	2	4	3	.	.	.	.	1	.	.	.	.	1	3	.	1	3
Do. 2 "	47,959	18	22·8	3·3	21	8	3	5	5	.	.	.	.	3	.	.	.	.	4	6	2	2	5
Do. 3 "	47,214	35	24·3	2·2	22	7	2	8	5	.	.	.	.	2	.	.	.	.	2	7	1	4	4
4 "	40,911	23	28·0	.	22	4	3	10	5	.	.	.	.	.	.	.	.	.	4	6	.	2	6
Do. 5 "	17,387	8	18·0	3·0	6	.	1	2	3	.	.	.	.	1	.	.	.	.	1	.	.	1	1
Do. 6 "	48,122	24	33·6	3·3	31	5	5	13	8	.	1	.	.	2	.	.	.	.	7	12	.	1	8
Do 7 "	1,	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do "	5,060	4	41·2	.	4	.	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Do. 9 "	19,569	13	21·3	.	8	.	1	5	2	.	.	.	.	.	.	.	.	.	1	1	1	2	4
Do. 10 "	23,064	14	31·7	.	14	1	.	12	1	.	.	.	.	.	.	.	.	.	5	2	.	.	2
Do. 11 "	34,802	25	42·0	3·0	28	5	2	14	7	.	.	.	.	2	.	.	.	.	6	5	3	5	7
Do. 12 "	33,588	22	45·0	3·1	29	9	4	12	4	.	.	.	.	2	.	.	.	.	6	12	1	2	6
Do. 13 "	15,006	6	24·3	.	7	1	2	3	1	.	.	.	.	.	.	.	.	.	2	3	.	.	.
Do. 14 "	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	201	30·3	2·1	203	41	25	93	44	.	1	.	.	13	.	.	.	.	40	58	9	21	46
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	7	32·4	4·1	8	3	.	.	5	.	.	.	.	1	.	.	.	.	.	1	.	.	3
Do. 2 "	10,701	3	19·5	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 3 "	9,978	8	31·4	5·2	6	.	2	3	1	.	.	.	.	1	.	.	.	.	2	2	.	.	2
Do. 4 "	8,666	2	30·1	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	1	3	.	.	3
Do. 5 "	6,592	1	31·6	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 6 "	10,702	2	24·4	9·7	5	.	2	1	2	.	.	.	.	2	.	.	.	.	.	1	.	.	.
Do. 7 "	16,616	7	22·0	.	7	1	.	4	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.
Total,	76,122	30	26·7	2·7	39	4	5	14	16	.	.	.	.	4	.	.	.	.	6	9	.	.	10

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered,	237	252	192	172	219	219	219	242	257	203	201	212	193	221	206	234	204	187	128	252	226	218	215	188	190	201
DEATHS registered.	108	131	110	114	122	105	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190	199	140	149	150	203
Annual Death-rate per 1,000 of estimated Population.	15·0	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5
AGES, Under 1 year,	35	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41
AGES, 1-5 years,	5	8	11	9	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25
AGES, 5-60 years,	46	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93
AGES, 60 years and upwards,	17	28	15	21	18	13	16	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1
" Scarlet Fever,	.	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Whooping cough,	3	.	2	3	1	2	8	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10	11	13
" Diphtheria,	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.
" Simple Continued Fever,	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	2	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.
" Diarrhœal Diseases,	15	19	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.
" Phthisis	16	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40
" Diseases of Respiratory System,	11	19	16	21	21	10	16	25	6	21	21	25	29	29	38	50	43	70	50	60	79	82	39	48	49	58
Violent Deaths,	3	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th February, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	1	.	1	2	.	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	3	.	.	.	.	.	.	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	1	.	.	.	.	1	.	.	1	11	.	.	14
" " 2,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	4	.	2	.	.	2	.	2	6	14	.	2	32

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th February, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th February.			
	Jan. 23.	Jan. 30.	Feb. 6.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	40	36	40	6	10	.	36
Scarlet Fever,	107	101	103	13	10	1	105*
Typhus "	4	4	3	1	.	.	4
Diphtheria,	14	16	18	4	5	1	16
Enteric Fever,	63	67	64	15	7	1	71
Pneumonia,	19	14	16	5	2	1	18

*Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,649,088	Feb. 13,	2,637	1,574	17·7	.	37	4	12	52	8	13
EDINBURGH,	331,977	„ 13,	145	101	15·9	.	.	.	.	1	.	2
GLASGOW,	793,357	„ 13,	489	305	19·9	1	11	2	1	6	1	9
CALCUTTA,	847,796	Dec. 12,	.	512	31·4	.	3	.	1	.	135‡	82*
BOMBAY,	776,006	Jan. 12,	422	730	48·9	6	2	.	.	.	52‡	54
MADRAS,	509,346	Dec. 18,	358	407	41·5	.	1	?	?	?	120	45
PARIS,	2,660,559	Jan. 30,	1,054	1,055	21·8	3	18	1	8†	3	6	23
BRUSSELS (with 8 Faubourgs).	575,896	„ 23,	226	177	16·0	.	.	1	1†	1	1	6
AMSTERDAM,	546,533	„ 23,	270	169	16·2	.	13	.	2†	1	1	3
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	416,000	Jan. 23,	223	119	14·9	.	.	.	1	3	2	5
CHRISTIANIA,	225,709	„ 30,	134	48	11·1	.	.	1	1†	.	.	1
ST. PETERSBURG,	1,248,122	„ 30,	556	557	23·3	2	10	9	8	2	15	54
BERLIN,	1,932,411	„ 16,	928	691	18·5	.	9	4	16†	11	.	30
HAMBURG,	751,842	„ 23,	.	201	13·9	.	.	1	.	4	2	2
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Jan. 30,	.	215	21·5	.	1	.	4†	3	.	17
VIENNA (with suburbs).	1,779,869	„ 30,	888	624	18·2	.	4	.	4†	3	2	34
BUDA-PESTH	790,529	„ 30,	400	304	19·4	.	3	7	7†	1	2	11
PRAGUE and Faubourgs.	423,990	„ 30,	216	202	24·8	.	8	2	2†	5	.	10
ROME,	491,074	Nov. 7,	245	167	17·7	.	.	.	2	.	7	19
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Jan. 2,	88	75	23·5	.	.	.	3†	.	.	2
NEW YORK,	3,732,903	„ 16,	1,769	1,610	21·9	.	21	21	59†	2	10	41
PHILADELPHIA,	1,378,624	„ 9,	.	656	24·2	25	8	6	17†	.	22	16

* Including 38 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 13 deaths from bubonic fever in Calcutta, and 186 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th February, 1904:—

"The most striking feature in this week's Report is the very low mean atmospheric pressure over the British Isles. In Dublin the mean height of the barometer for the whole period was only 29·035 inches, and from an early hour on Monday until an early hour on Thursday—that is, during some 72 hours—the mercury remained below 29 inches. At 4 a.m. of Saturday, also, the minimal reading of the week in Dublin was recorded—namely, 28·620 inches. Another notable incident was the fine display of lightning before, during, and after a thunderstorm which passed over Dublin on Friday evening between 8 and 9 o'clock. Sunday was at first fair, but a rapid fall of the barometer in the afternoon ushered in rain and a southeasterly gale. By 8 a.m. of Monday the centre of a well-defined and deep cyclonic system had reached St. George's Channel from the Atlantic, the barometer reading only 28·76 inches at Pembroke. In Dublin the wind backed during the day named from N.E. to N.W., and at 6 p.m. a heavy fall of sleet and snow occurred. Tuesday was fine, but foggy at times and cold, owing to a slight baric gradient, the barometer being at the same time remarkably low—in Dublin at 1 p.m. the mercury stood at 28·755 inches. Thick vapour fogs prevailed on Wednesday and Thursday, as baric gradients remained slight in Ireland. Over the S. of England and France they were, on the contrary, steep, so that strong S.W. winds, rain, and high temperatures prevailed in these districts. A ridge of relatively high pressure passed over the British Isles on Thursday night. It was quickly followed by a large and very deep and complex depression on Friday and Saturday, the weather becoming rough, stormy, and open. In Dublin the barometer rose to 29·557 inches at 9 p.m. of Thursday (wind, W.) and fell to 28·620 inches at 4 a.m. of Saturday (wind, S.W.). The mean temperature was 40·0°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 39·0°. The screened thermometers fell to 32·9° on Thursday and rose to 52·2° on Friday. Bright sunshine was estimated at 12 hours, 4 falling on both Sunday and Tuesday. The rainfall was ·836 inch on 4 days, ·458 inch being recorded on Friday. Winds were variable, chiefly westerly."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·048 inches. The highest reading (29·588) was on Thursday at 9 p.m., wind W.S.W., and the lowest (28·719) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 38·3°, being 2·3 below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 51·8°, and was lowest on Wednesday, the mercury having fallen to 28·9°. The mean of the Dry Bulb for the week was 37·7°, and of the Wet Bulb 36·2°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·2 hours. The rainfall during the week measured ·565 inch.

At Greenwich the mean temperature for the week was 42·1°, the maximum 49·9°, and the minimum 32·4°; at Glasgow the maximum was 48·8°, the minimum 26·7°, and the mean 38·4°; and at Edinburgh the maximum was 46·3°, the minimum 29·0°, and the mean 36·8°. The rainfall at Greenwich measured 1·27 inches; at Glasgow 0·36 inch; and at Edinburgh 0·43 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 7,	29·319	46·5	33·9	40·2	38·8	36·9	·85	·6	3·5	·060	S.W.	S.E.
Monday, " 8,	28·932	42·4	32·7	37·6	37·7	37·3	·97	·7	0·0	·115	N.E.	W.
Tuesday, " 9,	28·832	42·3	29·2	35·8	31·2	30·6	·92	·1	5·6	—	Calm.	Calm.
Wednesday, " 10,	28·912	38·4	28·9	33·7	34·4	33·7	·94	·2	0·0	—	W.	E.N.E.
Thursday, " 11,	29·373	42·1	31·3	36·7	35·0	34·0	·92	·8	1·2	·010	W.	S.S.W.
Friday, " 12,	29·129	51·8	33·9	42·9	45·5	42·7	·80	·5	1·2	·175	S.S.E.	S.W.
Saturday, " 13,	28·841	46·4	36·6	41·5	41·1	38·3	·79	·7	0·7	·205	S.W.	S.W.
Mean, . .	29·048	44·3	32·4	38·3	37·7	36·2	·88	·5	Total 12·2	·565	Prevailing Wind, S.W.	

Sunday—A dull day; night cloudy p.m., overcast a.m., rain at intervals. *Monday*—Day overcast, rain with snow p.m.; night overcast p.m., cloudy a.m. *Tuesday*—A fine day; night cloudy, foggy. *Wednesday*—Dull and foggy; night cloudy. *Thursday*—A cloudy day, fog a.m., rain 3.30 p.m.; night clear. *Friday*—Overcast a.m., cloudy p.m.; night cloudy, showery; lightning 7.30 to 8.15 p.m., thunder and lightning to 9 p.m. *Saturday*—Day cloudy, squally and showery; night cloudy, squally and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 20TH FEBRUARY, 1904. [No. 7.

General Register Office, Charlemont House, Dublin, 22nd February, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Jan. 30.	Week ending Feb. 6.	Week ending Feb. 13.	Week ending Feb. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 30.	Week ending Feb. 6.	Week ending Feb. 13.	Week ending Feb. 20.	Average Rate for 4 weeks.
22 Town Dists.	22·4	26·1	27·6	26·3	25·6	Lisburn,	18·2	18·2	63·7	22·7	30·7
Armagh,	20·6	20·6	34·4	13·7	22·3	Londonderry	15·1	11·3	13·9	18·9	14·8
Ballymena,	14·4	28·7	28·7	9·6	20·4	Lurgan,	.	17·7	8·9	17·7	11·1
Belfast,	21·7	21·8	29·5	26·9	25·0	Newry,	25·2	16·8	25·2	8·4	18·9
Clonmel,	51·3	15·4	25·6	.	23·1	Newtownards,	17·2	17·2	57·2	28·6	30·1
Cork,	16·4	29·5	26·7	32·9	26·4	Portadown,	10·3	20·7	10·3	25·8	16·8
Drogheda,	16·3	16·3	28·6	8·2	17·4	Queenstown,	46·1	.	13·2	26·4	21·4
Dublin Reg. Area,	25·6	30·6	27·2	29·7	28·3	Sligo,	19·2	52·8	.	33·6	26·4
Dundalk,	8·0	27·9	19·9	16·0	18·0	Tralee,	37·0	21·1	10·6	15·9	21·2
Galway,	42·7	38·8	50·5	38·8	42·7	Waterford,	15·6	33·1	23·4	19·5	22·9
Kilkenny,	9·8	63·9	29·5	.	25·8	Wexford,	9·3	32·7	28·0	23·3	23·3
Limerick,	27·3	27·3	34·2	23·2	28·0						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·2 in Portadown. Among the 185 deaths from all causes registered in Belfast are one from measles, 8 from whooping-cough, and 2 from enteric fever; and the 17 deaths from all causes registered in Limerick include 3 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 290—168 boys and 122 girls; and the deaths to 223—102 males and 121 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·7 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 29·7 per 1,000. During the seven weeks ending with Saturday last the death-rate averaged 29·1, and was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903.

A death from measles was registered; in the two weeks preceding, no death from this disease was recorded. Influenza caused 5 deaths, whooping-cough (which in the 4 weeks preceding had caused 5, 11, 9, and 6 deaths) caused 9 deaths; there was one death from diphtheria, as in each of the 2 weeks preceding. Enteric fever caused 3 deaths; in the 4 weeks preceding this disease caused 3, one, one and 2 deaths respectively. There

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

were 2 deaths from diarrhœal diseases, and not one death from small-pox, scarlet fever, or typhus.

Tuberculous disease caused a total mortality of 34 during the week, consisting of 12 deaths from tuberculous phthisis, 15 deaths from *phthisis*, 2 deaths from tuberculous peritonitis, one death from tabes mesenterica, and 4 deaths from other varieties of the disease.

Two deaths were attributed to carcinoma, and 3 to *cancer, malignant disease.*

Of 26 deaths from diseases of the brain and nervous system, 8 were registered as being caused by *convulsions*, 5 of the latter figure being infants under one year of age.

The 22 deaths allocated to diseases of the heart and blood-vessels include 2 deaths from aneurysm.

The deaths from diseases of the respiratory system registered during the week are equal to an annual rate of 8·1 per 1,000 of the population of the Area, the average annual rate for the corresponding period of the past 10 years being 7·3 per 1,000. The total number of deaths (59) includes 38 from bronchitis, one from croupous-pneumonia, 7 from broncho-pneumonia, and 8 from *pneumonia.*

Three deaths were registered from accidental violence.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 65 years.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 13 were under one month old), and 68 were aged 60 years and upwards, including 35 persons aged 70 and upwards, of whom 16 were octogenarians, and 3 (one male and 2 females) were stated to have been aged 92, 90, and 90 years respectively.

One hundred and one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 42 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·7 per 1,000, the rate in the City was 31·8 (North City Districts, 24·9; South, 39·1), and in the Suburbs, 22·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·3 (2·4 in the North City Districts, and 2·2 in the South) and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. Whooping-cough, enteric fever, and influenza each caused one death, tuberculous phthisis caused 2 deaths, and diseases of the respiratory system caused 4 deaths, including one from *pneumonia.*

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. There was one death from enteric fever, there were 4 deaths from tuberculous disease, and 7 deaths from diseases of the respiratory system, including one death each from broncho-pneumonia, and *pneumonia.*

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. There was one death from whooping-cough, also one death from pulmonary tuberculosis; the 8 deaths from diseases of the respiratory system include 2 deaths from broncho-pneumonia and one death from *pneumonia*; there was one accidental death.

No. 3 North City District (Benburb-street).—The deaths (16) represent an annual rate of 26·3 per 1,000. Measles and whooping-cough each caused one death, influenza caused 2 deaths, tuberculous disease caused 3 deaths, and diseases of the respiratory system caused 5 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 31·3. One death from whooping-cough and one from influenza were amongst the deaths tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 32·6 per 1,000. Whooping-cough caused one death, tuberculous disease caused 5 deaths, and diseases of the respiratory system caused 7 deaths, including one death from croupous pneumonia, and one death from *pneumonia.*

No. 2 South City District (Castle-street).—The deaths (20) are equal to an annual rate of 57·0 per 1,000. There was one death from whooping-cough, there were 3 deaths from tuberculous disease, and 6 deaths (including one from *pneumonia*) from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (35) are equal to an annual rate of 43·5 per 1,000. There was one death from diphtheria, tuberculous disease caused 7 deaths, and diseases of the respiratory system caused 7 deaths (2 deaths from broncho-pneumonia included); there was one death from accidental violence registered.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·6 per 1,000. Whooping-cough and *diarrhœa*, each caused one death, tuberculous disease caused 4 deaths, and diseases of the respiratory system caused 5 deaths, including one from broncho-pneumonia, and one from *pneumonia.*

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000. There was one death from enteric fever and one from *pneumonia.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 30·1; Blackrock, 11·9; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts consist of one from *diarrhœa* for Rathmines and Rathgar, and 2 from whooping-cough for Pembroke. Amongst the other deaths tabulated for Rathmines and Rathgar are one each from influenza, *phthisis, pneumonia*, broncho-pneumonia, and pleurisy. The 15 deaths tabulated for Pembroke include 3 from tuberculous phthisis, one from bronchitis, and one from accidental violence.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 20th February, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 30,	.	7	1	15	.	.	7	.	1	18	22	.	.	.	71
	Feb. 6,	.	12	.	11	.	.	3	1	.	12	15	.	.	.	54
	Feb. 13,	.	4	.	2	.	.	2	.	2	6	14	.	.	2	32
	Feb. 20,	.	11	.	5	.	.	3	.	2	18	19	.	.	.	58
Rathmines and Rathgar Urban District.	Jan. 30,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	Feb. 6,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Feb. 13,	.	.	.	3	.	.	.	.	.	1	.	.	.	.	4
	Feb. 20,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
Pembroke Urban District.	Jan. 30,	.	.	.	.	.	.	.	.	1	3	1	.	.	6	11
	Feb. 6,	.	.	.	1	.	.	.	.	1	3	.	.	4	9	18
	Feb. 13,	.	.	.	4	.	.	1	.	.	1	1	.	2	9	18
	Feb. 20,	.	.	.	.	.	.	3	.	.	.	.	.	.	14	17
Blackrock Urban District.	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	Feb. 6,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	Feb. 13,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	2	.	3
Kingstown Urban District.	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	Feb. 6,	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
	Feb. 13,	.	.	.	5	.	.	.	.	.	.	.	.	.	.	5
	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
City of Belfast.	Jan. 30,	3	–	.	17	.	.	5	1	4	11	9	.	.	.	50
	Feb. 6,	3	–	.	15	.	.	5	.	7	8	18	1	.	.	57
	Feb. 13,	1	–	.	8	.	.	.	.	2	4	10	.	.	.	25
	Feb. 20,	1	–	.	8	.	.	8	2	4	3	3	2	.	.	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th February, 1904.

From this it appears that :—

Seven cases of measles were admitted to hospital during the week, 14 were discharged, there was one death, and 28 patients remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 11 cases were discharged, and 102* cases remained under treatment at the close of the week.

Two case of typhus fever were discharged from hospital, and 2 remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, and 18 cases remained under treatment at the close of the week.

Sixteen cases of enteric fever were admitted to hospital, 13 cases were discharged, there were 2 deaths, and 72 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 6 patients were discharged, there was one death, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·8), was equal to an average annual death-rate of 18·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·2 per 1,000, the rate for Glasgow being 23·5, and for Edinburgh 18·1.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th February, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 20th February, 1904. Numbers Registered. Births.	Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	32·9	26·3	1·6	689	551	108	152	.	2	.	.	23	2	.	5	2	81	151	8	28	165
Dublin Registration Area:— Total,‡	378,994	27·5	39·9	29·7	2·2	290	216	43	64	.	1	.	.	9	1	.	3	2	27	58	3	5	94
City of Dublin	293,385	37·1	45·3	31·8	2·3	255	179	39	47	.	1	.	.	7	1	.	3	1	23	50	2	4	84
Urban Districts. Rathmines and Rathgar	33,208	19·4	11·0	22·0	1·6	7	14	1	5	.	.	.	.	.	.	.	.	1	1	5	.	.	2
Urban Districts. Pembroke	26,025	16·4	30·1	30·1	4·0	15	15	3	5	.	.	.	.	2	.	.	.	.	3	1	1	1	5
Urban Districts. Blackrock	8,759	8·1	29·8	11·9	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Urban Districts. Kingstown	17,622	12·1	23·7	17·8	.	8	6	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urban Districts. Belfast	358,680	24·4	30·4	26·9	1·6	209	185	34	48	.	1	.	.	8	.	.	2	.	25	54	5	17	40
Urban Districts. Cork	76,122	33·6	22·6	32·9	0·7	33	48	6	13	.	.	.	.	1	.	.	.	.	11	10	.	.	14
Urban Districts. Londonderry	41,397	19·1	32·7	18·9	1·3	26	15	2	5	.	.	.	.	1	.	.	.	.	4	3	.	.	1
Urban Districts. Limerick	38,151	18·1	17·8	23·2	4·1	13	17	6	2	.	.	.	.	3	.	.	.	.	2	4	.	.	7
Urban Districts. Waterford	26,769	18·7	17·5	19·5	.	9	10	1	1	.	.	.	.	.	.	.	.	.	1	3	.	.	3
Urban Districts. Galway	18,426	2·5	27·2	38·8	.	7	10	.	6	.	.	.	.	.	.	.	.	.	1	5	.	.	4
Urban Districts. Dundalk	18,076	9·4	35·9	16·0	.	9	4	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Urban Districts. Drogheda	12,760	8·6	40·9	8·2	.	10	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Newry	12,405	17·8	12·6	8·4	.	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Lurgan	11,782	13·8	57·5	17·7	.	13	4	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Urban Districts. Lisburn	11,461	10·1	27·3	22·7	4·5	6	5	1	1	.	.	.	.	1	.	.	.	.	.	3	.	.	.
Urban Districts. Wexford	11,168	23·2	28·0	23·8	.	6	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.
Urban Districts. Ballymena	10,886	8·9	25·8	9·6	.	20	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Urban Districts. Sligo	10,870	3·7	38·4	33·6	.	8	7	1	2	.	.	.	.	.	.	.	.	.	4	2	.	.	1
Urban Districts. Kilkenny	10,609	11·5	14·7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Clonmel	10,167	7·8	46·2	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Portadown	10,092	13·2	15·5	25·8	5·2	3	5	2	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.
Urban Districts. Tralee	9,867	16·6	5·3	15·9	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Newtownards	9,110	18·9	28·6	28·6	.	5	5	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Urban Districts. Queenstown	7,909	14·4	26·4	26·4	.	4	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Urban Districts. Armagh	7,588	22·2	13·7	13·7	.	2	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 20th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	°	°	°		°	°	°		°	°	°	
Dublin Registration Area: Total	§50·8	27·8	37·7	0·74	§51·8	28·9	38·3	0·57	§48·6	25·9	37·0	1·36
City of Dublin	a54·8 / b50·9	30·0 / 29·0	39·7 / 38·1	0·59 / 0·96	a52·2 / b51·9	32·9 / 29·0	40·0 / 38·3	0·84 / 0·60	a43·1 / b44·6	30·1 / 26·2	39·0 / 37·8	1·47 / 1·57
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	56	30	41·0	0·50	52	32·5	40·9	0·86	45	33·5	39·7	1·32
Urban Districts. Belfast	49·8	26·0	36·7	0·81	48·2	26·3	36·2	0·73	46·9	26·8	36·9	0·61
Urban Districts. Cork	51	33	40·8	0·57	50	34	42·2	2·00	46	30	38·9	1·48
Urban Districts. Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Galway	48	31	46	1·47	.	.	.	.	.	.	.	.
Urban Districts. Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Newry	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64
Urban Districts. Lurgan	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·82	42·5	28·0	36·5	0·64
Urban Districts. Lisburn	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64
Urban Districts. Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Sligo	50·2	26·3	37·7	0·95	47·4	23·7	36·2	1·42	44·4	23·6	33·8	0·68
Urban Districts. Kilkenny	48	26	38·2	0·68	51	30	37·6	1·96	44	24	35·6	1·00
Urban Districts. Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Portadown	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64
Urban Districts. Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Newtownards	50	27	36·8	0·61	48	26	38·1	0·60	46	29	38·5	0·51
Urban Districts. Queenstown	51	33	40·8	0·57	50	34	42·2	2·00	46	30	38·9	1·48
Urban Districts. Armagh	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89	42·5	28·0	36·5	0·64

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 7 deaths of persons (including 1 under 1 year old and 4 at 60 years or upwards), admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th of February, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	1	1	.	1	.	1	1	.	1	.	.	2	.	.	9	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Phthisis,	2	3	1	2	.	.	.	5	3	5	2	.	1	3	.	.	27	.
Other General Diseases,	2	4	.	5	1	2	1	2	1	9	2	.	2	2	.	2	35	2
Total,	6	8	2	9	1	3	1	8	5	15	6	1	4	7	.	2	78	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	4	1	.	.	1	2	1	2	5	1	3	2	1	1	26	.
Organs of Special Sense,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Heart and Blood Vessels,	.	1	.	.	.	.	.	2	4	4	3	3	2	2	.	.	21	1
Respiratory System,	4	7	8	5	.	.	.	7	6	7	5	1	5	1	1	1	58	1
Digestive System,	1	.	1	.	.	.	2	.	1	2	1	.	.	1	.	1	10	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	2
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	10	14	6	.	.	3	13	12	15	15	5	10	6	2	3	119	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	.	1	.	.	.	3	3	4	1	.	.	1	.	1	16	1
E. VIOLENT DEATHS,	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.
Deaths from all Causes,	12	19	17	16	1	3	4	24	20	35	22	6	14	15	2	6	216	7
Annual Rate of Mortality in every 1,000 of the population	22·1	25·3	29·4	26·3	10·8	15·6	31·3	32·6	57·0	43·5	32·6	35·2	22·0	30·1	11·9	17·8	29·7	.
	24·9							39·1					22·5					
	31·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	5	2	3	.	.	1	3	2	9	4	1	1	3	1	1	38	5
Workhouse Hospitals,	2	2	6	5	.	.	.	9	7	13	8	.	1	2	1	.	56	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1894-1903.	In the Week ending Saturday 20th February, 1904. Deaths of Persons of the Ages						
	Feb. 17, 1894.	Feb. 16, 1895.	Feb. 15, 1896.	Feb. 20, 1897.	Feb. 19, 1898.	Feb. 18, 1899	Feb. 17, 1900.	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	43·0	30·3	44·0	45·5	43·4	43·2	32·9	34·8	29·9	46·9	39·4	Mean Temp. 37·7							
ALL CAUSES.	223	229	151	291	191	183	284	235	200	161	214·8	223	13	31	26	13	30	42	49
Small-pox, Vaccinated,	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated,	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
Small-pox, No Statement,	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	.	43	.	.	1	1	3	6	5·7	1	.	.	1	.	.	.	.
Scarlet Fever	2	.	2	5	2	.	1	2	2	5	2·1	.	.	.	.	.	.	.	.
Typhus,	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	4	3	1	3	11	7	20	6	3	5	6·3	5	.	2	1	.	.	.	1
Whooping Cough,	10	1	2	16	2	4	5	3	3	3	4·9	9	.	4	5	.	.	.	.
Diphtheria,	1	1	.	1	1	2	3	1	.	3	1·3	1	.	.	.	1	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	2	3	3	4	2	3	2	2	1	2·5	3	.	.	.	1	1	1	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	4	5	1	2	2	.	2	2	2	. / 1	2·1	. / 2	.	. / 1	. / 1	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	.	1	2	.	2	.	.	·6	1	.	1	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	.	.	.	. / . / .	.	. / 1 / .	.	.	.	.	1	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	2	1	.	.	1	.	1	1	.	.	·6	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	1	.	.	2	.	.	.	.	.	1 / .	·4	1 / .	1	.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	27	31	20	28	26	30	32	36	27	1 / 20	27·8	12 / 15	.	.	1	.	7	4	.
Tuberculous Meningitis, (Acute Hydrocephalus).	2	4	3	4	7	3	7	2	1	3	3·6	.	.	.	.	.	.	.	.
Tuberculous Peritonitis, Tabes Mesenterica,	3	3	1	6	3	3	10	6	1	. / 1	3·7	2 / 1	.	1	1 / 1	.	.	.	.
Tuberculous Dis. (other), *Scrofula*,	9	3	1	8	4	3	7	4	5	3 / .	4·7	3 / 1	.	.	1	2	.	1	.
Alcoholism,	1	.	2	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
Gout	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are

EVENTH WEEK ending Saturday, 20th February, 1904, with the deaths from each cause in the corresponding ie average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Feb. 17, 1894.	Feb. 16, 1895.	Feb. 15, 1896.	Feb. 20, 1897.	Feb. 19, 1898.	Feb. 18, 1899.	Feb. 17, 1900.	Feb. 16, 1901.	Feb. 15, 1902.	Feb. 21, 1903.	Averages in 7th Week of the 10 years 1894–1903.	In the Week ending Saturday, 20th February, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·0	° 30·3	° 44·0	° 45·5	° 43·4	° 43·2	° 32·9	° 34·8	° 29·9	° 46·9	° 39·4	Mean Temp. ° 37·7								
inoma	4	7	5	8	4	4	5	4	6	2	5·1	2	.	.	.	.	1	1	.
oma										.		.	.	.	.	.	.	.	.
er, *Malignant Disease* ...										2		3	.	.	.	.	1	1	1
etes Mellitus	.	.	.	6	.	.	.	.	7	2	·2	4	.	.	.	1	1	.	2
nature Birth	.	1	3	6	3	3	5	7	7	1	3·6	5	3	2	.	.	.	.	.
ingitis (not tuberc.)										6		8	.	2	3	3	.	.	.
nity, G. P. of Insane										1		5	.	.	.	1	1	2	1
epsy										.		.	.	.	.	.	.	.	.
ulsions										6		8	.	5	2	1	.	.	.
motor Ataxy										.		.	.	.	.	.	.	.	.
plegia Dis. of Cord										1		1	.	.	.	.	.	.	1
vous System (other Dis.) ...	43	46	33	40	40	41	52	43	38	1	41·6	4	.	.	.	1	.	2	1
. Dis., Endocarditis										3		3	.	.	.	.	1	.	1
br. Hæm. Thromb.										1		1	.	.	.	.	1	.	.
lexy, Hemiplegia										4		5	.	.	.	.	3	2	.
irysm										1		2	.	.	.	1	1	.	.
olism, Thromb. (not cerebral)										.		.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.										16		11	.	.	.	2	2	4	3
ip (not Spasm. or Memb.) ...	2	.	2	4	.	.	.	1	.	1	1·0	.	.	.	.	.	.	.	.
ichitis	31	45	19	41	30	29	51	38	33	14	33·7	38	.	6	2	.	1	8	18	3
ipous Pneumonia										.		1	.	.	.	1	.	.	.	.
icho-Pneumonia	14	13	13	16	9	9	19	24	13	1	13·8	7	.	1	3	.	2	1	.	.
eumonia"										7		8	.	.	2	2	2	1	.	1
ma, Emphysema										.		2	.	.	.	.	1	1	.	.
risy	8	4	2	3	2	2	4	3	2	.	3·3	2	.	.	.	.	2	.	.	.
piratory Dis. (other)										3		1	.	.	.	.	1	.	.	.
sillitis, Quinsy	.	.	.	1	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
eritis (not Epid.)	.	2	.	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.
ro Enteritis										.		5	1	2	1	1	.	.	.	.
tonitis (not Puerp.)	1	1	1	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
hosis of Liver	2	1	3	.	2	3	.	1	2	.	2·0	.	.	.	.	.	.	.	.	.
r Dis. (other)										6		1	.	.	.	.	.	.	.	1
estive Dis. (other)	4	2	6	6	.	4	6	6	4	3	4·1	4	.	2	.	.	.	2	.	.
hritis, Acute										2		2	.	.	.	.	.	1	1	.
ht's Dis., Albuminuria ...	3	4	4	4	9	3	7	10	5	3	5·6	1	.	.	.	.	.	1	.	.
nary Sys. (Other Dis.) ...										2		1	.	.	.	.	.	.	1	.
erative Organs Dis.	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
dbirth (Accid. of)	.	.	1	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
Age	14	20	8	13	11	12	22	15	11	3	12·9	10	.	.	.	.	.	6	4	
er Diseases	14	15	12	16	9	13	12	10	20	11	13·2	16	7	2	.	1	2	3	1	
ACCIDENT.																				
Railways	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
hips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	1	1	.	1	.	1	4	1	3	.	1·2	1	.	.	1	.	.	.	.	.
Drowning	1	.	3	.	.	.	.	2	2	2	1·0	.	.	.	.	.	.	.	.	.
Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
er Deaths by Accidents ...	4	2	.	4	4	1	4	1	1	1	2·2	2	1	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
nicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ide	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1903-4—Week ending																									
	Aug. 29.	Sept. 5.	Sept. 12.	Sept 19.	Sept 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	248	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203	190	255	181	290
*Average Births in corresponding week of previous 10 years,**	188	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202
DEATHS registered,	176	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	223	207	223
Annual Death-rate per 1,000,	24·2	16·0	19·9	20·1	22·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7
*Average Deaths in corresponding week of previous 10 years,**	166	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215
AGES, Under 5 years,	56	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	58	71	53	70
5—20 "	9	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13
20—40 "	38	19	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30
40—60 "	38	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42
60—80 "	28	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49
80 years and upwards,	7	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1
" Scarlet Fever	.	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2		.	1	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3		1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9
" Diphtheria,	2	.	1	1	1	.	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1
" Simple Continued Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	3	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	1	2	1	6	3	3	1	1	2	3
" Diarrhœal Diseases,	9	10	7	5	14	8	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2
" Phthisis,	28	16	22	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27
" Diseases of Heart and Blood Vessels,	17	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22
" Diseases of Respiratory System,	17	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59
Violent Deaths,	6	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3
Mean Temperature of the Air (Phœnix Park),	54·5	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7
Average Mean Temperature in corresponding week of previous 10 years,	57·9	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4
Rainfall in inches,	·888	·323	1·938	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·185	·280	1·360	·565	·743
Mean Humidity of the Air, complete Saturation 1·0,	·86	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th February, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 20th February, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	31·0	223	70	13	30	42	49	19	.	1	.	.	9	1	.	3	2	16	27	8	59	3	110
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·9	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	MIDDLE CLASS,	87,188	17·9	30	6	4	4	6	7	3	.	.	.	.	2	.	.	1	.	3	2	.	5	.	20
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·2	45	18	1	7	7	7	5	.	1	.	.	.	.	.	.	.	1	7	3	11	.	23
IV.	GENERAL SERVICE CLASS,	154,279	46·2	84	35	6	11	21	10	1	.	.	.	.	7	1	.	2	2	12	7	4	26	3	32
V.	INMATES OF WORKHOUSES,	6,024		58	11	2	8	7	22	8	.	.	.	.	.	.	.	.	.	.	11	1	16	.	30
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	38·4	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	3	.	2	2	5	.	.	.	.	.	1	.	.	.	.	1	2	.	3	.	6
	6. Clerks and Commercial Assistants,	30,432	15·4	9	1	4	1	3	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	11·6	6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	2
	9. Building and Furnishing Trades,	29,801	15·7	9	5	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	7
	10. Clothing Trades,	23,260	31·4	14	4	.	3	3	3	1	.	.	.	.	.	.	.	.	.	.	5	1	3	.	5
	11. Food Supply Trades,	9,242	33·9	6	3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	12. Other Trades and Callings ranking with Trades,	30,352	13·7	8	1	1	1	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	.	5
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	1	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	35·0	9	4	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1	6
	15. Domestic Servants,	36,603	4·3	3	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	39·9	11	2	2	3	3	1	.	.	.	.	.	.	1	.	.	.	1	1	2	4	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	35·4	61	27	3	7	15	8	1	.	.	.	.	6	.	.	1	2	9	6	2	20	2	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	58	11	2	8	7	22	8	.	.	.	.	.	.	.	.	.	.	11	1	16	.	30

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904, Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Jan. 2,	40·5	8·7	22	.	.	.	.	2	.	.	.	.	.	6	.
	" 9,	35·0	8·7	19	.	.	.	.	2	.	.	.	.	4	6	.
	" 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	" 23,	29·4	8·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	" 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
	Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
	" 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
	" 20,	22·1	8·7	12	.	.	.	.	1	.	.	1	.	2	4	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Jan. 2,	46·6	8·0	35	.	.	.	.	6	.	.	.	.	4	11	1
	" 9,	33·3	2·7	25	.	.	.	.	.	.	.	1	.	3	6	1
	" 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	" 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	" 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
	" 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
	" 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Jan. 2,	34·6	1·7	20	.	.	.	.	1	.	.	.	.	2	7	1
	" 9,	32·9	8·7	19	.	.	.	.	4	.	.	.	1	3	4	.
	" 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	" 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
	" 30,	39·8	6·9	23	.	.	.	.	4	.	.	.	.	3	4	.
	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
	" 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
	" 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Jan. 2,	49·4	6·6	30	.	1	1	.	1	.	.	1	.	4	6	.
	" 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
	" 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	" 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	" 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
	Feb. 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
	" 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
	" 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	Jan. 2,	29·9	.	22	.	.	.	.	.	.	.	.	.	3	6	2
	" 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
	" 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	" 23,	38·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
	" 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
	" 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
	" 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Jan. 2,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	" 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
	" 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	" 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	" 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
	" 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
	" 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Jan. 2,	28·6	.	23	.	.	.	.	.	.	.	.	.	2	7	.
	" 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	" 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
	" 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	" 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
	" 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
	" 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Jan. 2,	28·2	.	19	.	.	.	.	.	.	.	.	.	2	5	2
	" 9,	29·7	3·0	20	.	.	.	.	.	.	.	.	1	2	4	2
	" 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	" 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1
	" 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
	" 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
	" 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,208.	Jan. 2,	18·8	1·6	12	.	.	.	.	1	.	.	.	.	8	3	.
	„ 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	„ 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	29·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	„ 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Jan. 2,	38·1	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Jan. 2,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	1	.
	„ 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	„ 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Jan. 2,	26·5	3·3	182	.	.	.	.	18	1	.	2	2	21	60	4
	„ 9,	27·6	3·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	„ 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	28	82	3
	„ 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	„ 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	48	1
	„ 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
Cork. Pop. (in 1901) 76,122.	Jan. 2,	20·5	0·7	30	.	.	.	.	.	.	.	.	1	3	3	.
	„ 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
	„ 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	„ 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	„ 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	„ 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20,	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
Londonderry. Pop. in 1904 (Est.) 41,397	Jan. 2,	20·2	2·5	16	.	.	.	.	1	1	.	.	.	2	4	.
	„ 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 16,	22·7	2·5	18	.	.	.	1	1	.	.	.	.	1	4	.
	„ 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	„ 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
Limerick. Pop. (in 1901) 38,151.	Jan. 2,	50·6	4·1	37	.	.	.	.	3	.	.	.	.	7	5	.
	„ 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	„ 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	„ 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	„ 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
Waterford. Pop. (in 1901) 26,769.	Jan. 2,	27·3	.	14	.	.	.	.	.	.	.	.	.	1	6	.
	„ 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	„ 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 20th February, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	BIRTHS. No. of	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 65 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	9	49·5	.	14	2	.	10	2	.	.	.	.	.	.	.	.	.	2	3	1	5	4
Do 2 "	47,959	29	32·6	4·3	30	7	5	14	4	.	.	.	.	4	.	.	.	.	4	4	1	2	6
Do. 3 "	47,214	31	25·4	1·1	23	6	1	7	9	.	.	.	.	1	.	.	.	.	4	11	.	1	4
Do. 4 "	40,911	21	26·8	1·3	21	3	1	14	3	.	.	.	.	.	.	.	.	.	4	4	1	2	10
Do. 5 "	17,387	10	18·0	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	4	.	.	2
Do. 6 "	48,122	23	27·1	2·2	25	4	1	13	7	.	.	.	.	2	.	.	.	.	3	10	.	2	4
Do 7 "	1,524	1	.	.	3	1	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Do 8 "	5,060	2	20·6	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 9 "	19,569	6	37·3	.	14	2	.	7	5	.	.	.	.	.	.	.	.	.	1	1	1	1	4
Do. 10 "	23,064	20	31·7	.	14	3	.	5	6	.	.	.	.	.	.	.	.	.	1	5	.	2	1
Do. 11 "	34,802	25	12·0	1·5	8	.	1	2	5	.	1	.	.	.	.	.	.	.	1	2	.	1	.
Do. 12 "	33,588	27	29·5	1·6	19	4	3	10	2	.	.	.	.	1	.	.	.	.	3	6	1	1	3
Do. 13 "	15,006	5	20·8	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	209	27·6	1·6	185	34	13	90	48	.	1	.	.	8	.	.	2	.	25	54	5	17	40
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	6	52·7	.	13	1	2	7	3	.	.	.	.	.	.	.	.	.	4	5	.	.	6
Do. 2 "	10,701	8	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 3 "	9,978	3	31·4	.	6	1	1	2	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.
Do. 4 "	8,666	5	48·1	.	8	2	.	3	3	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Do. 5 "	6,592	2	15·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. "	10,702	3	34·1	.	7	.	3	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 7 "	16,616	6	31·4	3·1	10	2	.	6	2	.	.	.	.	1	.	.	.	.	3	1	.	.	5
Total,	76,122	33	32·9	0·7	48	6	7	22	13	.	.	.	.	1	.	.	.	.	11		.	.	14

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered,	252	192	172	219	219	219	242	257	203	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209
DEATHS registered.	131	110	114	122	105	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190	199	140	149	150	203	185
Annual Death-rate per 1,000 of estimated Population.	19·0	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9
AGES, Under 1 year,	38	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34
AGES, 1–5 years,	8	11	9	10	11	12	13	14	18	11	12	13	19	13	25	24	35	27	25	30	19	13	18	17	25	13
AGES, 5–60 years,	57	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90
AGES, 60 years and upwards,	28	15	21	18	13	16	31	19	22	18	15	26	28	20	26	31	38	25	37	33	47	31	28	24	44	48
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1
" Scarlet Fever,	.	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Whooping cough,	.	2	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10	11	13	8
" Diphtheria,	.	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.
" Simple Continued Fever,	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	3	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2
" Diarrhœal Diseases,	19	16	13	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.
" Phthisis	17	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25
" Diseases of Respiratory System,	19	16	21	21	10	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	48	58	54
Violent Deaths,	1	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th February, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	.	.	.	.	.	1	8	2	.	.	11
" " 2,	.	6	.	.	.	.	.	.	1	1	.	.	.	8
" " 3,	.	.	.	2	.	.	.	.	.	3	1	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	.	.	1	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	1	.	.	.	.	.	1	7	.	.	12
" " 2,	.	1	.	.	.	.	.	.	.	.	3	.	.	4
" " 3,	.	1	.	.	.	.	2	.	.	.	4	.	.	7
" " 4,	.	.	.	.	.	.	1	.	.	4	1	.	.	6
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	11	.	5	.	.	3	.	2	18	19	.	.	58

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th February, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th February.			
	Jan. 30.	Feb. 6.	Feb. 13.	No. admitted.	Discharged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	36	40	36	7	14	1	28
Scarlet Fever,	101	103	105	8	11	.	102*
Typhus "	4	3	4	1	2	.	2
Diphtheria,	16	18	16	4	2	.	18
Enteric Fever,	67	64	70	16	13	2	72
Pneumonia,	14	16	18	4	6	1	15

*Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Feb. 20,	2,737	1,589	17·8	1	42	9	17	55	2	16
EDINBURGH,	331,977	„ 20,	144	115	18·1	.	.	.	.	3	.	1
GLASGOW,	798,357	„ 20,	489	360	23·5	2	8	.	4	4	1	15
CALCUTTA,	847,796	Dec. 19,	.	533	32·6	.	2	.	1	1	140‡	80*
BOMBAY,	776,006	Jan. 19,	401	680	45·6	1	3	.	.	1	47‡	48
MADRAS,	509,346	Dec. 25,	360	449	45·8	.	2	?	?	?	120‡	40
PARIS,	2,660,559	Feb. 6,	1,055	985	20·3	2	10	3	7†	6	4	23
BRUSSELS (with 8 Faubourgs).	575,896	Jan. 30,	210	176	15·9	.	.	.	.	2	.	6
AMSTERDAM,	546,533	„ 30,	300	190	18·2	1	10	.	2†	5	.	10
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	416,000	Jan. 30,	254	130	16·3	.	1	.	1†	3	.	6
CHRISTIANIA,	225,709	Feb. 6,	119	46	10·6	.	.	.	.	.	.	2
ST. PETERSBURG,	1,248,122	„ 6,	552	599	25·0	2	18	4	8	4	13	78
BERLIN,	1,960,909	Jan. 23,	880	570	15·2	.	6	8	6†	6	1	25
HAMBURG,	751,842	„ 30,	.	206	14·2	.	.	1	4†	.	1	1
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Feb. 6,	.	223	22·3	.	1	.	4†	2	.	20
VIENNA (with suburbs).	1,779,869	„ 6,	925	655	19·1	.	10	1	11†	3	1	28
BUDA-PESTH	790,529	„ 6,	444	332	21·2	.	6	5	6†	.	1	11
PRAGUE and Faubourgs.	423,990	„ 6,	209	132	22·4	.	3	1	1†	5	1	13
ROME,	491,074	Nov. 14,	230	185	19·6	.	.	.	.	.	5	23
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Jan. 9,	76	82	25·7	.	.	.	1†	2	.	6
NEW YORK,	3,732,903	„ 23,	1,815	1,451	19·6	1	23	30	35†	2	6	40
PHILADELPHIA,	1,378,624	„ 16,	.	736	27·8	24	6	9	15†	4	13	25

* Including 28 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 15 deaths from bubonic fever in Calcutta, 189 in Bombay, and 1 in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th February, 1904 :—

"Changeable and cyclonic in type throughout, the weather was cold until Friday when a rapid rise of temperature took place, amounting to 19° F. in a few hours. On Sunday morning the centre of a very deep depression which had skirted the N.W. shores of the British Isles during the previous two days, lay between the Shetlands and the Norwegian coast. The barometer at 8 a.m. read 28·46 inches at Sumburgh Head, South Shetland. A secondary low-pressure system at the same time covered Scotland and Ulster. In Dublin the weather became fine after a dull morning, and at 9 a.m. a faint aurora borealis was seen. Monday was very cold—the thermometer in Dublin ranged from 32·1° to 38·9° only, and at 1 p.m. cold rain, sleet and snow fell. On Tuesday a new depression arrived off the West and South of Ireland, travelling later on across the South of England to Holland and Denmark. In Dublin it caused a fall of wet snow after midnight and frost on Wednesday morning. At that time a sharp frost held in Scotland, Nairn reporting a minimum of 23°. In the afternoon of this day a subsidiary depression travelled rapidly southeastwards from Donegal, reaching Paris on Thursday morning. This disturbance brought renewed falls of cold rain, sleet and hail, accompanied by thunder and lightning in the S.W. of Ireland, a man being killed by lightning at Newcastle West, Co. Limerick. On Friday the barometer gave way in the N.W. and a warm and very humid S.W. wind spread in from the Atlantic. Clouds, rain and warmth held sway on the last 2 days of the week. The mean temperature of Wednesday was 35·0°, of Saturday it was 51·5°. In Dublin the mean atmospheric pressure was 29·428 inches, the barometer ranging from 28·703 inches at 9 a.m. of Sunday (wind, W.) to 29·976 inches at 9 a.m. of Friday (wind, S.S.W.). The mean temperature was 39·7°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 38·9°. In the screen the thermometers fell to 30·0° on Wednesday and rose to 54·8° on Saturday. The dominant wind direction was W.N.W. Bright sunshine was estimated at 12¼ hours, 6 hours falling on Thursday. Rain fell on 5 days to the amount of ·591 inch, ·280 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·442 inches. The highest reading (30·002) was on Thursday at 9 p.m., wind W., and the lowest (28·730) on Sunday at 9 a.m., wind W.S.W.

The mean temperature for the week was 37·7°, being 1·7 below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 50·8°, and was lowest on Wednesday, the mercury having fallen to 27·8°. The mean of the Dry Bulb for the week was 37·7°, and of the Wet Bulb 36·7°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 11·9 hours. The rainfall during the week measured ·743 inch.

At Greenwich the mean temperature for the week was 38·8°, the maximum 53·7°, and the minimum 29·8°; at Glasgow the maximum was 49·8°, the minimum 26·0°, and the mean 38·0°; and at Edinburgh the maximum was 48·1°, the minimum 27·8°, and the mean 36·0°. The rainfall at Greenwich measured 0·45 inch; at Glasgow 0·38 inch; and at Edinburgh 0·28 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 14,	28·993	44·7	32·8	38·8	38·0	37·1	·92	·6	2·9	—	W.S.W.	W.
Monday, " 15,	29·336	36·7	28·7	32·7	33·8	33·3	·94	·7	0·0	·063	N.W.	W.
Tuesday, " 16,	29·209	39·6	31·7	35·7	34·0	33·3	·87	·4	0·0	·145	S.W.	Calm.
Wednesday, " 17,	29·213	37·7	27·8	32·8	32·6	31·8	·92	·4	1·2	·030	W.	W.N.W.
Thursday, " 18,	29·813	41·7	29·9	35·8	32·5	31·2	·84	·7	7·8	—	W.	W.
Friday, " 19,	29·833	49·7	29·3	39·5	43·6	41·8	·86	·8	0·0	·140	S.W.	S.W.
Saturday, " 20,	29·699	50·8	47·0	48·9	49·1	48·4	·95	·8	0·0	·365	W.	W.S.W.
Mean, . .	29·442	43·0	32·5	37·7	37·7	36·7	·90	·6	Total 11·9	·743	Prevailing Wind, W.	

Sunday—Day fine but cloudy; night clear. *Monday*—A dull day, rain with snow 12.30 to 4.30 p.m.; night clear. *Tuesday*—A dull day; night overcast, rain p.m., snow 10.30 p.m. to 2 a.m. *Wednesday*—Day overcast from 9.30 a.m., rain and snow p.m.; night overcast p.m., clear a.m. *Thursday*—A fine day, light clouds; night clear. *Friday*—Day overcast and wet; night overcast and wet. *Saturday*—Day overcast and wet; night overcast, wet to 2.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH
Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 27TH FEBRUARY, 1904. [No. 8.

General Register Office, Charlemont House,
Dublin, 29th February, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Average Rate for 4 weeks.
22 Town Dists.	26·1	27·6	26·3	27·4	26·8	Lisburn, . .	18·2	63·7	22·7	13·6	29·6
Armagh, . .	20·6	34·4	13·7	13·7	20·6	Londonderry .	11·3	13·9	18·9	20·2	16·1
Ballymena, .	28·7	28·7	9·6	38·3	26·3	Lurgan, . .	17·7	8·9	17·7	35·4	19·9
Belfast, . .	21·8	29·5	26·9	27·0	26·3	Newry, . .	16·8	25·2	8·4	16·8	16·8
Clonmel, . .	15·4	25·6	.	56·4	24·4	Newtownards, .	17·2	57·2	28·6	40·1	35·8
Cork, . . .	29·5	26·7	32·9	26·7	28.9	Portadown, .	20·7	10·3	25·8	31·0	22·0
Drogheda, . .	16·3	28·6	8·2	8·2	15·3	Queenstown, .	.	13·2	26·4	39·6	19·8
Dublin Reg. Area,	30·6	27·2	29·7	27·2	28·7	Sligo,	52·8	.	33·6	33·6	30·0
Dundalk, . .	27·9	19·9	16·0	55·8	29·9	Tralee, .	21·1	10·6	15·9	58·1	26·4
Galway, . .	38·8	50·5	38·8	27·2	28·8	Waterford, .	33·1	23·4	19·5	17·5	23·4
Kilkenny, . .	63·9	29·5	.	19·7	28·3	Wexford, . .	32·7	28·0	23·3	23·3	26·8
Limerick, . .	27·3	34·2	23·2	28·7	28·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·2 in Portadown. Among the 186 deaths from all causes registered in Belfast are 2 from measles, 5 from whooping-cough, one from diphtheria, one from simple continued fever, one from enteric fever, and 3 from diarrhœal diseases; the 39 deaths in Cork include one from whooping-cough and one from simple continued fever; and the 21 deaths in Limerick include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 224—128 boys and 96 girls; and the deaths to 206—105 males and 101 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·3 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 27·2 per 1,000. During the eight weeks ending with Saturday last the death-rate averaged 29·0, and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

Two deaths from measles and one death each from scarlet fever and varicella were registered, also 2 deaths from influenza. The fatalities from whooping-cough, which in the 4 weeks preceding had been 11, 9, 6, and 9, rose again to 11. Two deaths from

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

enteric fever were recorded; this disease had, in the 4 weeks preceding, caused one, one, 2, and 3 deaths, respectively. There was not one death from small-pox, typhus, diphtheria, or from diarrhœal disease.

The total number of deaths due to tuberculosis was 34. This figure includes 5 deaths from tuberculous phthisis, 15 deaths from *phthisis*, one death from tuberculous meningitis, 2 deaths from tuberculous peritonitis, 2 deaths from tabes mesenterica, and 9 deaths from other forms of the disease.

Five deaths were attributed to carcinoma, and 6 to *cancer, malignant disease.*

Of 15 deaths from diseases of the nervous system, 6 (of infants under one year) were ascribed to *convulsions.*

There were 28 deaths from diseases of the heart and blood-vessels.

The annual rate for deaths from diseases of the respiratory system registered during the week was 7·4 per 1,000 of the population of the Area, the average rate for the corresponding week of the last 10 years being 8·6 per 1,000. The total (54) includes 31 deaths from bronchitis, 2 from croupous-pneumonia, 9 from broncho-pneumonia, and 8 from *pneumonia.*

Of 4 deaths registered as being due to accidental violence, 2 of children under 5 years of age were caused by burns.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year old and the death of one person aged 60 years.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 7 were under one month old), and 61 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 10 were octogenarians, and 2 (females) were stated to have been aged 90 and 91 years respectively.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 24 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·2 per 1,000, the rate in the City was 28·1 (North City Districts, 25·3; South, 31·1), and in the Suburbs, 24·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·5 (2·4 in the North City Districts, and 2·6 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (6) are equal to an annual rate of 11·0 per 1,000. There were two deaths from pulmonary forms of tuberculosis, and 3 deaths from diseases of the respiratory system, including one death from broncho-pneumonia and one death from *pneumonia.*

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There were two deaths from whooping-cough, and one death from pulmonary tuberculosis was registered; there were 4 deaths from diseases of the respiratory system.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. One death from whooping-cough and 6 deaths from tuberculosis were registered; the two deaths assigned to diseases of the respiratory system include one from *pneumonia*; one death was due to accidental violence.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 37·9 per 1,000. Two deaths from measles, one death from whooping-cough, one death from enteric fever, 4 deaths from tuberculosis, and 7 deaths from diseases of the respiratory system were registered, the latter figure includes one death from broncho-pneumonia and one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 46·8; and Finglas and Glasnevin, part of, 23·5. Amongst the 9 deaths tabulated for Coolock and Drumcondra, No. 1, part of, was one from *pneumonia.*

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 34·0 per 1,000. One death from whooping-cough and 4 deaths from tuberculous disease were registered, the 5 deaths from diseases of the respiratory system include one death from *pneumonia*; there was one death attributed to accidental violence.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. There was one death from tuberculous disease, and 3 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 per 1,000. Whooping-cough and enteric fever each caused one death; there were 7 deaths from tuberculous diseases, and the 6 deaths from diseases of the respiratory system include one death from broncho-pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. There were 3 deaths from whooping-cough, one death from varicella, and 4 deaths from tuberculous disease; the 5 deaths from diseases of the respiratory system include one death from broncho-pneumonia.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 34·1; Blackrock, 11·9; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. Of the 16 deaths tabulated for Rathmines and Rathgar 4 were from diseases of the respiratory system, including one from *pneumonia* and one from croupous pneumonia. The 17 deaths tabulated for Pembroke include 2 from influenza, one from *phthisis*, one from tuberculous phthisis, one from croupous pneumonia, one from *pneumonia*, and 2 from broncho-pneumonia. The 5 deaths tabulated for Kingstown include one from *phthisis* and one from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 27th February, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 6,	.	12	.	11	.	.	3	1	.	12	15	.	.	.	54
	Feb. 13,	.	4	.	2	.	.	2	.	2	6	14	.	.	2	32
	Feb. 20,	.	11	.	5	.	.	3	.	2	18	19	.	.	.	58
	Feb. 27,	.	17	.	3	.	.	4	.	1	14	13	.	.	.	52
Rathmines and Rathgar Urban District.	Feb. 6,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Feb. 13,	.	.	.	3	.	.	.	.	.	1	.	.	.	.	4
	Feb. 20,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
	Feb. 27,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
Pembroke Urban District.	Feb. 6,	.	.	.	1	.	.	.	.	1	3	.	.	4	9	18
	Feb. 13,	.	.	.	4	.	.	1	.	.	1	1	.	2	9	18
	Feb. 20,	.	.	.	.	.	.	3	.	.	.	.	.	.	14	17
	Feb. 27,	.	1	.	.	.	.	.	.	.	.	.	.	2	30	33
Blackrock Urban District.	Feb. 6,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	Feb. 13,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	2	.	3
	Feb. 27,	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4
Kingstown Urban District.	Feb. 6,	.	.	.	3	.	.	.	.	.	.	.	.	.	.	3
	Feb. 13,	.	.	.	5	.	.	.	.	.	.	.	.	.	.	5
	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Feb. 27,	.	.	.	3	.	.	2	.	.	.	.	.	.	.	5
City of Belfast.	Feb. 6,	3	–	.	15	.	.	5	.	7	8	18	1	.	.	57
	Feb. 13,	1	–	.	8	.	.	.	.	2	4	10	.	.	.	25
	Feb. 20,	1	–	.	8	.	.	8	2	4	3	3	2	.	.	31
	Feb. 27,	2	–	.	2	.	.	4	.	2	5	6	2	.	.	23

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th February, 1904.

From this it appears that :—

Four cases of measles were admitted to hospital during the week, 5 were discharged, there was one death, and 26 patients remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 14 cases were discharged, there was one death, and 94* cases remained under treatment at the close of the week.

Two cases of typhus fever were under treatment in hospital at the close of the week.

Four cases of diphtheria were admitted to hospital, 3 were discharged, and 19 cases remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 7 cases were discharged, there was one death, and 71 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 5 patients were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·5), was equal to an average annual death-rate of 17·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·8 per 1,000, the rate for Glasgow being 22·5, and for Edinburgh 20·4.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th February, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 27th February, 1904. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	32·9	27·4	1·7	690	574	104	169	.	4	.	.	20	1	2	4	4	83	139	13	26	168
Dublin Registration Area:— Total,‡	378,994	27·5	30·8	27·2	2·1	224	198	38	58	.	2	.	.	11	.	.	2	.	19	53	3	4	65
City of Dublin	298,385	37·1	34·7	28·1	2·5	195	158	31	45	.	2	.	.	10	.	.	2	.	16	40	2	3	56
Urban Districts. Rathmines and Rathgar	33,208	19·4	15·7	25·1	.	10	16	1	8	.	.	.	.	.	.	.	.	.	.	4	.	.	5
Urban Districts. Pembroke	26,025	16·4	16·0	34·1	2·0	8	17	4	3	.	.	.	.	1	.	.	.	.	2	5	.	.	3
Urban Districts. Blackrock	8,759	8·1	17·9	11·9	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urban Districts. Kingstown	17,622	12·1	23·7	14·8		8	5	2	.	.	.	.	.	.	.	.	.	.	1	3	1	1	.
Urban Districts.																							
Belfast	358,680	24·4	39·0	27·0	1·9	268	186	44	48	.	2	.	.	5	1	1	1	3	20	47	6	16	44
Cork	76,122	33·6	41·1	26·7	1·4	60	39	4	6	.	.	.	.	1	.	1	.	.	17	5	1	1	15
Londonderry	41,397	19·1	35·3	20·2	.	28	16	1	5	.	.	.	.	.	.	.	.	.	4	9	.	.	1
Limerick	38,151	18·1	21·9	28·7	2·7	16	21	2	5	.	.	.	.	2	.	.	.	.	6	5	.	1	8
Waterford	26,769	18·7	29·2	17·5	.	15	9	1	3	.	.	.	.	.	.	.	.	.	2	1	.	.	4
Galway	18,426	2·5	38·8	27·2	.	10	7	.	4	.	.	.	.	.	.	.	.	.	1	.	1	.	3
Dundalk	13,076	9·4	43·9	55·8	.	11	14	1	5	.	.	.	.	.	.	.	.	.	2	4	.	.	6
Drogheda	12,760	8·6	16·8	8·2	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Newry	12,405	17·8	16·8	16·8	.	4	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lurgan	11,782	13·8	26·6	35·4	.	6	8	.	3	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Lisburn	11,461	10·1	4·5	13·6	4·5	1	3	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Wexford	11,168	23·2	14·0	23·3	.	3	5	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Ballymena	10,886	8·9	4·8	33·3	.	1	8	1	2	.	.	.	.	.	.	.	.	.	3	.	.	.	2
Sligo	10,870	3·7	24·0	33·6	.	5	7	1	4	.	.	.	.	.	.	.	.	.	2	2	.	.	.
Kilkenny	10,609	11·5	9·8	19·7	.	2	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Clonmel	10,167	7·8	25·6	56·4	5·1	5	11	3	3	.	.	.	.	.	.	.	.	1	3	2	.	1	8
Portadown	10,092	13·2	20·7	31·0	5·2	4	6	2	2	.	.	.	.	.	.	.	1	.	.	2	1	1	.
Tralee	9,867	16·6	37·0	58·1	.	7	11	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	5
Newtownards	9,110	18·9	40·1	40·1	.	7	7	2	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Queenstown	7,909	14·4	39·6	39·6	.	6	6	.	5	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Armagh	7,588	22·2	20·6	13·7	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 27th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total	§54·0	30·5	42·6	0·63	§50·8	27·8	37·7	0·74	§51·8	28·9	38·3	0·57
City of Dublin	a56·5 b54·9	34·1 32·0	44·5 43·2	0·42 0·49	a54·8 b50·9	30·0 29·0	39·7 38·1	0·59 0·96	a52·2 b51·9	32·9 29·0	40·0 38·3	0·84 0·60
Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	56	36·5	.	0·41	56	30	41·0	0·50	52	32·5	40·9	0·86
Urban Districts.												
Belfast	54·0	35·0	48·0	1·79	49·8	26·0	36·7	0·81	48·2	26·3	36·2	0·73
Cork	51	36	45·1	0·60	51	33	40·8	0·57	50	34	42·2	2·00
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	.	.	.	.	48	31	46	1·47	.	.	.	.
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89
Lurgan	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89
Lisburn	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	51·4	31·5	43·7	0·95	50·2	26·3	37·7	0·95	47·4	23·7	36·2	1·42
Kilkenny	53	33	44·1	0·50	53	26	38·2	0·68	51	30	37·6	1·96
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	52	36	42·8	0·91	50	27	36·6	0·61	48	26	38·1	0·60
Queenstown	51	36	45·1	0·60	51	33	40·8	0·57	50	34	42·2	2·00
Armagh	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75	47·5	26·0	37·0	0·89

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 8 deaths of persons (including 8 at 60 years or upwards), admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th of February, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased, were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	2	1	1	.	.	.	1	.	1	3	1	.	1	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	2	1	4	1	.	.	.	3	.	2	3	.	.	2	.	1	19	1
Other General Diseases,	.	2	5	7	.	2	.	3	1	6	7	1	4	4	.	.	42	.
Total,	2	5	10	12	.	2	.	7	1	10	13	2	4	7	.	1	76	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	.	.	.	1	.	3	.	3	.	.	3	1	1	.	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	1	3	1	.	3	.	4	1	4	1	1	4	3	.	.	26	2
Respiratory System,	3	4	2	7	1	1	2	5	3	6	5	1	4	5	1	3	53	1
Digestive System,	.	.	.	.	.	1	1	1	.	1	1	.	.	1	.	.	6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	1	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	8		10	2	6	3	13	5	14	7	2	11	10	2	3	105	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	1	.	4	1	2	1	2	1	.	.	.	14	1
E VIOLENT DEATH	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	3	1
Deaths from all Causes,	6	14	16	23	2	9	3	25	7	26	21	6	16	17	2	5	198	8
Annual Rate of Mortality every 1,000 of the population	11·0	18·6	27·7	37·9	21·7	46·8	23·5	34·0	20·0	32·3	31·2	35·2	25·1	34·1	11·9	14·8	27·2	.
	25·3							31·1					24·4					
	28·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	5	6	.	.	1	2	.	3	7	1	4	3	.	.	31	7
Workhouse Hospitals,	1	1	2	3	.	.	1	9	2	5	5	.	1	..	1	.	31	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894–19

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1894–1903.	In the Week ending Saturday, 27th February, 1904. Deaths of Persons of the Ages of							
	Feb. 24, 1894.	Feb. 23, 1895.	Feb. 22, 1896	Feb. 27, 1897.	Feb. 26, 1898.	Feb. 25, 1899	Feb. 24, 1900.	Feb. 23, 1901.	Feb. 22, 1902	Feb. 28, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	38·6°	33·4°	40·8°	47·5°	37·1°	41·2°	41·4°	37·4°	40·5°	40·9°	39·9°	Mean Temp. 42·6°							
ALL CAUSES.	196	235	133	252	209	203	342	232	248	195	224·5	206	7	31	23	8	31	45	49
Small-pox, Vaccinated, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	.	34	.	.	5	.	3	1	4·5	2	.	.	2	.	.	.	.
Scarlet Fever	.	1	1	2	.	3	1	.	.	3	1·1	1	.	.	.	1	.	.	.
Typhus, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	9	4	5	5	13	6	17	4	4	8	7·5	2	.	.	.	.	.	1	1
Whooping Cough, ...	5	1	.	12	.	2	.	3	2	5	3·0	11	.	5	6	.	.	.	.
Diphtheria, ...	.	1	.	3	4	.	.	1	1	1	1·1	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	1	1	2	4	4	1	4	3	1	2·3	2	.	.	.	.	2	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	1	.	2	1	3	4	4	2	. / 4	2·4	. / .	.	.	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	1	.	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	1	.	.	.	.	.	. / . / .	·1	. / . / .	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	1	1	.	.	1	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	1	.	.	.	.	1	. / .	·2	2 / .	.	.	.	.	2	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	19	27	18	23	28	32	40	19	27	2 / 23	25·8	5 / 15	.	.	.	1	1	2	1
Tuberculous Meningitis, (Acute Hydrocephalus).	4	4	5	6	4	3	15	1	1	3	4·6	1	.	.	1	.	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	4	1	3	5	3	2	4	5	1	2 / 1	3·1	2 / 2	. / 1	.	.	2 / 1	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	.	3	4	8	5	5	4	6	3	5 / .	4·3	9 / .	.	2	1	3	3	.	.
Alcoholism, ...	.	.	.	1	.	.	.	.	1	.	·2	2	.	.	.	.	1	1	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	2	·3	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.

* The figures for the years 1894–1900 are fo

HTH WEEK ending Saturday, 27th February, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Feb. 24, 1894.	Feb. 23, 1895.	Feb. 22, 1896.	Feb. 27, 1897.	Feb. 26, 1898.	Feb. 25, 1899.	Feb. 24, 1900.	Feb. 23, 1901.	Feb. 22, 1902.	Feb. 28, 1903.	Averages in 8th Week of the 10 years 1894–1903.	In the Week ending Saturday, 27th February, 1904. Deaths of Persons of the Ages of: ALL AGES.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 38·6	° 23·4	° 40·8	° 47·5	° 37·1	° 41·2	° 41·4	° 37·4	° 40·5	° 40·9	° 39·9		° 42·6								
...noma										2			5	.	.	.	.	.	4	1	.
...ma	7	1	2	7	9	6	10	1	11	.	6·2		.	.	.	.	.	.	.	.	.
..., *Malignant Disease* ...										6			6	.	.	.	.	.	3	3	.
...tes Mellitus	.	.	.	.	.	.	.	.	.	1	·1		.	.	.	.	.	.	.	.	.
...ature Birth	2	2	2	2	.	8	4	5	4	3	3·2		3	3	.	.	.	.	.	.	.
...gitis (not tuberc.)										7			3	.	1	1	.	1	.	.	.
...ty, G. P. of Insane										1			3	.	.	.	.	.	.	1	2
...psy										.			.	.	.	.	.	.	.	.	.
...*lsions*										8			6	.	6	.	.	.	.	.	.
...notor Ataxy										.			.	.	.	.	.	.	.	.	.
...legia Dis. of Cord										2			2	.	.	.	.	.	.	1	1
...us System (other Dis.) ...	37	49	30	33	37	36	61	41	48	3	42·1		1	.	.	1	.	.	.	.	.
...Dis., Endocarditis										3			4	.	.	.	.	3	1	.	.
...r. Hæm. Thromb.										2			1	.	.	.	.	.	1	.	.
...xy, *Hemiplegia*										6			8	.	.	.	.	1	4	3	.
...ysm										3			1	.	.	.	.	1	.	.	.
...lism, Thromb. (not cerebral) and Blood Vessel Dis.										2			.	.	.	.	.	.	.	.	.
										12			14	.	1	.	.	2	5	6	.
...(not Spasm. or Memb.) ...	.	.	1	1	1	1	.	.	.	.	·4		.	.	.	.	.	.	.	.	.
...hitis	39	60	10	33	39	31	74	45	56	25	41·2		31	.	5	3	.	1	9	10	3
...ous Pneumonia										.			2	.	.	.	.	1	.	.	1
...ho-Pneumonia	16	17	7	17	8	15	19	27	22	1	15·3		9	.	3	3	.	.	2	1	.
...*monia*"										4			8	.	2	2	.	.	1	.	3
...ia, Emphysema										1			1	.	.	.	.	.	1	.	.
...isy	7	5	7	12	3	3	1	.	4	.	4·5		.	.	.	.	.	.	.	.	.
...ratory Dis. (other)										2			3	.	.	.	.	.	1	2	.
...litis, Quinsy	.	.	1	.	1	.	2	.	.	.	·4		.	.	.	.	.	.	.	.	.
...itis (not Epid.)	1	.	.	.	3	1	2	.	.	1	1·1		.	.	.	.	.	.	.	.	.
...*Enteritis*										3			.	.	.	.	.	.	.	.	.
...nitis (not Puerp.)	.	.	1	.	1	.	2	.	.	.	·4		.	.	.	.	.	.	.	.	.
...osis of Liver	5	1	5	1	2	2	3	1	2	.	2·2		3	.	.	.	.	1	.	2	.
... Dis. (other)										.			1	.	.	.	.	1	.	.	.
...ive Dis. (other)	3	9	1	5	2	5	7	5	8	5	5·0		2	.	.	.	.	.	1	1	.
...ritis, Acute										1			1	.	1	.	.	.	.	.	.
...t's Dis., Albuminuria ...	4	4	2	6	5	6	10	9	12	3	6·3		4	.	.	.	.	.	1	3	.
...ry Sys. (Other Dis.) ...										1			.	.	.	.	.	.	.	.	.
...ative Organs Dis.	.	.	.	.	.	1	1	.	1	1	·4		.	.	.	.	.	.	.	.	.
...birth (Accid. of)	.	.	.	.	.	.	1	2	.	.	·3		.	.	.	.	.	.	.	.	.
...*ge*	9	13	11	11	18	10	28	18	8	3	12·9		9	.	.	.	.	.	7	2	
... Diseases	10	14	11	17	10	14	20	23	16	13	14·8		14	3	3	2	.	1	1	4	.
ACCIDENT.																					
...ilways	.	.	.	.	.	.	.	.	.	1	·1		.	.	.	.	.	.	.	.	.
...hicles and Horses	.	1	2	.	.	.	.	.	1	.	·4		.	.	.	.	.	.	.	.	.
...ps, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	1	.	.	.	·1		.	.	.	.	.	.	.	.	.
...lding Operations	.	.	.	.	.	.	.	.	.	1	·1		.	.	.	.	.	.	.	.	.
...nflagrations	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.
...rns, Scalds, Explosions ...	.	5	.	.	3	.	2	2	3	2	1·7		2	.	1	1	.	.	.	.	.
...rowning	2	1	1	.	1	1	.	.	.	1	·7		.	.	.	.	.	.	.	.	.
...ffocation in Bed	1	.	.	.	.	.	.	1	.	.	·2		.	.	.	.	.	.	.	.	.
...ison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.
... Deaths by Accidents ...	2	1	1	1	2	2	1	3	3	2	1·8		2	.	1	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																					
...cide	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
...le	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
...ition	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.

...istration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908-4—Week ending																									
	Sept. 5.	Sept. 12.	Sept. 19.	Sept 26	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
Births registered,	231	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	178	228	195	202	208	190	255	181	290	224
*Average Births in corresponding week of previous 10 years,**	206	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215
Deaths registered,	116	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	238	207	223	206
Annual Death-rate per 1,000,	16·0	19·9	20·1	2.·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3
*Average Deaths in corresponding week of previous 10 years,**	169	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225
Ages,— Under 5 years,	37	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61
5—20 "	5	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8
20—40 "	19	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	38	35	33	31	30	31
40—60 "	27	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45
60—80 "	24	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	32	48	65	48	49	49
80 years and upwards,	4	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2
" Scarlet Fever	1	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	.	.	1	.	.	1	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	1	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11
" Diphtheria,	.	1	1	1	.	1	.	.	1	.	.	2	.	2	.	2	.	.	1	.	.	.	1	1	1	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	1	1	3	1	2	2	4	4	.	1	3	2	5	2	1	.	2	1	6	3	3	1	1	2	3	2
" Diarrhœal Diseases,	10	7	5	14	8	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.
" Phthisis,	16	29	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20
" Diseases of Heart and Blood Vessels,	17	22	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22	28
" Diseases of Respiratory System,	16	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54
Violent Deaths,	4	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4
Mean Temperature of the Air (Phœnix Park),	54·9	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6
Average Mean Temperature in corresponding week of previous 10 years,	56·2	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9
Rainfall in inches,	·323	1·938	·010	·640	·265	·710	·478	·388	·618	208	·898	·070	1·153	·448	1·008	·245	·290	·08	1·515	·546	·185	·280	1·360	·565	·743	·628
Mean Humidity of the Air, complete Saturation 1·0,	·82	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·8[illegible]

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th February, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 27th February, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	28·6	206	61	8	31	45	49	12	.	2	1	.	11	.	.	2	.	16	20	6	54	4	106
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	26·9	9	1	.	.	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	6
II.	MIDDLE CLASS,	87,188	20·9	35	5	1	3	8	11	7	.	.	.	.	1	.	.	.	.	1	.	1	10	.	23
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	19·8	42	16	2	8	7	9	.	.	.	1	.	2	.	.	2	.	5	4	.	12	1	20
IV.	GENERAL SERVICE CLASS,	154,279	39·0	88	37	5	12	19	13	2	.	2	.	.	8	.	.	.	.	10	9	5	20	3	41
V.	INMATES OF WORKHOUSES,	6,024		32	2	.	8	9	11	2	.	.	.	.	.	.	.	.	.	.	7	.	9	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	58·5	8	1	.	.	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	1	1	.	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
	6. Clerks and Commercial Assistants,	30,482	12·0	7	2	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	30·9	16	1	.	2	2	7	4	.	.	.	.	1	.	.	.	.	1	.	.	7	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	9. Building and Furnishing Trades,	29,801	28·0	16	8	.	1	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1	9
	10. Clothing Trades,	28,260	15·7	7	2	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	4	.	1
	11. Food Supply Trades,	9,242	11·3	2	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	16·9	11	3	1	2	2	3	.	.	.	.	.	1	.	.	1	.	2	2	.	1	.	6
	13. Petty Shopkeepers,	7,894	33·0	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	42·7	11	5	.	1	.	3	2	.	.	.	.	1	.	.	.	.	1	1	3	2	.	4
	15. Domestic Servants,	36,603	8·5	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	32·6	9	3	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	6
	17. Hawkers, Porters, Labourers, &c.,	89,861	36·0	62	27	5	7	15	8	.	.	2	.	.	7	.	.	.	.	9	7	2	14	3	27
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	32	2	.	8	9	11	2	.	.	.	.	.	.	.	.	.	.	7	.	9	.	16

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Jan. 9,	35·0	5·7	19	.	.	.	.	2	.	.	.	.	4	6	.
	" 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	" 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	" 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
	Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
	" 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
	" 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
	" 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 32,146.	Jan. 9,	33·3	2·7	25	.	1	.	.	.	.	.	1	.	3	6	1
	" 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	" 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	" 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	3	.
	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
	" 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
	" 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
	" 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Jan. 9,	32·9	8·7	19	.	.	.	.	4	.	.	.	1	3	4	.
	" 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	" 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
	" 30,	39·8	6·9	23	.	.	.	.	4	.	.	.	.	3	4	.
	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
	" 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
	" 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
	" 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,078	Jan. 9,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	1	6	.
	" 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	" 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	" 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
	Feb. 6	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
	" 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
	" 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
	" 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	Jan. 9,	25·8	2·7	19	.	.	1	.	.	.	.	1	.	2	5	.
	" 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	" 23,	38·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
	" 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
	" 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
	" 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
	" 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Jan. 9,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	1	6	.
	" 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	" 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	" 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
	" 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
	" 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
	" 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Jan. 9,	21·1	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	" 16,	28·6	1·2	23	.	.	.	.	.	.	.	.	1	4	5	.
	" 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	" 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
	" 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
	" 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
	" 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Jan. 9,	29·7	3·0	20	.	.	1	.	.	.	.	.	1	2	4	2
	" 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	" 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1
	" 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
	" 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
	" 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.
	" 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhoeal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicide), and Suicide).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Jan. 9,	25·1	1·6	16	.	.	.	.	1	.	.	.	.	1	5	.
	„ 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	„ 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Jan. 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	3	4	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Jan. 9,	17·8	5·9	6	.	.	.	.	.	1	.	.	1	1	1	.
	„ 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
Belfast. Pop. in 1904 (Est.) 358,680.	Jan. 9,	27·6	8·1	190	.	3	1	.	12	2	.	1	2	22	79	2
	„ 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	23	82	3
	„ 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	„ 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	48	1
	„ 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
Cork. Pop. (in 1901) 76,122.	Jan. 9,	31·5	2·1	46	.	.	.	.	2	.	.	.	1	5	13	2
	„ 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	„ 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	„ 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	„ 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20,	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
Londonderry. Pop. in 1904 (Est.) 41,897	Jan. 9,	16·4	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 16,	22·7	2·5	18	.	.	.	1	1	.	.	.	.	1	4	.
	„ 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	„ 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
Limerick. Pop. (in 1901) 38,151.	Jan. 9,	31·4	2·7	23	.	.	.	.	2	.	.	.	.	4	10	.
	„ 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	„ 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	„ 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	5	6	.
	„ 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
Waterford. Pop. (in 1901) 26,769.	Jan. 9,	21·4	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	„ 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th February, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	19	56·6	.	16	4	1	8	3	.	.	.	.	.	.	.	.	.	.	3	2	5	3
Do 2 "	47,959	26	30·4	.	28	8	1	13	6	.	.	.	.	.	.	.	.	.	4	8	.	.	4
Do. 3	47,214	40	19·9	2·2	18	5	.	10	3	.	.	.	.	1	.	.	.	1	2	5	2	2	3
Do. 4 "	40,911	25	34·4	1·3	27	4	3	16	4	.	.	.	.	.	.	.	1	.	6	4	.	4	9
D 5 "	17,387	11	33·0	.	11	3	.	3	5	.	.	.	.	.	.	.	.	.	2	2	.	1	3
Do 6 ,	48,122	27	23 8	2·2	22	2	1	10	9	.	.	.	.	1	1	.	.	.	3	5	.	.	7
Do 7 "	1,524	1	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do 8 "	5,060	4	51·5	.	5	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Do. 9	19,569	19	18·7	5·3	7	2	2	3	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2
Do. 10 "	23,064	29	31·7	2·3	14	3	1	6	4	.	.	.	.	1	.	.	.	.	2	5	.	.	2
Do. 11 "	34,802	19	30·0	6·0	20	5	4	9	2	.	2	.	.	.	.	.	.	2	1	6	1	1	4
Do. 12 "	33,588	41	17·1	.	11	6	1	2	2	.	.	.	.	.	.	.	.	.	.	7	.	1	3
Do 13 "	15,006	7	17·4	3·5	5	.	1	2	2	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	268	27·8	1·9	186	44	16	83	43	.	2	.	.	5	1	1	1	3	20	47	6	16	44
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	8	44·6	.	11	1	1	8	1	.	.	.	.	.	.	.	.	.	3	1	.	.	3
Do. 2 "	10,701	9	34·1	9·7	7	2	2	3	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1
Do. 3 "	9,978	10	20·9	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.
Do. 4 "	8,666	9	18·1	.	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Do. 5 "	6,592	2	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 6 "	10,702	10	19·5	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 7	16,616	12	23·2	.	9	.	.	6	3	.	.	.	.	.	.	.	.	.	5	.	.	.	3
Total,	76,122	60	26·7	1·4	39	4	6	23	6	.	.	.	.	1	.	1	.	.	1	5	1		15

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered,	192	172	219	219	219	242	257	203	201	212	193	221	206	234	204	187	123	252	226	213	215	188	190	201	209	268
DEATHS registered.	110	114	122	105	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190	199	140	149	150	203	185	186
Annual Death-rate per 1,000 of estimated Population,	16·0	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0
AGES, Under 1 year,	32	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44
1–5 years,	11	9	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16
5–60 years,	52	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83
60 years and upwards,	15	21	18	13	16	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2
" Scarlet Fever,	.	.	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	2	3	1	2	8	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10	11	13	8	5
" Diphtheria,	.	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1
" Simple Continued Fever,	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" Enteric Fever,	1	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2		3	1	1	3	.	2	1
" Diarrhœal Diseases,	16	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2		1	.	.	.	.	.	3
" Phthisis	17	7	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20
" Diseases of Respiratory System,	16	21	21	10	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	42	53	54	47
Violent Deaths,	2	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th February, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	.	.	.	2	2	.	.	4
" " 2,	.	10	.	.	.	.	1	.	.	2	3	.	.	16
" " 3,	.	3	.	2	.	.	1	.	1	2	7	.	.	16
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	4	.	.	.	.	1	.	.	2	.	.	.	17
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	4	.	.	.	4
" " 4,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	17	.	3	.	.	4	.	1	14	13	.	.	52

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th February, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th February.			
	Feb. 6.	Feb. 13.	Feb. 20.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	40	36	28	4	5	1	26
Scarlet Fever,	103	105	102	7	14	1	94*
Typhus "	3	4	2	.	.	.	2
Diphtheria,	18	16	18	4	3	.	19
Enteric Fever,	64	71	72	7	7	1	71
Pneumonia,	16	18	15	7	5	.	17

*Exclusive of 5 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Feb. 27,	2,456	1,467	16·5	1	32	5	18	41	5	28
EDINBURGH,	331,977	„ 27,	133	130	20·4	.	.	.	1	3	.	1
GLASGOW,	798,357	„ 27,	463	344	22·5	2	19	2	1	5	3	5
CALCUTTA,	847,796	Dec. 26,	.	466	28·5	.	.	.	1	.	127‡	79*
BOMBAY,	776,006	Jan. 26,	408	763	51·1	7	7	.	.	.	62‡	51
MADRAS,	509,346	„ 8,	411	435	44·4	.	3	?	?	?	116	53
PARIS,	2,660,559	Feb. 13,	862	906	18·7	1	13	1	6†	6	3	22
BRUSSELS (with 8 Faubourgs).	575,896	„ 6,	231	185	16·7	1	.	.	.	1	.	8
AMSTERDAM,	546,533	„ 6,	301	175	16·7	.	17	1	3†	4	1	3
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	416,000	Feb. 6,	214	125	15·7	.	.	.	3†	4	.	6
CHRISTIANIA,	225,709	„ 13,	96	45	10·4	.	.	.	.	.	.	1
ST. PETERSBURG,	1,248,122	„ 13,	731	624	26·1	1	15	6	14	5	13	58
BERLIN,	1,960,909	Jan. 30,	930	555	14·8	.	12	3	6†	9	1	25
HAMBURG,	751,842	Feb. 6,	.	237	16·4	.	.	5	4†	3	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Feb. 13,	.	223	22·3	.	2	.	1†	2	.	8
VIENNA (with suburbs).	1,779,869	„ 13,	916	615	18·0	.	9	2	5†	1	2	30
BUDA-PESTH,	790,529	„ 13,	443	297	19·0	1§	7	5	2†	4	1	6
PRAGUE and Faubourgs.	423,990	„ 13,	194	167	20·5	.	1	.	.	3	2	8
ROME,	491,074	Nov. 21,	222	149	15·8	.	.	.	.	1	13	15
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Jan. 16,	76	96	30·1	.	.	.	1†	3	.	5
NEW YORK,	3,732,903	„ 30,	1,701	1,549	21·1	.	19	27	53†	1	8	31
PHILADELPHIA,	1,408,154	„ 23,	.	618	22·8	13	4	11	15†	4	9	14

* Including 10 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 15 deaths from bubonic fever in Calcutta, and 231 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th February, 1904:—

"The week opened with a strong S.W. to W. gale, caused by an atmospheric depression which sped quickly eastwards across the northern parts of the United Kingdom in the course of Sunday and the following night. Its centre was to the westward of Donegal at 8 a.m. on Sunday, but had reached Pomerania 24 hours later. The S.W. wind of this cyclonic system was very warm, so that the thermometer rose to 56·5° in Dublin on Sunday and to 54° at both Bath and Oxford. A fine, cool pleasant day followed this disturbance on Monday. Next day (Tuesday) an important change in the distribution of barometric pressure over North-Western Europe began. An anticyclone developed over Scandinavia, where depressions had previously existed, and the high barometer spread southwestwards to Great Britain and France. Off the west coast of Ireland, on the contrary, an area of relatively low atmospheric pressure persisted, causing southerly winds and rain in this country. The precipitation was great in the S.W. and W. of Ireland, but it did not reach the east coast until Wednesday evening. To Great Britain the anticyclonic and Continental air brought cold, dry, cloudy weather. Early on Friday a narrow V-shaped depression passed eastward across Ireland and the Irish Sea, the wind shifting abruptly from S. to N. as the trough of low pressure passed by. Curiously enough, the southerly winds in front of the trough were colder than the northerly winds in its rear, because they carried Continental air from Central Europe. Saturday was dull in Ireland. The mean height of the barometer in Dublin was 30·0 1 inches, pressure ranging between 29·380 inches at 3 p.m. of Sunday (wind, S.W.) and 30·261 inches at 9 a.m. of Saturday (wind, W.). The mean temperature was 44·5°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 43·4°. On Sunday the screened thermometers rose to 56·5°, on Saturday they fell to 34·1°. On the latter date the grass minimum was 30·9°. Rain fell on 3 days to the amount of ·416 inch, ·202 inch being measured on Thursday. The dominant wind was S.S.E. Bright sunshine was estimated at 11¼ hours, 3½ hours falling on Sunday and 3 on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·020 inches. The highest reading (30·295) was on Saturday at 9 a.m., wind W., and the lowest (29·550) on Sunday at 9 p.m., wind W.

The mean temperature for the week was 42·6° being 2·7 above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Sunday, on which day the thermometer registered 54·0°, and was lowest on Saturday, the mercury having fallen to 30·5°. The mean of the Dry Bulb for the week was 42·4°, and of the Wet Bulb 40·8°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 12·4 hours. The rainfall during the week measured ·628 inch.

At Greenwich the mean temperature for the week was 38·3°, the maximum 54·2°, and the minimum 29·2°; at Glasgow the maximum was 52·8°, the minimum 33·8°, and the mean 39·9°; and at Edinburgh the maximum was 48·4°, the minimum 31·6°, and the mean 37·5°. The rainfall at Greenwich measured 0·03 inch; at Glasgow 0·67 inch; and at Edinburgh 0·53 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 21,	29·553	54·0	45·0	49·5	48·8	45·6	·79	·3	2·2	·085	S.W.	W.
Monday, " 22,	30·078	49·1	39·8	44·5	42·8	41·2	·88	·2	4·5	—	S.W.	S.E.
Tuesday, " 23,	30·010	50·9	34·2	42·6	45·3	42·6	·81	·3	1·9	·040	S.E.	S.E.
Wednesday, " 24,	30·121	46·8	39·2	43·0	41·5	41·0	·96	·2	0·0	·225	S.E.	Calm.
Thursday, " 25,	30·077	43·7	39·0	41·4	41·4	40·6	·94	·8	0·0	·270	S.W.	S.S.W.
Friday, " 26,	30·015	46·0	35·2	40·6	37·7	36·8	·92	·6	3·6	·008	W.	W.
Saturday, " 27,	30·288	43·0	30·5	36·8	39·0	37·6	·88	·2	0·2	—	W.	Calm.
Mean, . .	30·020	47·6	37·6	42·6	42·4	40·8	·88	·4	Total 12·4	·628	Prevailing Winds, S.E. and W.	

Sunday—Day cloudy and showery; night overcast p.m., cloudy a.m. *Monday*—Day fine but cloudy; night cloudy. *Tuesday*—Day fine but cloudy, shower 6 p.m.; night cloudy, light rain 7.30 to 9 a.m. *Wednesday*—Day overcast and wet; night overcast and wet. *Thursday*—Day overcast, light rain; night, overcast, light rain 12.30 to 8 a.m. *Friday*—Day cloudy, showers p.m.; night clear. *Saturday*—Cloudy a.m., overcast p.m.; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 5TH MARCH, 1904. [No. 9.

General Register Office, Charlemont House, Dublin, 7th March, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 13.	Week ending Feb. 20.	Week ending Feb. 27.	Week ending Mar. 5.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 13.	Week ending Feb. 20.	Week ending Feb. 27.	Week ending Mar. 5.	Average Rate for 4 weeks
22 Town Dists.	27·6	26·3	27·4	24·0	26·3	Lisburn, . .	63·7	22·7	13·6	36·4	34·1
Armagh, . .	34·4	13·7	13·7	13·7	18·9	Londonderry .	13·9	18·9	20·2	23·9	19·2
Ballymena, .	28·7	9·6	38·3	.	19·2	Lurgan, . .	8·9	17·7	35·4	22·1	21·0
Belfast, . .	29·5	26·9	27·0	23·4	26·7	Newry, . .	25·2	8·4	16·8	16·8	16·8
Clonmel, . .	25·6	.	56·4	20·5	25·6	Newtownards, .	57·2	28·6	40·1	11·4	34·3
Cork, . . .	26·7	32·9	26·7	27·4	28·4	Portadown, .	10·3	25·8	31·0	25·8	23·2
Drogheda, . .	28·6	8·2	8·2	12·3	14·3	Queenstown, .	13·2	26·4	39·6	39·6	29·7
Dublin Reg. Area,	27·2	29·7	27·2	26·4	27·6	Sligo, . . .	.	33·6	33·6	24·0	22·8
Dundalk, . .	19·9	16·0	55·8	19·9	27·9	Tralee, . .	10·6	15·9	58·1	26·4	27·8
Galway, . .	50·5	38·8	27·2	15·5	33·0	Waterford, .	23·4	19·5	17·5	13·6	18·5
Kilkenny, . .	29·5	.	19·7	34·3	20·9	Wexford, . .	28·0	23·3	23·3	32·7	26·8
Limerick, . .	34·2	23·2	28·7	17·8	26·0						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·1 in Lisburn, the 8 deaths from all causes registered in that district including 2 from whooping-cough. Among the 161 deaths from all causes registered in Belfast are one from measles, 5 from whooping-cough, one from simple continued fever, and one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 241—120 boys and 121 girls; and the deaths to 201—96 males and 105 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·7 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 26·4 per 1,000. During the nine weeks ending with Saturday last the death-rate averaged 28·8, and was 1·9 below the mean rate for the corresponding portions of the ten years 1894–1903.

There were 10 deaths from whooping-cough, 5 from influenza, 3 from enteric fever,

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

one from *diarrhœa*, and one from cerebro-spinal meningitis. In the 4 weeks preceding there were 9, 6, 9, and 11 deaths, respectively, from whooping-cough, and one, 2, 3, and 2 from enteric fever. There were no deaths from small-pox, typhus, or diphtheria registered during the week.

Tuberculous disease caused 35 deaths, including 6 from tuberculous phthisis, 21 from *phthisis*, 3 from tuberculous meningitis, and 5 from other forms of the disease.

There were 4 deaths from *cancer*, *malignant disease*, and one from sarcoma.

The 16 deaths from diseases of the nervous system include 5 (all of children under one year old) from *convulsions*.

Diseases of the heart and blood-vessels caused 28 deaths.

Forty-two deaths were caused by diseases of the respiratory system, equal to an annual rate of 5·8 per 1,000 of the population of the Dublin Registration Area, the average rate for the corresponding week of the previous 10 years being 8·2 per 1,000. The 42 deaths include 30 from bronchitis, 6 from broncho-pneumonia, and 5 from *pneumonia*.

Two of the 6 accidental deaths registered were from burns.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of one person aged 80 years.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 7 were under one month old), and 56 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·4 per 1,000, the rate in the City was 28·8 (North City Districts, 28·4; South, 29·2), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·1 (1·7 in the North City Districts, and 2·6 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. Amongst them are 6 from diseases of the respiratory system, including 2 from broncho-pneumonia, and one from *pneumonia*.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. Whooping-cough caused one death, tuberculous disease 4, and diseases of the respiratory system 2, including one from broncho-pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. One death each were caused by whooping-cough and enteric fever, 3 by tuberculous disease, 3 by diseases of the nervous system, and 2 by diseases of the respiratory system.

No. 3 *North City District* (Benburb-street).—The deaths (21) represent an annual rate of 34·6 per 1,000. Among them are one from whooping-cough, 5 from tuberculous disease, one from cerebro-spinal meningitis, 3 from diseases of the heart and blood-vessels, and 6 from diseases of the respiratory system, including one from broncho-pneumonia, and one from *pneumonia*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 39·1. There was one death from whooping-cough tabulated for the district of Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000. They include one from whooping-cough, 3 from tuberculous disease, and 7 from diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. Whooping-cough caused one death, *phthisis* one, and diseases of the respiratory system 5, including one from broncho-pneumonia, and one from *pneumonia*.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·8 per 1,000. One death was caused by enteric fever, one by *diarrhœa*, 7 by tuberculous disease, 3 by diseases of the heart and blood-vessels, and 4 by diseases of the respiratory system.

No. 4 *South City District* (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. Among them are 2 from whooping-cough, 3 from tuberculous disease, 4 from diseases of the heart and blood-vessels, and 3 from diseases of the respiratory system.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000. They include one from whooping-cough and one from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 12·0; Blackrock, 17·9; and Kingstown, 23·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar. Of the 13 deaths from all causes tabulated for that district, 2 were from *phthisis*, and 6 from diseases of the heart and blood-vessels; the 6 deaths for Pembroke include 2 from diseases of the respiratory system, and the 8 deaths tabulated for Kingstown include one from influenza, 2 from diseases of the heart and blood-vessels, and one from *pneumonia*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 5th March, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 13,	.	4	.	2	.	.	2	.	2	6	14	.	.	2	32
	Feb. 20,	.	11	.	5	.	.	3	.	2	18	19	.	.	.	58
	Feb. 27,	.	17	.	3	.	.	4	.	1	14	13	.	.	.	52
	Mar. 5,	.	14	.	5	.	.	3	.	3	10	14	.	.	.	49
Rathmines and Rathgar Urban District.	Feb. 13,	.	.	.	3	.	.	.	.	.	1	.	.	.	.	4
	Feb. 20,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
	Feb. 27,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
	Mar. 5,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pembroke Urban District.	Feb. 13,	.	.	.	4	.	.	1	.	.	1	1	.	2	9	18
	Feb. 20,	.	.	.	.	.	.	3	.	.	.	.	.	.	14	17
	Feb. 27,	.	1	.	.	.	.	.	.	.	.	.	.	2	30	33
	Mar. 5,	.	.	.	.	.	.	.	.	.	1	1	.	.	11	13
Blackrock Urban District.	Feb. 13,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2
	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	2	.	3
	Feb. 27,	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4
	Mar. 5,	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
Kingstown Urban District.	Feb. 13,	.	.	.	5	.	.	.	.	.	.	.	.	.	.	5
	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Feb. 27,	.	.	.	3	.	.	2	.	.	.	.	.	.	.	5
	Mar. 5,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
City of Belfast.	Feb. 13,	1	–	.	8	.	.	.	.	2	4	10	.	.	.	25
	Feb. 20,	1	–	.	8	.	.	8	2	4	3	3	2	.	.	31
	Feb. 27,	2	–	.	2	.	.	4	.	2	5	6	2	.	.	23
	Mar. 5,	1	–	.	6	.	.	3	2	1	4	5	.	.	.	22

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th March, 1904.

From this it appears that:—

Thirteen cases of measles were admitted to hospital during the week, 7 were discharged, and 32 patients remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 24 cases were discharged, and 78* cases remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital during the week, and one remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 4 were discharged, and 19 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 16 cases were discharged, there were 2 deaths, and 59 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 2 patients were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·9), was equal to an average annual death-rate of 18·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·2 per 1,000, the rate for Glasgow being 22·5, and for Edinburgh 16·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th March, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 5th March, 1904. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	34·1	24·0	1·4	715	504	90	127	.	1	.	.	24	.	1	3	1	68	117	13	24	151
Dublin Registration Area:— Total,‡	376,994	27·5	33·2	26·4	1·8	241	192	29	55	.	.	.	.	10	.	.	2	1	26	41	5	10	65
City of Dublin	298,385	37·1	37·3	28·8	2·1	210	162	27	41	.	.	.	.	9	.	.	2	1	23	38	5	9	54
Urban Districts. Rathmines and Rathgar	33,203	19·4	18·8	20·4	1·6	12	13	.	5	.	.	.	.	1	.	.	.	.	2	.	.	1	4
Urban Districts. Pembroke	26,025	16·4	30·1	12·0	.	15	6	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Urban Districts. Blackrock	8,759	8·1	6·0	17·9	.	1	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Urban Districts. Kingstown	17,622	12·1	8·9	23·7	.	3	8	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Urban Districts.																							
Belfast	358,680	24·4	32·9	23·4	1·2	226	161	41	30	.	1	.	.	5	.	1	1	.	17	47	6	12	35
Cork	76,122	33·6	26·7	27·4	.	39	40	5	9	.	.	.	.	.	.	.	.	.	12	2	1	1	17
Londonderry	41,397	19·1	34·0	23·9	.	27	19	1	6	.	.	.	.	.	.	.	.	.	1	4	.	.	9
Limerick	38,151	18·1	113·4	17·8	6·8	83	13	1	4	.	.	.	.	5	.	.	.	.	1	1	.	1	5
Waterford	26,769	18·7	33·1	18·6	.	17	7	.	2	.	.	.	.	.	.	.	.	.	3	6	.	.	4
Galway	18,426	2·5	31·1	15·5	.	8	4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	4
Dundalk	18,076	9·4	16·0	19·9	.	4	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Drogheda	12,760	8·6	24·5	12·3	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newry	12,405	17·8	50·4	16·8	.	12	4	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Lurgan	11,782	13·8	17·7	22·1	.	4	5	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Lisburn	11,461	10·1	27·3	36·4	9·1	6	8	1	2	.	.	.	.	2	.	.	.	.	2	1	.	.	2
Wexford	11,168	23·2	9·3	32·7	.	2	7	.	2	.	.	.	.	.	.	.	.	.	3	2	.	.	2
Ballymena	10,886	8·9	19·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	38·4	24·0	.	8	5	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	1
Kilkenny	10,609	11·5	24·6	34·3	.	5	7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Clonmel	10,167	7·8	5·1	20·5	.	1	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Portadown	10,092	13·2	15·5	25·8	5·2	3	5	3	.	.	.	.	.	1	.	.	.	.	1	2	.	.	.
Tralee	9,867	16·6	37·0	26·4	.	7	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Newtownards	9,110	18·9	34·3	11·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Queenstown	7,909	14·4	19·8	39·6	6·6	3	6	1	1	.	.	.	.	1	.	.	.	.	.	3	.	.	.
Armagh	7,588	22·2	20·6	13·7	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 5th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	§43·6	30·9	36·1	0·22	§54·0	30·5	43·6	0·68	§50·8	27·8	37·7	0·74
City of Dublin	a44·6 b43·8	32·8 32·0	38·2 37·4	0·24 0·24	a56·5 b54·9	34·1 32·0	44·5 45·2	0·42 0·49	a54·8 b50·9	30·0 29·0	39·7 38·1	0·59 0·96
Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	48·7	38·5	38·5	0·24	56	36·5	.	0·41	56	30	41·0	0·50
Belfast	46·4	29·7	37·6	0·03	54·0	35·0	43·0	1·79	49·8	26·0	36·7	0·81
Cork	46	31	38·7	1·60	51	36	45·1	0·60	51	33	40·8	0·57
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	49	25	35	0·63	53	33	46	0·60	48	31	46	1·47
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	48·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75
Lurgan	48·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75
Lisburn	48·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	45·4	19·0	35·5	0·63	51·4	31·5	43·7	0·95	50·2	26·3	37·7	0·95
Sligo	44	29	35·6	0·47	53	33	44·1	0·50	53	26	38·2	0·68
Kilkenny	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	48	33	37·1	0·02	52	36	42·8	0·91	50	27	36·8	0·61
Newtownards	46	31	38·7	1·60	51	36	45·1	0·60	51	33	40·8	0·57
Queenstown	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91	48·8	27·9	36·6	0·75
Armagh	.	.	.	.	.	.	.	.	.	.	.	.

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown, registered during the week ending Saturday, the 5th of March, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	1	1	.	1	.	1	1	.	2	1	1	.	.	.	10	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Phthisis,	.	4	3	5	1	1	.	2	1	4	2	.	2	.	1	.	26	1
Other General Diseases,	3	2	3	2	.	2	1	2	.	5	4	1	3	.	.	2	29	2
Total,	3	7	8	8	1	4	1	5	2	11	8	2	5	.	1	2	68	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	.	3	2	.	.	.	1	.	3	1	1	.	2	.	1	15	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	2	3	.	.	1	2	1	3	4	.	6	.	1	2	27	1
Respiratory System,	6	2	2	6	1	.	1	7	5	4	3	1	.	2	.	1	41	1
Digestive System,	.	1	2	1	.	.	2	.	.	2	1	.	1	.	.	2	12	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Urinary System,	1	.	2	.	.	1	.	1	.	1	.	1	.	.	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Total,	8	5	11	12	1	1	4	12	6	13	11	3	7	5	1	6	106	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	3	1	1	.	.	.	2	2	.	.	.	1	1	1	.	13	.
E VIOLENT DEATH	.	1	1	.	.	.	.	1	.	.	2	.	.	.	.	.	5	1
Deaths from all Causes,	12	16	21	21	2	5	5	20	10	24	21	5	13	6	3	8	192	9
Annual Rate of Mortality in every 1,000 of the population	22·1	21·3	26·4	34·6	21·7	26·0	39·1	27·2	28·5	29·8	31·2	29·3	20·4	12·0	17·9	23·7	26·4	.
	28·4							29·2					18·3					
	28·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	2	5	4	.	1	.	4	1	3	3	1	3	1	.	1	29	6
Workhouse Hospitals,	1	2	6	7	.	.	.	2	4	5	3	.	1	2	1	2	36	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1894-1903.	In the Week ending Satu 5th March, 1904. Deaths of Persons of the A					
	Mar. 3, 1894.	Mar. 2, 1895.	Mar. 1, 1896.	Mar. 6, 1897.	Mar. 5, 1898.	Mar. 4, 1899.	Mar. 3, 1900.	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 44·1	° 37·1	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 42·9	° 46·0	° 41·0	° 41·3	Mean Temp. ° 36·1					
ALL CAUSES.	202	219	178	303	218	214	230	320	218	211	231·3	201	7	23	21	15	34
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	.	44	.	.	1	1	1	1	5·0	.	.	.	.	.	.
Scarlet Fever ...	.	.	2	4	5	4	1	.	1	2	1·9	.	.	.	.	.	.
Typhus, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	6	4	2	3	7	3	13	16	5	8	6·7	5	.	.	.	.	.
Whooping Cough, ...	7	1	1	21	2	5	.	5	5	3	5·0	10	.	1	8	1	.
Diphtheria, ...	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	1	4	7	7	6	4	3	3	1	3·9	3	.	.	.	1	2
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	.	1	3	2	2	5	2	4	. / 2	2·2	. / 1	.	.	. / 1	.	.
Hydrophobia, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	1	1	2	1	1	1	2	1·1	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	1	1	.	.	.	. / . / .	·2	. / . / .	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	.	1	.	2	1	.	1	·8	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	1	2	.	.	.	1	.	. / .	·5	. / .	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1
Tuberculous Phthisis, "*Phthisis*," ...	25	19	37	25	19	32	30	20	33	2 / 33	27·5	6 / 21	.	.	.	5	6 / 9
Tuberculous Meningitis, (Acute Hydrocephalus).	5	2	4	3	1	8	6	3	3	5	4·0	3	.	1	.	2	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	5	5	1	5	3	6	2	6	1	2 / .	3·6	. / .	.	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	5	8	4	9	5	7	7	5	5	7 / .	6·2	5 / .	.	2	2	.	1
Alcoholism, ...	.	.	1	.	1	.	.	.	.	1	·3	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1894-1900 a

INTH WEEK ending Saturday, 5th March, 1904, with the deaths from each cause in the corresponding ne average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Mar. 3, 1894.	Mar. 2, 1895.	Mar. 1, 1896.	Mar. 6, 1897.	Mar. 5, 1898.	Mar. 4, 1899.	Mar. 3, 1900.	Mar. 2, 1901.	Mar. 1, 1902.	Mar. 7, 1903.	Averages in 9th Week of the 10 years 1894–1903.	In the Week ending Saturday, 5th March, 1904. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	0 to 5. 1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·1	° 37·1	° 42·1	° 39·4	° 38·9	° 41·1	° 40·2	° 42·9	° 46·0	° 41·0	° 41·3	Mean Temp. ° 36·1								
cinoma	3	5	3	6	6	6	8	12	6	·	5·7	·	·	·	·	·	·	·	·	·
coma										·		1	·	·	·	·	1	·	·	·
cer, *Malignant Disease* ...										2		4	·	·	·	·	2	2	·	·
betes Mellitus	·	·	·	·	·	·	·	·	·	1	·1	·	·	·	·	·	·	·	·	·
mature Birth	2	2	·	2	3	·	1	6	4	2	2·2	4	4	·	·	·	·	·	·	·
ningitis (not tuberc.)										3		2	·	1	·	1	·	·	·	·
nity, G. P. of Insane										1		4	·	·	·	·	1	2	1	·
lepsy										1		·	·	·	·	·	·	·	·	·
vulsions										10		5	1	4	·	·	·	·	·	·
omotor Ataxy										·		1	·	·	·	·	·	1	·	·
aplegia Dis. of Cord										1		2	·	·	1	1	·	·	·	·
vous System (other Dis.) ...	42	49	29	50	44	27	41	71	33	2	43·8	2	·	1	·	·	·	1	·	·
v. Dis., Endocarditis										4		4	·	·	·	1	1	2	·	·
ebr. Hæm. Thromb.										6		1	·	·	·	·	·	1	·	·
plexy, *Hemiplegia*										5		6	·	·	·	·	·	1	5	·
urysm										·		·	·	·	·	·	·	·	·	·
bolism, Thromb. (not cerebral)										·		·	·	·	·	·	·	·	·	·
rt and Blood Vessel Dis.										19		17	·	·	·	·	2	4	11	·
up (not Spasm. or Memb.) ...	·	1	1	2	·	1	·	·	·	2	·7	·	·	·	·	·	·	7	14	1
nchitis	25	56	24	27	44	28	38	74	54	33	40·3	30	·	3	3	·	2	·	·	·
upous Pneumonia										·		·	·	·	·	·	·	·	·	·
ncho-Pneumonia	12	11	11	29	10	17	16	18	18	2	14·7	6	·	3	2	·	1	·	·	·
neumonia"										3		5	·	1	·	1	·	2	1	·
hma, Emphysema										·		·	·	·	·	·	·	·	·	·
urisy	4	7	2	4	1	2	1	5	1	·	2·9	1	·	·	·	·	1	·	·	·
spiratory Dis. (other)										2		·	·	·	·	·	·	·	·	·
nsilitis, Quinsy	·	1	1	1	1	·	·	·	1	·	·5	·	·	·	·	·	·	·	·	·
teritis (not Epid.)	·	·	·	·	·	·	·	·	·	1	·3	2	·	2	·	·	·	·	·	·
stro Enteritis										2		2	·	1	1	·	·	·	·	·
itonitis (not Puerp.)	·	1	1	1	·	2	1	·	·	2	·8	·	·	·	·	·	·	·	·	·
rhosis of Liver	2	2	4	5	1	2	3	3	2	3	2·9	3	·	·	·	·	·	3	·	·
er Dis. (other)										2		·	·	·	·	·	·	·	·	·
estive Dis. (other)	4	2	3	3	3	10	6	7	5	4	4·7	6	·	1	·	·	1	2	2	·
phritis, Acute										2		2	·	·	1	·	·	1	·	·
ght's Dis., Albuminuria ...	1	·	2	5	6	7	2	3	5	·	3·3	2	·	·	·	·	1	1	·	·
inary Sys. (Other Dis.) ...										·		3	·	·	·	·	1	1	1	·
nerative Organs Dis.	·	·	·	1	·	·	·	1	·	·	·2	·	·	·	·	·	·	·	·	·
ildbirth (Accid. of)	2	·	·	1	2	1	2	1	1	·	1·0	1	·	·	·	·	1	·	·	·
l Age	20	13	8	10	13	15	24	27	8	3	14·1	11	·	·	·	·	·	·	5	6
her Diseases	19	18	21	24	22	11	12	21	13	15	17·6	12	2	2	1	·	2	4	1	·
ACCIDENT.																				
Railways	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Vehicles and Horses	·	·	·	1	1	1	·	·	·	2	·5	1	·	·	·	·	·	1	·	·
Ships, Boats, Docks (exclusive of Drowning)	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Building Operations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Conflagrations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Burns, Scalds, Explosions ...	·	4	2	·	2	2	1	4	3	1	1·9	2	·	·	1	1	·	·	·	·
Drowning	·	·	2	·	·	1	·	·	·	1	·4	2	·	·	·	·	1	1	·	·
Suffocation in Bed	·	·	·	1	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
Poison or Poisonous Vapours...	·	·	·	·	1	1	·	1	·	·	·3	·	·	·	·	·	·	·	·	·
her Deaths by Accidents ...	·	1	2	2	3	2	1	1	2	2	1·6	1	·	·	·	·	·	1	·	·
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	1	·	·	1	·	·	·	·	·	·	·2	·	·	·	·	·	·	·	·	·
icide	1	·	2	·	·	1	·	·	·	·	·4	·	·	·	·	·	·	·	·	·
ecution	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

Registration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1908–4—Week ending																										
	Sept. 12.	Sept. 19.	Sept 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	198	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	208	190	255	181	290	224	241
*Average Births in corresponding week of previous 10 years,**	203	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211
DEATHS registered,	145	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201
Annual Death-rate per 1,000,	19·9	20·1	23·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7
*Average Deaths in corresponding week of previous 10 years,**	171	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231
AGES, Under 5 years,	37	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51
5—20 ,,	10	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15
20—40 ,,	28	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34
40—60 ,,	32	27	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45
60—80 ,,	32	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49
80 years and upwards,	6	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.
,, Scarlet Fever	.	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2	.	.	1	.	.	1	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	6	.	.	2	1	1	2	.	3	2	2	5	7	4	3	12	9	5	5	11	9	6	9	11	10
,, Diphtheria,	1	1	1	.	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	3	1	2	2	4	4	.	1	3	2	5	2	1	.	2	1	6	3	3	1	1	2	3	2	3
,, Diarrhœal Diseases,	7	5	14	3	4	5	8	4	1	1	4	2	.	2	1	.	.	3	3	.	1	1	2	2	.	1
,, Phthisis,	22	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27
,, Diseases of Heart and Blood Vessels,	22	20	24	17	22	28	16	26	28	32	27	36	33	24	34	19	47	26	36	26	30	28	28	22	28	28
,, Diseases of Respiratory System,	11	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42
Violent Deaths,	5	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6
Mean Temperature of the Air (Phœnix Park),	50·4	47·9	–	56·8	52·4	50·0	48·8	44·3	48·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1
Average Mean Temperature in corresponding week of previous 10 years,	55·9	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3
Rainfall in inches,	1·938	·010	·640	·265	·710	·478	·388	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·185	·280	1·360	·565	·743	·628	·220
Mean Humidity of the Air, complete Saturation 1·0,	·84	84	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th March, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 5th March, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	27·9	201	51	15	34	45	49	7	.	.	.	.	10	.	.	3	1	14	27	5	42	6	107
	CLASSES. **Deaths in Families of the—**																								
I.	Professional and Independent Class,	17,436	29·9	10	1	.	1	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
II.	Middle Class,	87,188	21·5	36	6	5	8	6	10	1	.	.	.	.	1	.	.	.	.	1	5	1	5	1	23
III.	Artisan Class and Petty Shopkeepers	110,423	18·9	40	10	4	6	13	7	.	.	.	.	.	4	.	.	1	.	5	4	.	11	1	19
IV.	General Service Class,	154,279	37·4	76	30	5	9	16	13	3	.	.	.	.	5	.	.	2	.	7	9	4	16	4	36
V.	Inmates of Workhouses,	6,024		39	4	1	10	8	14	2	.	.	.	.	.	.	.	.	1	1	9	.	10	.	19
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	66·9	10	1	.	1	2	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	10
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	3,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	26·1	11	1	1	3	2	3	1	.	.	.	.	1	.	.	.	.	1	2	.	2	.	6
	6. Clerks and Commercial Assistants,	30,432	20·6	12	4	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	.	2	2	2	4	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3
	9. Building and Furnishing Trades,	29,801	31·5	18	7	1	2	5	3	.	.	.	.	.	2	.	.	.	.	2	1	.	5	.	10
	10. Clothing Trades,	23,260	6·7	3	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1
	11. Food Supply Trades,	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	.	1	2	4	2	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.	4
	13. Petty Shopkeepers,	7,894	26·4	4	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·1	8	1	.	.	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	15. Domestic Servants,	36,603	10·0	7	.	.	1	1	3	2	.	.	.	.	.	.	.	1	.	1	.	.	1	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	1	.	2	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·9	55	28	5	6	13	3	.	.	.	.	.	4	.	.	1	.	5	8	4	11	3	24
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	6,024	.	39	4	1	10	8	14	2	.	.	.	.	.	.	.	.	1	1	9	.	10	.	19

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Jan. 16,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	3	.
	„ 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	„ 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
	Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
	„ 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
	„ 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
	„ 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Jan. 16,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	5	8	.
	„ 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
	„ 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
	„ 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
	„ 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
	Mar. 5,	21·3	2·7	16	.	.	.	.	1	.	.	.	.	4	2	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Jan. 16,	24·2	1·7	14	.	.	.	.	1	.	.	.	.	3	3	.
	„ 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
	„ 30,	59·3	6·9	28	.	.	.	.	4	.	.	.	.	3	4	.
	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
	„ 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
	„ 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
	„ 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Jan. 16,	23·0	.	14	.	.	.	.	.	.	.	.	.	3	5	.
	„ 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
	Feb. 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
	„ 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
	„ 20,	26·3	5·3	16	.	1	.	.	1	.	.	.	.	2	5	.
	„ 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Jan. 16,	40·8	2·7	30	.	.	.	.	.	.	.	.	2	3	4	.
	„ 23,	38·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
	„ 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
	„ 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
	„ 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
	„ 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Jan. 16,	45·6	5·7	16	.	.	.	.	2	.	.	.	.	1	3	2
	„ 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	„ 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
	„ 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
	„ 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Jan. 16,	28·6	1·2	28	.	.	.	.	.	.	.	.	1	4	5	.
	„ 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	„ 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
	„ 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
	„ 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
	„ 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
	Mar. 5,	29·8	1·2	24	.	.	.	.	.	.	.	1	1	4	4	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Jan. 16,	35·6	4·5	24	.	.	.	.	2	.	.	1	.	2	7	1
	„ 23,	19·3	3·0	18	.	.	.	.	2	.	.	.	.	3	1	1
	„ 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
	„ 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
	„ 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.
	„ 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Jan. 16,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	5	.
	„ 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	„ 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Jan. 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Jan. 16,	41·4	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Jan. 16,	28·9	2·0	199	.	1	.	.	9	.	.	3	1	23	32	3
	„ 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	„ 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	46	1
	„ 13,	29·5	2·0	203	.	1	.	.	18	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
Cork. Pop. (in 1901) 76,122.	Jan. 16,	19·9	.	29	.	.	.	.	.	.	.	.	.	5	8	1
	„ 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	„ 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	„ 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
Londonderry. Pop. in 1904 (Est.) 41,397	Jan. 16,	22·7	2·3	18	.	.	.	1	1	.	.	.	.	1	4	.
	„ 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	„ 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,151.	Jan. 16,	31·4	1·4	23	.	.	.	.	1	.	.	.	.	.	5	.
	„ 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	„ 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,769	Jan. 16,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	„ 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 5th March, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	5	46·0	7·1	13	4	2	5	2	.	.	.	.	1	.	1	.	.	1	3	.	1	2
Do 2 "	47,959	30	20·7	.	19	3	.	9	7	.	.	.	.	.	.	.	.	.	3	7	.	.	2
Do. 3 "	47,214	24	26·5	1·1	24	6	4	9	5	.	.	.	.	1	.	.	.	.	2	11	1	2	3
Do. 4 "	40,911	25	16·6	.	13	4	.	4	5	.	.	.	.	.	.	.	.	.	.	6	1	2	5
D 5 "	17,387	12	12·0	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Do 6 "	48,122	18	16 3	2·2	15	2	2	7	4	.	1	.	.	1	.	.	.	.	2	4	.	3	5
Do 7 "	1,524	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
De 8 "	5,060	8	20·6	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 9 "	19,569	16	26·6	2·7	10	1	.	9	.	.	.	.	.	1	.	.	.	.	1	1	.	.	2
Do. 10 "	28,064	26	31·7	2·3	14	6	1	7	.	.	.	.	.	1	.	.	.	.	2	3	.	3	1
Do. 11 "	34,862	27	10·5	.	7	2	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 12 "	33,588	29	38·8	1·6	25	10	2	11	2	.	.	.	.	.	.	.	1	.	2	6	4	.	9
Do 13 "	15,006	6	38·2	.	11	1	4	4	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.
Do. 14 "	240	.	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total,	349,180	226	24·0	1·2	161	41	17	73	30	.	1	.	.	5	.	1	1	.	17	47	6	12	35
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	36·5	.	9	.	1	5	3	.	.	.	.	.	.	.	.	.	4	.	1	1	3
Do. 2 "	10,701	9	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 3 "	9,978	4	31·4	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	2	2	.	.	3
Do. 4 "	8,666	2	12·0	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 5 "	6,592	.	23·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Do. 6 "	10,702	9	24·4	.	5	1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Do. 7 "	16,616	9	40·8	.	13	1	.	8	4	.	.	.	.	.	.	.	.	.	1	.	.	.	4
Total,	76,122	39	27·4	.	40	5	1	25	9	.	.	.	.	.	.	.	.	.	12	2	1	1	17

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered,	172	219	219	219	242	257	203	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	268	226
DEATHS registered,	114	122	105	113	125	113	125	118	124	113	138	120	163	145	176	158	182	190	199	140	149	150	203	185	186	161
Annual Death-rate per 1,000 of estimated Population,	16·6	17·7	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4
AGES, Under 1 year,	33	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41
AGES, 1–5 years,	9	10	11	12	13	14	13	11	12	12	19	18	25	24	35	27	25	30	19	13	18	17	25	13	16	17
AGES, 5–60 years,	51	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	98	90	83	73
AGES, 60 years and upwards,	21	18	13	16	31	19	22	18	15	26	28	20	26	31	38	25	37	33	47	31	28	24	44	48	43	30
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1
" Scarlet Fever,	.	.	.	2	2	2	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	3	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10	11	13	8	5	5
" Diphtheria,	1	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.
" Simple Continued Fever,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
" Enteric Fever,	6	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1
" Diarrhœal Diseases,	12	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.
" Phthisis	7	18	14	14	10	16	13	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17
" Diseases of Respiratory System,	21	21	10	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	32	39	48	48	53	54	47	47
Violent Deaths,	4	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th March, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 1, West,	.	3	.	.	.	.	.	.	3	1	2	.	.	9
" " 2,	.	6	.	.	.	.	.	.	.	.	1	.	.	7
" " 3,	.	4	.	1	.	.	.	.	.	1	3	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	.	.	2	.	.	5	7	.	.	15
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 4,	.	.	.	.	.	.	1	.	.	1	1	.	.	3
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	14	.	5	.	.	3	.	3	10	14	.	.	49

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th March, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th March.			
	Feb. 13.	Feb. 20.	Feb. 27.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	36	28	26	13	7	.	32
Scarlet Fever,	105	102	94	8	24	.	78*
Typhus "	4	2	2	.	1	.	1
Diphtheria,	16	18	19	4	4	.	19
Enteric Fever,	71	72	71	6	16	2	59
Pneumonia,	18	15	17	3	2	.	18

*Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Mar. 5,	2,364	1,590	17·9	.	43	5	23	52	3	20
EDINBURGH,	331,977	„ 5,	134	107	16·8	.	.	.	1	6	.	3
GLASGOW,	798,357	„ 5,	481	344	22·5	1	10	1	2	6	1	11
CALCUTTA,	847,796	Jan. 2,	.	501	30·7	1	.	.	1	.	138‡	93*
BOMBAY,	776,006	Feb. 2,	325	917	61·4	10	5	.	.	.	41‡	50
MADRAS,	509,346	Jan. 15,	299	373	38·0	.	3	?	?	?	130‡	63
PARIS,	2,660,559	Feb. 20,	1,292	970	20·0	3	18	2	8†	2	2	27
BRUSSELS (with 8 Faubourgs).	575,896	„ 13,	227	157	14·2	1	.	.	2†	2	.	11
AMSTERDAM,	546,533	„ 13,	326	172	16·4	.	12	.	5†	2	1	5
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	420,000	Feb. 13,	244	142	17·6	.	.	1	.	5	.	6
CHRISTIANIA,	225,709	„ 20,	112	53	12·2	.	.	.	.	.	.	2
ST. PETERSBURG,	1,248,122	„ 20,	949	570	23·8	1	14	8	15	11	17	57
BERLIN,	1,960,909	„ 6,	930	625	16·7	.	1	1	3†	10	1	30
HAMBURG,	751,842	„ 13,	.	216	14·9	.	.	4	2†	3	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Feb. 20,	.	197	19·7	.	4	.	2†	1	.	16
VIENNA (with suburbs).	1,779,869	„ 20,	984	632	18·5	.	19	.	5†	5	.	25
BUDA-PESTH	790,529	„ 20,	435	356	22·7	1§	3	8	10†	2	5	13
PRAGUE and Faubourgs.	423,990	—	.	.	.	.	.	.	.	.	.	.
ROME,	491,074	Nov. 28,	254	191	20·3	.	1	.	.	.	4	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Jan. 23,	72	82	25·7	.	.	.	3†	1	.	.
NEW YORK,	3,732,903	Feb. 6,	2,012	1,590	21·6	.	18	24	62†	3	14	49
PHILADELPHIA,	1,408,154	Jan. 30,	.	562	20·8	17	10	10	11†	3	10	19

* Including 19 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 18 deaths from bubonic fever in Calcutta, 384 in Bombay, and one in Madras.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th March, 1904:—

"Much drier than of late, the weather of this week was cold, cloudy, and cheerless. The wind was almost constantly from easterly points and its keenness was suggestive of melting snow. Throughout the period a large anticyclone hung over Northern Russia and Scandinavia. This system reached its fullest development on Thursday morning when the barometer stood above 31 inches over Lapland: at 8 a.m. the reading was 31·03 inches at Haparanda, on the Gulf of Bothnia. The influence of the northern anticyclone extended to Central Europe and the British Isles, which were swept by cold easterly to south-easterly winds. At 8 a.m. of Monday, February 29, the trough of a V-shaped depression lay over the West of Ireland, where temperature was rather high (44° F.) although the wind was northerly. The southerly winds of the depression in the East of Ireland were several degrees colder, being anticyclonic in their origin. The western depression moved southwards and disappeared over the Bay of Biscay on Tuesday. On that day March set in 'like a lion,' wi h bitter easterly winds and heavy showers of snow and hail—at 3 p.m. a small 'blizzard' swept over Dublin. A keen frost followed inland at night, the sheltered thermometer falling to 23° at Birr, King's County. The weather moderated on Wednesday and Thursday was fine and dry with some 2 hours of bright sunshine. In the evening the wind fell calm for a while and some smoke fog formed over the city. Afterwards freshening E. to N.E. winds, clouds, and cold showers were experienced to the end of the week. In Dublin the mean height of the barometer was 30·074 inches, pressure ranging between 29·775 inches at 9 p.m. of Monday (wind, S.S.E.) and 30·295 inches at 9 a.m. of Wednesday (wind, N.E.). The corrected mean temperature was 38·2°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 38·1°. On Sunday the screened thermometers rose to 44·6° (wind, S.E.), on Tuesday they fell to 32·8° (wind, E.). The estimated duration of bright sunshine was only 5·5 hours, 2 hours falling on Thursday. The prevailing winds were S.E. and E.N.E. Rain fell on three days to the amount of ·241 inch, ·140 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·084 inches. The highest reading (30·324) was on Wednesday at 9 a.m., wind N.E., and the lowest (29·784) on Monday at 9 p.m., wind S.E.

The mean temperature for the week was 36·1° being 5·2 under the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Sunday, on which day the thermometer registered 43·6°, and was lowest on Thursday, the mercury having fallen to 30·9°. The mean of the Dry Bulb for the week was 36·9°, and of the Wet Bulb 34·6°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·2 hours. The rainfall during the week measured ·220 inch.

At Greenwich the mean temperature for the week was 33·3°, the maximum 41·2°, and the minimum 27·2°; at Glasgow the maximum was 43·4°, the minimum 24·5°, and the mean 35·0°; and at Edinburgh the maximum was 39·3°, the minimum 22·1°, and the mean 33·1°. The rainfall at Greenwich measured 0·52 inch; at Glasgow 0·02 inch; and at Edinburgh 0·04 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Feb. 28,	30·130	43·6	35·1	39·4	39·3	37·0	·81	·4	0·2	—	S.E.	S.E.
Monday, " 29,	29·836	35·5	33·2	34·4	35·3	32·1	·72	·1	0·0	—	S.E.	S.E.
Tuesday, Mar. 1,	30·180	36·3	31·7	34·0	33·2	32·0	·88	·2	2·1	·020	E.	N.E.
Wednesday, " 2,	30·231	41·2	31·1	36·2	38·5	36·2	·81	·1	2·7	·060	N.E.	E.
Thursday, " 3,	30·064	41·3	30·9	36·1	36·5	34·9	·85	·0	2·7	—	S.E.	Calm.
Friday, " 4,	30·069	38·2	33·1	35·7	36·8	33·9	·76	·1	0·0	—	E.	E.N.E.
Saturday, " 5,	30·075	40·2	33·9	37·1	38·8	36·2	·80	·7	1·5	·140	E.N.E.	E.N.E.
Mean, . .	30·084	39·5	32·7	36·1	36·9	34·6	·80	·2	Total 9·2	·220	Prevailing Winds, E. and N.E.	

Sunday—Overcast a.m., cloudy p.m., fine; night clear p.m.; cloudy a.m. *Monday*—A dull day; night overcast. *Tuesday*—Overcast a.m., cloudy p.m., snow showers; night cloudy, snow a.m. *Wednesday*—Cloudy a.m., overcast p.m.: night overcast, light rain 4 to 6.30. *Thursday*—A fine but cloudy day; night overcast. *Friday*—Day overcast; night overcast. *Saturday*—Cloudy a.m., overcast p.m., sleet and rain from 2.30 p.m.; night overcast and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH
Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 12TH MARCH, 1904. [No. 10.

General Register Office, Charlemont House,
Dublin, 14*th March,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending				Average Rate for 4 weeks.	Towns, &c.	Week ending				Average Rate for 4 weeks
	Feb. 20.	Feb. 27.	Mar. 5	Mar. 12.			Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	
22 Town Dists.	26·3	27·4	24·0	25·7	25·9	Lisburn, . .	22·7	13·6	36·4	36·4	27·3
Armagh, . .	13·7	13·7	13·7	20·6	15·4	Londonderry .	18·9	20·2	23·9	27·7	22·7
Ballymena, .	9·6	38·3	.	14·4	15·6	Lurgan, . .	17·7	35·4	22·1	22·1	24·3
Belfast, . .	26·9	27·0	23·4	22·4	24·9	Newry, . .	8·4	16·8	16·8	12·6	13·7
Clonmel, . .	.	56·4	20·5	20·5	24·4	Newtownards, .	28·6	40·1	11·4	28·6	27·2
Cork, . . .	32·9	26·7	27·4	19·9	26·7	Portadown, .	25·8	31·0	25·8	25·8	27·1
Drogheda, . .	8·2	8·2	12·3	45·0	18·4	Queenstown, .	26·4	39·6	39·6	19·8	31·4
Dublin Reg. Area.	29·7	27·2	26·4	28·3	27·9	Sligo, . . .	33·6	33·6	24·0	28·3	30·0
Dundalk, . .	16·0	55·8	19·9	23·9	28·9	Tralee, . .	15·9	58·1	26·4	21·1	30·4
Galway, . .	38·8	27·2	15·5	50·5	33·0	Waterford, .	19·5	17·5	13·6	31·2	20·5
Kilkenny, . .	.	19·7	34·3	29·5	20·9	Wexford, . .	23·3	23·3	32·7	37·4	29·2
Limerick, . .	23·2	28·7	17·8	24·6	23·6						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·1 in Lisburn, the 8 deaths from all causes registered in that district including 2 from whooping-cough. Among the 154 deaths from all causes in Belfast are 3 from measles, 9 from whooping-cough, 3 from diphtheria, and 2 from enteric fever; and the 22 deaths from all causes in Londonderry include one from scarlet fever, one from diphtheria, and one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 201—113 boys and 88 girls; and the deaths to 213—117 males and 96 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·3 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 28·3 per 1,000. During the ten weeks ending with Saturday last the death-rate averaged 28·9, and was 2·0 below the mean rate for the corresponding portions of the ten years 1894–1903.

Whooping-cough caused 6 deaths, enteric fever 3, scarlet fever one, *diarrhœa* one, and

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

influenza 6. In the 4 weeks preceding there were 6, 9, 11, and 10 deaths from whooping-cough, and 2, 3, 2, and 3 deaths from enteric fever, respectively. There were no deaths from small-pox, typhus, or diphtheria registered during the week.

Forty-eight deaths were caused by tuberculous disease, including 5 caused by tuberculous phthisis, 25 by *phthisis*, 6 by tuberculous meningitis, one by tabes mesenterica, and 11 by other forms of the disease.

Carcinoma caused 3 deaths, and *cancer*, *malignant disease*, 4.

Diseases of the nervous system caused 14 deaths, including 9 (all of children under 5 years of age) from *convulsions*.

Diseases of the heart and blood-vessels caused 41 deaths.

Diseases of the respiratory system caused 44 deaths, being equal to an annual rate of 6·1 per 1,000 of the population of the Dublin Registration Area, the average rate for the corresponding week of the previous 10 years being 8·8 per 1,000. The 44 deaths include 28 from bronchitis, 10 from broncho-pneumonia, and 4 from *pneumonia*.

There were 3 accidental deaths registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year old and the deaths of 2 persons aged 60 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 13 were under one month old), and 64 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 10 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·3 per 1,000, the rate in the City was 30·7 (North City Districts, 27·7; South, 34·0), and in the Suburbs, 20·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·8 (2·1 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. They include 2 from tuberculous disease, 3 from influenza, and 2 from diseases of the heart and blood-vessels.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. Whooping-cough caused one death, enteric fever one, tuberculous disease 5, diseases of the nervous system 3, and diseases of the respiratory system 4.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 38·1 per 1,000. Among them are one from whooping-cough, 6 from tuberculous disease, 6 from diseases of the heart and blood-vessels, and 3 from diseases of the respiratory system, including one from *pneumonia*.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Scarlet fever and whooping-cough each caused one death, diseases of the heart and blood-vessels 6, and diseases of the respiratory system 3, including 2 from broncho-pneumonia, and one from *pneumonia*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 41·6; and Finglas and Glasnevin, part of, 23·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 31·2 per 1,000. There was one death from *diarrhœa*, 5 from tuberculous disease, 3 from diseases of the brain and nervous system, 2 from diseases of the heart and blood-vessels, and 5 from diseases of the respiratory system.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·8 per 1,000. They include 4 from tuberculous disease, 2 from diseases of the heart and blood-vessels, and 4 from diseases of the respiratory system, including one from *pneumonia*.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·8 per 1,000. Enteric fever caused one death, tuberculous disease 7, diseases of the heart and blood-vessels 2, and diseases of the respiratory system 5, including one from broncho-pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (26) are equivalent to an annual rate of 38·6 per 1,000. One death each were caused by whooping-cough and enteric fever, 6 by tuberculous disease, 5 by diseases of the heart and blood-vessels, and 5 by diseases of the respiratory system, including 2 from broncho-pneumonia.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000. Three of the 5 deaths were from diseases of the respiratory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 20·0; Blackrock, 17·9; and Kingstown, 23·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. Of the 12 deaths from all causes tabulated for Rathmines and Rathgar, one was from *phthisis*, 3 were from diseases of the nervous system, 6 from diseases of the heart and blood-vessels, and 2 from diseases of the respiratory system (including one from broncho-pneumonia, and one from *pneumonia*). Amongst the 10 deaths from all causes tabulated for Pembroke were 2 from tuberculous disease, and 3 from diseases of the respiratory system, including one from broncho-pneumonia. The 8 deaths from all causes tabulated for Kingstown include 3 from diseases of the respiratory system, of which 2 were from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 12th March, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 20,	.	11	.	5	.	.	3	.	2	18	19	.	.	.	58
	Feb. 27,	.	17	.	3	.	.	4	.	1	14	13	.	.	.	52
	Mar. 5,	.	14	.	5	.	.	3	.	3	10	14	.	.	.	49
	Mar. 12,	.	22	.	17	.	.	14	.	.	22	7	.	.	.	82
Rathmines and Rathgar Urban District.	Feb. 20,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	2
	Feb. 27,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
	Mar. 5,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Mar. 12,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Pembroke Urban District.	Feb. 20,	.	.	.	.	.	.	3	.	.	.	.	.	.	14	17
	Feb. 27,	.	1	.	.	.	.	.	.	.	.	.	.	2	30	33
	Mar. 5,	.	.	.	.	.	.	.	.	.	1	1	.	.	11	13
	Mar. 12,	.	1	.	.	.	.	.	.	.	.	.	.	3	20	24
Blackrock Urban District.	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	2	.	3
	Feb. 27,	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4
	Mar. 5,	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	Feb. 20,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Feb. 27,	.	.	.	3	.	.	2	.	.	.	.	.	.	.	5
	Mar. 5,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	3	.	4
City of Belfast.	Feb. 20,	1	–	.	8	.	.	8	2	4	3	3	2	.	.	31
	Feb. 27,	2	–	.	2	.	.	4	.	2	5	6	2	.	.	23
	Mar. 5,	1	–	.	6	.	.	3	2	1	4	5	.	.	.	22
	Mar. 12,	1	–	.	16	.	.	4	.	2	7	9	1	.	.	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th March, 1904.

From this it appears that:—

Ten cases of measles were admitted to hospital during the week, 6 were discharged, and 36 patients remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 18 cases were discharged, there was one death, and 72* cases remained under treatment at the close of the week.

One case of typhus fever remained under treatment in hospital at the close of the week

Five cases of diphtheria were admitted to hospital, 5 were discharged, and 19 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 7 cases were discharged, there were 2 deaths, and 56 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 10 patients were discharged, and 12 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 20·1), was equal to an average annual death-rate of 19·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·5 per 1,000, the rate for Glasgow being 23·5, and for Edinburgh 19·5.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th March, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 12th March, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 12th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th Feb., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,093,289	19·2	29·4	25·7	1·7	617	538	105	150	.	3	2	.	18	4	.	6	2	90	131	12	18	148	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—																																			
Total,‡	878,994	27·5	27·7	28·3	1·5	201	206	39	63	.	.	1	.	6	.	.	3	1	28	44	3	5	68	§50·8	22·4	38·0	0·75	§43·6	30·9	36·1	0·22	§54·0	30·5	42·6	0·63
City of Dublin	228,385	37·1	29·1	30·7	1·8	164	173	32	50	.	.	1	.	5	.	.	3	1	24	35	3	4	63	a49·4 / b51·7	28·9 / 23·0	40·1 / 39·3	0·67 / 0·76	a44·6 / b43·8	32·8 / 32·0	38·2 / 37·4	0·24 / 0·24	a56·5 / b54·9	34·1 / 32·0	44·5 / 43·2	0·42 / 0·49
Urban Districts. Rathmines and Rathgar.	33,203	19·4	15·7	18·8	.	10	12	2	6	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	28·0	20·0	2·0	14	10	4	3	.	.	.	.	1	.	.	.	.	2	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	28·8	17·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	26·6	23·7	.	9	8	1	3	.	.	.	.	.	.	.	.	.	1	3	.	.	1	50·7	28·5	40·8	0·68	48·7	33·5	38·5	0·24	56	36·5	.	0·41
Urban Districts.																																			
Belfast	358,680	24·4	30·1	22·4	2·5	207	154	38	33	.	3	.	.	9	3	.	2	.	26	40	6	6	33	50·8	25·3	37·6	0·28	46·4	29·7	37·6	0·03	54·0	35·0	43·0	1·79
Cork	76,122	33·6	34·9	19·9	.	51	29	4	9	.	.	.	.	.	.	.	.	.	8	4	.	.	8	52	33	41·2	0·46	46	31	38·7	1·60	51	36	45·1	0·60
Londonderry	41,397	19·1	32·7	27·7	3·8	26	22	3	5	.	.	1	.	.	1	.	1	.	4	6	.	2	9	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	26·0	24·6	1·4	19	18	4	3	.	.	.	.	1	.	.	.	.	4	7	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	29·2	31·2	.	15	16	3	3	.	.	.	.	.	.	.	.	.	3	5	1	1	10	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	27·2	50·5	.	7	13	.	6	.	.	.	.	.	.	.	.	.	3	2	1	1	3	50	27	37·4	0·11	49	25	35	0·63	53	33	46	0·60
Dundalk	18,076	9·4	23·9	23·9	.	6	6	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	24·5	45·0	.	6	11	2	7	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	21·0	12·6	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91
Lurgan	11,782	13·8	62·0	22·1	.	14	5	.	1	.	.	.	.	.	.	.	.	.	3	1	.	.	2	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91
Lisburn	11,461	10·1	31·8	36·4	9·1	7	8	2	.	.	.	.	.	2	.	.	.	.	2	2	.	.	1	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91
Wexford	11,168	23·2	32·7	37·4	.	7	8	3	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	48·1	14·4	.	9	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	24·0	28·8	.	5	6	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	50·4	22·8	36·8	0·05	45·4	19·0	35·5	0·63	51·4	31·5	43·7	0·95
Kilkenny	10,609	11·5	44·2	29·5	.	9	6	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	2	52	24	38·5	0·23	44	29	35·6	0·47	53	33	44·1	0·50
Clonmel	10,167	7·8	10·3	20·5	.	2	4	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	15·5	25·8	.	3	5	1	4	.	.	.	.	.	.	.	.	.	.	3	.	.	.	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91
Tralee	9,867	16·6	31·7	21·1	.	6	4	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	34·3	28·6	.	6	5	1	4	.	.	.	.	.	.	.	.	.	.	2	1	1	3	48	30	38·9	0·24	43	33	37·1	0·02	52	36	42·8	0·91
Queenstown	7,909	14·4	13·2	19·8	.	2	3	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	52	33	41·2	0·46	46	31	38·7	1·60	51	36	45·1	0·60
Armagh	7,588	22·2	27·5	20·6	6·9	4	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05	52·2	33·0	42·3	0·91

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. ‡ Exclusive of 7 deaths of persons (including one at 62 years), admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 12th of March, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban District of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	North City No. 1E.	North City No 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	1	1	.	.	1	.	.	.	1	.	.	1	.	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Phthisis,	1	4	4	.	1	1	1	3	3	2	4	.	1	2	.	1	28	2
Other General Diseases,	4	3	4	5	.	2	.	3	5	10	5	1	.	1	1	1	45	2
Total,	5	9	9	7	1	3	2	7	8	13	11	1	1	4	1	2	84	4
B. Local Diseases:																		
Diseases of Nervous System	.	1	1	1	.	2	.	3	.	.	1	.	3	.	.	.	14	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	3	1	6	6	.	2	.	2	2	2	5	1	6	3	.	2	40	1
Diseases of Respiratory System,	1	4	3	3	1	1	.	5	4	5	5	3	2	3	1	3	44	.
Diseases of Digestive System,	1	.	3	1	.	.	.	3	.	1	1	.	.	.	.	1	11	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Urinary System,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	3	1
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Integumentary System	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Total,	5	8	13	11	1	5	1	15	6	8	12	4	11	6	2	6	114	3
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.	.	5	.
E Violent Deaths,	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	3	.
Deaths from all Causes,	10	17	22	18	2	8	3	23	15	24	26	5	12	10	3	8	206	7
Annual Rate of Mortality in every 1,000 of the population	18·4	22·6	38·1	29·6	21·7	41·6	23·5	31·2	42·8	29·8	38·6	29·3	18·8	20·0	17·9	23·7	28·3	.
	27·7							34·0					20·1					
	30·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	.	.	3	7	1	2	1	3	1	4	5	.	1	2	1	1	32	5
Workhouse Hospitals,	1	4	5	4	.	1	.	8	3	6	3	1	.	.	.	.	36	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 1894-1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Mar. 10, 1894.	Mar. 9, 1895.	Mar. 7, 1896.	Mar. 13, 1897.	Mar. 12, 1898.	Mar. 11, 1899.	Mar. 10, 1900.	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Averages in 10th Week of the 10 years 1894-1903.	In the Week ending Saturday 12th March, 1904. Deaths of Persons of the Ages o ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.
Mean Temperature.	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·3	° 38·3	° 41·5	° 44·3	° 41·8	° 41·4	Mean Temp. ° 38·0							
ALL CAUSES.	204	327	157	262	250	191	247	276	222	200	233·6	213	13	26	17	16	36	41	53
Small-pox, Vaccinated, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	3	.	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	43	.	.	2	.	6	1	5·3	.	.	.	.	.	.	.	.
Scarlet Fever	1	.	.	2	6	.	1	.	1	1	1·2	1	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	8	1	1	11	7	6	16	2	1	5·8	6	.	.	.	.	.	4	2
Whooping Cough, ...	6	3	3	9	3	5	.	10	.	2	4·1	6	.	5	1	.	.	.	.
Diphtheria, ...	.	.	.	1	1	1	2	.	3	2	1·0	.	.	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	3	6	2	1	5	6	2	1	2	3	3·1	3	.	.	.	3	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	3	2	5	1	3	3	1	1	1	2·2	.	.	.	.	.	.	.	.
										.		1	.	1	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	1	.	.	.
Venereal Disease, ...	.	.	.	.	1	.	.	2	1	.	·4	2	1	1	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	2	1	1	.	2	.	.	2	·8	1	.	.	.	.	1	.	.
										.		.	.	.	.	.	.	.	.
										.		.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	1	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	4	.	.	1	1	1	.	1	2	1·0	.	.	.	.	.	.	.	.
										.		.	.	.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	1	.
Tuberculous Phthisis, ... "*Phthisis*,"	42	27	17	15	39	25	37	25	38	.	29·7	5	.	.	.	1	4	.	.
										32		25	.	.	.	5	16	3	1
Tuberculous Meningitis, (Acute Hydrocephalus).	1	4	2	4	4	4	8	7	3	3	4·0	6	.	1	2	3	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	4	4	4	9	6	3	3	3	.	.	3·9	.	.	.	.	.	.	.	.
										3		1	.	1	.	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	3	4	4	2	4	3	3	8	3	10	4·4	11	.	2	4	.	3	2	.
										.		.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	1	1	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are fo

ENTH WEEK ending Saturday, 12th March, 1904, with the deaths from each cause in the corresponding he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Mar. 10, 1894.	Mar. 9, 1895.	Mar. 7, 1896.	Mar. 13, 1897.	Mar. 12, 1898.	Mar. 11, 1899.	Mar. 10, 1900.	Mar. 9, 1901.	Mar. 8, 1902.	Mar. 14, 1903.	Averages in 10th Week of the 10 years 1894–1903.	In the Week ending Saturday, 12th March, 1904. Deaths of Persons of the Ages of: ALL AGES.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·2	° 38·9	° 43·1	° 40·7	° 40·2	° 42·3	° 38·3	° 41·5	° 44·3	° 41·8	° 41·4		° 38·0								
cinoma	6	7	5	7	8	6	6	9	7	2	6·8	3		.	.	.	.	1	2	.
coma										.		.		.	.	.	.	.	.	.
cer, Malignant Disease ...										5		4		.	.	.	.	1	3	.
betes Mellitus ...	.	.	.	.	.	.	.	.	.	.		3		.	.	.	1	1	.	1	.
mature Birth	2	2	.	6	5	1	7	4	5	1	3·3	1		1	.	.	.	.	.	.	.
ingitis (not tuberc.)										5		.		.	.	.	.	.	.	.	.
nity, G. P. of Insane										2		2		.	.	.	.	1	.	1	.
lepsy										.		1		.	.	.	1	1	.	.	.
vulsions										8		9		3	5	1	.	.	.	.	.
omotor Ataxy										.		.		.	.	.	.	.	.	.	.
aplegia Dis. of Cord										1		.		.	.	.	.	.	.	.	.
vous System (other Dis.) ...	40	66	35	38	38	32	40	57	42	.	43·5	2		.	1	.	.	.	1	.	.
v. Dis., Endocarditis										4		4		.	.	.	.	1	.	1	2
ebr. Hæm. Thromb.										2		6		.	.	.	.	.	1	3	2
plexy, Hemiplegia										9		8		.	.	.	.	.	4	4	.
urysm										.		.		.	.	.	.	.	.	.	.
bolism, Thromb. (not cerebral)										.		.		.	.	.	.	.	.	.	.
rt and Blood Vessel Dis.										16		23		2	.	.	.	1	7	11	2
up (not Spasm. or Memb.) ...	.	1	.	1	.	1	.	.	1	1	·5	.		.	.	.	.	.	.	.	.
nchitis	30	67	26	41	46	38	54	54	43	21	42·0	28		1	2	3	1	.	7	11	3
upous Pneumonia										.		10		1	3	3	.	1	1	1	.
ncho-Pneumonia	9	25	14	18	14	13	23	20	16	3	16·6	4		.	.	.	.	1	2	1	.
eumonia"										11		1		.	.	.	.	.	.	1	.
ma, Emphysema										.		.		.	.	.	.	.	.	.	.
risy	6	6	2	5	1	3	1	2	5	1	3·4	1		.	.	.	.	.	1	.	.
piratory Dis. (other)										2											
sillitis, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
eritis (not Epid.)	1	.	.	.	.	1	.	.	1	.	·3	3		.	2	.	.	.	.	1	.
tro Enteritis										.		.		.	.	.	.	.	.	.	.
tonitis (not Puerp.)	1	1	.	.	2	1	.	3	1	.	·9	.		.	.	.	.	.	.	.	.
hosis of Liver	2	2	.	2	2	1	2	4	.	1	1·6	1		.	.	.	.	1	.	.	.
er Dis. (other)										.		1		.	.	.	.	1	.	.	.
estive Dis. (other)	6	9	4	6	4	3	5	4	2	5	4·8	7		1	2	.	1	1	1	1	.
hritis, Acute										1		.		.	.	.	.	.	.	.	.
ht's Dis., Albuminuria ...	1	12	5	2	2	2	4	8	3	3	4·3	2		.	.	.	.	.	1	1	.
nary Sys. (Other Dis.) ...										.		2		.	.	.	.	1	1	.	.
erative Organs Dis.	.	.	2	.	.	1	.	1	.	.	·4	.		.	.	.	.	.	.	.	.
dbirth (Accid. of)	.	1	.	1	1	1	.	.	.	2	·6	.		.	.	.	.	.	.	.	.
Age	9	32	11	14	22	11	13	19	16	4	15·1	3		.	.	.	.	.	2	1	
er Diseases	17	22	12	21	20	12	19	11	14	15	16·3	8		2	.	.	.	3	3	.	
ACCIDENT.																					
Railways	.	.	.	1	.	.	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
Vehicles and Horses	.	.	.	.	.	1	.	.	.	1	·2	.		.	.	.	.	.	.	.	.
hips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Building Operations	.	.	.	.	.	.	.	.	.	1	·1	.		.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	.	.	.	2	.	1	1	.	1	4	·9	.		.	.	.	.	.	.	.	.
Drowning	.	1	.	1	1	1	.	2	.	2	·8	.		.	.	.	.	.	.	.	.
Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
er Deaths by Accidents ...	4	3	3	1	.	2	1	2	2	1	1·9	3		1	.	.	.	1	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																					
nicide	.	.	.	.	.	.	.	.	1	.	·1	.		.	.	.	.	.	.	.	.
ide	.	.	.	.	.	1	.	.	.	.	·1	.		.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	1	.	.	·1	.		.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																										
	Sept. 19.	Sept 26.	Oct. 8.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov 14.	Nov 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
Births registered,	229	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	208	190	255	181	290	224	241	201
*Average Births in corresponding week of previous 10 years,**	214	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199
Deaths registered,	146	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	223	207	223	206	201	218
Annual Death-rate per 1,000,	20·1	22·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3
*Average Deaths in corresponding week of previous 10 years,**	171	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234
Ages, Under 5 years,	46	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56
5—20 "	16	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	18	10	13	13	14	13	8	15	16
20—40 "	25	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36
40—60 "	27	31	23	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41
60—80 "	28	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	35	48	65	48	49	49	49	58
80 years and upwards,	4	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.
" Scarlet Fever	1	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2		.	1	.	.	1	.	1	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	6	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6
" Diphtheria,	1	1	.	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	1	2	2	4	4	.	1	3	2	5	2	1	.	2	1	6	3	3	1	1	2	3	2	3	3
" Diarrhœal Diseases,	5	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1
" Phthisis,	22	27	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30
" Diseases of Heart and Blood Vessels,	20	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	28	28	22	28	28	41
" Diseases of Respiratory System,	19	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44
Violent Deaths,	3	2	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3
Mean Temperature of the Air (Phœnix Park),	47·9	–	56·8	52·4	50·0	48·8	44·3	48·9	47·6	40·2	44·4	34·6	40·9	41·7	33·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0
Average Mean Temperature in corresponding week of previous 10 years,	55·7	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4
Rainfall in inches,	·010	·640	·265	·710	·473	·383	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745
Mean Humidity of the Air, complete Saturation 1·0,	84	·86	·88	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th March, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 12th March, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	29·6	213	56	16	36	41	53	11	.	.	1	.	6	.	.	3	1	11	30	9	44	3	116
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS,	87,188	22·1	37	7	3	4	7	9	7	.	.	1	.	1	.	.	.	.	2	3	2	4	.	26
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·7	46	12	6	9	9	10	.	.	.	.	.	2	.	.	1	.	3	10	1	10	2	20
IV.	GENERAL SERVICE CLASS,	154,279	41·0	88	31	6	13	17	15	1	.	.	.	.	3	.	.	2	.	5	12	6	20	1	44
V.	INMATES OF WORKHOUSES,	6,024		38	6	1	5	7	17	2	.	.	.	.	.	.	.	.	1	1	5	.	9	.	23
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	1	.	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	3	.	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	4
	6. Clerks and Commercial Assistants,	30,432	20·6	12	2	.	2	1	6	1	.	.	1	.	.	.	.	.	.	1	1	.	3	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	27·0	14	1	3	1	1	3	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	12
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	9. Building and Furnishing Trades,	29,801	21·0	12	4	3	3	2	.	.	.	.	.	.	2	.	.	.	.	2	3	1	2	.	4
	10. Clothing Trades,	28,260	17·9	8	4	1	2	1	.	.	.	.	.	.	.	.	.	1	.	1	2	.	1	1	3
	11. Food Supply Trades,	9,242	33·9	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	1	1	2	2	5	.	.	.	.	.	.	.	.	.	.	.	2	.	2	1	6
	13. Petty Shopkeepers,	7,894	33·0	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	46·6	12	5	.	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	3
	15. Domestic Servants,	36,608	11·4	8	3	.	3	1	1	.	.	.	.	.	1	.	.	.	.	1	2	.	2	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	36·0	62	20	6	11	15	9	1	.	.	.	.	2	.	.	.	2	4	8	5	13	1	31
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	38	6	1	5	7	17	2	.	.	.	.	.	.	.	.	1	1	5	.	9	.	23

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the vincial County the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the*

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	Jan. 23,	29·4	3·7	16	.	.	.	.	2	.	.	.	.	1	5	1
	„ 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
	Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
	„ 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
	„ 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
	„ 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
	„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Jan. 23,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	5	.
	„ 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
	„ 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
	„ 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
	„ 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
	Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
	„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Jan. 23,	36·4	1·7	21	.	.	.	.	1	.	.	.	.	4	6	.
	„ 30,	39·8	6·9	23	.	.	.	.	4	.	.	.	.	3	4	.
	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
	„ 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
	„ 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
	„ 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
	„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Jan. 23,	26·3	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
	Feb. 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
	„ 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
	„ 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
	„ 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
	„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	Jan. 23,	38·0	2·7	28	.	.	.	.	.	.	.	2	.	6	2	1
	„ 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
	„ 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
	„ 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
	„ 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Jan. 23,	48·5	.	17	.	.	.	.	.	.	.	.	.	4	3	.
	„ 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
	„ 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
	„ 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
	„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Jan. 23,	32·3	.	26	.	.	.	.	.	.	.	.	.	1	9	1
	„ 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
	„ 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
	„ 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
	„ 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
	Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
	„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Jan. 23,	19·3	3·0	13	.	.	.	.	2	.	.	.	.	3	1	1
	„ 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
	„ 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
	„ 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.
	„ 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2
	„ 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Jan. 23,	11·0	.	7	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	„ 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	„ 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Jan. 23,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Jan. 23,	29·6	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
Belfast. Pop. in 1904 (Est.) 358,680.	Jan. 23,	20·4	1·2	140	.	.	.	.	5	2	.	1	.	21	39	5
	„ 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	43	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	43	1
	„ 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	„ 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
Cork. Pop. (in 1901) 76,122.	Jan. 23,	28·1	2·7	41	.	.	1	.	2	1	.	.	.	7	7	1
	„ 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	„ 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	„ 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
Londonderry. Pop. in 1904 (Est.) 41,397	Jan. 23,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	1	5	1
	„ 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	27·7	3·8	22	.	.	1	.	.	1	.	1	.	4	6	.
Limerick. Pop. (in 1901) 38,151.	Jan. 23,	31·4	4·1	23	.	.	.	.	3	.	.	.	.	2	6	1
	„ 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	„ 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
Waterford. Pop. (in 1901) 26,769.	Jan. 23,	33·1	.	17	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	„ 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 12th March, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	7	17·7	.	5	1	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	1	1
Do 2 „	47,959	29	12·0	.	11	5	1	4	1	.	.	.	.	.	.	.	.	.	1	4	.	.	1
Do. 3 „	47,214	26	24·3	2·2	22	2	2	15	3	.	.	.	.	1	.	.	1	.	4	7	.	.	2
Do. 4 „	40,911	25	33·1	3·8	26	6	4	10	6	.	1	.	.	1	.	.	1	.	3	10	.	1	10
Do. 5 „	17,387	6	33·0	3·0	11	1	1	8	1	.	.	.	.	1	.	.	.	.	2	3	.	1	5
Do 6 „	48,122	16	24 9	4·3	23	7	3	6	7	.	1	.	.	1	2	.	.	.	3	6	1	1	2
Do 7 „	1,524	2	-	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2
Do 8 „	5,060	7	51·5	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 9 „	19,569	13	21·3	5·3	8	2	4	.	2	.	.	.	.	2	.	.	.	.	1	1	.	.	1
Do. 10 „	28,064	20	20·3	6·8	9	2	2	5	.	.	1	.	.	2	.	.	.	.	3	2	.	.	1
Do. 11 „	34,862	18	18·0	1·5	12	3	1	4	4	.	.	.	.	1	.	.	.	.	3	3	.	.	1
Do. 12 „	33,588	30	23·3	.	15	6	.	5	4	.	.	.	.	.	.	.	.	.	3	1	3	.	6
Do 13 „	15,006	8	17·4	3·5	5	2	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 14 „	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	207	23·0	2·5	154	38	21	62	33	.	3	.	.	9	3	.	2	.	26	40	6	6	33
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	4	32·4	.	8	2	.	4	2	.	.	.	.	.	.	.	.	.	2	1	.	.	4
Do. 2 „	10,701	6	9·7	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 „	9,978	8	31·4	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	4	2	.	.	2
Do. 4 „	8,666	10	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 „	6,592	5	15·8	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 „	10,702	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 „	16,616	12	25·1	.	8	1	1	4	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Total,	76,122	51	19·2	.	29	4	2	14	9	.	.	.	.	.	.	.	.	.	8	4	.	.	8

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20	Feb. 27.	Mar. 5.	Mar. 12.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered,	219	219	219	242	257	203	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	263	226	207
DEATHS registered.	122	105	113	125	113	125	118	124	113	138	120	163	145	176	158	182	190	199	140	149	150	203	185	186	161	154
Annual Death-rate per 1,000 of estimated Population.	17·7	15·3	16·4	18·2	16·4	18·2	17·3	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4
AGES, Under 1 year,	39	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38
AGES, 1–5 years,	10	11	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21
AGES, 5–60 years,	55	52	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62
AGES, 60 years and upwards,	18	13	16	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3
" Scarlet Fever,	.	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	1	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9	5	10	11	13	8	5	5	9
" Diphtheria,	.	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3
" Simple Continued Fever,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.
" Enteric Fever,	3	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2
" Diarrhœal Diseases,	14	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.
" Phthisis	18	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	28	21	14	26	40	25	20	17	26
" Diseases of Respiratory System,	21	10	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	48	58	54	47	47	40
Violent Deaths,	2	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th March, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 1, West,	.	.	.	3	.	.	1	.	.	2	1	.	.	7
" " 2,	.	8	.	1	.	.	.	.	.	2	.	.	.	11
" " 3,	.	5	.	2	.	.	10	.	.	1	3	.	.	21
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	1	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	7	.	2	.	.	1	.	.	10	2	.	.	22
" " 2,	.	.	.	3	.	.	1	.	.	1	.	.	.	5
" " 3,	.	1	.	.	.	.	1	.	.	1	.	.	.	3
" " 4,	.	1	.	3	.	.	.	.	.	4	.	.	.	8
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	22	.	17	.	.	14	.	.	22	7	.	.	82

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th March, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th March.			
	Feb. 20.	Feb. 27.	Mar. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	28	26	32	10	6	.	36
Scarlet Fever,	102	94	78	13	18	1	72*
Typhus "	2	2	1	.	.	.	1
Diphtheria,	18	19	19	5	5	.	19
Enteric Fever,	72	71	59	6	7	2	56
Pneumonia,	15	17	18	4	10	.	12

*Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Mar. 12,	2,712	1,796	20·1	1	66	6	17	54	4	18
EDINBURGH,	331,977	„ 12,	147	124	19·5	.	.	.	.	1	.	2
GLASGOW,	798,357	„ 12,	490	359	23·5	2	10	1	3	3	1	5
CALCUTTA,	847,796	Jan. 9,	.	462	28·3	.	2	.	.	.	119‡	70*
BOMBAY,	776,006	Feb. 9,	299	938	62·9	8	9	.	.	.	49‡	47
MADRAS,	509,346	Jan. 22,	335	427	43·5	.	5	?	?	?	138‡	61*
PARIS,	2,660,559	Feb. 27,	1,088	957	19·8	1	15	.	5†	2	6	32
BRUSSELS (with 8 Faubourgs).	575,896	„ 20,	234	157	14·2	.	.	.	1†	2	1	5
AMSTERDAM,	546,533	„ 20,	310	165	15·7	1	11	.	2	4	2	5
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	420,000	Feb. 20,	233	126	15·6	.	.	.	.	4	1	5
CHRISTIANIA,	225,709	„ 27,	155	64	14·8	.	.	.	.	.	.	2
ST. PETERSBURG,	1,248,122	„ 27,	712	618	25·8	2	11	9	16	7	19	45
BERLIN,	1,960,909	„ 13,	969	636	16·9	.	17	4	6†	14	.	31
HAMBURG,	751,842	„ 20,	.	228	15·8	.	1	4	1†	2	.	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Feb. 27,	.	198	19·8	.	1	.	1†	4	.	24
VIENNA (with suburbs).	1,779,869	„ 27,	1,016	628	18·3	.	16	.	8†	1	2	24
BUDA-PESTH	790,529	„ 27,	445	323	20·7	4§	.	12	4†	2	2	12
PRAGUE and Faubourgs.	423,990	„ 20,	205	226	27·8	.	3	.	.	2	1	16
ROME,	491,074	Dec. 5,	259	168	17·8	.	2	.	.	.	5	4
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,522	Jan. 30,	69	89	27·9	.	.	.	.	.	.	5
NEW YORK,	3,732,903	Feb. 13,	1,507	1,578	21·5	.	14	30	56†	5	7	45
PHILADELPHIA,	1,408,154	„ 6,	.	623	23·0	16	7	8	15†	4	13	18

* Including 11 deaths from cholera in Calcutta and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 15 deaths from bubonic fever in Calcutta, 419 in Bombay, and one in Madras.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th March, 1904 :—

"Cold weather was prevalent throughout this week in Ireland. At first it was squally, dull and snowy, then rainy; but from Wednesday inclusive the weather was fine and dry. Sunday was a very severe day, an easterly gale bringing up squalls of hail, sleet and snow at short intervals. These inclement conditions were brought about by a steep barometric gradient between an anticyclone over Scandinavia, where atmospheric pressure exceeded 30·6 inches, and a depression central off the N.W. of Spain and Portugal—the barometer at 8 a.m. of Sunday reading only 29·48 inches at Corunna. The latter system moved slowly northwards, reaching the South of Ireland and St. George's Channel on Monday evening when the barometer read 29·16 inches at St. Mary's, Scilly Islands. As the disturbance approached, rain fell heavily in the S.W. of England, Wales, and along the east coast of Ireland. At Plymouth the rainfall recorded on Tuesday morning was ·60 inch, at Pembroke it was ·62 inch, in Dublin it was ·52 inch. The depression subsequently retreated in a S.E. direction across France and filled up as a new anticyclone spread over the British Isles from the N.W. This system caused moderate N.E. winds, clear skies and bright sunny weather by day; calms, fog and sharp frost by night. On Saturday much cirrus cloud overspread the sky from the westward, and the weather became less fair, though remaining dry. In the middle of the week mild days were enjoyed at inland stations in England—on Tuesday the thermometer rose to 58° in London, on Wednesday to 60° in London and at Oxford and to 59° at Nottingham. In Dublin the mean height of the barometer was 29·997 inches, the range of pressure being from 29·468 inches at 9 p.m. of Monday (wind, E.N.E.) to 30·420 inches at 9 p.m. of Thursday (wind, calm). The corrected mean temperature was 40·1°, the dry bulb readings at 9 a.m. and 9 p.m. being 38·6°. On Friday the screened thermometers fell to 28·9°—the minimum of the week—and rose to 49·4°—the maximum of the week, a range of 20·5° in a few hours. Bright sunshine was estimated at 30¾ hours, 11 hours being observed on Thursday. The dominant wind was N.E. Rain fell on 3 days to the amount of ·673 inch, ·518 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·012 inches. The highest reading (30·444) was on Thursday at 9 p.m., air calm, and the lowest (29·439) on Monday at 9 p.m., wind E.

The mean temperature for the week was 38·0°, being 3·4 under the average for the corresponding period of the 10 years 1894-1903. Both extremes of temperature—highest, 50·8; lowest, 22·4—were recorded on Friday. The mean of the Dry Bulb for the week was 37·2°, and of the Wet Bulb 36·0°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 29·3 hours. The rainfall during the week measured ·745 inch.

At Greenwich the mean temperature for the week was 40·5°, the maximum 59·1°, and the minimum 27·2°; at Glasgow the maximum was 49·2°, the minimum 24·2°, and the mean 36·7°; and at Edinburgh the maximum was 45·4°, the minimum 28·9°, and the mean 36·5°. The rainfall at Greenwich measured 0·24 inch; at Glasgow 0·13 inch; and at Edinburgh 0·23 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 6,	29·861	40·2	33·2	36·7	36·2	35·1	·91	·2	0·0	·045	E.N.E.	E.
Monday, " 7,	29·537	41·4	36·1	38·8	40·0	38·7	·90	·2	1·9	·640	E.	E.
Tuesday, " 8,	29·643	42·0	39·6	40·8	41·0	40·6	·92	·3	0·0	·060	N.E.	N.
Wednesday, " 9,	30·148	46·2	37·2	41·7	40·2	38·4	·86	·5	8·7	—	N.	N.E.
Thursday, " 10,	30·413	44·7	29·2	37·0	35·7	34·1	·87	·1	10·1	—	N.E.	Calm.
Friday, " 11,	30·395	50·8	22·4	36·6	32·2	31·1	·87	·1	8·6	—	Calm.	Calm.
Saturday, " 12,	30·085	44·7	24·2	34·5	35·2	34·1	·90	·5	0·0	—	Calm.	S.
Mean, . .	30·012	44·3	31·7	38·0	37·2	36·0	·89	·3	Total 29·3	·745	Prevailing Winds, E. and N.E.	

Sunday—Day overcast, sleet and snow showers; night overcast. *Monday*—A fine day, overcast p.m.; night overcast, heavy rain 7.45 p.m. to 7.30 a.m. *Tuesday*—Day overcast, light rain at intervals; night overcast. *Wednesday*—A fine mild day: night clear. *Thursday*—A beautiful day; night clear. *Friday*—A fine mild day; night sky clear, foggy. *Saturday*—Day fine but dull; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 19TH MARCH, 1904. [No. 11.

General Register Office, Charlemont House,
Dublin, 21*st March,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Feb. 27.	Week ending Mar. 5.	Week ending Mar. 12.	Week ending Mar. 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 27.	Week ending Mar. 5.	Week ending Mar. 12.	Week ending Mar. 19.	Average Rate for 4 weeks
22 Town Dists.	**27·4**	**24·0**	**25·7**	**27·3**	**26·1**	Lisburn,	13·6	36·4	36·4	31·8	29·6
Armagh,	13·7	13·7	20·6	20·6	17·2	Londonderry	20·2	23·9	27·7	12·6	21·1
Ballymena,	38·3	.	14·4	38·3	22·8	Lurgan,	35·4	22·1	22·1	13·3	23·2
Belfast,	27·0	23·4	22·4	30·8	25·9	Newry,	16·8	16·8	12·6	12·6	14·7
Clonmel,	56·4	20·5	20·5	10·3	26·9	Newtownards,	40·1	11·4	28·6	28·6	27·2
Cork,	26·7	27·4	19·9	32·2	26·6	Portadown,	31·0	25·8	25·8	20·7	25·8
Drogheda,	8·2	12·3	45·0	16·3	20·5	Queenstown,	39·6	39·6	19·8	19·8	29·7
Dublin Reg. Area,	27·2	26·4	28·3	27·7	27·4	Sligo,	33·6	24·0	28·8	19·2	26·4
Dundalk,	55·8	19·9	23·9	8·0	26·9	Tralee,	58·1	26·4	21·1	10·6	29·1
Galway,	27·2	15·5	50·5	66·0	39·8	Waterford,	17·5	13·6	31·2	21·4	20·9
Kilkenny,	19·7	34·3	29·5	9·8	23·3	Wexford,	23·3	32·7	37·4	28·0	30·4
Limerick,	28·7	17·8	24·6	23·2	23·6						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·1 in Lisburn, the 7 deaths from all causes registered in that district including 2 from whooping-cough. Among the 212 deaths from all causes in Belfast are 2 from measles, 10 from whooping-cough, one from simple continued fever, 2 from enteric fever, and 3 from diarrhœal diseases; and the 47 deaths from all causes in Cork include 3 from whooping-cough and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—115 boys and 99 girls; and the deaths to 213—114 males and 99 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 29·3 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 27·7 per 1,000. During the eleven weeks ending with Saturday last the death-rate averaged 28·9, and was 2·0 below the mean rate for the corresponding portions of the ten years 1894–1903.

Thirteen deaths were caused by whooping-cough, 5 by influenza, 4 by measles, and

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

one each by diphtheria, enteric fever, and *diarrhœa.* In the 4 weeks preceding there were 9, 11, 10, and 6 deaths from whooping cough, and 3, 2, 3, and 3 deaths from enteric fever, respectively. There were no deaths from small-pox, scarlet fever, or typhus registered during the week.

Tuberculous disease caused 37 deaths, including 3 from tuberculous phthisis, 23 from *phthisis,* 5 from tuberculous meningitis, one from tuberculous peritonitis, one from tabes mesenterica, and 4 from other forms of the disease.

Carcinoma caused 3 deaths, and *cancer, malignant disease,* 2.

Diseases of the nervous system caused 16 deaths, including 4 (all of children under one year old) from *convulsions.*

Diseases of the heart and blood-vessels caused 23 deaths.

Fifty-one deaths were caused by diseases of the respiratory system, being equal to an annual rate of 7·0 per 1,000 of the population of the Dublin Registration Area, the average rate for the corresponding week of the previous 10 years being 7·1 per 1,000. The 51 deaths include 36 from bronchitis, one from croupous pneumonia, 4 from broncho-pneumonia, and 8 from *pneumonia.*

There were 5 accidental deaths registered, including 3 from burns.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Seventy-five of the persons whose deaths were registered during the week were under 5 years of age (42 being infants under one year, of whom 19 were under one month old), and 54 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 13 were octogenarians, and one (a man) was stated to have been aged 90 years.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·7 per 1,000, the rate in the City was 28·3 (North City Districts, 29·1; South, 27·4), and in the Suburbs, 25·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·4 (3·4 in the North City Districts, and 3·3 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. They include one from whooping-cough, one from *diarrhœa,* 2 from influenza, 2 from tuberculous disease, and 4 from diseases of the respiratory system.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. Six deaths were caused by *phthisis,* 3 by diseases of the nervous system, 3 by diseases of the heart and blood-vessels, and 6 by diseases of the respiratory system, including one by broncho-pneumonia and one by *pneumonia.*

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. Tuberculous disease caused 3 deaths, diseases of the nervous system 2, and diseases of the respiratory system 5.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 34·6 per 1,000. Among them are 4 from measles, 3 from whooping-cough, 2 from tuberculous disease, 2 from diseases of the nervous system, and 3 from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 54·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 15·6; and Finglas and Glasnevin, part of, 15·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 21·7 per 1,000. Whooping-cough caused 2 deaths, tuberculous disease 3, and diseases of the respiratory system 6, including one from croupous pneumonia, and one from broncho-pneumonia.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000. One death was caused by enteric fever, 5 by tuberculous disease, and 3 by diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. Whooping-cough and diphtheria each caused one death, tuberculous disease 3, diseases of the heart and blood-vessels 2, and diseases of the respiratory system 6, including one from broncho-pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Three deaths were caused by whooping-cough, 2 by tuberculous disease, 3 by diseases of the nervous system, 3 by diseases of the heart and blood-vessels, and 2 by diseases of the respiratory system.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·6; Pembroke, 26·0; Blackrock, 23·8; and Kingstown, 29·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar. The 15 deaths from all causes tabulated for Rathmines and Rathgar include one from influenza and 3 from diseases of the respiratory system (comprising one from broncho-pneumonia and 2 from *pneumonia*). The 13 deaths from all causes tabulated for Pembroke include 3 from *phthisis,* 5 from diseases of the respiratory system (including 2 from *pneumonia*), and 2 from burns accidentally received. Amongst the 10 deaths from all causes tabulated for Kingstown were 5 from diseases of the respiratory organs (including 2 from *pneumonia*).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 19th March, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 27,	.	17	.	3	.	.	4	.	1	14	13	.	.	.	52
	Mar. 5,	.	14	.	5	.	.	3	.	3	10	14	.	.	.	49
	Mar. 12,	.	22	.	17	.	.	14	.	.	22	7	.	.	.	82
	Mar. 19,	.	25	.	6	.	.	6	.	6	8	9	.	.	.	60
Rathmines and Rathgar Urban District.	Feb. 27,	.	.	.	3	.	.	.	.	.	.	.	.	1	.	4
	Mar. 5,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Mar. 12,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Mar. 19,	.	.	.	1	.	.	1	.	.	2	.	.	.	.	4
Pembroke Urban District.	Feb. 27,	.	1	.	.	.	.	.	.	.	.	.	.	2	30	33
	Mar. 5,	.	.	.	.	.	.	.	.	.	1	1	.	.	11	13
	Mar. 12,	.	1	.	.	.	.	.	.	.	.	.	.	3	20	24
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	2	33	35
Blackrock Urban District.	Feb. 27,	.	.	.	.	.	.	.	.	.	.	.	.	4	.	4
	Mar. 5,	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 19,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	Feb. 27,	.	.	.	3	.	.	2	.	.	.	.	.	.	.	5
	Mar. 5,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	3	.	4
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	Feb. 27,	2	–	.	2	.	.	4	.	2	5	6	2	.	.	23
	Mar. 5,	1	–	.	6	.	.	3	2	1	4	5	.	.	.	22
	Mar. 12,	1	–	.	16	.	.	4	.	2	7	9	1	.	.	40
	Mar. 19,	1	–	.	14	.	.	7	.	.	4	4	1	.	.	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th March, 1904.

From this it appears that :—

Eleven cases of measles were admitted to hospital during the week, 7 were discharged, there were 4 deaths, and 36 patients remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 21 cases were discharged, and 63* cases remained under treatment at the close of the week.

One case of typhus fever was discharged from hospital during the week, and no patient remained under treatment at its close.

Five cases of diphtheria were admitted to hospital, 3 were discharged, there were 4 deaths, and 17 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 13 cases were discharged, there was one death, and 48 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 3 patients were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 19·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 23·0 per 1,000, the rate for Glasgow being 24·4, and for Edinburgh 18·5.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th March, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 19th March, 1904. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 19th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,098,289	19·2	27·7	27·3	2·3	580	573	97	157	.	6	1	.	29	1	1	3	7	88	175	11	22	151	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	378,994	27·5	29·5	27·7	2·8	214	201	40	49	.	4	.	.	13	1	.	1	1	24	50	6	5	76	§58·2	25·9	42·6	0·68	§50·8	22·4	38·0	0·75	§43·6	30·9	36·1	0·22
City of Dublin	293,385	37·1	31·5	28·3	3·4	177	159	33	28	.	4	.	.	12	1	.	1	1	21	36	4	3	70	a60·8 / b59·8	30·0 / 27·0	44·7 / 42·1	0·64 / 0·79	a49·4 / b51·7	28·9 / 23·0	40·1 / 39·3	0·67 / 0·76	a44·6 / b43·8	32·8 / 32·0	38·2 / 37·4	0·24 / 0·24
Urban Districts. Rathmines and Rathgar	33,208	19·4	23·6	23·6	1·6	15	15	3	8	.	.	.	.	1	.	.	.	.	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	12·0	26·0	.	6	13	1	4	.	.	.	.	.	.	.	.	.	3	5	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	23·8	.	5	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	32·5	29·6	.	11	10	3	7	.	.	.	.	.	.	.	.	.	.	5	.	.	.	61·2	28·5	44·0	0·46	50·7	28·5	40·8	0·68	43·7	33·5	38·5	0·24
Urban Districts.																																			
Belfast	358,680	24·4	30·8	30·8	2·6	212	212	45	47	.	2	.	.	10	.	1	2	3	33	79	4	15	36	55·0	26·3	40·8	0·32	50·8	25·3	37·6	0·38	46·4	29·7	37·6	0·03
Cork	76,122	33·6	15·8	32·2	2·7	23	47	4	13	.	.	.	.	3	.	.	.	1	12	11	1	1	15	52	33	42·6	0·67	52	33	41·2	0·46	46	31	38·7	1·60
Londonderry	41,397	19·1	31·5	12·6	.	25	10	1	8	.	.	.	.	.	.	.	.	.	1	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	19·1	23·2	1·4	14	17	1	6	.	.	.	.	.	.	.	.	1	4	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	17·5	21·4	.	9	11	2	2	.	.	.	.	.	.	.	.	.	3	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	27·2	66·0	.	7	17	1	10	.	.	.	.	.	.	.	.	.	3	8	.	.	7	53	28	44·5	1·02	50	27	37·4	0·11	49	25	35	0·63
Dundalk	13,076	9·4	16·0	8·0	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	12·3	16·3	4·1	3	4	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	29·4	12·6	.	7	3	1	1	.	.	.	.	.	.	.	.	.	1	4	.	.	.	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05
Lurgan	11,782	13·8	31·0	13·3	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05
Lisburn	11,461	10·1	36·4	31·8	9·1	8	7	1	2	.	.	.	.	2	.	.	.	.	.	4	.	.	1	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05
Wexford	11,168	23·2	23·3	28·0	4·7	5	6	.	1	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	28·9	38·3	4·8	5	8	.	3	.	.	.	.	.	.	.	.	1	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	14·4	19·2	.	3	4	.	3	.	.	.	.	.	.	.	.	.	1	1	.	1	1	55·3	25·5	43·9	0·75	50·4	22·8	38·8	0·05	45·4	19·0	35·5	0·63
Kilkenny	10,609	11·5	14·7	9·8	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56	26	43·5	0·80	52	24	38·5	0·23	44	29	35·6	0·47
Clonmel	10,167	7·8	35·9	10·3	.	7	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	51·7	20·7	.	10	4	.	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05
Tralee	9,867	16·6	31·7	10·6	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	17·2	28·6	.	3	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	55	30	42·0	0·41	48	30	38·9	0·24	43	33	37·1	0·02
Queenstown	7,909	14·4	19·8	19·8	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52	33	42·6	0·67	52	33	41·2	0·46	46	31	38·7	1·60
Armagh	7,588	22·2	13·7	20·6	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22	43·0	26·8	36·5	0·05

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† [illegible] Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been [illegible]

Point for Cork and Queenstown. ‡ Exclusive of 42 deaths of persons [illegible] a Observations at Ordnance Survey Office, Phœnix Park. [illegible] Observations by Sir John Moore taken at Fitzwilliam Square.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown, registered during the week ending Saturday, the 19th of March 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	8	.	.	1	2	.	1	8	1	1	.	.	.	13	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	1	6	2	1	.	1	.	2	4	2	1	1	.	3	.	.	24	2
Other General Diseases,	3	1	5	5	1	.	1	1	2	3	4	1	4	.	2	1	34	5
Total,	6	7	7	18	1	1	2	5	7	7	8	3	5	3	2	1	78	7
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	2	2	.	.	.	.	.	2	3	1	.	1	.	.	15	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	3	.	.	2	.	.	1	.	2	3	1	4	1	1	.	21	2
Respiratory System,	4	6	5	3	1	.	.	6	3	6	2	.	3	5	1	5	50	1
Digestive System,	.	.	.	.	.	1	.	1	1	3	.	.	2	1	.	1	10	.
Lymphatic System, &c.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	.	1	.	.	.	.	.	1	1	1	.	.	.	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Total,	8	12	9	6	3	1	.	8	6	14	9	2	9	8	2	6	103	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	1	1	1	1	.	3	.	.	.	1	1	.	.	3	14	.
E VIOLENT DEATHS,	.	1	.	1	.	.	.	.	.	1	1	.	.	2	.	.	6	.
Deaths from all Causes,	14	22	17	21	5	3	2	16	13	22	18	6	15	13	4	10	201	12
Annual Rate of Mortality in every 1,000 of the population	25·8	29·3	29·4	34·6	54·2	15·6	15·6	21·7	37·1	27·4	26·7	35·2	23·6	23·0	23·8	29·6	27·7	.
	29·1							27·4					25·6					
	28·3																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	3	4	8	1	1	1	4	2	7	5	1	3	2	1	.	45	9
Workhouse Hospitals,	2	1	6	5	.	.	.	3	5	4	3	2	.	.	.	.	31	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe week of the ten years, 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1894-1903.	In the Week ending Saturd 19th March, 1904.						
												Deaths of Persons of the Age						
	Mar. 17, 1894.	Mar. 16, 1895.	Mar. 14, 1896.	Mar. 20, 1897.	Mar. 19, 1898.	Mar. 18, 1899	Mar. 17, 1900.	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.		ALL AGES.	0 to 5.					
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 41·1	° 43·6	° 44·9	° 45·3	° 43·8	° 42·6						
ALL CAUSES.	173	284	190	271	237	217	209	234	154	212	218·1	213	19	23	33	12	35	37
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	46	.	.	4	.	4	1	5·6	4	.	2	2	.	.	.
Scarlet Fever	.	.	4	2	4	.	.	.	3	.	1·3	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	8	14	3	4	11	9	5	14	5	1	7·4	5	.	.	.	.	.	2
Whooping Cough, ...	5	3	2	20	3	10	1	11	.	2	5·7	13	.	3	9	1	.	.
Diphtheria, ...	.	1	.	.	1	2	.	2	.	3	·9	1	.	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	2	.	3	2	7	.	.	1	1	2	1·8	1	.	.	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	1	1	4	2	.	4	.	1	. / 1	1·5	. / 1	.	. / 1	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	.	.	.	.	1	1	2	·5	2	1	1	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	.	1	.	.	.	. / . / .	·2	1 / . / .	.	.	.	.	1	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	1	.	.	.	2	·4	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	1	.	.	.	.	.	.	1 / .	·3	2 / .	.	.	.	.	1	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	20	32	27	38	26	33	29	23	17	4 / 16	26·5	3 / 23	.	.	.	1 / 3	2 / 14	. / 6
Tuberculous Meningitis, (Acute Hydrocephalus).	4	1	2	3	7	4	6	4	3	13	4·7	5	.	1	2	2	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	4	7	6	3	7	4	9	.	3 / .	4·5	1 / 1	.	. / 1	.	1 / .	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	5	4	4	6	1	4	5	7	3	11 / .	5·0	4 / .		1	2	. / .	.	1 / .
Alcoholism, ...	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	1	1	.	1	.	·5	.	.	.	.	.	.	.
Gout, ...	.	2	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are

ELEVENTH WEEK ending Saturday, 19th March, 1904, with the deaths from each cause in the corresponding
he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday, Mar. 17, 1894.	Mar. 16, 1895.	Mar. 14, 1896.	Mar. 20, 1897.	Mar. 19, 1898.	Mar. 18, 1899.	Mar. 17, 1900.	Mar. 16, 1901.	Mar. 15, 1902.	Mar. 21, 1903.	Averages in 11th Week of the 10 years 1894-1903.	In the Week ending Saturday, 19th March, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 40·3	° 42·4	° 45·0	° 45·2	° 45·3	° 44·8	° 41·1	° 43·6	° 44·9	° 45·3	° 43·8	Mean Temp. ° 42·6								
G inoma	8	4	7	6	5	3	4	9	4	1	5·7	3	.	.	.	.	.	.	3	.
S oma										1		.	.	.	.	.	.	.	.	.
C er, *Malignant Disease* ...										5		2	.	.	.	.	.	2	.	.
D betes Mellitus	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	1	.
I nature Birth		.	3	1	.	5	1	5	1	3	2·3	9	8	1	.	.	.	.	.	.
M ingitis (not tuberc.)	32	49	35	38	52	37	40	46	33	3	41·1	4	.	.	4	.	.	.	.	.
I nity, G. P. of Insane										3		4	.	.	.	1	1	2	.	.
E epsy										1		2	.	.	.	.	.	1	1	.
C ulsions										8		4	2	2	.	.	.	.	.	.
L omotor Ataxy										.		.	.	.	.	.	.	.	.	.
P aplegia Dis. of Cord										3		1	.	.	.	.	.	1	.	.
N vous System (other Dis.) ...										4		1	.	.	1	.	.	.	.	.
V . Dis., Endocarditis										2		.	.	.	.	.	.	.	.	.
C br. Hæm. Thromb.										1		1	.	.	.	.	.	.	1	.
A oplexy, *Hemiplegia*										4		5	.	.	.	.	1	1	.	3
A urysm										.		.	.	.	.	.	.	.	.	.
E bolism, Thromb. (not cerebral)										.		.	.	.	.	.	.	.	.	.
H rt and Blood Vessel Dis.										20		17	.	.	.	1	2	4	9	1
C up (not Spasm. or Memb.) ...	.	1	.	1	.	.	.	.	.	.	·2	1	.	.	1	.	.	.	.	.
B nchitis	29	62	24	27	35	38	27	37	21	28	32·8	36	.	5	7	.	1	10	10	3
C upous Pneumonia	14	23	9	15	7	19	10	14	17	.	14·5	1	.	.	.	.	.	.	1	.
B cho-Pneumonia										6		4	.	1	2	.	.	1	.	.
"eumonia"										11		8	.	.	2	1	3	.	.	2
A ma, Emphysema	1	10	.	6	.	2	2	4	3	.	2·9	.	.	.	.	.	.	.	.	.
P risy										.		1	.	.	.	.	1	.	.	.
R piratory Dis. (other)										1		.	.	.	.	.	.	.	.	.
T illitis, Quinsy	1	.	1	1	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
E ritis (not Epid.)	1	.	.	.	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.
G ro Enteritis										.		.	.	.	.	.	.	.	.	.
P tonitis (not Puerp.)	.	.	1	1	1	1	.	2	2	1	·9	.	.	.	.	.	.	.	.	.
C hosis of Liver	2	2	1	1	4	.	6	1	3	1	2·1	1	.	.	.	.	.	1	.	.
L r Dis. (other)										.		5	2	.	.	.	3	.	.	.
D estive Dis. (other)	1	9	5	5	5	4	5	5	3	9	5·1	4	.	1	.	.	.	.	2	1
N hritis, Acute	3	6	5	4	6	4	9	4	7	.	5·1	.	.	.	.	.	.	.	.	.
B ht's Dis., Albuminuria ...										3		4	.	.	.	.	1	3	.	.
U nary Sys. (Other Dis.) ...										.		1	.	.	.	.	.	.	1	.
G erative Organs Dis.	.	1	1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
C dbirth (Accid. of)	1	1	1	.	1	1	.	.	.	1	·6	1	.	.	.	.	1	.	.	.
O Age	7	18	13	16	26	18	19	15	4	8	14·4	6	.	.	.	.	.	.	4	2
O er Diseases	17	26	24	11	23	9	21	14	15	14	17·4	13	6	2	.	1	1	1	2	.
ACCIDENT.																				
B Railways	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
B Vehicles and Horses	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
I hips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
I uilding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
I onflagrations	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.
B Burns, Scalds, Explosions ...	.	.	3	.	2	.	3	.	.	1	·9	1	.	.	1	.	.	.	.	.
B Drowning	1	.	.	2	1	1	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
B uffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
P oison or Poisonous Vapours...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
O er Deaths by Accidents ...	.	2	2	4	1	2	1	3	2	1	1·8	2	.	1	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
S icide	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
S ide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
E ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	Sept. 26.	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	187	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214
*Average Births in corresponding week of previous 10 years,**	197	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213
DEATHS registered,	165	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	223	207	228	206	201	218	218
Annual Death-rate per 1,000,	22·7	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3
*Average Deaths in corresponding week of previous 10 years,**	168	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218
AGES, Under 5 years,	55	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75
5—20 "	7	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12
20—40 "	26	30	35	29	23	25	21	24	31	25	38	23	23	26	39	40	45	38	35	38	31	30	31	34	36	35
40—60 "	31	26	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37
60—80 "	39	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40
80 years and upwards,	7	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	18	4	11	12	19	12	7	11	14
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4
" Scarlet Fever	.	.	1	.	.	1	.	1	.	.	2	.	2	1	2		.	1	.	.	1	.	1	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	.	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13
" Diphtheria,	1	.	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	2	2	4	4	.	1	3	2	5	2	1		2	1	6	3	3	1	1	2	3	2	3	3	1
" Diarrhœal Diseases,	14	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1
" Phthisis,	27	19	27	25	19	24	26	16	20	23	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30	26
" Diseases of Heart and Blood Vessels,	24	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22	28	28	41	23
" Diseases of Respiratory System,	24	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51
Violent Deaths,	2	5	1	1	3	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6
Mean Temperature of the Air (Phœnix Park),	–	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6
Average Mean Temperature in corresponding week of previous 10 years,	53·8	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8
Rainfall in inches,	·640	·265	·710	·473	·333	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·185	·280	1·360	·565	·743	·628	·220	·745	·625
Mean Humidity of the Air, complete Saturation 1·0,	·86	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·83	·94	·79	·93	·88	·90	·88	·80	·89	·87

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th March, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 19th March, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	29·6	213	75	12	35	37	40	14	.	4	.	.	13	1	.	1	1	20	26	4	51	6	106
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	26·9	9	1	.	1	.	4	3	.	.	.	.	1	.	.	.	.	1	.	.	2	.	6
II.	MIDDLE CLASS,	87,188	18·5	31	10	1	2	8	4	6	.	.	.	.	2	.	.	.	.	2	.	1	9	2	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	18·4	39	12	1	9	7	9	1	.	.	.	.	3	1	.	.	.	4	6	.	9	.	20
IV.	GENERAL SERVICE CLASS,	154,279	48·6	100	47	10	17	13	9	4	.	4	.	.	7	.	.	1	1	13	16	3	21	4	43
V.	INMATES OF WORKHOUSES,	6,024		34	5	.	6	9	14	.	.	.	.	.	.	.	.	.	.	.	4	.	10	.	20
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	38·4	5	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c.,	7,712	40·6	6	4	.	.	1	.	1	.	.	.	.	1	.	.	.	.	1	.	1	1	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	1	.	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	1	5
	6. Clerks and Commercial Assistants,	30,432	10·3	6	3	.	1	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	3	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	2	1	1	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	3	.	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.
	9. Building and Furnishing Trades,	29,801	24·5	14	7	.	2	2	3	.	.	.	.	.	2	.	.	.	.	2	2	.	4	.	6
	10. Clothing Trades,	33,260	15·7		2	.	3	.	1	1	.	.	.	.	1	.	.	.	.	1	2	.	2	.	2
	11. Food Supply Trades,	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	1	.	3	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	7
	13. Petty Shopkeepers,	7,894	26·4	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	5	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	4
	15. Domestic Servants,	36,603	14·2	10	6	2	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	7
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	2	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	44·1	76	34	7	12	12	7	4	.	4	.	.	6	.	.	1	.	11	13	3	17	4	29
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	6,024	.	34	5	.	6	9	14	.	.	.	.	.	.	.	.	.	.	.	4	.	10	.	20

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (Office, Clarence-street, Nth. Pop. in 1904 (Est.) 28,332.	Jan. 30,	38·6	7·4	21	.	.	.	.	2	.	.	1	1	3	5	1
		Feb. 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
		„ 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
		„ 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
		„ 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
		Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
		„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
		„ 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1904 (Est.) 39,146.	Jan. 30,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	8	.
		Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
		„ 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
		„ 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
		„ 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
		Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
		„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
		„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1904 (Est.) 30,107.	Jan. 30,	39·8	6·9	28	.	.	.	.	4	.	.	.	.	3	4	.
		Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
		„ 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
		„ 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
		„ 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
		Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
		„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
		„ 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	North City, No. 3. (Office, Benburb-street.) Pop. in 1904 (Est.) 31,678.	Jan. 30,	11·5	1·6	7	.	1	.	.	.	.	.	.	.	1	2	.
		Feb. 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
		„ 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
		„ 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
		„ 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
		Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
		„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
		„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	South City, No. 1. (Office, South Earl-street.) Pop. in 1904 (Est.) 38,384.	Jan. 30,	14·9	.	11	.	.	.	.	.	.	.	.	.	3	3	1
		Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
		„ 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
		„ 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
		„ 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
		Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
		„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
		„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1904 (Est.) 18,286.	Jan. 30,	28·5	.	10	.	.	.	.	.	.	.	.	.	3	.	.
		Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
		„ 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
		„ 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
		„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
		Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
		„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
		„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1904 (Est.) 41,940.	Jan. 30,	26·1	.	21	.	.	.	.	.	.	.	.	.	2	4	2
		Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
		„ 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
		„ 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
		„ 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
		Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
		„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
		„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
	South City, No. 4. (Office, Grand Canal-street) Pop. in 1904 (Est.) 35,188	Jan. 30,	34·1	3·0	23	.	.	.	.	2	.	.	.	.	.	6	1
		Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
		„ 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
		„ 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.
		„ 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
		Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2
		„ 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
		„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203	Jan. 30,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	2	.
	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	„ 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	„ 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Jan. 30,	30·1	2·0	15	.	.	.	.	1	.	.	.	.	3	1	.
	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	„ 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Jan. 30,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
Belfast. Pop. in 1904 (Est.) 358,680.	Jan. 30,	21·7	1·7	149	.	1	.	.	10	.	.	1	.	14	48	3
	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	44	1
	„ 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	„ 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	„ 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
Cork. Pop. (in 1901) 76,122.	Jan. 30,	16·4	0·7	24	.	.	.	.	1	.	.	.	.	3	5	.
	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	„ 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20,	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	„ 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	„ 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
Londonderry. Pop. in 1904 (Est.) 41,397	Jan. 30,	15·1	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	27·7	3·8	22	.	.	1	.	.	1	.	1	.	4	6	.
	„ 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,151.	Jan. 30,	27·3	.	20	.	.	.	.	.	.	.	.	.	1	7	.
	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	„ 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	„ 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
Waterford. Pop. (in 1901) 26,769.	Jan. 30,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	.	1
	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	„ 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	„ 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 19th March, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	3	42·5	.	12	3	2	6	1	.	.	.	.	.	.	.	.	.	2	5	.	.	4
Do 2 "	47,959	26	23·9	.	22	.	5	13	4	.	.	.	.	.	.	.	.	.	3	8	.	2	1
Do. 3 "	47,214	25	26·5	1·1	24	6	.	14	4	.	.	.	.	.	.	.	.	1	9	6	1	1	5
Do. 4 "	40,911	31	42·1	7·6	33	12	3	9	9	.	.	.	.	6	.	.	.	.	2	14	2	3	5
Do. 5 "	17,887	11	21·0	.	7	.	.	5	2	.	.	.	.	.	.	.	.	.	1	3	.	1	1
Do 6 "	48,122	19	28 2	2·2	26	6	2	11	7	.	.	.	.	.	.	.	1	1	4	12	.	3	5
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 8 "	5,060	.	61·8	10·3	6	1	2	1	2	.	.	.	.	1	.	.	.	.	.	1	.	1	1
Do. 9 "	19,569	15	26·6	5·3	10	2	2	5	1	.	.	.	.	2	.	.	.	.	2	4	.	.	1
Do. 10 "	23,064	30	20·3	.	9	4	.	3	2	.	.	.	.	.	.	.	.	.	.	6	.	2	1
Do. 11 "	34,802	29	27·0	4·5	18	3	5	8	2	.	2	.	.	.	.	1	.	.	6	2	.	.	6
Do. 12 "	33,588	16	52·8	3·1	34	7	7	10	10	.	.	.	.	1	.	.	1	.	2	16	1	2	6
Do 13 "	15,006	6	38·2	3·5	11	1	3	4	3	.	.	.	.	.	.	.	.	1	2	2	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	212	31·7	2·7	212	45	31	89	47	.	2	.	.	10	.	1	2	3	33	79	4	15	36
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	3	36·5	.	9	.	.	4	5	.	.	.	.	.	.	.	.	.	.	2	.	.	5
Do. 2 "	10,701	1	19·5	4·9	4	1	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Do. 3 "	9,978	6	36·6	.	7	.	.	3	4	.	.	.	.	.	.	.	.	.	3	4	.	.	3
Do. 4 "	8,666	1	24·1	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	3	1	1	1
Do. 5 "	6,592	1	31·6	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 6 "	10,702	2	43·9	4·	9	.	1	7	1	.	.	.	.	1	.	.	.	.	5	.	.	.	4
Do. 7 "	16,616	9	31·4	6·3	10	2	2	.	6	.	.	.	.	2	.	.	.	.	1	1	.	.	1
Total,	76,122	23	32·2	2·7	47	4	4	21	18	.	.	.	.	3	.	.	.	1	12	11	1	1	15

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered,	219	219	242	257	203	201	212	198	221	206	234	204	187	128	252	226	213	215	188	190	201	209	268	226	207	212
DEATHS registered.	105	113	125	113	125	118	124	118	138	120	163	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212
Annual Death-rate per 1,000 of estimated Population,	15·3	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8
AGES, Under 1 year,	29	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45
AGES, 1–5 years,	11	12	13	14	18	11	12	12	19	13	25	24	33	27	25	30	19	13	18	17	25	13	16	17	21	31
AGES, 5–60 years,	52	54	54	58	60	64	65	46	57	55	72	59	66	64	66	76	85	62	63	70	93	90	88	73	62	89
AGES, 60 years and upwards,	13	16	31	19	22	18	15	26	28	20	26	31	38	25	37	33	47	31	28	24	44	48	43	30	33	47
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2
" Scarlet Fever,	.	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	2	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9		10	11	13	8	5	5	9	10
" Diphtheria,	.	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1
" Enteric Fever,	2	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2
" Diarrhœal Diseases,	13	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3
" Phthisis	14	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33
" Diseases of Respiratory System,	10	16	25	6	21	21	25	29	29	38	50	43	70	50	60	79	83	39	48	43	58	54	47	47	40	79
Violent Deaths,	1	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th March, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	1	.	.	.	.	2	.	.	5	1	.	.	9
" " 2,	.	5	.	2	.	.	.	.	.	1	1	.	.	9
" " 3,	.	18	.	1	.	.	3	.	6	.	1	.	.	29
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	1	3	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" " 3,	.	1	.	2	.	.	.	.	.	.	.	.	.	3
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	25	.	6	.	.	6	.	6	8	9	.	.	60

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th March, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th March.			
	Feb. 27.	Mar. 5.	Mar. 12.	No. admitted.	Dis-charged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	26	32	36	11	7	4	36
Scarlet Fever,	94	78	72	12	21	.	63*
Typhus "	2	1	1	.	1	.	.
Diphtheria,	19	19	19	5	3	4	17
Enteric Fever,	71	59	56	6	13	1	48
Pneumonia,	17	18	12	8	3	.	17

*Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,649,088	Mar. 19,	2,577	1,680	18·8	1	69	2	17	51	2	19
EDINBURGH,	331,977	„ 19,	133	118	18·5	.	1	.	.	2	.	2
GLASGOW,	798,357	„ 19,	514	373	24·4	4	15	.	1	6	6	9
CALCUTTA,	847,796	Jan. 16,	.	458	28·0	.	2	.	.	.	121‡	87*
BOMBAY,	776,006	Feb. 16,	263	1,136	76·1	5	5	.	.	.	66‡	44
MADRAS,	509,346	Jan. 29,	330	370	37·7	.	2	?	?	?	113	58
PARIS,	2,660,559	Mar. 5,	1,031	1,103	22·8	2	21	.	10†	9	17	35
BRUSSELS (with 8 Faubourgs).	575,896	Feb. 27,	221	163	14·7	1	.	.	1†	2	2	14
AMSTERDAM,	547,370	„ 27,	317	158	15·1	.	5	.	.	2	.	7
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	420,000	Feb. 27,	186	110	13·7	.	.	1	.	2	.	4
CHRISTIANIA,	225,709	Mar. 5,	148	83	19·1	.	.	.	1	.	.	3
ST. PETERSBURG,	1,248,122	„ 5,	607	616	25·7	1	14	11	5	5	9	48
BERLIN,	1,960,909	Feb. 20,	919	613	16·3	.	11	3	7†	9	1	30
HAMBURG,	751,842	„ 27,	.	203	14·0	.	1	5	6†	3	.	5
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Mar. 5,	.	201	20·1	.	6	.	1†	2	.	16
VIENNA (with suburbs).	1,779,869	„ 5,	951	708	20·7	.	24	1	6†	4	.	34
BUDA-PESTH	813,399	„ 5,	480	322	20·5	.	6	3	7†	.	.	10
PRAGUE and Faubourgs.	423,990	Feb. 27,	171	192	23·6	.	3	.	4†	.	2	13
ROME,	491,074	Dec. 12,	260	186	19·8	.	1	.	1	.	2	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Feb. 6,	91	79	24·8	.	.	.	.	.	.	3
NEW YORK,	3,838,024	„ 20,	2,210	1,682	22·9	1	25	25	44†	4	6	44
PHILADELPHIA,	1,408,154	„ 13,	.	568	21·0	16	3	11	18†	3	12	25

* Including 16 deaths from cholera.
† Including deaths from croup.
‡ Exclusive of 12 deaths from bubonic fever in Calcutta, and 550 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 19th March, 1904:—

"In Ireland the weather was very changeable as regards both rainfall and temperature; in England it was generally dry and more steadily cold, but with a wide diurnal range of the thermometer. Sunday was milder than of late, but squally W.S.W. winds brought up showers, and in the evening continuous rain set in. By Monday morning the thermometer had again fallen to 36·8° and there was a downpour of sleet and rain, the whole range of the Dublin and Wicklow Mountains afterwards appearing covered with snow. A foggy frosty night followed, the thermometer falling to 30° in the screen even in the city. Tuesday was fine and sunny as the result of an anticyclonic formation over Ireland. This high-pressure system drifted eastwards to England and finally to North Germany, gradients for S.W. winds meantime developing over Ireland, Scotland and Norway. With this distribution of pressure came 'visibility,' or atmospheric clearness, and high temperature on Wednesday. In Dublin the thermometer rose to 58·5°. Thursday was squally at first, then dull and rainy, finally clear. At night a brisk fall of temperature took place and a dense vapour fog developed. This lasted until 10 a.m. on Friday, when the S.W. wind again asserted itself, blowing to the close of the period and raising the temperature to 60·8° on Saturday, the highest reading of the thermometer recorded in Dublin since October 12, 1903. In Dublin the mean atmospheric pressure was 29·849 inches, the barometer falling to 29·610 inches about 5 a.m. of Monday (wind, N.N.E.) and rising to 29·940 inches at 9 a.m. of Friday (wind, calm). The corrected mean temperature was 44·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·8°. The screened thermometers fell to 30·0° on Tuesday and rose to 60·8° on Saturday. S.W. winds were predominant. The duration of bright sunshine was estimated at 17 hours, of which 7½ hours occurred on Tuesday. The rainfall was ·644 inch on six days, ·393 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·863 inches. The highest reading (30·018) was on Tuesday at 9 a.m., wind W., and the lowest (29·661) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 42·6°, being 1·2 under the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 58·2°, and was lowest on Tuesday, the mercury having fallen to 25·9° The mean of the Dry Bulb for the week was 42·6°, and of the Wet Bulb 40·9°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 16·7 hours. The rainfall during the week measured ·625 inch.

At Greenwich the mean temperature for the week was 40·8°, the maximum 55·5°, and the minimum 26·4°; and at Glasgow the maximum was 55·2°, the minimum 29·0°, and the mean 42·2°. The rainfall at Greenwich measured 0·06 inch; and at Glasgow 0·21 inch.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 13,	29·694	47·8	38·7	43·3	44·3	43·0	·91	·4	0·0	·435	S.W.	Calm.
Monday, „ 14,	29·813	44·8	28·7	36·8	32·3	32·0	·96	·7	2·6	·060	N.E.	Calm.
Tuesday, „ 15,	29·974	47·0	25·9	36·5	38·6	35·8	·77	·8	7·6	·025	W.	S.S.W.
Wednesday, „ 16,	29·849	56·7	40·4	48·6	47·9	45·3	·82	·6	4·5	—	S.W.	S.W.
Thursday, „ 17,	29·803	47·9	33·3	40·6	39·3	37·7	·87	·0	0·0	·075	S.	Calm.
Friday, „ 18,	29·952	48·8	29·1	39·0	43·5	42·3	·93	·5	1·7	·015	S.W.	S.W.
Saturday, „ 19,	29·956	58·2	48·0	53·1	52·5	50·2	·85	·4	0·3	·015	S.W.	S.W.
Mean, . .	29·863	50·2	34·9	42·6	42·6	40·9	·87	·5	Total 16·7	·625	Prevailing Wind, S.W.	

Sunday—A dull showery day; night overcast and wet. *Monday*—Overcast and wet a.m., cloudy, fine p.m.; night clear. *Tuesday*—A fine day; night overcast, drizzling rain 9 p.m. to 1 a.m. *Wednesday*—Overcast a.m., cloudy p.m.; night cloudy. *Thursday*—Day overcast, showery p.m.; night sky clear, thick fog. *Friday*—A cloudy day, fog a.m.: night cloudy, rain 5 to 6.30 a.m. *Saturday*—A cloudy day, light showers; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 26TH MARCH, 1904. [No. 12.

General Register Office, Charlemont House, Dublin, 28th March, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 5.	Week ending Mar. 12.	Week ending Mar. 19.	Week ending Mar. 26.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 5.	Week ending Mar. 12.	Week ending Mar. 19.	Week ending Mar. 26.	Average Rate for 4 weeks.
22 Town Dists.	**24·0**	**25·7**	**27·3**	**26·8**	**26·0**	Lisburn,	36·4	36·4	31·8	27·3	33·0
Armagh,	13·7	20·6	20·6	27·5	20·6	Londonderry	23·9	27·7	12·6	30·2	23·6
Ballymena,	.	14·4	38·3	14·4	16·8	Lurgan,	22·1	22·1	13·3	26·6	21·0
Belfast,	23·4	22·4	30·8	24·3	25·2	Newry,	16·8	12·6	12·6	12·6	13·7
Clonmel,	20·5	20·5	10·3	46·2	24·4	Newtownards,	11·4	18·6	28·6	28·6	24·3
Cork,	27·4	19·9	32·2	28·1	26·9	Portadown,	25·8	25·8	20·7	36·2	27·1
Drogheda,	12·3	45·0	16·3	8·2	20·5	Queenstown,	39·6	19·8	19·8	46·1	31·3
Dublin Reg. Area,	26·4	28·3	27·7	30·4	28·2	Sligo,	24·0	28·8	19·2	.	18·0
Dundalk,	19·9	23·9	8·0	23·9	18·9	Tralee,	26·4	21·1	10·6	37·0	23·8
Galway,	15·5	50·5	66·0	31·1	40·8	Waterford,	13·6	31·2	21·4	11·7	19·5
Kilkenny,	34·3	29·5	9·8	39·3	28·2	Wexford,	32·7	37·4	28·0	32·7	32·7
Limerick,	17·8	24·6	23·2	20·5	21·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·1 in Lisburn, the 6 deaths from all causes registered in that district including 2 from whooping-cough. Among the 167 deaths from all causes registered in Belfast are 2 from measles, 14 from whooping-cough, one from diphtheria, and one from diarrhœa; the 41 deaths from all causes in Cork include 3 from whooping-cough; the 24 deaths in Londonderry include 2 from diphtheria; and the 15 deaths from all causes in Limerick include 3 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—98 boys and 119 girls; and the deaths to 235—100 males and 135 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 32·3 in every 1,000 of the population; omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, the rate was 30·4 per 1,000. During the twelve weeks ending with Saturday last the death-rate averaged 29·2, and was 1·7 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

Measles and whooping-cough each caused 5 deaths, influenza caused 4 deaths, diphtheria 2, and *diarrhœa* one death. In the 4 weeks preceding there were 11, 10, 6 and 13 deaths from whooping cough, respectively. There were no deaths from small-pox, scarlet fever, typhus, or enteric fever registered during the week.

Tuberculous disease caused 45 deaths, including 15 from tuberculous phthisis, 21 from *phthisis*, 4 from tuberculous meningitis, one from tabes mesenterica, and 4 from other forms of the disease.

Carcinoma caused 5 deaths, and 5 deaths were assigned to *cancer, malignant disease.*

Of 12 deaths attributed to diseases of the brain and nervous system 6 (of infants under one year) were registered as being due to *convulsions.*

There were 35 deaths from diseases of the heart and blood-vessels.

The deaths from diseases of the respiratory system (43) include 29 deaths from bronchitis, one death from croupous pneumonia, 6 deaths from broncho-pneumonia, and 2 from *pneumonia.* The total is equal to an annual rate of 5·9 per 1,000 of the population of the Area, the annual average rate for the corresponding week of the preceding 10 years being 7·3 per 1,000.

Of 6 deaths due to violence, 2 were due to drowning.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under one year old and the deaths of 4 persons aged 60 years and upwards.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 18 were under one month old), and 62 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 11 were octogenarians, and one (a woman) was stated to have been aged 97 years.

One hundred and five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 30·4 per 1,000, the rate in the City was 31·8 (North City Districts, 35·3; South, 28·1), and in the Suburbs, 25·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·5 (3·1 in the North City Districts, and 1·8 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. Three deaths from *phthisis*, and two deaths from diseases of the respiratory system were registered.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 37·3 per 1,000. Diphtheria, fever, and influenza each caused one death; there were 5 deaths from tuberculous disease, and 6 deaths (including one death from broncho-pneumonia), from diseases of the respiratory system; one death was due to accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 43·3 per 1,000. Whooping-cough, influenza, and *diarrhœa* each caused one death; there were 5 deaths from *phthisis*, and 3 deaths from diseases of the respiratory system, including one death from *pneumonia*; one death was due to accidental violence.

No. 3 North City District (Benburb-street).—The deaths (22) represent an annual rate of 36·2 per 1,000. Measles caused 4 deaths, *phthisis* caused 2 deaths, and tuberculous meningitis caused one death; there were 4 deaths from diseases of the respiratory system.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 43·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 31·2; and Finglas and Glasnevin, part of, 23·5. The only death from any of the principal epidemic diseases for these districts was one from whooping-cough for Clontarf and Howth, No. 1 (part of).

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 34·0 per 1,000. Measles and influenza, each caused one death; there were 7 deaths from tuberculous disease, and the 8 deaths from diseases of the respiratory system include one death from lobar pneumonia and one death from broncho-pneumonia.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. There was one death from *phthisis.*

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000. Influenza and whooping-cough each caused one death; there were 3 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system, including one death from broncho-pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. Two deaths from whooping-cough, one death from diphtheria, 6 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system (including one death from *pneumonia*) were registered.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 26·0; Blackrock, 23·8; and Kingstown, 35·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 13 deaths from all causes tabulated for Rathmines and Rathgar, 2 were from *phthisis*, and 3 (including 2 from broncho-pneumonia) from diseases of the respiratory system. Of the 13 deaths from all causes tabulated for the district of Pembroke, 4 were from tuberculous disease (including 3 from tuberculous phthisis) and 3 from diseases of the respiratory system (including one from broncho-pneumonia). Among the 12 deaths from all causes for Kingstown, 2 were from *phthisis*, 2 from diseases of the heart and blood-vessels, and 2 from diseases of the respiratory system.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 26th March, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.	Total.
City of Dublin.	Mar. 5,	.	14	.	5	.	.	3	.	3	10	14	.	.	.	49
	Mar. 12,	.	22	.	17	.	.	14	.	.	22	7	.	.	.	82
	Mar. 19,	.	25	.	6	.	.	6	.	6	8	9	.	.	.	60
	Mar. 26,	.	23	.	8	.	.	9	1	.	10	9	.	.	.	60
Rathmines and Rathgar Urban District.	Mar. 5,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Mar. 12,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Mar. 19,	.	.	.	1	.	.	1	.	.	2	.	.	.	.	4
	Mar. 26,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Pembroke Urban District.	Mar. 5,	.	.	.	.	.	.	.	.	.	1	1	.	.	11	13
	Mar. 12,	.	1	.	.	.	.	.	.	.	.	.	.	3	20	24
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	2	33	35
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	1	.	2	35	38
Blackrock Urban District.	Mar. 5,	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 19,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 26,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	Mar. 5,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	3	.	4
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	Mar. 5,	1	–	.	6	.	.	3	2	1	4	5	.	.	.	22
	Mar. 12,	1	–	.	16	.	.	4	.	2	7	9	1	.	.	40
	Mar. 19,	1	–	.	14	.	.	7	.	.	4	4	1	.	.	31
	Mar. 26,	.	–	.	10	.	.	2	2	4	8	4	.	.	.	30

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th March, 1904.

From this it appears that:—

Twelve cases of measles were admitted to hospital during the week, 15 were discharged, there were 4 deaths, and 29 patients remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 15 cases were discharged, and 61* cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 5 were discharged, and 16 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 13 cases were discharged, there was one death, and 39 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 8 patients were discharged, there were 2 deaths, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·4), was equal to an average annual death-rate of 18·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·3 per 1,000, the rate for Glasgow being 21·2, and for Edinburgh 20·6.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th March, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases. In cols. 10-18.	Registration—Week ending Saturday, 26th March, 1904. Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 26th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(32)	(33)	(34)	(35)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)
Total of 22 Town Districts	1,093,289	19·2	31·9	26·3	2·1	669	562	97	153	.	7	.	.	29	5	1	1	2	89	131	11	25	172	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	378,994	27·5	29·9	30·4	1·9	217	221	43	58	.	5	.	.	5	2	1	.	1	35	41	6	8	91	§55·6	30·1	43·6	0·27	§58·2	25·9	42·6	0·63	§50·8	22·4	38·0	0·75
City of Dublin	293,385	37·1	30·2	31·8	2·5	170	179	36	46	.	5	.	.	5	2	1	.	1	27	32	4	6	79	a56·0 b57·4	37·9 31·0	45·9 44·5	0·15 0·24	a60·8 b59·8	30·0 27·0	44·7 42·1	0·64 0·79	a49·4 b51·7	28·9 23·0	40·1 39·3	0·67 0·76
Urban Districts. Rathmines and Rathgar	33,203	19·4	26·7	20·4	.	17	13	.	3	.	.	.	.	.	.	.	.	.	2	3	2	2	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	36·1	26·0	.	18	13	2	6	.	.	.	.	.	.	.	.	.	4	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	29·8	23·8	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	20·7	35·5	.	7	12	4	2	.	.	.	.	.	.	.	.	.	2	2	.	.	3	55·7	35·5	46·2	0·09	61·2	28·5	44·0	0·46	50·7	28·5	40·8	0·68
Urban Districts.																																			
Belfast	358,080	24·4	37·9	24·3	2·6	261	167	30	37	.	2	.	.	14	1	.	.	1	31	52	1	11	33	56·0	35·0	45·5	0·65	55·0	26·3	40·8	0·32	50·8	25·3	37·6	0·28
Cork	76,122	33·6	22·6	28·1	2·1	33	41	6	10	.	.	.	.	3	.	.	.	.	8	5	2	4	13	54	35	45·5	0·88	52	33	42·6	0·67	52	33	41·2	0·46
Londonderry	41,397	19·1	31·5	30·2	2·5	25	24	.	11	.	.	.	.	.	2	.	.	.	4	2	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	88,151	18·1	26·0	20·5	4·1	19	15	1	5	.	.	.	.	3	.	.	.	.	3	4	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	31·2	11·7	.	16	6	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	35·0	31·1	.	9	8	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	3	55	30	46·1	0·75	53	28	44·5	1·02	50	27	37·4	0·11
Dundalk	13,076	9·4	19·9	23·9	.	5	6	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	12·3	8·2	.	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	12·6	12·6	4·2	3	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22
Lurgan	11,782	13·8	22·1	26·6	.	5	6	3	1	.	.	.	.	.	.	.	.	.	3	2	.	.	.	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22
Lisburn	11,461	10·1	31·8	27·3	9·1	7	6	1	2	.	.	.	.	2	.	.	.	.	1	1	.	.	1	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22
Wexford	11,168	23·2	46·7	32·7	.	10	7	.	4	.	.	.	.	.	.	.	.	.	1	2	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	28·9	14·4	.	5	3	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	43·2	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·0	32·4	44·3	0·56	55·3	25·5	43·9	0·75	50·4	22·8	36·8	0·05
Kilkenny	10,609	11·5	44·2	39·3	.	9	8	1	2	.	.	.	.	.	.	.	.	.	.	2	.	1	3	54	31	43·2	0·58	56	26	43·5	0·80	52	24	38·5	0·23
Clonmel	10,167	7·8	25·6	46·3	.	5	9	1	5	.	.	.	.	.	.	.	.	.	1	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	41·3	36·2	5·2	8	7	.	1	.	.	.	.	1	.	.	.	.	2	1	.	.	.	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22
Tralee	9,867	16·6	52·8	37·0	.	10	7	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	28·6	28·6	.	5	5	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	53	35	43·2	0·54	55	30	42·0	0·41	48	30	38·9	0·24
Queenstown	7,909	14·4	13·2	46·1	6·6	2	7	1	2	.	.	.	.	1	.	.	.	.	2	3	.	.	.	54	35	45·5	0·88	52	33	42·6	0·67	52	33	41·2	0·46
Armagh	7,588	22·2	20·6	27·5	.	3	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76	50·8	27·9	38·0	0·22

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's

‡ Observations by Mr. [illegible] of 14 deaths of persons (including 4 at 60 years or upwards), admitted to hospital from localities outside the area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 26th of March, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICT OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	4	.	.	.	1	.	.	.	.	.	.	.	.	5	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	.	1	.	.	.	.	1	2	.	.	.	.	.	5	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	3	3	5	2	.	.	.	6	1	2	5	.	2	4	.	2	35	1
Other General Diseases,	4	5	3	6	.	.	.	6	1	7	2	2	.	3	2	2	43	4
Total,	7	10	10	12	1	.	.	13	2	10	10	2	2	7	2	4	92	5
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	1	2	.	1	.	.	1	2	1	.	1	1	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	4	5	2	.	1	.	2	3	4	2	1	4	1	.	2	34	1
Respiratory System,	2	6	3	4	1	1	.	8	.	4	3	.	3	3	1	2	41	2
Digestive System,	.	1	2	.	.	2	.	.	1	1	2	.	.	.	1	.	10	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	2	1	.	2	.	1	.	.	.	1	.	.	.	.	.	8	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Accidents of Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	16	12	8	3	5	1	11	5	11	9	1	8	5	2	4	107	8
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	2	2	.	1	.	1	.	2	.	.	1	1	.	4	16	1
E VIOLENT DEATHS,	.	1	1	.	.	.	2	.	.	.	.	.	2	.	.	.	6	.
Deaths from all Causes,	14	28	25	22	4	6	3	25	7	23	19	3	13	13	4	12	221	14
Annual Rate of Mortality in every 1,000 of the population	25·8	37·3	48·3	36·2	48·4	31·2	25·5	34·0	20·0	28·6	28·2	17·6	20·4	25·0	23·8	35·5	30·4	.
	35·3							28·1					25·6					
	31·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	9	7	8	.	.	1	7	.	2	4	1	3	2	.	3	56	10
Workhouse Hospitals,	1	5	5	6	.	.	.	3	2	6	2	2	1	2	.	.	35	4

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere week of the ten years, 1894-

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1894-1903.	In the Week ending Saturd 26th March, 1904. Deaths of Persons of the Age						
	Mar. 24, 1894.	Mar. 23, 1895.	Mar. 21, 1896	Mar. 27, 1897.	Mar. 26, 1898.	Mar. 25, 1899	Mar. 24, 1900.	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 22, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.
Mean Temperature.	° 43·9	° 48·0	° 43·6	° 51·2	° 39·7	° 35·3	° 36·4	° 39·3	° 44·4	° 46·0	° 42·8	Mean Temp. ° 43·6						
ALL CAUSES.	197	302	170	242	198	214	236	253	167	225	220·4	235	18	25	24	10	44	52
Small-pox, Vaccinated, ...	.	2	.	.	.	.	.	.	.	.	.2	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	3	.	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	.	37	.	.	.	.	1	2	4·3	5	.	3	2	.	.	.
Scarlet Fever ...	5	.	1	1	2	.	1	.	1	4	1·5	.	.	.	.	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	35	6	1	9	12	3	12	2	1	8·5	4	.	.	.	.	1	2
Whooping Cough, ...	3	.	2	19	3	2	.	7	1	6	4·3	5	.	4	1	.	.	.
Diphtheria, ...	1	.	3	1	.	1	1	1	1	2	1·1	2	.	.	1	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	1	.	.	.1	1	.	.	1	.	.	.
Enteric Fever, ...	1	2	1	.	6	4	.	1	1	3	1·9	.	.	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	.	.	7	1	1	4	5	1	. / 3	2·5	. / 1	.	.	.	.	1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	1	1	1	1	2	1	.	·8	2	1	.	.	.	1	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	2	.	.	.	.	.	.	.	.	1 / . / .	·3	. / . / .	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Erysipelas, ...	.	1	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	1	3	.	.	1	1	1	.	2 / .	1·0	2 / .	.	1	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	5	.	.	2	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	35	15	27	32	36	26	27	27	36	2 / 28	29·1	15 / 21	.	.	.	2	8	.
Tuberculous Meningitis, (Acute Hydrocephalus).	3	7	4	2	6	4	3	5	4	10	4·8	4	.	2	2	.	.	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	1	5	3	6	9	7	10	4	1	. / .	4·6	. / 1	.	1	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	2	2	5	4	1	4	6	7	6	9 / .	4·6	4 / .	.	.	2	1	1	.
Alcoholism, ...	.	1	1	.	1	2	.	.	2	2	·9	1	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	1	1	.	1	.	·5	.	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	2	.	.	.	1	·3	.	.	.	.	.	.	.

* The figures for the years 1894-1900 a

TWELFTH WEEK ending Saturday, 26th March, 1904, with the deaths from each cause in the corresponding he average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Mar. 24, 1894.	Mar. 23, 1895.	Mar. 21, 1896.	Mar. 27, 1897.	Mar. 26, 1898.	Mar. 25, 1899.	Mar. 24, 1900.	Mar. 23, 1901.	Mar. 22, 1902.	Mar. 28, 1903.	Averages in 12th Week of the 10 years 1894-1903.	In the Week ending Saturday, 26th March, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 43·9	° 48·0	° 43·6	° 51·2	° 39·7	° 35·3	° 36·4	° 39·3	° 44·4	° 46·0	° 42·8	Mean Temp. ° 43·6								
·cinoma	3	5	5	4	6	5	10	8	4	.	5·6	5	.	.	.	.	1	1	3	.
·coma										.		.	.	.	.	.	.	.	.	.
ncer, Malignant Disease ...										6		5	.	.	.	.	1	.	4	.
·abetes Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
·mature Birth	1	.	1	5	1	2	1	3	3	5	2·2	6	5	1	.	.	.	.	.	.
·ningitis (not tuberc.)										2		3	1	.	1	.	.	1	.	.
·anity, G. P. of Insane										1		2	.	.	.	.	.	2	.	.
·ilepsy										.		.	.	.	.	.	.	.	.	.
·vulsions										8		6	2	4	.	.	.	.	.	.
·omotor Ataxy										.		.	.	.	.	.	.	.	.	.
·aplegia Dis. of Cord										5		1	.	.	.	.	.	.	1	.
·rvous System (other Dis.) ...	32	54	39	42	37	39	42	58	32	2	43·1	.	.	.	.	.	.	.	.	.
·lv. Dis., Endocarditis										8		7	.	.	.	2	2	2	1	.
·ebr. Hæm. Thromb.										2		2	.	.	.	.	.	1	1	.
·plexy, Hemiplegia										4		6	.	.	.	.	.	1	5	.
·eurysm										.		.	.	.	.	.	.	.	.	.
·bolism, Thromb. (not cerebral)										.		1	.	.	.	.	1	.	.	.
·art and Blood Vessel Dis.										24		19	1	.	.	1	2	6	8	1
·oup (not Spasm. or Memb.) ...	2	.	1	3	.	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
·onchitis	42	76	17	18	26	30	48	39	16	22	33·4	29	2	1	3	1	.	7	13	2
·oupous Pneumonia										.		1	.	.	.	.	.	1	.	.
·oncho-Pneumonia	10	21	9	14	12	17	22	15	12	5	14·5	6	.	1	3	1	.	.	.	1
·neumonia"										8		2	.	1	.	.	.	1	.	.
·thma, Emphysema										.		2	.	.	.	.	.	1	1	.
·urisy	3	14	3	1	.	.	2	4	2	1	3·3	1	.	.	.	.	1	.	.	.
·spiratory Dis. (other)										3		2	.	.	1	.	.	.	1	.
·nsillitis, Quinsy	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
·teritis (not Epid.)	2	.	.	1	.	.	2	.	1	1	·7	.	.	.	.	.	.	.	.	.
·stro Enteritis										.		1	1	.	.	.	.	.	.	.
·ritonitis (not Puerp.)	1	1	.	1	1	1	.	.	3	1	·9	.	.	.	.	.	.	.	.	.
·rrhosis of Liver	.	3	1	3	2	2	1	4	5	2	2·3	.	.	.	.	.	.	1	.	.
·ver Dis. (other)										.		1	.	.	.	.	.	.	.	.
·gestive Dis. (other)	4	4	3	5	4	2	6	5	1	6	4·0	10	.	1	1	.	3	4	1	.
·phritis, Acute										3		1	.	.	1	.	.	.	.	.
·ight's Dis., Albuminuria ...	4	4	6	3	4	5	4	6	7	2	4·8	6	.	.	.	.	2	3	1	.
·inary Sys. (Other Dis.) ...										.		2	.	.	.	.	.	1	1	.
·nerative Organs Dis.	.	1	1	1	.	.	.	.	.	1	·4	2	.	.	.	.	1	1	.	.
·ildbirth (Accid. of)	.	.	1	1	.	.	.	.	1	.	·3	1	.	.	.	.	1	.	.	.
·d Age	7	16	15	7	15	18	17	17	.	6	11·8	11	.	.	.	.	.	.	4	7
·her Diseases	17	25	7	14	8	16	13	15	13	11	13·9	13	4	5	.	.	1	1	1	1
ACCIDENT.																				
·y Railways	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
·y Vehicles and Horses	.	.	.	.	2	1	.	1	1	.	·5	1	.	.	.	.	.	.	1	.
·d Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
·n Building Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
·n Conflagrations	.	.	.	.	.	.	6	2	4	1	1·9	1	.	.	.	.	1	.	.	.
·y Burns, Scalds, Explosions ...	2	1	2	1	.	.	.	1	.	1	1·2	2	.	.	2	.	.	.	.	.
·y Drowning	.	.	1	3	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
·y Suffocation in Bed	.	.	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
·y Poison or Poisonous Vapours...	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
·ther Deaths by Accidents ...	2	2	.	1	.	1	2	1	3	5	1·7	1	1	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
·omicide	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
·icide	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
·xecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	Oct. 3.	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar. 26.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
Births registered,	212	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214	217
*Average Births in corresponding week of previous 10 years,**	213	186	178	193	188	184	186	204	182	186	195	180	156	169	210	05	198	197	211	211	202	215	211	199	213	199
Deaths registered,	139	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201	218	218	235
Annual Death-rate per 1,000,	19·1	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·3	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3
*Average Deaths in corresponding week of previous 10 years,**	165	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220
Ages, Under 5 years,	42	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75	67
5—20 "	6	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10
20—40 "	30	35	29	28	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44
40—60 "	23	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52
60—80 "	32	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	30
80 years and upwards,	3	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	18	4	11	12	19	12	7	11	14	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5
" Scarlet Fever	.	1	.	.	1	.	1	.	.	2	.	2	1	2		.	1	.	.	1	.	1	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	2	1	1	2	.	3	2	3	5	7	4	3	13	9	5	5	11	9	6	9	11	10	6	13	5
" Diphtheria,	.	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2
" Simple Continued Fever,	.	.	.	.	.	.		.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	2	2	4	4	.	1	3	2	5	2	1		2	1	6	3	3	1	1	2	3	2	3	3	1	.
" Diarrhœal Diseases,	3	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1
" Phthisis,	19	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30	26	36
" Diseases of Heart and Blood Vessels,	17	22	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22	28	28	41	23	35
" Diseases of Respiratory System,	19	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43
Violent Deaths,	5	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6
Mean Temperature of the Air (Phœnix Park),	56·8	52·4	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	28·3	37·7	42·6	36·1	38·0	42·6	43·6
Average Mean Temperature in corresponding week of previous 10 years,	53·1	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8
Rainfall in inches,	·265	·710	·478	·383	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268
Mean Humidity of the Air, complete Saturation 1·0,	·83	·85	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83

* See note at foot of Table IV † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th March, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 26th March, 1904: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages: Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	32·6	235	67	10	44	52	50	12	.	5	.	.	5	2	1	.	1	14	36	6	43	6	130
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	MIDDLE CLASS,	87,188	35·9	60	15	3	10	11	14	7	.	.	.	.	1	1	1	.	.	3	3	2	13	1	38
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	19·4	41	12	2	6	12	6	2	.	1	.	.	.	.	.	.	.	1	6	2	11	.	21
IV.	GENERAL SERVICE CLASS,	154,279	42·3	91	32	4	23	15	16	1	.	4	.	.	4	1	.	.	1	10	19	1	11	5	45
V	INMATES OF WORKHOUSES,	6,024		39	7	1	5	12	13	1	.	.	.	.	.	.	.	.	.	.	8	1	8	.	22
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	1	1	.	.	2	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	37·9	16	4	1	3	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	11
	6. Clerks and Commercial Assistants,	30,432	30·8	18	5		7	3	2	1	.	.	.	.	1	.	1	.	.	2	2	1	2	.	11
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	42·4	28	5	1		4	6	6	.	.	.	.	.	.	.	.	.	.	1	1	5	1	14
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	9. Building and Furnishing Trades,	29,801	26·2	15	5	1	.	5	3	1	.	1	.	.	.	.	.	.	.	1	2	.	6	.	6
	10. Clothing Trades,	23,260	13·5	6	2	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	11. Food Supply Trades,	9,242	5·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	4	.	3	3	1	1	.	.	.	.	.	.	.	.	.	.	3	2	2	.	5
	13. Petty Shopkeepers,	7,894	39·6	6	.	1	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	38·8	10		.	2	1	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2	5
	15. Domestic Servants,	36,603	14·2	10	1	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	4	.	1	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	3	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	38·3	66	24	4	14	11	12	1	.	4	.	.	3	1	.	.	.	8	12	1	10	3	32
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	39	7	1	5	12	13	1	.	.	.	.	.	.	.	.	.	.	8	1	8	.	22

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 38,832.	Feb 6,	29·4	1·8	16	.	.	.	.	1	.	.	.	.	1	.	2
	„ 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
	„ 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
	„ 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
	„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Feb. 6,	34·6	.	26	.	.	.	.	.	.	.	.	.	4	9	.
	„ 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
	„ 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
	„ 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
	Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
	„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
	„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	5	6	1
	„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Feb. 6,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	2	3	.
	„ 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
	„ 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
	„ 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
	„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
	„ 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	43·3	3·5	25	.	.	.	.	1	.	.	.	1	5	3	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Feb 6,	21·4	3·3	13	.	.	.	.	1	1	.	.	.	3	3	.
	„ 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
	„ 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
	„ 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
	„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
	„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	„ 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Feb. 6,	47·5	2·7	35	.	.	.	.	1	.	.	1	.	5	8	1
	„ 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
	„ 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
	„ 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
	„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Feb. 6,	39·9	8·6	14	.	.	.	.	3	.	.	.	.	2	3	.
	„ 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
	„ 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
	„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
	„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Feb. 6,	32·3	1·2	26	.	.	.	.	.	.	.	.	1	2	4	3
	„ 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
	„ 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
	„ 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
	Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
	„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
	„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
	„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	2	4	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Feb. 6,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	.	6	.
	„ 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
	„ 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.
	„ 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2
	„ 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
	„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
	„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203	Feb. 6,	22·0	.	14	.	.	.	.	.	.	.	.	.	2	.	1
	„ 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	„ 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Feb. 6,	22·0	.	11	.	.	.	.	.	.	.	.	.	.	2	.
	„ 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	„ 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	„ 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Feb. 6,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	„ 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Feb. 6,	21·8	2·2	150	.	.	.	.	11	1	.	3	.	26	43	1
	„ 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	„ 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	„ 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	„ 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
Cork. Pop. (in 1901) 76,122.	Feb. 6,	29·5	1·4	43	.	.	.	.	1	.	.	.	1	8	7	3
	„ 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20,	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	„ 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	„ 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	„ 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
Londonderry. Pop. in 1904 (Est.) 41,397	Feb. 6,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·0	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	27·7	3·8	23	.	.	1	.	.	1	.	1	.	4	6	.
	„ 19,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
Limerick. Pop. (in 1901) 38,151.	Feb. 6,	27·3	1·4	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	„ 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	„ 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
Waterford. Pop. (in 1901) 26,769.	Feb. 6,	33·1	.	17	.	.	.	.	.	.	.	.	.	4	2	1
	„ 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	31·3	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	„ 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 26th March, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	9	10·6	3·5	3	1	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Do. 2 "	47,959	28	17·4	1·1	16	4	2	8	2	.	.	.	.	1	.	.	.	.	4	4	.	.	5
Do. 3 "	47,214	45	23·2	1·1	21	4	2	10	5	.	.	.	.	1	.	.	.	.	6	7	.	1	1
Do. 4 "	40,911	26	39·5	3·8	31	5	4	12	10	.	.	.	.	3	.	.	.	.	3	15	.	5	5
Do. 5 "	17,387	9	48·0	3·0	16	3	2	5	6	.	.	.	.	1	.	.	.	.	1	4	.	3	4
Do. 6 "	48,122	28	21·7	1·1	20	1	2	11	6	.	.	.	.	1	.	.	.	.	5	6	.	.	6
Do. 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	5	30·9	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 9 "	19,569	14	29·3	8·0	11	3	2	5	1	.	.	.	.	3	.	.	.	.	1	2	.	.	4
Do. 10 "	28,064	17	11·3	.	5	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 11 "	34,802	30	25·5	7·5	17	4	2	10	1	.	1	.	.	2	1	.	.	1	5	3	.	.	1
Do. 12 "	33,588	37	31·0	3·1	20	2	3	8	2	.	1	.	.	1	.	.	.	.	3	9	1	1	4
Do. 13 "	15,006	13	13·9	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	261	24·9	2·7	167	30	28	72	37	.	2	.	.	14	1	.	.	1	31	52	1	11	33
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	7	44·6	.	11	1	.	6	4	.	.	.	.	.	.	.	.	.	.	2	1	1	6
Do. 2 "	10,701	6	24·4	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 3 "	9,978	2	36·6	10·5	7	2	2	2	1	.	.	.	.	2	.	.	.	.	1	1	1	1	1
Do. 4 "	8,666	4	30·1	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Do. 5 "	6,592	2	15·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 "	10,702	2	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 7 "	16,616	10	28·2	3·1	9	1	.	7	1	.	.	.	.	1	.	.	.	.	3	1	.	.	3
Total,	76,122	33	28·1	2·1	41	6	4	21	10	.	.	.	.	3	.	.	.	.	8	5	2	4	13

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered,	219	242	257	203	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	268	226	207	212	261
DEATHS registered.	113	125	113	125	118	124	113	138	120	163	145	178	158	182	190	199	140	149	150	203	185	186	151	154	212	167
Annual Death-rate per 1,000 of estimated Population,	16·4	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3
AGES, Under 1 year,	31	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30
AGES, 1-5 years,	12	13	14	13	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28
AGES, 5-60 years,	54	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72
AGES, 60 years and upwards,	16	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2
" Scarlet Fever,	2	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	3	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9		10	11	18	8	5	5	9	10	14
" Diphtheria,	1	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.	1
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.		.	1	.	.	.	.	.	.	.	.	1	1	.	1	.
" Enteric Fever,	1	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	1	2	.
" Diarrhœal Diseases,	7	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1
" Phthisis	14	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31
" Diseases of Respiratory System,	16	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	42	58	54	47	47	40	79	52
Violent Deaths,	3	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	2	5	6	6	6	4	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th March, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	2	.	3	.	.	2	.	.	4	.	.	.	11
" " 2,	.	5	.	2	.	.	.	.	.	.	.	.	.	7
" " 3,	.	11	.	1	.	.	4	.	.	.	2	.	.	18
Clontarf and Howth No. 1 (part of),	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Finglas and Glasnevin (part of),	.	5	.	.	.	.	.	.	.	.	.	.	.	5
South City No. 1,	.	.	.	.	.	.	.	.	.	1	6	.	.	7
" " 2,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
" " 3,	.	.	.	.	.	.	2	1	.	.	.	.	.	3
" " 4,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	23	.	8	.	.	9	1	.	10	9	.	.	60

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th March, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th March.			
	Mar. 5.	Mar. 12.	Mar. 19.	No. admitted.	Dis-charged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	32	36	36	12	15	4	29
Scarlet Fever,	78	72	63	13	15	.	61*
Typhus "	1	1	.	.	.	.	.
Diphtheria,	19	19	17	4	5	.	16
Enteric Fever,	59	56	48	5	13	1	39
Pneumonia,	18	12	17	8	8	2	15

*Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Mar. 26,	2,423	1,465	18·4	1	67	4	13	48	3	19
EDINBURGH,	331,977	„ 26,	155	131	20·6	.	.	.	1	7	.	.
GLASGOW,	798,357	„ 26,	530	324	21·2	2	15	2	3	4	2	8
CALCUTTA,	847,796	Jan. 23,	.	451	27·6	.	4	.	1	.	87‡	73*
BOMBAY,	776,006	Feb. 23,	376	1,292	86·6	20	6	.	.	.	62‡	46
MADRAS,	509,346	Feb. 5,	300	406	41·4	.	2	?	?	?	104	69
PARIS,	2,660,559	Mar. 12,	1,069	1,140	23·5	3	12	.	12†	10	14	38
BRUSSELS (with 8 Faubourgs).	575,896	„ 5,	227	171	15·4	1	1	.	2†	2	1	7
AMSTERDAM,	547,370	„ 5,	298	146	13·9	1	9	.	2	.	.	5
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	420,000	Mar. 5,	256	139	17·3	.	.	.	1	3	.	3
CHRISTIANIA,	225,709	„ 12,	105	75	17·3	.	.	.	.	.	.	1
ST. PETERSBURG,	1,248,122	„ 12,	815	661	27·6	1	14	4	11	3	14	66
BERLIN,	1,960,909	Feb. 27,	938	589	15·7	.	6	6	6†	10	1	32
HAMBURG,	751,842	Mar. 5,	.	243	16·8	.	.	1	4†	2	.	4
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Mar. 12,	.	211	21·1	.	4	.	3†	5	.	19
VIENNA (with suburbs).	1,779,869	„ 12,	1,080	692	20·2	.	31	.	10†	4	.	39
BUDA-PESTH	813,399	„ 12,	498	318	20·3	1§	9	2	5†	1	2	8
PRAGUE and Faubourgs.	423,990	„ 5,	206	215	26·4	.	3	.	4†	.	2	16
ROME,	489,925	Dec. 19,	251	179	19·1	.	1	.	1	.	6	8
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Feb. 13,	72	76	23·8	.	.	.	.	1	.	3
NEW YORK,	3,838,024	„ 27,	1,653	1,797	24·4	.	18	32	57†	2	11	56
PHILADELPHIA,	1,408,154	„ 20,	.	605	22·3	13	6	13	11†	.	12	27

* Including 22 deaths from cholera.
† Including deaths from croup.
‡ Exclusive of 11 deaths from bubonic fever in Calcutta, and 718 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th March, 1904:—

"Much drier than for many weeks past, the weather presented two very different types at the beginning and at the close of this period. Until Wednesday the type was westerly or oceanic: from Wednesday onwards, it was easterly or Continental. On Sunday long and almost parallel isobars ran from S.W. to N.E. across the British Isles, the North Sea, and Scandinavia; S.W. winds prevailed, and the weather was damp, dull and foggy or 'dirty.' Dense fogs in the Irish Sea, St. George's Channel, and the English Channel led to several serious shipping disasters. By Monday morning a well-formed V-shaped depression had developed over Great Britain: in Ireland the barometer had risen fast and the wind had veered to N.W. with clearer and colder weather. The improvement was only temporary, for on Tuesday morning squally S.W. winds were blowing, accompanied by clouds and showers in connection with a primary depression (29·2 inches) over the N.W. of Norway and a secondary (29·6 inches) off the N. of Scotland. The latter disturbance travelled southeastwards down the North Sea to North Germany, its place being taken by an anticyclone, central over Ireland at first and over Scandinavia later. This high-pressure system brought cold easterly winds and generally dry weather, cold showers however falling in the east and south of England on Friday. Saturday was very dull and cold in Dublin, but much bright sunshine prevailed on Monday (9 hours), Thursday (8½ hours), and Friday (6½ hours). In this city the mean atmospheric pressure was 30·176 inches, the barometer falling to 29·691 inches at 9 p.m. of Sunday (wind, S.) and rising to 30·446 inches at 9 p.m. of Wednesday (wind, E.S.E.). The corrected mean temperature was 45·9°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 44·8°. On Sunday the screened thermometers rose to 56·0°, on Friday they sank to 37·9°. The prevalent winds were first, W.S.W., afterwards E.N.E. The duration of bright sunshine was estimated at 30 hours. The rainfall was ·154 inch on 2 days, ·143 inch being measured on Sunday."

ERRATUM in Report for the week ended March 19, 1904.
The highest reading of the barometer was 30·005 inches at 9 a.m. of Tuesday (wind, W.).

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·189 inches. The highest reading (30·465) was on Wednesday at 9 p.m., air calm, and the lowest (29·694) on Sunday at 9 p.m., wind S.

The mean temperature for the week was 43·6°, being 0·8 over the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 55·6°, and was lowest on Friday, the mercury having fallen to 30·1° The mean of the Dry Bulb for the week was 43·5°, and of the Wet Bulb 41·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·5 hours. The rainfall during the week measured ·268 inch.

At Greenwich the mean temperature for the week was 43·3°, the maximum 49·3°, and the minimum 37·6°; at Glasgow the maximum was 53·2°, the minimum 29·5°, and the mean 42·6°; and at Edinburgh the maximum was 51·9°, the minimum 31·2°, and the mean 40·6°. The rainfall at Greenwich measured 0·13 inch; at Glasgow 0·66 inch; and at Edinburgh 0·21 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 20,	29·798	53·8	48·4	51·1	50·9	49·2	·89	·8	0·0	·255	S.W.	S.
Monday, „ 21,	30·126	50·1	39·1	44·6	41·4	38·8	·80	·7	9·8	—	W.	W.
Tuesday, „ 22,	30·215	52·3	38·7	45·5	48·0	45·4	·82	·5	0·8	·013	W.S.W.	W.
Wednesday, „ 23,	30·463	55·6	42·1	48·9	47·7	45·5	·85	·0	5·2	—	W.	Calm.
Thursday, „ 24,	30·387	45·5	32·9	39·2	37·8	36·3	·88	·3	8·6	—	E.	Calm.
Friday, „ 25,	30·168	42·6	30·1	36·4	38·9	36·9	·84	·2	6·1	—	E.N.E.	Calm.
Saturday, „ 26,	30·167	43·0	35·3	39·2	39·8	36·1	·71	·0	0·0	—	Calm.	Calm.
Mean, . .	30·189	49·0	38·1	43·6	43·5	41·2	·83	·4	Total 30·5	·268	—	

Sunday—Day overcast, wet from 12.30 p.m.; night overcast, wet to 3 a.m. *Monday*—A fine day; night clear p.m., cloudy a.m. *Tuesday*—Day cloudy, light rain a.m.; night cloudy. *Wednesday*—Fine but cloudy; night cloudy. *Thursday*—A fine day, light clouds; night cloudy. *Friday*—Fine but cloudy day; night cloudy. *Saturday*—Fine but dull; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 2ND APRIL, 1904. [No. 13.

General Register Office, Charlemont House, Dublin, 5th April, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 12.	Week ending Mar. 19.	Week ending Mar. 26.	Week ending April 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 12.	Week ending Mar. 19.	Week ending Mar. 26.	Week ending April 2.	Average Rate for 4 weeks
22 Town Dists.	**25·7**	**27·3**	**26·8**	**25·9**	**26·4**	Lisburn, . .	36·4	31·8	27·3	18·2	28·4
Armagh, . .	20·6	20·6	27·5	41·2	27·5	Londonderry .	27·7	12·6	30·2	12·6	20·8
Ballymena, .	14·4	38·3	14·4	28·7	24·0	Lurgan, . .	22·1	13·3	26·6	22·1	21·0
Belfast, . .	22·4	30·8	24·3	22·7	25·1	Newry, . .	12·6	12·6	12·6	12·6	12·6
Clonmel, . .	20·5	10·3	46·2	20·5	24·4	Newtownards, .	28·6	28·6	28·6	22·9	27·2
Cork, . . .	19·9	32·2	28·1	39·7	30·0	Portadown, .	25·8	20·7	36·2	10·3	23·3
Drogheda, . .	45·0	16·3	8·2	36·8	26·6	Queenstown, .	19·8	19·8	46·1	13·2	24·7
Dublin Reg. Area,	28·3	27·7	30·4	28·5	28·7	Sligo, . . .	28·8	19·2	.	4·8	13·2
Dundalk, . .	23·9	8·0	23·9	8·0	16·0	Tralee, . .	21·1	10·6	37·0	31·7	25·1
Galway, . .	50·5	66·0	31·1	42·7	47·6	Waterford, .	31·2	21·4	11·7	25·3	22·4
Kilkenny, . .	29·5	9·8	39·3	24·6	25·8	Wexford, . .	37·4	28·0	32·7	14·0	28·0
Limerick, . .	24·6	23·2	20·5	35·5	26·0						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·6 in Queenstown. Among the 156 deaths from all causes in Belfast are one from measles, 11 from whooping-cough, and 2 from enteric fever; and the 58 deaths from all causes in Cork include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—100 boys and 102 girls; and the deaths to 219—115 males and 104 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 30·1 in every 1,000 of the estimated population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 28·5 per 1,000. During the thirteen weeks ending with Saturday last the death-rate averaged 29·3, and was 1·7 below the mean rate for the corresponding portions of the ten years 1894–1903.

Four deaths from measles, one from scarlet fever, 2 from influenza, 11 from whooping-cough, 2 from enteric fever, and 2 deaths from diarrhœal diseases were registered. In the 4 weeks preceding, 10, 6, 13, and 5 deaths were registered from whooping-cough.

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

The deaths from tuberculous disease (44) include 10 from tuberculous phthisis, 17 from *phthisis*, 7 from tuberculous meningitis, 3 from tuberculous peritonitis, one from tabes mesenterica, and 6 deaths from other forms of the disease.

One death was attributed to carcinoma, and 2 deaths to *cancer*, *malignant disease*.

Of 13 deaths from diseases of the nervous system 5 (of children under 5 years of age) were due to *convulsions*.

Twenty-five deaths were assigned to diseases of the heart and blood-vessels, including 9 deaths from *apoplexy*, *hemiplegia*.

The deaths registered during the week from diseases of the respiratory system are equivalent to an annual rate of 7·6 per 1,000 of the population, and equal to that for the corresponding period of the previous 10 years. The total deaths (55) include 31 from bronchitis, one from croupous pneumonia, 9 from broncho-pneumonia, and 11 deaths from *pneumonia*.

Of 5 deaths caused by violence, one was due to homicide, one to the action of poisonous vapours, and 2 were caused by drowning.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 children under 5 years of age (including 5 infants under one year old) and the death of one person aged 79 years.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 10 were under one month old), and 64 were aged 60 years and upwards, including 37 persons aged 70 and upwards, of whom 10 were octogenarians, and 2 (females) were stated to have been aged 91 and 95 years respectively.

Ninety-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 25 took place in the North Dublin Union Workhouse and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·5 per 1,000, the rate in the City was 31·1 (North City Districts, 29·4; South, 32·9), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·6 (5·5 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. Influenza, whooping-cough, enteric fever, and *diarrhœa*, each caused one death; there were 3 deaths from tuberculous disease, there were 4 deaths from diseases of the respiratory system, including one death from broncho-pneumonia and there was one death from accidental violence.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Whooping-cough and *diarrhœa* each caused one death; there were 3 deaths from tuberculous disease, and 7 deaths from diseases of the respiratory system, including 2 deaths from broncho-pneumonia, and one death from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. Scarlet fever and enteric fever each caused one death, tuberculous disease caused 5 deaths, and diseases of the respiratory system caused 8 deaths, including 3 from broncho-pneumonia, and 2 from *pneumonia*.

No. 3 North City District (Benburb-street).—The deaths (19) represent an annual rate of 31·3 per 1,000. There were 4 deaths from measles, 3 deaths from whooping-cough, 4 deaths from tuberculous disease, and one death from *pneumonia*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 43·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 23·5. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough in each of Clontarf and Howth, No. 1, part of, and Finglas and Glasnevin, part of. Of the 4 deaths from all causes tabulated for Clontarf and Howth, No. 1, part of, one was from influenza and one from bronchitis. The 5 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, part of, include one from *pneumonia*.

No. 1 South City District (South Earl-street).—The deaths (31) represent an annual rate of 42·1 per 1,000. There was one death from whooping-cough, 9 deaths were due to tuberculous disease; of 9 deaths attributed to diseases of the respiratory system, one was due to lobar-pneumonia and one was due to *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. Two deaths from tuberculous disease, and one death from *pneumonia* were registered.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·6 per 1,000. There were 2 deaths from whooping-cough and 5 deaths from tuberculous disease; diseases of the respiratory system caused 8 deaths, including one death from broncho-pneumonia, and one death from *pneumonia*. One death from homicide was registered.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. There was one death from whooping-cough, there were 2 deaths from *phthisis*, and one death from *pneumonia*; one death was accidentally caused by inhalation of poisonous vapours.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 16·0; Blackrock, 6·0; and Kingstown, 20·7. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 16 deaths from all causes tabulated for Rathmines and Rathgar, 3 were from tuberculous disease, 2 from diseases of the heart and blood-vessels, and 2 from diseases of the respiratory system (including one from broncho-pneumonia). Of the 8 deaths from all causes tabulated for Pembroke 2 were from diseases of the respiratory system, including one from *pneumonia*. Among the 7 deaths from all causes tabulated for Kingstown 2 were from diseases of the respiratory system, including one from broncho-pneumonia.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 2nd April, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Mar. 12,	.	22	.	17	.	.	14	.	.	22	7	.	.	.	82
	Mar. 19,	.	25	.	6	.	.	6	.	6	8	9	.	.	.	60
	Mar. 26,	.	23	.	8	.	.	9	1	.	10	9	.	.	.	60
	Apr. 2,	.	59	.	6	.	.	3	.	2	13	16	.	.	.	99
Rathmines and Rathgar Urban District.	Mar. 12,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Mar. 19,	.	.	.	1	.	.	1	.	.	2	.	.	.	.	4
	Mar. 26,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Apr. 2,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
Pembroke Urban District.	Mar. 12,	.	1	.	.	.	.	.	.	.	.	.	.	3	20	24
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	2	33	35
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	1	.	2	35	38
	Apr. 2,	.	.	.	.	.	.	1	.	1	1	.	.	1	23	27
Blackrock Urban District.	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 19,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 26,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Apr. 2,	.	.	.	.	.	.	1	.	.	.	.	.	3	.	4
Kingstown Urban District.	Mar. 12,	.	.	.	1	.	.	.	.	.	.	.	.	3	.	4
	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Apr. 2,	.	.	.	.	.	.	3	.	.	.	.	.	1	.	4
City of Belfast.	Mar. 12,	1	–	.	16	.	.	4	.	2	7	9	1	.	.	40
	Mar. 19,	1	–	.	14	.	.	7	.	.	4	4	1	.	.	31
	Mar. 26,	.	–	.	10	.	.	2	2	4	8	4	.	.	.	30
	Apr. 2,	1	–	.	12	.	.	7	.	4	6	10	.	.	.	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd April, 1904.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, 7 were discharged, there were 4 deaths, and 25 patients remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 11 cases were discharged, there was one death, and 56* cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 4 were discharged, and 19 cases remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 11 cases were discharged, there was one death, and 29 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 4 patients were discharged, there were 2 deaths, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·8), was equal to an average annual death-rate of 18·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·6 per 1,000, the rate for Glasgow being 21·5, and for Edinburgh 21·1.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd April, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 2nd April, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Sim. Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	29·1	25·9	1·8	610	543	97	147	.	5	1	.	24	.	.	5	3	69	143	17	23	170
Dublin Registration Area:—																							
Total,‡	878,994	27·5	27·8	28·5	2·8	202	207	36	59	.	4	1	.	11	.	.	2	2	26	53	5	7	84
City of Dublin	293,385	37·1	30·2	31·1	3·6	170	175	30	43	.	4	1	.	11	.	.	2	2	23	47	3	4	79
Urban Districts. Rathmines and Rathgar	33,203	19·4	18·8	25·1	.	12	16	2	5	.	.	.	.	.	.	.	.	.	1	2	2	2	3
Pembroke	26,025	16·4	24·0	16·0	.	12	8	2	5	.	.	.	.	.	.	.	.	.	.	2	.	1	2
Blackrock	8,759	8·1	17·9	6·0	.	3	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown	17,622	12·1	14·8	20·7	.	5	7	2	5	.	.	.	.	.	.	.	.	.	1	2	.	.	.
Urban Districts.																							
Belfast	358,680	24·4	26·5	22·7	2·0	182	156	28	33	.	1	.	.	11	.	.	2	.	16	51	7	9	28
Cork	76,122	33·6	39·0	39·7	1·4	57	58	11	17	.	.	.	.	2	.	.	.	.	6	16	3	4	25
Londonderry	41,397	19·1	20·2	12·6	.	16	10	1	.	.	.	.	.	.	.	.	.	.	6	2	.	.	.
Limerick	38,151	18·1	76·5	35·5	1·4	56	26	7	7	.	.	.	.	.	.	.	.	1	4	3	.	1	11
Waterford	26,769	18·7	27·3	25·3	.	14	13	1	3	.	.	.	.	.	.	.	.	.	1	3	1	1	4
Galway	18,426	2·5	35·0	42·7	.	9	11	1	8	.	.	.	.	.	.	.	.	.	1	3	.	.	5
Dundalk	18,076	9·4	12·0	8·0	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Drogheda	12,760	8·6	32·7	36·8	.	8	9	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Newry	12,405	17·8	12·6	12·6	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Lurgan	11,782	13·8	26·6	22·1	.	6	5	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Lisburn	11,461	10·1	13·6	18·2	.	3	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Wexford	11,168	23·2	56·0	14·0	.	12	3	2	.	.	.	.	.	.	.	.	.	.	1	4	.	.	.
Ballymena	10,886	8·9	48·1	28·7	.	9	6	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Sligo	10,870	8·7	19·2	4·8	.	4	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1
Kilkenny	10,609	11·5	54·1	24·6	.	11	5	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Clonmel	10,167	7·8	.	20·5	.	.	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Portadown	10,092	13·2	5·2	10·3	.	1	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Tralee	9,867	16·6	15·9	31·7	.	3	6	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Newtownards	9,110	18·9	40·1	22·9	.	7	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Queenstown	7,909	14·4	13·2	13·2	6·6	2	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Armagh	7,588	22·2	13·7	41·2	.	2	6	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 2nd April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§53·7	29·8	42·1	0·76	§55·6	30·1	43·6	0·27	§58·2	25·9	42·6	0·63
City of Dublin	a56·0 b54·9	33·0 32·0	43·9 43·0	0·60 0·81	a56·0 b57·4	37·9 31·0	45·9 44·5	0·15 0·24	a60·8 b59·8	30·0 27·0	44·7 42·1	0·64 0·79
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	56·2	34·0	44·7	0·51	55·7	35·5	46·2	0·09	61·2	28·5	44·0	0·46
Urban Districts.												
Belfast	.	.	.	.	56·0	35·0	45·5	0·65	55·0	26·3	40·8	0·32
Cork	53	34	44·5	1·22	54	35	45·5	0·88	52	33	42·6	0·67
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	53	32	44·7	1·01	55	30	46·1	0·75	53	28	44·5	1·02
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76
Lisburn	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76
Wexford	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	52·3	32·4	42·1	1·64	55·0	32·4	44·3	0·56	55·3	25·5	43·9	0·75
Clonmel	53	33	42·7	1·13	54	31	43·2	0·58	56	26	43·5	0·80
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76
Newtownards	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	50	32	41·0	0·58	53	35	43·2	0·54	55	30	42·0	0·41
Armagh	53	34	44·5	1·22	54	35	45·5	0·88	52	33	42·6	0·67
	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64	55·7	27·7	43·9	0·76

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

§ Observations at Ordnance Survey Office, Phœnix Park.

b Observations by Mr. E. W. Moore taken at Botanic Gardens, Glasnevin.

a Observations by Sir John Moore taken at Fitzwilliam Square.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 2nd of April, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	1	.	3	1	.	1	1	.	2	1	.	.	.	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Phthisis,	2	1	3	2	.	.	.	8	2	3	2	.	1	.	1	1	26	1
Other General Diseases,	2	3	2	4	2	1	1	1	1	6	1	3	3	1	.	.	31	3
Total,	7	6	7	13	3	1	2	10	3	11	4	3	4	1	1	1	77	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	.	.	1	.	1	.	2	1	.	2	.	1	2	.	1	12	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	3	2	2	.	1	.	3	.	2	5	1	2	.	.	1	24	1
Respiratory System,	4	7	3	2	1	1	.	9	2	8	3	2	2	2	.	2	53	2
Digestive System,	.	1	1	1	.	1	.	3	2	2	1	.	1	.	.	2	15	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	.	.	.	1	.	1	.	.	.	.	1	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	12	11	6	1	4	1	17	6	12	11	3	6	6	.	6	109	7
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	2	.	.	.	.	4	.	3	1	.	4	1	.	.	16	1
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	5	.
Deaths from all Causes,	15	19	20	19	4	5	3	31	9	27	17	6	16	8	1	7	207	12
Annual Rate of Mortality in every 1,000 of the population	27·6	25·3	34·6	31·3	43·4	26·0	28·5	42·1	25·7	33·6	25·2	35·2	25·1	16·0	6·0	20·7	28·5	.
	29·4							32·9					19·5					
	31·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	3	5	7	.	1	.	6	.	9	4	.	3	2	.	.	43	8
Workhouse Hospitals,	2	7	6	6	1	2	.	7	4	3	3	.	.	.	.	.	41	4

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1894-1903.	In the Week ending Satu 2nd April, 1904. Deaths of Persons of the A					
	Mar. 31, 1894.	Mar. 30, 1895.	Mar. 28, 1896.	April 3, 1897.	April 2, 1898.	April 1, 1899.	Mar. 31, 1900.	Mar. 30, 1901.	Mar. 29, 1902.	April 4, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 45·7	° 42·5	° 44·9	° 38·5	° 40·1	° 51·9	° 37·3	° 34·0	° 43·5	° 45·1	° 42·4	Mean Temp. ° 42·1					
ALL CAUSES.	216	326	166	258	235	212	244	234	211	204	230·6	219	10	26	30	15	28
Small-pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	27	.	.	.	1	1	.	3·0	4	.	1	3	.	.
Scarlet Fever	1	.	2	4	3	2	.	.	2	2	1·6	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	45	5	2	8	15	4	8	2	2	9·4	2	.	.	.	.	.
Whooping Cough,	5	3	.	9	5	3	.	11	2	2	4·0	11	.	7	3	1	.
Diphtheria,	1	1	1	1	4	2	1	.	.	6	1·7	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.
Enteric Fever,	4	4	.	1	3	2	1	1	2	2	2·0	2	.	.	.	.	2
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	3	3	3	5	5	3	.	1	.	. / 2	2·5	. / 2	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	1	.	2	.	.	.	2	.	3	·9	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	2	.	.	.	1	.	. / . / .	·5	. / . / .	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Erysipelas,	2	.	.	1	2	.	.	4	.	.	·9	1	.	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	.	.	1	1	1	2	.	.	. / .	·5	1 / .	.	.	.	.	1
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	33	27	31	24	37	29	30	39	37	1 / 26	31·4	10 / 17	.	.	.	2 / 1	5 / 5
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	3	10	4	6	7	.	2	4	4·3	7	.	1	3	3	.
Tuberculous Peritonitis, Tabes Mesenterica,	7	4	5	10	2	2	7	2	3	. / 2	4·4	3 / 1	.	1 / .	2 / 1	.	.
Tuberculous Dis. (other), *Scrofula*,	5	5	2	8	7	5	2	7	4	8 / 1	5·4	6 / .	1	1	1	1	2
Alcoholism,	1	2	1	.	.	.	.	.	2	.	·6	1	.	.	.	.	1
Rheumatic Fever,	2	.	.	2	.	.	.	2	.	1	·7	.	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.

* The figures for the years 1894-1900 ar

IRTEENTH WEEK ending Saturday, 2nd April, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Mar. 31, 1894.	Mar. 30, 1895.	Mar. 28, 1896.	April 3, 1897.	April 2, 1898.	April 1, 1899.	Mar. 31, 1900.	Mar. 30, 1901.	Mar. 29, 1902.	April 4, 1903.	Averages in 13th Week of the 10 years 1894–1903.	In the Week ending Saturday, 2nd April, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 45·7	° 42·5	° 44·9	° 38·5	° 40·1	° 51·9	° 37·3	° 34·0	° 43·5	° 45·1	° 42·4	° 42·1								
noma	4	8	4	6	5	12	4	12	5	2	6·9	1	.	.	.	.	.	.	.	1
oma										.		.	.	.	.	.	.	.	2	.
r, *Malignant Disease* ...										7		2	.	.	.	.	.	.	.	.
etes Mellitus										2	·2	.	.	.	.	.	.	.	.	.
ature Birth	3	3	2	6	1	1	6	3	4	1	3·0	3	2	1	.	.	.	.	.	.
ngitis (not tuberc.)										4		1	.	.	1	.	.	.	.	.
ity, G. P. of Insane										1		5	.	.	.	.	.	1	3	1
psy										.		.	.	.	.	.	.	.	.	.
ulsions										3		5	1	3	1	.	.	.	.	.
motor Ataxy										.		.	.	.	.	.	.	.	.	.
plegia Dis. of Cord										.		2	.	.	.	.	.	1	1	.
ous System (other Dis.) ...	47	48	29	32	36	34	53	45	49	1	41·6	.	.	.	.	.	.	.	.	.
. Dis., Endocarditis										.		4	.	.	.	1	.	2	1	.
br. Hæm. Thromb.										5		1	.	.	.	.	.	.	.	1
lexy, Hemiplegia										3		9	.	.	.	.	.	6	3	.
rysm										8		.	.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)										.		.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis. ...										1		.	.	.	.	.	.	.	.	.
										17		11	.	.	1	.	.	4	3	3
p (not Spasm. or Memb.) ...	.	.	1	1	2	2	1	.	1	.	·8	.	.	.	.	.	.	.	.	.
chitis	22	77	22	34	29	32	39	37	37	26	35·5	31	1	5	4	1	1	8	11	.
pous Pneumonia										1		1	.	.	.	.	.	.	.	1
cho-Pneumonia	9	17	11	19	19	11	13	18	14	3	14·2	9	.	.	4	1	.	2	2	.
eumonia"										7		11	.	1	.	1	2	4	3	.
ma, Emphysema										1		1	.	.	.	.	.	1	.	.
risy	2	11	5	4	2	1	3	2	1	.	3·5	.	.	.	.	.	.	.	.	.
piratory Dis. (other)										3		2	.	.	1	.	.	.	1	.
sillitis, Quinsy	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
eritis (not Epid.)	.	1	1	1	1	.	1	2	1	1	1·1	.	.	.	.	.	.	.	.	.
ro Enteritis	1	2	.	1	.	.	3	1	3	2	1·1	.	.	.	.	.	.	.	.	.
tonitis (not Puerp.)										.		.	.	.	.	.	.	.	1	.
hosis of Liver	3	2	3	1	4	2	2	.	1	2	2·0	1	.	.	.	.	.	.	2	.
r Dis. (other)	1	2	3	7	4	7	5	5	5	1	4·0	13	.	2	1	2	1	3	3	1
estive Dis. (other)																				
hritis, Acute										.		1	.	.	.	.	.	.	1	.
ght's Dis., Albuminuria ...	4	6	5	4	8	2	8	7	7	2	5·3	3	.	.	.	.	3	.	.	.
nary Sys. (Other Dis.) ...										.		1	.	.	.	.	.	.	1	.
erative Organs Dis.	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	1	.
ldbirth (Accid. of)	1	.	.	1	.	.	.	.	2	2	·6	.	.	.	.	.	.	.	.	.
Age	17	26	4	13	17	18	28	8	8	6	14·5	8	.	.	.	.	.	.	4	4
er Diseases	20	21	19	13	20	14	18	8	14	21	16·8	12	3	2	3	.	.	1	3	.
ACCIDENT.																				
Railways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks (exclusive	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
f Drowning)																				
Building Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	1	1	1	.	2	3	1	2	.	2	1·3	.	.	.	.	.	.	.	.	.
Drowning	1	.	1	.	1	.	.	1	.	1	·5	2	.	.	.	.	2	.	.	.
Suffocation in Bed	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	1	.	.	.	.	1	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
ner Deaths by Accidents ...	3	2	1	2	.	1	1	.	1	3	1·4	1	1	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
micide	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	1	.	.	.
icide	2	.	.	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1908-4—Week ending																									
	Oct 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	April 2.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	190	235	208	202	232	236	162	193	194	199	179	173	228	195	202	208	190	255	181	290	224	241	201	214	217	202
*Average Births in corresponding week of previous 10 years,**	186	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236
DEATHS registered,	150	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201	218	213	235	219
Annual Death-rate per 1,000,	20·7	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1
*Average Deaths in corresponding week of previous 10 years,**	159	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231
AGES, Under 5 years,	48	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	58	70	61	51	56	75	67	66
5—20 ,,	6	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15
20—40 ,,	35	29	23	25	21	24	31	25	38	23	23	26	39	40	43	33	35	33	31	30	31	34	36	35	44	28
40—60 ,,	31	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46
60—80 ,,	26	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52
80 years and upwards,	4	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4
,, Scarlet Fever	1	.	.	1	.	1	.	.	2	.	2	1	2	.	.	1	.	.	1	.	1	.	1	.	.	1
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	2	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11
,, Diphtheria,	1	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Enteric Fever,	2	4	4	.	1	3	2	5	2	1	.	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2
,, Diarrhœal Diseases,	4	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2
,, Phthisis,	27	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30	26	36	27
,, Diseases of Heart and Blood Vessels,	22	28	16	26	28	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22	28	28	41	23	35	25
,, Diseases of Respiratory System,	17	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55
Violent Deaths,	1	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5
Mean Temperature of the Air (Phœnix Park),	52·4	50·0	46·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1
Average Mean Temperature in corresponding week of previous 10 years,	50·9	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4
Rainfall in inches,	·710	·473	·383	·618	·208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755
Mean Humidity of the Air, complete Saturation 1·0,	·85	·84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd April, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 2nd April, 1904: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages: Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	30·4	219	66	15	28	46	52	12	.	4	1	.	11	.	.	2	2	20	27	5	55	5	107
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	29·9	10	.	1	2	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	8
II.	MIDDLE CLASS,	87,188	18·5	31	6	2	5	5	9	4	.	.	.	.	3	.	.	1	1	5	2	1	4	1	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	25·5	54	15	8	5	15	9	2	.	.	1	.	2	.	.	.	.	3	11	1	17	.	22
IV.	GENERAL SERVICE CLASS,	154,279	40·3	79	33	3	10	12	15	1	.	4	.	.	6	.	.	1	1	12	7	2	22	3	33
V.	INMATES OF WORKHOUSES,	6,024		4	7	1	6	13	15	3	.	.	.	.	.	.	.	.	.	.	7	1	11	.	26
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	60·2	9	.	1	2	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	7
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	1	.	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3
	6. Clerks and Commercial Assistants,	30,432	15·4	9	3	1	2	1	2	.	.	.	.	.	1	.	.	1	1	3	2	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	28·9	15	2	1	2	2	5	3	.	.	.	.	1	.	.	.	.	1	.	1	1	1	1
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	2	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	.
	9. Building and Furnishing Trades,	29,801	33·2	19	6	3	2	3	4	1	.	.	1	.	.	.	.	.	.	1	3	1	5	.	9
	10. Clothing Trades,	23,260	24·7	11	.	1	2	5	3	.	.	.	.	.	.	.	.	.	.	.	4	.	3	.	4
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	25·8	15	6	4	.	5	.	.	.	.	.	.	2	.	.	.	.	2	1	.	4	.	8
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	4	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	15. Domestic Servants,	36,603	5·7	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	3	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	36·0	62	30	1	9	11	10	1	.	4	.	.	6	.	.	1	1	12	6	1	16	3	24
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	45	7	1	6	13	15	3	.	.	.	.	.	.	.	.	.	.	7	1	11	.	26

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	Feb. 13,	25·8	1·8	14	.	.	.	.	1	.	.	.	.	2	3	1
	„ 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
	„ 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
	„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	„ 26,	26·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Feb. 13,	33·3	1·3	25	.	.	.	.	.	.	.	1	.	1	7	.
	„ 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
	„ 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
	Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
	„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
	„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
	„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Feb. 13,	27·7	3·5	16	.	.	.	.	1	.	.	.	1	.	4	1
	„ 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
	„ 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
	„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
	„ 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	43·3	3·5	25	.	.	.	.	1	.	.	.	1	5	3	1
	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Feb. 13,	24·7	.	15	.	.	.	.	.	.	.	.	.	1	7	.
	„ 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
	„ 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
	„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
	„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	„ 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
	April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Feb. 13,	36·7	1·4	27	.	.	.	.	.	.	.	.	1	2	9	.
	„ 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
	„ 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
	„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Feb. 13,	31·4	.	11	.	.	.	.	.	.	.	.	.	.	4	.
	„ 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
	„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
	„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Feb. 13,	41·0	1·2	33	.	.	.	.	.	1	.	.	.	4	8	2
	„ 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
	„ 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
	Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
	„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
	„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
	„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	2	4	.
	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,138	Feb. 13,	26·7	5·9	18	.	.	.	.	4	.	.	.	.	4	2	1
	„ 20,	32·6	3·0	22	.	.	.	.	1	.	.	.	1	2	5	.
	„ 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2
	„ 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
	„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
	„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208	Feb. 13,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	„ 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Feb. 13,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	„ 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	„ 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Feb. 13,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	2	.
	„ 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	„ 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Feb. 13,	29·5	2·0	203	.	1	.	.	13	.	.	.	.	40	58	9
	„ 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	„ 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	„ 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	„ 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
Cork. Pop. (in 1901) 76,122.	Feb. 13,	26·7	2·7	39	.	.	.	.	4	.	.	.	.	6	9	.
	„ 20,	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	„ 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	„ 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	„ 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
Londonderry. Pop. in 1904 (Est.) 41,397	Feb. 13,	13·9	1·3	11	.	.	.	.	.	1	.	.	.	2	4	.
	„ 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	27·7	3·8	22	.	.	1	.	.	1	.	1	.	4	6	.
	„ 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
Limerick. Pop. (in 1901) 38,151.	Feb. 13,	34·2	6·8	25	.	.	.	.	5	.	.	.	.	7	5	.
	„ 20,	28·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	„ 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	„ 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
Waterford. Pop. (in 1901) 26,769.	Feb. 13,	23·4	.	12	.	.	.	.	.	.	.	.	.	2	3	.
	„ 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	„ 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 2nd April, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	8	21·2	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	2	1	.	1	2
Do. 2 "	47,959	24	19·6	.	18	2	.	15	1	.	.	.	.	.	.	.	.	.	3	3	.	.	6
Do. 3 "	47,214	25	15·5	3·3	14	5	2	3	4	.	.	.	.	3	.	.	.	.	1	7	1	1	2
Do. 4 "	40,911	33	35·7	2·5	28	6	7	11	4	.	.	.	.	1	.	.	1	.	.	12	1	1	9
Do. 5 "	17,387	7	33·0	.	11	2	2	3	4	.	.	.	.	.	.	.	.	.	.	6	3	3	3
Do. 6 "	48,122	18	24 9	3·3	23	5	2	7	9	.	.	.	.	3	.	.	.	.	4	6	.	1	.
Do. 7 "	1,524	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	1	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 "	19,569	7	40·0	2·7	15	2	3	9	1	.	.	.	.	1	.	.	.	.	1	2	1	1	1
Do. 10 "	28,064	15	22·6	2·3	10	2	1	6	1	.	.	.	.	1	.	.	.	.	4	2	1	1	3
Do. 11 "	34,802	13	16·5	4·5	11	.	4	4	3	.	.	.	.	2	.	.	1	.	.	4	.	.	1
Do. 12 "	33,588	24	18·6	1·6	12	3	4	4	1	.	1	.	.	.	.	.	.	.	.	5	.	.	1
Do. 13 "	15,006	6	20·8	.	6	.	1	2	3	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	182	23·3	2·1	156	28	26	69	33	.	1	.	.	11	.	.	2	.	16	51	7	9	28
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	8	44·6	4·1	11	.	1	6	4	.	.	.	.	1	.	.	.	.	3	3	.	.	6
Do. 2 "	10,701	11	63·3	.	13	2	.	7	4	.	.	.	.	.	.	.	.	.	.	5	2	2	5
Do. 3 "	9,978	8	26·1	.	5	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	2
Do. 4 "	8,666	8	42·1	6·0	7	2	1	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	1
Do. 5 "	6,592	6	15·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 6 "	10,702	4	29·2	.	6	2	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	4
Do. 7 "	16,616	12	43·9	.	14	5	3	2	4	.	.	.	.	.	.	.	.	.	2	4	.	1	6
Total,	76,122	57	39·7	1·4	58	11	9	21	17	.	.	.	.	2	.	.	.	.	6	16	3	4	25

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered,	242	257	203	201	212	198	221	206	234	204	187	128	252	226	218	215	188	190	201	209	268	226	207	212	261	182
DEATHS registered,	125	113	125	118	124	113	138	120	168	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156
Annual Death-rate per 1,000 of estimated Population,	18·2	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7
AGES, Under 1 year,	27	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28
AGES, 1–5 years,	13	14	18	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26
AGES, 5–60 years,	54	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69
AGES, 60 years and upwards,	31	19	22	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1
" Scarlet Fever,	2	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	2	.	2	3	7	2	1	11	10	8	10	15	18	12	9		10	11	13	8	5	5	9	10	14	11
" Diphtheria,	1	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.	1	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.		.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.
" Enteric Fever,	4	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2
" Diarrhœal Diseases,	8	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.
" Phthisis	10	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16
" Diseases of Respiratory System,	25	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51
Violent Deaths,	2	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd April, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	2	.	.	.	.	.	.	.	4	.	.	.	6
" " 2,	.	11	.	1	.	.	.	.	.	3	.	.	.	15
" " 3,	.	32	.	1	.	.	.	.	2	1	1	.	.	37
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	1	.	1	.	.	1	.	.	3	.	.	.	6
Finglas and Glasnevin (part of),	.	12	.	.	.	.	.	.	.	.	.	.	.	12
South City No. 1,	.	.	.	.	.	.	1	.	.	1	14	.	.	16
" " 2,	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	1	.	.	1	.	.	.	3
" " 4,	.	.	.	2	.	.	.	.	.	.	1	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	59	.	6	.	.	3	.	2	13	16	.	.	99

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd April, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd April.			
	Mar. 12.	Mar. 19.	Mar. 26.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	36	36	29	7	7	4	25
Scarlet Fever,	72	63	61	7	11	1	56*
Typhus "	1	.	.	.	.	.	.
Diphtheria,	19	17	16	7	4	.	19
Enteric Fever,	56	48	39	2	11	1	29
Pneumonia,	12	17	15	11	4	2	20

*Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Apr. 2,	2,240	1,672	18·8	3	92	4	17	68	3	16
EDINBURGH,	331,977	„ 2,	150	134	21·1	.	1	.	.	3	.	.
GLASGOW,	798,357	„ 2,	423	329	21·5	5	12	3	1	8	3	7
CALCUTTA,	847,796	Jan. 30,	.	453	27·7	.	8	.	4	.	111‡	81*
BOMBAY,	776,006	Mar. 1,	323	1,420	95·1	14	6	.	.	1	51‡	55
MADRAS,	509,346	Feb. 12,	361	444	45·3	.	2	?	?	?	126	64*
PARIS,	2,660,559	Mar. 19,	1,057	1,159	23·9	1	15	1	8†	6	15	29
BRUSSELS (with 8 Faubourgs).	575,896	„ 12,	260	179	16·1	.	.	.	2†	1	.	10
AMSTERDAM,	547,370	„ 12,	300	195	18·5	3	14	.	.	2	1	4
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	420,000	Mar. 12,	236	139	17·3	.	.	2	.	8	.	3
CHRISTIANIA,	225,709	„ 19,	136	52	12·0	.	.	.	.	.	.	2
ST. PETERSBURG,	1,248,122	„ 19,	615	633	26·4	5	14	13	6	6	14	55
BERLIN,	1,960,909	„ 5,	873	619	16·5	.	7	5	10†	9	.	36
HAMBURG,	751,842	„ 12,	.	222	15·4	.	.	2	2†	3	.	2
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Mar. 19,	.	222	22·2	.	5	.	1†	2	.	11
VIENNA (with suburbs).	1,779,869	„ 19,	999	734	21·4	.	44	2	8†	5	1	42
BUDA-PESTH,	813,399	„ 19,	463	328	21·0	1§	10	7	9†	1	1	7
PRAGUE and Faubourgs.	423,990	„ 12,	234	184	22·6	.	.	.	.	3	1	6
ROME,	489,925	Dec. 26,	274	175	18·6	.	2	.	.	.	6	3
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Feb. 20,	93	62	19·4	.	.	.	1†	.	.	3
NEW YORK,	3,838,024	Mar. 5,	1,843	1,800	24·5	.	30	27	41†	3	9	45
PHILADELPHIA,	1,408,154	Feb. 27,	.	693	25·6	12	11	7	11†	2	25	26

* Including 27 deaths from cholera in Calcutta and 1 in Madras.
† Including deaths from croup.
‡ Exclusive of 17 deaths from bubonic fever in Calcutta, and 832 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd April, 1904:—

"A very changeable, squally and showery week, with frequent and extreme variations in temperature. During Sunday and Monday a large atmospheric depression was steadily spreading in from the Atlantic, gradients were rather steep for S.W. winds and temperature became high, the thermometer rising to 56·0° on Monday, the forenoon of which day was bright and springlike. By 8 a.m. of Tuesday a very large and deep depression had become central over the Hebrides, the barometer marking 29·09 inches at Stornoway. In Ireland the wind had veered to W. and temperature was falling fast Showers of hail and sleet fell in Dublin during the afternoon and at 9 p.m. temperature was as low as 34·4°. In the course of the three following days very inclement conditions prevailed. Strong squalls or gales from westerly points were felt, and bitterly cold showers of hail and sleet passed over from time to time, being separated from one another by intervals of bright sunshine. In many districts of both Ireland and England thunder and lightning occurred on Wednesday and Thursday. On Good Friday, April 1, the wind blew a moderate to fresh gale from W., the usual hail and sleet showers falling in the course of the afternoon. Saturday was dull, mild, stormy, and at first rainy, owing to the arrival of a new barometric depression from the Atlantic. In Dublin the mean height of the barometer was 29·639 inches, the range being from 30·197 inches at 9 a.m. of Sunday (wind, S. by E.) to 29·264 inches at 9 p.m. of Tuesday (wind, W.N.W.). The corrected mean temperature was 43·9°, the mean dry bulb temperature at 9 a.m and 9 p.m. being 44·0°. The screened thermometers rose to 56·0° on Monday and fell to 33·0° on Wednesday. Bright sunshine was estimated at 27¾ hours, 8¾ hours falling on Friday and 7½ hours on Tuesday. The week opened and closed with sunless days. W. and S.W. winds prevailed. Rain (chiefly in the form of hail and sleet) fell daily to the amount of ·601 inch, ·106 inch being measured on Wednesday and ·190 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·645 inches. The highest reading (30·200) was on Sunday at 9 a.m., wind S.S.E., and the lowest (29·284) on Tuesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 42·1°, being 0·3 under the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Monday, on which day the thermometer registered 53·7°, and was lowest on Sunday, the mercury having fallen to 29·8°. The mean of the Dry Bulb for the week was 43·0°, and of the Wet Bulb 40·5°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·1 hours. The rainfall during the week measured ·755 inch.

At Greenwich the mean temperature for the week was 42·0°, the maximum 50·5°, and the minimum 35·3°; at Glasgow the maximum was 52·0°, the minimum 29·0°, and the mean 41·3°; and at Edinburgh the maximum was 47·9°, the minimum 31·1°, and the mean 40·4°. The rainfall at Greenwich measured 0·45 inch; at Glasgow 1·26 inches; and at Edinburgh 0·57 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Mar. 27,	30·163	47·8	29·8	38·8	44·6	42·1	·82	·1	0·0	·165	S.S.E.	S.
Monday, „ 28,	29·675	53·7	43·0	48·4	48·4	45·5	·80	·8	3·0	·050	S.W.	S.W.
Tuesday, „ 29,	29·330	47·2	32·4	39·8	37·4	35·9	·88	·7	8·0	·030	W.S.W.	W.S.W.
Wednesday, „ 30,	29·352	46·2	31·3	38·8	40·3	38·3	·84	·8	4·3	·105	W.S.W.	W.
Thursday, „ 31,	29·511	50·7	33·9	42·3	40·8	38·5	·82	·5	1·8	·095	S.S.W.	S.W.
Friday, April 1,	29·759	48·6	34·8	41·7	40·7	37·7	·78	·4	10·0	·115	W.S.W	S.W.
Saturday, „ 2,	29·724	52·4	37·1	44·8	48·7	45·4	·78	·5	0·0	·195	S.S.W.	S.S.W.
Mean, . .	29·645	49·5	34·6	42·1	43·0	40·5	·82	·5	Total 27·1	·755	Prevailing Wind, S.W. & W.S.W.	

Sunday—A cloudy and showery day; night overcast, light rain a.m. *Monday*—A cloudy day, showery a.m.; night cloudy, showery p.m. *Tuesday*—A cloudy day, rain and hail showers; night cloudy, showers p.m. *Wednesday*—A cloudy day, showery, heavy hail shower at 3.20 p.m.; night cloudy, light rain 8.15 to 9 a.m. *Thursday*—Overcast a.m., cloudy p.m., rain and hail showers; night cloudy and showery. *Friday*—Day cloudy and showery; night cloudy. bright moonlight intervals. *Saturday*—Day overcast and showery; night overcast, heavy rain 1.30 to 2.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 473. 12. 1903.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] QUARTER ENDING SATURDAY, 2ND APRIL, 1904. [No. 13A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1904, 378,994, there were registered during the thirteen weeks ended on Saturday, 2nd April, 1904, 2,815 births—1,482 boys and 1,333 girls—being equal to an annual ratio of 1 in 33·7, or 29·7 in every 1,000 of the population.

The number of births registered in the city was 2,378, equivalent to an annual rate of 32·4 in every 1,000 of the population; and in the urban districts named above, 437, equal to an annual rate of 20·4 in every 1,000 of the population.

There were registered in London during the same period 33,294 births—being equal to an annual birth-rate of 28·6 in every 1,000 of the estimated population; in Glasgow there were registered 6,269, being equal to 31·4 per 1,000; and in Edinburgh, 1,853—a number affording an annual birth-rate of 22·3 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,765—1,400 males and 1,365 females—affording an annual ratio of 1 in 34·3, or 29·2 in every 1,000 of the estimated population; omitting the deaths (118) of persons admitted into Public Institutions from localities outside the Area, the rate was 27·9 per 1,000. The annual mortality represented by the deaths registered during the first quarter of the ten years 1894–1903 in the Dublin Registration Area as then constituted, was 30·9 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 1,067, representing an annual mortality of 28·3 in every 1,000 of the population; and the number in the South City districts was 1,123, equivalent to a rate of 31·5 per 1,000. In the urban districts the number of deaths registered was 457, being equal to an annual death-rate of 21·4 in every 1,000.

The number of deaths registered in London during the same period was 21,262—a number equal to an annual rate of mortality of 18·3 in every 1,000 of the inhabitants; in Glasgow the number was 4,281, equal to 21·4 in every 1,000; and in Edinburgh, 1,517, affording an annual death-rate of 18·3 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 193, being 62 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·0, being 0·6 above the rate for the preceding three months.

Small-pox.—Not one death from small-pox was registered during the quarter. In the June and September quarters of 1903, 28 and 4 deaths were respectively registered. There was no death from the disease in the December quarter of 1903. From Table I. it appears that no case of small-pox was admitted for treatment in Dublin Hospitals during the past quarter.

Measles.—The deaths from measles rose from 3 in the preceding quarter to 19, which is below the average number of deaths (50) from this disease, for the corresponding quarter of the past 10 years. Of the 19 deaths, 17 appertained to the Registrar's District of North City, No. 3. From Table I. it would appear that 123 cases were admitted to Dublin Hospitals for treatment, 102 patients were discharged, there were 16 fatalities, and 25 cases remained under treatment at the close of the period.

Scarlet fever.—There were 8 deaths registered from scarlet fever, as compared with 10 in the preceding quarter, the average number of deaths from this disease for the March quarter of the previous ten years being 20. Of the 8 deaths, 3 appertained to North City Districts, 2 to South City Districts, and 3 were of persons admitted to Institutions from without the Area. It appears from Table I. that 163 cases were admitted to Hospitals for treatment, 200 patients were discharged, there were 8 deaths, and 56‡ persons remained under treatment on the 2nd April, 1904. At the close of the previous quarter (December, 1903) 101 cases of scarlet fever were reported under treatment in the Dublin Hospitals.

Typhus.—Not one death from typhus fever was registered in the Dublin Registration Area.

Influenza.—The deaths from influenza (48) although in excess of those registered in the quarter preceding (25), are only a little over 50 per cent. of the average number of deaths (86) from this disease for the corresponding quarterly period of the past 10 years.

Whooping Cough.—Deaths registered from whooping cough rose from 45 in the quarter preceding to 110 in the period now the subject of review, the average number of deaths for the corresponding period of the past 10 years being 67. Deaths from whooping cough constitute nearly 60 per cent. of the total (193)

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 214.

‡ See note (*) page 212.

deaths from the so-called principal epidemic diseases. Of the total (110) there appertained to North City Districts 53, to South City Districts 48 deaths, and to the Urban Districts 9 deaths were assigned.

Diphtheria.—The 7 deaths which were attributed to diphtheria were 2 under the number recorded in the quarter preceding, and 8 under the average for the corresponding period of the past 10 years. Of the deaths, 2 appertained to North City Districts, 4 to South City Districts, and 1 to Kingstown Urban District. From Table I. it appears that 63 cases were admitted to hospital, 59 patients were discharged, there were 7 deaths, and 19 cases remained under treatment at the close, as compared with 22 at the end of the quarter preceding.

Cerebro Spinal Fever.—One death is recorded as being due to this disease; in the quarter preceding 3 deaths were registered.

Enteric Fever.—The deaths (30) show an increase of 2 over the quarterly period preceding, but are 5 below the average for the corresponding period of the 10 years preceding. Of the total (30) deaths registered, 25 appertained to the City (13 to Northern Districts, and 12 to Southern Districts), one was tabulated to Blackrock Urban District, and 4 of the deaths registered were of persons admitted to institutions from without the Area. The number of patients under treatment in Hospitals at the close of the quarterly period was 29, as compared with 63 patients under treatment at the end of the December quarter of 1903; 122 cases were admitted during the quarter, 142 were discharged, and 14 deaths occurred.

Diarrhœal Diseases.—Eighteen deaths were attributed to these complaints, which include epidemic diarrhœa, epidemic enteritis, dysentery, and *diarrhœa.* The average number of deaths from these diseases for the corresponding quarterly period of the past 10 years is 30.

Erysipelas.—There were 6 deaths from erysipelas registered during the quarterly period.

Tetanus.—One death from tetanus was recorded.

Epidemic Pneumonia.—Three deaths were attributed to this disease.

Tuberculosis.—The aggregate deaths from the named varieties of this disease is 500, or 18 per cent. of all deaths registered during the quarter in the Dublin Registration Area, and equal to a rate of 5·3 per 1,000 of its estimated population; in other words almost one in every 5 deaths taking place was due to tuberculous disease. The total (500) deaths include 94 registered as tuberculous phthisis, 250 as *phthisis,* 51 as tuberculous meningitis, 13 as tuberculous peritonitis, 10 as tabes mesenterica, one as scrofula, and 81 were attributed to other forms of the disease. Excluding cases in Institutions of persons admitted from without the Area, the rate for the pulmonary form of the complaint (*phthisis* and tuberculous phthisis) is 3·5 per 1,000 for the whole Area, 3·6 for North Dublin City, 4·0 for South Dublin City, and 2·5 per 1,000 for the Urban Districts.

Cancer, Malignant Disease.—Of a total of 97 deaths, 29 were due to carcinoma, 4 to sarcoma, and 64 were attributed to *cancer, malignant disease.*

Diseases of the Nervous System.—The total deaths from diseases of the brain and nervous system is 223. Of these 99 were caused by *convulsions,* and of this number 88 were of infants under 1 year old.

Diseases of the Heart and Blood Vessels.—A total of 371 deaths were attributed to the various diseases of these structures.

Diseases of the Respiratory System.—The total deaths (643) assigned to diseases of the respiratory system form 23 per cent. of all the deaths registered during the quarter and are equal to an annual rate of 6·8 per 1,000 of the population of the Dublin Registration Area. The total includes 408 deaths from bronchitis, equal to an annual rate of 4·3 per 1,000. The 197 deaths from the various forms of pneumonia include 13 from croupous pneumonia, 90 from broncho-pneumonia, and 94 from pneumonia, equal to a rate of 2·1 per 1,000 of the population of the Dublin Registration Area.

Accidental Deaths.—Of 63 deaths stated to be caused by accidental violence, 14 (8 being of children under 5 years of age) were caused by burns, scalds, or explosions, and 12 were due to drowning.

Homicide.—Two deaths were the result of homicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 2nd April, 1904.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Small-pox, . .	.	.	.	.	.
Measles, . . .	20	123	102	16	25
Scarlet Fever, . .	101	163	200	8	56*
Typhus „ . .	3	4	7	.	.
Diphtheria, . .	22	63	59	7	19
Enteric Fever, . .	63	122	142	14	29
Pneumonia, . .	16	81	69	8	20

In 118 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 118 cases, 74, or 62·7 per cent., were deaths of children under 5 years of age: these 74 deaths form 9·4 per cent. of the total number of deaths of children of that age. Of the deaths of 156 infants under one month old registered, there were 28 (or 17·9 per cent.) regarding which the cause was uncertified.

From Table II., on page 212*b*, it will be seen that, excluding 118 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,647, equal to an annual rate of 27·9 per 1,000 of the estimated population, and that 186 of these deaths, representing an annual rate of 2·0 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 29·9 per 1,000, and for the urban districts 21·4 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·4, and in the urban districts 0·6, the rates for the several districts varying from 0·5 in Blackrock and Kingstown, respectively, to 4·2 in North City, No. 3, the 222 deaths from all causes tabulated for the last named district including 17 from measles, 1 from scarlet fever, 12 from whooping-cough, 1 from diphtheria, and 2 from enteric fever.

*Exclusive of 16 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

† See note (*) page 214.

Occupations.—Table III., on page 213, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 23·4 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 20·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 21·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 40·9.

Ages.—Of the 2,765 persons whose deaths were registered in the Dublin Registration Area during the quarter, 791 were under 5 years of age, this number being equal to an annual mortality of 82·9 in every 1,000 children at that age (according to the Census of 1901); 167 were between the ages of 5 and 20, representing an annual rate of 6·3 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 26·4 per 1,000 of the population at that age (according to the Census of 1901); 455 or 13·4 per 1,000 persons were between 20 and 40; 563 or 32·8 per 1,000 between 40 and 60; 641 or 105·6 per 1,000 between 60 and 80; 148 or 310·9 per 1,000 were aged 80 and upwards, including 21 persons aged 90 and upwards.

Public Institutions.—Of the 2,765 deaths recorded during the quarter, 1,088, or 39·3 per cent., occurred in public institutions, viz., 577 in the various hospitals, prisons, and lunatic asylums; 224 in the North Dublin Union Workhouse; 280 in the South Dublin Union Workhouse; and 7 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 40·1°. At Greenwich for the quarter, it was 39·9°; at Glasgow, 39·8°; and at Edinburgh, 38·0° (average for 12 weeks).

The rainfall at Dublin during the thirteen weeks measured 8·385 inches; at Greenwich, 6·36 inches; and at Glasgow, 7·83 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 2nd April, 1904,** the number of DEATH Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the princ Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions l assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1904 †	QUARTER (13 WEEKS) ENDED 2ND APRIL, 1904. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 5-13.	TOTAL DEATHS.	DEATHS CAUSED BY: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of the Respiratory System.	Violence
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(
NORTH CITY.																
NORTH CITY, No. 1, E.,	28,332	25·8	2·4	183	.	.	.	.	11	.	.	3	3	24	46	
" " W.	39,146	27·6	1·4	270	.	1	.	.	5	1	1	5	1	41	79	
" 2, .	30,107	32·9	3·1	248	.	.	1	.	17	.	.	2	3	37	55	
" 3, .	31,673	28·0	4·2	222	.	17	1	.	12	1	.	2	.	22	57	
CLONTARF & HOWTH, No. 1, part of, .	4,806	25·0	1·7	30	.	.	.	.	2	.	.	.	.	2	7	
COOLOCK & DRUMCONDRA, No. 1, part of, .	10,017	29·6	2·0	74	.	.	1	.	3	.	.	1	.	9	9	
FINGLAS AND GLASNEVIN, part of, .	6,665	24·0	1·8	40	.	.	.	.	3	.	.	.	.	2	7	
SOUTH CITY.																
SOUTH CITY, No. 1, .	38,384	32·7	1·8	314	.	1	1	.	7	.	.	4	4	50	78	
" 2, .	18,286	35·4	2·0	162	.	.	.	.	7	.	.	2	.	25	42	
" 3,	41,940	31·2	1·3	327	.	.	.	.	5	3	.	3	3	35	75	
" 4, .	35,138	29·9	3·5	263	.	.	1	.	25	1	.	2	2	30	52	
NEW KILMAINHAM, .	8,891	25·6	2·2	57	.	.	.	.	4	.	.	1	.	1	19	
URBAN DISTRICTS.																
RATHMINES AND RATHGAR, . .	33,203	20·1	0·6	167	.	.	.	.	4	.	.	.	1	15	33	
PEMBROKE, .	26,025	22·0	0·8	143	.	.	.	.	5	.	.	.	.	22	32	
BLACKROCK, . .	8,759	18·3	0·5	40	.	.	.	.	..	.	.	1	.	3	11	
KINGSTOWN, .	17,622	24·3	0·5	107	.	.	.	.	.	1	.	.	1	13	26	
TOTAL CITY, NORTH, .	150,746	28·3	2·6	1,067	.	18	3	.	53	2	1	13	7	137	260	
TOTAL CITY, SOUTH, .	142,639	31·5	2·1	1,123	.	1	2	.	48	4	.	12	9	141	266	
TOTAL CITY, N. & S., .	293,385	29·9	2·4	2,190	.	19	5	.	101	6	1	25	16	278	526	
TOTAL URBAN DISTRICTS,	85,609	21·4	0·6	457	.	.	.	.	9	1	.	1	2	53	102	
TOTAL REGISTRATION AREA, ...	378,994	27·9	2·0	2,647	.	19	5	.	110	7	1	26	18	331	628	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .				118	.	.	3	.	.	.	.	4	.	13	15	

* See note (*) on page 214. † See note (*) on page 215.

Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, (13 WEEKS) ENDING SATURDAY, 2ND APRIL, 1904.

Class.	Occupation or Social Position [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	29·5	2,765	791	167	455	563	641	148	.	19	8	.	110	7	1	30	18	193	344	99	643	65	1,421
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	23·4	102	7	3	10	17	44	21	.	.	.	.	1	.	.	1	1	3	2	.	19	1	77
II.	Middle Class,	87,188	20·3	443	90	34	69	84	113	53	.	.	2	.	14	1	1	6	1	25	33	17	86	7	275
III.	Artisan Class and Petty Shopkeepers,	110,423	21·1	582	176	40	106	122	115	23	.	3	3	.	21	1	.	8	2	38	85	18	154	9	273
IV.	General Service Class,	154,279	40·9	1127	444	79	187	216	175	26	.	16	3	.	73	5	.	13	11	121	143	58	249	46	510
V.	Inmates of Workhouses,	6,024		511	74	11	83	124	194	25	.	.	.	.	1	.	.	2	3	6	81	6	135	2	281
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	33·3	65	4	2	7	11	29	12	.	.	.	.	.	.	.	.	.	.	.	.	13	1	51
	2. Merchants and Manufacturers, Higher Class,	1,277	15·7	5	3	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.	2
	3. Persons of Rank and Property, not otherwise described,	8,360	15·3	32	.	1	2	5	15	9	.	.	.	.	.	.	.	1	1	2	2	.	4	.	24
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	22·8	44	9	4	2	8	14	7	.	.	.	.	2	1	.	.	.	3	2	1	11	.	27
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	22·2	122	26	4	16	35	32	9	.	.	.	.	4	.	.	1	.	5	5	2	24	3	83
	6. Clerks and Commercial Assistants,	30,432	16·8	128	38	12	33	20	20	5	.	.	1	.	5	.	1	4	1	12	15	12	22	2	65
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	22·1	149	17	14	18	21	47	32	.	.	1	.	3	.	.	1	.	5	11	2	29	2	100
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	16·2	40	12	6	8	6	7	1	.	.	.	.	3	1	.	.	.	4	9	2	7	2	16
	9. Building and Furnishing Trades,	29,801	26·0	194	79	15	25	35	36	4	.	2	2	.	10	.	.	3	1	18	22	5	50	2	97
	10. Clothing Trades,	23,260	17·9	104	21	5	33	23	15	7	.	.	.	.	2	.	.	3	.	5	25	3	26	1	44
	11. Food Supply Trades,	9,242	20·3	47	16	2	5	9	12	3	.	.	1	.	1	.	.	.	.	2	2	.	21	.	22
	12. Other Trades and Callings ranking with Trades,	30,352	19·1	145	31	11	27	39	32	5	.	.	.	.	5	.	.	1	1	7	22	5	34	3	74
	13. Petty Shopkeepers,	7,894	26·3	52	17	1	8	10	13	3	.	1	.	.	.	.	.	1	.	2	5	3	16	1	25
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	34·0	114	44	4	11	17	31	7	.	.	.	.	3	1	.	1	2	7	9	5	24	3	66
	15. Domestic Servants,	36,603	9·3	85	18	6	24	18	15	4	.	.	.	.	3	1	.	2	1	7	13	1	16	1	47
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·7	107	37	4	23	23	18	2	.	.	.	.	5	1	.	1	.	7	18	6	24	4	48
	17. Hawkers, Porters, Labourers, &c.,	89,861	36·5	821	345	65	129	158	111	13	.	16	3	.	62	2	.	9	8	100	103	46	185	38	349
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	6,024	.	511	74	11	83	124	194	25	.	.	.	.	1	.	.	2	3	6	81	6	135	2	281

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 25·8 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—

Sligo, 18·4 ; Londonderry, 18·6 ; Newry, 19·0 ; Drogheda, 19·7 ; Ballymena, 20·9 ; Lurgan, 21·4 ; Portadown, 21·4 ; Dundalk, 21·4 ; Armagh, 21·6 ; Waterford, 21·7 ; Queenstown, 24·3 ; Clonmel, 24·4 ; Kilkenny, 24·5 ; Belfast, 25·1 ; Tralee, 25·1 ; Newtownards, 26·3 ; Limerick, 27·4 ; Cork, 27·5 ; Lisburn, 27·6 ; Dublin Registration Area, 27·9 ; Wexford, 28·3 ; and Galway, 38·7.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in Waterford, Dundalk, Lurgan, Sligo, Tralee, and Newtownards to 4·5 in Lisburn, the 79 deaths from all causes registered in that district including 12 from whooping-cough and one from diphtheria. The 2,252 deaths from all causes registered in Belfast include 18 from measles, one from scarlet fever, 122 from whooping-cough, 10 from diphtheria, 3 from simple continued fever, 19 from enteric fever, and 10 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

Small-pox.—Not one death from small-pox was registered during the quarter.

Measles.—Of 21 deaths 18 were registered in Belfast, 2 in Galway and one in Portadown.

Scarlet Fever.—One death occurred in each of the following Town Districts :—Belfast, Cork, Londonderry, Wexford, and Queenstown.

Typhus.—One death was registered in Londonderry.

Whooping Cough.—There were 188 deaths from whooping cough ; of these 122 were registered in Belfast, 26 in Limerick, 20 in Cork, and 12 in Lisburn.

Diphtheria.—Of 17 deaths 10 were registered in Belfast, 4 in Londonderry, and one in each of the following towns :—Cork, Lisburn, and Portadown.

Simple Continued and Ill-defined Fever.—Three deaths were registered in Belfast, and one in Cork.

Enteric Fever.—Nineteen deaths were registered in Belfast, 2 in Queenstown, and one in each of the following Town Districts :—Londonderry, Drogheda, Newry, and Portadown.

Diarrhœal Diseases.—Of 24 deaths, 10 were registered in Belfast.

Phthisis.—For the 22 towns (population 1,093,289), the annual rate represented by deaths from phthisis for the quarter is 3·6 per 1,000, for Dublin Registration Area (as before stated) 3·5 per 1,000, for Belfast 3·5 per 1,000, and for the other 20 Urban Districts 3·7 per 1,000 of their respective populations.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued fever, enteric fever, and diarrhœal diseases.

Deaths from some of the principal causes.

TOWNS AND DISTRICTS	Census Statistics of Districts.*		REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 2ND APRIL, 1904.																					
			Annual Rate per 1,000 persons represented by			NUMBER REGISTERED.																		
				DEATHS from			DEATHS.																	
										Caused by														
	Population.	Persons to an Acre.	BIRTHS.	All Causes.	Diseases in Cols. 10-18.	BIRTHS.	TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,093,289	19·2	29·5	25·8	1·7	8,076	7,064	1,301	1,953	.	40	10	1	298	24	5	51	42	973	1,858	155	284	2,027
DUBLIN REGISTRATION AREA,	378,994	27·5	29·7	27·9	2·0	2,815	2,647	478	759	.	19	5	.	110	7	1	26	18	331	628	60	73	970
URBAN DISTRICTS.																								
BELFAST,	358,680	24·4	31·2	25·1	2·0	2,798	2,252	513	478	.	18	1	.	122	10	3	19	10	314	724	58	144	452
CORK,	76,122	33·6	27·5	27·5	1·4	523	524	76	151	.	.	1	.	20	1	1	.	3	108	102	15	24	193
LONDONDERRY,	41,397	19·1	31·3	18·6	1·0	324	193	23	65	.	.	1	1	2	4	.	1	1	30	50	3	6	36
LIMERICK,	38,151	18·1	32·2	27·4	2·9	307	261	44	71	.	.	.	.	26	.	.	.	2	41	67	1	7	91
WATERFORD,	26,769	18·7	22·4	21·7	.	150	145	14	41	.	.	.	.	.	.	.	.	.	26	30	5	8	59
GALWAY,	13,426	2·5	27·4	38·7	0·6	92	130	16	62	.	2	.	.	.	.	.	.	.	18	41	2	1	56
DUNDALK,	13,076	9·4	26·3	21·4	.	86	70	7	21	.	.	.	.	.	.	.	.	.	6	18	3	3	12
DROGHEDA,	12,760	8·6	21·3	19·7	0·6	68	63	10	22	.	.	.	.	1	.	.	1	.	3	2	.	3	12
NEWRY,	12,405	17·8	25·8	19·0	0·3	80	59	10	23	.	.	.	.	.	.	.	1	.	1	12	1	1	.
LURGAN,	11,782	13·8	29·5	21·4	.	87	63	6	20	.	.	.	.	.	.	.	.	.	9	16	1	2	5
LISBURN,	11,461	10·1	23·4	27·6	4·5	67	79	14	18	.	.	.	.	12	1	.	.	.	7	26	.	1	11
WEXFORD,	11,168	23·2	29·0	26·3	0·7	81	79	9	28	.	.	1	.	.	.	.	.	1	11	22	2	1	18
BALLYMENA,	10,886	8·9	32·3	20·9	0·4	88	57	10	18	.	.	.	.	.	.	.	.	1	13	12	.	.	9
SLIGO,	10,870	3·7	26·5	18·4	.	72	50	7	25	.	.	.	.	.	.	.	.	.	9	18	.	2	11
KILKENNY,	10,609	11·5	26·8	24·5	0·8	71	65	9	21	.	.	.	.	.	.	.	.	2	7	9	.	1	21
CLONMEL,	10,167	7·8	26·0	24·4	0·8	66	62	9	26	.	.	.	.	.	.	.	.	2	8	20	.	2	22
PORTADOWN,	10,092	13·2	26·6	21·4	2·4	67	54	13	15	.	1	.	.	3	1	.	1	.	5	17	1	2	.
TRALEE,	9,867	16·6	35·7	25·1	.	88	62	10	29	.	.	.	.	.	.	.	.	.	7	3	.	1	1
NEWTOWNARDS,	9,110	18·9	27·2	26·3	.	62	60	9	29	.	.	.	.	.	.	.	.	.	6	16	3	1	17
QUEENSTOWN,	7,909	14·4	19·7	24·3	2·5	39	48	5	16	.	.	1	.	2	.	.	2	.	9	15	.	.	5
ARMAGH,	7,588	22·2	23·7	21·6	1·1	45	41	9	15	.	.	.	.	.	.	.	.	2	4	10	.	1	6

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1904; that for each of the other districts is the population according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 2nd APRIL, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS: the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping Cough.	Diphtheria	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	100	30·1	2·2	111	26	12	52	21	.	.	.	.	6	.	1	.	1	14	31	4	18	27
" 2 "	47,959	370	25·9	1·9	287	76	35	125	51	.	1	.	.	19	1	.	2	.	40	85	6	9	54
" 3 "	47,214	380	22·3	1·7	268	68	26	113	61	.	.	.	.	15	1	.	2	2	43	87	7	16	36
" 4 "	40,911	353	30·3	2·1	310	69	34	134	73	.	1	1	.	12	.	.	7	.	35	110	7	26	88
" 5 "	17,387	127	25·5	1·4	111	15	10	56	30	.	.	.	.	6	.	.	.	.	15	34	3	15	34
" 6 "	48,122	270	24·2	2·7	291	58	26	123	84	.	3	.	.	23	4	.	2	1	39	101	2	13	57
" 7 "	1,524	13	44·6	2·6	17	4	2	7	4	.	.	.	.	.	.	.	1	.	3	7	1	1	8
" 8 "	5,060	48	27·7	1·6	35	8	4	15	8	.	.	.	.	1	1	.	.	.	4	7	3	5	6
" 9 "	19,569	153	28·6	2·9	140	27	23	72	18	.	1	.	.	11	.	1	.	1	14	36	4	7	30
" 10 "	23,064	235	24·1	1·0	139	32	14	73	20	.	1	.	.	5	.	.	.	.	28	40	1	10	15
" 11 "	34,802	289	21·8	2·6	190	40	22	87	41	.	7	.	.	8	1	1	2	4	37	49	8	12	35
" 12 "	33,588	247	32·0	2·6	269	79	49	98	43	.	4	.	.	14	1	.	3	.	32	108	12	10	52
" 13 "	15,006	109	23·2	1·1	87	16	16	31	24	.	.	.	.	2	1	.	.	1	10	29	.	2	8
" 14 "	240	4	33·3	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total,	349,180	2,798	25·8	2·1	2,252	513	274	987	478	.	18	1	.	122	10	3	19	10	314	724	58	144	452
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	75	35·7	1·2	115	16	8	53	38	.	.	1	.	3	.	.	.	.	27	22	2	4	62
" 2 "	10,701	88	22·4	1·9	60	12	4	29	15	.	.	.	.	1	.	1	.	3	8	6	4	5	20
" 3 "	9,973	77	29·7	1·6	74	11	10	32	21	.	.	.	.	4	.	.	.	.	16	27	3	5	26
" 4 "	8,666	59	27·7	1·4	60	7	8	25	20	.	.	.	.	3	.	.	.	.	9	15	3	5	21
" 5 "	6,592	27	20·6	.	34	6	3	19	6	.	.	.	.	.	.	.	.	.	5	6	2	3	7
" 6 "	10,702	66	21·7	1·5	58	5	9	31	13	.	.	.	.	4	.	.	.	.	15	4	.	.	14
" 7 "	16,616	131	29·6	1·4	123	19	10	56	38	.	.	.	.	5	1	.	.	.	28	22	1	2	43
Total,	76,122	523	27·5	1·4	524	76	52	245	151	.	.	1	.	20	1	1	.	3	108	102	15	24	193

GENERAL REGISTER OFFICE,

ROBERT E. MATHESON,

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.
360. Wt. P. 1. 3. 04.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 9TH APRIL, 1904. [No. 14.

General Register Office, Charlemont House, Dublin, 11th April, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 19.	Week ending Mar. 26.	Week ending April 2.	Week ending April 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 19.	Week ending Mar. 26.	Week ending April 2.	Week ending April 9.	Average Rate for 4 weeks
22 Town Dists.	27·3	26·8	25·9	27·0	26·8	Lisburn, . .	31·8	27·3	18·2	27·3	26·2
Armagh, . .	20·6	27·5	41·2	34·4	30·9	Londonderry .	12·6	30·2	12·6	16·4	18·0
Ballymena, .	38·3	14·4	28·7	33·5	28·7	Lurgan, . .	13·3	26·6	22·1	31·0	23·3
Belfast, . .	30·8	24·3	22·7	26·2	26·0	Newry, . .	12·6	12·6	12·6	21·0	14·7
Clonmel, . .	10·3	46·2	20·5	15·4	23·1	Newtownards, .	28·6	28·6	22·9	28·6	27·2
Cork, . . .	32·2	28·1	39·7	32·2	33·1	Portadown, .	20·7	36·2	10·3	25·8	23·3
Drogheda, . .	16·3	8·2	36·8	8·2	17·4	Queenstown, .	19·8	46·1	13·2	19·8	24·7
Dublin Reg. Area,	27·7	30·4	28·5	29·7	29·1	Sligo, . . .	19·2	.	4·8	28·8	13·2
Dundalk, . .	8·0	23·9	8·0	12·0	13·0	Tralee, . .	10·6	37·0	31·7	5·3	21·2
Galway, . .	66·0	31·1	42·7	42·7	45·6	Waterford, .	21·4	11·7	25·3	25·3	20·9
Kilkenny, . .	9·8	39·3	24·6	24·6	24·6	Wexford, . .	28·0	32·7	14·0	32·7	26·9
Limerick, . .	23·2	20·5	35·5	21·9	25·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in twelve of the districts to 6·6 in Queenstown. Among the 180 deaths from all causes registered in Belfast are one from measles, one from typhus, 12 from whooping-cough, one from enteric fever, and one from diarrhœa; and the 47 deaths from all causes in Cork include 3 from whooping-cough, one from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 174—79 boys and 95 girls; and the deaths to 226—119 males and 107 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 31·1 in every 1,000 of the estimated population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 29·7 per 1,000. During the fourteen weeks ending with Saturday last the death-rate averaged 29·4, and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

The following deaths are included in the total—4 from measles, 5 from influenza, 8 from whooping cough, 2 from diphtheria, 3 from enteric fever, and 2 from diarrhœal diseases. There was not one death from small pox, scarlet fever, or typhus registered. In the 4 preceding weeks the deaths registered from whooping-cough were 6, 13, 5, and 11, respectively. One death from epidemic pneumonia, 5 deaths from broncho-pneumonia, and 10 deaths from *pneumonia* were registered.

The total deaths from tuberculous disease were 48 in number. This figure includes 11 deaths from tuberculous phthisis, 23 deaths from *phthisis*, 2 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, one death from tabes mesenterica, and 9 deaths from other forms of the disease.

Five deaths were assigned to carcinoma, one death to sarcoma, and 5 deaths to *cancer, malignant disease.*

Of 18 deaths from diseases of the brain and nervous system 4 (including 3 infants under one year old) were due to *convulsions.*

There were 20 deaths from diseases of the heart and blood-vessels.

There were 29 deaths from bronchitis.

Of 2 deaths which were reported as being due to accidental violence, one, of a child under 5 years, was due to burns.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under one year old and the deaths of 2 persons aged 60 years and upwards.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 11 were under one month old), and 51 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 6 were octogenarians.

One hundred and one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·7 per 1,000, the rate in the City was 32·2 (North City Districts, 33·9; South, 30·3), and in the Suburbs, 21·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 3·0 (3·1 in the North City Districts, and 2·9 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. There were 3 deaths from *phthisis* and tuberculous phthisis, one death from carcinoma, and one death from *pneumonia*; there was also one death due to an accident.

No. 1 North City District, West (Summer-hill).—The deaths (32) are equal to an annual rate of 42·6 per 1,000. Two deaths from measles, one death from whooping-cough, one death from pneumonic fever, two deaths from broncho-pneumonia, one death from *pneumonia*, and 5 deaths from tuberculous disease were registered.

No. 2 North City District (Lisburn-street).—The deaths (30) are equivalent to an annual rate of 52·0 per 1,000. One death each from whooping-cough, influenza, enteric fever, and *diarrhœa* were registered, also 8 deaths were due to tuberculous disease, and one death was caused by *pneumonia.*

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. Measles caused one death; 4 deaths were due to tuberculous disease; and there was one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 23·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from enteric fever for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (23) represent an annual rate of 31·2 per 1,000. Influenza and whooping-cough each caused one death, 5 deaths were caused by tuberculous disease, and 6 deaths were due to bronchitis.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000. Measles caused one death, whooping-cough caused 2 deaths, and *phthisis* and tuberculous phthisis caused 3 deaths; there was one death from broncho-pneumonia registered.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·6 per 1,000. There were 2 deaths from whooping-cough and 9 deaths from tuberculous disease, also 2 deaths from *pneumonia* were registered.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Whooping-cough and diphtheria each caused one death; there were 3 deaths from tuberculous disease, one death from broncho-pneumonia, and one death from *pneumonia.*

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 24·0; Blackrock, 47·6; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Kingstown, and one from epidemic enteritis for Blackrock. Of the 12 deaths from all causes registered for Pembroke one was from influenza, 2 from tuberculous disease, and one from *pneumonia.* Of the 8 deaths from all causes registered for Blackrock 3 were from tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:– the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th April, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Mar. 19,	.	25	.	6	.	.	6	.	6	8	9	.	.	.	60
	Mar. 26,	.	23	.	8	.	.	9	1	.	10	9	.	.	.	60
	Apr. 2,	.	59	.	6	.	.	3	.	2	13	16	.	.	.	99
	Apr. 9,	.	5	.	3	.	.	2	.	1	4	10	.	.	.	25
Rathmines and Rathgar Urban District.	Mar. 19,	.	.	.	1	.	.	1	.	.	2	.	.	.	.	4
	Mar. 26,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Apr. 2,	.	.	.	.	.	.	.	.	.	.	.		2	.	2
	Apr. 9,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
Pembroke Urban District.	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	2	33	35
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	1	.	2	35	38
	Apr. 2,	.	.	.	.	.	.	1	.	1	1	.	.	1	23	27
	Apr. 9,	.	1	.	1	.	.	2	.	.	.	2	.	1	8	15
Blackrock Urban District.	Mar. 19,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Mar. 26,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Apr. 2,	.	.	.	.	.	.	1	.	.	.	.	.	3	.	4
	Apr. 9,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
Kingstown Urban District.	Mar. 19,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Apr. 2,	.	.	.	.	.	.	3	.	.	.	.	.	1	.	4
	Apr. 9,	.	.	.	.	.	.	3	.	.	.	.	.	.	.	3
City of Belfast.	Mar. 19,	1	–	.	14	.	.	7	.	.	4	4	1	.	.	31
	Mar. 26,	.	–	.	10	.	.	2	2	4	8	4	.	.	.	30
	Apr. 2,	1	–	.	12	.	.	7	.	4	6	10	.	.	.	40
	Apr. 9,	.	–	.	4	.	.	3	.	3	1	8	.	.	.	19

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th April, 1904.

From this it appears that :—

Fifteen cases of measles were admitted to hospital during the week, 10 were discharged, there were 2 deaths, and 28 patients remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 7 cases were discharged, and 58* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, one was discharged, there were 2 deaths, and 21 cases remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 4 cases were discharged, there was one death, and 28 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 6 patients were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·6), was equal to an average annual death-rate of 18·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 20·4, and for Edinburgh 17·9.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th April, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	REGISTRATION—WEEK ENDING SATURDAY, 9TH APRIL, 1904. Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† Week ending 9th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th Mar., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	28·1	27·0	2·2	589	566	93	130	.	5	1	1	26	3	.	5	6	99	126	9	10	176	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	378,994	27·5	23·9	29·7	2·6	174	216	41	48	.	4	.	.	8	2	.	3	2	34	46	2	1	91	§58·2	34·2	45·9	0·79	§53·7	29·8	42·1	0·76	§55·6	30·1	43·6	0·27
City of Dublin	293,385	37·1	25·4	32·2	3·0	143	181	35	40	.	4	.	.	8	1	.	3	1	30	40	1	1	76	a60·0 b58·8	37·0 36·0	47·7 46·7	0·61 0·77	a56·0 b54·9	33·0 32·0	43·9 43·0	0·60 0·81	a56·0 b57·4	37·9 31·0	45·9 44·5	0·15 0·24
Urban Districts. Rathmines and Rathgar.	33,203	19·4	14·1	11·0	.	9	7	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	24·0	24·0	.	12	12	3	2	.	.	.	.	.	.	.	.	.	1	2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	17·9	47·6	6·0	3	8	1	2	.	.	.	.	.	.	.	.	1	3	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	20·7	23·7	3·0	7	8	1	2	.	.	.	.	.	1	.	.	.	.	2	.	.	3	59·2	36·5	49·5	0·62	56·2	34·0	44·7	0·51	55·7	35·5	46·2	0·09
Urban Districts.																																			
Belfast,	358,680	24·4	35·5	26·2	2·3	244	180	31	38	.	1	.	1	12	.	.	1	1	36	42	4	6	44	58·1	36·2	45·3	1·11	52·0	28·5	40·8	0·64	56·0	35·0	45·5	0·65
Cork,	76,122	33·6	28·1	32·2	3·4	41	47	1	14	.	.	.	.	3	.	.	1	1	11	10	2	2	10	57	38	47·7	0·20	53	34	44·5	1·22	54	35	45·5	0·88
Londonderry,	41,397	19·1	17·6	16·4	1·3	14	13	.	2	.	.	.	.	.	1	.	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	15·0	21·9	1·4	11	16	2	3	.	.	.	.	1	.	.	.	.	4	4	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	21·4	25·3	1·9	11	13	1	4	.	.	.	.	.	.	.	.	1	.	7	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	23·3	42·7	.	6	11	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	3	54	35	46	0·67	53	32	44·7	1·01	55	30	46·1	0·75
Dundalk,	18,076	9·4	19·9	12·0	.	5	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	20·4	8·2	.	5	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	37·8	21·0	.	9	5	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64
Lurgan,	11,782	13·8	17·7	31·0	.	4	7	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64
Lisburn,	11,461	10·1	36·4	27·3	4·5	8	6	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	1	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64
Wexford,	11,168	23·2	18·7	32·7	4·7	4	7	1	5	.	.	.	.	.	.	.	.	1	.	2	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	19·2	33·5	.	4	7	2	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	33·6	28·8	.	7	6	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	52·8	35·5	44·8	1·24	52·3	32·4	42·1	1·64	55·0	32·4	44·3	0·56
Kilkenny,	10,609	11·5	19·7	24·6	.	4	5	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	4	60	36	47·1	0·49	53	33	42·7	1·13	54	31	43·2	0·58
Clonmel,	10,167	7·8	25·6	15·4	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	36·2	25·8	5·2	7	5	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64
Tralee,	9,867	16·6	21·1	5·3	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	51·5	28·6	.	9	5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	57	36	44·3	0·41	50	32	41·0	0·58	53	35	43·2	0·54
Queenstown,	7,909	14·4	52·7	19·8	6·6	8	3	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	57	38	47·7	0·20	53	34	44·5	1·22	54	35	45·5	0·88
Armagh,	7,588	22·2	34·4	34·4	.	5	5	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98	57·0	31·0	43·9	0·64

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown, and the readings of the Dublin Observatory for Dublin.

‡ Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 9th of April, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASTHEF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	1	.	.	.	.	1	2	2	1	.	.	.	.	.	8	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	3	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
Phthisis,	3	3	7	2	.	1	.	3	3	6	2	.	.	1	3	.	31	.
Other General Diseases,	1	3	6	3	1	1	.	6	.	4	5	2	2	5	.	1	40	6
Total,	4	9	16	6	1	4	.	10	6	12	9	2	2	6	4	2	93	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	3	1	.	.	.	2	.	4	.	.	1	1	1	2	18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	3	2	1	.	.	1	1	1	2	1	.	1	.	1	1	18	2
Respiratory System,	3	11	4	1	1	1	2	6	2	5	3	1	1	2	1	2	46	.
Digestive System,	.	5	2	2	.	.	.	1	1	2	3	.	1	1	.	1	19	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	1	2	.	.	.	.	.	1	.	.	.	1	.	.	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
„ Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	23	13	5	1	1	3	10	6	14	7	1	5	5	3	6	110	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	.	1	2	.	.	.	3	1	1	1	.	.	1	.	.	11	1
E VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
Deaths from all Causes,	13	32	30	13	2	5	3	23	13	27	17	3	7	12	8	8	216	10
Annual Rate of Mortality in every 1,000 of the population	23·9	42·6	52·0	21·4	21·7	26·0	23·5	31·2	37·1	33·6	25·2	17·6	11·0	24·0	17·6	23·7	29·7	.
	33·9							30·3					21·3					
	32·2																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	7	4	4	.	3	1	1	6	3	5	.	2	6	1	3	50	7
Workhouse Hospitals,	5	6	8	3	.	.	.	7	2	3	4	.	.	1	2	.	41	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist
week of the ten years, 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1894-1903.	In the Week ending Satu 9th April, 1904. Deaths of Persons of the A					
	April 7, 1894.	April 6, 1895.	April 4, 1896.	April 10, 1897.	April 9, 1898.	April 8, 1899	April 7, 1900.	April 6, 1901.	April 5, 1902.	April 11, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 46·2	° 40·6	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 43·1	° 43·5	° 48·0	° 44·8	Mean Temp. ° 45·9					
ALL CAUSES.	155	290	171	241	163	220	194	224	203	174	203·5	226	11	32	24	19	34
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	3	1	.	.	.	.	.	.	.	·4	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	.	25	.	2	3	.	1	3	3·6	4	.	1	3	.	.
Scarlet Fever ...	3	.	2	3	.	.	.	.	1	1	1·0	.	.	.	.	.	.
Typhus, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	46	4	3	9	15	2	10	3	3	9·8	5	.	1	.	.	.
Whooping Cough, ...	5	4	1	9	2	5	3	5	.	2	3·6	8	.	4	4	.	.
Diphtheria, ...	.	.	1	2	2	3	.	2	2	2	1·4	2	.	1	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever, ...	6	1	1	.	3	4	3	3	1	4	2·6	3	.	.	.	.	3
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	3	2	1	2	.	.	2	. 1	1 2	1·5	1 1	.	1 .	. .	. .	. .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	2	.	.	.	1	1	1	·7	3	1	2	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	.	.	1	.	. . .	·1	. . .	. . .	. . .	. . .	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Erysipelas, ...	1	.	1	.	.	.	.	.	2	.	·4	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	1	1	.	.	1	.	.	. .	·4	. .	. .	. .	. .	. .	. .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	10	23	19	28	23	30	27	33	7 20	2 17	23·9	11 23	.	.	1 .	2 3	4 10
Tuberculous Meningitis, (Acute Hydrocephalus).	.	3	4	4	4	4	6	4	5	4	3·8	2	.	.	1	1	.
Tuberculous Peritonitis, Tabes Mesenterica, ...	3	4	2	3	10	5	8	7	1 .	. .	4·3	2 1	. .	1 .	. 1	1 .	. .
Tuberculous Dis. (other), *Scrofula*, ...	.	1	2	5	5	4	1	5	7 1	6 .	3·7	9 .	. .	5 .	1 .	2 .	1 .
Alcoholism, ...	.	.	.	.	.	1	.	.	.	1	·2	2	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	1	.	3	.	.	.	1	·6	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1894-1900 ar

URTEENTH WEEK ending Saturday, 9th April, 1904, with the deaths from each cause in the corresponding
e average for these weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 7, 1894.	April 6, 1895.	April 4, 1896.	April 10, 1897.	April 9, 1898.	April 8, 1899.	April 7, 1900.	April 6, 1901.	April 5, 1902.	April 11, 1903.	Averages in 14th Week of the 10 years 1894–1903.	In the Week ending Saturday, 9th April, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 46·2	° 40·3	° 44·1	° 42·4	° 49·0	° 48·6	° 42·6	° 43·1	° 43·5	° 48·0	° 44·8	° 45·9								
noma	2	6	7	7	6	9	3	5	1	1	5·5	5	.	.	.	1	3	1	.
ma									.	.		1	.	.	.	.	.	1	.
r, *Malignant Disease* ...									7	1		5	.	.	.		3	2	.
etes Mellitus	.	.	.	.	.	.	.	.	1	3	·4	1	.	.	.	1	.	.	.
ature Birth	2	2	5	2	.	4	3	2	1	2	2·2	5	5	.	.	.	.	.	.
ngitis (not tuberc.)									2	3		1	.	.	.	1	.	.	.
ity, G. P. of Insane									1	4		4	.	.	.	1	1	2	.
psy									.	.		1	.	.	1	.	.	.	.
ilsions									9	6		4	2	1	.	1	.	.	.
notor Ataxy									.	.		1	.	.	.	.	1	.	.
plegia Dis. of Cord									1	2		3	.	.	.	2	.	1	.
ous System (other Dis.) ...	45	42	29	40	33	35	28	44	1	1	38·1	4	.	.	2	.	1	1	.
Dis., Endocarditis									3	2		5	.	.	.	1	1	2	1	.
or. Hæm. Thromb.									1	3		1	.	.	.	.	.	.	1	.
exy, Hemiplegia									7	7		.	.	.	.	.	.	.	.	.
rysm									.	.		1	.	.	.	1	.	.	.	.
olism, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
t and Blood Vessel Dis.									20	12		13	.	.	.	.	5	5	3	
p (not Spasm. or Memb.) ...	1	1	.	3	1	1	.	1	.	1	·9	.	.	.	.	.	.	.	.	.
chitis	20	73	22	24	23	28	29	36	29	32	31·6	29	.	7	5	1	.	5	11	.
pous Pneumonia									1	1		.	.	.	.	.	.	.	.	.
cho-Pneumonia	8	19	16	21	10	22	15	13	5	3	14·9	5	.	1	2	.	1	1	.	.
umonia"									10	5		10	.	.	2	1	2	3	2	.
na, Emphysema									.	.		.	.	.	.	.	.	.	.	.
risy	6	5	1	7	2	1	2	1	1	.	3·4	.	.	.	.	.	.	.	.	.
iratory Dis. (other)									3	5		2	.	1	.	.	.	1	.	.
llitis, Quinsy	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ritis (not Epid.)									.	1		.	.	.	.	.	.	.	.	.
o Enteritis	.	.	1	.	2	1	1	1	2	1	1·0	.	.	.	.	.	.	.	.	.
onitis (not Puerp.)	.	1	1	2	1	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.
osis of Liver	1	4	1	1	2	4	1	2	3	.	2·0	1	.	.	.	1	.	.	.	.
Dis. (other)									1	.		3	.	.	.	.	2	1	.	.
stive Dis. (other)	1	6	4	3	2	4	4	4	5	3	3·6	16	.	3	1	2	1	7	1	1
ritis, Acute									3	1		1	.	.	.	.	.	1	.	.
it's Dis., Albuminuria ...	.	5	6	6	5	3	5	6	1	1	4·3	4	.	.	.	.	.	3	1	.
ary Sys. (Other Dis.) ...									1	.		1	.	.	.	.	1	.	.	.
rative Organs Dis.	1	.	2	.	.	1	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
lbirth (Accid. of)	1	.	1	1	.	.	2	.	.	.	·5	2	.	.	.	2	.	.	.	.
Age	15	18	12	9	6	13	27	12	9	4	12·5	3	.	.	.	.	.	.	2	1
r Diseases	13	15	18	20	9	7	15	18	17	15	14·7	13	3	3	.	1	1	.	5	.
ACCIDENT.																				
ailways	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ehicles and Horses	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	.	3	.	·3	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	1	2	2	1	.	.	1	4	.	1	1·2	1	.	.	1	.	.	.	.	.
Drowning	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
er Deaths by Accidents ...	2	1	1	5	.	6	1	1	.	1	1·8	1	.	.	.	.	.	.	1	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ide	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908-4—Week ending																									
	Oct. 17.	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr. 9.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Births registered,	235	208	202	232	236	162	193	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214	217	202	174
*Average Births in corresponding week of previous 10 years,**	178	193	188	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179
Deaths registered,	145	164	162	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226
Annual Death-rate per 1,000,	19·9	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1
*Average Deaths in corresponding week of previous 10 years,**	172	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204
Ages, Under 5 years,	44	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67
5—20 "	7	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19
20—40 "	29	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34
40—60 "	36	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55
60—80 "	27	33	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45
80 years and upwards,	2	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4
" Scarlet Fever	.	.	1	.	1	.	.	2	.	2	1	2	.	.	1	.	.	1	.	1	.	1	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	3
" Diphtheria,	.	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2
" Simple Continued Fever,	.	.	.	.		.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Enteric Fever,	4	4	.	1	3	2	5	2	1	.	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3
" Diarrhœal Diseases,	5	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2
" Phthisis,	25	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34
" Diseases of Heart and Blood Vessels,	28	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22	28	23	41	23	35	25	20
" Diseases of Respiratory System,	19	27	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46
Violent Deaths,	1	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2
Mean Temperature of the Air (Phœnix Park),	50·0	48·8	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9
Average Mean Temperature in corresponding week of previous 10 years,	48·8	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8
Rainfall in inches,	·473	·383	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·783
Mean Humidity of the Air, complete Saturation 1·0,	84	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79

* See note at foot of Table IV † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th April, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 9th April, 1904: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages: Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accident, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	31·4	226	67	19	34	55	45	6	.	4	.	.	8	2	.	8	2	19	34	4	46	2	121
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	1	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
II.	MIDDLE CLASS,	87,188	19·1	32	7	3	8	7	5	2	.	.	.	.	1	1	.	3	1	6	4	.	3	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	23·6	50	18	3	6	16	7	.	.	2	.	.	3	.	.	.	.	5	7	2	13	.	23
IV.	GENERAL SERVICE CLASS,	154,279	44·6	93	33	11	14	18	15	2	.	2	.	.	4	1	.	.	.	7	15	2	17	2	50
V.	INMATES OF WORKHOUSES,	6,024		44	8	2	5	12	15	2	.	.	.	.	.	.	.	.	1	1	7	.	11	.	25
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	1	2	2	2	1	.	.	.	.	.	1	.	.	.	1	.	.	3	.	6
	6. Clerks and Commercial Assistants,	30,432	22·3	13	3	1	5	2	1	1	.	.	.	.	1	.	.	2	1	4	3	.	.	.	6
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	2	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	9. Building and Furnishing Trades,	29,801	47·2	27	11	1	5	8	2	.	.	2	.	.	2	.	.	.	.	4	5	2	5	.	11
	10. Clothing Trades,	23,260	6·7	3	1	.	.	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	1
	11. Food Supply Trades,	9,242	16·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	18·9	11	3	1	.	3	4	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	6
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	15. Domestic Servants,	36,603	14·2	10	4	.	2	2	2	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	8
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	2	.	2	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	3	1	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	40·6	70	26	10	10	14	9	1	.	2	.	.	1	1	.	.	.	4	14	2	13	1	36
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	44	8	2	5	12	15	2	.	.	.	.	.	.	.	.	1	1	7	.	11	.	25

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	Feb. 20,	22·1	3·7	12	.	.	.	.	1	.	.	1	.	2	4	.
	„ 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
	„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
	„ 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	3	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 89,146.	Feb. 20,	25·3	1·3	19	.	.	.	.	.	.	.	1	.	3	7	.
	„ 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
	Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
	„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
	„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
	„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
	„ 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Feb. 20,	29·4	1·7	17	.	.	.	.	1	.	.	.	.	1	8	1
	„ 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
	„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
	„ 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	43·3	3·5	25	.	.	.	.	1	.	.	.	1	5	3	1
	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	3	.
	„ 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Feb. 20,	26·3	3·3	16	.	1	.	.	1	.	.	.	.	2	5	.
	„ 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
	„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
	„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	„ 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
	April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
	„ 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Feb. 20,	32·6	1·4	24	.	.	.	.	1	.	.	.	.	5	7	.
	„ 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
	„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
	„ 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Feb. 20,	57·0	2·9	20	.	.	.	.	1	.	.	.	.	3	6	.
	„ 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
	„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
	„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Feb. 20,	43·5	1·2	35	.	.	.	.	.	1	.	.	.	5	7	1
	„ 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
	Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
	„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
	„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
	„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	2	4	.
	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
	„ 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1904 (Est.) 35,188	Feb. 20,	32·6	3·0	23	.	.	.	.	1	.	.	.	1	2	5	.
	„ 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	8	2
	„ 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
	„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
	„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
	„ 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 88,208.	Feb. 20,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	5	.
	„ 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	„ 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Feb. 20,	30·1	4·0	15	.	.	.	.	2	.	.	.	.	3	1	1
	„ 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	„ 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	„ 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	„ 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Feb. 20,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	.
	„ 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	„ 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Feb. 20,	26·9	1·6	185	.	1	.	.	8	.	.	2	.	25	54	5
	„ 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	„ 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	„ 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	„ 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	„ 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
Cork. Pop. (in 1901) 76,122.	Feb. 20,	32·9	0·7	48	.	.	.	.	1	.	.	.	.	11	10	.
	„ 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	„ 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	„ 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	„ 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	„ 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
Londonderry. Pop. in 1904 (Est.) 41,397	Feb. 20,	18·9	1·3	15	.	.	.	.	1	.	.	.	.	4	3	.
	„ 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	27·7	3·8	22	.	.	1	.	.	1	.	1	.	4	6	.
	„ 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
Limerick. Pop. (in 1901) 38,151.	Feb. 20,	23·2	4·1	17	.	.	.	.	3	.	.	.	.	2	4	.
	„ 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	„ 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	„ 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	„ 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
Waterford. Pop. (in 1901) 26,769.	Feb 20,	19·5	.	10	.	.	.	.	.	.	.	.	.	1	3	.
	„ 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	„ 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th April, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	14	28·3	.	8	1	.	5	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Do. 2 "	47,959	23	22·8	1·1	21	4	5	9	3	.	.	.	.	1	.	.	.	.	6	2	.	.	3
Do. 3 "	47,214	33	19·9	4·4	18	3	2	11	2	.	.	.	1	1	.	.	1	1	3	4	.	.	7
Do. 4 "	40,911	30	35·7	2·5	28	2	5	14	7	.	.	.	.	2	.	.	.	.	4	9	1	1	8
Do. 5 "	17,387	14	21·0	.	7	2	.	3	2	.	.	.	.	.	.	.	.	.	2	1	1	1	3
Do. 6 "	48,122	18	27·1	.	25	2	2	14	7	.	.	.	.	.	.	.	.	.	7	7	.	.	6
Do. 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.
Do. 8 "	5,060	1	72·1	20·6	7	2	1	3	1	.	.	.	.	2	.	.	.	.	1	1	.	.	3
Do. 9 "	19,569	17	24·0	2·7	9	2	.	4	3	.	.	.	.	1	.	.	.	.	2	3	.	.	3
Do. 10 "	28,064	15	29·4	2·3	13	4	2	6	1	.	.	.	.	1	.	.	.	.	2	3	1	1	2
Do. 11 "	34,862	29	18·5	4·5	9	3	2	2	2	.	.	.	.	3	.	.	.	.	1	1	.	1	.
Do. 12 "	33,588	31	37·3	·1	24	5	3	11	5	.	1	.	.	1	.	.	.	.	6	6	1	1	6
Do. 13 "	15,006	18	38·2	.	11	1	.	7	3	.	.	.	.	.	.	.	.	.	1	4	.	1	.
Do. 14 "	240	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	244	26·9	2·4	180	31	22	89	38	.	1	.	1	12	.	.	1	1	36	42	4	6	44
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	7	16·2	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	2	.	.	4
Do. 2 "	10,701	8	39·0	4·9	8	.	.	7	1	.	.	.	.	.	.	.	1	.	1	1	1	1	3
Do. 3 "	9,978	3	26·1	5·2	5	.	.	5	.	.	.	.	.	.	.	.	.	1	2	2	.	.	1
Do. 4 "	8,666	5	48·1	.	8	1	.	3	4	.	.	.	.	.	.	.	.	.	1	2	1	1	.
Do. 5 "	6,592	4	31·6	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 6 "	10,702	2	34·1	.	7	.	1	3	3	.	.	.	.	.	.	.	.	.	3	1	.	.	.
Do. 7 "	16,616	12	34·5	9·4	11	.	3	6	2	.	.	.	.	3	.	.	.	.	2	2	.	.	2
Total,	76,122	41	32·2	3·4	47	1	4	28	14	.	.	.	.	3	.	.	1	1	11	10	2	2	10

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered,	257	203	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	263	226	207	212	261	182	244
DEATHS registered.	113	125	118	124	113	138	120	163	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180
Annual Death-rate per 1,000 of estimated Population.	16·4	18·2	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2
AGES, Under 1 year,	22	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31
1-5 years,	14	18	11	12	12	19	18	25	24	35	27	25	30	19	18	18	17	25	18	16	17	21	31	28	26	22
5-60 years,	58	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89
60 years and upwards,	19	22	18	15	26	28	20	26	31	38	25	37	33	47	31	28	24	44	43	43	30	33	47	37	33	38
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1
" Scarlet Fever,	3	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Whooping cough,	.	2	3	7	2	1	11	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12
" Diphtheria,	1	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.	1	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
" Enteric Fever,	5	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1
" Diarrhœal Diseases,	9	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1
" Phthisis	16	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36
" Diseases of Respiratory System,	6	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42
Violent Deaths,	.	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th April, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	.	.	.	.	4	.	.	5
" " 2,	.	.	.	1	.	.	.	.	.	2	.	.	.	3
" " 3,	.	.	.	.	.	.	1	.	1	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	5	.	.	.	.	.	.	.	.	.	.	.	5
South City No. 1,	.	.	.	.	.	.	.	.	.	1	4	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	1	1	.	.	3
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	5	.	3	.	.	2	.	1	4	10	.	.	25

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th April, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th April.			
	Mar. 19.	Mar. 26.	April 2.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	36	29	25	15	10	2	28
Scarlet Fever,	63	61	56	9	7	.	58*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	17	16	19	5	1	2	21
Enteric Fever,	48	39	29	4	4	1	28
Pneumonia,	17	15	20	8	6	.	22

*Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Apr. 9,	2,539	1,659	18·6	3	86	8	17	63	5	21
EDINBURGH,	331,977	„ 9,	137	114	17·9	.	1	.	1	2	.	1
GLASGOW,	798,357	„ 9,	521	312	20·4	3	8	2	3	6	1	3
CALCUTTA,	847,796	Feb. 6,	.	501	30·7	2	5	.	1	.	130‡	73*
BOMBAY,	776,006	Mar. 8,	257	1,574	105·5	19	11	.	.	1	52‡	45*
MADRAS,	509,346	Feb 19,	308	448	45·7	.	1	?	?	?	138	87*
PARIS,	2,660,559	Mar. 26,	1,115	1,114	23·0	1	18	2	7†	3	24	22
BRUSSELS (with 8 Faubourgs).	575,896	„ 19,	220	179	16·1	.	1	.	1†	3	.	5
AMSTERDAM,	547,370	„ 19,	299	181	17·2	.	16	.	1	3	1	4
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Mar. 19,	249	163	20·7	.	.	.	.	4	.	11
CHRISTIANIA,	225,709	„ 26,	137	70	16·1	.	.	.	1	.	.	2
ST. PETERSBURG,	1,248,122	„ 26,	738	643	26·9	.	18	12	16	4	14	54
BERLIN,	1,960,909	„ 12.	851	621	16·5	.	11	5	5†	18	.	23
HAMBURG,	751,842	„ 19,	.	210	14·5	.	.	3	1†	1	.	5
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Mar. 26,	.	211	21·1	.	3	.	2†	2	.	16
VIENNA (with suburbs).	1,779,869	„ 26,	1,023	661	19·3	.	40	3	10†	2	1	34
BUDA-PESTH	813,399	„ 26,	533	332	21·2	1§	6	5	4†	6	1	19
PRAGUE and Faubourgs.	423,218	„ 19,	209	169	20·7	.	4	1	.	3	1	11
ROME,	489,925	Jan. 2,	285	223	23·7	.	5	.	.	.	8	4
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Feb. 27,	75	74	23·2	.	.	.	.	.	.	5
NEW YORK,	3,838,024	Mar. 12,	1,952	1,779	24·2	.	23	21	44†	7	11	35
PHILADELPHIA,	1,408,154	„ 5,	.	628	23·2	6	10	8	13†	2	19	25

* Including 14 deaths from cholera in Calcutta, 1 in Bombay, and 1 in Madras.
† Including deaths from croup.
‡ Exclusive of 50 deaths from bubonic fever in Calcutta, and 968 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th April, 1904:—

"Rough, showery and generally unsettled weather held throughout this week, steep barometric gradients for westerly winds prevailing over Western and North-Western Europe. On the morning of Easter Day, April 3, the barometer was below 29 inches off the N. of Scotland (28·95 inches at Sumburgh Head, in the Shetlands); whereas it stood above 30·30 inches over Spain, the S.E. of France and S. of Germany. There were frequent squalls of cold rain, sleet and hail during the day. Monday showed a similar distribution of pressure, and the same unsettled weather. A series of depressions subsequently passed eastwards or northeastwards along the northern shores of the British Isles to Scandinavia, while the barometer remained steadily high over the Peninsula and the Bay of Biscay. Hence the 'brave west winds' of the period. On Wednesday and Thursday much bright sunshine prevailed, but rain fell heavily after 5 p.m. of the latter day. Friday was squally, but mild and dry until evening, when showers fell and temperature gave way quickly having been up to 60·0° in the daytime. Saturday was stormy and much colder, with severe hail showers at times and again intervals of bright sunshine. The mean height of the barometer was 29·857 inches, the range being from 29·330 inches at midnight of Sunday (wind, S.S.W.) to 30·067 inches at 9 p.m. of Monday (wind, W.). The corrected mean temperature was 47·7°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 46·3°. On Sunday the screened thermometers fell to 37·0°, on Friday they rose to 60·0°. Bright sunshine was estimated at 40½ hours, 9½ hours occurring on Wednesday. Westerly winds prevailed throughout. The rainfall was ·614 inch on six days, ·164 inch being measured on Thursday and ·161 inch on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·870 inches. The highest reading (30·079) was on Monday at 9 p.m., wind W.S.W., and the lowest (29·646) on Tuesday at 9 p.m., wind S.W.

The mean temperature for the week was 45·9°, being 1·1 over the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 58·2°, and was lowest on Sunday, the mercury having fallen to 34·2° The mean of the Dry Bulb for the week was 45·4°, and of the Wet Bulb 42·5°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 38·6 hours. The rainfall during the week measured ·788 inch.

At Greenwich the mean temperature for the week was 38·7°, the maximum 64·0°, and the minimum 37·3°; at Glasgow the maximum was 57·2°, the minimum 34·5°, and the mean 45·1°; and at Edinburgh the maximum was 56·7°, the minimum 33·3°, and the mean 43·0°. The rainfall at Greenwich measured 0·37 inch; at Glasgow 1·79 inches; and at Edinburgh 1·04 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 3,	29·750	51·7	34·2	43·0	41·9	38·1	·72	·8	7·2	·260	S.W.	W.S.W.
Monday, " 4,	30·027	50·7	35·8	43·3	45·3	42·5	·80	·5	5·2	·110	W.S.W.	W.S.W.
Tuesday, " 5,	29·781	53·8	43·9	48·9	51·8	48·8	·80	·8	2·3	·170	W.	S.W.
Wednesday, " 6,	29·866	53·3	41·8	47·6	45·7	41·3	·70	·1	9·7	—	W.	W.
Thursday, " 7,	29·899	50·2	41·4	45·8	43·7	41·6	·85	·4	3·8	·190	W.	Calm.
Friday, " 8,	29·870	58·2	41·2	49·7	50·4	48·1	·84	·4	1·2	·018	W.	W.
Saturday, " 9,	29·897	49·5	36·9	43·2	39·2	37·4	·85	·7	9·2	·040	S.W.	W.S.W.
Mean, . .	29·870	52·5	39·3	45·9	45·4	42·5	·79	·5	Total 38·6	·788	Prevailing Wind, W.	

Sunday—Day cloudy and showery; night cloudy, *Monday*—Day cloudy and showery; night overcast light rain 1.30 a.m. to 7.30 a.m. *Tuesday*—Cloudy day, light showers; night cloudy, heavy rain 10.30 p.m to 2 a.m., *Wednesday*—Bright a.m., cloudy p.m.; night cloudy, *Thursday*—A cloudy day; night overcast heavy rain 6.30 p.m. to 7.45 p.m., and showery a.m. *Friday*—A cloudy day, light rain p.m.; night cloudy *Saturday*—A cloudy day, rain and hail showers; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 16TH APRIL, 1904. [No. 15.

General Register Office, Charlemont House, Dublin, 18th April, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Mar. 26.	Week ending April 2.	Week ending April 9.	Week ending April 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 26.	Week ending April 2.	Week ending April 9.	Week ending April 16.	Average Rate for 4 weeks
22 Town Dists.	26·8	25·9	27·0	24·4	26·0	Lisburn, . .	27·3	18·2	27·3	36·4	27·3
Armagh, . .	27·5	41·2	34·4	13·7	29·2	Londonderry .	30·2	12·6	16·4	17·6	19·2
Ballymena, .	14·4	28·7	33·5	14·4	22·8	Lurgan, . .	26·6	22·1	31·0	31·0	27·7
Belfast, . .	24·3	22·7	26·2	26·9	25·0	Newry, . .	12·6	12·6	21·0	12·6	14·7
Clonmel, . .	46·2	20·5	15·4	30·8	28·2	Newtownards, .	28·6	22·9	28·6	11·4	22·9
Cork, . . .	28·1	39·7	32·2	24·7	31·2	Portadown, .	36·2	10·3	25·8	10·3	20·7
Drogheda, . .	8·2	36·8	8·2	16·3	17·4	Queenstown, .	46·1	13·2	19·8	19·8	24·7
Dublin Reg. Area,	30·4	28·5	29·7	24·4	28·3	Sligo, . . .	.	4·8	28·8	9·6	10·8
Dundalk, . .	23·9	8·0	12·0	19·9	16·0	Tralee, . .	37·0	31·7	5·3	21·1	23·8
Galway, . .	31·1	42·7	42·7	73·8	47·6	Waterford, .	11·7	25·3	25·3	31·2	23·4
Kilkenny, . .	39·3	24·6	24·6	4·9	23·4	Wexford, . .	32·7	14·0	32·7	9·3	22·2
Limerick, . .	20·5	35·5	21·9	13·7	22·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·6 in Queenstown. Among the 185 deaths from all causes registered in Belfast are 7 from measles, 10 from whooping-cough, 3 from diphtheria, one from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 254—127 boys and 127 girls; and the deaths to 186—88 males and 98 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·6 in every 1,000 of the estimated population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 24·4 per 1,000. During the fifteen weeks ending with Saturday last the death-rate averaged 29·1, and was 1·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

As in the week preceding, 4 deaths from measles were registered; in the previous 3 weeks 4, 5, and 4 deaths were respectively registered. There were 4 deaths from influ-

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

enza and 11 deaths from whooping cough; the latter disease, in the 4 weeks preceding, caused 13, 5, 11, and 8 deaths. Diphtheria and ill-defined fever each caused one death. No death was recorded from small pox, scarlet fever, typhus, enteric fever, or from diarrhœal disease during the week. Three deaths from broncho-pneumonia and 5 deaths from *pneumonia* were registered.

Of the 39 deaths due to tuberculous disease 9 were assigned to tuberculous phthisis, 10 to *phthisis*, 4 to tuberculous meningitis, one to tuberculous peritonitis, 4 to tabes mesenterica, and 11 deaths to other forms of the disease.

Three deaths were attributed to carcinoma, and an equal number to *cancer*, *malignant disease*.

There were 12 deaths from diseases of the nervous system. Of this number 3 deaths were ascribed to *convulsions*, these latter being of children under one year of age.

There were 25 deaths from diseases of the heart and blood-vessels.

There were 23 deaths from bronchitis.

Four deaths were due to accidental violence, and one death by suicide was registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year old and the death of one person aged 82 years.

Fifty-eight of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 12 were under one month old), and 45 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·4 per 1,000, the rate in the City was 25·1 (North City Districts, 21·8; South, 28·5), and in the Suburbs, 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·7 (2·8 in the North City Districts, and 2·6 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·9 per 1,000. The 7 deaths include one death from *phthisis*, one death from *pneumonia*, and one death by suicide.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. There were 2 deaths from whooping-cough, 3 deaths from tuberculous disease, 5 deaths from diseases of the heart and blood-vessels, and one death from bronchitis registered.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. The deaths include one death from tuberculous meningitis, also one death from tabes mesenterica, and two deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Three deaths from measles, 2 deaths from whooping-cough, one death from influenza, 2 deaths from tuberculous disease, and one death from bronchitis are included in the above total.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 65·1 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 15·6. The only death from any of the principal epidemic diseases registered for these districts was one from whooping-cough for Finglas and Glasnevin (part of). Of the 6 deaths from all causes registered for Clontarf and Howth, No. 1, (part of), one was from influenza, 2 were from tuberculous disease (including one from tuberculous phthisis), and one from *pneumonia*.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. Measles and whooping-cough each caused one death; there were 4 deaths from tuberculous phthisis, one death from *pneumonia*, and 7 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. There was one death from whooping-cough, 5 deaths were assigned to tuberculous disease, and bronchitis caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. There were 2 deaths from whooping-cough; tuberculous phthisis and tuberculous peritonitis each caused one death; two deaths from broncho-pneumonia, and 5 deaths from bronchitis were registered.

No. 4 South City District (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·7 per 1,000. There were 2 deaths from whooping-cough and 5 deaths from tuberculous disease; there was one death from broncho-pneumonia, and there were 3 deaths from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 30·1; Blackrock, 11·9; and Kingstown, 29·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from simple continued fever for Pembroke and one from diphtheria for Kingstown. Of the 9 deaths from all causes tabulated for Rathmines and Rathgar there were 4 from tuberculous disease and one from accidental violence. The 15 deaths from all causes tabulated for Pembroke include 3 from tuberculous disease (of which one was tuberculous phthisis), 4 from diseases of the heart and blood-vessels, and one from accidental violence. Of the 2 deaths from all causes tabulated for Blackrock, one was due to influenza. The 10 deaths from all causes tabulated for Kingstown include one from *phthisis*, 2 from diseases of the nervous system, one from *pneumonia*, and one from accidental violence.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

STURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases ification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
r Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, cutive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for stown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar. Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th April, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Mar. 26,	.	23	.	8	.	.	9	1	.	10	9	.	.	.	60
	Apr. 2,	.	59	.	6	.	.	3	.	2	13	16	.	.	.	99
	Apr. 9,	.	5	.	3	.	.	2	.	1	4	10	.	.	.	25
	Apr. 16,	.	.	.	4	.	.	3	.	2	6	8	.	.	.	23
Rathmines and Rathgar Urban District.	Mar. 26,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	Apr. 2,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	Apr. 9,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Apr. 16,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Pembroke Urban District.	Mar. 26,	.	.	.	.	.	.	.	.	.	.	1	.	2	35	38
	Apr. 2,	.	.	.	.	.	.	1	.	1	1	.	.	1	23	27
	Apr. 9,	.	1	.	1	.	.	2	.	.	.	2	.	1	8	15
	Apr. 16,	.	.	.	1	.	.	.	.	.	1	.	.	.	28	30
Blackrock Urban District.	Mar. 26,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Apr. 2,	.	.	.	.	.	.	1	.	.	.	.	.	3	.	4
	Apr. 9,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	Apr. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	Mar. 26,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Apr. 2,	.	.	.	.	.	.	3	.	.	.	.	.	1	.	4
	Apr. 9,	.	.	.	.	.	.	3	.	.	.	.	.	.	.	3
	Apr. 16,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
City of Belfast.	Mar. 26,	.	–	.	10	.	.	2	2	4	8	4	.	.	.	30
	Apr. 2,	1	–	.	12	.	.	7	.	4	6	10	.	.	.	40
	Apr. 9,	.	–	.	4	.	.	3	.	3	1	8	.	.	.	19
	Apr. 16,	3	–	.	13	.	.	.	1	5	4	17	.	.	.	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 16th April, 1904.

From this it appears that :—

Five cases of measles were admitted to hospital during the week, 3 were discharged, re were 3 deaths, and 27 patients remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 9 cases were discharged, and cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, and 23 cases ained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 9 cases were discharged, 26 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to pital, 5 patients were discharged, and 31 cases remained under treatment at the end he week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which rate was 16·7), was equal to an average annual death-rate of 17·6 per 1,000 persons ng; the average rate for 8 principal towns of Scotland was 20·9 per 1,000, the rate Glasgow being 22·2, and for Edinburgh 18·7.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke ne above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th April, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 16th April, 1904. Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 16th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	35·3	24·4	2·1	740	511	93	139	.	11	.	.	23	6	1	1	1	64	126	12	19	136	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	878,994	27·5	34·9	24·4	2·3	254	177	38	42	.	4	.	.	11	1	1	.	.	18	35	5	4	55	§57·8	34·9	47·3	0·04	§58·2	34·2	45·9	0·79	§53·7	29·8	42·1	0·76
City of Dublin	298,385	37·1	39·5	25·1	2·7	222	141	33	32	.	4	.	.	11	.	.	.	.	14	32	2	2	47	a60·1 b58·8	37·8 35·0	49·1 48·3	0·07 0·03	a60·0 b58·8	37·0 36·0	47·7 46·7	0·61 0·77	a56·0 b54·9	33·0 32·0	43·9 48·0	0·60 0·81
Urban Districts. Rathmines and Rathgar.	33,208	19·4	12·6	14·1	.	8	9	.	4	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	32·1	30·1	2·0	16	15	4	3	.	.	.	.	.	.	1	.	.	1	1	1	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	11·9	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	14·8	29·6	3·0	5	10	1	3	.	.	.	.	.	1	.	.	.	1	1	1	.	2	58·2	36·5	48·0	0·06	53·2	36·5	49·5	0·62	56·2	34·0	44·7	0·51
Urban Districts.																																			
Belfast	358,680	24·4	39·4	26·9	3·2	271	185	85	44	.	7	.	.	10	3	.	1	1	28	59	5	9	47	56·5	33·0	45·9	0·59	58·1	36·2	45·8	1·11	52·0	28·5	40·3	0·64
Cork	76,122	33·6	28·8	24·7	.	42	36	5	8	.	.	.	.	.	.	.	.	.	9	2	1	2	12	57	35	46·6	0·17	57	38	47·7	0·20	53	34	44·5	1·22
Londonderry	41,897	19·1	42·8	17·6	1·3	34	14	4	3	.	.	.	.	.	1	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	31·4	13·7	.	23	10	2	4	.	.	.	.	.	.	.	.	.	.	6	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	21·4	31·2	.	11	16	1	7	.	.	.	.	.	.	.	.	.	2	4	.	1	9	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	42·7	73·8	3·9	11	19	.	8	.	.	.	.	.	1	.	.	.	2	.	.	.	3	54	36	47	0·32	54	35	46	0·67	53	32	44·7	1·01
Dundalk	13,076	9·4	16·0	19·9	.	4	5	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	28·6	16·3	.	7	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	46·2	12·6	.	11	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98
Lurgan	11,782	13·8	66·4	31·0	.	15	7	1	3	.	.	.	.	.	.	.	.	.	2	.	.	1	1	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98
Lisburn	11,461	10·1	68·2	36·4	.	15	8	3	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98
Wexford	11,168	23·2	28·0	9·3	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	19·2	14·4	.	4	3	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	19·2	9·6	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	56·5	38·5	47·3	0·59	52·8	35·5	44·8	1·24	52·3	32·4	42·1	1·64
Kilkenny	10,609	11·5	14·7	4·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	56	30	46·6	0·17	60	36	47·1	0·49	53	33	42·7	1·13
Clonmel	10,167	7·8	10·3	30·8	.	2	6	.	2	.	.	.	.	.	.	.	.	.	.	3	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	36·2	10·3	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98
Tralee	9,867	16·6	10·6	21·1	5·3	2	4	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	28·6	11·4	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54	36	46·2	0·31	57	36	44·3	0·41	50	32	41·0	0·58
Queenstown	7,909	14·4	33·0	19·8	6·6	5	3	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	57	35	46·6	0·17	57	38	47·7	0·20	53	34	44·5	1·22
Armagh	7,588	22·2	27·5	13·7	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95	52·0	31·1	41·4	0·98

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 16th of April, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	2	.	2	.	.	1	1	1	2	2	.	.	.	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	1	1	.	1	2	.	.	5	2	1	1	.	2	1	.	1	18	1
Other General Diseases,	.	2	5	3	1	.	.	2	4	4	6	.	3	5	1	2	38	7
Total,	1	5	5	9	3	.	1	9	7	7	9	.	5	7	1	4	73	8
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	1	2	2	1	2	.	.	1	.	.	.	.	1	.	2	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	.	5	1	3	.	1	.	1	1	4	2	1	1	4	.	1	25	.
Respiratory System,	1	1	2	1	1	1	.	10	2	7	4	2	1	1	.	1	35	.
Digestive System,	1	1	.	1	.	.	1	.	.	.	.	.	.	.	1	1	6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	2	.	.	2	.	.	.	.	.	2	1	.	.	.	.	.	7	1
Generative System,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Total,	4	8	5	9	3	4	1	12	4	13	7	4	2	6	1	5	88	1
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	2	.	.	.	.	.	1	1	.	4	.	1	1	.	..	11	.
E VIOLENT DEATHS,	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	1	5	.
Deaths from all Causes,	7	15	10	18	6	5	2	22	12	20	20	4	9	15	2	10	177	9
Annual Rate of Mortality in every 1,000 of the population	12·9	20·0	17·3	29·6	65·1	26·0	15·6	29·9	34·2	24·9	29·7	23·5	14·1	30·1	11·9	29·6	24·4	.
	21·8							28·5					21·9					
	25·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	1	1	7	1	1	1	4	2	4	4	.	1	4	.	2	34	6
Workhouse Hospitals,	3	1	2	3	.	.	.	3	3	3	1	1	.	1	.	.	21	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease f
week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1894–1903.	In the Week ending 16th April, 19				
												Deaths of Persons of				
	April 14, 1894.	April 13, 1895.	April 11, 1896	April 17, 1897.	April 16, 1898.	April 15, 1899	April 14, 1900.	April 13, 1901.	April 12, 1902.	April 18, 1903.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20
Mean Temperature.	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 44·3	° 38·4	° 37·3	° 44·9	° 47·3				
ALL CAUSES.	175	196	170	189	182	224	230	242	206	186	200·0	186	12	27	19	1
Small-pox, Vaccinated, ...	.	2	1	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	15	.	.	2	.	3	.	2·1	4	.	3	1	.
Scarlet Fever ...	.	.	2	2	2	.	.	2	.	3	1·1	.	.	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	26	3	1	9	15	6	14	1	2	8·0	4	.	.	.	.
Whooping Cough, ...	2	1	1	14	3	4	1	8	2	1	3·7	11	1	7	2	1
Diphtheria, ...	.	.	1	2	2	2	2	.	1	.	1·0	1	.	.	.	1
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Enteric Fever, ...	3	2	1	1	3	4	2	2	2	3	2·3	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	1	4	2	.	.	1	3	4	.	1·8	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	1	1	2	.	.	2	1	2	·9	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	1	1	·3	1	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	.	.	.	.	.	1	3	·4	1	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	30	26	23	20	32	27	28	36	1 / 26	1 / 31	28·1	9 / 10	.	.	.	1
Tuberculous Meningitis, (Acute Hydrocephalus).	4	2	3	6	8	7	4	1	5	5	4·5	4	.	2	1	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	6	6	3	5	3	7	9	7	1 / 1	1 / 3	5·2	1 / 4	.	.	1	.
Tuberculous Dis. (other), ... *Scrofula*, ...	1	4	1	6	5	4	5	4	7 / .	6 / 1	4·4	11 / .	.	2	3	3
Alcoholism, ...	2	1	1	2	.	1	.	1	1	1	1·0	1	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	1	.	.	.	·2	1	.	.	.	.
Gout, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.

* The figures for the years 1894–1900

FIFTEENTH WEEK ending Saturday, 16th April, 1904, with the deaths from each cause in the corresponding the average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday April 14, 1894.	April 13, 1895.	April 11, 1896.	April 17, 1897.	April 16, 1898.	April 15, 1899.	April 14, 1900.	April 13, 1901.	April 12, 1902.	April 18, 1903.	Averages in 15th Week of the 10 years 1894–1903.	In the Week ending Saturday, 16th April, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 51·2	° 46·6	° 49·8	° 45·1	° 46·9	° 42·8	° 46·9	° 41·3	° 38·4	° 37·3	° 44·9	° 47·3								
rcinoma	5	2	7	3	6	5	4	11	1	3	5·7	3	.	.	.	.	.	1	2	.
rcoma									1	1		.	.	.	.	.	.	.	.	.
ncer, Malignant Disease ...									4	4		3	.	.	.		.	2	1	.
abetes Mellitus	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	1	.
emature Birth	1	2	2	1	1	4	5	5	1	1	2·3	7	7	.	.	.	.	.	.	.
ningitis (not tuberc.)									4	6		3	.	.	.	2	1	.	.	.
anity, G. P. of Insane									1	.		1	.	.	.	.	.	1	.	.
ilepsy									.	.		1	.	.	.	.	1	.	.	.
nvulsions									11	5		3	1	2	.	.	.	.	.	.
comotor Ataxy ...									1	.		.	.	.	.	.	.	.	.	.
raplegia Dis. of Cord									.	2		3	.	.	1	.	1	1	.	.
rvous System (other Dis.) ...	38	29	34	38	33	54	43	46	.	3	39·2	1	.	.	.	.	.	.	1	.
lv. Dis., Endocarditis									5	2		4	.	.	.	.	3	1	.	.
rebr. Hæm. Thromb.									.	3		4	.	.	.	.	.	1	3	.
oplexy, Hemiplegia									4	5		5	.	.	.	.	.	1	4	.
eurysm									1	.		.	.	.	.	.	.	.	.	.
bolism, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
art and Blood Vessel Dis.									8	16		12	1	.	.	1	1	4	4	1
oup (not Spasm. or Memb.) ...	.	1	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
onchitis	25	31	18	25	19	29	35	39	27	17	26·5	23	.	4	4	1	.	3	9	2
oupous Pneumonia									.	.		.	.	.	.	.	.	.	.	.
oncho-Pneumonia	6	14	14	12	11	13	17	21	3	2	13·6	3	.	.	1	.	.	1	1	.
neumonia"									11	12		5	.	1	.	1	1	2	.	.
thma, Emphysema									.	.		2	.	.	.	.	.	1	1	.
eurisy	2	1	2	.	2	1	.	1	3	.	1·5	.	.	.	.	.	.	.	.	.
spiratory Dis. (other) ...									.	3		2	.	2	.	.	.	.	.	.
nsillitis, Quinsy	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
teritis (not Epid.)	2	.	.	.	.	2	.	.	.	2	·7	2	.	.	1	1	.	.	.	.
stro Enteritis									1	.		.	.	.	.	.	.	.	.	.
ritonitis (not Puerp.)	.	1	1	.	2	1	1	2	.	1	·9	.	.	.	.	.	.	.	.	.
rrhosis of Liver	2	3	10	2	3	4	.	2	.	2	3·5	1	.	.	.	.	.	1	.	.
ver Dis. (other)									6	1		1	.	.	.	.	.	.	1	.
gestive Dis. (other)	2	3	1	1	2	5	2	4	9	1	3·0	2	.	.	.	.	1	.	1	.
phritis, Acute									2	2		2	.	.	1	.	1	.	.	.
ight's Dis., Albuminuria ...	5	3	3	2	4	5	4	2	2	4	3·9	5	.	.	.	.	1	2	2	.
rinary Sys. (Other Dis.) ...									1	.		1	.	.	.	.	.	.	1	.
nerative Organs Dis.	.	1	.	2	.	1	.	.	1	.	·5	1	.	.	.	.	1	.	.	.
ildbirth (Accid. of)	.	1	1	.	.	1	2	1	2	.	·8	.	.	.	.	.	.	.	.	.
d Age	7	20	12	7	13	9	22	11	7	1	10·9	6	.	.	.	.	.	.	2	4
her Diseases	21	10	14	13	12	15	24	13	20	15	15·7	10	2	2	2	.	1	2	1	.
ACCIDENT.																				
Railways	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Vehicles and Horses	1	.	.	.	.	.	.	.	.	2	·3	2	.	.	.	.	1	1	.	.
Ships, Boats, Docks (exclusive of Drowning)	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Building Operations	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Conflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns, Scalds, Explosions ...	.	1	.	1	1	2	2	1	1	1	1·0	1	.	.	.	1	.	.	.	.
Drowning	.	1	1	1	1	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.
Suffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Poison or Poisonous Vapours...	.	.	.	.	.	.	.	.	3	.	·3	.	.	.	.	.	.	.	.	.
her Deaths by Accidents ...	2	.	3	.	.	1	5	1	2	2	1·6	1	.	.	.	.	.	.	.	1
VIOLENCE OTHER THAN ACCIDENTAL.																				
omicide	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
icide	.	1	.	.	1	.	1	.	.	.	·3	1	.	.	.	.	1	.	.	.
ecution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1903-4—Week ending																									
	Oct. 24.	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26.	Apr. 2.	Apr. 9.	Apr. 16.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	208	202	232	236	163	193	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214	217	202	174	254
*Average Births in corresponding week of previous 10 years,**	193	188	184	186	204	182	186	195	180	156	1	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192
DEATHS registered,	164	162	166	157	182	188	207	186	198	153	240	208	216	195	196	233	207	223	206	201	218	213	235	219	226	186
Annual Death-rate per 1,000,	22·6	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6
*Average Deaths in corresponding week of previous 10 years,**	168	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200
AGES, Under 5 years,	59	52	45	48	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67	58
5—20 "	9	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15
20—40 "	23	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28
40—60 "	32	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40
60—80 "	33	29	32	39	40	41	48	47	56	36	45	50	49	32	48	65	48	49	49	49	53	40	50	52	45	37
80 years and upwards,	8	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4
" Scarlet Fever	.	1	.	1	.	.	2	.	2	1	2		.	1	.	.	1	.	1	.	1	.	.	1	.	.
" Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11
" Diphtheria,	.	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1
" Simple Continued Fever,	.	.	.		.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" Enteric Fever,	4	.	1	3	2	5	2	1		2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.
" Diarrhœal Diseases,	8	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.
" Phthisis,	19	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19
" Diseases of Heart and Blood Vessels,	16	26	23	32	27	36	33	24	34	19	47	26	36	26	30	23	28	22	28	28	41	23	35	25	20	23
" Diseases of Respiratory System,	27	24	36	34	50	39	47	53	33	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35
Violent Deaths,	8	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5
Mean Temperature of the Air (Phœnix Park),	48·8	44·3	43·0	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3
Average Mean Temperature in corresponding week of previous 10 years,	48·2	46·9	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·5	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9
Rainfall in inches,	·383	·618	·208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·185	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035
Mean Humidity of the Air, complete Saturation 1·0,	·87	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·73

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th April, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 16th April, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	25·8	186	58	15	28	40	37	8	.	4	.	.	11	1	1	.	.	17	19	3	35	5	107
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	1	.	.	2	4	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	5
II.	MIDDLE CLASS,	87,188	19·7	33	6	3	5	11	5	3	.	.	.	.	2	.	.	.	.	2	5	.	4	3	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·7	46	12	5	8	11	9	1	.	1	.	.	3	1	.	.	.	5	5	.	10	.	26
IV.	GENERAL SERVICE CLASS,	154,279	32·5	76	34	6	10	10	13	3	.	3	.	.	6	.	.	.	.	9	6	3	12	2	44
V.	INMATES OF WORKHOUSES,	6,024		24	5	1	5	6	6	1	.	.	.	.	.	.	.	.	.	.	3	.	8	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7		1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	2	1	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	14·2	6	2	1	.	3	.	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.	2
	6. Clerks and Commercial Assistants,	30,482	18·8	11	3	1	2	2	.	3	.	.	.	.	1	.	.	.	.	1	2	.	.	1	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	1	1	1	4	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	9
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	1
	9. Building and Furnishing Trades,	29,801	28·0	16	4	4	3	5	.	.	.	.	.	.	2	1	.	.	.	3	3	.	1	.	9
	10. Clothing Trades,	23,260	20·2	9	1	.	1	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.	5
	11. Food Supply Trades,	9,242	16·9	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	18·7	8	3	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	13. Petty Shopkeepers,	7,894	39·6	6	2	.	.	1	3	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	4
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	35·0	9	3	1	1	.	4	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.	5
	15. Domestic Servants,	36,608	8·5	6	2	.	2	.	1	1	.	.	.	.	1	.	.	.	.	1	1	.	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	14·5	4	2	1	.	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	33·1	57	27	4	7	9	8	2	.	3	.	.	3	.	.	.	.	6	3	3	9	2	34
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	24	5	1	5	6	6	1	.	.	.	.	.	.	.	.	.	.	3	.	8	.	13

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.)	Feb. 27,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	3	.
	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
	„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
(*Office, Clarence-street, Nth.*)	„ 19,	25·8	8·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
Pop. in 1904 (Est.) 28,332.	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
	„ 9,	23·9	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	„ 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
North City, No. 1 (W.)	Feb. 27,	18·6	2·7	14	.	.	.	.	2	.	.	.	.	1	4	.
	Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
	„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
(*Office, Summer-hill.*)	„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
	„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
Pop. in 1904 (Est.) 39,146.	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
	„ 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
	„ 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
North City, No. 2.	Feb. 27,	27·7	1·7	16	.	.	.	.	1	.	.	.	.	4	2	1
	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
	„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
(*Office, Lisburn-street.*)	„ 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	43·3	5·5	25	.	.	.	.	1	.	.	.	1	5	3	1
Pop. in 1904 (Est.) 30,107.	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	8	.
	„ 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
	„ 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
North City, No. 3.	Feb. 27,	37·9	6·6	23	.	2	.	.	1	.	.	1	.	1	7	.
	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
	„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
(*Office, Benburb-street.*)	„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	„ 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
Pop. in 1904 (Est.) 31,673.	April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
	„ 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
	„ 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
South City, No. 1.	Feb. 27,	34·0	1·4	25	.	.	.	.	1	.	.	.	.	3	5	1
	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
(*Office, South Earl-street.*)	„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	3	.
Pop. in 1904 (Est.) 38,384.	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
	„ 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
	„ 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
South City, No. 2.	Feb. 27,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
	„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
(*Office, Castle-street.*)	„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
Pop. in 1904 (Est.) 18,286.	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
	„ 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
South City, No. 3.	Feb. 27,	32·3	2·5	26	.	.	.	.	1	.	.	1	.	2	6	.
	Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
	„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
(*Office, Peter-street.*)	„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
	„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	2	4	.
Pop. in 1904 (Est.) 41,940.	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
	„ 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
	„ 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
South City, No. 4.	Feb. 27,	31·2	4·5	21	.	.	.	.	3	.	.	.	.	3	5	.
	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2
	„ 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
(*Office, Grand Canal-street*)	„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
	„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
Pop. in 1904 (Est.) 35,188	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
	„ 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
	„ 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 88,208.	Feb. 27,	25·1	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	" 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	" 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	" 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	" 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	" 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Feb. 27,	34·1	2·0	17	.	.	.	.	1	.	.	.	.	2	5	.
	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	" 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	" 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	" 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	" 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	" 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Feb. 27,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	3	1
	Mar. 5	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	" 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	" 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	" 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	" 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	" 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
Belfast. Pop. in 1904 (Est.) 358,680.	Feb. 27,	27·0	1·9	186	.	2	.	.	5	1	1	1	3	20	47	6
	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	" 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	" 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	" 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	" 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	" 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
Cork. Pop. (in 1901) 76,122.	Feb. 27,	26·7	1·4	39	.	.	.	.	1	.	1	.	.	17	5	1
	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	" 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	" 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	" 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	" 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	" 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
Londonderry. Pop. in 1904 (Est.) 41,397	Feb. 27,	20·2	.	16	.	.	.	.	.	.	.	.	.	4	9	.
	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	" 12,	27·7	3·3	22	.	.	1	.	.	1	.	1	.	4	6	.
	" 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	" 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	" 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
	" 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
Limerick. Pop. (in 1901) 38,151.	Feb. 27,	28·7	2·7	21	.	.	.	.	2	.	.	.	.	6	5	.
	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	" 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	" 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	" 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	" 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	" 16,	18·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
Waterford. Pop. (in 1901) 26,769	Feb 27,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	" 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	" 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	" 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	" 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	" 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th April, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS.																				
			Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		Total No. of Deaths.	AGES AT DEATH.				DEATHS FROM													
			All Causes.	Diseases in Cols. 10-18.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	9	24·8	.	7	1	.	4	2	.	.	.	.	.	.	.	.	.	3	1	1	1	3
Do. 2 "	47,959	27	23·3	3·3	26	4	2	14	6	.	.	.	.	.	.	.	.	.	3	5	.	2	6
Do. 3 "	47,214	48	29·8	1·1	27	7	.	14	6	.	.	.	.	.	.	.	.	1	4	6	2	2	1
Do. 4 "	40,911	33	39·5	7·6	31	9	5	11	6	.	2	.	.	4	.	.	.	.	.	14	1	1	18
Do. 5 "	17,387	12	24·0	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	1	4	.	.	3
Do. 6 "	48,122	23	24·9	.	23	3	1	11	8	.	.	.	.	.	.	.	.	.	4	9	1	1	5
o. 7 "	1,524	.	.	.	8	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Do. 8 "	5,060	7	41·2	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Do. 9 "	19,569	16	29·3	2·7	11	.	3	5	3	.	.	.	.	1	.	.	.	.	1	2	.	.	3
Do. 10 "	23,064	19	11·3	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Do. 11 "	34,802	27	22·5	6·0	15	1	5	7	2	.	3	.	.	.	.	.	1	.	4	3	.	.	.
Do. 12 "	33,588	38	27·9	9·3	18	5	7	1	5	.	2	.	.	4	.	.	.	.	1	6	.	1	3
Do. 13 "	15,006	12	24·3	3·5	7	1	.	4	2	.	.	.	.	1	.	.	.	.	1	4	.	.	2
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	271	27·6	3·3	185	35	25	81	44	.	7	.	.	10	3	.	1	1	28	59	5	9	47
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	16·2	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Do. 2 "	10,701	5	14·6	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 3 "	9,978	7	20·9	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Do. 4 "	8,666	9	18·1	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 "	6,592	2	39·6	.	5	.	1	3	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 6 "	10,702	5	48 7	.	10	2	.	5	3	.	.	.	.	.	.	.	.	.	3	.	.	.	4
Do. 7 "	16,616	8	23·0	.	7	.	1	5	1	.	.	.	.	.	.	.	.	.	.	1	1	2	1
Total,	76,122	42	24·7	.	36	5	2	21	8	.	.	.	.	.	.	.	.	.	9	2	1	2	12

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered,	203	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271
DEATHS registered.	125	118	124	113	188	120	168	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185
Annual Death-rate per 1,000 of estimated Population.	18·2	17·2	18·0	16·4	20·1	17·4	28·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9
AGES, Under 1 year,	30	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35
AGES, 1-5 years,	18	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25
AGES, 5-60 years,	60	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81
AGES, 60 years and upwards,	22	18	15	26	28	20	26	31	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7
" Scarlet Fever,	.	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Whooping cough,	2	3	7	2	1	11	10	8	10	15	18	12	9		10	11	13	8	5	5	9	10	14	11	12	10
" Diphtheria,	1	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.	1	.	.	3
" Simple Continued Fever,	.	.	.	.	.	.	.		.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
" Enteric Fever,	3	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1
" Diarrhœal Diseases,	7	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1
" Phthisis	18	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28
" Diseases of Respiratory System,	21	21	25	29	29	33	50	43	70	50	60	79	82	39	48	43	58	54	47	47	40	79	52	51	42	59
Violent Deaths,	5	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th April, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	1	2	.	.	.	5
" " 1, West,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 2,	.	.	.	1	.	.	.	.	1	.	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	2	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	6	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 4,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	4	.	.	3	.	2	6	8	.	.	23

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th April, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th April.			
	Mar. 26.	April. 2.	April 9.	No. admitted.	Dis-charged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	29	25	28	5	3	3	27
Scarlet Fever,	61	56	58	8	9	.	57*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	16	19	21	4	2	.	23
Enteric Fever,	39	29	28	7	9	.	26
Pneumonia,	15	20	22	14	5	.	31

*Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

ITIES.	POPULATION (enumerated or stimated).	DATE OF RETURN. Week ending	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Apr. 16,	2,676	1,490	16·7	.	75	4	8	64	3	12
EDINBURGH,	331,977	„ 16,	158	119	18·7	.	1	.	.	5	.	3
GLASGOW,	798,357	„ 16,	539	339	22·2	3	12	.	.	7	1	7
CALCUTTA,	847,796	Feb. 13,	.	438	26·8	.	4	.	.	.	97‡	68*
BOMBAY,	776,006	Mar. 15,	322	1,491	99·9	27	11	.	.	1	57‡	56
MADRAS,	509,346	Feb. 26,	344	439	44·8	.	3	?	?	?	124	84*
PARIS,	2,660,559	Apr. 2,	1,010	1,146	22·4	.	18	.	10†	13	16	22
BRUSSELS (with 8 Faubourgs).	575,896	Mar. 26,	252	186	16·9	1	.	.	3†	2	1	9
AMSTERDAM,	548,224	„ 26,	298	209	19·9	.	19	1	5†	4	3	6
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Mar. 26,	235	168	21·3	.	1	.	1†	5	.	4
CHRISTIANIA,	225,709	Apr. 2,	134	57	13·1	.	.	.	3	.	.	1
ST. PETERSBURG,	1,248,122	„ 2,	568	749	31·3	.	17	9	11	7	15	65
BERLIN,	1,960,909	Mar. 19,	874	636	16·9	.	8	5	9†	15	.	22
HAMBURG,	751,842	„ 26,	.	249	17·2	.	2	.	3†	1	2	6
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Apr. 2,	.	227	22·7	.	4	.	1†	.	.	15
VIENNA (with suburbs).	1,779,869	„ 2,	801	687	20·1	.	39	1	5†	4	.	35
BUDA-PESTH	813,399	„ 2,	412	323	20·6	.	6	6	9†	3	2	11
PRAGUE and Faubourgs.	423,218	Mar. 26,	224	211	25·9	.	5	1	2†	1	6	14
ROME,	496,201	Jan. 9,	240	200	21·0	.	7	.	7	.	1	5
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Mar. 5,	80	72	22·6	.	.	.	.	.	2	7
NEW YORK,	3,838,024	„ 19,	1,868	1,707	23·2	1	35	28	40†	5	10	37
PHILADELPHIA,	1,408,154	„ 12,	.	709	26·2	6	16	4	13†	2	25	31

* Including 19 deaths from cholera in Calcutta and 3 in Madras.
† Including deaths from croup.
‡ Exclusive of 45 deaths from bubonic fever in Calcutta, and 904 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th April, 1904:—

"Spring made rapid advance in the course of this week—in Dublin the rainfall was slight and the amount of bright sunshine was large, while temperature rose after the first two days, which were cold. At the beginning the centre of a large atmospheric depression lay off the N. of Scotland, the barometer being as low as 28·94 inches at Sumburgh Head in the Shetlands on Sunday morning. During that day strong and squally westerly winds blew all over the United Kingdom, and showers of hail and sleet fell in Scotland. By Monday morning gradients had become much less steep, and the rough winds moderated. In the course of the following night a large area of low pressure spread in over Ireland from the Atlantic. The wind backed to S. or S.E. and freshened. At 8 a.m. of Wednesday the barometer was down to 28·77 inches at Valentia, Co. Kerry, where a rainfall of ·61 inch was recorded. Thunder and lightning were reported from the S.E. of England in connection with a shallow secondary depression which passed northwards over that country. During the next two days the primary depression slowly retreated, passing out over the Atlantic in a northwesterly direction. Some beautiful springlike weather set in owing to the equalisation of baric pressure, so that on Thursday the thermometer rose to 69° in London, 64° at Oxford, and 60° in Dublin—at Holyhead, however, the highest temperature on the same day was only 50°, and at Pembroke it was but 49°. In the course of Friday night the wind became N.W. in Ireland, but generally favourable weather persisted. In Dublin the mean atmospheric pressure was 29·596 inches, the barometer rising to 30·071 inches at 9 a.m. of Monday (wind, W.) and falling to 29·103 inches at 9 a.m. of Wednesday (wind, S. by E.). The corrected mean temperature was 49·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·9°. The screened thermometers rose to 60·1° on Thursday, having fallen to 37·8° on Monday. The dominant wind was S.S.E. Bright sunshine was estimated at 46 hours, 8½ falling on Wednesday and 8 on Thursday. Rain fell on 3 days to the amount of ·069 inch, ·026 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·608 inches. The highest reading (30·077) was on Monday at 9 a.m., wind S.W., and the lowest (29·101) on Wednesday at 9 a.m., wind S.

The mean temperature for the week was 47·3°, being 2·4 over the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 57·8°, and was lowest on Monday, the mercury having fallen to 34·9° The mean of the Dry Bulb for the week was 46·9°, and of the Wet Bulb 43·6°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 42·9 hours. The rainfall during the week measured ·035 inch.

At Greenwich the mean temperature for the week was 49·6°, the maximum 66·9°, and the minimum 36·5°; at Glasgow the maximum was 58·2°, the minimum 37·8°, and the mean 47·0°; and at Edinburgh the maximum was 55·4°, the minimum 32·6°, and the mean 45·6°. The rainfall at Greenwich measured 0·32 inch; at Glasgow 0·24 inch; and at Edinburgh 0·11 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 10,	30·036	49·8	36·9	43·4	43·7	39·9	·74	·5	8·1	—	W.	W.
Monday, „ 11,	30·015	48·8	34·9	41·9	44·0	41·1	·79	·2	1·5	—	S.W.	W.
Tuesday, „ 12,	29·512	52·7	40·9	46·8	46·7	44·2	·82	·2	4·0	·005	S.E.	S.E.
Wednesday, „ 13,	29·144	52·6	41·5	47·1	48·7	43·4	·67	·1	9·2	—	S.	S.
Thursday, „ 14,	29·340	56·8	44·4	50·6	46·6	43·9	·82	·1	6·6	—	E.S.E.	S.S.W,
Friday, „ 15,	29·396	55·9	45·9	50·9	49·4	45·8	·78	·4	5·5	·010	S.S.W.	S.
Saturday, „ 16,	29·812	57·8	42·9	50·4	49·2	46·9	·86	·1	8·0	·020	W.	Calm.
Mean, . .	29·608	53·5	41·1	47·3	46·9	43·6	·78	·2	Total 42·9	·035	Prevailing Wind, W.	

Sunday—A fine day, bright intervals; night clear. *Monday*—A fine day, dull p.m.; night cloudy. *Tuesday*—Fine but cloudy; night cloudy, light rain 4 a.m. to 4.30 a.m. *Wednesday*—A fine day, bright intervals; night cloudy. *Thursday*—Fine but cloudy; night clear. *Friday*—Fine but cloudy, light showers 6 p.m. to 7 p.m.; night cloudy. *Saturday*—Fine but cloudy, showers 6.15 p.m, to 8 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 23RD APRIL, 1904. [No. 16.

General Register Office, Charlemont House, Dublin, 25th April, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 2.	April 9.	April 16.	April 23.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 2.	April 9.	April 16.	April 23.	Average Rate for 4 weeks
22 Town Dists.	25·9	27·0	24·4	21·7	24·8	Lisburn, . .	18·2	27·3	36·4	40·9	30·7
Armagh, . .	41·2	34·4	13·7	20·6	27·5	Londonderry .	12·6	16·4	17·6	12·6	14·8
Ballymena, .	28·7	33·5	14·4	4·8	20·4	Lurgan, . .	22·1	31·0	31·0	8·9	23·3
Belfast, . .	22·7	26·2	26·9	20·8	24·2	Newry, . .	12·6	21·0	12·6	25·2	17·9
Clonmel, . .	20·5	15·4	30·8	.	16·7	Newtownards, .	22·9	28·6	11·4	22·9	21·5
Cork, . . .	39·7	32·2	24·7	24·7	30·3	Portadown, .	10·3	25·8	10·3	20·7	16·8
Drogheda, . .	36·8	8·2	16·3	20·4	20·4	Queenstown, .	13·2	19·8	19·8	33·0	21·5
Dublin Reg. Area,	28·5	29·7	24·4	23·3	26·5	Sligo, . . .	4·8	28·8	9·6	.	10·8
Dundalk, . .	8·0	12·0	19·9	16·0	14·0	Tralee, . .	31·7	5·3	21·1	.	14·5
Galway, . .	42·7	42·7	73·8	50·5	52·4	Waterford, .	25·3	25·3	31·2	25·3	26·8
Kilkenny, . .	24·6	24·6	4·9	14·7	17·2	Wexford, . .	14·0	32·7	9·3	28·0	21·0
Limerick, . .	35·5	21·9	13·7	26·0	24·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 9·1 in Lisburn, the 9 deaths from all causes registered in that district including 2 from whooping-cough. Among the 143 deaths from all causes registered in Belfast are one from measles, one from scarlet fever, 2 from whooping-cough, 2 from diphtheria, and one from enteric fever; and the 19 deaths from all causes in Limerick include 2 from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—107 boys and 97 girls; and the deaths to 178—80 males and 98 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·5 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 23·3 per 1,000. During the sixteen weeks ending with Saturday last the death-rate averaged 28·9, and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of person admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

There were 3 deaths from measles as against 5, 4, 4 and 4 in the 4 weeks preceding; the deaths registered from whooping cough numbered 5, as compared with 5, 11, 8, and 11, respectively, in the four weeks preceding. As in the previous week one death from diphtheria was registered; *diarrhœa* caused one death. There was not one death registered from any of the following diseases—small pox, scarlet fever, typhus, influenza, or enteric fever.

One death from croupous pneumonia, 7 deaths from broncho-pneumonia, and 12 deaths from *pneumonia* were registered.

Of 37 deaths from tuberculosis 8 were assigned to tuberculous phthisis, 18 to *phthisis*, 3 to tuberculous meningitis, and 8 to other forms of the disease.

Three deaths were due to carcinoma, and 4 to *cancer*, *malignant disease*.

Of 14 deaths from diseases of the brain and nervous system, four (of children under 5 years of age) were attributed to *convulsions*.

Diseases of the heart and blood-vessels accounted for 24 deaths.

The deaths from bronchitis were 24 in number.

Four deaths from accidental violence, were registered.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under five years of age (including 3 infants under one year old) and the death of one person aged 88 years.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 13 were under one month old), and 48 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 94 years.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·3 per 1,000, the rate in the City was 25·6 (North City Districts, 26·6; South, 24·5), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (1·4 in the North City Districts, and 1·5 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. There were 2 deaths from *phthisis*, also 2 deaths from *pneumonia*, and one death from accident.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Whooping-cough caused one death; there were 3 deaths from tuberculous disease, one death from *pneumonia*, 5 deaths from bronchitis, and one death from accidental violence.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. There was one death from measles, tuberculous disease caused 4 deaths, broncho-pneumonia and *pneumonia* each caused one death, and bronchitis caused two deaths.

No. 3 North City District (Benburb-street).—The deaths (22) represent an annual rate of 36·2 per 1,000. Measles caused two deaths, tuberculosis caused 6 deaths, broncho-pneumonia caused 2 deaths, and *pneumonia* caused one death, and there were 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·3 per 1,000. There were 2 deaths from whooping-cough, 5 deaths from tuberculous disease, one death from croupous pneumonia, 4 deaths from bronchitis, and one death from accidental violence.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. Tuberculous disease caused 3 deaths, *pneumonia* caused one death, and bronchitis caused 3 deaths.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000. One death from whooping-cough; 3 deaths from tuberculous disease, one death from *pneumonia*, one death from broncho-pneumonia, and one accidental death, were registered.

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. *Diarrhœa* caused one death, tuberculous disease caused 5 deaths; there were 2 deaths from *pneumonia*, and 3 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·6; Pembroke, 10·0; Blackrock, 11·9; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts were one from whooping-cough for Pembroke, and one from diphtheria for Kingstown. Of the 15 deaths from all causes tabulated for Rathmines and Rathgar, one was due to *phthisis*, 5 to diseases of the heart and blood-vessels, and 2 to broncho-pneumonia.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; . Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, ecutive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for igstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd April, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Apr. 2,	.	59	.	6	.	.	3	.	2	13	16	.	.	.	99
	Apr. 9,	.	5	.	3	.	.	2	.	1	4	10	.	.	.	25
	Apr. 16,	.	.	.	4	.	.	3	.	2	6	8	.	.	.	23
	Apr. 23,	.	4	.	3	.	.	8	.	2	7	19	.	.	.	43
Rathmines and Rathgar Urban District.	Apr. 2,	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	Apr. 9,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Apr. 16,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Apr. 23,	.	.	.	2	.	.	1	.	.	.	.	.	.	.	3
Pembroke Urban District.	Apr. 2,	.	.	.	.	.	.	1	.	1	1	.	.	1	23	27
	Apr. 9,	.	1	.	1	.	.	2	.	.	.	2	.	1	8	15
	Apr. 16,	.	.	.	1	.	.	.	.	.	1	.	.	.	28	30
	Apr. 23,	.	1	.	.	.	.	.	.	.	1	.	.	.	32	34
Blackrock Urban District.	Apr. 2,	.	.	.	.	.	.	1	.	.	.	.	.	3	.	4
	Apr. 9,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	Apr. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Apr. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	Apr. 2,	.	.	.	.	.	.	3	.	.	.	.	.	1	.	4
	Apr. 9,	.	.	.	.	.	.	3	.	.	.	.	.	.	.	3
	Apr. 16,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	Apr. 23,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
City of Belfast.	Apr. 2,	1	–	.	12	.	.	7	.	4	6	10	.	.	.	40
	Apr. 9,	.	–	.	4	.	.	3	.	3	1	8	.	.	.	19
	Apr. 16,	3	–	.	13	.	.	.	1	5	4	17	.	.	.	43
	Apr. 23,	.	–	.	11	1	.	12	.	7	5	8	1	.	.	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 23rd April, 1904.

From this it appears that :—

Three cases of measles were admitted to hospital during the week, 12 were discharged, ere were 3 deaths, and 15 patients remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 8 cases were discharged, and * cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 9 were discharged, there was one ath, and 21 cases remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 6 cases were discharged, d 23 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to spital, 15 patients were discharged, there was one death, and 22 cases remained der treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which rate was 16·0), was equal to an average annual death-rate of 16·0 per 1,000 persons ing; the average rate for 8 principal towns of Scotland was 21·0 per 1,000, the rate Glasgow being 22·2, and for Edinburgh 17·8.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke he above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd April, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 23rd April, 1904. Annual Rate per 1,000 persons represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,095,289	19·2	30·9	21·7	1·0	647	455	74	112	.	4	1	.	11	3	.	2	1	82	123	8	16	134
Dublin Registration Area:—																							
Total,‡	378,994	27·5	28·1	28·3	1·4	204	169	29	46	.	3	.	.	5	1	.	.	1	24	45	4	7	67
City of Dublin	298,385	37·1	30·4	25·6	1·4	171	144	26	33	.	3	.	.	4	.	.	.	1	23	39	4	6	62
Urban Districts. Rathmines and Rathgar.	33,203	19·4	18·8	28·6	.	12	15	3	8	.	.	.	.	.	.	.	.	.	1	3	.	1	3
Urban Districts. Pembroke	26,025	16·4	22·0	10·0	2·0	12	5	.	3	.	.	.	.	1	.	.	.	.	.	2	.	.	.
Urban Districts. Blackrock	8,759	8·1	17·9	11·9	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urban Districts. Kingstown	17,622	12·1	9·4	8·9	3·0	6	3	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1
Urban Districts.																							
Belfast	358,680	24·4	33·9	20·8	1·0	283	143	25	31	.	1	1	.	2	2	.	1	.	31	42	2	7	25
Cork	76,122	33·6	32·2	24·7	.	47	36	7	3	.	.	.	.	.	.	.	.	.	12	11	.	.	13
Londonderry	41,397	19·1	39·0	12·6	.	31	10	2	3	.	.	.	.	.	.	.	.	.	.	4	1	1	2
Limerick	38,151	18·1	21·9	26·0	2·7	16	19	1	4	.	.	.	.	2	.	.	.	.	3	5	.	.	9
Waterford	26,769	18·7	21·4	25·3	.	11	13	.	4	.	.	.	.	.	.	.	.	.	3	4	.	.	5
Galway	18,426	2·5	66·0	50·5	.	17	13	1	3	.	.	.	.	.	.	.	.	.	5	4	.	.	3
Dundalk	18,076	9·4	43·9	16·0	.	11	4	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Drogheda	12,760	8·6	4·1	20·4	.	1	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Newry	12,405	17·8	21·0	25·2	.	5	6	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan	11,782	13·8	22·1	8·9	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	11,461	10·1	40·9	40·9	9·1	9	9	2	2	.	.	.	.	2	.	.	.	.	1	1	1	1	1
Wexford	11,168	23·2	32·7	28·0	.	7	6	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	.	4·2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	4·8	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·0
Kilkenny	10,609	11·5	39·3	14·7	.	8	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Clonmel	10,167	7·8	46·2	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	18·2	67·2	20·7	5·2	13	4	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
Tralee	9,867	16·6	10·6	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	17·2	22·9	.	3	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Queenstown	7,909	14·4	46·1	33·0	.	7	5	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	2
Armagh	7,588	22·2	48·1	20·6	.	7	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 23rd April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§56·7	32·1	46·0	0·07	§57·8	34·9	47·3	0·04	§58·2	34·2	45·9	0·79
City of Dublin	a59·8 b58·8	35·7 32·0	48·6 46·8	0·09 0·09	a60·1 b58·8	37·8 35·0	49·1 48·3	0·07 0·08	a60·0 b58·8	37·0 36·0	47·7 46·7	0·61 0·77
Urban Districts. Rathmines and Rathgar.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	58·7	38·5	48·7	0·09	58·2	36·5	48·0	0·06	59·2	36·5	49·5	0·62
Urban Districts.												
Belfast	59·1	31·5	47·1	0·45	56·5	33·0	45·9	0·59	58·1	36·2	45·3	1·11
Cork	58	40	48·2	0·28	57	35	46·6	0·17	57	38	47·7	0·20
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	56	35	46	0·49	54	36	47	0·32	54	35	46	0·67
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95
Lurgan	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95
Lisburn	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	60·0	32·5	46·7	0·65	56·5	38·5	47·3	0·59	52·8	35·5	44·8	1·24
Kilkenny	61	34	47·7	0·07	56	30	46·6	0·17	60	36	47·1	0·49
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	53	36	45·9	0·18	54	36	46·2	0·31	57	36	44·8	0·41
Queenstown	58	40	48·2	0·28	57	35	46·6	0·17	57	38	47·7	0·20
Armagh	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11	59·0	34·5	45·8	0·95

.BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 23rd of April, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	2	.	1	.	.	.	1	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Phthisis,	2	1	3	5	.	.	.	3	2	2	5	.	1	.	.	.	24	2
Other General Diseases,	.	4	3	3	.	1	.	3	1	1	4	.	4	1	1	1	27	2
Total,	2	6	7	10	.	1	.	8	3	4	10	.	5	2	1	2	61	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	2	3	3	.	.	.	1	1	.	1	.	1	.	.	.	14	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	2	4	2	.	1	.	2	1	3	.	1	5	1	1	.	23	1
Respiratory System,	3	6	4	6	.	1	.	5	4	4	5	1	3	2	.	1	45	2
Digestive System,	2	3	.	.	.	1	.	.	1	1	3	.	.	.	.	.	11	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	13	13	11	.	3	.	9	7	9	9	2	10	3	1	1	98	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	.	.	1	.	3	.	.	.	.	.	.	6	.
E VIOLENT DEATHS,	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Deaths from all Causes,	10	21	20	22	.	4	.	19	10	17	19	2	15	5	2	3	169	9
Annual Rate of Mortality in every 1,000 of the population	18·4	28·0	34·6	36·2	.	20·8	.	25·8	28·5	21·1	28·2	11·7	23·6	10·0	11·9	8·9	23·3	.
	26·6							24·5					15·2					
	25·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	5	4	7	.	.	.	3	1	6	7	.	.	.	1	1	38	6
Workhouse Hospitals,	3	1	5	5	.	.	.	3	3	4	2	.	3	.	.	.	29	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1894–1903.	In the Week ending S 23rd April, 190				
												Deaths of Persons of th				
	April 21, 1894.	April 20, 1895.	April 18, 1896	April 24, 1897.	April 23, 1898.	April 22, 1899	April 21, 1900.	April 20, 1901.	April 19, 1902.	April 25, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·8	° 45·9	° 40·0	° 46·0	Mean Temp. ° 46·0				
ALL CAUSES.	156	199	138	232	156	202	204	241	174	189	189·1	178	13	16	22	15
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	19	.	.	2	.	2	1	2·4	3	.	2	1	.
Scarlet Fever ...	.	1	4	1	5	1	.	2	2	2	1·8	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	18	2	1	8	7	4	7	2	3	5·6	.	.	.	.	.
Whooping Cough, ...	2	.	1	14	2	3	2	9	1	1	3·5	5	.	3	2	.
Diphtheria, ...	1	.	.	1	1	2	2	.	1	2	1·0	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	.	1	1	2	2	2	3	4	.	1	1·6	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	.	.	4	3	2	3	4	. / 4	.	2·1	. / 1	. / 1	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	2	1	.	3	.	1	·7	1	.	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	1	2	.	.	1	.	.	. / . / .	·4	. / . / .	. / . / .	. / . / .	. / . / .	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	.	2	1	.	.	·4	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	.	1	1	.	1	.	. / .	·3	. / .	. / .	. / .	. / .	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	26	23	25	25	23	24	27	34	4 / 21	1 / 26	25·9	8 / 18	.	. / 1	.	.
Tuberculous Meningitis, (Acute Hydrocephalus).	.	10	3	3	7	5	7	3	4	6	4·8	3	.	1	1	.
Tuberculous Peritonitis, Tabes Mesenterica, ...	2	4	2	7	2	6	7	6	1 / 2	1 / .	4·0	. / .	. / .	. / .	. / .	.
Tuberculous Dis. (other), *Scrofula*, ...	3	6	4	8	.	5	3	5	8 / .	8 / .	5·0	8 / .	1 / .	. / .	1 / .	.
Alcoholism, ...	.	.	.	.	.	2	.	1	.	2	·5	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Gout, ...	.	1	1	.	.	1	1	.	.	.	·4	.	.	.	.	.

* The figures for the years 1894–1

XTEENTH WEEK ending Saturday, 23rd April, 1904, with the deaths from each cause in the corresponding e average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: April 21, 1894.	April 20, 1895.	April 18, 1896.	April 24, 1897.	April 23, 1898.	April 22, 1899.	April 21, 1900.	April 20, 1901.	April 19, 1902.	April 25, 1903.	Averages in 16th Week of the 10 years 1894–1903.	In the Week ending Saturday, 23rd April, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·1	° 45·3	° 47·7	° 45·6	° 48·6	° 42·7	° 50·2	° 46·8	° 45·9	° 40·0	° 46·0	° 46·0								
noma	5	2	1	10	5	7	4	3	2	3	5·2	3	.	.	.	.	2	1	.
oma									.	.		.	.	.	.	.	.	.	.
er, *Malignant Disease* ...									4	6		4	.	.	.	.	2	2	.
etes Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
nature Birth	1	7	1	4	4	4	6	5	3	4	3·9	3	3	.	.	.	.	.	.
ngitis (not tuberc.)									4	5		2	.	.	2	.	.	.	.
ity, G. P. of Insane									2	1		2	.	.	.	.	1	1	.
psy									.	1		1	.	.	.	1	.	.	.
ulsions									7	3		4	2	.	2	.	.	.	.
motor Ataxy									.	.		.	.	.	.	.	.	.	.
plegia Dis. of Cord									.	3		1	.	.	.	.	1	.	.
ous System (other Dis.) ...	37	41	26	35	35	36	40	44	5	2	38·2	4	.	.	.	.	1	2	1
Dis., Endocarditis									5	2		4	.	.	.	.	3	1	.
or. Hæm. Thromb.									1	1		4	.	.	.	1	.	3	.
lexy, Hemiplegia									4	6		1	.	.	.	.	.	1	.
rysm									2	.		.	.	.	.	.	.	.	.
olism, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.
t and Blood Vessel Dis. ...									15	19		15	.	.	.	1	2	11	1
p (not Spasm. or Memb.) ...	.	1	.	2	1	2	.	1	.	1	·8	.	.	.	.	.	.	.	.
chitis	18	30	13	32	19	33	26	31	18	28	24·8	21	1	3	6	.	4	9	1
pous Pneumonia									.	.		1	.	.	.	1	.	.	.
cho-Pneumonia	10	12	6	19	12	21	21	15	6	1	13·1	7	.	1	4	.	.	2	.
umonia"									4	4		12	.	.	.	8	3	1	.
na, Emphysema									1	2		1	.	.	.	.	.	1	.
risy	3	5	5	4	.	1	.	2	.	1	3·0	.	.	.	.	.	.	.	.
iratory Dis. (other)									4	2		2	.	.	.	.	.	2	.
illitis, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
ritis (not Epid.)	1	.	.	.	.	1	2	1	.	1	·7	2	.	1	.	.	.	1	.
o *Enteritis*									1	.		1	.	.	1	.	.	.	.
onitis (not Puerp.)	1	.	.	.	.	1	.	2	.	.	·4	1	.	.	.	1	.	.	.
osis of Liver	4	2	.	4	.	1	1	2	1	.	1·5	1	.	.	.	.	.	1	.
Dis. (other)									.	.		1	1	.	.	.	.	.	.
tive Dis. (other)	2	5	3	5	2	7	2	7	4	6	4·3	6	.	2	1	1	.	1	.
ritis, Acute									2	2		2	.	.	.	.	1	.	1
it's Dis., Albuminuria ...	1	2	4	8	5	1	3	14	2	3	4·9	2	.	.	.	.	1	1	.
ary Sys. (Other Dis.) ...									2	.		.	.	.	.	.	.	.	.
rative Organs Dis.	.	.	.	.	.	.	.	2	2	.	·4	1	.	.	.	.	1	.	.
birth (Accid. of)	.	.	1	.	.	2	.	.	1	.	·4	1	.	.	.	.	1	.	.
Age	10	6	14	8	11	12	13	11	2	8	9·5	3	1	.	.	.	.	.	2
r Diseases	19	17	12	9	5	7	19	15	16	13	13·2	8	3	1	1	1	1	.	1	.
ACCIDENT.																				
ailways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
ehicles and Horses	2	.	1	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
uilding Operations	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	1	1	1	2	.	1	.	2	.	.	·8	.	.	.	.	.	.	.	.
rowning	.	.	1	1	.	.	.	1	1	1	·5	.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	2	2	3	1	1	1	2	3	.	2	1·7	2	.	.	.	.	2	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
de	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908-4—Week ending																									
	Oct. 31.	Nov 7.	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Births registered,	202	232	236	162	193	194	199	179	178	228	195	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204
*Average Births in corresponding week of previous 10 years,**	188	184	186	204	182	186	195	180	156	1	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205
Deaths registered,	162	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178
Annual Death-rate per 1,000,	22·3	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5
*Average Deaths in corresponding week of previous 10 years,**	174	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189
Ages, Under 5 years,	52	45	48	49	64	66	55	49	43	69	63	50	55	58	71	53	70	61	51	56	75	67	66	67	58	51
5—20 "	11	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15
20—40 "	25	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27
40—60 "	37	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37
60—80 "	29	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43
80 years and upwards,	8	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3
" Scarlet Fever	1	.	1	.	.	2	.	2	1	2	.	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.
" Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5
" Diphtheria,	1	.	.	2		2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1
" Simple Continued Fever,	.	.		.	.	1	.	..	.	1	.	.	.	.	.	.	.	..	.	.	.	1	.	.	1	..
" Enteric Fever,	.	1	3	2	5	2	1		2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.
" Diarrhœal Diseases,	4	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1
" Phthisis,	24	26	16	20	28	23	22	16	31	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26
" Diseases of Heart and Blood Vessels,	26	23	32	27	36	33	24	34	19	7	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24
" Diseases of Respiratory System,	24	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47
Violent Deaths,	6	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4
Mean Temperature of the Air (Phœnix Park),	44·3	43·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0
Average Mean Temperature in corresponding week of previous 10 years,	46·9	47·1	45·8	44·4	42·9	43·0	42·3	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0
Rainfall in inches,	·618	208	·898	·070	1·153	·443	1·003	·245	·290	·08	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068
Mean Humidity of the Air, complete Saturation 1·0,	·88	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·73	·81

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd April, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 23rd April, 1904: Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages: Under 5 Years.	5 and under 30.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	24·7	173	51	15	27	37	43	5	.	3	.	.	5	1	.	.	1	10	26	4	47	4	87
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	6·0	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
II.	MIDDLE CLASS,	87,188	15·5	26	2	3	4	3	12	2	.	.	.	.	.	.	.	.	.	.	3	1	7	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	23·6	50	13	1	8	13	8	2	.	.	.	.	2	1	.	.	1	4	9	2	9	3	23
IV.	GENERAL SERVICE CLASS,	154,279	32·5	68	25	11	8	14	10	.	.	3	.	.	2	.	.	.	.	5	12	1	20	1	29
V.	INMATES OF WORKHOUSES,	6,024		32	5	.	6	7	13	1	.	.	.	.	.	.	.	.	.	.	2	.	11	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·3	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	6. Clerks and Commercial Assistants,	30,432	12·0	7	1	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	27·0	14	1	2	2	.	8	1	.	.	.	.	.	.	.	.	.	.	1	1	4	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	1	.	1	2	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	3
	9. Building and Furnishing Trades,	29,801	29·7	17	8	.	1	6	2	.	.	.	.	.	1	.	.	.	.	1	3	1	3	3	6
	10. Clothing Trades,	23,260	6·7	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	11. Food Supply Trades,	9,242	28·2	5	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	7	.	3	3	1	.	.	.	.	.	.	1	.	.	.	1	4	1	2	.	6
	13. Petty Shopkeepers,	7,894	39·6	6	1	.	2	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	2	.	3
	GENERAL SERVICE CLASS.																								
IV.	14 Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	15. Domestic Servants,	36,603	7·1	5	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·9	55	23	9	5	11	7	.	.	3	.	.	2	.	.	.	.	5	8	1	18	1	22
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	32	5	.	6	7	13	1	.	.	.	.	.	.	.	.	.	.	2	.	11	.	19

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the vincial County the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the*

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Mar. 5,	22·1	.	12	.	.	.	.	.	.	.	.	.	.	6	.
	„ 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
	„ 9,	28·9	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	„ 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Mar. 5,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	2	1
	„ 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
	„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
	„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
	„ 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
	„ 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
	„ 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Mar. 5,	36·4	3·5	21	.	.	.	.	1	.	.	1	.	3	2	1
	„ 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	3	.
	„ 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	43·3	3·5	25	.	.	.	.	1	.	.	.	1	5	3	1
	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	3	.
	„ 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
	„ 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,673.	Mar. 5,	34·6	1·6	21	.	.	.	.	1	.	.	.	.	5	6	.
	„ 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
	„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	„ 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
	April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
	„ 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
	„ 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
	„ 23,	36·2	3·3	22	.	2	.	.	.	.	.	.	.	5	6	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Mar. 5,	27·2	1·4	20	.	.	.	.	1	.	.	.	.	2	7	1
	„ 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
	„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
	„ 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
	„ 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
	„ 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Mar. 5,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	1	5	.
	„ 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	4	1
	„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
	„ 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
	„ 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Mar. 5,	29·8	2·5	24	.	.	.	.	.	.	.	1	1	4	4	.
	„ 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
	„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
	„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	2	4	.
	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
	„ 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
	„ 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
	„ 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est. 35,188	Mar. 5,	31·2	3·0	21	.	.	.	.	2	.	.	.	.	2	3	2
	„ 12,	33·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
	„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
	„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
	„ 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
	„ 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
	„ 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,203.	Mar. 5,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	2	.	.
	,, 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	,, 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	,, 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	,, 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	,, 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	,, 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Mar. 5,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	,, 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	,, 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	,, 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	,, 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Mar. 5,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	,, 12,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	,, 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	,, 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	,, 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	,, 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	,, 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Mar. 5,	23·4	1·2	161	.	1	.	.	5	.	1	1	.	17	47	6
	,, 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	,, 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	,, 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	,, 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	,, 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
	,, 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
Cork. Pop. (in 1901) 76,122.	Mar. 5,	27·4	.	40	.	.	.	.	.	.	.	.	.	12	2	1
	,, 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	,, 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	,, 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	,, 9,	32·3	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	,, 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	,, 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
Londonderry. Pop. in 1904 (Est.) 41,397	Mar. 5,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	4	.
	,, 12,	27·7	3·3	22	.	.	1	.	.	1	.	1	.	4	6	.
	,, 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	,, 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	,, 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
	,, 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	,, 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
Limerick. Pop. (in 1901) 38,151.	Mar. 5,	17·8	6·8	13	.	.	.	.	5	.	.	.	.	1	1	.
	,, 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	,, 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	,, 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	,, 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	,, 16,	18·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	,, 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
Waterford. Pop. (in 1901) 26,769	Mar. 5,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	.	.
	,, 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	,, 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	,, 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	,, 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	,, 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	,, 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd April, 1901, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	11	28·3	.	8	2	.	6	.	.	.	.	.	.	.	.	.	.	2	3	.	2	.
Do. 2 "	47,959	19	17·4	2·2	16	3	1	10	2	.	.	1	.	.	.	.	1	.	3	3	.	1	3
Do. 3 "	47,214	24	19·9	.	18	3	.	9	6	.	.	.	.	.	.	.	.	.	4	7	.	.	2
o. 4 "	40,911	26	24·2	.	19	3	2	11	3	.	.	.	.	.	.	.	.	.	4	6	.	1	4
Do. 5 "	17,387	10	27·0	.	9	2	1	4	2	.	.	.	.	.	.	.	.	.	2	3	.	.	5
Do. 6 "	48,122	26	21·7	1·1	20	2	1	11	6	.	.	.	.	1	.	.	.	.	6	7	1	1	4
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	4	41·2	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.
Do. 9 "	19,569	13	8·0	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 10 "	28,064	21	18·1	2·3	8	2	3	1	2	.	.	.	.	.	1	.	.	.	1	3	.	.	1
Do. 11 "	34,802	23	24·0	1·5	16	1	1	9	5	.	.	.	.	1	.	.	.	.	4	3	.	.	4
Do. 12 "	33,588	37	20·2	3·1	13	5	3	3	2	.	1	.	.	.	1	.	.	.	1	4	.	1	1
Do. 13 "	15,006	18	27·8	.	8	.	.	6	2	.	.	.	.	.	.	.	.	.	3	1	.	.	.
Do. 14 "	240	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	233	21·4	1·0	143	25	13	74	31	.	1	1	.	2	2	.	1	.	31	42	2	7	25
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	3	40·5	.	10	2	.	7	1	.	.	.	.	.	.	.	.	.	3	5	.	.	5
Do. 2 "	10,701	11	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 3 "	9,978	7	26·1	.	5	1	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 4 "	8,666	5	6·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 5 "	6,592	4	23·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 6 "	10,702	4	24·4	.	5	.	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 7 "	16,616	13	31·4	.	10	.	3	7	.	.	.	.	.	.	.	.	.	.	6	2	.	.	5
Total,	76,122	47	24·7	.	36	7	5	21	3	.	.	.	.	.	.	.	.	.	12	11	.	.	13

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered,	201	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	263	226	207	212	261	182	244	271	233
DEATHS registered.	118	124	118	138	120	163	145	176	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143
Annual Death-rate per 1,000 of estimated Population,	17·2	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8
AGES, Under 1 year,	25	32	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25
AGES, 1–5 years,	11	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13
AGES, 5–60 years,	64	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74
AGES, 60 years and upwards,	18	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1
" Scarlet Fever,	1	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Whooping cough,	3	7	2	1	11	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2
" Diphtheria,	.	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.	1	.	.	3	2
" Simple Continued Fever,	.	.	.	.	.	.		.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
" Enteric Fever,	1	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1
" Diarrhœal Diseases,	3	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.
" Phthisis	21	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31
" Diseases of Respiratory System,	21	25	29	29	33	50	43	70	50	60	79	82	39	48	43	58	54	47	47	40	79	52	51	42	59	42
Violent Deaths,	6	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd April, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	1	.	.	2	3	.	.	7
" " 2,	.	.	.	.	.	.	.	.	1	1	1	.	.	3
" " 3,	.	4	.	.	.	.	3	.	1	.	6	.	.	14
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
South City No. 1,	.	.	.	.	.	.	1	.	.	4	8	.	.	13
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	4	.	3	.	.	8	.	2	7	19	.	.	43

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd April, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd April.			
	April 2.	April. 9.	April 16.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	28	27	3	12	3	15
Scarlet Fever,	56	58	57	7	8	.	56*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	19	21	23	8	9	1	21
Enteric Fever,	29	28	26	3	6	.	23
Pneumonia,	20	22	31	7	15	1	22

*Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or stimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Apr. 23,	2,489	1,429	16·0	1	81	9	15	43	3	12
EDINBURGH,	331,977	„ 23,	157	113	17·8	.	3	1	.	6	.	1
GLASGOW,	798,357	„ 23,	509	339	22·2	2	19	3	1	7	3	6
CALCUTTA,	847,796	Feb. 20,	.	546	33.4	.	3	.	.	.	108‡	91*
BOMBAY,	776,006	Mar. 22,	315	1,389	93·1	14	10	.	.	.	55‡	44
MADRAS,	509,346	Mar. 4,	331	474	48·3	.	4	?	?	?	127‡	87*
PARIS,	2,660,559	Apr. 9,	1,159	1,037	20·0	1	15	1	4†	7	14	31
BRUSSELS (with 8 Faubourgs).	575,896	„ 2,	241	207	18·7	.	.	.	.	1	1	10
AMSTERDAM,	548,224	„ 2,	293	197	18·4	.	15	.	3†	5	.	3
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Apr. 2,	201	130	16·5	.	.	.	1†	10	.	7
CHRISTIANIA,	225,709	„ 9,	127	75	17·3	.	.	.	1	.	.	4
ST. PETERSBURG,	1,248,122	„ 9,	501	813	34·0	2	17	14	11	8	15	71
BERLIN,	1,960,909	Mar. 26,	891	673	17·9	.	11	7	9†	11	.	27
HAMBURG,	751,842	Apr. 2,	.	247	17·1	.	1	1	5†	.	.	7
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	127,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Apr. 9,	.	222	22·2	.	2	.	2†	.	.	24
VIENNA (with suburbs).	1,779,869	„ 9,	1,100	716	20·7	.	33	1	8†	2	1	42
BUDA-PESTH	813,399	„ 9,	443	368	23·5	.	9	7	11†	2	1	7
PRAGUE and Faubourgs.	423,218	„ 2,	174	204	25·1	.	2	1	2†	3	5	10
ROME,	496,201	Jan. 16,	257	225	23·6	.	3	.	4	.	8	5
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Mar. 12,	97	64	20·1	.	.	.	1†	1	.	5
NEW YORK,	3,838,024	„ 26,	1,873	1,803	24·5	.	29	25	44†	6	10	44
PHILADELPHIA,	1,408,154	„ 19,	.	634	23·4	7	17	4	11†	1	21	19

* Including 34 deaths from cholera in Calcutta and 6 in Madras.
† Including deaths from croup.
‡ Exclusive of 75 deaths from bubonic fever in Calcutta, 829 in Bombay, and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd April, 1904:—

"The weather was again for the most part favourable, although the nights were cold as a rule. The earlier part of Sunday was fair, bright and warm. In the afternoon the sky became overcast and showers fell, owing to the formation of a small depression which passed eastwards to Wales and Cornwall and then dispersed. The next two days were fair and sunny, giving 21 hours of bright sunshine in Dublin between them—owing to the clearness of the sky the diurnal range of temperature was large. This spell of exceptionally fine weather was associated with a moderately high but very uniform atmospheric pressure—at 8 a.m. of Monday the extreme readings of the barometer in the British Isles were, highest, 30·28 inches at Valentia, lowest, 30·04 inches at Stornoway; at 8 a.m. of Tuesday, the highest pressure was 30·32 inches at North Shields, the lowest was 30·10 inches at Dungeness, in Kent. This last reading was related to a large depression at the time central over the Mediterranean, which spread northwards to the S.E. of England. Wednesday was cloudy, with a sharp N. wind, the following night proving clear and very cold. On Thursday a depression appeared off the N.W. of Scotland—this system spread southeastwards over the whole kingdom, causing clouds and showers of cold rain and hail in many districts. Saturday was again very fine—cloudy at first, afterwards bright with unclouded sunshine from 11.45 a.m. to 5.15 p.m. The evening was overcast. In Dublin the mean atmospheric pressure was 30·097 inches, the barometer ranging between 30·313 inches at 9 a.m. of Thursday (wind, N.W.) and 29·720 inches at noon of Friday (wind, W.N.W.). The corrected mean temperature was 48·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·0°. On Sunday the screened thermometers rose to 59·8°, on Thursday they fell to 35·7°. Bright sunshine was estimated at 47 hours, 11 falling on Monday and 10 on Tuesday. N.W. winds predominated. Rain fell on four days to the amount of ·092 inch, ·035 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·113 inches. The highest reading (30·323) was on Thursday at 9 a.m., wind W., and the lowest (29·778) on Friday at 9 a.m., wind W.S.W.

The mean temperature for the week was 46·0°, being equal to the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 56·7°, and was lowest on Tuesday, the mercury having fallen to 32·1° The mean of the Dry Bulb for the week was 46·3°, and of the Wet Bulb 43·6°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 48·0 hours. The rainfall during the week measured ·068 inch.

At Greenwich the mean temperature for the week was 49·1°, the maximum 64·0°, and the minimum 33·2°; at Glasgow the maximum was 66·5°, the minimum 34·0°, and the mean 48·6°; and at Edinburgh the maximum was 62·5°, the minimum 37·0°, and the mean 47·7°. The rainfall at Greenwich measured 0·24 inch; at Glasgow 0·34 inch; and at Edinburgh 0·09 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 17,	29·880	56·1	33·5	44·8	43·2	44·9	·78	·0	4·0	·010	S.E.	W.
Monday, „ 18,	30·281	56·0	35·9	46·0	43·8	41·2	·82	·0	12·2	—	N.W.	Calm.
Tuesday, „ 19,	30·209	56·3	32·1	44·2	45·9	43·4	·83	·1	10·8	—	E.	Calm.
Wednesday, „ 20,	30·253	51·2	39·3	45·3	43·5	40·6	·79	·1	2·3	—	N.W.	N.W.
Thursday, „ 21,	30·230	53·8	32·3	43·1	45·3	42·6	·81	·7	8·5	·030	W.	S.W.
Friday, „ 22,	29·839	52·8	43·3	48·1	47·9	46·2	·88	·5	4·5	·028	W.S.W.	W.N.W.
Saturday, „ 23,	30·096	56·7	44·7	50·7	49·5	46·3	·78	·6	5·7	—	N.W.	N.W.
Mean, . .	30·113	54·7	37·3	46·0	46·3	43·6	·81	·3	Total 48·0	·068	Prevailing Wind, N.W.	

Sunday—Bright a.m., cloudy and showery p.m.; night cloudy. *Monday*—A beautiful day; night clear. *Tuesday*—A beautiful day; night clear. *Wednesday*—Dull a.m., cloudy p.m., fine; night clear. *Thursday*—A fine day, bright intervals; night cloudy, showery p.m. *Friday*—Day cloudy and showery; night cloudy. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 30TH APRIL, 1904. [No. 17.

General Register Office, Charlemont House, Dublin, 2nd May, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 9.	Week ending April 16.	Week ending April 23.	Week ending April 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 9.	Week ending April 16.	Week ending April 23.	Week ending April 30.	Average Rate for 4 weeks.
22 Town Dists.	27·0	24·4	21·7	20·1	23·3	Lisburn, . .	27·3	36·4	40·9	22·7	31·8
Armagh, . .	34·4	13·7	20·6	13·7	20·6	Londonderry .	16·4	17·6	12·6	25·2	18·0
Ballymena, .	33·5	14·4	4·8	9·6	15·6	Lurgan, . .	31·0	31·0	8·9	22·1	23·3
Belfast, . .	26·2	26·9	20·8	20·5	23·6	Newry, . .	21·0	12·6	25·2	16·8	18·9
Clonmel, . .	15·4	30·8	.	35·9	20·5	Newtownards, .	28·6	11·4	22·9	17·2	20·0
Cork, . . .	32·2	24·7	24·7	19·9	25·4	Portadown, .	25·8	10·3	20·7	15·5	18·1
Drogheda, . .	8·2	16·3	20·4	12·3	14·3	Queenstown, .	19·8	19·8	33·0	13·2	21·5
Dublin Reg. Area,	29·7	24·4	23·3	20·8	24·5	Sligo, . . .	28·8	9·6	.	.	9·6
Dundalk, . .	12·0	19·9	16·0	16·0	16·0	Tralee, . .	5·3	21·1	.	5·3	7·9
Galway, . .	42·7	73·8	50·5	15·5	45·6	Waterford, .	25·3	31·2	25·3	19·5	25·3
Kilkenny, . .	24·6	4·9	14·7	24·6	17·2	Wexford, . .	32·7	9·3	28·0	14·0	21·0
Limerick, . .	21·9	13·7	26·0	23·2	21·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·1 in Clonmel. Among the 141 deaths from all causes registered in Belfast are 2 from measles, one from scarlet fever, 13 from whooping-cough, one from diphtheria, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—100 boys and 107 girls; and the deaths to 158—85 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·7 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 20·8 per 1,000. During the seventeen weeks ending with Saturday last the death-rate averaged 28·4, and was 1·8 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

The total deaths registered include 2 from measles, 2 from influenza, 3 from whooping-cough, and one death from each of the following diseases—diphtheria, enteric fever, and *diarrhœa.* The deaths from measles were 4, 4, and 3 in the 3 weeks preceding; deaths from whooping-cough were respectively 8, 11, and 5 in the preceding 3 weeks. There was not one death registered from small pox, scarlet fever, or typhus.

Five deaths from broncho-pneumonia and 12 deaths from *pneumonia* were registered.

The total deaths from tuberculous disease include 5 deaths from tuberculous phthisis, 14 from *phthisis,* 4 from tuberculous meningitis, one from tabes mesenterica, and 9 deaths from other forms of the disease.

One death was attributed to carcinoma, and 5 deaths were due to *cancer, malignant disease.*

The 10 deaths registered as due to diseases of the brain and nervous system include 3, of children under 5 years of age, from *convulsions.*

Eighteen deaths were assigned to diseases of the heart and blood-vessels.

Bronchitis was accountable for 23 deaths.

Two deaths from accidental violence were registered, one being that of a child under 5 years of age from burns.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both these cases were children under one year old.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 7 were under one month old), and 42 were aged 60 years and upwards, including 15 persons aged 70 and upwards, of whom 5 were octogenarians.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse and 8 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000, the rate in the City was 23·3 (North City Districts, 25·6; South, 20·8), and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·4 (1·4 in the North City Districts, and 1·5 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. Influenza caused one death, tuberculous disease caused 4 deaths, *pneumonia* caused one death, and bronchitis caused 3 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 31·6 per 1,000. There was one death from *diarrhœa*, and there were 7 deaths from tuberculous disease; broncho-pneumonia caused one death, and *pneumonia* caused 4 deaths; there were two deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. There were 3 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from *pneumonia*, and one death from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. Measles caused 2 deaths, diphtheria caused one death, and tabes mesenterica caused one death; there was one death from *pneumonia*, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 7·8. The 4 deaths from all causes in Coolock and Drumcondra, No. 1, part of, include one from tuberculous phthisis, one from *pneumonia*, and one from accidental violence.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. Two deaths were caused by whooping-cough, and 4 deaths were due to tuberculous disease; there was one death from broncho-pneumonia, one death from *pneumonia*, and bronchitis caused 5 deaths.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000. One death was due to *phthisis*, and one death was due to accidental causes.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 21·9 per 1,000. Five deaths were due to tuberculous disease, and 4 deaths were caused by bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Whooping-cough and enteric fever each caused one death; there was one death from *phthisis*, there was one death from broncho-pneumonia, and there were 3 deaths from bronchitis.

New Kilmainham District.—The one death is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 12·0; Blackrock, 6·0; and Kingstown, 14·8. The 8 deaths from all causes tabulated to Rathmines and Rathgar include one death each from broncho-pneumonia, *pneumonia*, and *phthisis*; the 6 deaths from all causes tabulated to Pembroke include one from *pneumonia* and one from bronchitis; and the 5 deaths in Kingstown include 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 30th April, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Apr. 9,	.	5	.	3	.	.	2	.	1	4	10	.	.	.	25
	Apr. 16,	.	.	.	4	.	.	3	.	2	6	8	.	.	.	23
	Apr. 23,	.	4	.	3	.	.	8	.	2	7	19	.	.	.	43
	Apr. 30,	.	.	.	5	.	.	5	.	12	10	20	.	.	.	52
Rathmines and Rathgar Urban District.	Apr. 9,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2
	Apr. 16,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Apr. 23,	.	.	.	2	.	.	1	.	.	.	.	.	.	.	3
	Apr. 30,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	3
Pembroke Urban District.	Apr. 9,	.	1	.	1	.	.	2	.	.	.	2	.	1	8	15
	Apr. 16,	.	.	.	1	.	.	.	.	.	1	.	.	.	28	30
	Apr. 23,	.	1	.	.	.	.	.	.	.	1	.	.	.	32	34
	Apr. 30,	.	.	.	1	.	.	.	.	.	.	.	.	.	19	20
Blackrock Urban District.	Apr. 9,	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2
	Apr. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Apr. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	Apr. 9,	.	.	.	.	.	.	3	.	.	.	.	.	.	.	3
	Apr. 16,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	Apr. 23,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	Apr. 9,	.	–	.	4	.	.	3	.	3	1	8	.	.	.	19
	Apr. 16,	3	–	.	13	.	.	.	1	5	4	17	.	.	.	43
	Apr. 23,	.	–	.	11	1	.	12	.	7	5	8	1	.	.	45
	Apr. 30,	.	–	.	16	.	.	9	.	5	18	7	.	.	.	55

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th April, 1904.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, 2 were discharged, there was one death, and 19 patients remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 8 cases were discharged, and 54* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 20 cases remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, one case was discharged, there were 2 deaths, and 28 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 9 patients were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·6), was equal to an average annual death-rate of 16·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 20·0 per 1,000, the rate for Glasgow being 19·7, and for Edinburgh 19·3.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th April, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 30th April, 1904. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 30th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	29·6	20·1	1·5	621	421	78	100	.	4	1	.	18	2	.	1	5	69	99	6	15	108	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	378,994	27·5	28·5	20·8	1·1	207	151	27	40	.	2	.	.	3	1	.	1	1	18	44	2	3	51	§60·7	36·0	48·9	0·15	§56·7	32·1	46·0	0·07	§57·8	34·9	47·3	0·04
City of Dublin	298,385	37·1	30·9	23·3	1·4	174	131	24	39	.	2	.	.	3	1	.	1	1	16	37	2	3	47	a62·0 b62·6	39·8 37·0	51·1 49·7	0·12 0·15	a59·8 b58·8	35·7 32·0	48·6 46·8	0·09 0·09	a60·1 b58·8	37·8 35·0	49·1 48·8	0·07 0·03
Urban Districts. Rathmines and Rathgar.	33,203	19·4	18·8	12·6	.	12	8	.	5	.	.	.	.	.	.	.	.	.	1	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	14·0	12·0	.	7	6	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	11·9	6·0	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	35·5	14·8	.	12	5	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	62·2	40·5	51·6	0·04	58·7	38·5	48·7	0·09	58·2	36·5	48·0	0·06
Urban Districts.																																			
Belfast,	358,680	24·4	35·6	20·5	2·0	245	141	32	22	.	2	1	.	13	1	.	.	3	27	28	2	7	24	56·0	38·0	47·8	0·41	59·1	31·5	47·1	0·45	56·5	33·0	45·9	0·59
Cork,	76,122	33·6	27·4	19·9	.	40	29	5	3	.	.	.	.	.	.	.	.	.	9	5	.	.	10	58	41	49·8	0·32	58	40	48·2	0·28	57	35	46·6	0·17
Londonderry,	41,397	19·1	23·9	25·2	.	19	20	2	9	.	.	.	.	.	.	.	.	.	2	2	1	2	5	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	27·3	28·2	.	20	17	4	5	.	.	.	.	.	.	.	.	.	1	4	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	33·1	19·5	.	17	10	1	1	.	.	.	.	.	.	.	.	.	3	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	27·2	15·5	.	7	4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	57	38	48·4	0·21	56	35	46	0·49	54	36	47	0·32
Dundalk,	18,076	9·4	27·9	16·0	.	7	4	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	4·1	12·3	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	33·6	16·8	.	8	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11
Lurgan,	11,782	13·8	13·3	22·1	4·4	3	5	3	1	.	.	.	.	1	.	.	.	.	.	3	.	.	.	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11
Lisburn,	11,461	10·1	9·1	22·7	4·5	2	5	1	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11
Wexford,	11,168	23·2	37·4	14·0	.	2	3	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	38·4	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	60·4	39·2	48·9	0·46	60·0	32·5	46·7	0·65	56·5	38·5	47·3	0·59
Kilkenny,	10,609	11·5	34·3	24·6	.	7	5	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3	62	39	49·1	0·25	61	34	47·7	0·07	56	30	46·6	0·17
Clonmel,	10,167	7·8	20·5	35·9	5·1	4	7	1	3	.	.	.	.	.	.	.	1	.	.	4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	41·3	15·5	.	8	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11
Tralee,	9,867	16·6	.	5·3	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	11·4	17·2	.	2	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	57	37	47·8	0·41	53	36	45·9	0·18	54	36	46·2	0·31
Queenstown,	7,909	14·4	.	13·2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	58	41	49·8	0·32	58	40	48·2	0·28	57	35	46·6	0·17
Armagh,	7,588	22·2	13·7	13·7	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25	58·8	35·9	47·7	0·11

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 30th of April, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	2	3	3	.	.	1	1	1	1	3	1	.	1	.	.	1	18	1
Other General Diseases,	4	6	4	1	.	.	.	6	.	6	3	.	2	.	.	.	32	2
Total,	6	10	7	4	.	1	1	9	1	9	6	.	3	.	.	1	58	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	1	.	.	.	.	.	.	1	1	.	1	1	1	.	10	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	3	1	1	.	.	1	1	3	.	1	1	.	.	1	17	1
Respiratory System,	4	7	5	5	.	1	.	7	.	4	4	.	3	2	.	2	44	.
Digestive System,	.	3	.	.	.	.	.	.	1	1	.	.	.	.	.	.	5	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Urinary System,	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	5	2
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	16	11	6	1	1	.	8	2	10	5	1	5	6	1	3	83	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	.	1	.	1	.	2	.	1	2	.	.	.	.	1	8	.
E VIOLENT DEATHS,	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	13	26	18	11	1	4	1	19	4	20	13	1	8	6	1	5	151	7
Annual Rate of Mortality in every 1,000 of the population	23·9	34·6	31·2	18·1	10·8	20·8	7·8	25·8	11·4	24·9	19·3	5·9	12·6	12·0	6·0	14·8	20·8	.
	25·6							20·8					12·2					
	23·3																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	4	2	4	.	2	.	3	1	3	2	.	3	.	.	.	26	7
Workhouse Hospitals,	3	5	4	5	.	.	.	4	.	1	2	.	1	.	.	.	25	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1894-1903.	In the Week ending Satu 30th April, 1904. Deaths of Persons of the A					
	April 28, 1894.	April 27, 1895.	April 25, 1896	May 1, 1897.	April 30, 1898.	April 29, 1899	April 28, 1900.	April 27, 1901.	April 26, 1902.	May 2, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 49·1	° 49·8	° 47·1	° 48·6	Mean Temp. ° 48·9					
ALL CAUSES.	159	181	156	198	170	199	178	202	199	201	184·3	158	7	20	21	16	1
Small-pox, Vaccinated, ...	.	1	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	.	.	16	.	.	.	.	2	1	2·3	2	.	1	1	.	.
Scarlet Fever ...	2	.	1	.	1	.	.	2	.	2	·8	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	13	4	.	5	10	3	10	6	2	5·4	2	.	.	.	.	.
Whooping Cough, ...	6	1	3	13	3	8	2	8	3	1	4·8	3	.	.	3	.	.
Diphtheria, ...	.	1	.	2	2	1	.	.	.	.	·6	1	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	1	.	3	2	3	5	1	4	2	2·2	1	.	.	.	.	.
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	3	1	.	3	1	.	3	.	.	.	1·3	.	.	.	.	.	.
Diarrhœa, Dysentery, ...									1	1		1	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Venereal Disease, ...	1	.	2	.	4	.	1	1	1	1	1·1	1	.	1	.	.	.
Puerperal Septicæmia, Sapræmia,										1							
Puerperal Pyæmia, ...	.	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Puerperal Fever, ...										.		.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	.	.	3	1	·5	.	.	.	.	.	.
Septicæmia (not Puerperal),	.	.	.	.	.	.	1	1	1	1	·5	1	.	.	.	.	.
Pyæmia (not Puerperal), ...										1		.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Tuberculous Phthisis, ...	31	25	23	23	30	24	32	32	1	1	26·3	5	.	.	.	2	
"*Phthisis*," ...									19	22		14	.	.	.	4	
Tuberculous Meningitis, (Acute Hydrocephalus).	1	2	5	2	4	3	1	3	4	1	2·6	4	.	.	2	2	
Tuberculous Peritonitis, ...	1	3	1	2	3	11	4	3	1	1	3·0	.	.	.	.	.	
Tabes Mesenterica, ...									.	.		1	.	1	.	.	
Tuberculous Dis. (other), ...	1	3	3	4	1	.	5	5	3	8	3·5	9	.	1	3	4	
Scrofula, ...									.	2		.	.	.	.	.	
Alcoholism, ...	.	.	.	2	.	3	2	2	.	.	·9	.	.	.	.	.	
Rheumatic Fever, ...	.	.	1	2	.	.	1	.	.	1	·5	.	.	.	.	.	
Gout, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	

* The figures for the years 1894-1900

:NTEENTH WEEK ending Saturday, 30th April, 1904, with the deaths from each cause in the corresponding ıverage for those weeks.*

:AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1894-1903.	In the Week ending Saturday, 30th April, 1904. Deaths of Persons of the Ages of								
	April 28, 1894.	April 27, 1895.	April 25, 1896.	May 1, 1897.	April 30, 1898.	April 29, 1899.	April 28, 1900.	April 27, 1901.	April 26, 1902.	May 2, 1903.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·7	° 48·8	° 50·3	° 48·0	° 47·1	° 50·1	° 47·6	° 49·1	° 49·8	° 47·1	° 48·6	Mean Temp. ° 48·9	Under 1 month.	1 month and under a year.	1 to 5.					
›ma									2	2		1	.	.	.	.	.	1	.	.
ıa	5	3	2	4	2	11	10	2	.	1	5·8	.	.	.	.	.	.	.	.	.
Malignant Disease ...									7	7		5	.	.	.	.	.	2	3	.
es Mellitus	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	1	.	.
ture Birth	4	1	2	7	2	4	2	3	4	3	3·2	4	3	1	.	.	.	.	.	.
itis (not tuberc.)									5	6		3	.	2	1	.	.	.	.	.
y, G. P. of Insane									3	2		.	.	.	.	.	.	.	.	.
sy									.	.		.	.	.	.	.	.	.	.	.
sions									12	7		3	1	1	1	.	.	.	.	.
›tor Ataxy									.	.		1	.	.	.	.	.	1	.	.
egia Dis. of Cord									1	2		3	.	.	1	.	1	.	1	.
is System (other Dis.) ...	31	43	35	35	43	33	29	42	4	1	37·9	.	.	.	.	.	.	.	.	.
›is., Endocarditis									3	4		4	.	.	.	.	.	3	1	.
. Hæm. Thromb.									2	2		3	.	.	.	.	.	2	.	1
cy, Hemiplegia									2	4		3	.	.	.	.	.	.	3	.
ysm									.	1		1	.	.	.	.	1	.	.	.
ism, Thromb. (not cerebral)									1	1		.	.	.	.	.	.	.	.	.
and Blood Vessel Dis.									14	11		7	.	.	.	.	.	2	5	.
(not Spasm. or Memb.) ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
itis	15	28	20	20	20	25	26	18	24	27	22·3	23	.	4	1	.	.	4	13	1
›us Pneumonia									.	2		.	.	.	.	.	.	.	.	.
›o-Pneumonia	9	7	13	15	4	13	9	21	7	5	11·9	5	.	1	2	.	.	1	.	1
nonia"									6	8		12	.	.	2	1	3	2	4	.
a, Emphysema									1	.		1	.	.	.	.	.	1	.	.
y	4	4	.	2	.	2	5	1	1	2	2·4	.	.	.	.	.	.	.	.	.
atory Dis. (other)									1	1		3	.	.	.	1	.	2	.	.
itis, Quinsy	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
tis (not Epid.)	.	.	.	1	.	.	2	.	.	1	·6	.	.	.	.	.	.	.	.	.
Enteritis									1	1		.	.	.	.	.	.	.	.	.
ıitis (not Puerp.)	3	.	1	1	.	1	.	1	.	.	·7	.	.	.	.	.	.	.	.	.
sis of Liver	3	4	1	1	2	1	1	3	1	3	2·2	3	.	.	.	.	1	2	.	.
Dis. (other)									1	1		.	.	.	.	.	.	.	.	.
ive Dis. (other)	3	4	1	3	3	3	4	3	8	11	4·3	2	.	.	1	.	.	1	.	.
itis, Acute									1	1		.	.	.	.	.	.	.	.	.
's Dis., Albuminuria ...	3	6	5	4	2	8	7	7	4	3	5·8	7	.	.	.	.	1	2	3	1
y Sys. (Other Dis.) ...									4	3		.	.	.	.	.	.	.	.	.
ıtive Organs Dis.	2	.	.	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
irth (Accid. of)	.	.	.	.	.	2	1	1	1	.	·5	1	.	.	.	.	1	.	.	.
ıe	8	15	8	10	22	11	7	11	8	7	10·7	1	.	.	.	.	.	.	1	.
Diseases	15	8	19	14	10	15	11	16	15	12	13·5	12	2	7	1	.	1	1	.	.
ACCIDENT.																				
ilways	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
hicles and Horses	.	1	.	1	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.	.
ps, Boats, Docks (exclusive rowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	.	1	.	1	1	3	.	1	.	.	·7	1	.	.	1	.	.	.	.	.
owning	.	2	2	1	.	1	.	1	.	1	·8	.	.	.	.	.	.	.	.	.
ffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	2	1	4	6	1	2	4	2	3	2	2·7	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
le	.	1	.	.	1	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.
ition	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ristration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																										
	Nov 7.	Nov 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Births registered,	232	236	162	193	194	199	179	173	228	195	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207
*Average Births in corresponding week of previous 10 years,**	184	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204
Deaths registered,	166	157	182	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158
Annual Death-rate per 1,000,	22·8	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7
*Average Deaths in corresponding week of previous 10 years,**	174	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184
Ages, Under 5 years,	45	48	49	64	66	55	49	43	69	68	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48
5—20 "	10	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16
20—40 "	21	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13
40—60 "	50	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39
60—80 "	32	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	30	52	45	37	43	37
80 years and upwards,	8	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2
" Scarlet Fever	.	1	.	.	2	.	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.
" Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	.	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3
" Diphtheria,	.	.	2	1	2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1
" Simple Continued Fever,	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
" Enteric Fever,	1	3	2	5	2	1	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1
" Diarrhœal Diseases,	1	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1
" Phthisis.	26	16	20	28	23	22	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19
" Diseases of Heart and Blood Vessels,	23	32	27	36	33	24	34	19	7	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18
" Diseases of Respiratory System,	36	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44
Violent Deaths,	2	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2
Mean Temperature of the Air (Phœnix Park),	48·9	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9
Average Mean Temperature in corresponding week of previous 10 years,	47·1	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·5	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6
Rainfall in inches,	·208	·898	·070	1·153	·448	1·008	·245	·290	·085	1·515	·546	·135	·280	1·360	·565	·743	·638	·226	·745	·625	·268	·755	·788	·035	·068	·150
Mean Humidity of the Air, complete Saturation 1·0,	·95	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·78	·81	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th April, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 30th April, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	21·9	158	48	16	13	39	37	5	.	2	.	.	3	1	.	1	1	8	19	3	44	2	82
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	35·9	12	.	.	.	5	4	3	.	.	.	.	.	.	.	.	1	1	.	.	3	.	8
II.	MIDDLE CLASS,	87,188	9·6	16	3	2	1	6	4	.	.	.	.	.	.	.	.	.	.	.	3	.	4	1	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	18·9	40	10	8	5	9	7	1	.	.	.	.	1	.	.	.	.	1	8	1	10	.	20
IV.	GENERAL SERVICE CLASS,	154,279	29·3	65	31	5	5	11	12	1	.	2	.	.	2	1	.	1	.	6	5	1	13	1	39
V.	INMATES OF WORKHOUSES,	6,024		25	4	1	2	8	10	.	.	.	.	.	.	.	.	.	.	.	3	1	14	.	7
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	66·9	10	.	.	.	5	4	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	8
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	2	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1	5
	6. Clerks and Commercial Assistants,	30,432	1·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	9. Building and Furnishing Trades,	29,801	19·2	11	2	4	.	3	2	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.	5
	10. Clothing Trades,	28,260	18·5	6	2	2	1	1	.	.	.	.	.	.	1	.	.	.	.	1	2	.	2	.	1
	11. Food Supply Trades,	9,242	16·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	22·3	13	3	1	4	2	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	10
	13. Petty Shopkeepers,	7,894	33·0	5	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	3
	15. Domestic Servants,	36,603	10·0	7	3	.	1	1	1	1	.	.	.	.	.	.	.	1	.	1	1	.	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	3	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	5
	17. Hawkers, Porters, Labourers, &c.,	89,361	26·1	45	22	4	3	8	8	.	.	2	.	.	1	1	.	.	.	4	4	1	9	1	26
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	25	4	1	2	8	10	.	.	.	.	.	.	.	.	.	.	.	3	1	14	.	7

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidents, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Mar. 12,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	1	.
	„ 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
	„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
	„ 9,	28·9	.	18	.	.	.	.	.	.	.	.	.	3	8	1
	„ 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
	„ 30,	28·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Mar. 12,	22·6	2·7	17	.	.	.	.	1	.	.	1	.	4	4	.
	„ 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
	„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	5	6	1
	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
	„ 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
	„ 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
	„ 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
	„ 30,	34·6	.	26	.	.	.	.	.	.	.	.	1	3	7	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Mar. 12,	38·1	1·7	22	.	.	.	.	1	.	.	.	.	4	8	.
	„ 19,	19·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
	„ 26,	43·3	3·5	25	.	.	.	.	1	.	.	.	1	5	9	1
	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	8	.
	„ 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
	„ 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
	„ 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Mar. 12,	29·6	3·3	18	.	.	1	.	1	.	.	.	.	.	3	.
	„ 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
	„ 26,	36·2	6·6	23	.	4	.	.	.	.	.	.	.	2	4	.
	April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
	„ 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
	„ 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
	„ 23,	36·2	3·3	23	.	2	.	.	.	.	.	.	.	5	.	.
	„ 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Mar. 12,	31·2	1·4	23	.	.	.	.	.	.	.	.	1	3	5	.
	„ 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
	„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
	„ 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
	„ 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
	„ 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
	„ 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Mar. 12,	42·8	.	15	.	.	.	.	.	.	.	.	.	3	.	1
	„ 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
	„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
	„ 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
	„ 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Mar. 12,	29·8	1·2	24	.	.	.	.	.	.	.	1	.	2	5	1
	„ 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	3	6	1
	„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	2	4	.
	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
	„ 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
	„ 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
	„ 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
	„ 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est. 35,188	Mar. 12,	38·6	3·0	26	.	.	.	.	1	.	.	1	.	4	5	1
	„ 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
	„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
	„ 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
	„ 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
	„ 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
	„ 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13.	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Mar. 12,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	,, 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	,, 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	,, 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	,, 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	,, 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	,, 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Mar. 12,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	2	3	.
	,, 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	,, 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	,, 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	,, 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	,, 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	,, 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Mar. 12,	26·7	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	,, 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	,, 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	,, 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	,, 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	,, 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	,, 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	Mar. 12,	22·4	2·5	154	.	3	.	.	9	3	.	2	.	26	40	6
	,, 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	,, 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	,, 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	,, 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
	,, 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
	,, 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
Cork. Pop. (in 1901) 76,122.	Mar. 12,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	4	.
	,, 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	,, 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	,, 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	,, 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	,, 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	,, 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
Londonderry. Pop. in 1904 (Est.) 41,397	Mar. 12,	27·7	3·8	22	.	.	1	.	.	1	.	1	.	4	6	.
	,, 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	,, 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	,, 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
	,, 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	,, 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	,, 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
Limerick. Pop. (in 1901) 38,151.	Mar. 12,	24·6	1·4	18	.	.	.	.	1	.	.	.	.	3	5	.
	,, 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	,, 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	,, 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	,, 16,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	,, 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	,, 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
Waterford. Pop. (in 1901) 26,769	Mar. 12,	31·2	.	16	.	.	.	.	.	.	.	.	.	3	5	1
	,, 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	,, 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	,, 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	,, 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	,, 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	,, 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th April, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	9	17·7	3·5	5	2	.	3	.	.	.	.	.	1	.	.	.	.	1	1	.	2	.
Do. 2 "	47,959	26	17·4	.	16	1	2	10	3	.	.	.	.	.	.	.	.	.	4	2	.	.	1
Do. 3 "	47,214	29	23·2	6·6	21	5	2	10	4	.	.	.	.	5	1	.	.	.	5	8	.	.	1
Do. 4 "	40,911	45	30·6	3·3	24	6	3	10	5	.	.	.	.	2	.	.	.	1	4	9	.	1	6
Do. 5 "	17,387	7	12·0	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3
Do. 6 "	48,122	29	17·3	2·2	16	2	1	11	2	.	.	.	.	1	.	.	.	1	4	.	.	.	5
Do 7 "	1,524	3	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 "	5,060	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	7	26·6	5·3	10	1	2	4	3	.	.	.	.	2	.	.	.	.	.	1	.	.	1
Do. 10 "	23,064	19	15·8	2·3	7	2	.	3	2	.	.	.	.	1	.	.	.	.	1	3	.	.	.
Do. 11 "	34,862	22	27·0	4·5	18	5	2	9	2	.	2	.	.	.	.	.	.	1	6	4	.	1	3
Do. 12 "	33,588	31	23·3	3·1	15	7	6	2	.	.	.	1	.	1	.	.	.	.	1	3	3	2	2
Do. 13 "	15,006	18	10·4	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	245	21·1	3·0	141	32	20	67	22	.	2	1	.	13	1	.	.	3	27	28	2	7	24
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	2	20·3	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	5
Do. 2 "	10,701	13	24·4	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 3 "	9,978	9	20·9	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Do. 4 "	8,666	3	24·1	.	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 5 "	6,592	3	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 6 "	10,702	3	14·6	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 7 "	16,616	7	22·0	.	7	.	.	6	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1
Total,	76,122	40	19·9	.	29	5	2	19	3	.	.	.	.	.	.	.	.	.	9	5	.	.	10

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered,	212	193	221	206	234	204	187	128	252	226	213	215	188	190	201	209	263	226	207	212	261	182	244	271	233	245
DEATHS registered.	124	113	138	120	163	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141
Annual Death-rate per 1,000 of estimated Population,	18·0	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5
AGES, Under 1 year,	32	29	34	32	40	35	39	42	54	51	46	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32
AGES, 1–5 years,	12	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20
AGES, 5–60 years,	65	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67
AGES, 60 years and upwards,	15	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2
" Scarlet Fever,	.	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
" Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Whooping cough,	7	2	1	11	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13
" Diphtheria,	.	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.	1	.	.	3	2	1
" Simple Continued Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.
" Enteric Fever,	6	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.
" Diarrhœal Diseases,	3	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3
" Phthisis	21	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27
" Diseases of Respiratory System,	25	29	29	33	50	43	70	50	60	79	82	39	48	43	58	54	47	47	40	79	52	51	42	59	42	28
Violent Deaths,	4	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th April, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus Fever.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	1	.	1	2	.	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	2	.	.	2	.	11	5	3	.	.	23
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	1	11	.	.	13
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	1	.	.	1	.	.	.	1	.	.	3
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	3	.	.	4
Total,	.	.	.	5	.	.	5	.	12	10	20	.	.	52

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th April, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th April.			
	April 9.	April 16.	April 23.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	28	27	15	7	2	1	19
Scarlet Fever,	58	57	56	6	8	.	54*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	21	23	21	5	5	1	20
Enteric Fever,	28	26	23	8	1	2	28
Pneumonia,	22	31	22	3	9	.	16

*Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 24 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Apr. 30,	2,733	1,392	15·6	3	66	10	14	42	3	15
EDINBURGH,	331,977	„ 30,	159	123	19·3	.	1	.	1	6	.	1
GLASGOW,	798,357	„ 30,	528	302	19·7	3	10	2	5	5	2	8
CALCUTTA,	847,796	Feb. 27,	.	581	35·6	5	4	.	2	.	103‡	93*
BOMBAY,	776,006	Mar. 29,	300	1,531	102·6	23	13	.	.	.	45‡	42
MADRAS,	509,346	„ 12,	338	441	45·0	.	4	?	?	?	119	111*
PARIS,	2,660,559	Apr. 16,	1,060	1,059	20·6	1	21	1	7†	11	10	23
BRUSSELS (with 8 Faubourgs).	575,896	„ 9,	239	167	15·1	2	.	.	.	1	1	10
AMSTERDAM,	548,224	„ 9,	278	187	17·8	.	28	1	.	.	.	5
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Apr. 9,	249	160	20·3	.	1	.	.	4	.	8
CHRISTIANIA,	225,709	„ 16,	134	49	11·3	.	.	.	.	.	.	1
ST. PETERSBURG,	1,248,122	„ 16,	862	848	35·4	1	18	10	13	7	10	81
BERLIN,	1,960,909	„ 2,	875	728	19·4	.	5	6	7†	11	1	27
HAMBURG,	751,842	„ 9,	.	258	17·8	.	.	1	6†	5	.	1
DRESDEN,	407,500	—	.	.	.	.	.	.	.	.	.	.
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Apr. 16,	.	234	23·4	.	6	.	3†	7	1	17
VIENNA (with suburbs).	1,779,869	„ 16,	952	757	21·9	.	45	3	11†	2	.	40
BUDA-PESTH,	813,399	„ 16,	544	343	21·9	.	11	7	5†	1	.	12
PRAGUE and Faubourgs.	423,218	„ 9,	192	205	25·2	.	1	.	1†	3	6	18
ROME,	496,201	Jan. 23,	270	219	23·0	.	3	.	.	2	9	5
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Mar. 19,	57	79	24·8	.	.	.	1†	1	.	2
NEW YORK,	3,838,024	Apr. 2,	1,338	1,668	22·7	.	28	30	39†	5	14	42
PHILADELPHIA,	1,408,154	Mar. 26,	.	585	21·6	8	16	5	12†	1	18	30

* Including 34 deaths from cholera in Calcutta and 14 in Madras.
† Including deaths from croup.
‡ Exclusive of 120 deaths from bubonic fever in Calcutta, and 972 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th April, 1904:—

"Somewhat changeable, but generally favourable weather prevailed during this week, in the course of which spring advanced quickly and vegetation went on apace. The distribution of atmospheric pressure was for the most part cyclonic both in the far North and over the Mediterranean Sea, whereas the barometer stood highest over the Bay of Biscay and high over Central Europe. On Sunday a deep baric depression passed eastwards along the north coast of Scotland, producing strong and squally S.W. to N.W. winds, showers in several districts, and a considerable fall of temperature as its centre passed the meridian. Monday was particularly cold in Scotland—hail, sleet or snow falling at several Scottish stations, at which also the thermometer fell to 34° by night. In Dublin the air was very dry and searching on the same day, the relative humidity at 9 a.m. being only 53 per cent. Some showers fell on Tuesday, when also temperature remained low. Wednesday brought warmer weather, so that the thermometer rose to 62·0° in the screen. On Thursday a depression arrived off the N.W. of Ireland, but it passed away towards Scotland afterwards causing clouded skies and a slight rainfall. It was followed by another disturbance on Friday evening, when rain fell heavily for a short time. But the week closed with brilliant weather on Saturday. In Dublin the mean height of the barometer was 30·026 inches, the range being from 30·276 inches at 9 a.m. of Monday (wind, N.N.W.) to 29·720 inches at 9 p.m. of Friday (wind, S.W.). The corrected mean temperature was 51·1°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 49·8°. On Monday the screened thermometers fell to 39·8°, on Wednesday they rose to 62·0° and on Friday to 61·9°. The duration of bright sunshine was estimated at 33¼ hours, 10 of which fell on Saturday. N.W. and W.S.W. winds predominated. The rainfall was ·121 inch on four days, ·070 inch falling on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·027 inches. The highest reading (30·292) was on Monday at 9 a.m., wind N.W., and the lowest (29·737) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 48·9°, being 0·3 over the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 60·7°, and was lowest on Monday, the mercury having fallen to 36·0° The mean of the Dry Bulb for the week was 48·1°, and of the Wet Bulb 45·3°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·7 hours. The rainfall during the week measured ·150 inch.

At Greenwich the mean temperature for the week was 49·6°, the maximum 60·9°, and the minimum 33·8°; at Glasgow the maximum was 55·7°, the minimum 37·0°, and the mean 47·4°; and at Edinburgh the maximum was 55·4°, the minimum 36·0°, and the mean 46·9°. The rainfall at Greenwich measured 0·05 inch; at Glasgow 0·47 inch; and at Edinburgh 0·06 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, April 24,	30·155	57·8	42·9	50·4	48·9	45·1	·75	·5	4·2	—	W.S.W.	W.N.W.
Monday, „ 25,	30·289	49·8	36·0	42·9	43·4	41·1	·83	·2	4·7	—	N.W.	W.
Tuesday, „ 26,	30·140	52·4	39·1	45·8	46·0	43·2	·81	·5	3·7	·015	W.	W.
Wednesday, „ 27,	30·073	60·1	38·8	49·5	49·1	47·2	·87	·8	2·9	·015	W.	W.S.W.
Thursday, „ 28,	29·881	55·3	46·5	50·9	51·1	48·4	·82	·3	0·0	·015	S.W.	S.W.
Friday, „ 29,	29·788	60·7	48·4	54·6	52·7	50·1	·83	·7	4·0	·105	W.S.W.	W.
Saturday, „ 30,	29·862	53·9	42·2	48·1	45·9	42·1	·74	·4	11·2	—	W.	S.W.
Mean, . .	30·027	55·7	42·0	48·9	48·2	45·3	·81	·5	Total 30·7	·150	Prevailing Wind, W.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night cloudy. *Tuesday*—A cloudy day, showers; night clear, lunar halo observed. *Wednesday*—Overcast, showers a.m. cloudy, fine p.m.; night cloudy. *Thursday*—Day overcast, showers; night cloudy. *Friday*—A cloudy day; night overcast and wet p.m., cloudy, showers a.m. *Saturday*—A fine day; night clear

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 7TH MAY, 1904. [No. 18.

General Register Office, Charlemont House, Dublin, 9th May, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 16.	April 23.	April 30.	May 7.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 16.	April 23.	April 30.	May 7.	Average Rate for 4 weeks.
22 Town Dists.	24·4	21·7	20·1	21·8	22·0	Lisburn, . .	36·4	40·9	22·7	9·1	27·3
Armagh, . .	13·7	20·6	13·7	20·6	17·2	Londonderry .	17·6	12·6	25·2	16·4	18·0
Ballymena, .	14·4	4·8	9·6	28·7	14·4	Lurgan, . .	31·0	8·9	22·1	26·6	22·2
Belfast, . .	26·9	20·8	20·5	23·1	22·8	Newry, . .	12·6	25·2	16·8	25·2	20·0
Clonmel, . .	30·8	.	35·9	15·4	20·5	Newtownards, .	11·4	22·9	17·2	11·4	15·7
Cork, . . .	24·7	24·7	19·9	21·9	22·8	Portadown, .	10·3	20·7	15·5	10·3	14·2
Drogheda, . .	16·3	20·4	12·3	20·4	17·4	Queenstown, .	19·8	33·0	13·2	26·4	23·1
Dublin Reg. Area,	24·4	23·3	20·8	23·1	22·9	Sligo, . . .	9·6	.	.	9·6	4·8
Dundalk, . .	19·9	16·0	16·0	19·9	18·0	Tralee, . .	21·1	.	5·3	15·9	10·6
Galway, . .	73·8	50·5	15·5	27·2	41·8	Waterford, .	31·2	25·3	19·5	21·4	24·4
Kilkenny, . .	4·9	14·7	24·6	9·8	13·5	Wexford, . .	9·3	28·0	14·0	32·7	21·0
Limerick, . .	13·7	26·0	23·2	12·3	18·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·6 in Queenstown. Among the 159 deaths from all causes registered in Belfast are 11 from whooping-cough, 2 from enteric fever, and 5 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 251—125 boys and 126 girls; and the deaths to 178—87 males and 91 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·5 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 23·1 per 1,000. During the eighteen weeks ending with Saturday last the death-rate averaged 28·2, and was 1·7 below the mean rate for the corresponding portions of the ten years 1894–1903.

The total deaths (178) registered include 4 from measles, one from influenza, 11 from whooping-cough, 2 from enteric fever, and one death from *diarrhœa;* in the 3 weeks

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

preceding deaths from measles were 4, 3, and 2 respectively, and the deaths from whooping-cough numbered 11, 5, and 3. There was not one death registered during the week from small-pox, scarlet fever, typhus, or diphtheria.

The deaths attributed to tuberculous disease numbered 34, namely—5 from tuberculous phthisis, 17 from *phthisis*, 2 from tuberculous meningitis, 3 from tuberculous peritonitis, and 7 deaths from other forms of the disease.

Lobar pneumonia caused one death, and 8 deaths were due to broncho-pneumonia, an equal number being caused by *pneumonia*.

One death from carcinoma and 3 deaths from *cancer*, *malignant disease*, were recorded.

Of 14 deaths due to diseases of the brain and nervous system, 7 (all of infants under one year) were ascribed to *convulsions*.

Thirty-one deaths, including 9 deaths from *apoplexy*, *hemiplegia*, were referred to diseases of the heart and blood-vessels.

Bronchitis caused 15 deaths.

Five deaths were due to accidental causes; one of these, that of a child 3 years of age, was caused by accidental burns.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (of whom 2 were infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 10 were under one month old), and 40 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 100 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·1 per 1,000, the rate in the City was 24·3 (North City Districts, 27·3; South, 21·2), and in the Suburbs, 18·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·5 (3·1 in the North City Districts, and 1·8 in the South), and for the Suburbs, 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. The deaths include one from measles, 3 from tuberculous disease, one from broncho-pneumonia, 2 from bronchitis, and one death from accidental violence.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. There was one death from enteric fever, *phthisis* caused 2 deaths, there were 3 deaths from broncho-pneumonia, one death from *pneumonia*, and one death was due to burns.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Measles caused 2 deaths, and tuberculous disease caused 7 deaths; there were 2 deaths from bronchitis, and one death from accidental violence was registered.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. Measles and whooping-cough each caused one death, tuberculosis caused 2 deaths, and one death from *pneumonia* occurred.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 23·5. The deaths from certain epidemic diseases tabulated for these districts comprise 1 from whooping-cough for Clontarf and Howth, No. 1, part of, and 2 from the same disease for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·5 per 1,000. Three deaths from whooping-cough, 5 deaths from tuberculous disease, one death from broncho-pneumonia, one death from bronchitis, and one accidental death are included in the total number registered.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000. One death was due to influenza, tuberculous disease caused 3 deaths, and bronchitis caused 3 deaths.

No. 3 South City District (Peter-street).—The deaths (8) are equal to an annual rate of 9·9 per 1,000. *Phthisis*, tuberculous meningitis, and broncho-pneumonia each caused one death.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Whooping-cough, *phthisis*, and *pneumonia*, each caused 2 deaths, and one death from bronchitis was registered; one death was due to accidental violence.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 18·0; Blackrock, 11·9; and Kingstown, 17·8. The deaths from certain epidemic diseases tabulated for these districts comprise one from *diarrhœa* for Rathmines and Rathgar, and 2 from whooping-cough and 1 from enteric fever for Pembroke. Of the 14 deaths from all causes tabulated for Rathmines and Rathgar there were 2 from tuberculous disease, and one each from lobar pneumonia, broncho-pneumonia, and *pneumonia*. Of the 9 deaths from all causes tabulated for Pembroke 2 were from *phthisis*, and one from *pneumonia*. The 6 deaths from all causes tabulated for Kingstown include one from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 7th May, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Apr. 16,	.	.	.	4	.	.	3	.	2	6	8	.	.	.	23
	Apr. 23,	.	4	.	3	.	.	8	.	2	7	19	.	.	.	43
	Apr. 30,	.	.	.	5	.	.	5	.	12	10	20	.	.	.	52
	May 7,	.	.	.	6	.	.	3	.	.	18	9	.	.	1	37
Rathmines and Rathgar Urban District.	Apr. 16,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	Apr. 23,	.	.	.	2	.	.	1	.	.	.	.	.	.	.	3
	Apr. 30,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	3
	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District.	Apr. 16,	.	.	.	1	.	.	.	.	.	1	.	.	.	28	30
	Apr. 23,	.	1	.	.	.	.	.	.	.	1	.	.	.	32	34
	Apr. 30,	.	.	.	1	.	.	.	.	.	.	.	.	.	19	20
	May 7,	.	.	.	3	.	.	.	.	.	1	1	.	.	31	36
Blackrock Urban District.	Apr. 16,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Apr. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 7,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	Apr. 16,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	Apr. 23,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 7,	.	.	.	1	.	.	1	.	.	.	1	.	.	.	3
City of Belfast.	Apr. 16,	3	–	.	13	.	.	.	1	5	4	17	.	.	.	43
	Apr. 23,	.	–	.	11	1	.	12	.	7	5	8	1	.	.	45
	Apr. 30,	.	–	.	16	.	.	9	.	5	18	7	.	.	.	55
	May 7,	2	–	.	11	4	.	6	3	11	7	8	.	.	.	52

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th May, 1904.

From this it appears that:—

Five cases of measles were admitted to hospital during the week, 10 were discharged, there was one death, and 13 patients remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 5 cases were discharged, and 59* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, and 22 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 2 cases were discharged, and 32 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 6 patients were discharged, there was one death, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·9), was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 20·1, and for Edinburgh 14·8.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th May, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 7th May, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS	1,098,289	19·2	33·6	21·8	1·9	705	457	97	99	.	4	.	.	24	.	1	4	6	72	99	11	21	132
DUBLIN REGISTRATION AREA:— TOTAL,‡	878,994	27·5	34·5	23·1	2·5	251	168	38	37	.	4	.	.	11	.	.	2	1	20	32	5	8	57
CITY OF DUBLIN	298,385	37·1	37·9	24·8	2·5	213	137	32	25	.	4	.	.	9	.	.	1	.	16	24	5	7	53
Urban Districts. RATHMINES AND RATHGAR.	33,208	19·4	12·6	22·0	1·6	8	14	2	7	.	.	.	.	.	.	.	.	1	1	4	.	.	2
PEMBROKE,	26,025	16·4	18·0	18·0	6·0	9	9	3	.	.	.	.	.	2	.	.	1	.	2	1	.	.	1
BLACKROCK,	8,759	8·1	59·5	11·9	.	10	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
KINGSTOWN,	17,622	12·1	32·5	17·8	.	11	6	1	4	.	.	.	.	.	.	.	.	.	.	3	.	1	1
URBAN DISTRICTS.																							
BELFAST,	358,680	24·4	33·6	23·1	2·6	231	159	39	27	.	.	.	.	11	.	.	2	5	25	37	3	8	49
CORK,	76,122	33·6	21·9	21·9	.	32	32	6	6	.	.	.	.	.	.	.	.	.	6	9	1	1	5
LONDONDERRY,	41,397	19·1	26·5	16·4	.	21	18	2	3	.	.	.	.	.	.	.	.	.	3	5	.	.	2
LIMERICK,	38,151	18·1	72·4	12·3	.	53	9	2	2	.	.	.	.	.	.	.	.	.	1	2	.	.	3
WATERFORD,	26,769	18·7	21·4	21·4	.	11	11	2	1	.	.	.	.	.	.	.	.	.	3	2	.	.	4
GALWAY,	18,426	2·5	15·5	27·2	3·9	4	7	.	5	.	.	.	.	.	.	1	.	.	.	1	1	1	3
DUNDALK,	18,076	3·4	43·9	19·9	.	11	5	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
DROGHEDA,	12,760	8·6	36·8	20·4	.	9	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	4
NEWRY,	12,405	17·8	16·8	25·2	.	4	6	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.
LURGAN,	11,782	13·8	35·4	26·6	.	8	6	2	1	.	.	.	.	.	.	.	.	.	3	.	1	1	.
LISBURN,	11,461	10·1	36·4	9·1	4·5	8	2	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
WEXFORD,	11,168	23·2	32·7	32·7	.	7	7	1	2	.	.	.	.	.	.	.	.	.	2	4	.	.	2
BALLYMENA,	10,886	8·9	38·3	28·7	.	8	6	.	2	.	.	.	.	.	.	.	.	.	4	.	.	.	1
SLIGO,	10,870	8·7	38·4	9·6	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
KILKENNY,	10,609	11·5	19·7	9·8	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
CLONMEL,	10,167	7·8	5·1	15·4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	46·5	10·8	.	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,867	16·6	42·3	15·9	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	17·2	11·4	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
QUEENSTOWN,	7,909	14·4	52·7	26·4	6·6	8	4	.	1	.	.	.	.	1	.	.	.	.	1	1	.	.	.
ARMAGH,	7,588	22·2	41·2	20·6	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TOWNS AND DISTRICTS.	Meteorology.† Week ending 7th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 22 TOWN DISTRICTS	°	°	°	.	°	°	°	.	°	°	°	.
DUBLIN REGISTRATION AREA:— TOTAL,‡	§57·8	34·9	46·7	0·71	§60·7	36·0	48·9	0·15	§56·7	32·1	46·0	0·07
CITY OF DUBLIN	a61·8 b59·0	39·6 35·0	49·0 47·2	1·09 1·03	a62·0 b62·6	39·8 37·0	51·1 49·7	0·12 0·15	a59·8 b58·8	35·7 32·0	48·6 46·8	0·09 0·09
Urban Districts. RATHMINES AND RATHGAR.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	60·2	41·5	49·5	1·31	62·2	40·5	51·6	0·04	58·7	38·5	48·7	0·09
URBAN DISTRICTS.												
BELFAST,	57·0	36·5	47·7	0·66	56·0	38·0	47·8	0·41	59·1	31·5	47·1	0·45
CORK,	54	43	48·1	0·93	58	41	49·8	0·32	58	40	48·2	0·28
LONDONDERRY,	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	58	38	48·6	0·43	57	38	48·4	0·21	56	35	46	0·49
DUNDALK,	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	56·1	37·7	47·3	0·66	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25
LURGAN,	56·1	37·7	47·3	0·66	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25
LISBURN,	56·1	37·7	47·3	0·66	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25
WEXFORD,	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	55·4	32·8	46·6	1·48	60·4	39·2	48·9	0·46	60·0	32·5	46·7	0·65
KILKENNY,	58	35	46·6	1·80	62	39	49·1	0·25	61	34	47·7	0·07
CLONMEL,	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	56·1	37·7	47·3	0·66	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25
NEWTOWNARDS,	.	.	.	.	.	.	.	.	.	.	.	.
QUEENSTOWN,	55	39	46·7	0·65	57	37	47·8	0·41	53	36	46·9	0·18
ARMAGH,	54	43	48·1	0·93	58	41	49·8	0·32	58	40	48·2	0·28
	56·1	37·7	47·3	0·66	56·7	39·0	48·7	0·22	61·0	33·0	47·7	0·25

* According to the Census of 1901 but in the cases of the Districts comprising the Dublin Registration Area, and or the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings of the nearest Meteorological Stations are given.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 7th of May, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.											Urban District of				Total for Dublin Registration Area.	
	Registration Districts in																
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District									
	North City No. 1E.	North City No 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.	
General Diseases:																	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	1	2	.	3	.	.	2	.	.	2	.	.	11	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Phthisis,	2	2	2	2	.	.	.	3	2	1	2	.	1	2	1	.	20	2
Other General Diseases,	1	1	5	2	1	.	.	4	3	3	2	.	2	.	.	.	24	4
Total,	4	4	9	6	2	2	.	10	5	4	6	.	4	5	1	.	62	6
B. Local Diseases:																		
Diseases of: Nervous System	1	1	3	2	.	.	.	2	.	.	2	.	.	2	.	.	13	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	4	2	1	.	.	2	4	2	3	3	2	3	1	1	1	30	1
Respiratory System,	3	9	2	1	.	.	.	2	3	1	3	.	4	1	.	3	32	2
Digestive System,	1	1	.	1	1	2	.	1	.	.	1	.	1	.	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	1	.	.	1	1	1	.	.	.	.	1	.	.	1	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	15	8	5	1	3	3	10	5	4	9	2	9	4	1	5	92	4
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	2	4	.	.	.	.	.	.	1	.	.	.	1	.	.	1	9	.
E Violent Deaths,	1	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	5	.
Deaths from all Causes,	15	24	18	11	3	5	3	21	11	8	16	2	14	9	2	6	168	10
Annual Rate of Mortality in every 1,000 of the population	27·6	32·0	31·2	18·1	32·5	26·0	23·5	28·5	31·4	9·9	23·7	11·7	22·0	18·0	11·9	17·8	23·1	.
	27·3							21·2					18·9					
	24·3																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	4	4	1	5	.	2	.	1	3	2	5	1	2	1	.	1	32	8
Workhouse Hospitals,	5	5	3	1	.	.	.	7	3	1	.	.	.	.	.	.	25	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1894–1903.	In the Week ending Satu 7th May, 1904. Deaths of Persons of the A					
	May 5, 1894.	May 4, 1895.	May 2, 1896.	May 8, 1897.	May 7, 1898.	May 6, 1899.	May 5, 1900.	May 4, 1901.	May 3, 1902.	May 9, 1903.		ALL AGES.	0 to 5.			5 and under 20.	20 and under 40.
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.		
Mean Temperature.	° 48·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 46·3	° 46·9	° 47·0	° 47·2	° 46·7					
ALL CAUSES.	165	183	159	226	164	166	204	183	191	192	183·3	178	10	28	19	13	32
Small-pox, Vaccinated,	.	1	.	.	.	.	.	.	.	3	·4	.	.	.	.	.	.
Small-pox, Unvaccinated,	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	.	8	.	.	.	.	3	.	1·4	4	.	3	1	.	.
Scarlet Fever	.	.	6	4	1	.	.	.	.	2	1·3	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	8	1	5	4	8	3	5	2	3	4·1	1	.	.	.	.	.
Whooping Cough,	3	4	2	16	3	4	4	9	3	4	5·2	11	.	6	5	.	.
Diphtheria,	.	1	.	2	1	1	.	1	2	1	·9	.	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	3	.	1	2	3	2	6	2	1	3	2·3	2	.	.	.	1	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	.	.	3	3	1	1	1	2	. / 1	. / 1	1·3	. / 1	.	.	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	1	.	1	3	1	.	.	.	2	1	·9	1	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	1	.	.	. / . / .	·1	. / . / .	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	.	1	.	.	1	1	1	·5	1	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	1	.	.	.	.	1	2	.	.	. / .	·4	. / .	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	19	26	28	31	21	18	29	29	4 / 21	3 / 24	25·3	5 / 17	.	.	.	1	5
Tuberculous Meningitis, (Acute Hydrocephalus).	2	4	2	7	5	4	2	3	3	3	3·5	2	.	.	.	2	.
Tuberculous Peritonitis, Tabes Mesenterica,	2	5	3	5	1	6	6	4	1 / 3	1 / .	3·7	3 / .	.	.	.	2	.
Tuberculous Dis. (other), *Scrofula*,	4	5	6	5	2	7	4	6	3 / .	6 / .	4·8	7 / .	.	1	3	.	.
Alcoholism,	2	3	1	.	.	1	1	.	1	2	1·1	.	.	.	.	.	.
Rheumatic Fever,	1	.	2	2	2	.	1	1	1	.	1·0	1	.	1	.	.	.
Gout,	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.

* The figures for the years 1894–1900

TEENTH WEEK ending Saturday, 7th May, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 5, 1894.	May 4, 1895.	May 2, 1896.	May 8, 1897.	May 7, 1898.	May 6, 1899.	May 5, 1900.	May 4, 1901.	May 3, 1902.	May 9, 1903.	Averages in 13th Week of the 10 years 1894–1903.	In the Week ending Saturday, 7th May, 1904. Deaths of Persons of the Ages of: ALL AGES.	Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 48·7	° 47·0	° 47·3	° 46·8	° 47·9	° 45·3	° 48·6	° 46·3	° 46·9	° 47·0	° 47·2	Mean Temp. ° 46·7								
ma	5	3	4	7	6	7	4	8	1	1	5·7	1	.	.	.	.	.	1	.	.
a									1	.		.	.	.	.	.	.	.	.	.
Malignant Disease ...									6	5		3	.	.	.	.	.	2	1	.
s Mellitus	.	.	.	.	.	.	.	.	2	.	·2	1	.	.	.	.	.	.	1	.
ure Birth	2	2	1	2	8	1	2	3	3	4	2·8	5	4	1	.	.	.	.	.	.
itis (not tuberc.)									9	2		3	.	1	1	.	1	.	.	.
y, G. P. of Insane									.	1		3	.	.	.	.	2	1	.	.
y									1	2		.	.	.	.	.	.	.	.	.
ions									6	8		7	1	6	.	.	.	.	.	.
tor Ataxy									.	.		.	.	.	.	.	.	.	.	.
gia Dis. of Cord									.	2		1	.	.	.	.	.	1	.	.
s System (other Dis.) ...	35	33	38	34	26	25	57	36	6	4	38·1	.	.	.	.	.	.	.	.	.
is., Endocarditis									2	6		5	.	.	1	.	.	3	1	.
Hæm. Thromb.									4	2		1	.	.	.	.	.	.	1	.
y, Hemiplegia									6	5		9	.	.	.	.	1	3	3	2
sm									1	1		.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.									14	15		16	2	.	.	3	1	5	5	.
not Spasm. or Memb.) ...	1	.	.	1	.	.	.	2	1	2	·7	.	.	.	.	.	.	.	.	.
itis	18	28	11	22	27	24	19	25	14	16	20·4	15	.	.	3	.	.	5	7	.
us Pneumonia									1	1		1	.	.	.	.	.	.	1	.
o-Pneumonia	7	13	6	18	14	16	10	11	2	2	12·1	8	.	5	1	.	1	1	.	.
onia"									10	10		8	.	.	.	2	4	1	1	.
, Emphysema									2	3		.	.	.	.	.	.	.	.	.
y	4	2	2	3	.	.	.	2	.	.	2·1	1	.	.	.	.	.	.	1	.
tory Dis. (other)									2	1		1	.	.	1	.	.	.	.	.
tis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
a (not Epid.)	1	.	.	3	.	.	1	.	.	.	·8	2	.	1	1	.	.	.	.	.
Enteritis									2	1		.	.	.	.	.	.	.	.	.
itis (not Puerp.)	.	1	.	3	.	1	1	.	.	1	·7	2	.	.	.	.	.	2	.	.
is of Liver	1	4	3	3	2	3	1	5	.	1	2·9	.	.	.	.	.	.	.	.	.
is. (other)									3	3		2	.	.	.	.	2	.	.	.
e Dis. (other)	3	3	6	2	4	1	5	6	9	5	4·4	3	1	.	.	.	2	.	.	.
is, Acute									3	1		.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	4	8	6	2	3	6	6	6	1	4	5·0	5	.	.	.	.	.	2	3	.
Sys. (Other Dis.) ...									.	.		2	.	.	.	.	.	2	.	.
ive Organs Dis.	1	.	.	.	2	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
rth (Accid. of)	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
... ...	16	8	6	10	9	11	16	5	8	3	9·2	5	.	.	.	.	.	.	2	3
Diseases	19	16	13	20	16	12	16	9	13	15	14·9	7	1	3	1	.	.	.	2	.
ACCIDENT.																				
ways	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
icles and Horses	.	1	.	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
owning)																				
ling Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	.	.	1	1	.	3	.	2	1	·9	1	.	.	1	.	.	.	.	.
wning	.	2	2	1	.	1	.	.	1	.	·7	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	.	4	.	.	3	2	1	2	1	1·4	2	1	.	.	.	.	.	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																										
	Nov. 14.	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Births registered,	236	162	193	194	199	179	173	228	195	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251
*Average Births in corresponding week of previous 10 years,**	186	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239
Deaths registered,	157	182	188	207	186	193	153	240	208	216	195	196	223	207	223	206	201	213	213	235	219	226	186	178	158	178
Annual Death-rate per 1,000,	21·6	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5
*Average Deaths in corresponding week of previous 10 years,**	180	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183
Ages, Under 5 years,	48	49	64	66	55	49	43	69	63	50	55	53	71	33	70	61	51	56	75	67	66	67	58	51	48	57
5—20 ,,	9	13	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13
20—40 ,,	24	31	25	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	18	32
40—60 ,,	27	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36
60—80 ,,	39	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35
80 years and upwards,	10	14	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4
,, Scarlet Fever	1	.	.	2	.	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.
,, Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11
,, Diphtheria,	.	2	1	2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.
,, Simple Continued Fever,		.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
,, Enteric Fever,	3	2	5	2	1	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2
,, Diarrhœal Diseases,	1	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1
,, Phthisis,	16	20	28	23	22	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22
,, Diseases of Heart and Blood Vessels,	32	27	36	38	24	34	19	7	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31
,, Diseases of Respiratory System,	34	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34
Violent Deaths,	4	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5
Mean Temperature of the Air (Phœnix Park),	47·6	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7
Average Mean Temperature in corresponding week of previous 10 years,	45·8	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2
Rainfall in inches,	·898	·070	1·153	·445	1·008	·245	·290	·085	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·713
Mean Humidity of the Air, complete Saturation 1·0,	·89	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·78	·81	·81	·79

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS in the Dublin Registration Area during the Week ending Saturday, 7th May, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	24·7	173	57	13	32	36	35	5	.	4	.	.	11	.	.	2	1	18	22	7	34	5	92
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS,	87,188	20·3	34	10	2	7	4	9	2	.	1	.	.	2	.	.	.	.	2	2	.	6	.	24
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·2	45	15	6	10	7	5	2	.	2	.	.	3	.	.	2	.	6	3	2	8	.	26
IV.	GENERAL SERVICE CLASS,	154,279	30·9	63	28	4	10	17	9	.	.	.	.	.	6	.	.	.	1	9	13	4	11	5	26
V.	INMATES OF WORKHOUSES,	6,024		27	4	1	5	8	8	1	.	1	.	.	.	.	.	.	.	1	4	1	8	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	1	.	.	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
	6. Clerks and Commercial Assistants,	30,432	18·8	11	3	1	6	.	.	1	.	.	.	.	1	.	.	.	.	1	1	.	1	.	8
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	2	1	1	1	6	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	3	1	1	.	.	.	.	1	.	.	.	.	.	.	.	1	1	1	.	.	2
	9. Building and Furnishing Trades,	29,801	24·5	14	7	.	2	3	1	1	.	.	.	.	1	.	.	1	.	2	.	1	3	.	8
	10. Clothing Trades,	23,260	18·5	6	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	11. Food Supply Trades,	9,242	33·9	6	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	4
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	3	3	2	2	1	1	.	.	.	.	2	.	.	1	.	3	.	.	2	.	7
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	15. Domestic Servants,	36,603	11·4	8	1	.	2	4	1	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	32·6	9	3	.	1	3	2	.	.	.	.	.	1	.	.	.	1	2	1	.	1	1	4
	17. Hawkers, Porters, Labourers, &c.,	89,861	28·4	49	24	4	7	9	5	.	.	2	.	.	5	.	.	.	.	7	9	3	7	4	19
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	27	4	1	5	8	8	1	.	1	.	.	.	.	.	.	.	1	4	1	8	.	13

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidents, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (Office, Clarence-street, Nth. Pop. in 1904 (Est.) 28,382.	Mar. 19,	25·8	3·7	14	.	.	.	.	1	.	.	.	1	1	4	.
		„ 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
		April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
		„ 9,	25·9	.	13	.	.	.	.	.	.	.	.	.	3	3	1
		„ 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
		„ 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
		„ 30,	28·9	.	13	.	.	.	.	.	.	.	.	.	2	4	.
		May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1904 (Est.) 39,146.	Mar. 19,	29·3	.	22	.	.	.	.	.	.	.	.	.	6	6	1
		„ 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
		April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
		„ 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
		„ 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
		„ 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
		„ 30,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	3	7	.
		May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1904 (Est.) 30,107.	Mar. 19,	29·4	.	17	.	.	.	.	.	.	.	.	.	2	5	.
		„ 26,	48·3	8·5	25	.	.	.	.	1	.	.	.	1	5	2	1
		April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	3	.
		„ 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
		„ 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
		„ 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
		„ 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	1
	North City, No. 3. (Office, Benburb-street.) Pop. in 1904 (Est.) 31,673.	Mar. 19,	34·6	11·5	21	.	4	.	.	3	.	.	.	.	1	3	1
		„ 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
		April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
		„ 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
		„ 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
		„ 23,	36·2	3·3	22	.	2	.	.	.	.	.	.	.	5	6	.
		„ 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
		May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1904 (Est.) 38,384.	Mar. 19,	21·7	2·7	16	.	.	.	.	2	.	.	.	.	2	6	.
		„ 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
		April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
		„ 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
		„ 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
		„ 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
		„ 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
		May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
	South City, No. 2. (Office, Castle-street.) Pop. in 1904 (Est.) 18,286.	Mar. 19,	37·1	2·9	13	.	.	.	.	.	.	.	1	.	4	3	.
		„ 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
		April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
		„ 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
		„ 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
		„ 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
		„ 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
		May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1904 (Est.) 41,940.	Mar. 19,	27·4	2·5	22	.	.	.	.	1	1	.	.	.	2	6	1
		„ 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	.	4	.
		April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
		„ 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
		„ 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
		„ 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
		„ 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
		May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	South City, No. 4. (Office, Grand Canal-street.) Pop. in 1904 (Est. 35,138	Mar. 19,	26·7	4·5	18	.	.	.	.	3	.	.	.	.	1	2	1
		„ 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
		April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
		„ 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
		„ 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
		„ 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
		„ 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.
		May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Mar. 19,	23·6	1·6	15	.	.	.	.	1	.	.	.	.	.	3	.
	„ 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Mar. 19,	26·0	.	13	.	.	.	.	.	.	.	.	.	3	5	2
	„ 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	„ 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Mar. 19,	29·6	.	10	.	.	.	.	.	.	.	.	.	.	5	.
	„ 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	„ 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	„ 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	„ 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
Belfast. Pop. in 1904 (Est.) 358,680.	Mar. 19,	30·8	2·6	212	.	2	.	.	10	.	1	2	3	33	79	4
	„ 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	„ 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	„ 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
	„ 23,	10·8	1·0	148	.	1	1	.	2	2	.	1	.	31	42	2
	„ 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	.	.	11	.	.	2	5	25	37	3
Cork. Pop. (in 1901) 76,122.	Mar. 19,	32·2	2·7	47	.	.	.	.	3	.	.	.	1	12	11	1
	„ 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	„ 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	„ 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	„ 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
Londonderry. Pop. in 1904 (Est.) 41,397	Mar. 19,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	16·4	1·8	13	.	.	.	.	.	1	.	.	.	1	5	.
	„ 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	„ 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
Limerick. Pop. (in 1901) 38,151.	Mar. 19,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	„ 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	„ 16,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
Waterford. Pop. (in 1901) 26,769	Mar. 19,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	„ 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 7th May, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	12	21·2	7·1	6	.	1	3	2	.	.	.	.	1	.	.	1	.	.	.	.	.	3
Do. 2 "	47,959	21	22·8	1·1	21	5	3	6	7	.	.	.	.	1	.	.	.	.	5	3	.	1	4
Do. 3 "	47,214	36	18·8	2·2	17	3	1	12	1	.	.	.	.	.	.	.	.	2	4	4	.	.	5
Do. 4 "	40,911	27	33·1	7·6	26	9	5	11	1	.	.	.	.	4	.	.	1	1	2	7	1	1	7
Do. 5 "	17,387	9	45·0	3·0	15	2	3	7	3	.	.	.	.	.	.	.	.	1	2	5	.	3	7
Do. 6 "	48,122	17	11·9	1·1	11	1	1	6	3	.	.	.	.	1	.	.	.	.	3	1	.	.	4
Do 7 "	1,524	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 "	5,060	4	51·5	10·3	5	2	.	2	1	.	.	.	.	.	.	.	.	1	1	2	.	.	3
Do. 9 "	19,569	15	16·0	5·3	6	4	.	2	.	.	.	.	.	2	.	.	.	.	.	2	.	.	1
Do. 10 "	28,064	21	29·4	.	13	3	.	7	3	.	.	.	.	.	.	.	.	.	3	4	.	.	4
Do. 11 "	34,802	20	18·0	.	12	2	1	6	3	.	.	.	.	.	.	.	.	.	3	4	.	.	1
Do. 12 "	33,588	35	29·5	3·1	19	5	5	6	3	.	.	.	.	2	.	.	.	.	1	3	2	2	3
Do 13 "	15,006	14	24·3	.	7	3	.	4	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	231	23·7	2·7	159	32	20	73	27	.	.	.	.	11	.	.	2	5	25	37	3	8	49
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	6	20·3	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 2 "	10,701	7	24·4	.	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1
Do. 3 "	9,978	3	26·1	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	1
Do. 4 "	8,666	2	36·1	.	6	1	1	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 5 "	6,592	4	15·8	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. "	10,702	6	14·6	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 7 "	16,616	4	18·3	.	6	.	1	5	.	.	.	.	.	.	.	.	.	.	2	.	1	1	1
Total,	76,122	32	21·9	.	32	6	4	16	6	.	.	.	.	.	.	.	.	.	6	9	1	1	5

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered,	193	221	206	234	204	187	123	252	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271	233	245	231
DEATHS registered.	113	138	120	163	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159
Annual Death-rate per 1,000 of estimated Population,	16·4	20·1	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1
AGES, Under 1 year,	29	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39
AGES, 1-5 years,	12	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20
AGES, 5-60 years,	46	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73
AGES, 60 years and upwards,	26	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.
" Scarlet Fever,	.	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
" Typhus,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Whooping cough,	2	1	11	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11
" Diphtheria,	.	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.		.	.	3	2	1	.
" Simple Continued Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.
" Enteric Fever,	1	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2
" Diarrhœal Diseases,	2	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5
" Phthisis	17	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25
" Diseases of Respiratory System,	29	29	33	50	43	70	50	60	79	82	39	46	48	58	54	47	47	40	79	52	51	42	59	42	28	37
Violent Deaths,	2	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th May, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 1, West,	.	.	.	3	.	.	.	.	.	3	.	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	4	2	.	1	7
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	.	.	.	3	.	.	6	6	.	.	15
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	3	.	.	18	9	.	1	37

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th May, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th May.			
	April 16.	April 23.	April 30.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	27	15	19	5	10	1	13
Scarlet Fever,	57	56	54	10	5	.	59*
Typhus "	.	.	.	1	.	.	1
Diphtheria,	23	21	20	4	2	.	22
Enteric Fever,	26	23	28	6	2	.	32
Pneumonia,	31	22	16	12	6	1	21

*Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	May 7,	2,403	1,325	14·9	1	62	3	19	48	5	23
EDINBURGH,	331,977	„ 7,	154	94	14·8	.	.	.	.	6	.	1
GLASGOW,	798,357	„ 7,	463	308	20·1	1	12	3	2	13	2	5
CALCUTTA,	847,796	Mar. 5,	.	631	38·7	2	3	.	.	.	101‡	95*
BOMBAY,	776,006	Apr. 5,	298	1,785	119·6	24	13	.	.	.	63‡	55
MADRAS,	509,346	Mar. 25,	324	479	48·9	.	3	?	?	?	118‡	107*
PARIS,	2,660,559	Apr. 23,	995	1,000	19·5	1	19	2	3†	5	5	34
BRUSSELS (with 8 Faubourgs).	575,896	„ 16,	266	166	15·0	1	.	.	.	4	1	6
AMSTERDAM,	548,224	„ 16,	317	177	16·8	.	31	.	.	3	1	5
ROTTERDAM.	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Apr. 16,	244	171	21·7	.	.	.	.	11	.	7
CHRISTIANIA,	225,709	„ 23,	115	64	14·7	.	.	.	2	.	.	.
ST. PETERSBURG,	1,248,122	„ 23,	582	824	33·5	3	17	12	12	4	20	83
BERLIN,	1,960,909	„ 9,	851	622	16·6	.	9	7	5†	6	.	30
HAMBURG,	751,842	„ 16,	.	230	15·9	.	.	.	2†	2	.	8
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Apr. 23,	.	243	24·3	.	7	.	.	3	.	27
VIENNA (with suburbs).	1,779,869	„ 23,	1,055	720	21·1	.	53	.	3	5	.	34
BUDA-PESTH,	813,399	„ 23,	461	325	20·7	.	11	5	5†	3	.	14
PRAGUE and Faubourgs.	423,218	„ 16,	208	207	25·2	.	4	1	.	5	5	11
ROME,	496,201	Jan. 30,	268	226	23·7	.	3	.	2	.	4	3
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Mar. 26,	77	69	21·6	.	.	.	1†	.	.	6
NEW YORK,	3,838,024	Apr. 9,	2,133	1,895	25·8	.	49	30	70†	5	9	61
PHILADELPHIA,	1,408,154	„ 2,	.	588	21·7	7	13	7	9†	5	24	15

* Including 43 deaths from cholera in Calcutta and 9 in Madras.
† Including deaths from croup.
‡ Exclusive of 174 deaths from bubonic fever in Calcutta, 1,135 in Bombay, and 1 in Madras

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 7th May, 1904:—

"The first week of May, 1904, proved unsettled, windy, and at times rainy. On Sunday, the 1st, a large and deep atmospheric depression advanced eastwards over the British Isles, its centre crossing Scotland in the course of the following night. In Dublin the disturbance caused a fresh S.W. gale at midday of Sunday, the strong wind raising clouds of dust. After 2 p.m. rain fell heavily to the amount of ·400 inch, and the wind moderated without veering much. At night a westerly gale sprang up. The weather improved in the course of Monday as a secondary depression moved eastward over the S. of Ireland and St. George's Channel. Temperature now fell very low at night, but many hours of sunshine on Monday (12) and on Tuesday (13) raised the day temperatures. In the course of Wednesday the sky remained cloudy in Dublin and the wind backed to S.E. in front of a new depression, which brought a downpour of rain to this city on Thursday morning (·591 inch to 9 a.m.). After 3 p.m. of that day, cirrus cloud cleared off from S.W., but a secondary depression caused a brief gale at night. On Friday morning the primary was central off the N.W. of Ireland, in which region the barometer was slightly under 29·5 inches at 8 a.m. As the day advanced N.E. winds sprang up, as the centre of lowest pressure travelled south-eastwards. This led to a considerable reduction of temperature and Saturday was very cold, with fresh N.E. to N. winds and, in the afternoon, showers of cold rain and hail. In Dublin the mean atmospheric pressure was 29·784 inches, the barometer ranging from 29·502 inches at 9 p.m. of Sunday (wind, S.W.), to 30·143 inches at 9 a.m. of Wednesday (wind, E.S.E.). The corrected mean temperature was 49·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·1°. The screened thermometer rose to 61·3° on Sunday, but fell to 39·6° on Wednesday. The duration of bright sunshine was estimated at 41·5 hours, of which 13 fell on Tuesday and 12 on Monday. Winds were variable, W. predominating. Rain fell on five days to the amount of 1·089 inches, ·400 inch being measured on Sunday and ·591 inch on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·806 inches. The highest reading (30·158) was on Wednesday at 9 a.m., air calm, and the lowest (29·505) on Sunday at 9 p.m., wind S.S.W.

The mean temperature for the week was 46·7° being 0·5 under the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Tuesday, on which day the thermometer registered 57·8°, and was lowest on Wednesday, the mercury having fallen to 34·9° The mean of the Dry Bulb for the week was 46·6°, and of the Wet Bulb 43·4°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 42·0 hours. The rainfall during the week measured ·713 inch.

At Greenwich the mean temperature for the week was 49·0°, the maximum 63·9°, and the minimum 39·2°; at Glasgow the maximum was 60·3°, the minimum 35·0°, and the mean 46·7°; and at Edinburgh the maximum was 55·7°, the minimum 36·6°, and the mean 45·2°. The rainfall at Greenwich measured 0·55 inch; at Glasgow 1·66 inches; and at Edinburgh 0·96 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, May 1,	29·647	57·1	39·3	48·2	49·7	46·4	·78	·8	4·3	·270	S.W.	S.S.W.
Monday, " 2,	29·738	52·5	39·1	45·8	45·8	41·7	·72	·6	13·2	·035	S.W.	W.
Tuesday, " 3,	30·033	57·8	38·9	48·4	47·7	43·2	·71	·4	12·8	—	W.S.W.	N.W.
Wednesday, " 4,	30·112	55·8	34·9	45·4	48·4	45·7	·82	·2	1·2	·190	Calm.	Calm.
Thursday, " 5,	29·763	57·4	44·5	51·0	48·7	46·0	·82	·8	1·6	·140	S.W.	S.
Friday, " 6,	29·586	50·8	38·7	44·8	43·1	41·2	·87	·8	5·2	·050	W.S.W.	Calm.
Saturday, " 7,	29·761	48·6	37·8	43·2	42·7	39·6	·78	·8	3·7	·028	N.E.	N.W.
Mean, . .	29·806	54·3	39·0	46·7	46·6	43·4	·79	·6	Total 42·0	·713	Prevailing Wind, S.W.	

Sunday—Day cloudy and showery; night cloudy, heavy rain 8.30 to 10.30 p.m. *Monday*—A fine day, cloudy and showery intervals; night cloudy. *Tuesday*—A fine day, light clouds; night cloudy. *Wednesday*—Overcast and showery from 9 a.m.; night overcast and showery. *Thursday*—Overcast and heavy rain a.m., cloudy p.m.; night cloudy, showers. *Friday*—A cloudy day, rain and hail a.m.; night cloudy. *Saturday*—A cloudy day, light showers; night cloudy, light shower at 4.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 14TH MAY, 1904. [No. 19

General Register Office, Charlemont House, Dublin, 16*th May,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 23.	Week ending April 30.	Week ending May 7.	Week ending May 14.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 23.	Week ending April 30.	Week ending May 7.	Week ending May 14.	Average Rate for 4 weeks
22 Town Dists.	21·7	20·1	21·8	21·7	21·3	Lisburn, . .	40·9	22·7	9·1	22·7	23·9
Armagh, . .	20·6	13·7	20·6	20·6	18·9	Londonderry .	12·6	25·2	16·4	12·6	16·7
Ballymena, .	4·8	9·6	28·7	4·8	12·0	Lurgan, . .	8·9	22·1	26·6	48·7	26·6
Belfast, . .	20·8	20·5	23·1	22·0	21·6	Newry, . .	25·2	16·8	25·2	16·8	21·0
Clonmel, . .	.	35·9	15·4	20·5	18·0	Newtownards, .	22·9	17·2	11·4	11·4	15·7
Cork, . . .	24·7	19·9	21·9	26·7	23·3	Portadown, .	20·7	15·5	10·3	5·2	12·9
Drogheda, . .	20·4	12·3	20·4	28·6	20·4	Queenstown, .	33·0	13·2	26·4	19·8	23·1
Dublin Reg. Area,	23·3	20·8	23·1	21·6	22·2	Sligo, . . .	.	.	9·6	9·6	4·8
Dundalk, . .	16·0	16·0	19·9	16·0	17·0	Tralee, . .	.	5·3	15·9	10·6	8·0
Galway, . .	50·5	15·5	27·2	38·8	33·0	Waterford, .	25·3	19·5	21·4	19·5	21·4
Kilkenny, . .	14·7	24·6	9·8	34·3	20·9	Wexford, . .	28·0	14·0	32·7	32·7	26·9
Limerick, . .	26·0	23·2	12·3	21·9	20·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in eighteen of the districts to 4·5 in Lisburn. Among the 151 deaths from all causes registered in Belfast are one from measles, one from scarlet fever, 10 from whooping-cough, one from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 243—121 boys and 122 girls; and the deaths to 173—86 males and 87 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·8 in every 1,000 of the population; omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, the rate was 21·6 per 1,000. During the nineteen weeks ending with Saturday last the death-rate averaged 28·0, and was 1·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

Among the deaths registered are 2 from measles, one from scarlet fever, 2 from influenza, 10 from whooping-cough, one from diphtheria, and 2 deaths from enteric fever. In the 3 weeks preceding deaths from measles numbered 3, 2, and 4, and deaths from whooping-cough numbered 5, 3, and 11, respectively.

One death each from croupous pneumonia and broncho-pneumonia occurred, and 6 deaths were registered from *pneumonia.*

The total deaths (32) from tuberculous disease include 6 deaths from tuberculous phthisis, 13 from *phthisis,* 3 from tuberculous meningitis, 2 from tuberculous peritonitis, one from tabes mesenterica. and 7 deaths from other forms of the disease.

Five deaths from carcinoma, one death from sarcoma, and 6 deaths from *cancer, malignant disease,* were registered.

Of 15 deaths assigned to diseases of the brain and nervous system, 8 (all of infants under one year old) were due to *convulsions.*

Of 17 deaths from diseases of the heart and blood-vessels, 4 were attributed to valvular disease, "endocarditis."

Bronchitis caused the deaths of 20 persons.

Two deaths from accidental circumstances were registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under one year old and the deaths of 2 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 14 were under one month old), and 52 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (females) were stated to have been aged 92 and 99 years respectively.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000, the rate in the City was 24·5 (North City Districts, 25·6; South, 23·4), and in the Suburbs, 11·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·7 (3·8 in the North City Districts, and 1·5 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. Whooping-cough, influenza, and enteric fever, each caused one death; *phthisis* caused 2 deaths, tuberculous phthisis caused one death, *pneumonia* caused one death, and bronchitis caused 2 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. There were 2 deaths from whooping-cough, tuberculous disease caused 2 deaths, and bronchitis caused five deaths.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Measles, whooping-cough, and influenza, each caused one death, and there was one death from *pneumonia.*

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 34·6 per 1,000. Measles, whooping-cough and diphtheria, each caused one death; there were 4 deaths from *phthisis*; there was one death from tuberculous meningitis, there were 2 deaths from *pneumonia,* 2 deaths from bronchitis, and one death from accidental violence.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 39·1. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 24·5 per 1,000. Whooping-cough caused 2 deaths, tuberculous disease caused 4 deaths, and bronchitis caused 3 deaths.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000. There were 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·4 per 1,000. There was one death from whooping-cough, there were 4 deaths from tuberculous disease, and there were 2 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. There were 2 deaths from tuberculous disease, there was one death from *pneumonia,* and there were 2 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the deaths was from scarlet fever.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 10·0; Blackrock, 6·0; and Kingstown, 20·7. The deaths from certain epidemic diseases tabulated for these districts were one from enteric fever for Rathmines and Rathgar, and one from whooping-cough for Pembroke Urban District. The 7 deaths from all causes tabulated for Kingstown include 3 from tuberculous disease (of which 2 were from *phthisis*), and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 14th May, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Apr. 23,	.	4	.	3	.	.	8	.	2	7	19	.	.	.	43
	Apr. 30,	.	.	.	5	.	.	5	.	12	10	20	.	.	.	52
	May 7,	.	.	.	6	.	.	3	.	.	18	9	.	.	1	37
	May 14,	.	.	.	9	.	.	5	.	2	10	13	.	.	.	39
Rathmines and Rathgar Urban District.	Apr. 23,	.	.	.	2	.	.	1	.	.	.	.	.	.	.	3
	Apr. 30,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	3
	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 14,	.	.	.	2	.	.	.	.	.	1	2	.	.	.	5
Pembroke Urban District.	Apr. 23,	.	1	.	.	.	.	.	.	.	1	.	.	.	32	34
	Apr. 30,	.	.	.	1	.	.	.	.	.	.	.	.	.	19	20
	May 7,	.	.	.	3	.	.	.	.	.	1	1	.	.	31	36
	May 14,	.	.	.	.	.	.	.	.	.	.	.	.	2	17	19
Blackrock Urban District.	Apr. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 7,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	May 14,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
Kingstown Urban District.	Apr. 23,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 7,	.	.	.	1	.	.	1	.	.	.	1	.	.	.	3
	May 14,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
City of Belfast.	Apr. 23,	.	–	.	11	1	.	12	.	7	5	8	1	.	.	45
	Apr. 30,	.	–	.	16	.	.	9	.	5	18	7	.	.	.	55
	May 7,	2	–	.	11	4	.	6	3	11	7	8	.	.	.	52
	May 14,	2	–	.	13	.	.	2	.	7	9	8	2	.	.	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th May, 1904.

From this it appears that:—

Seven cases of measles were admitted to hospital during the week, 3 were discharged, and 17 patients remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 14 cases were discharged, there was one death, and 51* cases remained under treatment at the close of the week.

One case of typhus remained in hospital at the end of the week.

Six cases of diphtheria were admitted to hospital, 3 were discharged, there was one death, and 24 cases remained under treatment at the close of the week.

One case of enteric fever was admitted to hospital, 4 cases were discharged, there was one death, and 28 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 5 patients were discharged, there were 2 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·3), was equal to an average annual death-rate of 16·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 17·3.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th May, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 14th May, 1904. Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 14th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th April, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 22 TOWN DISTRICTS	1,098,289	19·2	31·5	21·7	1·8	661	456	73	113	.	3	2	.	23	1	1	3	4	76	85	6	14	124	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—																																			
TOTAL,‡	378,994	27·5	33·4	21·6	2·3	243	157	26	47	.	2	1	.	10	1	1	2	.	19	28	1	.	53	§67·0	35·4	49·7	0·15	§57·8	34·9	46·7	0·71	§60·7	36·0	48·9	0·15
CITY OF DUBLIN	293,385	37·1	35·7	24·5	2·7	201	133	22	41	.	2	1	.	9	1	1	1	.	17	25	1	.	50	a68·8 b67·9	37·5 35·4	52·0 50·4	0·11 0·15	a61·3 b59·0	39·6 35·0	49·0 47·2	1·09 1·03	a62·0 b62·6	39·8 37·0	51·1 49·7	0·12 0·15
Urban Districts. RATHMINES AND RATHGAR.	33,203	19·4	25·1	9·4	1·6	16	6	2	2	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	26,025	16·4	26·0	10·0	2·0	13	5	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	8,759	8·1	23·8	6·0	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	17,622	12·1	26·6	20·7	.	9	7	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1	69·2	37·5	52·0	0·07	60·2	41·5	49·5	1·31	62·2	40·5	51·6	0·04
URBAN DISTRICTS.																																			
BELFAST,	358,680	24·4	34·7	22·0	2·8	239	151	32	27	.	1	1	.	10	.	.	1	3	30	25	3	8	42	62·6	37·8	48·7	0·20	57·0	36·5	47·7	0·66	56·0	38·0	47·8	0·41
CORK,	76,122	33·6	23·3	26·7	.	34	39	6	10	.	.	.	.	.	.	.	.	.	9	8	.	1	10	59	39	49·0	0·35	54	43	48·1	0·93	58	41	49·8	0·32
LONDONDERRY,	41,397	19·1	32·7	12·6	.	26	10	1	2	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	38,151	18·1	27·3	21·9	4·1	20	16	2	2	.	.	.	.	3	.	.	.	.	2	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	26,769	18·7	31·2	19·5	.	16	10	1	3	.	.	.	.	.	.	.	.	.	2	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	18,426	2·5	7·8	38·8	.	2	10	.	4	.	.	.	.	.	.	.	.	.	2	4	.	.	4	60	38	50·4	0·28	58	38	48·6	0·43	57	38	48·4	0·21
DUNDALK,	18,076	3·4	12·0	16·0	.	3	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	28·6	28·6	.	7	7	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	12,405	17·8	25·2	16·8	.	6	4	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	61·0	34·9	49·4	0·28	56·1	37·7	47·8	0·66	56·7	39·0	48·7	0·22
LURGAN,	11,782	13·8	31·0	48·7	.	7	11	1	3	.	.	.	.	.	.	.	.	.	3	3	.	.	.	61·0	34·9	49·4	0·28	56·1	37·7	47·8	0·66	56·7	39·0	48·7	0·22
LISBURN,	11,461	10·1	31·8	22·7	4·5	7	5	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	61·0	34·9	49·4	0·28	56·1	37·7	47·8	0·66	56·7	39·0	48·7	0·22
WEXFORD,	11,168	23·2	23·3	32·7	.	5	7	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	10,886	8·9	33·5	4·8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	10,870	3·7	28·8	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	61·4	34·5	50·4	0·35	55·4	32·8	46·6	1·48	60·4	39·2	48·9	0·46
KILKENNY,	10,609	11·5	29·5	34·3	.	6	7	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	2	66	34	49·5	0·43	58	35	46·6	1·80	62	39	49·1	0·25
CLONMEL,	10,167	7·8	20·5	20·5	.	4	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	15·5	5·2	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·0	34·9	49·4	0·28	56·1	37·7	47·8	0·66	56·7	39·0	48·7	0·22
TRALEE,	9,867	16·6	26·4	10·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	22·9	11·4	.	4	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	60	39	48·8	0·06	55	39	46·7	0·65	57	37	47·8	0·41
QUEENSTOWN,	7,909	14·4	19·8	19·8	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	59	39	49·0	0·35	54	43	48·1	0·93	58	41	49·8	0·32
ARMAGH,	7,588	22·2	55·0	20·6	.	8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	61·0	34·9	49·4	0·28	56·1	37·7	47·8	0·66	56·7	39·0	48·7	0·22

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 14th of May, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	2	1	1	.	.	1	2	.	1	.	.	.	1	.	.	10	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	3	.	.	4	1	.	1	3	2	2	1	.	.	.	.	2	19	.
Other General Diseases,	1	5	3	4	.	.	.	3	1	5	6	.	1	2	.	2	33	9
Total,	7	7	5	11	1	.	2	8	3	8	7	1	2	3	.	4	69	9
B. LOCAL DISEASES:																		
Diseases of Nervous System	.	3	1	.	.	.	1	1	.	2	3	.	1	1	.	1	14	1
Organs of Special Sense,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	2	.	2	2	.	.	.	2	2	3	2	1	1	.	.	.	17	.
Respiratory System,	3	5	1	4	.	1	1	3	2	2	3	.	1	.	1	1	28	1
Digestive System,	.	2	2	1	.	.	.	.	.	3	.	.	.	1	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	3	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	10	8	7	.	1	2	6	5	10	8	1	4	2	1	3	73	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	3	1	2	.	.	1	4	3	.	.	.	.	.	.	.	14	1
E VIOLENT DEATHS,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Deaths from all Causes,	12	20	14	21	1	1	5	18	11	18	15	2	6	5	1	7	157	16
Annual Rate of Mortality in every 1,000 of the population	22·1	26·6	24·2	34·6	10·8	5·2	39·1	24·5	31·4	22·4	22·3	11·7	9·4	10·0	6·0	20·7	21·6	.
	25·6							23·4					11·6					
	24·5																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	6	.	.	.	3	2	5	3	1	2	.	.	1	30	13
Workhouse Hospitals,	3	3	1	4	.	.	.	4	2	3	3	.	.	.	.	.	23	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1894-1903.	In the Week ending Sa 14th May, 1904. Deaths of Persons of the					
	May 12, 1894.	May 11, 1895.	May 9, 1896	May 15, 1897.	May 14, 1898.	May 13, 1899	May 12, 1900.	May 11, 1901.	May 10, 1902.	May 16, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	
Mean Temperature.	48·5	50·8	49·0	46·6	48·8	45·8	48·7	46·3	43·3	48·1	47·6	Mean Temp. 49·7					
ALL CAUSES.	136	184	147	190	151	179	179	189	173	175	170·3	173	14	13	23	9	2
Small-pox, Vaccinated,	.	1	.	.	.	.	.	.	.	2	·3	.	.	.	.	.	
Small-pox, Unvaccinated,	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	6	.	.	.	1	6	5	1·8	2	.	.	2	.	
Scarlet Fever	1	.	3	3	1	2	.	2	.	1	1·3	1	.	.	1	.	
Typhus,	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	2	6	3	2	3	9	5	5	2	7	4·4	2	.	.	.	.	
Whooping Cough,	8	3	.	6	3	2	1	7	.	3	3·3	10	.	3	7	.	
Diphtheria,	.	.	1	1	1	1	.	1	2	.	·7	1	.	1	.	.	
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	
Simple Continued Fever,	.	.	1	.	.	.	.	1	.	.	·2	1	.	.	.	1	
Enteric Fever,	1	1	5	2	2	2	1	1	2	1	1·8	2	.	.	.	1	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	2	2	2	1	.	.	3	3	. 2	. 2	1·7	. .	.	.	.	.	
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	6	.	1	2	2	2	1·4	1	.	1	.	.	
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	1 . .	·1	2 . .	.	.	.	.	2
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	.	1	.	.	.	.	1	.	.	·2	1	.	.	.	.	
Septic Dis. (other),	.	.	.	.	.	.	.	.	1 .	. 1	·3	. .	.	.	.	.	
Tuberculous Phthisis,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1
"*Phthisis*,"	28	22	19	20	19	21	32	25	3 20	4 20	23·3	6 13	.	.	1	.	1
Tuberculous Meningitis, (Acute Hydrocephalus).	3	4	3	9	6	4	11	7	3	.	5·0	3	.	.	.	2	5
Tuberculous Peritonitis, Tabes Mesenterica,	4	4	2	6	2	2	8	8	2 .	1 .	3·9	2 1	.	.	1	.	.
Tuberculous Dis. (other), *Scrofula*,	6	5	7	7	2	6	7	3	4 .	3 1	5·1	7 .	.	.	2	2	1
Alcoholism,	1	1	1	1	.	.	1	.	.	1	·6	1	.	.	.	.	1
Rheumatic Fever,	.	1	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1894-1900 are

'EENTH WEEK ending Saturday, 14th May, 1904, with the deaths from each cause in the corresponding 'erage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 12, 1894.	May 11, 1895.	May 9, 1896.	May 15, 1897.	May 14, 1898.	May 13, 1899.	May 12, 1900.	May 11, 1901.	May 10, 1902.	May 16, 1903.	Averages in 19th Week of the 10 years 1894–1903.	In the Week ending Saturday, 14th May, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 48·5	° 50·8	° 49·0	° 46·6	° 48·8	° 45·8	° 48·7	° 46·3	° 43·3	° 48·1	° 47·6	° 49·7								
na									.	3		5	.	.	.	.	4	1	.
... ...	5	5	5	3	4	9	6	4	.	.	5·8	1	.	.	.	1	.	.	.
Malignant Disease ...									8	6		3	.	.	.	.	4	2	.
Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
ire Birth	3	.	3	3	6	5	1	4	9	4	3·8	5	5	.	.	.	.	.	.
tis (not tuberc.)									4	1		2	.	1	.	1	.	.	.
, G. P. of Insane									1	4		.	.	.	.	.	.	.	.
... ...									1	.		3	.	.	.	1	1	1	.
ons									7	9		8	5	3	.	.	.	.	.
or Ataxy									.	1		1	.	.	.	.	.	1	.
ria Dis. of Cord									.	1		1	.	.	.	.	1	.	.
System (other Dis.) ...	28	38	35	42	37	35	31	36	5	1	35·7								
s., Endocarditis									5	5		4	.	.	.	.	1	2	1	.
Hæm. Thromb.									3	1		1	.	.	.	.	.	.	.	1
, *Hemiplegia*									3	5		5	.	.	.	.	1	4	.
m									.	.		.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.
nd Blood Vessel Dis.									8	11		7	.	.	.	.	3	4	.
not Spasm. or Memb.) ...	.	.	.	1	1	.	3	.	.	.	·5	.	.	.	.	.	.	.	.
tis	5	31	9	15	16	27	13	21	18	21	17·6	20	.	1	3	.	5	10	1
is Pneumonia									.	2		1	.	.	.	.	.	1	.
-Pneumonia	9	9	11	10	9	7	14	13	.	7	10·4	1	.	.	.	.	.	1	.
onia"									9	4		6	.	.	.	.	5	1	.
Emphysema									.	1		.	.	.	.	.	.	.	.
... ...	3	4	4	4	.	2	4	5	.	.	2·9	.	.	.	.	.	.	.	.
tory Dis. (other)									2	.		1	.	.	.	1	.	.	.
is, Quinsy	.	1	1	1	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.
s (not Epid.)	1	1	1	.	.	.	2	.	1	.	·7	.	.	.	.	.	.	.	.
Enteritis									.	1		.	.	.	.	.	.	.	.
tis (not Puerp.)	1	1	.	1	1	2	1	1	.	.	·8	.	.	.	.	.	.	.	.
s of Liver	.	2	5	2	3	4	.	3	1	.	2·5	1	.	.	.	.	1	.	.
is. (other)									2	3		3	.	.	.	1	2	.	.
e Dis. (other)	3	4	2	2	2	8	5	1	3	7	3·7	5	.	.	1	1	.	3	.
is, Acute									4	2		1	.	.	.	.	1	.	.
Dis., Albuminuria ...	5	8	5	7	5	5	5	6	1	2	5·8	2	.	.	.	.	1	.	.
Sys. (Other Dis.) ...									.	3		1	.	.	.	.	.	.	1
ive Organs Dis.	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	1	.	.
th (Accid. of)	.	.	.	.	1	.	.	.	2	.	·3	.	.	.	.	.	.	.	.
... ...	2	11	5	9	9	7	13	15	6	5	8·2	10	.	.	.	.	.	6	4
Diseases	11	14	11	16	5	12	5	10	16	6	10·6	12	4	3	1	.	1	2	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icles and Horses	1	1	.	4	.	1	1	.	1	.	·9	1	.	.	.	.	1	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lagrations	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	.	.	1	.	3	1	1	.	.	·6	1	.	.	1	.	.	.	.
wning	1	.	.	3	2	.	1	1	2	.	1·0	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	3	.	2	1	1	1	.	1	.	1·0	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1903-4—Week ending																									
	Nov. 21.	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered,	162	193	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243
*Average Births in corresponding week of previous 10 years,**	204	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217
DEATHS registered,	182	188	207	186	198	153	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173
Annual Death-rate per 1,000,	25·0	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8
*Average Deaths in corresponding week of previous 10 years,**	184	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170
AGES, Under 5 years,	49	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67	53	51	48	57	50
5—20 "	13	12	9	13	13	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9
20—40 "	31	25	38	23	23	26	33	40	45	33	35	33	31	30	31	34	36	35	44	23	34	28	27	13	32	21
40—60 "	35	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41
60—80 "	40	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45
80 years and upwards,	14	7	9	13	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2
" Scarlet Fever	.	.	2	.	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1
" Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	2	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10
" Diphtheria,	2	1	2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1
" Simple Continued Fever,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
" Enteric Fever,	2	5	2	1	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2
" Diarrhœal Diseases,	4	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.
" Phthisis,	20	28	23	22	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19
" Diseases of Heart and Blood Vessels,	27	36	33	24	34	19	7	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17
" Diseases of Respiratory System,	50	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29
Violent Deaths,	1	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2
Mean Temperature of the Air (Phœnix Park),	40·2	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·8	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7
Average Mean Temperature in corresponding week of previous 10 years,	44·4	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6
Rainfall in inches,	·070	1·153	·443	1·003	·245	·290	·085	1·515	·546	·185	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145
Mean Humidity of the Air, complete Saturation 1·0,	·91	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·73	·81	·81	·79	·88

* See note at foot of Table IV † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th May, 1904: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,630 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 14th May, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	24·0	173	50	9	21	41	45	7	.	2	1	.	10	1	1	2	.	17	19	8	29	2	98
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	MIDDLE CLASS,	87,188	20·3	34	3	1	8	9	10	3	.	.	.	.	1	.	.	1	.	2	5	1	5	.	21
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	20·8	44	14	5	1	13	11	.	.	1	1	.	2	.	.	1	.	5	4	2	5	1	27
IV.	GENERAL SERVICE CLASS,	154,279	29·6	65	29	3	9	13	9	2	.	1	.	.	7	1	1	.	.	10	6	5	11	1	32
V.	INMATES OF WORKHOUSES,	6,024		26	4	.	3	5	13	1	.	.	.	.	.	.	.	.	.	.	4	.	8	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	33·8	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	.	.	4	2	2	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	4
	6. Clerks and Commercial Assistants,	30,432	15·4	9	2	.	1	3	3	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	1	1	2	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	9
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	9. Building and Furnishing Trades,	29,801	28·0	16	7	1	1	3	4	.	.	.	.	.	2	.	.	.	.	2	1	.	4	.	9
	10. Clothing Trades,	28,260	20·2	9	4	2	.	1	2	.	.	1	1	.	.	.	.	1	.	3	.	.	.	1	5
	11. Food Supply Trades,	9,242	11·3	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	1	.	.	8	3	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	8
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	.	.	1	1	1	.	1	.	.	.	.	.	.	.	1	.	.	2	.	2
	15. Domestic Servants,	36,603	8·5	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	3	.	1	.	1	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	28·4	49	22	3	6	10	7	1	.	.	.	.	6	1	1	.	.	8	5	4	8	1	23
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	26	4	.	3	5	13	1	.	.	.	.	.	.	.	.	.	.	4	.	8	.	14

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	Mar. 26,	25·8	.	14	.	.	.	.	.	.	.	.	.	3	2	.
	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
	„ 9,	28·9	.	13	.	.	.	.	.	.	.	.	.	3	3	1
	„ 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
	„ 30,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	4	.
	May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
	„ 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Mar. 26,	37·3	2·7	28	.	.	.	.	.	1	1	.	.	3	6	1
	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
	„ 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
	„ 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
	„ 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
	„ 30,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	3	7	.
	May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
	„ 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Mar. 26,	43·3	3·5	25	.	.	.	.	1	.	.	.	1	5	3	1
	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	8	.
	„ 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
	„ 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
	„ 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
	May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	1
	„ 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 Est.) 31,673.	Mar. 26,	36·2	6·6	22	.	4	.	.	.	.	.	.	.	2	4	.
	April 2,	31·3	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
	„ 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
	„ 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
	„ 23,	36·2	3·3	22	.	2	.	.	.	.	.	.	.	5	6	.
	„ 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
	May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
	„ 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 32,384.	Mar. 26,	34·0	1·4	25	.	1	.	.	.	.	.	.	.	6	8	.
	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
	„ 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
	„ 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
	„ 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
	„ 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
	May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
	„ 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Mar. 26,	20·0	.	7	.	.	.	.	.	.	.	.	.	1	.	.
	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
	„ 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
	„ 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
	May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Mar. 26,	28·6	1·2	23	.	.	.	.	1	.	.	.	.	.	4	.
	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	8	1
	„ 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
	„ 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
	„ 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
	„ 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
	May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est. 35,138	Mar. 26,	28·2	4·5	19	.	.	.	.	2	1	.	.	.	5	3	.
	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
	„ 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
	„ 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
	„ 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
	„ 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.
	May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	1
	„ 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,208.	Mar. 26,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	3	2
	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Mar. 26,	26·0	.	13	.	.	.	.	.	.	.	.	.	4	3	.
	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	„ 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Mar. 26,	35·5	.	12	.	.	.	.	.	.	.	.	.	2	2	.
	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	„ 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	„ 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	„ 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Mar. 26,	24·3	2·6	167	.	2	.	.	14	1	.	.	1	31	52	1
	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	„ 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	„ 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
	„ 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
	„ 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	.	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·3	151	.	1	1	.	10	.	.	1	3	30	25	3
Cork. Pop. (in 1901) 76,122	Mar. 26,	28·1	2·1	41	.	.	.	.	3	.	.	.	.	8	5	2
	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	„ 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	„ 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	„ 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
Londonderry. Pop. in 1904 (Est.) 41,397	Mar. 26,	30·2	2·5	24	.	.	.	.	.	2	.	.	.	4	2	1
	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
	„ 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	„ 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
Limerick. Pop. (in 1901) 38,151.	Mar. 26,	20·5	4·1	15	.	.	.	.	3	.	.	.	.	3	4	.
	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	„ 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	„ 16,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
Waterford. Pop. (in 1901) 26,769.	Mar. 26,	11·7	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	April 2,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	„ 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 14th May, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	9	28·8	3·5	8	2	.	5	1	.	.	.	.	.	.	.	.	1	2	.	.	1	2
Do. 2 "	47,959	30	22·8	1·1	21	5	3	9	4	.	.	1	.	.	.	.	.	.	3	7	1	2	3
Do. 3 "	47,214	22	24·3	3·3	22	3	4	12	3	.	.	.	.	2	.	.	.	1	3	5	.	.	10
Do. 4 "	40,911	35	28·0	1·3	22	7	2	8	5	.	.	.	.	1	.	.	.	.	6	4	1	1	11
Do. 5 "	17,387	5	12·0	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Do. 6 "	48,122	24	24·9	2·2	23	3	2	12	6	.	.	.	.	2	.	.	.	.	7	2	.	1	6
Do 7 "	1,524	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,06	3	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 "	19,569	22	29·3	5·3	11	4	3	2	2	.	.	.	.	1	.	.	.	1	.	1	.	.	.
Do. 10 "	28,064	20	24·9	2·3	11	1	3	6	1	.	.	.	.	.	.	.	1	.	4	2	.	.	2
Do. 11 "	34,802	31	18·5	1·5	9	2	.	6	1	.	.	.	.	1	.	.	.	.	4	.	.	1	4
Do. 12 "	33,588	26	20·2	6·2	13	2	4	6	1	.	1	.	.	3	.	.	.	.	1	3	.	.	2
Do 13 "	15,006	10	13·9	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 14 "	240	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	259	22·5	2·4	151	32	21	71	27	.	1	1	.	10	.	.	1	3	30	25	3	8	42
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	5	32·4	.	8	1	.	4	3	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Do. 2 "	10,701	6	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 3 "	9,978	5	36·6	.	7	.	.	4	3	.	.	.	.	.	.	.	.	.	4	1	.	.	3
Do. 4 "	8,666	3	18·1	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 5 "	6,592	3	39·6	.	5	1	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Do. 6 "	10,702	3	24·4	.	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	9	28·2	.	9	1	1	7	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1
Total,	76,122	34	26·7	.	39	6	3	20	10	.	.	.	.	.	.	.	.	.	9	8	.	1	10

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered,	221	206	234	204	187	128	252	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271	233	245	231	239
DEATHS registered.	188	120	168	145	178	158	182	190	199	140	149	150	208	185	186	161	154	212	167	156	180	185	143	141	159	151
Annual Death-rate per 1,000 of estimated Population.	20·1	17·4	25·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0
AGES, Under 1 year,	34	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32
AGES, 1–5 years,	19	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	18	20	20	21
AGES, 5–60 years,	57	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71
AGES, 60 years and upwards,	28	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1
" Scarlet Fever,	1	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1
" Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Whooping cough,	1	11	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10
" Diphtheria,	.	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.		.	.	3	2	1	.	.
" Simple Continued Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	1	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1
" Diarrhœal Diseases,	5	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3
" Phthisis	18	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30
" Diseases of Respiratory System,	29	33	50	43	70	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25
Violent Deaths,	3	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th May, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	3	.	.	3	.	.	.	1	.	.	7
" " 2,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	.	.	3	.	.	.	.	.	3	1	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	1	5	.	.	6
" " 2,	.	.	.	.	.	.	1	.	.	.	2	.	.	3
" " 3,	.	.	.	.	.	.	1	.	1	1	2	.	.	5
" " 4,	.	.	.	1	.	.	.	.	.	4	2	.	.	7
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Total,	.	.	.	9	.	.	5	.	2	10	13	.	.	39

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th May, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th May.			
	April 23.	April 30.	May 7.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	15	19	13	7	3	.	17
Scarlet Fever,	56	54	59	7	14	1	51*
Typhus "	.	.	1	.	.	.	1
Diphtheria,	21	20	22	6	3	1	24
Enteric Fever,	23	28	32	1	4	1	28
Pneumonia,	22	16	21	8	5	2	22

*Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	May 14,	2,551	1,454	16·3	.	86	7	20	44	1	16
EDINBURGH,	331,977	„ 14,	170	110	17·3	.	2	.	.	3	2	1
GLASGOW,	798,357	„ 14,	485	282	18·4	3	9	4	3	11	1	9
CALCUTTA,	847,793	Mar. 12,	.	672	41·2	4	1	.	.	.	87‡	109*
BOMBAY,	776,006	Apr. 12,	299	1,346	90·2	12	6	.	.	.	56‡	45
MADRAS,	509,346	„ 1,	332	415	42·3	.	2	?	?	?	112	88*
PARIS,	2,660,559	„ 30,	983	945	18·4	1	13	2	4†	12	7	22
BRUSSELS (with 8 Faubourgs).	575,896	„ 23,	205	146	13·2	.	.	.	1†	2	1	7
AMSTERDAM,	548,224	„ 23,	285	187	17·8	.	21	.	1	2	2	8
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Apr. 23,	222	163	20·7	.	3	.	2	12	.	4
CHRISTIANIA,	225,709	„ 30,	121	69	16·0	.	.	1	.	.	.	.
ST. PETERSBURG,	1,248,122	„ 30,	654	779	32·5	1	24	15	14	3	19	75
BERLIN,	1,960,909	„ 16,	859	645	17·2	.	4	4	7†	10	1	41
HAMBURG,	751,842	„ 23,	.	226	15·6	.	.	2	3†	2	.	4
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Apr. 30,	.	208	20·8	.	6	1	1†	2	.	16
VIENNA (with suburbs).	1,779,869	„ 30,	1,049	670	19·4	.	38	.	4†	3	2	47
BUDA-PESTH	813,399	„ 30,	484	312	19·9	.	7	10	1†	4	2	11
PRAGUE and Faubourgs.	423,218	„ 23,	232	213	26·0	.	.	1	2†	2	3	15
ROME,	496,201	Feb. 6,	310	255	26·7	.	7	.	2	.	4	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Apr. 2,	81	69	21·6	.	.	.	2†	.	.	3
NEW YORK,	3,838,024	„ 16,	1,940	1,785	24·3	.	34	28	56†	8	8	52
PHILADELPHIA,	1,408,154	„ 9,	.	597	22·0	5	9	4	13†	1	30	28

* Including 45 deaths from cholera in Calcutta and 3 in Madras.
† Including deaths from croup.
‡ Exclusive of 230 deaths from bubonic fever in Calcutta, and 811 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 14th May, 1904:—

"In the course of this week the season passed from winter to summer. Sunday was very cold for the time of year, the mean temperature being only 43·8°, and the range being from 37·5° to 51·0°. Showers of hail and 'graupel' fell at frequent intervals; there was a bitter N. wind, and the afternoon closed in gloomy and wet. This unseasonable weather was related to the presence of a baric depression over Great Britain and the North Sea. This system governed the weather till Tuesday, when it drifted away to the Baltic and partially filled up. On Wednesday a ridge of high atmospheric pressure spread northwards over Great Britain, while gradients for southerly winds became established over Ireland. With a S.W. wind on Thursday a sudden and marked rise of temperature took place—at 9 a.m. the reading was 59·6° in Dublin, during the day the thermometer rose to 68·8°, the highest shade temperature recorded in this city since August 30, 1903. Friday was also warm, though not so warm as Thursday, but a steep thermometric gradient between the Welsh and Irish coasts of St. George's Channel caused much foggy cloud on the Dublin Mountains and a dull, leaden sky until midday. At Holyhead and Pembroke the thermometer did not rise above 52° on Thursday owing to fog, whereas 67° was reached at Birr and 69·0° (68·8) in Dublin. Saturday, at first blustering and showery, proved brilliantly fine afterwards, a clear cool evening closing the week. In Dublin the mean height of the barometer was 29·910 inches, pressure ranging between 29·634 inches at 9 a.m. of Sunday (wind, N.), and 30·072 inches at 9 p.m. of Thursday (wind, S.W.). The corrected mean temperarure was 52·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·0°. The screened thermometers fell to 37·5° on Sunday and rose to 68·8° on Thursday. Bright sunshine was estimated at 48 hours, 9½ falling on Monday and 12½ on Saturday. The prevailing winds were—at first, N., afterwards S.W. Rain fell on four days but only to the amount of ·107 inch, ·081 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·915 inches. The highest reading (30·095) was on Wednesday at 9 a.m., wind E., and the lowest (29·642) on Sunday at 9 a.m., wind N.

The mean temperature for the week was 49·7°, being 2·1 above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Thursday, on which day the thermometer registered 67·0°, and was lowest on Tuesday, the mercury having fallen to 35·4°. The mean of the Dry Bulb for the week was 49·0°, and of the Wet Bulb 46·4°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 48·6 hours. The rainfall during the week measured ·145 inch.

At Greenwich the mean temperature for the week was 49·7°, the maximum 69·9°, and the minimum 34·2°; at Glasgow the maximum was 59·4°, the minimum 35·8°, and the mean 48·1°; and at Edinburgh the maximum was 56·5°, the minimum 32·8°, and the mean 45·7°. The rainfall at Greenwich measured 0·29 inch; at Glasgow 0·63 inch; and at Edinburgh 1·09 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 8,	29·678	49·7	35·5	42·6	41·5	39·5	·86	·5	6·3	·095	N.	N.E.
Monday, " 9,	29·821	53·1	36·2	44·7	43·1	40·3	·81	·1	7·3	—	N.	Calm.
Tuesday, " 10,	29·911	54·1	35·4	44·8	45·3	43·3	·86	·1	7·4	—	E.	N.E.
Wednesday, " 11,	30·078	58·3	39·9	49·1	51·2	49·0	·85	·1	6·0	—	E.	S.E.
Thursday, " 12,	30·025	67·0	45·9	56·5	56·9	54·1	·82	·2	5·8	—	S.W.	S.W.
Friday, " 13,	29·968	61·6	52·9	57·3	54·4	52·4	·87	·4	2·9	·030	S.E.	S.W.
Saturday, " 14,	29·923	58·5	46·8	52·7	50·6	46·3	·72	·3	12·9	·020	S.W.	S.W.
Mean, . . .	29·915	57·5	41·8	49·7	49·0	46·4	·83	·2	Total 48·6	·145	Prevailing Wind, S.W.	

Sunday—Day cloudy, hail showers 10.15 a.m. and 2.30 p.m.; night cloudy, heavy rain 8.15 to 9.45 p.m. *Monday*—Day fine but cloudy; night clear. *Tuesday*—A fine day; night clear. *Wednesday*—Bright a.m., cloudy p.m.; night overcast. *Thursday*—Fine but cloudy; night cloudy. *Friday*—Overcast a.m., cloudy p.m.; night cloudy, showers a.m. *Saturday*—A fine day, heavy showers 9.15 a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 21ST MAY, 1904. [No. 20.

General Register Office, Charlemont House, Dublin, 24th May, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending April 30.	May 7.	May 14.	May 21.	Average Rate for 4 weeks.	Towns, &c.	Week ending April 30.	May 7.	May 14.	May 21.	Average Rate for 4 weeks
22 Town Dists.	20·1	21·8	21·7	20·9	21·1	Lisburn, . .	22·7	9·1	22·7	9·1	15·9
Armagh, . .	13·7	20·6	20·6	41·2	24·0	Londonderry .	25·2	16·4	12·6	22·7	19·2
Ballymena, .	9·6	28·7	4·8	4·8	12·0	Lurgan, . .	22·1	26·6	48·7	22·1	29·9
Belfast, . .	20·5	23·1	22·0	21·4	21·7	Newry, . .	16·8	25·2	16·8	8·4	16·8
Clonmel, . .	35·9	15·4	20·5	5·1	19·2	Newtownards, .	17·2	11·4	11·4	11·4	12·9
Cork, . . .	19·9	21·9	26·7	18·5	21·8	Portadown, .	15·5	10·3	5·2	20·7	12·9
Drogheda, . .	12·3	20·4	28·6	16·3	19·4	Queenstown, .	13·2	26·4	19·8	26·4	21·5
Dublin Reg. Area,	20·8	23·1	21·6	21·9	21·8	Sligo, . . .	.	9·6	9·6	14·4	8·4
Dundalk, . .	16·0	19·9	16·0	23·9	19·0	Tralee, . .	5·3	15·9	10·6	15·9	11·9
Galway, . .	15·5	27·2	38·8	19·4	25·2	Waterford, .	19·5	21·4	19·5	33·1	23·4
Kilkenny, . .	24·6	9·8	34·3	34·3	25·8	Wexford, . .	14·0	32·7	32·7	23·3	25·7
Limerick, . .	23·2	12·3	21·9	15·0	18·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·9 in Kilkenny. Among the 147 deaths from all causes registered in Belfast are 3 from measles, 2 from scarlet fever, 7 from whooping-cough, and 3 from enteric fever; and the 27 deaths from all causes in Cork include one from whooping-cough and one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 251—123 boys and 128 girls; and the deaths to 173—86 males and 87 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·8 in every 1,000 of the population; omitting the deaths (numbering 14) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 21·9 per 1,000. During the twenty weeks ending with Saturday last the death-rate averaged 27·8, and was 1·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

The total (173) deaths registered include 2 from measles, one from scarlet fever, 2 from influenza, 5 from whooping-cough, one from diphtheria, 3 from enteric fever, and 3 deaths from diarrhœal diseases. The deaths in the 3 preceding weeks from whooping-cough were 3, 11, and 10, while deaths from measles were 2, 4, and 2, respectively, in these periods.

Nine deaths from broncho-pneumonia and 6 deaths from *pneumonia* were recorded.

Tuberculous disease accounted for 31 deaths, viz.—4 from tuberculous phthisis, 19 from *phthisis*, 4 from tuberculous meningitis, one from tuberculous peritonitis, and 3 deaths from other forms of the disease.

There were 6 deaths due to carcinoma, one death was due to sarcoma, and 4 deaths were assigned to *cancer, malignant disease.*

The deaths (14) attributed to diseases of the brain or nervous system include the deaths of 5 children (under 5 years of age) from *convulsions.*

Twenty-four deaths from various diseases of the heart or blood-vessels were registered, including 6 from *apoplexy, hemiplegia.*

Nineteen deaths were caused by bronchitis, and 3 accidental deaths were registered during the week.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year old and the death of one person aged 94 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 7 were under one month old), and 46 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 6 were octogenarians, and 2 (a man and a woman) were stated to have been aged 94 and 97 years respectively.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·9 per 1,000, the rate in the City was 22·9 (North City Districts, 20·4; South, 25·6), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·1 (2·4 in the North City Districts, and 1·8 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 29·4 per 1,000. Two deaths from whooping-cough, one death from enteric fever, one death from influenza, one death from broncho-pneumonia, and one death from *phthisis*, were registered.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. One death each from whooping-cough, pulmonary tuberculosis, and *pneumonia*, were registered.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. There were 2 deaths from measles, 2 deaths from *phthisis*, and one death from tuberculous meningitis registered.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. The total 14 includes one from broncho-pneumonia, 2 from bronchitis, and one from accidental causes.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 0·0. There was one death from scarlet fever tabulated to Clontarf and Howth, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. The deaths registered (19) include one from whooping-cough, 5 from *phthisis*, one from broncho-pneumonia, one from *pneumonia*, 3 from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. Whooping-cough caused one death; there was one death from broncho-pneumonia, and 3 deaths from *phthisis* were registered.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. Enteric fever, influenza, and *pneumonia* each caused one death; 3 deaths were due to tuberculous disease, and 4 deaths were due to bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Diphtheria and *diarrhœa* each caused one death, 6 deaths were caused by tuberculous disease, and one death was caused by accident.

New Kilmainham District.—The one death registered is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 10·0; Blackrock, 59·5; and Kingstown, 23·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from epidemic diarrhœa for Blackrock. Of the 8 deaths from all causes tabulated for Kingstown 2 were from *pneumonia.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:– the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 21st May, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	Apr. 30,	.	.	.	5	.	.	5	.	12	10	20	.	.	.	52
	May 7,	.	.	.	6	.	.	3	.	.	18	9	.	.	1	37
	May 14,	.	.	.	9	.	.	5	.	2	10	13	.	.	.	39
	May 21,	.	.	.	5	.	.	7	.	5	10	14	.	.	.	41
Rathmines and Rathgar Urban District.	Apr. 30,	.	.	.	2	.	.	.	.	1	.	.	.	.	.	3
	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 14,	.	.	.	2	.	.	.	.	.	1	2	.	.	.	5
	May 21,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
Pembroke Urban District.	Apr. 30,	.	.	.	1	.	.	.	.	.	.	.	.	.	19	20
	May 7,	.	.	.	3	.	.	.	.	.	1	1	.	.	31	36
	May 14,	.	.	.	.	.	.	.	.	.	.	.	.	2	17	19
	May 21,	.	.	.	3	.	.	.	.	.	.	.	.	.	20	23
Blackrock Urban District.	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 7,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	May 14,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	May 21,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	Apr. 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 7,	.	.	.	1	.	.	1	.	.	.	1	.	.	.	3
	May 14,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	May 21,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
City of Belfast.	Apr. 30,	.	–	.	16	.	.	9	.	5	18	7	.	.	.	55
	May 7,	2	–	.	11	4	.	6	3	11	7	8	.	.	.	52
	May 14,	2	–	.	13	.	.	2	.	7	9	8	2	.	.	43
	May 21,	1	–	.	6	.	.	5	.	4	6	2	.	.	.	24

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st May, 1904.

From this it appears that :—

Ten cases of measles were admitted to hospital during the week, 2 were discharged, and 25 patients remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 9 cases were discharged, there was one death, and 47* cases remained under treatment at the close of the week.

One case of typhus remained in hospital at the end of the week.

Six cases of diphtheria were admitted to hospital, 8 were discharged, there was one death, and 21 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 8 cases were discharged, and 25 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 9 patients were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·1), was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18.7 per 1,000, the rate for Glasgow being 19·5, and for Edinburgh 18·2.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st May, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 21st May, 1904. Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 21st May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	30·9	20·9	1·6	648	439	72	97	.	5	3	.	14	1	.	6	4	74	77	6	11	134	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:— Total,‡	378,994	27·5	34·5	21·9	1·8	251	159	20	41	.	2	1	.	5	1	.	2	2	22	36	3	5	66	§65·5	38·1	49·3	0·14	§67·0	35·4	49·7	0·15	§57·8	34·9	46·7	0·71
City of Dublin	293,385	37·1	40·0	22·9	2·1	225	129	17	31	.	2	1	.	5	1	.	2	1	20	25	3	5	59	a69·6 / b68·9	41·9 / 34·0	52·3 / 50·2	0·14 / 0·14	a68·8 / b67·9	37·5 / 35·4	52·0 / 50·4	0·11 / 0·15	a61·3 / b59·0	39·6 / 35·0	49·0 / 47·2	1·09 / 1·08
Urban Districts. Rathmines and Rathgar	33,203	19·4	12·6	11·9	.	8	7	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	10·0	.	11	5	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	59·5	6·0	4	10	1	5	.	.	.	.	.	.	.	.	1	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	8·9	28·7	.	3	8	.	3	.	.	.	.	.	.	.	.	.	.	6	.	.	1	65·7	39·5	51·9	0·05	69·2	37·5	52·0	0·07	60·2	41·5	49·5	1·31
Urban Districts.																																			
Belfast	358,680	24·4	28·2	21·4	2·2	194	147	31	21	.	3	2	.	7	.	.	3	.	32	22	1	1	34	64·1	34·5	50·0	0·21	62·6	37·8	48·7	0·20	57·0	36·5	47·7	0·66
Cork	76,122	33·6	42·5	18·5	1·4	62	27	5	8	.	.	.	.	1	.	.	1	.	2	6	.	.	8	53	40	49·8	0·18	59	39	49·0	0·35	54	43	48·1	0·93
Londonderry	41,397	19·1	25·2	22·7	1·3	20	18	3	4	.	.	.	.	1	.	.	.	.	3	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	27·3	15·0	.	20	11	2	.	.	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	31·2	33·1	1·9	16	17	2	6	.	.	.	.	.	.	.	.	1	3	3	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	15·5	19·4	.	4	5	1	3	.	.	.	.	.	.	.	.	.	1	1	.	.	4	64	40	51	0·00	60	38	50·4	0·28	58	38	48·6	0·43
Dundalk	18,076	3·4	19·9	28·9	.	5	6	.	2	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	28·6	16·3	.	7	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	46·2	8·4	.	11	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28	56·1	37·7	47·3	0·66
Lurgan	11,782	13·8	8·9	22·1	.	2	5	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28	56·1	37·7	47·3	0·66
Lisburn	11,461	10·1	9·1	9·1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28	56·1	37·7	47·3	0·66
Wexford	11,168	23·2	28·0	23·8	.	6	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	47·9	4·8	.	10	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	19·2	14·4	.	4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61·3	38·5	49·3	0·25	61·4	34·5	50·4	0·35	55·4	32·8	46·6	1·48
Kilkenny	10,609	11·5	24·6	34·8	4·9	5	7	2	4	.	.	.	.	.	.	.	.	1	1	.	.	.	2	60	38	50·3	0·13	66	34	49·5	0·43	58	35	46·6	1·80
Clonmel	10,167	7·8	41·0	5·1	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	20·7	.	5	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28	56·1	37·7	47·3	0·66
Tralee	9,867	16·6	37·0	15·9	.	7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	5·7	11·4	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	62	36	49·3	0·27	60	39	48·8	0·06	55	39	46·7	0·65
Queenstown	7,909	14·4	13·2	26·4	.	2	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	58	40	49·8	0·18	59	39	49·0	0·35	54	43	48·1	0·93
Armagh	7,588	22·2	41·2	41·2	.	6	6	.	1	.	.	.	.	.	.	.	.	.	2	.	1	1	1	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28	56·1	37·7	47·3	0·66

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 21st of May, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	2	1	.	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	1
Phthisis,	1	1	2	1	.	.	.	5	3	2	5	.	2	.	.	.	22	1
Other General Diseases,	3	1	2	1	.	.	.	2	1	3	3	.	1	2	3	.	23	6
Total,	7	3	6	2	1	.	.	8	5	6	10	.	3	2	4	.	57	9
B. LOCAL DISEASES:																		
Diseases of: Nervous System	3	2	1	.	1	.	.	2	.	1	1	.	2	.	.	.	13	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	1	4	1	.	.	1	1	7	4	.	.	.	.	1	23	1
Respiratory System,	2	4	.	4	.	1	.	5	2	5	1	1	1	1	3	6	36	.
Digestive System,	1	1	.	2	.	.	.	1	.	2	.	.	.	.	1	1	9	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	1	.	1	.	.	1	1	.	5	2
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	9	3	10	2	1	.	9	4	15	7	1	4	2	5	8	87	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	3	.	1	.	1	.	1	1	1	.	.	.	1	1	.	12	.
E VIOLENT DEATHS,	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Deaths from all Causes,	16	15	9	14	3	2	.	19	10	22	18	1	7	5	10	8	159	14
Annual Rate of Mortality in every 1,000 of the population	29·4	20·0	15·6	23·0	32·5	10·4	.	25·8	28·5	27·4	26·7	5·9	11·0	10·0	59·5	23·7	21·9	.
	20·4							25·6					18·3					
	22·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	2	2	3	1	.	.	5	3	3	9	.	2	3	1	1	33	11
Workhouse Hospitals,	1	2	1	5	1	.	.	8	2	5	3	.	.	.	.	.	28	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease r
week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1894-1903.	In the Week ending 21st May, 1904. Deaths of Persons of t				
	May 19, 1894.	May 18, 1895.	May 16, 1896	May 22, 1897.	May 21, 1898.	May 20, 1899	May 19, 1900.	May 18, 1901.	May 17, 1902.	May 23, 1903.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	47·9°	53·0°	55·2°	50·3°	48·0°	49·9°	47·0°	48·2°	47·2°	50·2°	49·7°	49·3°				
ALL CAUSES.	173	186	153	183	161	180	168	187	186	173	175·0	173	7	13	27	12
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	5	.	2	2	.	3	1	1·3	2	.	.	2	.
Scarlet Fever	1	2	1	.	.	1	.	.	1	1	·7	1	.	.	.	1
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	4	2	1	3	11	3	1	3	1	3·1	2	.	.	.	.
Whooping Cough, ...	5	1	1	6	1	3	1	8	3	1	3·0	5	.	1	4	.
Diphtheria, ...	2	.	1	2	2	1	1	.	3	.	1·2	1	.	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	4	2	.	1	4	.	2	1	2	2	1·8	3	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	.	2	.	3	.	2	1	1	.	1·4	1	.	.	.	.
									.	2		2	.	1	1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Venereal Disease, ...	1	.	.	1	.	.	1	2	1	1	·1	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	.	.	.	.	2	1	.	.	·6	1	.	.	.	.
									.	.	·4	.	.	.	.	.
									.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	3	1	.	.	1	.	.	1	.	.	·6	1	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	2	1	2	1	1	1	.	1	.	.	·9	.	.	.	.	.
									.	.		.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	20	34	14	25	25	31	30	30	3	4	26·3	4	.	.	.	.
									27	20		19	.	.	.	1
Tuberculous Meningitis, (Acute Hydrocephalus).	5	.	6	5	7	5	6	4	3	6	4·7	4	.	1	2	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	3	4	4	7	2	2	4	5	1	2	3·5	1	.	.	.	1
									1	.		.	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	4	6	2	8	4	2	4	5	9	2	4·6	3	.	.	.	1
									.	.		.	.	.	.	.
Alcoholism, ...	.	.	1	.	.	1	.	.	1	1	·4	1	.	.	.	.
Rheumatic Fever, ...	1	1	1	.	1	2	1	.	.	.	·7	.	.	.	.	.
Gout, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894-1900

TIETH WEEK ending Saturday, 21st May, 1904, with the deaths from each cause in the corresponding erage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday May 19, 1894.	May 18, 1895.	May 16, 1896.	May 22, 1897.	May 21, 1898.	May 20, 1899.	May 19, 1900.	May 18, 1901.	May 17, 1902.	May 23, 1903.	Averages in 20th Week of the 10 years 1894–1903.	In the Week ending Saturday, 21st May, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 47·9	° 53·0	° 55·2	° 50·3	° 48·0	° 49·9	° 47·0	° 48·2	° 47·2	° 50·2	° 49·7	° 49·3								
ia									.	2		6	.	.	.	.	4	2	.
... ...	7	5	7	5	5	8	7	5	.	1	5·9	1	.	.	.	.	.	1	.
Malignant Disease ...									4	3		4	.	.	.		.	4	.
Mellitus	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.
re Birth	3	.	2	4	4	3	1	4	2	7	3·0	2	2	.	.	.	.	.	.
is (not tuberc.)									6	1		3	.	.	1	2	.	.	.
G. P. of Insane									.	1		1	.	.	.	.	1	.	.
.. ..									.	.		2	.	.	.	.	1	1	.
ns									5	6		5	2	2	1	.	.	.	.
or Ataxy									.	1		.	.	.	.	.	.	.	.
ia Dis. of Cord									1	2		1	.	.	.	.	.	1	.
System (other Dis.) ...	49	47	34	31	35	27	33	39	4	2	37·6	2	.	.	.	1	.	1	.
., Endocarditis									4	5		1	.	.	.	.	1	.	.
Iæm. Thromb.									2	3		2	.	.	.	.	.	2	.
, *Hemiplegia*									4	3		6	.	.	.	.	4	2	.
m									.	1		1	.	.	.	.	1	.	.
n, Thromb. (not cerebral)									.	1		.	.	.	.	.	.	.	.
d Blood Vessel Dis. ..									16	13		14	.	.	.	1	3	4	3
ot Spasm. or Memb.) ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.
is	6	14	15	22	13	21	11	22	16	20	16·0	19	.	2	4	1	.	7	4	1
s Pneumonia									1	1		.	.	.	.	.	.	.	.	.
-Pneumonia	6	9	9	13	8	14	13	15	6	3	11·0	9	1	2	5	.	.	1	.
nia"									5	7		6	.	.	2	.	.	1	3	.
Emphysema									.	3		.	.	.	.	.	.	.	.	.
... ...	5	2	4	1	1	1	.	.	.	1	2·1	.	.	.	.	.	.	.	.	.
ory Dis. (other)									2	1		2	.	.	1	1	.	.	.	.
s, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(not Epid.)									2	.		1	.	.	.	.	1	.	.	.
nteritis	.	.	.	2	1	.	.	.	.	.	·5	2	.	1	1	.	.	.	.	.
is (not Puerp.)	.	.	.	1	2	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
of Liver									.	2		1	.	.	.	.	1	.	.	.
s. (other)	2	.	3	1	4	3	4	3	2	3	2·7	.	.	.	.	.	.	.	.	.
Dis. (other)	2	7	3	5	1	8	2	8	6	3	4·5	5	.	1	.	.	1	2	1	.
s, Acute									3	.		1	.	.	.	.	1	.	.	.
Dis., Albuminuria ...	6	7	4	3	5	3	2	5	4	1	4·5	5	.	.	.	.	1	2	2	.
Sys. (Other Dis.) ...									1	1		1	.	.	.	.	.	.	1	.
ve Organs Dis.	.	2	.	1	.	.	1	.	1	1	·6	.	.	.	.	.	.	.	.	.
h (Accid. of)	.	3	.	.	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.
... ...	7	9	12	11	13	11	14	9	7	8	10·1	8	.	.	.	.	.	4	4
seases	21	19	15	15	9	14	14	7	13	11	13·9	7	2	1	1	.	1	2	.
ACCIDENT.																				
vays	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
les and Horses	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive wning)	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ing Operations	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	.	1	1	.	1	2	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
ning	.	.	.	1	1	2	1	2	.	.	·7	.	.	.	.	.	.	.	.	.
cation in Bed	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
n or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	1	3	6	2	2	1	2	1	2	2	2·2	3	.	1	1	.	1	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
e	.	.	.	1	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																									
	Nov 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Births registered,	193	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251
*Average Births in corresponding week of previous 10 years,**	182	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200
Deaths registered,	188	207	186	193	153	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173	173
Annual Death-rate per 1,000,	25·9	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8
*Average Deaths in corresponding week of previous 10 years,**	191	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175
Ages, Under 5 years,	64	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47
5—20 "	12	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12
20—40 "	25	33	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29
40—60 "	39	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39
60—80 "	41	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38
80 years and upwards,	7	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2
" Scarlet Fever	.	2	.	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1
" Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	3	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5
" Diphtheria,	1	2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1
" Simple Continued Fever,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
" Enteric Fever,	5	2	1	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3
" Diarrhœal Diseases,	3	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3
" Phthisis,	23	23	22	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23
" Diseases of Heart and Blood Vessels,	36	33	24	34	19	7	26	36	26	30	23	28	22	23	28	41	23	35	25	20	25	24	13	31	17	24
" Diseases of Respiratory System,	39	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36
Violent Deaths,	1	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3
Mean Temperature of the Air (Phœnix Park),	44·4	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3
Average Mean Temperature in corresponding week of previous 10 years,	42·9	43·0	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7
Rainfall in inches,	1·153	·443	1·003	·245	·290	·085	1·515	·546	·185	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·085	·068	·150	·713	·145	·136
Mean Humidity of the Air, complete Saturation 1·0,	·90	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·78	·81	·81	·79	·83	·75

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st May, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 21st May, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Colls. 10–13.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,850	24·0	173	47	12	29	39	38	8	.	2	1	.	5	1	.	3	3	15	23	5	36	3	91
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	15·0	5	.	.	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
II.	MIDDLE CLASS,	87,188	14·4	24	4	1	4	8	5	2	.	.	1	.	.	.	.	.	.	1	3	1	6	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·2	45	13	3	8	9	11	1	.	1	.	.	4	.	.	.	.	5	5	1	11	.	23
IV.	GENERAL SERVICE CLASS,	154,279	32·2	68	28	8	12	11	8	1	.	1	.	.	1	1	.	2	3	8	9	2	12	2	35
V.	INMATES OF WORKHOUSES,	6,024		31	2	.	4	11	12	2	.	.	.	.	.	.	.	1	.	1	5	1	6	1	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	6. Clerks and Commercial Assistants,	30,432	17·1	10	4	1	2	3	.	.	.	.	1	.	.	.	.	.	.	1	2	1	3	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	.	.	1	3	4	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	2
	9. Building and Furnishing Trades,	29,801	21·0	12	7	1	.	1	3	.	.	1	.	.	.	.	.	.	.	1	1	.	5	.	5
	10. Clothing Trades,	23,260	15·7	7	.	2	2	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	3
	11. Food Supply Trades,	9,242	28·2	5	3	.	1	1	.	.	.	.	.	.	3	.	.	.	.	3	1	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	.	.	3	5	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	10
	13. Petty Shopkeepers,	7,894	26·4	4	1	.	2	.	1	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.
	15. Domestic Servants,	36,603	10·0	7	2	.	4	.	.	1	.	.	.	.	.	.	.	1	.	1	2	.	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	1	1	.	3	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·3	54	23	7	8	8	8	.	.	.	.	.	1	1	.	1	1	4	7	2	10	2	29
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	31	2	.	4	11	12	2	.	.	.	.	.	.	.	1	.	1	5	1	6	1	17

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	April 2,	27·6	5·5	15	.	.	.	.	1	.	.	1	1	2	4	1
	" 9,	25·9	.	18	.	.	.	.	.	.	.	.	.	3	3	1
	" 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	" 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
	" 30,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	4	.
	May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
	" 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
	" 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	April 2,	25·3	2·7	19	.	.	.	.	1	.	.	.	1	1	7	.
	" 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
	" 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
	" 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
	" 30,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	3	7	.
	May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
	" 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
	" 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	April 2,	34·6	3·5	20	.	.	1	.	.	.	.	1	.	3	3	.
	" 9	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
	" 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	" 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
	" 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
	May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	1
	" 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	.
	" 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	April 2,	31·2	11·5	19	.	4	.	.	3	.	.	.	.	2	2	.
	" 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
	" 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
	" 23,	36·2	3·3	22	.	2	.	.	.	.	.	.	.	5	6	.
	" 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
	May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
	" 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
	" 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	April 2,	42·1	1·4	31	.	.	.	.	1	.	.	.	.	8	9	.
	" 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
	" 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
	" 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
	" 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
	May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
	" 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
	" 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	April 2,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	2	.
	" 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
	" 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
	" 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	" 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
	May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	" 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 21,	23·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	April 2,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	3	3	1
	" 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
	" 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
	" 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
	" 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
	May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
	" 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est. 35,188	April 2,	25·2	1·5	17	.	.	.	.	1	.	.	.	.	2	3	1
	" 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
	" 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
	" 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
	" 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.
	May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	.
	" 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	" 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,208.	April 2,	25·1	.	16	.	.	.	.	.	.	.	.	.	1	2	2
	„ 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	April 2,	16·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	„ 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	April 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	1	2	.
	„ 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	„ 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	„ 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	„ 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
Belfast. Pop. in 1904 (Est.) 358,680.	April 2,	22·7	2·0	156	.	1	.	.	11	.	.	2	.	16	51	7
	„ 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	„ 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
	„ 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
	„ 30,	20·5	2·9	141	.	2	1	.	18	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	.	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·3	151	.	1	1	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	2	.	7	.	.	3	.	32	22	1
Cork. Pop. (in 1901) 76,122.	April 2,	39·7	1·4	58	.	.	.	.	2	.	.	.	.	6	16	3
	„ 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	„ 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	„ 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
Londonderry. Pop. in 1904 (Est.) 41,397	April 2,	12·6	.	10	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
	„ 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	„ 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
Limerick. Pop. (in 1901) 38,151.	April 2,	35·5	1·4	26	.	.	.	.	.	.	.	.	1	4	3	.
	„ 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	„ 16,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
Waterford. Pop. (in 1901) 26,769.	April 2,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	3	1
	„ 9,	15·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	„ 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	25·3	.	18	.	.	.	.	.	.	.	.	.	3	4	.
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 21st May, 1904; Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	6	10·6	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 2 "	47,959	27	17·4	1·1	16	3	3	5	5	.	.	.	.	1	.	.	.	.	1	3	.	.	2
Do. 3 "	47,214	25	22·1	1·1	20	3	1	14	2	.	.	.	.	.	.	.	1	.	3	4	.	.	2
Do. 4 "	40,911	24	30·6	1·3	24	6	4	12	2	.	1	.	.	.	.	.	.	.	7	3	.	.	3
Do. 5 "	17,887	4	27·0	.	9	.	1	8	.	.	.	.	.	.	.	.	.	.	4	1	.	.	2
Do. 6 "	48,122	16	14·1	.	13	.	1	7	5	.	.	.	.	.	.	.	.	.	2	1	.	.	5
Do 7 "	1,524	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 8 "	5,060	4	20·6	10·3	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Do. 9 "	19,569	18	18·7	2·7	7	2		3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2
Do. 10 "	23,064	19	22·6	4·5	10	3	1	2	4	.	.	1	.	1	.	.	.	.	.	1	.	.	.
Do. 11 "	34,802	19	24·0	4·5	16	7	.	8	1	.	1	.	.	2	.	.	.	.	4	2	1	1	4
Do. 12 "	33,588	22	27·9	7·8	18	4	5	8	1	.	1	1	.	2	.	.	1	.	1	3	.	.	5
Do 13 "	15,006	10	24·3	.	7	2	1	4	.	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	194	22·0	2·2	147	31	18	77	21	.	3	2	.	7	.	.	3	.	32	22	1	1	34
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	5	24·3	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Do. 2 "	10,701	12	4·9	4·9	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 3 "	9,978	16	20·9	5·2	4	1	1	1	1	.	.	.	.	1	.	.	.	.	.	2	.	.	1
Do. 4 "	8,666	5	18·1	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 "	6,592	5	7·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. "	10,702	9	19·5	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	10	25·1	.	8	2	.	3	3	.	.	.	.	.	.	.	.	.	1	3	.	.	3
Total	76,122	62	18·5	1·4	27	5	4	10	8	.	.	.	.	1	.	.	1	.	2	6	.	.	8

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered,	206	234	204	187	128	252	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271	283	245	231	239	194
DEATHS registered.	120	163	145	176	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147
Annual Death-rate per 1,000 of estimated Population,	17·4	23·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4
AGES, Under 1 year,	32	40	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31
AGES, 1–5 years,	13	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18
AGES, 5–60 years,	55	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77
AGES, 60 years and upwards,	20	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3
" Scarlet Fever,	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2
" Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Whooping cough,	11	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7
" Diphtheria,	.	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.		.	.	3	2	1	.	.	.
" Simple Continued Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3
" Diarrhœal Diseases,	.	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.
" Phthisis	16	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32
" Diseases of Respiratory System,	33	50	43	70	50	60	79	32	39	48	43	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22
Violent Deaths,	5	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st May, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	2	.	.	.	.	.	3	.	.	.	5
" " 2,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	.	.	1	.	.	3	.	4	1	7	.	.	16
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	4	7	.	.	12
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	5	.	.	7	.	5	10	14	.	.	41

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st May, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st May.			
	April 30.	May 7.	May 14.	No. admitted.	Dis-charged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	19	13	17	10	2	.	25
Scarlet Fever,	54	59	51	6	9	1	47*
Typhus "	.	1	1	.	.	.	1
Diphtheria,	20	22	24	6	8	1	21
Enteric Fever,	28	32	28	5	8	.	25
Pneumonia,	16	21	22	12	9	.	25

*Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	May 21,	2,376	1,349	15·1	.	75	5	10	39	4	21
EDINBURGH,	331,977	„ 21,	155	116	18·2	.	1	1	.	3	.	1
GLASGOW,	798,357	„ 21,	539	299	19·5	2	10	3	1	10	.	7
CALCUTTA,	847,793	Mar. 19,	.	679	41·6	4	3	.	.	.	73‡	102*
BOMBAY,	776,006	Apr. 19,	304	1,197	80·2	22	9	.	.	.	36‡	67
MADRAS,	509,346	„ 8,	401	452	46·1	.	4	?	?	?	129	93*
PARIS,	2,660,559	May, 7,	995	904	17·6	.	14	2	5†	8	4	29
BRUSSELS (with 8 Faubourgs).	575,896	Apr. 30,	216	144	13·0	.	1	.	2†	.	1	7
AMSTERDAM,	548,224	„ 30,	246	172	16·4	.	12	.	.	2	1	12
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	Apr. 30,	240	152	19·3	.	.	1	.	8	.	4
CHRISTIANIA,	223,649	May 7,	131	73	17·0	.	.	.	1	.	.	3
ST. PETERSBURG,	1,248,122	„ 7,	677	733	30·6	2	29	9	14	6	10	66
BERLIN,	1,960,909	Apr. 23,	921	617	16·5	.	10	9	6†	6	.	46
HAMBURG,	751,842	„ 30,	.	239	16·5	.	3	.	2†	3	.	7
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	May 7,	.	212	21·2	.	8	1	1†	.	.	27
VIENNA (with suburbs).	1,779,869	„ 7,	900	702	20·3	.	37	2	7†	2	4	33
BUDA-PESTH	813,399	„ 7,	423	299	19·1	1§	4	7	4†	1	2	15
PRAGUE and Faubourgs.	423,218	Apr. 30,	187	175	21·3	.	1	.	.	1	1	13
ROME,	490,201	Feb. 13,	256	217	22·8	.	6	.	1	1	2	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Apr. 9,	76	69	21·6	.	.	.	1†	.	1	.
NEW YORK,	3,838,024	„ 23,	1,766	1,831	24·9	.	37	32	53†	5	5	51
PHILADELPHIA,	1,408,154	„ 16,	.	570	21·1	5	6	2	14†	1	29	9

* Including 58 deaths from cholera in Calcutta and 8 in Madras.
† Including deaths from croup.
‡ Exclusive of 295 deaths from bubonic fever in Calcutta, and 633 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 21st May, 1904:—

"Generally seasonable and favourable weather was enjoyed this week. The most remarkable feature of the period was an extraordinary heat-wave which passed rapidly northeastwards from the Peninsula to Belgium and Germany in the course of Monday and Tuesday. On Sunday morning a baric depression (29·37 inches) was central in the Shetlands, and gradients for westerly winds were steep over the British Isles. Fine, cool weather prevailed. Towards evening the wind fell light and shifted to S.E. with a clear sky. These changes depended on the approach of a new depression from low southern latitudes. With it came a heat-wave, which on Monday sent the thermometer up to 99° at Biarritz (where the 8 a.m. reading was 82°), 91° at Rochefort, 87° at Lyons, 80° in Paris, 73° in London, and 70° even in Dublin. On Tuesday the chief maxima were 86° at Frankfurt, 83° at Belfort, 81° in Berlin, and 80° in Paris. Meanwhile fresh W. and N.W. winds brought a sudden fall of temperature to the British Isles and afterwards to the Continent. Hail showers fell in Dublin on Tuesday, and the next two days were decidedly cool and breezy, but with much bright sunshine—Dublin had 21 hours between the two days, London had 24 hours and Bath had 27. On Thursday and Friday a large depression passed eastwards across Northern Europe, while an area of high barometer moved northeastward across the British Isles. As its centre passed, the barometer fell steadily, the wind shifted to E. and the weather became cool, cloudy and generally unsettled on Saturday owing to the approach of a shallow depression from France and the Bay of Biscay. In Dublin the mean height of the barometer was 29·984 inches, the range of pressure being from 29·684 inches at 4 p.m. of Monday (wind, S.W..) to 30·233 inches at 9 p.m. of Thursday (wind, S.). The corrected mean temperature was 52·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·3°. Temperature in the screen ranged from 69·6° on Monday to 41·9° on Thursday. The duration of bright sunshine was estimated at 51 hours, of which 11¼ fell on Wednesday. Rain fell on 4 days to the amount of ·143 inch, ·017 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·994 inches. The highest reading (30·239) was on Thursday at 9 p.m., air calm, and the lowest (29·724) on Monday at 9 p.m., wind W.

The mean temperature for the week was 49·3°, being 0·4 under the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Monday, on which day the thermometer registered 65·5°, and was lowest on Friday, the mercury having fallen to 33·1? The mean of the Dry Bulb for the week was 49·9° and of the Wet Bulb 45·9°. The mean humidity of the air was ·75, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 56·7. hours. The rainfall during the week measured ·136 inch.

At Greenwich the mean temperature for the week was 54·0°, the maximum 72·6° and the minimum 39·2°; at Glasgow* the maximum was 59·8°, the minimum 40·2° and the mean 50·2°; and at Edinburgh the maximum was 68·7°, the minimum 39·7°, and the mean 49·5°. The rainfall at Greenwich measured 0·35 inch; at Glasgow 0·38 inch; and at Edinburgh 0·04 inch.†

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 15,	30·049	57·6	44·7	51·2	50·0	45·9	·74	·2	5·8	—	W.S.W.	Calm.
Monday, „ 16,	29·771	65·5	42·9	54·2	57·9	52·7	·71	·4	8·9	—	S.E.	W.
Tuesday, „ 17,	29·847	56·5	40·0	48·3	48·1	44·8	·78	·8	10·8	·018	W.S.W.	W.S.W.
Wednesday, „ 18,	29·973	56·0	42·1	49·1	47·3	43·1	·71	·8	12·0	·018	W.	W.
Thursday, „ 19,	30·236	57·3	38·9	48·1	46·8	43·8	·80	·1	11·2	—	W.	Calm.
Friday, „ 20,	30·102	57·8	33·1	45·5	51·6	46·2	·67	·0	8·0	·070	E.S.E.	Calm.
Saturday, „ 21,	29·977	52·8	44·0	48·4	47·3	44·9	·84	·0	0·0	·030	E.	E.
Mean, . .	29·994	57·6	40·8	49·3	49·9	45·9	·75	·3	Total 56·7	·136	Prevailing Wind, W.	

Sunday—Day fine but cloudy; night cloudy. *Monday*—Day fine but cloudy; night cloudy. *Tuesday*—Day cloudy, rain and hail showers a.m.; night cloudy. *Wednesday*—Day cloudy and showery, bright intervals; night clear, passing showers. *Thursday*—A fine day; night clear. *Friday*—A fine day, night overcast, light rain 9.45 p.m. to 1 a.m. *Saturday*—A dull day, light showers; night overcast, showers a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* No observations of temperature were made for Glasgow on Friday the 20th.

† Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

VEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

ONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLI] WEEK ENDING SATURDAY, 28TH MAY, 1904. [No. 21.

General Register Office, Charlemont House, Dublin, 30th May, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in he Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 19·3 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,093,289.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alpha- etically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c.	Week ending May 7.	Week ending May 14.	Week ending May 21.	Week ending May 28.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending May 7.	Week ending May 14.	Week ending May 21.	Week ending May 28.	Average Rate for 4 weeks
2 Town Dists.	21·8	21·7	20·9	19·3	21·9	Lisburn, . .	9·1	22·7	9·1	27·3	17·1
rmagh, . .	20·6	20·6	41·2	27·5	27·5	Londonderry .	16·4	12·6	22·7	13·9	16·4
allymena, .	28·7	4·8	4·8	14·4	13·2	Lurgan, . .	26·6	48·7	22·1	26·6	31·0
elfast, . .	23·1	22·0	21·4	19·5	21·5	Newry, . .	25·2	16·8	8·4	21·0	17·9
lonmel, . .	15·4	20·5	5·1	25·6	16·7	Newtownards, .	11·4	11·4	11·4	22·9	14·3
ork, . . .	21·9	26·7	18·5	18·5	21·4	Portadown, .	10·3	5·2	20·7	5·2	10·4
rogheda, . .	20·4	28·6	16·3	12·3	19·4	Queenstown, .	26·4	19·8	26·4	19·8	23·1
ublin Reg. Area,	23·1	21·6	21·9	21·3	22·0	Sligo, . . .	9·6	9·6	14·4	.	8·4
undalk, . .	19·9	16·0	23·9	23·9	20·9	Tralee, . .	15·9	10·6	15·9	21·1	15·9
alway, . .	27·2	38·8	19·4	15·5	25·2	Waterford, .	21·4	19·5	33·1	17·5	22·9
ilkenny, . .	9·8	34·3	34·3	24·6	25·7	Wexford, . .	32·7	32·7	23·3	14·0	25·7
imerick, . .	12·3	21·9	15·0	9·6	14·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last veek * were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in ixteen of the districts to 5·3 in Tralee. Among the 134 deaths from all causes registered n Belfast are one from measles, 6 from whooping-cough, and 4 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 82—101 boys and 81 girls; and the deaths to 163—84 males and 79 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·4 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted nto public institutions from localities outside the Area, the rate was 21·3 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

During the twenty-one weeks ending with Saturday last the death-rate averaged 27·5, and was 1·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

The total deaths (163) registered include 2 from scarlet fever, 2 from influenza, 4 from whooping-cough, one from enteric fever, and one death from dysentery. In the 3 weekly periods preceding deaths from whooping-cough were 11, 10, and 5, and deaths from enteric fever were 2, 2, and 3, respectively.

Two deaths from croupous pneumonia, 4 deaths from broncho-pneumonia, and 7 deaths from *pneumonia* not otherwise defined, were registered.

Tuberculosis caused a total of 45 deaths, namely—8 deaths from tuberculous phthisis, 18 deaths from *phthisis*, 6 deaths from tuberculous meningitis, 3 deaths from tuberculous peritonitis, 2 deaths from tabes mesenterica, and 8 deaths from other forms of the disease.

One death was assigned to carcinoma, and 5 deaths were assigned to *cancer, malignant disease.*

The 15 deaths attributed to diseases of the brain and nervous system include the deaths of 5 children (all under 5 years of age) from *convulsions.*

Twenty-one deaths from diseases of the heart and blood-vessels were registered; these include 6 from *apoplexy, hemiplegia.*

Fourteen deaths from bronchitis were registered.

Of 3 violent deaths 2 were accidental (one being of a child aged 2 years from burns), and one was suicidal.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 children under 5 years of age (including 6 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 8 were under one month old), and 31 were aged 60 years and upwards, including 9 persons aged 70 and upwards, of whom 2 were octogenarians.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·3 per 1,000, the rate in the City was 23·5 (North City Districts, 18·7; South, 28·5), and in the Suburbs, 14·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·4 (0·3 in the North City Districts, and 2·6 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. Influenza caused one death, and 4 deaths from *phthisis* were recorded; there were 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000. One death from dysentery, 3 deaths from tuberculous disease, one death from *pneumonia*, and one death from bronchitis, were registered.

No. 2 North City District (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 12·1 per 1,000. *Phthisis* and tuberculous meningitis each caused two deaths.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. There were 2 deaths from *pneumonia*, and 4 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants; Finglas and Glasnevin, part of, 46·9; and Clontarf and Howth, No. 1, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 23·1 per 1,000. There were 4 deaths from tuberculous disease, including one death from tuberculous meningitis. One death from croupous pneumonia, and 3 deaths from bronchitis, were registered.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000. Scarlet fever and whooping-cough each caused one death; tuberculous disease caused 5 deaths, including one from tuberculous meningitis, and there was one death from *pneumonia.*

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·9 per 1,000. The deaths include one from scarlet fever, 3 from whooping-cough, one from enteric fever, 6 from tuberculous disease, and one death from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (26) are equivalent to an annual rate of 38·6 per 1,000. Influenza caused one death, tuberculous meningitis caused 7 deaths, including one death from tuberculous meningitis; there was one death from croupous pneumonia, there were 3 deaths from broncho-pneumonia, and one death from *pneumonia*; one accidental death was registered.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·6; Pembroke, 12·0; Blackrock, 0·0; and Kingstown, 26·6. There were no deaths from any of the principal epidemic diseases tabulated for these districts.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

ATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases ation) Act, 1889," as set forth in the following Table have been kindly furnished by :— arles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, ve Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer krock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for wn Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for of Belfast.

I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin stration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, oroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 28th 1904, and each of the preceding three weeks.

TIES AND N DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
of Dublin.	May 7,	.	.	.	6	.	.	3	.	.	18	9	.	.	1	37
	May 14,	.	.	.	9	.	.	5	.	2	10	13	.	.	.	39
	May 21,	.	.	.	5	.	.	7	.	5	10	14	.	.	.	41
	May 28,	.	.	.	8	.	.	1	.	.	10	2	.	.	.	21
hmines and ar Urban District.	May 7,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 14,	.	.	.	2	.	.	.	.	.	1	2	.	.	.	5
	May 21,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	May 28,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
Pembroke ban District.	May 7,	.	.	.	3	.	.	.	.	.	1	1	.	.	31	36
	May 14,	.	.	.	.	.	.	.	.	.	.	.	.	2	17	19
	May 21,	.	.	.	3	.	.	.	.	.	.	.	.	.	20	23
	May 28,	.	.	.	2	.	.	.	.	.	.	.	1	.	8	11
Blackrock ban District.	May 7,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	May 14,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	May 21,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 28,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown ban District.	May 7,	.	.	.	1	.	.	1	.	.	.	1	.	.	.	3
	May 14,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	May 21,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	May 28,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
y of Belfast.	May 7,	2	–	.	11	4	.	6	3	11	7	8	.	.	.	52
	May 14,	2	–	.	13	.	.	2	.	7	9	8	2	.	.	43
	May 21,	1	–	.	6	.	.	5	.	4	6	2	.	.	.	24
	May 28,	3	–	.	13	.	.	4	.	12	9	11	1	.	.	53

ASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

e XI. exhibits the number of cases of certain infectious diseases treated in the Hospitals during the week ended 28th May, 1904.

this it appears that :—

ve cases of measles were admitted to hospital during the week, 4 were discharged, patients remained under treatment at its close.

n cases of scarlet fever were admitted to hospital, 11 cases were discharged, * cases remained under treatment at the close of the week.

case of typhus was discharged from hospital, leaving not one case in hospital nd of the week.

cases of diphtheria were admitted to hospital, 10 were discharged, and 13 cases d under treatment at the close of the week.

cases of enteric fever were admitted to hospital, one case was discharged, there deaths, and 26 cases remained under treatment at the close of the week.

ldition to the above-named diseases, 7 cases of pneumonia were admitted to l, 2 patients were discharged, there were 2 deaths, and 28 cases remained under nt at the end of the week.

ENGLAND AND SCOTLAND.

mortality last week in 76 large English towns, including London (in which was 14·3), was equal to an average annual death-rate of 15·4 per 1,000 persons the average rate for 8 principal towns of Scotland was 17·6 per 1,000, the rate sgow being 17·1, and for Edinburgh 20·0.

note (*) Table XI.

ese vary according to the bye-laws of the Urban District. The cases shown for Pembroke ove table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th May, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 28th May, 1904. Numbers Registered. Births.	Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 28th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,093,289	19·2	27·9	19·3	1·1	586	405	70	98	.	1	3	.	10	2	.	1	6	66	79	7	14	100	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	373,994	27·5	25·0	21·3	1·1	182	155	26	31	.	.	2	.	4	.	.	1	1	23	29	2	2	62	§62·7	34·9	50·5	0·20	§65·5	33·1	49·3	0·14	§67·0	35·4	49·7	0·15
City of Dublin	293,385	37·1	26·7	23·5	1·4	150	132	20	26	.	.	2	.	4	.	.	1	1	21	26	1	1	60	a65·7 / b62·8	43·5 / 36·0	54·0 / 51·5	0·25 / 0·35	a69·6 / b68·9	41·9 / 34·0	52·3 / 50·2	0·14 / 0·14	a68·8 / b67·9	37·5 / 35·4	52·0 / 50·4	0·11 / 0·15
Urban Districts. Rathmines and Rathgar	33,203	19·4	20·4	12·6	.	13	8	3	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	12·0	.	8	6	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	20·7	26·6	.	7	9	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	63·2	41·5	53·4	0·16	65·7	39·5	51·9	0·05	69·2	37·5	52·0	0·07
Urban Districts.																																			
Belfast	358,680	24·4	33·1	19·5	1·6	228	134	29	24	.	1	.	.	6	.	.	.	4	24	29	1	6	19	62·1	36·5	49·7	0·82	64·1	34·5	50·0	0·21	62·6	37·8	48·7	0·20
Cork	76,122	33·6	21·9	18·5	0·7	32	27	2	10	.	.	.	.	.	1	.	.	.	5	5	1	1	5	60	41	52·3	0·46	58	40	49·8	0·18	59	39	49·0	0·35
Londonderry	41,397	19·1	31·5	13·9	.	25	11	3	2	.	.	.	.	.	.	.	.	.	2	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	88,151	18·1	17·8	9·6	1·4	13	7	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	33·1	17·5	.	17	9	.	3	.	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	19·4	15·5	.	5	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	68	42	52·3	0·32	64	40	51	0·00	60	38	50·4	0·28
Dundalk	18,076	3·4	27·9	28·9	.	7	6	.	2	.	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	20·4	12·3	.	5	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	21·0	21·0	.	5	5	.	2	.	.	.	.	.	.	.	.	.	1	2	.	1	.	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28
Lurgan	11,782	13·8	53·1	26·6	.	12	6	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28
Lisburn	11,461	10·1	18·2	27·3	4·5	4	6	.	1	.	.	1	.	.	.	.	.	.	2	1	.	.	2	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28
Wexford	11,168	23·2	32·7	14·0	.	7	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	19·2	14·4	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	19·2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·5	35·3	51·3	0·25	61·3	38·5	49·3	0·25	61·4	34·5	50·4	0·35
Kilkenny	10,609	11·5	43·1	24·6	.	10	5	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	65	39	53·1	0·16	60	38	50·3	0·13	66	34	49·5	0·43
Clonmel	10,167	7·8	15·4	25·6	.	3	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	41·3	5·2	.	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28
Tralee	9,867	16·6	10·6	21·1	5·3	2	4	1	3	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	22·9	.	2	4	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	57	39	49·3	0·49	62	36	49·3	0·27	60	39	48·8	0·06
Queenstown	7,909	14·4	46·1	19·8	.	7	3	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	60	41	52·3	0·46	58	40	49·8	0·18	59	39	49·0	0·35
Armagh	7,588	22·2	27·5	27·5	.	4	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26	61·0	34·9	49·4	0·28

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 28th of May, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Phthisis,	4	2	2	.	.	1	.	2	2	4	3	1	.	2	.	.	23	3
Other General Diseases,	1	3	2	1	.	.	4	3	3	2	8	2	2	.	.	2	33	4
Total,	5	6	4	1	.	1	4	5	7	11	11	3	2	2	.	2	64	7
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	1	2	.	1	1	.	.	.	1	1	1	2	.	2	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	1	1	.	1	.	4	2	3	1	.	1	1	.	2	21	.
Respiratory System,	3	2	.	6	.	.	.	4	1	1	3	1	2	.	.	1	29	.
Digestive System,	1	.	.	2	.	.	.	2	1	.	1	.	1	.	.	.	8	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	7	2	11	.	2	1	10	4	5	13	3	5	3	.	5	78	.
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	1	1	.	.	1	2	2	.	1	.	.	1	.	2	11	.
E VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	1
Deaths from all Causes,	12	13	7	13	.	3	6	17	13	16	26	6	8	6	.	9	155	8
Annual Rate of Mortality in every 1,000 of the population	22·1	17·3	12·1	21·4	.	15·6	46·9	28·1	37·1	19·9	38·6	35·2	12·6	12·0	.	26·6	21·3	.
	18·7							28·5					14·0					
	23·5																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	3	.	3	.	1	1	2	6	4	7	3	1	1	.	.	33	7
Workhouse Hospitals,	1	3	4	2	.	.	.	8	2	4	5	.	.	.	.	.	29	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1894-1903.	In the Week ending S 28th May, 1904. Deaths of Persons of th				
	May 26, 1894.	May 25, 1895.	May 23, 1896	May 29, 1897.	May 28, 1898.	May 27, 1899	May 26, 1900.	May 25, 1901.	May 24, 1902.	May 30, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 51·2	° 49·7	° 53·3	° 50·0	° 50·5				
ALL CAUSES.	149	191	159	190	155	178	176	178	149	170	169·5	163	8	19	24	17
Small-pox, Vaccinated, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, Unvaccinated.	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	5	1	1	.	.	2	.	·9	.	.	.	.	.
Scarlet Fever	.	.	1	3	1	.	.	.	2	2	·9	2	.	.	1	1
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	6	1	2	1	3	2	3	.	1	2·2	2	.	.	.	.
Whooping Cough,	8	3	3	2	3	1	3	5	.	2	3·0	4	.	1	3	.
Diphtheria,	.	.	.	.	4	.	.	.	.	.	·4	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.
Enteric Fever,	4	1	2	1	3	4	2	.	1	1	1·9	1	.	.	.	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	3	1	1	4	2	1	.	3	.	1	2·0	.	.	.	.	.
Diarrhœa, Dysentery,									2	2		1		1	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Venereal Disease,	.	.	.	.	.	2	1	1	.	.	·4	1	.	1	.	.
Puerperal Septicæmia, Sapræmia,	3	.	.	.	.	.	.	.	1	.	·5	.	.	.	.	.
Puerperal Pyæmia,									.	.		.	.	.	.	.
Puerperal Fever,									1	.		.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	1	.	1	.	2	.	.	·4	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal).	.	.	.	.	.	.	1	1	.	1	·3	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	25	43	26	32	25	27	32	25	2	4	28·9	8	.	.	.	2
									23	25		18	.	.	.	2
Tuberculous Meningitis, (Acute Hydrocephalus).	4	5	8	9	10	10	8	2	2	5	6·3	6	.	1	3	2
Tuberculous Peritonitis, Tabes Mesenterica,	2	6	2	8	4	3	4	4	.	4	3·8	3	.	.	.	2
									.	1		2	.	1	.	1
Tuberculous Dis. (other), *Scrofula*,	6	5	4	4	4	4	11	5	2	4	4·9	8	.	2	1	2
									.	.		.	.	.	.	.
Alcoholism,	1	1	.	1	1	2	1	.	.	.	·7	.	.	.	.	.
Rheumatic Fever,	.	.	1	1	.	.	.	.	.	.	·2	2	.	.	.	1
Gout,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894-1900

TY-FIRST WEEK ending Saturday, 28th May, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: May 26, 1894.	May 25, 1895.	May 23, 1896.	May 29, 1897.	May 28, 1898.	May 27, 1899.	May 26, 1900.	May 25, 1901.	May 24, 1902.	May 30, 1903.	Averages in 21st Week of the 10 years 1894–1903.	In the Week ending Saturday, 28th May, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·2	° 48·4	° 53·2	° 49·0	° 51·7	° 48·5	° 51·2	° 51·2	° 49·7	° 53·3	° 50·0	° 50·5								
na	2	2	8	5	7	6	6	8	1	2	6·4	1	.	.	.	.	1	.	.
... ...									.	.		.	.	.	.	.	.	.	.
Malignant Disease ...									6	11		5	.	.	.	.	3	2	.
Mellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
re Birth	1	1	1	3	3	2	1	5	2	3	2·2	5	4	1	.	.	.	.	.
is (not tuberc.)									8	4		7	.	.	2	3	1	1	.
G. P. of Insane									4	2		2	.	.	.	.	2	.	.
... ...									1	1		.	.	.	.	.	.	.	.
ms									9	7		5	2	1	2	.	.	.	.
or Ataxy									.	.		.	.	.	.	.	.	.	.
ia Dis. of Cord									.	.		1	.	.	.	.	.	1	.
System (other Dis.) ...	31	34	30	30	27	31	31	36	4	1	33·0	.	.	.	.	.	.	.	.
s, Endocarditis									4	3		2	.	.	.	.	2	.	.
Hæm. Thromb.									.	1		.	.	.	.	.	.	.	.
, *Hemiplegia*									2	5		6	.	.	.	.	2	4	.
m									.	.		.	.	.	.	.	.	.	.
n, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.
d Blood Vessel Dis.									9	15		13	.	.	.	.	1	4	7	1
ot Spasm. or Memb.) ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
is	9	20	16	18	16	23	15	19	14	11	16·1	14	.	5	2	.	1	1	5	.
s Pneumonia									1	1		2	.	.	.	.	2	.	.
-Pneumonia	4	14	11	12	10	16	14	15	3	2	11·4	4	.	.	3	.	.	1	.
nia"									4	7		7	.	.	2	.	3	2	.
Emphysema									.	1		.	.	.	.	.	.	.	.
... ...	2	4	3	2	1	1	.	1	.	2	2·1	.	.	.	.	.	.	.	.
ory Dis. (other)									1	3		2	.	.	2	.	.	.	.
is, Quinsy	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
(not Epid.)	1	.	.	1	1	1	.	1	.	1	·6	1	.	.	1	.	.	.	.
nteritis									.	.		.	.	.	.	.	.	.	.
is (not Puerp.)	2	.	.	.	.	2	1	1	.	.	·6	.	.	.	.	.	.	.	.
of Liver	3	3	1	2	1	2	5	2	2	1	2·7	1	.	.	.	.	1	.	.
s. (other)									3	2		.	.	.	.	.	.	.	.
Dis. (other)	4	3	6	6	1	6	5	7	3	6	4·7	6	.	1	.	.	1	2	2	.
s, Acute									4	1		.	.	.	.	.	.	.	.
Dis., Albuminuria ...	5	3	5	6	2	4	3	4	3	1	4·3	5	.	.	.	.	2	2	1	.
Sys. (Other Dis.) ...									.	2		.	.	.	.	.	.	.	.	.
ve Organs Dis.	1	.	1	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
th (Accid. of)	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
... ...	9	11	6	12	13	11	11	12	4	3	9·2	4	.	.	.	.	.	3	1	
seases	11	20	10	12	8	9	17	11	13	7	11·8	8	2	4	.	.	1	1	.	
ACCIDENT.																				
ways	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
les and Horses	.	1	1	.	.	1	.	.	1	2	·6	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive wning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ng Operations	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	3	.	2	.	.	.	.	.	.	1	·6	1	.	.	1	.	.	.	.	.
ning	.	1	2	1	.	.	1	.	.	4	·9	.	.	.	.	.	.	.	.	.
cation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
n or Poisonous Vapours...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	2	.	1	2	2	3	.	2	3	1	1·6	1	.	.	1	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
e	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	1	1	.	.	.	1	·4	1	.	.	.	.	1	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908-4—Week ending																									
	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Births registered,	194	199	179	173	228	195	202	203	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182
*Average Births in corresponding week of previous 10 years,**	186	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192
Deaths registered,	207	186	198	153	240	208	216	195	196	233	207	223	206	201	218	213	235	219	226	186	178	158	178	173	173	163
Annual Death-rate per 1,000,	28·5	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4
*Average Deaths in corresponding week of previous 10 years,**	188	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170
Ages, Under 5 years,	66	55	49	43	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51
5—20 „	9	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17
20—40 „	38	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28
40—60 „	37	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36
60—80 „	48	47	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38	29
80 years and upwards,	9	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.
„ Scarlet Fever	2	.	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2
„ Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	5	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4
„ Diphtheria,	2	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.
„ Simple Continued Fever,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.
„ Enteric Fever,	2	1	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1
„ Diarrhœal Diseases,	.	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1
„ Phthisis,	23	22	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26
„ Diseases of Heart and Blood Vessels,	33	24	34	19	7	26	36	26	36	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21
„ Diseases of Respiratory System,	47	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29
Violent Deaths,	4	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3
Mean Temperature of the Air (Phœnix Park),	34·6	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	33·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5
Average Mean Temperature in corresponding week of previous 10 years,	43·0	42·8	42·2	40·2†	41·5	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0
Rainfall in inches,	·443	1·003	·245	·290	·035	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·713	·145	·136	·195
Mean Humidity of the Air, complete Saturation 1·0,	·91	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th May, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 28th May, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	22·6	163	51	17	28	36	29	2	.	.	2	.	4	.	.	1	1	8	26	5	29	3	92
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	1	.	.	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	3
II.	MIDDLE CLASS,	87,188	16·7	28	3	5	8	5	7	.	.	.	.	.	.	.	.	1	1	2	6	.	3	.	17
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	19·8	42	12	6	7	12	4	1	.	.	1	.	.	.	.	.	.	1	8	3	5	.	25
IV.	GENERAL SERVICE CLASS,	154,279	28·9	59	29	6	7	8	9	.	.	.	.	.	4	.	.	.	.	4	6	2	15	3	29
V.	INMATES OF WORKHOUSES,	6,024		30	6	.	6	8	9	1	.	.	.	.	.	.	.	.	.	.	6	.	6	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	1	.	.	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	2	.	1	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	6
	6. Clerks and Commercial Assistants,	30,432	17·1	10	1	3	4	1	1	.	.	.	.	.	.	.	.	1	1	2	5	.	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	.	2	3	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	9. Building and Furnishing Trades,	29,801	15·7	9	2	1	2	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	5
	10. Clothing Trades,	23,260	22·4	10	4	1	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	11. Food Supply Trades,	9,242	22·6	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	3	1	3	4	1	.	.	.	.	.	.	.	.	.	.	.	4	1	1	.	6
	13. Petty Shopkeepers,	7,894	26·4	4	1	1	1	.	1	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	2
	15. Domestic Servants,	36,603	10·0	7	2	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	2	1	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·0	43	23	5	4	7	4	.	.	.	.	.	3	.	.	.	.	3	4	2	11	2	21
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	30	6	.	6	8	9	1	.	.	.	.	.	.	.	.	.	.	6	.	6	.	18

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Offices, Clarence-street, Nth.* Pop. in 1904 (Est.) 28,882.	April 9,	23·9	.	18	.	.	.	.	.	.	.	.	.	3	3	1
	" 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	" 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
	" 30,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	4	.
	May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
	" 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
	" 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
	" 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
North City, No. 1 (W.) (*Offices, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	April 9,	42·6	4·0	32	.	2	.	.	1	.	.	.	.	3	11	.
	" 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
	" 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
	" 30,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	3	7	.
	May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
	" 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
	" 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
	" 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
North City, No. 2. (*Offices, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	April 9,	52·0	5·2	30	.	.	.	.	1	.	.	1	1	7	4	.
	" 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	" 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
	" 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
	May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	1
	" 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	.
	" 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
	" 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
North City, No. 3. (*Offices, Benburb-street.*) Pop. in 1904 (Est.) 31,678	April 9,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	1	.
	" 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
	" 23,	36·2	3·3	22	.	2	.	.	.	.	.	.	.	5	6	.
	" 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
	May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
	" 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
	" 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
	" 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
South City, No. 1. (*Offices, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	April 9,	31·2	1·4	23	.	.	.	.	1	.	.	.	.	3	6	.
	" 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
	" 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
	" 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
	May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
	" 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
	" 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
	" 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	April 9,	37·1	8·6	13	.	1	.	.	2	.	.	.	.	3	2	.
	" 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
	" 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	" 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
	May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	" 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 21,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
	" 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	April 9,	33·6	2·5	27	.	.	.	.	2	.	.	.	.	6	5	.
	" 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
	" 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
	" 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
	May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
	" 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
	" 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est. 35,188	April 9,	25·2	3·0	17	.	.	.	.	1	1	.	.	.	2	3	.
	" 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
	" 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
	" 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.
	May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	.
	" 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	" 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
	" 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	3	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

Districts.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,203.	April 9,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	1	.
	„ 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	1	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	April 9,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	„ 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	April 9,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	.	2	.
	„ 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	„ 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	„ 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	April 9,	26·2	2·3	180	.	1	.	1	12	.	.	1	1	36	42	4
	„ 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	52	5
	„ 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
	„ 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	.	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·3	151	.	1	1	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	2	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	.	.	6	.	.	.	4	24	29	1
Cork. Pop. (in 1901) 76,122.	April 9,	32·2	3·4	47	.	.	.	.	3	.	.	1	1	11	10	2
	„ 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	„ 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
Londonderry. Pop. in 1904 (Est.) 41,397	April 9,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	5	.
	„ 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	„ 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
Limerick. Pop. (in 1901) 38,151.	April 9,	21·9	1·4	16	.	.	.	.	1	.	.	.	.	4	4	.
	„ 16,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
Waterford. Pop. (in 1901) 26,769	April 9,	25·3	1·9	13	.	.	.	.	.	.	.	.	1	.	7	.
	„ 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 28th May, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	13	14·2	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Do. 2 "	47,959	32	10·9	1·1	10	3	1	3	3	.	.	.	.	.	.	.	.	1	.	4	.	.	2
Do. 3 "	47,214	26	16·6	.	15	1	2	9	3	.	.	.	.	.	.	.	.	.	6	2	.	.	3
Do. 4 "	40,911	24	34·4	2·5	27	3	8	8	8	.	.	.	.	2	.	.	.	.	2	6	.	2	7
Do. 5 "	17,387	6	21·0	.	7	2	1	4	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Do. 6 "	48,122	32	22·8	1·1	21	6	.	12	3	.	.	.	.	.	.	.	.	1	6	3	.	1	3
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	.	30·9	20·6	3	.	3	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.
Do. 9 "	19,569	18	18·7	5·3	7	1	.	5	1	.	.	.	.	1	.	.	.	1	3	.	.	.	2
Do. 10 "	23,064	21	13·6	.	6	2	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 11 "	34,802	20	19·5	1·5	13	1	4	4	4	.	.	.	.	1	.	.	.	.	.	4	1	2	1
Do. 12 "	33,588	27	23·3	1·6	15	4	2	8	1	.	1	.	.	.	.	.	.	.	1	7	.	.	.
Do 13 "	15,006	8	20·8	3·5	6	5	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	228	20·0	1·6	134	29	22	59	24	.	1	.	.	6	.	.	.	4	24	29	1	6	19
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	5	12·2	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 2 "	10,701	6	19·5	.	4	.	1	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 3 "	9,978	6	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 "	8,666	4	6·0	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 "	6,592	6	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Do. 6 "	10,702	3	29·2	.	6	1	.	1	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 7 "	16,616	2	31·4	3·1	10	.	1	5	4	.	.	.	.	.	1	.	.	.	1	3	.	.	3
Total	76,122	32	18·5	0·7	27	2	3	12	10	.	.	.	.	.	1	.	.	.	5	5	1	1	5

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered,	234	204	187	128	252	226	218	215	188	190	201	209	268	226	207	212	261	182	244	271	233	45	231	239	194	228
DEATHS registered.	168	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134
Annual Death-rate per 1,000 of estimated Population.	28·7	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5
AGES, Under 1 year,	40	35	39	42	54	51	48	24	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29
AGES, 1-5 years,	25	24	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	18	20	20	21	18	22
AGES, 5-60 years,	72	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59
AGES, 60 years and upwards,	26	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1
" Scarlet Fever,	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.
" Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Whooping cough,	10	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6
" Diphtheria,	1	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.		.	.	3	2	1	.	.	.	.
" Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.
" Diarrhœal Diseases,	1	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4
" Phthisis	20	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24
" Diseases of Respiratory System,	50	43	70	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29
Violent Deaths,	6	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th May, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	4	.	.	.	4
" " 1, West,	.	.	.	.	.	.	.	.	.	3	1	.	.	4
" " 2,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	3	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	1	.	.	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	8	.	.	1	.	.	10	2	.	.	21

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th May, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th May.			
	May 7.	May 14.	May 21.	No. admitted.	Discharged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	13	17	25	12	4	.	33
Scarlet Fever,	59	51	47	7	11	.	43*
Typhus "	1	1	1	.	1	.	.
Diphtheria,	22	24	21	2	10	.	13
Enteric Fever,	32	28	25	5	1	3	26
Pneumonia,	21	22	25	7	2	2	28

*Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	May 28,	2,122	1,274	14·3	2	83	4	14	33	2	15
EDINBURGH,	331,977	„ 28,	136	127	20·0	.	2	1	1	5	.	5
GLASGOW,	798,357	„ 28,	504	262	17·1	1	2	1	2	9	.	5
CALCUTTA,	847,796	Mar. 26,	.	943	57·8	1	4	.	1	.	109‡	115*
BOMBAY,	776,006	Apr. 26,	290	1,066	71·4	23	9	.	.	.	22‡	56
MADRAS,	509,346	„ 15,	367	407	41·5	.	5	?	?	?	73‡	33*
PARIS,	2,660,559	May 14,	988	932	18·1	3	17	1	4†	5	4	31
BRUSSELS (with 8 Faubourgs).	575,896	„ 7,	220	145	13·1	.	.	.	1†	1	2	7
AMSTERDAM,	548,224	„ 7,	272	150	14·3	.	4	.	2	3	1	11
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	May 7,	218	178	22·6	.	4	.	3†	8	.	6
CHRISTIANIA,	223,649	„ 14,	130	63	14·6	.	.	.	.	.	.	1
ST. PETERSBURG,	1,248,122	„ 14,	621	730	30·5	2	27	11	9	7	17	60
BERLIN,	1,960,909	Apr. 30,	873	612	16·3	.	7	4	11†	9	2	35
HAMBURG,	751,842	May 7,	.	250	17·3	.	3	.	3†	4	.	10
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	May 14,	.	229	22·9	.	5	.	1†	.	.	21
VIENNA (with suburbs).	1,779,869	„ 14,	1,012	644	18·6	.	51	.	10†	1	.	35
BUDA-PESTH,	813,399	„ 14,	456	298	19·1	.	3	3	4†	1	.	9
PRAGUE and Faubourgs.	423,218	„ 7,	196	212	25·8	.	1	.	2†	1	7	10
ROME,	496,201	Feb. 20,	281	240	25·2	.	4	.	1	2	4	3
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Apr. 16,	71	74	23·2	.	.	.	.	.	1	8
NEW YORK,	3,838,024	„ 30,	1,757	1,794	24·4	.	46	26	62†	1	7	33
PHILADELPHIA,	1,408,154	„ 23,	.	595	22·0	9	11	3	14†	.	14	24

* Including 61 deaths from cholera in Calcutta, one in Bombay and one in Madras.
† Including deaths from croup.
‡ Exclusive of 471 deaths from bubonic fever in Calcutta, 532 in Bombay and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 28th May, 1904:—

"At first changeable, the weather became very fine in Ireland on Tuesday and so continued with but slight interruption on Thursday. In the South of England, on the contrary, it was chiefly dull and unsettled—particularly in the London district and valley of the Thames, where thunderstorms occurred on Friday, Oxford getting 1·39 inches of rain. Sunday broke gloomy and damp in Dublin, and some distant thunder was heard shortly after midday. By Monday morning a large, but not deep, atmospheric depression had arrived off the N.W. of Ireland and W. of Scotland. This system caused fresh S.W. winds and showers or (in places) heavy rain. In Dublin about one-fifth of an inch of rain fell on Tuesday morning, but the weather became fair and bright as the day advanced and the evening was summerlike. On Wednesday a depression formed over the Bay of Biscay, and it was this disturbance which afterwards brought dull close thundery weather to southern England in the second half of the week. In Ireland light northerly winds or calms were accompanied by clearer skies and finer weather. Friday was fine and warm in Dublin, with much bright sunshine, and on Saturday also there was continuous sunshine from 9 a.m. till 5 p.m. The evening of that day proved cloudy, and at 10 p.m. there was some fog. In Dublin the mean height of the barometer was 29·884 inches, pressure ranging between 29·690 inches at 9 a.m. of Tuesday (wind, S.W.) to 30·092 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 54·0°, a figure which also represents the mean dry bulb temperature of the week at 9 a.m. and 9 p.m. The screened thermometers rose to 65·7° on Tuesday and fell to 43·5° on Wednesday. Bright sunshine was estimated at 34½ hours, 10½ hours falling on Tuesday. Rain fell in measurable quantity on 3 rainy days to the amount of ·245 inch, ·210 inch being recorded on Monday. S.W. and afterwards N.E. winds prevailed."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·882 inches. The highest reading (30·096) was on Saturday at 9 p.m., air calm, and the lowest (29·685) on Tuesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 50·5°, being 0·5 above the average for the corresponding period of the 10 years 1894-1903. Both extremes of temperature—highest, 62·7; lowest, 34·9—were recorded on Wednesday. The mean of the Dry Bulb for the week was 52·1° and of the Wet Bulb 49·9°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 36·6 hours. The rainfall during the week measured ·195 inch.

At Greenwich the mean temperature for the week was 57·3°, the maximum 75·1° and the minimum 46·5°; at Glasgow the maximum was 74·5°, the minimum 37·5° and the mean 52·6°; and at Edinburgh the maximum was 67·9°, the minimum 40·5°, and the mean 49·9°. The rainfall at Greenwich measured 0·30 inch; at Glasgow 0·69 inch; and at Edinburgh 0·45 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 22,	29·953	53·6	44·4	49·0	46·9	45·6	·91	·4	0·1	—	Calm.	Calm.
Monday, „ 23,	29·769	59·3	43·5	51·4	53·8	52·9	·87	·6	0·4	·175	S.W.	S.W.
Tuesday, „ 24,	29·760	61·1	43·9	52·5	50·1	48·4	·89	·2	9·7	·010	W.S.W.	Calm.
Wednesday, „ 25,	29·750	62·7	34·9	48·8	52·1	48·5	·77	·1	10·5	—	E.N.E.	S.W.
Thursday, „ 26,	29·835	56·6	41·4	49·0	51·7	49·4	·85	·2	0·5	·010	N.	Calm.
Friday, „ 27,	30·032	60·9	37·9	49·4	53·0	50·3	·83	·5	7·7	—	N.E.	N.E.
Saturday, „ 28,	30·073	61·8	44·9	53·4	57·3	54·0	·80	·5	7·7	—	Calm.	Calm.
Mean, . .	29·882	59·4	41·6	50·5	52·1	49·9	·85	·4	Total 36·6	·195	—	

Sunday—Day overcast; night cloudy. *Monday*—Cloudy a.m., overcast p.m., light rain from 4.30 p.m. to 3 a.m., night overcast. *Tuesday*—Cloudy day, light showers; night cloudy. *Wednesday*—Day fine but cloudy; night clear. *Thursday*—Day cloudy, light showers; night cloudy. *Friday*—Day fine but cloudy; night cloudy. *Saturday*—Day fine but cloudy; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI] WEEK ENDING SATURDAY, 4TH JUNE, 1904. [No. 22.

General Register Office, Charlemont House, Dublin, 6th June, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 14.	Week ending May 21.	Week ending May 28	Week ending June 4.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 14.	Week ending May 21.	Week ending May 28.	Week ending June 4.	Average Rate for 4 weeks
22 Town Dists.	21·7	20·9	19·3	20·1	20·5	Lisburn, . .	22·7	9·1	27·3	9·1	17·1
Armagh, . .	20·6	41·2	27·5	.	22·3	Londonderry .	12·6	22·7	13·9	22·7	18·0
Ballymena, .	4·8	4·8	14·4	4·8	7·2	Lurgan, . .	43·7	22·1	26·6	17·7	28·8
Belfast, . .	22·0	21·4	19·5	19·3	20·6	Newry, . .	16·8	8·4	21·0	.	11·6
Clonmel, . .	20·5	5·1	25·6	20·5	17·9	Newtownards, .	11·4	11·4	22·9	17·2	15·7
Cork, . . .	26·7	18·5	18·5	24·7	22·1	Portadown, .	5·2	20·7	5·2	15·5	11·7
Drogheda, . .	28·6	16·3	12·3	36·8	23·5	Queenstown,	19·8	26·4	19·8	13·2	19·8
Dublin Reg. Area,	21·6	21·9	21·3	19·7	21·1	Sligo, . . .	9·6	14·4	.	28·8	13·2
Dundalk, . .	16·0	23·9	23·9	8·0	18·0	Tralee, . .	10·6	15·9	21·1	15·9	15·9
Galway, . .	38·8	19·4	15·5	19·4	23·3	Waterford, .	19·5	33·1	17·5	25·3	23·8
Kilkenny, . .	34·3	34·3	24·6	.	23·3	Wexford, . .	32·7	23·3	14·0	56·0	31·5
Limerick, . .	21·9	15·0	9·6	31·4	19·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 4·8 in Ballymena. Among the 133 deaths from all causes registered in Belfast are 4 from measles, one from scarlet fever, 7 from whooping-cough, 3 from diphtheria, 2 from enteric fever, and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 246—125 boys and 121 girls; and the deaths to 150—80 males and 70 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·6 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 19·7 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

During the twenty-two weeks ending with Saturday last the death-rate averaged 27 and was 1·6 below the mean rate for the corresponding portions of the ten yea 1894–1903.

The deaths registered during the week include 5 deaths from measles, 2 from infl enza, 9 from whooping-cough, one from diphtheria, and 2 deaths from enteric feve There was not one death registered from small-pox, scarlet fever, typhus fever, or fro diarrhœal disease. In the week preceding no death from measles was registered; in t 3 weeks ended 28th ult. deaths from whooping-cough were 10, 5, and 4 respectivel and the deaths from enteric fever were 2, 3, and one respectively.

Croupous and broncho-pneumonia each caused one death, and 8 deaths were due *pneumonia.*

Of 29 deaths from tuberculous disease, 7 were attributed to tuberculous phthisis, to *phthisis*, one to tuberculous meningitis, one to tabes mesenterica, and 4 deaths to oth forms of the disease.

Two deaths were assigned to carcinoma, and 4 to *cancer, malignant disease.*

There were 12 deaths from diseases of the brain and nervous system; this numb includes the deaths of 3 children from *convulsions*, 2 of the latter being infants und one month old.

Diseases of the heart and blood-vessels caused 21 deaths.

Fourteen deaths were due to bronchitis.

Of 3 deaths due to accidental causes, one, that of a child under 5 years of age, w due to burns.

In one instance (that of an infant under one month old) the cause of death w "uncertified," there having been no medical attendant during the last illness.

Thirty-seven of the persons whose deaths were registered during the week were und 5 years of age (21 being infants under one year, of whom 5 were under one month old and 40 were aged 60 years and upwards, including 16 persons aged 70 and upwards, whom 6 were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and oth public institutions; of this number 10 took place in the North Dublin Union Work house and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns f last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated o the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·7 per 1,000, the rate i the City was 19·7 (North City Districts, 20·1; South, 19·4), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,00 inhabitants, the rate for the City being 2·5 (3·1 in the North City Districts, and 1·8 in the South and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (6) are equal to an annual rat of 11·0 per 1,000. The 6 deaths registered include 2 from *phthisis* and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 21 per 1,000. There was one death from whooping-cough; tuberculous disease caused 5 deaths, an there was one death from *pneumonia*; there was one death from accident.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24 per 1,000. Measles and whooping-cough each caused 3 deaths, enteric fever caused one death; the were 2 deaths from tuberculous disease, one death from croupous pneumonia, and one death fro *pneumonia.*

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 pe 1,000. There was one death from measles, *phthisis* caused one death, and *pneumonia* caused one deat

Other North City Districts.—The annual death-rates represented by the deaths recorded last wee are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, N 1, part of, 10·4; and Finglas and Glasnevin, part of, 15·6.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 pe 1,000. Three deaths from whooping-cough, one death from enteric fever, 4 deaths from tuberculou disease, one death from bronchitis, and one death by accident, were registered.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 pe 1,000. There were 3 deaths from tuberculous disease and 2 deaths from *pneumonia.*

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·6 pe 1,000. Measles and influenza each caused one death, 2 deaths from tuberculous disease wer registered, and there was one death from *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (7) are equivalent to an annual rate of 10 per 1,000. There were 2 deaths from tuberculous disease, and one death from *pneumonia* was als registered.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:— Rathmines and Rathgar, 15·7; Pembroke, 26·0; Blackrock, 17·9; and Kingstown, 17·8. The deaths from certain epidemic diseases tabulated for these districts comprise one from whooping-cough fo Rathmines and Rathgar and one from whooping-cough for Pembroke. Of the 10 deaths from al causes tabulated for Rathmines and Rathgar, one was from influenza, 3 from tuberculous disease and 2 from diseases of the brain and nervous system. Of the 13 deaths from all causes tabulated for Pembroke there were 3 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 4th June, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	May 14,	.	.	.	9	.	.	5	.	2	10	13	.	.	.	39
	May 21,	.	.	.	5	.	.	7	.	5	10	14	.	.	.	41
	May 28,	.	.	.	8	.	.	1	.	.	10	2	.	.	.	21
	June 4,	.	.	.	5	.	.	3	.	1	5	13	.	.	.	27
Rathmines and Rathgar Urban District.	May 14,	.	.	.	2	.	.	.	.	.	1	2	.	.	.	5
	May 21,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	May 28,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
	June 4,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Pembroke Urban District.	May 14,	.	.	.	.	.	.	.	.	.	.	.	.	2	17	19
	May 21,	.	.	.	3	.	.	.	.	.	.	.	.	.	20	23
	May 28,	.	.	.	2	.	.	.	.	.	.	.	1	.	8	11
	June 4,	.	.	.	.	.	.	1	.	.	1	1	.	.	15	18
Blackrock Urban District.	May 14,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	May 21,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 28,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	May 14,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	May 21,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	May 28,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
City of Belfast.	May 14,	2	–	.	13	.	.	2	.	7	9	8	2	.	.	43
	May 21,	1	–	.	6	.	.	5	.	4	6	2	.	.	.	24
	May 28,	3	–	.	13	.	.	4	.	12	9	11	1	.	.	53
	June 4,	2	–	.	14	.	.	8	.	2	6	4	.	.	.	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th June, 1904.

From this it appears that :—

Twelve cases of measles were admitted to hospital during the week, 5 were discharged, there were 2 deaths, and 38 patients remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 13 cases were discharged, and 39* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 12 cases remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital, 5 cases were discharged, and 24 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 13 patients were discharged, there were 3 deaths, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·2), was equal to an average annual death-rate of 14·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·1 per 1,000, the rate for Glasgow being 18·2, and for Edinburgh 17·3.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th June, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 4th June, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	32·2	20·1	2·0	675	422	72	108	.	9	1	.	16	4	1	5	5	73	74	4	6	117
Dublin Registration Area:—																							
Total,‡	878,994	27·5	33·8	19·7	2·2	246	143	21	39	.	5	.	.	9	.	.	2	.	23	25	2	2	55
City of Dublin	293,385	37·1	36·8	19·7	2·5	207	111	19	26	.	5	.	.	7	.	.	2	.	18	21	2	2	49
Urban Districts. Rathmines and Rathgar	33,308	19·4	18·8	15·7	1·6	12	10	.	3	.	.	.	.	1	.	.	.	.	3	1	.	.	1
Urban Districts. Pembroke	26,025	16·4	30·1	26·0	2·0	15	13	.	7	.	.	.	.	1	.	.	.	.	.	1	.	.	1
Urban Districts. Blackrock	8,759	8·1	23·8	17·9	.	4	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Urban Districts. Kingstown	17,622	12·1	28·7	17·8	.	8	6	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Urban Districts.																							
Belfast	358,680	24·4	35·6	19·3	2·6	245	133	28	22	.	4	1	.	7	3	.	2	1	25	24	1	1	27
Cork	76,122	33·6	21·9	24·7	0·7	32	36	6	10	.	.	.	.	.	.	.	.	1	10	5	.	2	12
Londonderry	41 397	19·1	42·8	22·7	1·3	34	18	2	5	.	.	.	.	.	.	.	1	.	3	2	.	.	5
Limerick	38,151	18·1	17·8	31·4	.	13	23	4	7	.	.	.	.	.	.	.	.	.	2	6	.	.	3
Waterford	26,769	18·7	23·4	25·8	.	12	13	.	5	.	.	.	.	.	.	.	.	.	1	3	1	1	7
Galway	18,426	2·5	38·8	19·4	3·9	10	5	.	3	.	.	.	.	.	.	1	.	.	1	.	.	.	.
Dundalk	18,076	3·4	19·9	8·0	.	5	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,760	8·6	36·8	36·8	4·1	9	9	2	5	.	.	.	.	.	.	.	.	1	1	.	.	.	4
Newry	12,405	17·8	37·8	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	13·8	39·8	17·7	.	9	4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	11,461	10·1	27·3	9·1	4·5	6	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
Wexford	11,168	23·2	28·0	56·0	4·7	6	12	2	4	.	.	.	.	.	.	.	.	.	2	6	.	.	.
Ballymena	10,886	8·9	38·3	4·8	4·8	8	1	.	.	.	.	.	.	.	.	.	.	1	2	3	.	.	.
Sligo	10,870	3·7	33·6	28·8	.	7	6	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Kilkenny	10,609	11·5	9·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Clonmel	10,167	7·8	20·5	20·5	.	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	20·7	15·5	.	4	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Tralee	9,867	16·6	21·1	15·9	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Newtownards	9,110	18·9	51·5	17·2	.	9	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Queenstown	7,909	14·4	.	13·2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Armagh	7,588	22·2	6·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 4th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§68·7	41·8	56·2	1·15	§62·7	34·9	50·5	0·20	§65·5	33·1	49·3	0·14
City of Dublin	a71·0	48·1	57·9	1·10	a65·7	43·5	54·0	0·25	a69·6	41·9	52·3	0·14
Urban Districts. Rathmines and Rathgar	b68·5	43·0	56·0	1·09	b62·8	36·0	51·5	0·35	b68·9	34·0	50·2	0·14
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts.												
Belfast	72·2	47	56·7	1·08	63·2	41·5	53·4	0·16	65·7	39·5	51·9	0·05
Cork	69·0	42·0	55·3	0·45	62·1	36·5	49·7	0·82	64·1	34·5	50·0	0·21
Londonderry	62	47	54·9	0·20	60	41	52·3	0·46	58	40	49·8	0·18
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	72	46	58	0·10	68	42	52·3	0·32	64	40	51	0·00
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26
Lisburn	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26
Wexford	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	71·3	42·4	56·5	0·33	69·5	35·3	51·3	0·25	61·8	38·5	49·3	0·25
Clonmel	71	44	56·9	0·63	65	39	53·1	0·16	60	38	50·3	0·13
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78	66·0	35·8	49·3	0·26
Newtownards	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	68	43	53·4	1·21	57	39	49·3	0·49	62	36	49·3	0·27
Armagh	63	47	54·9	0·20	60	41	52·3	0·46	58	40	49·8	0·18
	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78	66·0	35·	49·3	0·26

* According to the Census of 1901, but in the cases of the Dublin

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 4th of June, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	3	1	.	.	.	.	.	1	.	.	.	.	.	.	5	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.
Whooping Cough,	.	1	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	2	4	1	1	.	.	.	3	3	2	2	.	3	.	1	1	23	.
Other General Diseases,	.	5	2	1	.	1	.	2	.	3	.	.	1	4	.	1	20	2
Total,	2	10	10	3	.	1	.	9	3	6	2	.	5	5	1	2	59	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	2	.	1	.	.	.	2	.	2	.	.	2	1	.	.	11	1
Organs of Special Sense,	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	1	.
Heart and Blood Vessels,	.	1	2	3	.	.	1	2	1	1	1	1	1	3	1	2	20	1
Respiratory System,	2	1	2	2	.	1	1	1	3	4	2	2	1	1	1	1	25	.
Digestive System,	.	1	.	4	.	.	.	3	.	1	1	.	1	1	.	1	13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Urinary System,	.	.	.	2	1	.	.	.	.	.	1	.	.	1	.	.	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	5	4	13	1	1	2	8	4	8	5	4	5	7	2	4	76	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	.	.	1	.	.	.	2	.	1	.	.	.	1	.	.	6	.
E. VIOLENT DEATHS,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Deaths from all Causes,	6	16	14	17	1	2	2	20	7	15	7	4	10	13	3	6	143	7
Annual Rate of Mortality in every 1,000 of the population	11·0	21·3	24·2	28·0	16·8	10·4	15·6	27·2	20·0	18·6	10·4	23·5	15·7	26·0	17·9	17·8	19·7	.
	20·1							19·4					19·5					
	19·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	4	5	.	.	.	5	1	2	2	2	1	.	1	3	31	7
Workhouse Hospitals,	1	1	2	6	.	.	.	6	2	3	2	.	.	1	.	.	24	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 2, 1894.	June 1, 1895.	May 30, 1896.	June 5, 1897.	June 4, 1898.	June 3, 1899	June 2, 1900.	June 1, 1901.	May 31, 1902.	June 6, 1903.	Averages in 22nd Week of the 10 years 1894-1903.	In the Week ending Satu 4th June, 1904. Deaths of Persons of the A ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 48·8	° 56·1	° 53·2	° 54·8	° 50·7	° 53·4	° 52·3	° 54·8	° 50·0	° 53·3	° 52·7	° 56·2					
ALL CAUSES.	169	179	160	169	132	148	157	164	165	177	162·0	150	5	16	16	17	2
Small-pox, Vaccinated, ...	.	1	.	.		.	.	.	.	.	·1	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	1	.	.	.	.	.	.	.	3	·4	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	3	.	1	.	.	2	2	·8	5	.	2	2	1	.
Scarlet Fever ...	.	1	1	2	1	1	1	.	1	.	·8	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	6	5	2	1	5	.	2	1	2	2·5	2	.	.	.	.	.
Whooping Cough, ...	5	1	.	3	5	2	.	2	1	1	2·0	9	.	2	5	2	.
Diphtheria, ...	.	1	.	.	.	.	.	1	2	.	·4	1	.	.	1	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	1	.	.	.	.	.	1	.	.	·3	.	.	.	.	.	.
Enteric Fever, ...	3	.	5	.	2	.	1	1	1	3	1·6	2	.	.	1	1	.
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	3	3	2	2	1	1	.	. / 1	. / 1	1·8	. / .	.	.	.	.	.
Hydrophobia, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	3	2	1	2	1	.	1	1·2	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	1	.	.	.	.	.	2	. / 1 / 1	. / . / .	·6	2 / . / .	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	.	1	.	1	.	1	2	·7	1	.	1	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	1	.	.	.	.	.	.	.	. / .	1 / 1	·3	. / .	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*," ...	33	21	22	25	21	19	13	33	2 / 25	2 / 14	23·0	7 / 16	.	.	.	2	2
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	2	7	5	3	5	.	3	4	3·6	1	.	1	.	.	
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	4	2	3	2	2	6	7	6	. / .	. / .	3·2	. / 1	.	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	4	2	5	4	1	9	3	3	4 / .	4 / .	3·9	4 / .	.	2	.	1	.
Alcoholism, ...	.	2	.	.	1	1	2	2	1	.	·9	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.
Gout, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1894-1900

ITY-SECOND WEEK ending Saturday, 4th June, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 2, 1894.	June 1, 1895.	May 30, 1896.	June 5, 1897.	June 4, 1898.	June 3, 1899.	June 2, 1900.	June 1, 1901.	May 31, 1902.	June 6, 1903.	Averages in 22nd Week of the 10 years 1894–1903.	In the Week ending Saturday, 4th June, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	°	°	°	°	°	°	°	°	°	°	°	Mean Temp. °								
Mean Temperature.	48·8	56·1	53·2	54·8	50·7	53·4	52·3	54·8	50·0	53·3	52·7	56·2								
na									.	3		2	.	.	.	.	.	1	1	.
... ...	9	7	6	8	13	4	6	5	.	1	7·2	.	.	.	.	.	.	.	.	.
Malignant Disease ...									6	4		4	.	.	.		.	2	2	.
s Mellitus	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
ire Birth	1	.	2	3	4	2	1	5	6	6	3·0	2	2	.	.	.	.	.	.	.
tis (not tuberc.)									2	.		2	.	.	.	2	.	.	.	.
, G. P. of Insane									1	1		.	.	.	.	.	.	.	.	.
... ...									.	1		3	.	.	.	1	2	.	.	.
ons									11	5		3	2	.	1	.	.	.	.	.
;or Ataxy									.	.		.	.	.	.	.	.	.	.	.
gia Dis. of Cord									.	.		2	.	.	.	.	1	1	.	.
System (other Dis.) ...	32	44	43	37	15	25	36	28	5	4	34·2	2	.	.	.	.	1	.	1	.
s., Endocarditis									3	3		2	.	.	.	.	.	.	2	.
Hæm. Thromb.									.	2		2	.	.	.	.	.	2	.	.
, Hemiplegia									2	1		2	.	.	.	.	.	1	1	.
im									.	1		.	.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.									16	24		15	1	.	.	1	1	2	8	2
not Spasm. or Memb.) ...	.	.	1	4	1	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
tis	19	17	12	19	8	11	14	15	14	21	15·0	14	.	3	2	.	.	4	5	.
is Pneumonia									1	2		1	.	.	.	.	1	.	.	.
-Pneumonia	11	11	13	10	6	11	6	12	2	7	11·0	1	.	.	1	.	.	.	.	.
onia"									8	10		8	.	2	1	.	3	.	2	.
, Emphysema									1	2		.	.	.	.	.	.	.	.	.
... ...	3	4	4	.	1	.	3	1	1	.	2·6	1	.	.	.	.	.	.	1	.
tory Dis. (other)									5	1		.	.	.	.	.	.	.	.	.
lis, Quinsy	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
s (not Epid.)	.	.	2	1	1	.	.	2	1	1	1·1	.	.	.	.	.	.	.	.	.
Enteritis									.	3		1	.	.	.	.	.	1	.	.
tis (not Puerp.)	.	.	.	1	.	.	.	2	1	.	·4	.	.	.	.	.	.	.	.	.
s of Liver	2	2	1	.	3	3	1	.	.	3	1·9	.	.	.	.	.	.	.	.	.
is. (other)									2	2		3	.	.	.	1	1	1	.	.
re Dis. (other)	2	8	6	4	.	4	9	5	2	6	4·6	9	.	1	1	.	4	.	2	1
is, Acute									1	2		.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	3	3	2	3	5	4	7	9	2	3	4·4	5	.	.	.	.	.	3	2	.
Sys. (Other Dis.) ...									.	.		1	.	.	.	.	.	.	1	.
ive Organs Dis.	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
rth (Accid. of)	1	.	.	.	.	1	1	2	.	1	·6	.	.	.	.	.	.	.	.	.
... ...	9	10	5	8	11	10	9	7	6	2	7·7	5	.	.	.	.	.	.	2	3
Diseases	8	16	12	13	12	14	20	13	13	10	13·1	6	.	1	.	2	1	1	1	.
ACCIDENT.																				
ways	.	1	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
icles and Horses	.	1	1	.	1	.	.	.	.	.	·3	1	.	.	.	1	.	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
ling Operations	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	.	.	1	1	2	.	1	2	1	·9	1	.	.	1	.	.	.	.	.
wning	2	2	.	1	2	2	.	.	1	1	1·1	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	3	2	2	2	1	3	4	1	1	2	2·1	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903–4—Week ending																										
	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Births registered,	199	179	173	228	193	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246
*Average Births in corresponding week of previous 10 years,**	195	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212
Deaths registered,	186	198	153	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150
Annual Death-rate per 1,000,	25·6	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6
*Average Deaths in corresponding week of previous 10 years,**	185	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162
Ages, Under 5 years,	55	49	43	69	63	50	55	58	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37
5—20 „	13	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17
20—40 „	23	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	23	27	13	32	21	29	28	26
40—60 „	36	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30
60—80 „	47	56	36	45	50	49	39	48	65	48	49	49	49	58	40	50	52	45	37	43	37	35	45	33	22	34
80 years and upwards,	12	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	1	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5
„ Scarlet Fever	.	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	7	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9
„ Diphtheria,	.	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1
„ Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
„ Enteric Fever,	1	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2
„ Diarrhœal Diseases,	2	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.
„ Phthisis,	22	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23
„ Diseases of Heart and Blood Vessels,	24	34	19	7	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21
„ Diseases of Respiratory System,	53	38	25	59	57	45	44	41	51	57	59	54	42	44	51	48	53	46	35	47	44	34	29	36	29	25
Violent Deaths,	7	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3
Mean Temperature of the Air (Phœnix Park),	40·9	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2
Average Mean Temperature in corresponding week of previous 10 years,	42·8	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7
Rainfall in inches,	1·003	·245	·290	·085	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·713	·145	·136	·195	1·150
Mean Humidity of the Air, complete Saturation 1·0,	·89	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th June, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 4th June, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	20·8	150	37	17	26	30	34	6	.	5	.	.	9	1	.	2	.	17	23	3	25	3	79
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	35·9	12	1	.	2	2	5	2	.	.	.	.	1	.	.	.	.	1	2	.	.	.	9
II.	MIDDLE CLASS,	87,188	15·0	25	2	4	8	4	5	2	.	.	.	.	.	.	.	.	.	.	4	.	5	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	16·5	35	11	2	7	10	4	1	.	2	.	.	2	.	.	.	.	4	7	1	6	1	16
IV.	GENERAL SERVICE CLASS,	154,279	25·4	54	18	11	7	10	8	.	.	3	.	.	6	1	.	2	.	12	7	.	9	1	25
V.	INMATES OF WORKHOUSES,	6,024		24	5	.	2	4	12	1	.	.	.	.	.	.	.	.	.	.	3	2	5	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	37·4	6	1	.	1	1	1	2	.	.	.	.	1	.	.	.	.	1	1	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	6. Clerks and Commercial Assistants,	30,432	17·1	10	1	1	4	1	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	.	3	3	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	3	1	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	1	1
	9. Building and Furnishing Trades,	29,801	15·7	9	2	1	1	4	.	1	.	1	.	.	.	.	.	.	.	1	3	.	1	.	4
	10. Clothing Trades,	23,260	4·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	3	.	4	4	3	.	.	1	.	.	.	.	.	.	.	1	2	.	2	.	9
	13. Petty Shopkeepers,	7,894	39·6	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1
	15. Domestic Servants,	36,603	5·7	4	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	1	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·0	43	16	8	5	9	5	.	.	3	.	.	5	1	.	1	.	10	5	.	8	1	19
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	24	5	.	2	4	12	1	.	.	.	.	.	.	.	.	.	.	3	2	5	.	14

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the vincial County the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the*

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	April 16,	12·9	.	7	.	.	.	.	.	.	.	.	.	1	1	1
	„ 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
	„ 30,	23·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
	May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
	„ 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
	„ 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
	„ 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
	June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	April 16,	20·0	2·7	15	.	.	.	.	2	.	.	.	.	1	1	.
	„ 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
	„ 30,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	3	7	.
	May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
	„ 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
	„ 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
	„ 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
	June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	April 16,	17·3	.	10	.	.	.	.	.	.	.	.	.	.	2	.
	„ 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
	„ 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
	May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	1
	„ 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	.
	„ 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
	„ 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	April 16,	29·6	8·2	18	.	3	.	.	2	.	.	.	.	1	1	.
	„ 23,	36·2	3·3	22	.	2	.	.	.	.	.	.	.	5	6	.
	„ 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
	May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
	„ 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
	„ 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
	„ 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	April 16,	29·9	2·7	22	.	1	.	.	1	.	.	.	.	5	10	.
	„ 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
	„ 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
	May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
	„ 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
	„ 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
	„ 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
	June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	April 16,	34·2	2·9	12	.	.	.	.	1	.	.	.	.	2	2	.
	„ 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
	May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 21,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
	„ 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
	June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	April 16,	24·9	2·5	20	.	.	.	.	2	.	.	.	.	1	7	.
	„ 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
	„ 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
	May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
	„ 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
	„ 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
	June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est. 35,188	April 16,	29·7	3·0	20	.	.	.	.	2	.	.	.	.	1	4	.
	„ 23,	28·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
	„ 30,	19·3	3·0	18	.	.	.	.	1	.	.	1	.	1	4	.
	May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	.
	„ 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
	„ 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	8	1
	June 4,	10·4	.	7	.	.	.	.	.	.	.	.	.	2	2	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	April 16,	14·1	.	9	.	.	.	.	.	.	.	.	.	2	1	1
	„ 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	April 16,	30·1	2·0	15	.	.	.	.	.	.	1	.	.	1	1	1
	„ 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	April 16,	29·6	3·0	10	.	.	.	.	.	1	.	.	.	1	1	1
	„ 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	„ 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	April 16,	26·9	3·2	185	.	7	.	.	10	3	.	1	1	28	59	5
	„ 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
	„ 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	.	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·3	151	.	1	1	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	2	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	.	.	6	.	.	.	4	24	29	1
	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
Cork. Pop. (in 1901) 76,122.	April 16,	24·7	.	36	.	.	.	.	.	.	.	.	.	9	2	1
	„ 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
Londonderry. Pop. in 1904 (Est.) 41,397	April 16,	17·6	1·3	14	.	.	.	.	.	1	.	.	.	2	4	.
	„ 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
Limerick. Pop. (in 1901) 38,151.	April 16,	13·7	.	10	.	.	.	.	.	.	.	.	.	.	6	.
	„ 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
Waterford. Pop. (in 1901) 26,769	April 16,	31·2	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 4th June, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	13	17·7	3·5	5	2	.	2	1	.	.	.	.	1	.	.	.	.	.	2	.	1	1
Do. 2 "	47,959	29	17·4	.	16	6	1	7	2	.	.	.	.	.	.	.	.	.	3	4	.	.	2
Do. 3 "	47,214	29	15·5	1·1	14	3	1	9	1	.	.	.	.	1	.	.	.	.	6	3	.	.	3
Do. 4 "	40,911	31	21·7	5·8	17	3	2		3	.	.	.	.	2	1	.	.	.	3	1	1	.	3
Do. 5 "	17,387	9	24·0	.	8	2	.	6	.	.	.	.	.	.	.	.	.	.	2	2	.	.	3
Do. 6 "	48,122	19	6·5	.	6	.	1	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Do 7 "	1,524	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	8	10·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	8	26·6	.	10	2	.	6	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 10 "	28,064	20	27·1	4·5	12	2	2	6	2	.	.	.	.	1	.	.	.	1	3	3	.	.	.
Do. 11 "	34,802	31	33·0	7·5	22	3	3	13	3	.	2	.	.	1	1	.	1	.	5	3	.	.	4
Do. 12 "	33,588	35	24·8	7·8	16	3	2	7	4	.	2	1	.	1	.	.	1	.	.	4	.	.	2
Do 13 "	15,006	13	17·4	3·5	5	2	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	245	19·9	2·7	133	28	13	70	22	.	4	1	.	7	3	.	2	1	25	24	1	1	27
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	3	32·4	.	8	1	.	5	2	.	.	.	.	.	.	.	.	.	3	1	.	.	5
Do. 2 "	10,701	4	14·6	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 3 "	9,978	9	26·1	5·2	5	1	.	1	3	.	.	.	.	.	.	.	.	1	1	1	.	.	2
Do. 4 "	8,666	3	18·1	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 5 "	6,592	2	23·7	.	3	1	.	.	2		.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 "	10,702	1	19·5	.	4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Do. 7 "	16,616	10	31·4	.	10	3	2	4	1	.	.	.	.	.	.	.	.	.	4	1	.	.	2
Total	76,122	32	24·7	0·7	36	6	5	15	10	.	.	.	.	.	.	.	.	1	10	5	.	2	12

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered,	204	187	123	252	226	213	215	188	190	201	209	263	226	207	212	261	182	244	271	233	5	231	239	194	228	245
DEATHS registered.	145	178	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133
Annual Death-rate per 1,000 of estimated Population.	21·1	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3
AGES, Under 1 year,	35	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28
AGES, 1–5 years,	24	35	27	25	30	19	18	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13
AGES, 5–60 years,	52	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70
AGES, 60 years and upwards,	34	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	1	22	27	27	21	24	22
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4
" Scarlet Fever,	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1
" Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Whooping cough.	8	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7
" Diphtheria,	1	1	2	1	2	.	2	.	1	.	.	1	.	3	.		.	.	3	2	1	.	.	.	.	3
" Simple Continued Fever,	.	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	.	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2
" Diarrhœal Diseases,	1	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1
" Phthisis	12	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	33	24	25
" Diseases of Respiratory System,	43	70	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24
Violent Deaths,	4	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th June, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	1	.	.	1	.	1	.	2	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	3	10	.	.	13
" " 2,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
" " 3,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	5	.	.	3	.	1	5	13	.	.	27

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th June, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th June.			
	May 14.	May 21.	May 28.	No. admitted.	Discharged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	17	25	33	12	5	2	38
Scarlet Fever,	51	47	43	9	13	.	39*
Typhus "	1	1	.	.	.	.	.
Diphtheria,	24	21	13	5	5	1	12
Enteric Fever,	28	25	26	3	5	.	24
Pneumonia,	22	25	28	7	13	3	19

*Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	June 4,	2,507	1,179	13·2	.	78	7	6	32	1	16
EDINBURGH,	331,977	„ 4,	172	110	17·3	.	4	2	2	4	.	2
GLASGOW,	798,357	„ 4,	525	278	18·2	2	3	1	.	16	.	7
CALCUTTA,	847,796	Apr. 2,	.	1,045	64·0	3	7	.	2	.	113‡	163*
BOMBAY,	776,006	May 3,	364	994	66·6	17	7	.	.	1	37‡	65
MADRAS,	509,346	Apr. 22,	362	418	42·6	.	3	?	?	?	62‡	87*
PARIS,	2,660,559	May 21,	1,050	863	16·8	1	24	3	11†	6	3	24
BRUSSELS (with 8 Faubourgs).	575,896	„ 14,	227	162	14·3	1	.	.	.	3	.	11
AMSTERDAM,	548,224	„ 14,	292	143	13·6	.	7	.	1	2	.	8
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	411,000	May 14,	233	137	17·4	.	1	.	.	5	1	7
CHRISTIANIA,	223,649	„ 21,	124	57	13·2	.	.	.	.	.	.	.
ST. PETERSBURG,	1,248,122	„ 21,	613	659	27·5	3	19	20	14	7	19	63
BERLIN,	1,960,909	„ 7,	850	590	15·7	.	11	10	5†	7	.	40
HAMBURG	751,842	„ 14,	.	193	13·3	.	2	.	.	1	.	3
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	—	.	.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,779,869	May 21,	905	687	19·9	.	54	1	8†	3	.	48
BUDA-PESTH	813,399	„ 21,	479	342	21·9	.	6	16	5†	.	1	12
PRAGUE and Faubourgs.	423,218	„ 14,	197	203	24·7	.	.	.	1†	1	2	11
ROME,	496,201	Feb. 27,	294	233	24·5	.	6	.	2	1	2	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Apr. 23,	74	48	15·1	.	.	.	.	.	.	3
NEW YORK,	3,838,024	May 7,	1,761	1,716	23·3	.	39	23	40†	8	14	43
PHILADELPHIA,	1,408,154	Apr. 30.	.	591	21·8	8	2	6	9†	.	45	21

* Including 101 deaths from cholera in Calcutta, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 544 deaths from bubonic fever in Calcutta, 471 in Bombay and one in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 4th June, 1904:—

"With the exception of a violent rainstorm in the early morning hours of Wednesday, June 1, the weather was beautifully fine and seasonably warm in Ireland. Less favourable conditions prevailed in the south-east of England, where the skies were clouded after Sunday until Friday. On Sunday atmospheric pressure was uniform and tolerably high over the British Isles, the barometer at 8 a.m. ranging only from 30·20 inches at Aberdeen to 30·00 inches at Valentia, Co. Kerry. Consequently, quiet fine weather was general, Dublin getting some 12¾ hours of bright sunshine. By Monday morning a large but shallow depression had formed over the Bay of Biscay and was spreading northward and eastward. This system brought clouds, thunderstorms and rain to the greater part of England; and Ireland also suffered from a temporary break in the weather. At 8 a.m. of Tuesday the lowest reading of the barometer was 29·69 inches at Scilly, and there were three secondary areas of low pressure central respectively near Holyhead, over the Thames valley, and over Alsace-Lorraine. In the following 24 hours a considerable change took place, and at 8 a.m. of Wednesday a large V.-shaped depression stretched from N.N.W. to S.S.E. across Great Britain. With the coming of a N.W. wind to Ireland a downpour of rain occurred on the E. coast of this country—falls of an inch or upwards being recorded at Donaghadee, in and near Dublin, and in the County Wicklow. The sky soon cleared after this rainstorm, and almost continuous sunshine held during the last 3 days of the week, in connection with an anticyclone of considerable size and staying power. In Dublin the mean height of the barometer was 30·109 inches, pressure ranging from 29·807 inches at 9 a.m. of Tuesday (wind, N.N.E.) to 30·327 inches at 9 a.m. of Saturday (wind, N.E.). The corrected mean temperature was 57·9°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 56·6°. The screened thermometers fell to 48·1° on Thursday and rose to 71·0° on Saturday. Bright sunshine was estimated at 69¾ hours, 16½ hours falling on Saturday. N.E. winds were dominant. Rain fell on 2 days to the amount of 1·102 inches, 1·092 inches being recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·117 inches. The highest reading (30·325) was on Saturday at 9 a.m., wind E., and the lowest (29·812) on Tuesday at 9 a.m., wind E.N.E.

The mean temperature for the week was 56·2°, being 3·5° above the average for the corresponding period of the 10 years 1894-1903. Both extremes of temperature—highest, 68·7°; lowest, 41·8°—were recorded on Saturday. The mean of the Dry Bulb for the week was 55·1° and of the Wet Bulb 52·4°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 67·9 hours. The rainfall during the week measured 1·150 inches.

At Greenwich the mean temperature for the week was 56·0°, the maximum 68·8° and the minimum 43·9°; and at Edinburgh the maximum was 69·4°, the minimum 41·7°, and the mean 53·4°. The rainfall at Edinburgh measured 1·07 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, May 29,	30·130	65·5	50·8	58·2	55·6	53·0	·84	·3	14·7	—	E.	E.
Monday, „ 30,	30·002	62·6	43·8	53·2	55·0	53·8	·92	·4	6·7	0·0	E.N.E.	E.
Tuesday, „ 31,	29·829	66·5	51·4	59·0	54·9	52·8	·87	·6	1·2	1·140	E.N.E.	Calm.
Wednesday, June 1,	30·019	60·1	58·2	59·2	52·5	50·7	·89	·6	1·7	—	W.	W.
Thursday, „ 2,	30·235	65·1	43·8	54·5	53·8	50·5	·79	·0	14·7	—	W.N.W.	Calm.
Friday, „ 3,	30·290	64·1	43·7	53·9	55·2	51·2	·77	·1	14·4	—	E.	Calm.
Saturday, „ 4,	30·316	68·7	41·8	55·3	58·5	51·6	·78	·4	14·5	—	E.	Calm.
Mean, . .	30·117	64·7	47·6	56·2	55·1	52·4	·84	·3	Total 67·9	1·150	Prevailing Wind, E.	

Sunday—Fine day, cloudy a.m., clear p.m.; night clear. *Monday*—Fine day; night clear p.m., cloudy a.m., showers light 7 to 9 a.m. *Tuesday*—Day overcast a.m., fine but cloudy p.m.; night overcast 11.20 p.m. to 7 a.m. *Wednesday*—Day overcast a.m., fine but cloudy p.m.; night overcast. *Thursday*—Day fine but cloudy; night clear. *Friday*—Fine clear day; night clear. *Saturday*—Fine clear day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 11TH JUNE, 1904. [No. 23.

General Register Office, Charlemont House, Dublin, 13th June, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 21.	Week ending May 28.	Week ending June 4.	Week ending June 11.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 21.	Week ending May 28.	Week ending June 4.	Week ending June 11.	Average Rate for 4 weeks.
22 Town Dists.	20·9	19·3	20·1	18·1	19·6	Lisburn, . .	9·1	27·3	9·1	9·1	13·7
Armagh, . .	41·2	27·5	.	6·9	18·9	Londonderry .	22·7	13·9	22·7	22·7	20·5
Ballymena, .	4·8	14·4	4·8	,	6·0	Lurgan, . .	22·1	26·6	17·7	8·9	18·8
Belfast, . .	21·4	19·5	19·3	18·9	19·8	Newry, . .	8·4	21·0	.	16·8	11·6
Clonmel, . .	5·1	25·6	20·5	.	12·8	Newtownards, .	11·4	22·9	17·2	5·7	14·3
Cork, . . .	18·5	18·5	24·7	17·1	19·7	Portadown, .	20·7	5·2	15·5	5·2	11·7
Drogheda, . .	16·3	12·3	36·8	24·5	22·5	Queenstown, .	26·4	19·8	13·2	.	14·9
Dublin Reg. Area,	21·9	21·3	19·7	18·3	20·3	Sligo, . . .	14·4	.	28·8	4·8	12·0
Dundalk, . .	23·9	23·9	8·0	31·9	21·9	Tralee, . .	15·9	21·1	15·9	26·4	19·3
Galway, . .	19·4	15·5	19·4	19·4	18·4	Waterford, .	33·1	17·5	25·3	7·8	20·9
Kilkenny, . .	34·3	24·6	.	39·3	24·5	Wexford, . .	23·3	14·0	56·0	32·7	31·5
Limerick, . .	15·0	9·6	31·4	24·6	20·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh. Among the 130 deaths from all causes registered in Belfast are 4 from measles, one from scarlet fever, 4 from whooping-cough, one from simple continued fever, 2 from enteric fever, and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—106 boys and 96 girls; and the deaths to 143—77 males and 66 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·7 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 18·3 per 1,000. During the twenty-three weeks ending with Saturday last the death-rate averaged 26·9, and was 1·6 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

One death was registered from each of the following diseases—measles, scarlet fever, influenza, whooping-cough, cerebro-spinal fever, and enteric fever. Not one death was registered from small-pox, typhus, or from diarrhœal diseases. The deatbs registered in the 3 weeks preceding from whooping-cough were 5, 4, and 9, and from enteric fever were 3, one, and 2, respectively.

One death from broncho-pneumonia and 12 deaths from *pneumonia* were recorded.

The deaths due to tuberculous disease include 8 from tuberculous phthisis, 22 from *phthisis*, 2 from tuberculous meningitis, 4 from tuberculous peritonitis, 3 from tabes mesenterica, and 5 from other forms of the disease.

Two deaths were ascribed to carcinoma, and 7 to *cancer, malignant disease.*

Prematurity caused the deaths of 5 infants.

Of 8 deaths assigned to diseases of the brain and nervous system, 3 were caused by meningitis.

Diseases of the heart and blood-vessels accounted for 21 of the deaths registered during the week.

There were 14 deaths from bronchitis.

Of 2 deaths attributed to accidental causes, one was of a child, under 5 years of age, from burns.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one person aged 80 years.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 6 were under one month old), and 31 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·3 per 1,000, the rate in the City was 19·2 (North City Districts, 17·6; South, 20·8), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·7 (0·3 in the North City Districts, and 1·1 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. One death from enteric fever and 2 deaths from tuberculous disease of the lungs were registered, also 3 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. There were 5 deaths from tuberculous disease and 2 deaths from *pneumonia*; also one accidental death was registered.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. Of 8 deaths which occurred 4 are stated to have been due to *phthisis.*

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 11·5 per 1,000. There were 2 deaths from *pneumonia* registered.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 31·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 17·7 per 1,000. The total (13) includes one death from whooping-cough, 4 deaths from tuberculous disease, and 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. One death from scarlet fever, 4 deaths from tuberculous disease, and one death from *pneumonia*, are included in the total.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. Influenza caused one death, tuberculous disease caused 3 deaths, *pneumonia* caused 2 deaths, and bronchitis 4 deaths; one death from accident was also registered.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. There was one death from measles, tuberculous disease caused 4 deaths, there was one death from broncho-pneumonia, and there were 2 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 16·0; Blackrock, 17·9; and Kingstown, 11·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 10 deaths from all causes tabulated to Rathmines and Rathgar, 3 were from tuberculous disease of the lungs, one from cerebro-spinal fever, and 3 from diseases of the heart and blood-vessels. The 8 deaths from all causes tabulated to Pembroke include 2 from *phthisis* and 2 from *pneumonia.* The 3 deaths tabulated to Blackrock were all from tuberculous disease of the lungs.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 11th June, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	May 21,	.	.	.	5	.	.	7	.	5	10	14	.	.	.	41
	May 28,	.	.	.	8	.	.	1	.	.	10	2	.	.	.	21
	June 4,	.	.	.	5	.	.	3	.	1	5	13	.	.	.	27
	June 11,	.	.	.	7	.	.	2	.	2	10	14	.	.	.	35
Rathmines and Rathgar Urban District.	May 21,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	May 28,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
	June 4,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Pembroke Urban District.	May 21,	.	.	.	3	.	.	.	.	.	.	.	.	.	20	23
	May 28,	.	.	.	2	.	.	.	.	.	.	.	1	.	8	11
	June 4,	.	.	.	.	.	.	1	.	.	1	1	.	.	15	18
	June 11,	.	1	.	.	.	.	.	.	.	.	1	.	.	2	4
Blackrock Urban District.	May 21,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	May 28,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	May 21,	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2
	May 28,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 11,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
City of Belfast.	May 21,	1	–	.	6	.	.	5	.	4	6	2	.	.	.	24
	May 28,	3	–	.	13	.	.	4	.	12	9	11	1	.	.	53
	June 4,	2	–	.	14	.	.	8	.	2	6	4	.	.	.	36
	June 11,	5	–	.	11	.	.	1	1	9	10	6	.	.	.	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th June, 1904.

From this it appears that :—

Six cases of measles were admitted to hospital during the week, 12 were discharged, and 32 patients remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 9 cases were discharged, there was one death, and 35* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 3 were discharged, and 15 cases remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 4 cases were discharged, and 24 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 6 patients were discharged, there was one death, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·3), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 16·1, and for Edinburgh 14·3.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th June, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 11th June, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 11th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th May, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	30·2	18·1	1·1	634	379	61	82	.	5	2	.	6	1	1	4	4	7	61	12	25	112	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	878,094	27·5	27·8	18·3	0·6	202	133	18	29	.	1	1	.	1	.	.	1	.	27	27	2	4	59	§65·1	42·0	53·1	0·51	§68·7	41·8	56·2	1·15	§62·7	34·9	50·5	0·20
City of Dublin	298,385	37·1	31·8	19·2	0·7	179	103	18	23	.	1	1	.	1	.	.	1	.	19	24	2	3	49	a68·0 / b67·9	49·9 / 44·0	56·1 / 54·4	0·46 / 0·50	a71·0 / b68·5	48·1 / 43·0	57·9 / 56·0	1·10 / 1·09	a65·7 / b62·8	43·5 / 36·0	54·0 / 51·5	0·25 / 0·35
Urban Districts. Rathmines and Rathgar	33,208	19·4	12·6	15·7	.	8	10	.	3	.	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	18·0	16·0	.	9	8	.	1	.	.	.	.	.	.	.	.	.	2	3	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	6·0	17·9	.	1	3	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	14·8	11·8	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	64·7	49·5	55·1	0·45	72·2	47	56·7	1·08	63·2	41·5	58·4	0·16
Urban Districts.																																			
Belfast	358,680	24·4	35·3	18·9	2·0	243	130	29	25	.	4	1	.	4	.	1	2	2	21	19	7	15	24	71·1	45·1	55·9	0·54	69·0	42·0	55·3	0·45	62·1	36·5	49·7	0·82
Cork	76,122	33·6	41·8	17·1	0·7	61	25	3	4	.	.	.	.	.	.	.	.	1	7	3	1	1	9	65	47	55·2	0·32	62	47	54·9	0·20	60	41	52·3	0·46
Londonderry	41,397	19·1	29·0	22·7	1·3	23	18	2	1	.	.	.	.	.	1	.	.	.	4	5	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	23·2	24·6	.	17	18	3	4	.	.	.	.	.	.	.	.	.	4	1	.	1	7	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	23·4	7·8	.	12	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	15·5	19·4	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	75	44	60	0·25	72	46	58	0·10	68	42	52·3	0·32
Dundalk	18,076	2·4	39·9	31·9	.	10	8	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	20·4	24·5	.	5	6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	16·8	4·2	6	4	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	71·0	44·8	55·3	0·43	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78
Lurgan	11,792	13·8	39·8	8·9	.	9	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	71·0	44·8	55·3	0·43	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78
Lisburn	11,461	10·1	27·3	9·1	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	71·0	44·8	55·3	0·43	74·2	42·8	56·3	0·73	67·1	40·5	52·5	0·78
Wexford	11,168	23·2	14·0	32·7	.	3	7	1	1	.	.	.	.	.	.	.	.	.	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	33·5	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	9·6	4·8	4·8	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	73·7	41·3	57·0	0·35	71·3	42·4	56·5	0·33	69·5	35·3	51·8	0·25
Kilkenny	10,609	11·5	14·7	39·3	.	3	8	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	72	44	56·6	0·07	71	44	56·9	0·63	65	39	53·1	0·16
Clonmel	10,167	7·8	30·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	18·2	20·7	5·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	71·0	44·8	55·3	0·43	74·2	42·8	56·2	0·78	67·1	40·5	52·5	0·78
Tralee	9,867	16·6	31·7	26·4	.	6	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	.	5·7	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61	44	52·8	0·33	68	43	52·4	1·21	57	39	49·3	0·49
Queenstown	2,909	14·4	19·8	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

II.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Rock, and Kingstown, registered during the week ending Saturday, the 11th of June. *The Deaths in Public Institutions are assigned to the Districts from which the deceased admitted.*

OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District					URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).		SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
RAL DISEASES:																			
-pox,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
les,	.	.	.	.	.	.	.		.	.	.	1	.	.	.	.	.	1	.
et Fever (Scarlatina),	.	.	.	.	.	.	.		.	1	.	.	.	.	.	.	.	1	.
us,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
ping Cough,	.	.	.	.	.	.	.		1	.	.	.	.	.	.	.	.	1	.
theria,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
le Continued Fever,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
ric Fever,	1	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	1	.
hœal Diseases,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
isis,	2	3	4	.	.	1	.		4	1	.	3	1	3	2	3	.	27	3
r General Diseases,	1	4	3	3	.	3	.		1	5	6	3	2	2	1	.	1	35	1
Total,	4	7	7	3	.	4	.		6	7	6	7	3	5	3	3	1	66	4
L DISEASES:																			
rvous System	1	2	.	.	.	.	.		.	.	2	1	.	.	.	.	1	7	1
gans of Special Sense,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
art and Blood Vessels,	2	4	1	1	.	.	.		3	.	1	1	.	3	.	.	2	18	3
spiratory System,	3	3	.	3	.	1	.		4	1	6	3	.	.	3	.	.	27	2
gestive System,	.	1	.	.	.	.	.		.	.	2	.	.	1	1		.	5	.
mphatic System, &c.,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
inary System,	.	1	.	.	.	.	.		.	1	2	.	.	1	.	.	.	5	.
nerative System,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
ts of Childbirth,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
of Locomotive System,	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
ntegumentary System	.	.	.	.	.	.	.		.	.	.	.	.	.	1	.	.	1	.
Total,	6	11	1	4	.	1	.		7	2	13	5	.	5	5	.	3	63	6
ER SPECIFIED DISEASES.	.	.	.	.	.	.	.		.	.		.	.	.	.	.	.	.	.
DEFINED AND NOT ECIFIED DISEASES,	.	1	.	.	.	.	.		.	.	1	.	.	.	.	.	.	2	.
LENT DEATHS,	.	1	.	.	.	1	.		.	.	.	.	.	.	.	.	.	2	.
s from all Causes,	10	20	8	7	.	6	.		13	9	20	12	3	10	8	3	4	133	10
al Rate of Mor-ty in every 1,000 of the ation	18·4	26·6	13·9	11·5	.	31·2	.		17·7	25·7	24·9	17·8	17·6	15·7	16·0	17·9	11·8	18·3	.
	17·6								20·8					15·2					
	19·2																		

UMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Hospitals, Prisons, and tic Asylums,	2	5	2	.	.	2	.	1	4	3	3	2	4	3	1	1	33	9
use Hospitals,	.	6	3	3	.	.	.	4	1	5	3	.	.	1	.	.	26	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1894–1903.	In the Week ending Sa 11th June, 1904. Deaths of Persons of th				
	June 9, 1894.	June 8, 1895.	June 6, 1896.	June 12, 1897.	June 11, 1898.	June 10, 1899	June 9, 1900.	June 8, 1901.	June 7, 1902.	June 13, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 52·4	° 56·4	° 55·3	° 58·0	° 55·0	° 58·8	° 56·6	° 53·1	° 53·5	° 52·9	° 55·2	° 53·1				
ALL CAUSES.	144	148	133	150	168	169	161	152	156	172	155·3	143	6	12	16	18
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	2	.	.	.	1	3	.	·6	1	.	.	.	1
Scarlet Fever	.	.	2	4	.	2	.	1	1	1	1·1	1	.	.	.	1
Typhus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	3	1	.	4	6	3	2	3	2	2·8	1	.	.	.	.
Whooping Cough, ...	1	2	1	4	2	3	5	5	2	5	3·0	1	.	1	.	.
Diphtheria, ...	.	.	.	1	.	1	2	.	1	.	·5	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Simple Continued Fever, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.
Enteric Fever, ...	1	2	.	2	1	4	2	.	.	2	1·4	1	.	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	4	2	1	1	1	2	2	. / 1	. / .	1·8	. / .	. / .	. / .	. / .	. / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	.	.	.	.	2	1	·3	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	.	.	.	.	.	.	. / . / 1	. / 1 / 1	·4	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	1	.	.	.	2	·4	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	1	1	.	1	1	.	.	. / .	1 / .	·5	. / .	. / .	. / .	. / .	. / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Tuberculous Phthisis, ... "*Phthisis*,"	25	22	16	18	24	36	28	30	3 / 37	5 / 15	25·9	8 / 22	.	.	.	1 / 4
Tuberculous Meningitis, (Acute Hydrocephalus).	1	3	3	3	7	1	3	1	1	6	2·9	2	.	.	1	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	4	6	6	2	3	3	3	4	1 / .	3 / 1	3·6	4 / 3	.	1 / 1	1 / 2	2 / .
Tuberculous Dis. (other), ... *Scrofula*, ...	3	5	.	3	4	3	7	5	3 / .	2 / 1	3·6	5 / .	.	.	2 / .	3 / .
Alcoholism, ...	.	.	1	.	.	1	1	1	.	1	·5	1	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.
Gout, ...	.	.	1	.	1	.	.	1	1	.	·4	.	.	.	.	.

* The figures for the years 1894–190

Y-THIRD WEEK ending Saturday, 11th June, 1904, with the deaths from each cause in the corresponding
rage for those weeks.*

SES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 9, 1894.	June 8, 1895.	June 6, 1896.	June 12, 1897.	June 11, 1898.	June 10, 1899.	June 9, 1900.	June 8, 1901.	June 7, 1902.	June 13, 1903.	Averages in 23rd Week of the 10 years 1894–1903.	In the Week ending Saturday, 11th June, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
an Temperature.	° 52·4	° 56·4	° 55·3	° 58·0	° 55·0	° 58·8	° 56·6	° 53·1	° 53·5	° 52·9	° 55·2	Mean Temp. ° 53·1								
, ...	6	6	5	4	5	5	6	4	2	3	5·4	2	.	.	.	.	1	.	.	1
... ...									.	1		.	.	.	.	.	.	.	.	.
lignant Disease ...									5	2		7	.	.	.	.	.	4	3	.
Iellitus ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Birth	1	1	1	8	2	3	5	.	5	4	3·0	5	4	1	.	.	.	.	.	.
(not tuberc.)									3	3		3	1	.	.	1	.	.	1	.
h. P. of Insane									1	3		.	.	.	.	.	.	.	.	.
.. ..									.	.		.	.	.	.	.	.	.	.	.
s									9	6		3	.	1	2	.	.	.	.	.
Ataxy									.	.		1	.	.	.	.	.	1	.	.
Dis. of Cord									.	4		.	.	.	.	.	.	.	.	.
ystem (other Dis.) ...	24	34	27	32	37	33	27	28	4	2	31·3	1	.	.	.	1	.	.	.	.
Endocarditis									3	13		5	.	.	.	.	2	1	1	1
em. Thromb.									3	2		1	.	.	.	.	.	.	1	.
Hemiplegia									1	2		5	.	.	.	1	.	1	3	.
... ...									.	.		.	.	.	.	.	.	.	.	.
Thromb. (not cerebral)									.	.		1	.	.	1	.	.	.	.	.
Blood Vessel Dis.									5	7		9	.	.	.	.	3	3	3	.
t Spasm. or Memb.) ...	1	.	.	.	3	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
... ...	12	13	11	10	18	10	9	20	17	13	13·3	14	1	3	1	.	.	.	9	.
Pneumonia									.	.		.	.	.	.	.	.	.	.	.
neumonia	6	14	10	8	9	12	10	10	4	3	10·0	1	.	1	.	.	.	.	.	.
ia"									3	11		12	.	.	1	1	4	6	.	.
mphysema									.	.		.	.	.	.	.	.	.	.	.
... ...	7	5	2	.	.	1	4	1	.	1	2·4	.	.	.	.	.	.	.	.	.
y Dis. (other)									1	2		2	.	.	.	.	.	2	.	.
, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
not Epid.)	.	.	.	1	.	.	2	1	.	.	·5	.	.	.	.	.	.	.	.	.
teritis									.	1		1	.	1	.	.	.	.	.	.
(not Puerp.)	3	.	1	2	.	1	.	2	1	3	1·3	.	.	.	.	.	.	.	.	.
of Liver	2	.	2	6	1	.	4	1	.	.	2·0	.	.	.	.	.	.	.	.	.
(other)									2	2		1	.	.	.	.	.	1	.	.
Dis. (other)	5	1	7	4	2	3	4	5	4	3	3·8	3	.	1	.	.	1	1	.	.
Acute									1	2		3	.	.	1	.	.	.	1	1
is., Albuminuria ...	2	2	3	6	2	5	4	5	1	3	3·6	2	.	.	.	.	.	2	.	.
ys. (Other Dis.) ...									.	.		.	.	.	.	.	.	.	.	.
e Organs Dis.	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
n (Accid. of)	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	10	6	9	5	11	17	6	7	4	4	8·2	1	.	.	.	.	.	.	.	1
eases	15	11	11	15	23	11	18	11	10	14	13·9	5	.	.	2	.	1	1	1	.
ACCIDENT.																				
ays	.	.	1	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.
es and Horses	.	.	1	2	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
ning)																				
ng Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions ...	1	1	1	1	.	.	2	.	1	1	·8	1	.	.	1	.	.	.	.	.
ing	.	.	.	3	.	.	1	.	.	1	·5	.	.	.	.	.	.	.	.	.
ation in Bed	.	.	.	.	.	2	.	.	.	.	·2	1	.	1	.	.	.	.	.	.
or Poisonous Vapours...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
aths by Accidents ...	1	3	4	3	.	2	1	.	3	4	2·1	.	.	.	.	.	.	.	.	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ation Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1903-4—Week ending																										
	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Births registered,	179	178	228	195	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202
*Average Births in corresponding week of previous 10 years,**	180	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223
Deaths registered,	198	158	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150	143
Annual Death-rate per 1,000,	26·6	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7
*Average Deaths in corresponding week of previous 10 years,**	185	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155
Ages, Under 5 years,	49	43	69	63	50	55	53	71	53	70	61	51	56	55	67	66	57	58	51	48	57	50	47	51	37	34
5—20 "	12	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18
20—40 "	23	26	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30
40—60 "	46	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30
60—80 "	56	36	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38	29	34	27
80 years and upwards,	7	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1
" Scarlet Fever	2	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1
" Diphtheria,	2	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.
" Simple Continued Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.
" Enteric Fever,	1	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1
" Diarrhœal Diseases,	1	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.
" Phthisis,	16	1	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30
" Diseases of Heart and Blood Vessels,	34	19	7	26	36	26	30	23	23	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21
" Diseases of Respiratory System,	38	25	59	57	45	44	41	51	57	59	54	42	44	51	48	53	46	35	47	44	34	29	36	29	25	29
Violent Deaths,	1	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2
Mean Temperature of the Air (Phœnix Park),	41·7	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	33·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1
Average Mean Temperature in corresponding week of previous 10 years,	42·2	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2
Rainfall in inches,	·245	·290	·085	1·515	·546	·185	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·713	·145	·136	·195	1·150	·505
Mean Humidity of the Air, complete Saturation 1·0,	·92	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84

* See note at foot of Table IV. † For nine years only.

Number of Deaths at each of six Periods of Life, and the Number of Deaths from

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Registration of Deaths, Week ending Saturday, 11th June, 1904.																								
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,850	19·9	148	34	18	30	30	27	4	.	1	1	.	1	.	.	1	.	4	30	3	29	2	75
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,486	17·9	6	.	.	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
II.	Middle Class,	87,188	12·6	21	2	2	6	6	2	3	.	.	.	.	.	.	.	.	.	.	4	1	2	.	14
III.	Artisan Class and Petty Shopkeepers	110,428	9·9	21	6	4	5	4	1	1	.	1	1	.	.	.	.	.	.	2	5	.	5	1	8
IV.	General Service Class,	154,279	30·9	68	24	9	12	13	10	.	.	.	.	.	1	.	.	1	.	2	15	2	11	1	37
V.	Inmates of Workhouses,	6,024		27	2	3	4	7	11	.	.	.	.	.	.	.	.	.	.	.	6	.	10	.	11
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	33·4	5	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	.	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	6. Clerks and Commercial Assistants,	30,432	13·7	8	2	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	18·5	7	.	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	9. Building and Furnishing Trades,	29,801	7·0	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	1
	10. Clothing Trades,	28,260	11·2	5	1	2	2	.	.	.	.	1	1	.	.	.	.	.	.	2	1	.	1	.	1
	11. Food Supply Trades,	9,242	28·2	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	12. Other Trades and Callings ranking with Trades,	30,352	5·2	3	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	13. Petty Shopkeepers,	7,894	13·2	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	42·7	11	5	1	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	3
	15. Domestic Servants,	36,603	11·4	8	1	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	10·9	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	26·7	46	17	7	5	11	6	.	.	.	.	.	1	.	.	1	.	2	11	1	7	.	25
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	6,024	.	27	2	3	4	7	11	.	.	.	.	.	.	.	.	.	.	.	6	.	10	.	11

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	April 23,	18·4	.	10	.	.	.	.	.	.	.	.	.	2	3	1
	„ 30,	23·9	.	13	.	.	.	.	.	.	.	.	.	2	4	.
	May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
	„ 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
	„ 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
	„ 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
	June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	April 23,	28·0	1·3	21	.	.	.	.	1	.	.	.	.	1	6	1
	„ 30,	34·6	1·3	16	.	.	.	.	.	.	.	.	1	3	7	.
	May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
	„ 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
	„ 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
	„ 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
	June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
	„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	April 23,	34·6	1·7	20	.	1	.	.	.	.	.	.	.	3	4	.
	„ 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
	May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	1
	„ 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	.
	„ 21,	15·6	5·5	9	.	2	.	.	.	.	.	.	.	2	.	.
	„ 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
	„ 11,	13·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	April 23,	36·2	3·3	23	.	2	.	.	.	.	.	.	.	5	6	.
	„ 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
	May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
	„ 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
	„ 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
	„ 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
	„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	April 23,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	3	5	1
	„ 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
	May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
	„ 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
	„ 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
	„ 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
	June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
	„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	April 23,	28·5	.	10	.	.	.	.	.	.	.	.	.	2	4	.
	„ 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
	May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	„ 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 21,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
	„ 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
	June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	April 23,	21·1	1·2	17	.	.	.	.	1	.	.	.	.	2	4	1
	„ 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	.
	May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
	„ 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
	„ 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
	June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
	„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	April 23,	23·2	1·5	19	.	.	.	.	.	.	.	.	1	5	5	.
	„ 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.
	May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	.
	„ 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
	„ 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	8	1
	June 4,	10·	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,208.	April 23,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	April 23,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	2	.
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	„ 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	April 23,	8·9	3·0	3	.	.	.	.	.	1	.	.	.	.	1	.
	„ 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	April 23,	20·8	1·0	143	.	1	1	.	2	2	.	1	.	31	42	2
	„ 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	.	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·8	151	.	1	1	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	2	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	.	.	6	.	.	.	4	24	29	1
	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	„ 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
Cork. Pop. (in 1901) 76,122.	April 23,	24·7	.	36	.	.	.	.	.	.	.	.	.	12	11	.
	„ 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	„ 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
Londonderry. Pop. in 1904 (Est.) 41,397	April 23,	12·6	.	10	.	.	.	.	.	.	.	.	.	.	4	1
	„ 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	„ 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
Limerick. Pop. (in 1901) 38,151.	April 23,	26·0	2·7	19	.	.	.	.	2	.	.	.	.	3	5	.
	„ 30,	28·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
Waterford. Pop. (in 1901) 26,769	April 23,	25·3	.	13	.	.	.	.	.	.	.	.	.	3	4	.
	„ 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 11th June, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	15	17·7	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	1	1	1	2
Do. 2 "	47,959	26	16·3	1·1	15	3	2	8	2	.	.	.	.	.	.	.	1	.	2	2	2	2	3
Do. 3 "	47,214	32	18·8	1·1	17	3	3	9	2	.	1	.	.	.	.	.	.	.	2	1	1	2	3
Do. 4 "	40,911	40	33·1	6·4	26	6	3	14	3	.	2	.	.	2	.	1	.	.	6	4	.	.	9
Do. 5 "	17,387	12	21·0	.	7	.	.	5	2	.	.	.	.	.	.	.	.	.	3	1	.	1	1
Do. 6 "	48,122	19	14·1	1·1	13	3	.	8	2	.	.	.	.	.	.	.	.	1	2	3	1	5	.
Do 7 "	1,524	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 "	5,060	1	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do. 9 "	19,569	19	10·7	2·7	4	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 10 "	23,064	15	20·3	.	9	3	1	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 11 "	34,802	25	15·0	1·5	10	4	3	2	1	.	1	.	.	.	.	.	.	.	2	2	.	.	2
Do. 12 "	33,588	26	27·9	6·2	18	4	5	6	3	.	.	1	.	2	.	.	1	.	1	3	1	2	1
Do 13 "	15,006	12	13·9	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	243	19·4	2·1	130	29	18	58	25	.	4	1	.	4	.	1	2	2	21	19	7	15	24
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	9	12·2	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Do. 2 "	10,701	3	19·5	4·9	4	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Do. 3 "	9,978	6	20·9	.	4	1	1	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Do. 4 "	8,666	11	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 "	6,592	3	28·7	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1
Do. 6 "	10,702	12	19·5	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 7 "	16,616	12	18·3	.	6	.	1	4	1	.	.	.	.	.	.	.	.	.	3	.	.	.	3
Total	76,122	61	17·1	0·7	25	3	4	14	4	.	.	.	.	.	.	.	.	1	7	3	1	1	9

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903–4—Week ending																									
	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered,	187	128	252	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243
DEATHS registered,	176	158	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130
Annual Death-rate per 1,000 of estimated Population,	25·9	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9
AGES, Under 1 year,	39	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29
AGES, 1–5 years,	35	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18
AGES, 5–60 years,	66	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58
AGES, 60 years and upwards,	38	25	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	1	22	27	27	21	24	22	25
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4
" Scarlet Fever,	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1
" Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Whooping cough,	10	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4
" Diphtheria,	1	2	1	2	.	2	.	1	.	.	1	.	3	.		.	.	3	2	1	.	.	.	.	3	.
" Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	3	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2
" Diarrhœal Diseases,	.	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2
" Phthisis	20	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	33	24	25	21
" Diseases of Respiratory System,	70	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19
Violent Deaths,	4	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th June, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	1	.	1	2	1	.	.	6
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	5	8	.	.	13
" " 2,	.	.	.	2	.	.	.	.	.	1	1	.	.	4
" " 3,	.	.	.	3	.	.	.	.	.	.	1	.	.	4
" " 4,	.	.	.	.	.	.	1	.	1	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	.	.	7	.	.	2	.	2	10	14	.	.	35

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th June, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th June.			
	May 21.	May 28.	June 4.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	25	33	38	6	12	.	32
Scarlet Fever,	47	43	39	6	9	1	35*
Typhus "	1	.	.	.	.	.	.
Diphtheria,	21	13	12	6	3	.	15
Enteric Fever,	25	26	24	4	4	.	24
Pneumonia,	25	28	19	10	6	1	22

*Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,649,088	June 11,	2,578	1,187	13·3	.	62	4	9	28	5	26
EDINBURGH,	331,977	„ 11,	172	91	14·3	.	4	.	1	4	1	1
GLASGOW,	798,357	„ 11,	508	247	16·1	3	8	2	1	9	1	12
CALCUTTA,	847,796	Apr. 9,	.	1,038	63·6	4	7	.	1	.	60‡	189*
BOMBAY,	776,006	May 10,	289	842	56·4	25	9	.	.	.	51†	38
MADRAS,	509,346	Apr. 29,	364	351	35·8	.	4	?	?	?	53	87*
PARIS,	2,660,559	May 28,	1,077	864	16·8	.	29	5	5†	10	6	23
BRUSSELS (with 8 Faubourgs).	586,936	„ 21,	239	162	14·4	.	.	.	2†	3	1	8
AMSTERDAM,	548,137	„ 21,	282	163	15·5	.	7	.	1	3	1	3
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	May 21,	204	144	18·3	.	1	1	1†	5	1	7
CHRISTIANIA,	223,649	„ 28,	135	55	12·8	.	.	.	1	.	.	3
ST. PETERSBURG,	1,248,122	„ 28,	546	622	26·0	3	32	10	11	3	9	49
BERLIN,	1,960,909	„ 14,	896	565	15·0	.	13	7	7†	11	.	36
HAMBURG,	751,842	„ 21,	.	244	16·9	.	4	.	4†	7	1	7
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH	520,000	May 21,	.	198	19·8	.	4	.	.	2	2	21
		„ 28,	.	234	23·4	.	5	.	2†	3	1	29
VIENNA (with suburbs).	1,797,992	„ 28,	958	694	20·1	.	55	1	6†	1	1	46
BUDA-PESTH	813,399	„ 28,	436	296	18·9	.	3	6	3†	2	1	15
PRAGUE and Faubourgs.	426,402	„ 21,	233	208	25·4	.	2	.	.	3	6	12
ROME,	496,201	Mar. 5,	259	232	24·4	.	3	.	2	1	2	15
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Apr. 30,	86	54	16·9	.	.	.	1†	.	.	3
NEW YORK,	3,838,024	May 14,	1,792	1,587	21·6	.	45	29	51†	1	14	32
PHILADELPHIA,	1,408,154	„ 7,	.	572	21·1	5	3	3	9†	1	38	23

* Including 104 deaths from cholera in Calcutta and one in Madras.
† Including deaths from croup.
‡ Exclusive of 539 deaths from bubonic fever in Calcutta and 324 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-Gen with the following remarks on the weather during the week ended Satur 11th June, 1904:—

"Except on Thursday and Friday the weather was very fine and bright, though cool for the ti year owing to a persistence of fresh to strong easterly and northeasterly winds. The barometer w a rule high over North-Western Europe, and gradients were moderate. Between Sunday and F an irregular area of relatively low pressure (30 to 29·7 inches) spread very gradually from the Peni and Bay of Biscay northwards to the English Channel and the southern districts of England and Ire Before this system approached fair weather prevailed, with haze or seafog, however, off the Britis Irish coasts. On Wednesday the easterly winds freshened to a strong breeze as the southern atmosp depression advanced towards the British Isles. Clouds also increased, and on Thursday thunder lightning occurred, first in the Scilly Islands and later in the east and south of Ireland. On Thur night and Friday morning rain fell heavily on the shores of the Irish Sea, Liverpool getting ·50 Holyhead ·49 inch, Dublin ·46 inch, and Donaghadee ·33 inch. On Friday afternoon the weather too and Saturday was very fine and sunny till 4 p.m., when the sky became overcast. In Dublin the height of the barometer was 30·112 inches, the range of pressure being from 30·314 inches at 9 a. Sunday (wind, N.E.) to 29·843 inches at 9 a.m. of Friday (wind, E.N.E.). The corrected mean temper was 56·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·3°. On Sunday the screened mometers rose to 68·0°, on Monday they fell to 49·9°. Bright sunshine was estimated at 67 hours, 16 f on Sunday, which was cloudless throughout. The wind blew almost constantly from easterly points, c from E.N.E. Rain fell on two days to the amount of ·463 inch, ·247 inch being recorde l on Thur Lightning was seen on Thursday evening, when also thunder was heard along the Dublin and Wic coasts."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean heig the barometer during the week was 30·114 inches. The highest reading (30·315) wa Sunday at 9 a.m., wind E.N.E., and the lowest (29·856) on Friday at 9 a.m., wind E.N

The mean temperature for the week was 53·1°, being 2·1° below the average for the co ponding period of the 10 years 1894-1903. The temperature was highest on Sunday which day the thermometer registered 65·1° and was lowest on Monday, the mer having fallen to 42·0°. The mean of the Dry Bulb for the week was 53·3° and of the Bulb 50·8°. The mean humidity of the air was ·84, complete saturation being represe by 1·0. The registered duration of sunshine for the week was 67·2 hours. The rai during the week measured ·505 inch.

At Greenwich the mean temperature for the week was 55·9°, the maximum 7 and the minimum 46·7°; at Glasgow the maximum was 79·8°, the minimum 43·8°, the mean 55·8°; and at Edinburgh the maximum was 63·3°, the minimum 4 and the mean 48·9°. The rainfall at Greenwich measured 0·12 inch. There wa rain at either Glasgow or Edinburgh.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVE OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction o Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9
Sunday, June 5,	30·299	65·1	43·8	54·5	57·2	53·7	·80	·4	14·8	—	E.N.E.	C
Monday, „ 6,	30·247	61·1	42·0	51·6	55·5	52·9	·84	·5	13·1	—	E.N.E.	N
Tuesday, „ 7,	30·205	58·0	49·0	53·5	52·4	49·3	·80	·6	10·6	—	E.N.E.	
Wednesday, „ 8,	30·096	57·9	48·9	53·4	51·2	48·7	·84	·6	11·9	—	E.N.E.	E.
Thursday, „ 9,	29·961	57·5	47·3	52·4	49·9	47·5	·85	·6	7·6	·285	E.N.E.	
Friday, „ 10,	29·903	55·4	47·1	51·3	51·8	50·8	·93	·1	0·0	·220	E.N.E.	Ca
Saturday, „ 11,	30·086	60·8	49·3	55·1	55·2	52·4	·83	·1	9·2	—	E.	Ca
Mean, . .	30·114	59·4	46·8	53·1	53·3	50·8	·84	·4	Total 67·2	·505	Prevailing W E.N.E.	

Sunday—Fine clear day; clear night. *Monday*—Fine day, light clouds; night cloudy. *Tuesday*— day but cloudy; night cloudy. *Wednesday*—Fine day, cloudy; night cloudy. *Thursday*—Fine but c day; night overcast and rain 7.35 p.m. to 6 a.m., 10th. *Friday*—Day overcast 7.30 a.m. to 1.30 p.m.; overcast, 10.15 p.m. to 11.30 p.m. *Saturday*—Fine but cloudy day; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P. 1. 2. 1904.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

)L. XLI.] WEEK ENDING SATURDAY, 18TH JUNE, 1904. [No. 24.

General Register Office, Charlemont House, Dublin, 20th June, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphatically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending May 28.	June 4.	June 11.	June 18.	Average Rate for 4 weeks.	Towns, &c.	Week ending May 28.	June 4.	June 11.	June 18.	Average Rate for 4 weeks
Town Dists.	19·3	20·1	18·1	22·1	19·9	Lisburn, . .	27·3	9·1	9·1	40·9	21·6
'magh, . .	27·5	.	6·9	34·4	17·2	Londonderry .	13·9	22·7	22·7	7·6	16·7
ıllymena, .	14·4	4·8	.	9·6	7·2	Lurgan, . .	26·6	17·7	8·9	17·7	17·7
ılfast, . .	19·5	19·3	18·9	18·3	19·0	Newry, . .	21·0	.	16·8	8·4	11·6
onmel, . .	25·6	20·5	.	.	11·5	Newtownards, .	22·9	17·2	5·7	45·8	22·9
ırk, . . .	18·5	24·7	17·1	30·8	22·8	Portadown, .	5·2	15·5	5·2	36·2	15·5
rogheda, . .	12·3	36·8	24·5	36·8	27·6	Queenstown, .	19·8	13·2	.	6·6	9·9
ublin Reg. Area,	21·3	19·7	18·3	21·7	20·2	Sligo, . . .	.	28·8	4·8	105·5	34·8
undalk, . .	23·9	8·0	31·9	16·0	19·9	Tralee, . .	21·1	15·9	26·4	26·4	22·4
alway, . .	15·5	19·4	19·4	35·0	22·3	Waterford, .	17·5	25·3	7·8	13·6	16·1
ilkenny, . .	24·6	.	39·3	34·3	24·5	Wexford, . .	14·0	56·0	32·7	32·7	33·3
merick, . .	9·6	31·4	24·6	27·3	23·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in venteen of the districts to 10·6 in Tralee, the 5 deaths from all causes registered in at district including 2 from whooping-cough. Among the 126 deaths from all causes gistered in Belfast are 6 from measles, 7 from whooping-cough, 2 from enteric fever, ıd 5 from diarrhœal diseases; and the 45 deaths from all causes in Cork include one eath each from whooping-cough, enteric fever, and diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 32—82 boys and 100 girls; and the deaths to 169—92 males and 77 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·3 in every 000 of the population; omitting the deaths (numbering 11) of persons admitted to public institutions from localities outside the Area, the rate was 21·7 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective stricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

During the twenty-four weeks ending with Saturday last the death-rate averaged 26·7, and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths registered include 2 from measles, 2 from influenza, 3 from whooping-cough, and one from enteric fever, but not one death from small-pox, scarlet fever, typhus, or from diarrhœa. The deaths from measles, influenza, whooping-cough and enteric fever in the preceding 3 weeks were, respectively,—from measles, 0, 5, and one; from influenza, 2, 2, and one; from whooping-cough, 4, 9, and one; and from enteric fever, one, 2, and one.

There were 2 deaths from broncho-pneumonia, and 11 deaths were assigned to *pneumonia*.

Of 38 deaths from tuberculous disease, 6 were attributed to tuberculous phthisis, 20 to *phthisis*, 3 to tuberculous meningitis, one to tuberculous peritonitis, one to tabes mesenterica, and 7 to other forms of the disease.

Two deaths were due to carcinoma, 2 to sarcoma, and 4 to *cancer, malignant disease.*

The deaths of 3 infants under one month old were due to "premature birth."

Fifteen deaths were caused by diseases of the brain and nervous system. The total (15) includes the deaths of 6 infants under one year old from *convulsions.*

Diseases of the heart and blood-vessels accounted for 34 deaths.

Bronchitis caused 14 deaths.

One accidental death by drowning, of a child 2 years of age, was recorded.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one person aged 80 years.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 8 were under one month old), and 37 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 8 were octogenarians.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and 6 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000. the rate in the City was 20·6 (North City Districts, 15·2; South, 26·3), and in the Suburbs, 25·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·3 per 1,000 inhabitants, the rate for the City being 1·1 (0·3 in the North City Districts, and 1·8 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (5) are equal to an annual rate of 9·2 per 1,000. Influenza, *pneumonia*, and *phthisis*, each caused one death.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. These include one from broncho-pneumonia, one from *pneumonia* and one from *phthisis.*

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. Seven deaths from tuberculous disease (including 2 deaths from tuberculous meningitis), and one death irom *pneumonia* were registered.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. There were 3 deaths from *phthisis* and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 7·8. Of the 2 deaths from all causes, tabulated for Clontarf and Howth, No. 1, part of, one was from enteric fever.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 21·7 per 1,000. Whooping-cough caused one death, tuberculous disease caused 5 deaths, and 3 deaths were due to diseases of the brain and nervous system.

No. 2 South City District (Castle-street).—The deaths (18) are equal to an annual rate of 51·3 per 1,000. These include 2 deaths from measles, one death from whooping-cough, one death fom *phthisis*, one death from broncho-pneumonia, and 4 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·4 per 1,000. There was one death from whooping-cough, there were 3 deaths from tuberculous disease, and 2 deaths from *pneumonia.*

No. 4 South City District (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. Tuberculous disease caused 7 deaths, and 2 deaths were due to *pneumonia.*

New Kilmainham District.—There was only one death (representing an annual rate of 5·9 per 1,000) tabulated for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·6; Pembroke, 22·0; Blackrock, 23·8; and Kingstown, 35·5. There were no deaths from any of the principal epidemic diseases tabulated for any of these districts. Of the 15 deaths from all causes tabulated for Rathmines add Rathgar, 2 were from tuberculous disease, one from *pneumonia*, 3 from diseases of the heart and blood-vessels, 2 from bronchitis and one from accidental drowning, and among the 12 deaths from all causes tabulated for Kingstown, one was from influenza, 6 from diseases of the heartand blood-vessels, and one from *pneumonia.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 18th June, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	May 28,	.	.	.	8	.	.	1	.	.	10	2	.	.	.	21
	June 4,	.	.	.	5	.	.	3	.	1	5	13	.	.	.	27
	June 11,	.	.	.	7	.	.	2	.	2	10	14	.	.	.	35
	June 18,	.	.	.	2	.	.	5	.	7	10	11	.	.	.	35
Rathmines and Rathgar Urban District.	May 28,	.	.	.	4	.	.	.	.	.	1	.	.	.	.	5
	June 4,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District.	May 28,	.	.	.	2	.	.	.	.	.	.	.	1	.	8	11
	June 4,	.	.	.	.	.	.	1	.	.	1	1	.	.	15	18
	June 11,	.	1	.	.	.	.	.	.	.	.	1	.	.	2	4
	June 18,	.	5	.	.	.	.	.	.	1	.	2	.	.	10	18
Blackrock Urban District.	May 28,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	May 28,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 11,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.‡	May 28,	3	–	.	13	.	.	4	.	12	9	11	1	.	.	53
	June 4,	2	–	.	14	.	.	8	.	2	6	4	.	.	.	36
	June 11,	5	–	.	11	.	.	1	1	9	10	6	.	.	.	43
	June 18,	12	–	.	14	.	.	2	1	11	10	2	.	.	.	52

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th June, 1904.

From this it appears that :—

Sixteen cases of measles were admitted to hospital during the week, 4 were discharged, and 44 patients remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 9 cases were discharged, and 33* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 4 were discharged, and 16 cases remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 6 cases were discharged, and 26 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 5 patients were discharged, there was one death, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·8), was equal to an average annual death-rate of 13·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 18·0, and for Edinburgh 15·6.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

‡ Two cases of Small-pox are also reported as occurring in Lisburn.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 18th June, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by: Births	Deaths: From all Causes.	Deaths: From Diseases, in cols. 10-18.	Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Week ending 18th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	27·2	22·1	1·5	571	463	66	117	.	8	.	.	14	.	.	4	6	89	76	8	20	162	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—																																			
Total,‡	378,994	27·5	25·0	21·7	0·8	182	158	23	37	.	2	.	.	3	.	.	1	.	23	27	1	5	67	§67·7 a70·1 b68·9	43·7 48·1 45·0	56·3 58·2 57·2	0·73 0·40 0·35	§65·1 a68·0 b67·9	42·0 49·9 44·0	53·1 56·1 51·4	0·51 0·46 0·50	§68·7 a71·0 b68·5	41·8 48·1 43·0	56·2 57·9 56·0	1·15 1·10 1·09
City of Dublin	293,385	37·1	25·9	20·6	1·1	146	116	19	19	.	2	.	.	3	.	.	1	.	21	19	.	4	53												
Urban Districts. Rathmines and Rathgar.	33,203	19·4	18·8	23·6	.	12	15	1	4	.	.	.	.	.	.	.	.	.	1	3	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	24·0	22·0	.	12	11	1	7	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	23·8	.	2	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	19·6	35·5	.	10	12	2	6	.	.	.	.	.	.	.	.	.	.	2	.	.	6	67·7	48·5	57·4	0·57	64·7	49·5	55·1	0·45	72·2	47	56·7	1·08
Urban Districts.																																			
Belfast	358,680	24·4	31·4	18·3	2·9	216	126	27	18	.	6	.	.	7	.	.	2	5	22	35	2	7	23	66·1	48·8	56·5	0·34	71·1	45·1	55·9	0·54	69·0	42·0	55·3	0·45
Cork	76,122	33·6	15·8	30·8	2·1	23	45	1	13	.	.	.	.	1	.	.	1	1	16	4	.	.	23	62	46	56·1	1·44	65	47	55·2	0·22	62	47	54·9	0·20
Londonderry	41,897	19·1	41·6	7·6	.	38	6	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	88,151	18·1	26·0	27·3	.	19	20	2	4	.	.	.	.	.	.	.	.	.	4	3	1	1	9	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	19·5	13·6	.	10	7	1	1	.	.	.	.	.	.	.	.	.	3	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	38·8	35·0	.	10	9	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	6	73	49	58·4	0·71	75	44	60	0·25	72	46	58	0·10
Dundalk	18,076	3·4	39·9	16·0	.	10	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	36·8	.	4	9	2	5	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	8·4	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	69·0	40·5	54·4	0·74	71·0	44·8	55·8	0·43	74·2	42·8	56·3	0·73
Lurgan	11,782	13·8	18·3	17·7	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	69·0	40·5	54·4	0·74	71·0	44·8	55·8	0·43	74·2	42·8	56·3	0·73
Lisburn	11,461	10·1	36·4	40·9	4·5	8	9	2	4	.	.	.	.	1	.	.	.	.	.	.	.	1	2	69·0	40·5	54·4	0·74	71·0	44·8	55·8	0·43	74·2	42·8	56·3	0·73
Wexford	11,168	23·2	18·7	32·7	.	4	7	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	23·9	9·8	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	28·8	105·5	.	6	22	3	10	.	.	.	.	.	.	.	.	.	8	.	.	1	16	66·5	41·2	55·1	1·15	73·7	41·3	57·0	0·35	71·8	42·4	56·5	0·33
Kilkenny	10,609	11·5	25·5	34·3	.	6	7	.	6	.	.	.	.	.	.	.	.	.	.	3	.	.	3	66	42	56.1	0·66	72	44	56·6	0·07	71	44	56·9	0·63
Clonmel	10,167	7·8	30·8	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	46·5	36·2	.	9	7	.	3	.	.	.	.	.	.	.	.	.	1	1	3	3	.	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43	74·2	42·8	56·3	0·73
Tralee	9,867	16·6	15·9	26·4	10·6	3	5	.	3	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	45·8	.	2	8	.	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.	68	45	54·4	1·55	61	44	52·8	0·33	68	43	52·4	1·21
Queenstown	7,909	14·4	13·2	6·6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	62	46	56·1	1·44	65	47	55·2	0·22	62	47	54·9	0·20
Armagh	7,588	22·2	27·5	34·4	.	4	5	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43	74·2	42·8	56·3	0·73

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings of the

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 18th of June, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	1	1	4	3	.	.	.	4	1	2	5	.	1	1	.	.	23	3
Other General Diseases,	1	1	3	.	.	.	.	3	.	3	5	.	3	3	2	3	27	3
Total,	2	2	7	3	1	.	.	8	4	6	10	.	4	4	2	3	56	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	.	1	.	.	.	3	.	1	1	1	1	.	1	.	13	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	2	2	1	.	1	2	5	3	4	.	3	2	.	6	34	.
Respiratory System,	1	3	2	2	.	.	.	.	5	3	3	.	3	3	.	2	27	1
Digestive System,	.	1	.	2	.	1	.	1	.	2	1	.	.	.	.	.	8	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	1	2	.	.	1	.	.	.	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	9	5	7	1	1	1	7	11	11	9	1	9	5	1	8	89	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	.	.	1	3	1	.	.	1	2	1	1	12	.
E VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Deaths from all Causes,	5	12	12	11	2	1	1	16	18	18	19	1	15	11	4	12	158	11
Annual Rate of Mortality in every 1,000 of the population	9·2	16·0	20·8	18·1	21·7	5·2	7·8	21·7	51·3	22·4	28·2	5·9	23·6	22·0	23·8	35·5	21·7	.
	15·2							26·3					25·6					
	20·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	2	2	1	3	.	.	.	.	1	3	7	.	4	1	1	.	8	11
Workhouse Hospitals,	1	3	8	1	.	.	1	4	5	3	4	1	1	1	.	6	39	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1894–1903.	In the Week ending Satu 18th June, 1904. Deaths of Persons of the A					
	June 16, 1894.	June 15, 1895.	June 13, 1896.	June 19, 1897.	June 18, 1898.	June 17, 1899	June 16, 1900.	June 15, 1901.	June 14, 1902.	June 20, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 50·7	° 48·5	° 49·1	° 53·8	Mean Temp. ° 56·3					
ALL CAUSES.	165	155	159	132	147	144	167	148	155	151	152·3	169	8	16	13	21	42
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	3	·3	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	1	.	1	.	.	4	1	·8	2	.	.	2	.	.
Scarlet Fever ...	1	.	3	2	.	1	1	.	.	1	·9	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	5	1	4	.	5	1	1	1	2	2·2	2	.	.	.	.	.
Whooping Cough, ...	7	3	4	6	1	4	.	3	3	6	3·7	3	.	.	3	.	.
Diphtheria, ...	.	1	.	3	.	.	2	.	1	1	·8	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Enteric Fever, ...	1	3	2	1	4	1	2	1	1	.	1·6	1	.	.	.	1	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	.	1	1	1	4	1	4	. 1	.	1·5	. .	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.
Venereal Disease, ...	1	.	1	2	.	.	.	.	.	1	·5	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	1	.	.	.	. . .	. . .	·2	. . .	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	.	.	.	.	.	1	1	·5	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	2	1	.	.	.	1	1	.	. .	. 1	·6	. .	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	22	25	25	17	22	21	28	28	2 24	3 13	23·0	6 20	.	.	.	2 3	3 13
Tuberculous Meningitis, (Acute Hydrocephalus).	6	6	2	5	5	5	6	2	2	3	4·2	3	.	1	1	.	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	6	4	8	5	5	5	4	2	. .	. .	3·9	1 1	. .	. 1	.	1 .	. .
Tuberculous Dis. (other), ... *Scrofula*, ...	8	6	2	2	5	2	7	4	4 .	7 .	4·7	7 .	.	.	.	4 .	3 .
Alcoholism, ...	.	.	1	1	1	1	2	.	1	2	·9	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1894–1900 a

NTY-FOURTH WEEK ending Saturday, 18th June, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday June 16, 1894.	June 16, 1895.	June 13, 1896.	June 19, 1897.	June 18, 1898.	June 17, 1899.	June 16, 1900.	June 15, 1901.	June 14, 1902.	June 20, 1903.	Averages in 24th Week of the 10 years 1894–1903.	In the Week ending Saturday, 18th June, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 53·8	° 51·9	° 59·2	° 53·1	° 55·3	° 58·4	° 57·8	° 50·7	° 48·5	° 49·1	° 53·8	Mean Temp. ° 56·3								
na									1	1		2	.	.	.	.	1	.	.	1
... ...	9	6	3	5	5	5	8	4	.	1	5·9	2	.	.	.	.	1	1	.	.
Malignant Disease ...									7	4		4	.	.	.	.	.	4	.	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
re Birth	.	.	2	3	6	2	1	3	2	4	2·3	3	3	.	.	.	.	.	.	.
is (not tuberc.)									6	.		3	.	1	.	2	.	.	.	.
G. P. of Insane									.	1		1	.	.	.	.	1	.	.	.
.. ..									.	.		1	.	.	.	.	1	.	.	.
ms									8	4		6	2	4	.	.	.	.	.	.
or Ataxy									1	.		.	.	.	.	.	.	.	.	.
ia Dis. of Cord									1	1		2	.	.	.	.	.	.	2	.
System (other Dis.) ...	34	26	34	29	32	33	29	33	1	1	30·5	2	.	.	.	1	.	.	1	.
., Endocarditis									3	4		7	.	.	.	.	5	.	2	.
Hæm. Thromb.									1	1		5	.	.	.	1	1	.	3	.
, *Hemiplegia*									2	4		7	.	.	.	1	.	3	1	2
n									1	.		.	.	.	.	.	.	.	.	.
n, Thromb. (not cerebral)									.	.		2	.	.	.	.	.	.	1	1
d Blood Vessel Dis.									11	4		13	1	.	.	.	1	2	9	.
ot Spasm. or Memb.) ...	1	.	2	1	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
is	8	14	11	9	10	10	17	10	8	21	11·8	14	.	2	2	.	.	6	3	1
Pneumonia									.	3		.	.	.	.	.	.	.	.	.
Pneumonia	4	7	13	3	5	13	11	12	1	7	8·8	2	.	.	1	1	.	.	.	.
nia"									5	4		11	.	2	.	1	6	1	1	.
Emphysema									.	2		.	.	.	.	.	.	.	.	.
... ...	6	3	4	2	.	2	5	3	.	1	3·1	.	.	.	.	.	.	.	.	.
ory Dis. (other)									2	1		1	.	.	1	.	.	.	.	.
s, Quinsy	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
(not Epid.)	2	2	1	.	.	.	.	.	2	.	·8	.	.	.	.	.	.	.	.	.
uteritis									1	.		.	.	.	.	.	.	.	.	.
is (not Puerp.)	5	.	1	.	.	.	1	.	.	2	·9	2	.	.	.	.	.	1	.	1
of Liver	3	3	6	2	1	1	3	6	2	.	2·7	3	.	.	.	.	.	3	.	.
. (other)									.	.		.	.	.	.	.	.	.	.	.
Dis. (other)	2	7	6	1	2	5	4	4	5	9	4·5	4	.	2	.	.	2	.	.	.
, Acute									2	2		1	.	.	.	.	.	1	.	.
Dis., Albuminuria ...	5	5	2	3	2	3	.	3	1	2	3·2	3	.	.	.	.	.	3	.	.
Sys. (Other Dis.) ...									.	2		2	.	.	.	1	.	.	1	.
ve Organs Dis.	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
h (Accid. of)	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
... ...	9	8	8	3	17	5	11	6	8	3	7·8	3	.	.	.	.	.	1	.	2
seases	13	12	13	16	17	12	19	10	14	13	13·9	15	2	3	2	2	2	1	3	.
ACCIDENT.																				
ays	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
les and Horses	1	.	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive wning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ng Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.
, Scalds, Explosions ...	.	1	.	.	.	1	.	.	4	.	·6	.	.	.	.	.	.	.	.	.
ning	1	2	.	1	2	.	1	.	2	1	1·0	1	.	.	1	.	.	.	.	.
ation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
aths by Accidents ...	.	.	2	2	2	.	.	3	3	1	1·3	.	.	.	.	.	.	.	.	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ation Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1908–4—Week ending																									
	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Births registered,	173	228	195	202	203	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182
*Average Births in corresponding week of previous 10 years,**	156	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201
Deaths registered,	153	240	208	216	195	196	233	207	223	206	201	218	213	235	219	226	186	178	158	178	173	173	163	150	143	169
Annual Death-rate per 1,000,	21·1	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3
*Average Deaths in corresponding week of previous 10 years,**	194	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152
Ages, Under 5 years,	43	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37
5—20 ,,	12	15	15	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21
20—40 ,,	26	39	40	43	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42
40—60 ,,	34	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32
60—80 ,,	36	45	50	49	39	48	65	48	49	49	49	53	40	50	53	45	37	43	37	35	45	33	29	34	27	29
80 years and upwards,	2	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2
,, Scarlet Fever	1	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3
,, Diphtheria,	.	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.
,, Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	2	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1
,, Diarrhœal Diseases,	.	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.
,, Phthisis,	31	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26
,, Diseases of Heart and Blood Vessels,	19	47	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34
,, Diseases of Respiratory System,	25	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28
Violent Deaths,	2	6	3	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1
Mean Temperature of the Air (Phœnix Park),	39·7	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	33·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3
Average Mean Temperature in corresponding week of previous 10 years,	40·2†	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8
Rainfall in inches,	·290	·035	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·713	·145	·136	·195	1·150	·505	·725
Mean Humidity of the Air, complete Saturation 1·0,	·90	·79	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	·87	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th June, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 18th June, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	28·5	169	37	21	42	32	29	8	.	2	.	.	3	.	.	1	.	6	26	6	28	1	102
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	29·9	10	.	1	1	2	1	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9
II.	MIDDLE CLASS,	87,188	21·5	36	5	8	12	2	7	2	.	.	.	.	.	.	.	1	.	1	6	.	6	1	22
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,428	16·1	34	8	6	6	8	6	.	.	2	.	.	.	.	.	.	.	4	3	.	3	.	24
IV.	GENERAL SERVICE CLASS,	154,279	28·9	50	17	4	16	10	3	.	.	.	.	.	1	.	.	.	.	1	6	5	11	.	27
V.	INMATES OF WORKHOUSES,	6,024		39	7	2	7	10	12	1	.	.	.	.	.	.	.	.	.	.	10	1	8	.	20
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	46·8	7	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	6. Clerks and Commercial Assistants,	30,432	13·7	8	2	1	2	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	34·7	18	3	6	5	1	2	1	.	.	.	.	.	.	.	1	.	1	3	.	4	1	
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	9. Building and Furnishing Trades,	29,801	19·2	11	3	3	3	1	1	.	.	.	.	.	1	.	.	.	.	1	2	.	2	.	6
	10. Clothing Trades,	23,260	13·5	6	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	11. Food Supply Trades,	9,242	11·3	2	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	18·7	8	.	2	1	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7
	13. Petty Shopkeepers,	7,894	33·0	5	3	.	.	2	.	.	.	1	.	.	1	.	.	.	.	2	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	15. Domestic Servants,	36,603	5·7	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	32·6	9	3	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	17. Hawkers, Porters, Labourers, &c.,	89,861	20·3	35	14	3	9	6	3	.	.	.	.	.	1	.	.	.	.	1	3	5	7	.	19
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	39	7	2	7	10	12	1	.	.	.	.	.	.	.	.	.	.	10	1	8	.	20

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the vincial County the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the*

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	North City, No. 1 (E.) (Office, Clarence-street, Nth. Pop. in 1904 (Est.) 28,892.	April 30,	28·9	.	18	.	.	.	.	.	.	.	.	.	2	4	.
		May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
		„ 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
		„ 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
		„ 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
		June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
		„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1904 (Est.) 39,146.	April 30,	34·6	1·3	26	.	.	.	.	.	.	.	.	1	3	7	.
		May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
		„ 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
		„ 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
		June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
		„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
		„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	North City, No. 2. (Office, Lisburn-street.) Pop. in 1904 (Est.) 30,107.	April 30,	31·2	.	18	.	.	.	.	.	.	.	.	.	3	5	.
		May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	.
		„ 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	1
		„ 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
		„ 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	.	.	.
		June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
		„ 11,	18·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
		„ 18,	20·3	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	North City, No. 3. (Office, Benburb-street.) Pop. in 1904 (Est.) 31,678.	April 30,	18·1	4·9	11	.	2	.	.	.	1	.	.	.	.	5	.
		May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
		„ 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
		„ 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
		„ 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
		„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
		„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	South City, No. 1. (Office, South Earl-street.) Pop. in 1904 (Est.) 38,884.	April 30,	25·8	2·7	19	.	.	.	.	2	.	.	.	.	1	7	.
		May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
		„ 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
		„ 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
		„ 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
		June .	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
		„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
		„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
	South City, No. 2. (Office, Castle-street.) Pop. in 1904 (Est.) 18,286.	April 30,	11·4	.	4	.	.	.	.	.	.	.	.	.	1	.	1
		May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		„ 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
		„ 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
		June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
		„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
		„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
	South City, No. 3. (Office, Peter-street.) Pop. in 1904 (Est.) 41,940.	April 30,	24·9	.	20	.	.	.	.	.	.	.	.	.	3	4	1
		May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
		„ 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
		„ 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
		June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
		„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
		„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
	South City, No. 4. (Office, Grand Canal-street) Pop. in 1904 (Est.) 35,188	April 30,	19·3	3·0	13	.	.	.	.	1	.	.	1	.	1	4	.
		May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	.
		„ 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
		„ 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	8	1
		June 4,	10·	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
		„ 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	April 30,	12·6	.	8	.	.	.	.	.	.	.	.	.	1	3	.
	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 18,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	April 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.
	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	.	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	„ 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	April 30,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	2	.
	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
Belfast. Pop. in 1904 (Est.) 358,680.	April 30,	20·5	2·9	141	.	2	1	.	13	1	.	.	3	27	28	2
	May 7,	23·1	2·6	159	.	.	1	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·3	151	.	1	.	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	1	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	2	.	6	.	.	.	4	24	29	1
	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	„ 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	„ 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
Cork. Pop. (in 1901) 76,122.	April 30,	19·9	.	29	.	.	.	.	.	.	.	.	.	9	5	.
	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	„ 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	„ 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
Londonderry. Pop. in 1904 (Est.) 41,397	April 30,	25·2	.	20	.	.	.	.	.	.	.	.	.	2	2	1
	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	„ 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	„ 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
Limerick. Pop. (in 1901) 38,151.	April 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	1	4	1
	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
Waterford. Pop. (in 1901) 26,769.	April 30,	19·5	.	10	.	.	.	.	.	.	.	.	.	3	1	.
	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 18th June, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	10	17·7	10·6	5	2	1	2	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1
Do. 2 "	47,959	29	20·7	1·1	19	4	3	10	2	.	.	.	.	.	.	.	1	.	3	6	.	.	7
Do. 3 "	47,214	35	14·4	1·1	13	4	2	5	2	.	.	.	.	.	.	.	.	1	4	4	.	1	3
Do. 4 "	40,911	37	24·2	3·8	19	5	5	7	2	.	.	.	.	1	.	.	1	1	5	6	.	1	5
Do. 5 "	17,887	12	33·0	3·0	11	4	.	7	.	.	.	.	.	1	.	.	.	.	.	5	.	1	3
Do. 6 "	48,122	25	16·3	1·1	15	5	.	7	3	.	.	.	.	1	.	.	.	.	3	1	1	1	1
Do 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	8	24·0	2·7	9	2	1	2	4	.	.	.	.	1	.	.	.	.	1	1	.	.	1
Do. 10 "	23,064	15	13·6	4·5	6	.	2	4	.	.	1	.	.	1	.	.	.	.	3	.	.	.	1
Do. 11 "	34,802	20	18·0	3·0	12	.	2	6	4	.	1	.	.	.	.	.	.	1	2	4	.	1	1
Do. 12 "	33,588	15	18·6	6·2	12	.	4	7	1	.	3	.	.	1	.	.	.	.	1	3	.	1	.
Do 13 "	15,006	10	17·4	6·	5	1	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	216	18·8	3·0	126	27	22	59	18	.	6	.	.	7	.	.	2	5	22	30	2	7	23
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	4	28·4	4·1	7	.	2	4	1	.	.	.	.	1	.	.	.	.	4	.	.	.	3
Do. 2 "	10,701	3	29·2	4·9	6	.	1	2	3	.	.	.	.	.	.	.	1	.	1	2	.	.	6
Do. 3 "	9,978	1	20·9	.	4	.	2	2	.	.	.	.	.	.	.	.	.	.	4	.	.	.	1
Do. 4 "	8,666	1	12·0	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 "	6,592	3	39·6	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Do. 6 "	10,702	2	48·7	.	10	.	2	6	2	.	.	.	.	.	.	.	.	.	3	.	.	.	6
Do. 7 "	16,616	9	34·5	3·1	11	1	2	4	4	.	.	.	.	.	.	.	.	1	2	2	.	.	4
Total	76,122	23	30·8	2·1	45	1	10	21	13	.	.	.	.	1	.	.	1	1	16	4	.	.	23

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1903-4—Week ending																									
	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered,	128	252	226	213	215	188	190	201	209	263	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216
DEATHS registered.	158	183	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126
Annual Death-rate per 1,000 of estimated Population.	23·0	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3
AGES, Under 1 year,	42	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27
AGES, 1-5 years,	27	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22
AGES, 5-60 years,	64	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59
AGES, 60 years and upwards,	25	37	33	47	51	28	24	44	48	43	30	33	47	37	33	38	44	1	22	27	27	21	24	22	25	18
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6
" Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	15	18	12	9	.	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7
" Diphtheria,	2	1	2	.	2	.	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.
" Simple Continued Fever,	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
" Enteric Fever,	2	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2
" Diarrhœal Diseases,	2	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5
" Phthisis,	20	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22
" Diseases of Respiratory System,	50	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30
Violent Deaths,	4	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th June, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	2	.	.	1	4	.	.	7
" " 2,	.	.	.	1	.	.	1	.	2	2	.	.	.	6
" " 3,	.	.	.	.	.	.	.	.	4	5	2	.	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	1	3	.	.	5
" " 2,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 4,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	2	.	.	5	.	7	10	11	.	.	35

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th June, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th June.			
	May 28.	June 4.	June 11.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	33	38	32	16	4	.	44
Scarlet Fever,	43	39	35	7	9	.	33*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	13	12	15	5	4	.	16
Enteric Fever,	26	24	24	8	6	.	26
Pneumonia,	28	19	22	11	5	1	27

*Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	June 18,	2,583	1,142	12·8	.	65	10	7	35	3	23
EDINBURGH,	331,977	„ 18,	182	99	15·6	.	4	.	2	2	.	2
GLASGOW,	798,357	„ 18,	485	275	18·0	3	3	1	2	11	.	12
CALCUTTA,	847,796	Apr. 16,	.	1,015	62·2	13	5	.	.	.	76‡	187*
BOMBAY,	776,006	May 17,	331	712	47·7	21	6	.	1	.	34‡	37
MADRAS,	509,346	„ 6,	371	394	40·2	.	1	?	?	?	75	94*
PARIS,	2,660,559	June 4,	1,003	843	16·4	.	20	3	6†	9	8	25
BRUSSELS (with 8 Faubourgs).	586,936	May 28,	249	162	14·3	.	.	.	1†	1	2	11
AMSTERDAM,	548,137	„ 28,	265	163	15·5	.	10	.	.	2	1	5
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	May 28,	206	133	16·9	.	3	.	2†	11	.	6
CHRISTIANIA,	223,649	June 4,	123	69	16·0	.	.	1	3	.	.	1
ST. PETERSBURG,	1,248,122	„ 4,	632	691	28·9	2	25	12	14	7	10	52
BERLIN,	1,960,909	May 21,	867	631	16·8	.	15	3	3†	11	4	34
HAMBURG,	751,842	„ 28,	.	268	18·5	.	3	.	3†	4	.	8
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	June 4,	.	195	19·5	.	2	.	1†	.	1	23
VIENNA (with suburbs).	1,797,992	„ 4,	967	711	20·6	.	56	.	9†	3	1	59
BUDA-PESTH	813,399	„ 4,	425	323	20·4	.	4	16	6†	1	.	15
PRAGUE and Faubourgs.	426,402	May 28,	218	166	20·2	.	1	.	1	3	4	10
ROME,	496,201	Mar. 12,	253	206	21·6	.	3	.	4	.	1	8
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	May 7,	70	47	14·7	.	.	.	2†	.	.	1
NEW YORK,	3,838,024	„ 21,	1,837	1,566	21·3	.	39	26	49†	5	10	65
PHILADELPHIA,	1,408,154	„ 14,	.	520	19·2	5	8	7	10†	3	26	24

* Including 128 deaths from cholera in Calcutta and one in Madras.
† Including deaths from croup.
‡ Exclusive of 500 deaths from bubonic fever in Calcutta and 243 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 18th June, 1904:—

This was an unsettled period, characterised by strong and squally S. and S.W. winds, clouds, and considerable falls of rain from time to time. Already on Sunday morning an Atlantic atmospheric depression was spreading northward and eastward over Ireland, in which country the sky became clouded and the weather showery and squally as the day advanced. By 8 a.m. of Monday the barometer was down to 29·69 inches at Blacksod Point and Malin Head and rain had fallen generally in Ireland and Wales, as well as at some Scottish stations. Near Dublin this day proved fine, bright and warm—the thermometer rising to 70·1° in the screen—in London a maximum of 73° was recorded. A second larger and deeper depression arrived off the West of Ireland on Tuesday morning, travelling in a north-easterly direction. This system caused rain in all parts of the British Isles, but the measurements were largest in the S. & W. of Ireland, Roche's Point recording ·58 inch, Valentia ·87 inch, and Blacksod Point ·95 inch on Wednesday morning. At 6 p.m. of Tuesday the barometer was down to 29·05 inches at the last named station. Scarcely had this disturbance passed off, when a third depression reached the N.W. of Ireland causing fresh to strong gales from S.W. in many parts. The barometer sank to 29·01 inches at 6 p.m. of Thursday in the Shetlands. It was not till Friday evening that the wind veered in Ireland towards N.W. in the rear of a small secondary disturbance which caused a considerable rainfall on the afternoon of the day named. The barometer stood high on Saturday, but the sky continued to wear an unsettled appearance and temperature was low for the season. In Dublin the mean height of the barometer was 29·807 inches, the range being from 30·089 inches at 9 a.m. of Sunday (wind, SS.E.) to 29·292 inches at 9 p.m. of Tuesday (wind, S.). The corrected mean temperature was 58·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·5°. On Monday the screened thermometers rose to 70·1°, on Saturday they fell to 48·1°. Bright sunshine was estimated at 43 hours, 13 falling on Thursday. Southerly to Westerly winds prevailed. Rain fell on four days to the amount of ·400 inch, ·150 inch being registered on Friday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·812 inches. The highest reading (30·092) was on Saturday at 9 p.m., wind W., and the lowest (29·291) on Tuesday at 9 p.m., wind S.

The mean temperature for the week was 56·3°, being 2·5° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Monday, on which day the thermometer registered 67·7° and was lowest on Sunday, the mercury having fallen to 43·7°. The mean of the Dry Bulb for the week was 56·3° and of the Wet Bulb 52·7°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 40·4 hours. The rainfall during the week measured ·725 inch.

At Greenwich the mean temperature for the week was 59·6°, the maximum 74·0°, and the minimum 47·6°; at Glasgow the maximum was 67·8°, the minimum 45·0°, and the mean 55·9°; and at Edinburgh the maximum was 62·7°, the minimum 41·8°, and the mean 53·6°. The rainfall at Greenwich measured 0·27 inch; at Glasgow 0.63 inch; and at Edinburgh 0·53 inch*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 12,	30·047	65·6	43·7	54·7	59·0	55·2	·78	·6	5·3	·025	E.	E.N.E.
Monday, „ 13,	29·829	67·7	55·3	61·5	58·5	55·5	·82	·5	8·8	·000	S.	S.S.W.
Tuesday, „ 14,	29·498	58·9	47·4	53·2	57·9	54·3	·78	·6	1·3	·050	S.S.E.	S.
Wednesday, „ 15,	29·550	62·6	52·8	57·7	55·4	51·1	·73	·4	1·7	—	W.SW.	S.W.
Thursday, „ 16,	29·744	63·1	50·1	56·6	54·4	50·2	·76	·4	12·2	·210	W.S.W.	S.W.
Friday, „ 17,	29·930	65·4	49·4	57·4	54·2	51·1	·81	·5	8·4	·440	S.W.	S.W.
Saturday, „ 18,	30·084	60·0	45·8	52·9	54·4	51·2	·79	·7	2·7	—	W.	W.
Mean, . . .	29·812	63·3	49·2	56·3	56·3	52·7	·78	·5	Total 40·4	·725	Prevailing Wind, S.W.	

Sunday—Day cloudy and overcast, showers 4 to 11 p.m.; night overcast. *Monday*—Dull cloudy day; night cloudy. *Tuesday*—Day overcast 11 a.m. to 2.30 p.m, and 4 p.m. to 6 30 p.m.; night overcast. *Wednesday*—Day overcast a.m., cloudy p.m.; night clear. *Thursday*—Cloudy day, heavy showers 3 to 8 30 p.m.; night cloudy. *Friday*—Day cloudy, heavy rain 2.45 p.m. to 6 p.m, light showers 6 to 8.30 p.m; night cloudy. *Saturday*—Dull day; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 PM.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 25TH JUNE, 1904. [No. 25.

General Register Office, Charlemont House,
Dublin, 27th June, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in ne Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 17·5 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,093,289.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 4.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 4.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Average Rate for 4 weeks
2 Town Dists.	20·1	18·1	22·1	17·5	19·5	Lisburn, . .	9·1	9·1	40·9	22·7	20·4
rmagh, . .	.	6·9	34·4	20·6	15·5	Londonderry .	22·7	22·7	7·6	12·6	16·4
allymena, .	4·8	.	9·6	14·4	7·2	Lurgan, . .	17·7	8·9	17·7	8·9	13·3
elfast, . .	19·3	18·9	18·3	17·6	18·5	Newry, . .	.	16·8	8·4	12·6	9·5
lonmel, . .	20·5	.	.	20·5	10·3	Newtownards, .	17·2	5·7	45·8	11·4	20·0
ork, . . .	24·7	17·1	30·8	19·2	22·9	Portadown, .	15·5	5·2	36·2	.	14·2
rogheda, . .	36·8	24·5	36·8	8·2	26·6	Queenstown, .	13·2	.	6·6	19·8	9·9
ublin Reg. Area,	19·7	18·3	21·7	19·5	19·8	Sligo, . . .	28·8	4·8	105·5	4·8	36·0
undalk, . .	8·0	31·9	16·0	8·0	16·0	Tralee, . .	15·9	26·4	26·4	10·6	19·8
alway, . .	19·4	19·4	35·0	11·7	21·4	Waterford, .	25·3	7·8	13·6	13·6	15·1
ilkenny, . .	.	39·3	34·3	39·3	28·2	Wexford, . .	56·0	32·7	32·7	18·7	35·0
imerick, . .	31·4	24·6	27·3	15·0	24·6						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in ourteen of the districts to 6·6 in Queenstown. Among the 121 deaths from all causes egistered in Belfast are 2 from measles, 7 from whooping-cough, 2 from enteric fever, nd 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 96—134 boys and 162 girls; and the deaths to 149—66 males and 83 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·5 in every 000 of the population; omitting the deaths (numbering 7) of persons admitted to public institutions from localities outside the Area, the rate was 19·5 per 1,000. uring the twenty-five weeks ending with Saturday last the death-rate averaged 26·5,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective stricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

and was 1·4 below the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths include one from measles, one from influenza, 3 from diphtheria, and one from cerebro-spinal fever. There was not one death from small-pox, chicken-pox, scarlet fever, typhus, whooping-cough, enteric fever, or diarrhœa. In the 3 weeks preceding, deaths from measles were 5, one, and 2, respectively. One death from tetanus was recorded,

Croupous pneumonia caused 2 deaths, broncho-pneumonia caused 6 deaths, and 5 deaths were attributed to *pneumonia.*

The deaths due to tuberculosis were as follow:—4 from tuberculous phthisis, 19 from *phthisis,* 7 from tuberculous meningitis, and 4 from other forms of the disease.

Four deaths were attributed to carcinoma, 2 to sarcoma, and 4 to *cancer, malignant disease.*

One infant prematurely born, died.

Five deaths of infants under one year from *convulsions* are included in the 12 deaths attributed to diseases of the brain and nervous system.

Diseases of the heart and blood-vessels accounted for 28 deaths.

There were 13 deaths from bronchitis.

Of 3 deaths due to accidental causes 2 were caused by vehicles and horses.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year old.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 7 were under one month old), and 41 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 9 were octogenarians, and 2 (a man and a woman) each of whom were stated to have been aged 90 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 20·8 (North City Districts, 22·5; South, 19·0), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·4 per 1,000 inhabitants, the rate for the City being 0·5 (0·7 in the North City Districts, and 0·4 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There were 6 deaths from tuberculous disease of the lungs, one death from broncho-pneumonia, one death from bronchitis, and one accidental death included in the above total.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. Diptheria caused one death, one death was due to tuberculous meningitis, one death to croupous-pneumonia, one death to broncho-pneumonia, one death to *pneumonia,* and two deaths were caused by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Tuberculous meningitis and *pneumonia* each caused one death, and bronchitis caused two deaths.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. There was one death from measles, 3 from tuberculous disease, and 4 from diseases of the heart and blood-vessels. Two deaths from accidental causes were also recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·3 per 1,000 inhabitants; Finglas and Glasnevin, part of, 23·5; and Clontarf and Howth, No. 1, part of, 0·0. Of the 3 deaths from all causes, tabulated for Finglas and Glasnevin (part of), 2 were from *phthisis.*

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 17·7 per 1,000. Of 4 deaths from tuberculous disease, one was due to tuberculous meningitis. There were 4 deaths from diseases of the heart and blood-vessels.

No. 2 South City District (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000. Two of the 4 deaths registered were due to bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000. Diphtheria and influenza each caused one death. The 8 deaths assigned to tuberculous disease include two deaths from tuberculous meningitis.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. Tuberculous disease caused 2 deaths, broncho-pnemonia two, and *pneumonia* one.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·3; Pembroke, 14·0; Blackrock, 6·0; and Kingstown, 17·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 11 deaths from all causes tabulated for Rathmines and Rathgar, 2 were from *phthisis,* and one each from broncho-pneumonia and *pneumonia.* The 7 deaths from all causes tabulated for Pembroke include one from cerebro-spinal meningitis, 2 from *phthisis,* and one each from broncho-pneumonia and *pneumonia.* The 6 deaths, from all causes, tabulated for Kingstown, include one from *phthisis,* one from croupous-pneumonia, and 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 25th June, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	June 4,	.	.	.	5	.	.	3	.	1	5	13	.	.	.	27
	June 11,	.	.	.	7	.	.	2	.	2	10	14	.	.	.	35
	June 18,	.	.	.	2	.	.	5	.	7	10	11	.	.	.	35
	June 25,	.	.	.	5	.	.	6	.	2	15	10	.	.	.	38
Rathmines and Rathgar Urban District.	June 4,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	2	.	.	1	.	.	.	.	.	.	1	4
Pembroke Urban District.	June 4,	.	.	.	.	.	.	1	.	.	1	1	.	.	15	18
	June 11,	.	1	.	.	.	.	.	.	.	.	1	.	.	2	4
	June 18,	.	5	.	.	.	.	.	.	1	.	2	.	.	10	18
	June 25,	.	2	.	.	.	.	1	.	.	.	.	.	.	11	14
Blackrock Urban District.	June 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	June 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 11,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
City of Belfast.	June 4,	2	–	.	14	.	.	8	.	2	6	4	.	.	.	36
	June 11,	5	–	.	11	.	.	1	1	9	10	6	.	.	.	43
	June 18,	12	–	.	14	.	.	2	1	11	10	2	.	.	.	52
	June 25,	3	–	.	5	.	.	2	5	12	10	10	.	.	.	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th June, 1904.

From this it appears that:—

Twenty-three cases of measles were admitted to hospital during the week, 10 were discharged, there was one death, and 56 patients remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 7 cases were discharged, and 37* cases remained under treatment at the close of the week.

Four cases of diphtheria were admitted to hospital, 5 were discharged, there were 2 deaths, and 13 cases remained under treatment at the close of the week.

Eighteen cases of enteric fever were admitted to hospital, 2 cases were discharged, and 42 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 6 patients were discharged, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·8), was equal to an average annual death-rate of 13·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 15·4, and for Edinburgh 15·1.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—BIRTHS and DEATHS registered during the Week ending Saturday, 25th June, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 25th June, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-13.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 25th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,098,289	19·2	35·9	17·5	1·0	753	366	43	91	.	4	.	.	9	4	.	2	3	69	58	8	16	113	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	373,994	27·5	40·7	19·5	0·4	296	142	18	38	.	1	.	.	.	2	.	.	.	23	27	3	5	51	§64·3	46·8	55·4	0·18	§67·7	43·7	56·3	0·73	§65·1	42·0	53·1	0·51
City of Dublin	298,385	37·1	44·8	20·8	0·5	252	117	16	32	.	1	.	.	.	2	.	.	.	18	19	3	5	45	a66·8 b65·2	50·9 48·0	57·2 56·0	0·18 0·22	a70·1 b68·9	48·1 45·0	58·2 57·2	0·40 0·35	a68·0 b67·9	49·9 44·0	56·1 54·4	0·46 0·50
Urban Districts. Rathmines and Rathgar	33,208	19·4	25·1	17·3	.	16	11	1	3	.	.	.	.	.	.	.	.	.	2	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	32·1	14·0	.	15	7	1	1	.	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	6·0	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	26·6	17·8	.	9	6	.	1	.	.	.	.	.	.	.	.	.	1	3	.	.	2	66·2	48·5	56·8	0·23	67·7	48·5	57·4	0·57	64·7	49·5	55·1	0·45
Urban Districts.																																			
Belfast	358,680	24·4	32·7	17·6	1·9	225	121	14	24	.	2	.	.	7	.	.	2	2	23	17	3	6	33	63·1	45·1	54·7	0·31	66·1	48·3	56·5	0·34	71·1	45·1	55·9	0·54
Cork	76,122	33·6	33·6	15·2	0·7	49	28	3	10	.	.	.	.	.	.	.	.	1	8	5	.	3	9	64	45	54·7	0·66	62	46	56·1	1·44	65	47	55·2	0·22
Londonderry	41,397	19·1	17·6	12·6	1·3	14	10	3	1	.	.	.	.	.	1	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	88,151	18·1	31·6	15·0	.	67	11	1	4	.	.	.	.	.	.	.	.	.	3	2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	17·5	13·6	.	9	7	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	42·7	11·7	3·9	11	3	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	63	46	55	0·59	73	49	58·4	0·71	75	44	60	0·25
Dundalk	13,076	3·4	12·0	8·0	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	12·3	8·2	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	16·8	12·6	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43
Lurgan	11,782	13·8	39·8	8·9	.	9	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43
Lisburn	11,461	10·1	27·3	22·7	.	6	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43
Wexford	11,168	23·2	18·7	18·7	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	23·9	14·4	4·8	5	3	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	28·8	4·8	4·8	6	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	65·5	41·3	54·0	0·21	66·5	44·2	55·1	1·15	73·7	41·3	57·0	0·35
Kilkenny	10,609	11·5	63·9	39·3	.	13	8	2	3	.	.	.	.	.	.	.	.	.	.	1	1	.	2	66	43	55·4	0·15	66	42	56.1	0·66	72	44	56·6	0·07
Clonmel	10,167	7·8	35·9	20·5	.	7	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	36·2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43
Tralee	9,867	16·6	52·8	10·6	.	10	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	11·4	.	2	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	61	47	54·1	0·16	63	45	54·4	1·55	61	44	52·8	0·33
Queenstown	7,909	14·4	6·6	19·8	6·6	1	3	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	64	45	54·7	0·66	62	46	56·1	1·44	65	47	55·2	0·22
Armagh	7,588	22·2	13·7	20·6	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74	71·0	44·8	55·3	0·43

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown registered during the week ending Saturday, the 25th of June, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Phthisis,	6	.	.	2	.	.	2	2	.	4	2	.	2	2	.	1	23	.
Other General Diseases,	.	5	3	2	.	3	.	5	.	7	2	1	3	1	.	.	32	2
Total,	6	6	3	5	.	3	2	7	.	12	4	1	5	3	.	1	58	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	1	1	1	.	1	1	1	.	1	.	.	1	1	.	1	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	3	1	4	4	.	.	.	4	1	4	1	1	1	1	.	1	26	2
Respiratory System,	2	5	4	.	.	.	.	.	2	3	3	.	3	2	.	3	27	1
Digestive System,	.	1	1	.	.	.	.	.	1	.	2	.	1	.	.	.	6	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	2	1	1	.	.	.	.	.	2	.	.	.	.	.	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	11	11	6	.	1	1	5	4	11	6	1	6	4	.	5	79	3
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	1
E VIOLENT DEATHS,	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Deaths from all Causes,	14	17	14	13	.	4	3	13	4	23	10	2	11	7	1	6	142	7
Annual Rate of Mortality in every 1,000 of the population	25·8	22·6	24·2	21·4	.	20·8	28·5	17·7	11·4	28·6	14·8	11·7	17·3	14·0	6·0	17·8	19·5	.
	22·5							19·0					15·2					
	20·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	2	1	5	.	1	1	1	.	2	2	1	2	.	1	2	24	4
Workhouse Hospitals,	1	3	4	3	.	.	1	7	2	3	2	.	.	1	.	.	27	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1894-1903.	In the Week ending Sa 25th June, 1904. Deaths of Persons of the				
	June 23, 1894.	June 22, 1895.	June 20, 1896.	June 26, 1897.	June 25, 1898.	June 24, 1899	June 23, 1900.	June 22, 1901.	June 21, 1902.	June 27, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 54·6	° 54·3	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 55·6	° 53·5	° 55·0	° 56·1	Mean Temp. ° 55·4				
ALL CAUSES.	155	135	151	146	153	143	122	153	139	170	146·7	149	7	11	14	18
Small-pox, Vaccinated, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	2	.	.	.	.	.	.	.	2	·4	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	2	.	1	.	.	5	4	1·3	1	.	.	1	.
Scarlet Fever	1	3	4	1	.	1	.	1	1	.	1·2	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	.	2	.	2	5	2	3	.	1	1·7	1	.	.	.	.
Whooping Cough, ...	3	1	5	1	5	1	1	3	.	2	2·2	.	.	.	.	.
Diphtheria, ...	.	1	.	5	2	.	1	1	1	2	1·3	3	.	.	3	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	4	1	3	.	.	2	2	2	1	2	1·7	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	3	6	2	2	.	1	3	. / .	1 / .	1·9	. / .	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Venereal Disease, ...	.	1	1	.	.	.	1	1	1	.	·5	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	2	1	.	.	.	1	1 / . / .	. / . / .	·5	. / . / .	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	.	1	·2	1	.	1	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	.	2	1	.	.	.	1	. / .	. / .	·4	1 / .	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	24	17	26	21	19	24	22	22	7 / 19	1 / 14	21·6	4 / 19	.	.	.	1 / 3
Tuberculous Meningitis, (Acute Hydrocephalus).	10	5	2	5	8	5	2	2	3	1	4·3	7	.	2	1	3
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	5	2	2	.	1	4	3	4	1 / 2	3 / 2	2·9	. / .	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	3	2	3	1	2	3	3	4	4 / .	5 / 1	3·1	4 / .	.	.	1	1 / .
Alcoholism, ...	1	.	.	1	.	1	1	.	1	3	·8	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	1	.	.	.	1	1	·4	2	.	.	.	.
Gout, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894-1900

NTY-FIFTH WEEK ending Saturday, 25th June, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: June 23, 1894.	June 22, 1895.	June 20, 1896.	June 26, 1897.	June 25, 1898.	June 24, 1899.	June 23, 1900.	June 22, 1901.	June 21, 1902.	June 27, 1903.	Averages in 25th Week of the 10 years 1894–1903.	In the Week ending Saturday, 25th June, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 54·6	° 51·3	° 60·5	° 59·9	° 57·1	° 54·6	° 55·8	° 55·6	° 53·5	° 55·0	° 56·1	° 55·4								
ma									2	4		4	.	.	.	.	.	2	1	1
a	3	3	6	6	7	5	4	8	1	.	5·3	2	.	.	1	.	1	.	.	.
Malignant Disease ...									2	2		4	.	.	.	.	2	1	1	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ure Birth	5	1	1	3	1	2	2	2	8	5	3·0	1	1	.	.	.	.	.	.	.
itis (not tuberc.)									2	4		3	.	.	.	3	.	.	.	.
y, G. P. of Insane									.	4		1	.	.	.	.	1	.	.	.
y									.	.		.	.	.	.	.	.	.	.	.
ions									4	7		5	3	2	.	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									.	2		.	.	.	.	.	.	.	.	.
s System (other Dis.) ...	32	23	27	27	30	34	25	38	3	4	31·6	3	.	.	.	2	.	1	.	.
is., Endocarditis									1	2		9	.	.	.	.	.	6	3	.
Hæm. Thromb.									1	9		.	.	.	.	.	.	.	.	.
y, *Hemiplegia*									5	3		8	.	.	.	.	1	.	4	3
sm									1	.		.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis. ..									14	14		11	1	.	.	.	.	2	5	3
not Spasm. or Memb.) ...	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
itis	13	16	13	12	16	7	16	12	4	16	12·5	13	.	1	2	.	1	.	9	.
us Pneumonia									.	1		2	.	.	.	.	1	1	.	.
o-Pneumonia	6	9	6	10	10	4	11	11	.	4	8·3	6	1	2	2	.	.	1	.	.
onia"									4	7		5	.	.	1	1	.	2	.	1
, Emphysema									.	1		.	.	.	.	.	.	.	.	.
y	2	2	2	6	.	3	.	.	.	.	2·0	.	.	.	.	.	.	.	.	.
tory Dis. (other)									2	2		2	.	1	.	.	.	.	1	.
tis, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
is (not Epid.)									1	.		.	.	.	.	.	.	.	.	.
Enteritis	.	4	.	1	.	.	1	2	.	2	1·1	1	.	.	1	.	.	.	.	.
itis (not Puerp.)	.	1	2	.	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
is of Liver									.	.		1	.	.	.	.	.	.	1	.
is. (other)	2	5	1	1	2	1	1	2	3	.	1·8	1	.	.	.	.	1	.	.	.
ve Dis. (other)	3	5	4	7	8	7	2	4	9	4	5·3	3	.	1	1	1	.	.	.	.
tis, Acute									3	.		.	.	.	.	.	.	.	.	.
s Dis., Albuminuria ...	4	.	4	2	6	3	5	3	.	1	3·3	5	.	.	.	.	2	2	1	.
y Sys. (Other Dis.) ...									1	1		1	.	.	.	.	.	1	.	.
tive Organs Dis.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
rth (Accid. of)	1	.	.	1	1	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.
... ...	12	4	8	11	11	11	7	7	8	3	8·2	2	.	.	.	.	.	.	.	2
Diseases	13	12	13	8	13	11	8	8	8	18	11·2	6	1	1	.	1	2	.	.	1
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	.	.	2	.	.	.	.	·2	2	.	.	.	1	1	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	.	.	2	1	2	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
wning	2	1	.	3	2	.	1	2	1	.	1·2	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	2	4	4	2	1	3	.	2	2	.	2·0	1	.	.	.	.	1	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																										
	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered,	228	195	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296
*Average Births in corresponding week of previous 10 years,**	169	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205
Deaths registered,	240	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150	143	169	149
Annual Death-rate per 1,000,	33·0	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5
*Average Deaths in corresponding week of previous 10 years,**	198	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147
Ages, Under 5 years,	69	63	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32
5—20 "	15	15	18	10	18	18	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18
20—40 "	39	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42	30
40—60 "	56	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28
60—80 "	45	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30
80 years and upwards,	16	9	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1
" Scarlet Fever	2	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	12	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3	.
" Diphtheria,	.	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3
" Simple Continued Fever,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	1	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.
" Diarrhœal Diseases,	.	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.
" Phthisis,	25	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23
" Diseases of Heart and Blood Vessels,	47	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28
" Diseases of Respiratory System,	59	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28
Violent Deaths,	6	3	5	4	7	3	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3
Mean Temperature of the Air (Phœnix Park),	36·3	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4
Average Mean Temperature in corresponding week of previous 10 years,	41·6	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1
Rainfall in inches,	85	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·156	·718	·145	·136	·195	1·150	·505	·725	·180
Mean Humidity of the Air, complete Saturation 1·0,	·79	·88	8	·94	7	·93	·88	·90	·88	·80	·89	87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82

* See note at foot of Table IV.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th June, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 25th June, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	20·7	149	32	18	30	28	30	11	.	1	.	.	.	3	.	.	.	4	3	5	28	3	36
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	3·0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
II.	MIDDLE CLASS,	87,188	16·1	27	1	5	5	5	7	4	.	.	.	.	.	.	.	.	.	.	4	.	4	1	18
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	16·1	34	9	3	8	11	2	1	.	.	.	.	.	2	.	.	.	2	.	1	3	.	22
IV.	GENERAL SERVICE CLASS,	154,279	28·3	57	18	10	12	6	9	2	.	1	.	.	.	1	.	.	.	2	9	3	14	2	27
V.	INMATES OF WORKHOUSES,	6,024		30	4	.	5	5	12	4	.	.	.	.	.	.	.	.	.	.	4	1	6	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	6. Clerks and Commercial Assistants,	30,432	13·7	8	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	27·0	14	1	1	1	2	5	4	.	.	.	.	.	.	.	.	.	.	1	.	3	1	9
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1
	9. Building and Furnishing Trades,	29,801	15·7	9	2	2	.	5	.	.	.	.	.	.	.	1	.	.	.	1	2	.	2	.	4
	10. Clothing Trades,	23,260	9·0	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	11. Food Supply Trades,	9,242	16·9	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	22·3	13	4	1	3	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	10
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	38·8	10	5	.	1	1	2	1	.	.	.	.	.	1	.	.	.	1	1	.	2	.	6
	15. Domestic Servants,	36,603	8·5	6	2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2	1	1	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	20·9	36	10	8	8	3	7	.	.	1	.	.	.	.	.	.	.	1	5	2	11	.	17
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	30	4	.	5	5	12	4	.	.	.	.	.	.	.	.	.	.	4	1	6	.	19

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	May 7,	27·6	1·8	15	.	1	.	.	.	.	.	.	.	2	3	1
		„ 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
		„ 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
		„ 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
		June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
		„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
		„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	May 7,	32·0	1·3	24	.	.	.	.	.	.	.	1	.	2	9	1
		„ 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
		„ 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
		„ 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
		June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
		„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
		„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	May 7,	31·2	3·5	18	.	2	.	.	.	.	.	.	.	2	2	.
		„ 14,	24·2	3·5	14	.	1	.	.	1	.	.	.	.	.	1	1
		„ 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
		„ 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
		June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
		„ 11,	18·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
		„ 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
		„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	May 7,	18·1	3·3	11	.	1	.	.	1	.	.	.	.	2	1	.
		„ 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
		„ 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
		„ 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
		June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
		„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
		„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	May 7,	28·5	4·1	21	.	.	.	.	3	.	.	.	.	3	2	1
		„ 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
		„ 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
		„ 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
		June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
		„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
		„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
		„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	May 7,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	3	.
		„ 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
		„ 21,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
		„ 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
		June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
		„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
		„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
		„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	May 7,	9·9	.	8	.	.	.	.	.	.	.	.	.	1	1	.
		„ 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
		„ 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
		„ 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
		June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
		„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
		„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
		„ 25,	28·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
	South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	May 7,	23·7	3·0	16	.	.	.	.	2	.	.	.	.	2	3	.
		„ 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
		„ 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
		„ 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	3	1
		June 4,	10·	.	7	.	.	.	.	.	.	.	.	.	2	2	.
		„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
		„ 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
		„ 25,	14·3	.	10	.	.	.	.	.	.	.	.	.	2	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	May 7,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 18,	28·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	„ 25,	17·8	.	11	.	.	.	.	.	.	.	.	.	2	3	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	May 7,	18·0	6·0	9	.	.	.	.	2	.	.	1	.	2	1	.
	„ 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	„ 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	May 7,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	„ 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
Belfast. Pop. in 1904 (Est.) 358,680.	May 7,	23·1	2·6	159	.	.	1	.	11	.	.	2	5	25	37	3
	„ 14,	22·0	2·3	151	.	1	.	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	1	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	2	.	6	.	.	.	4	24	29	1
	June 4,	19·8	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	„ 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	„ 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
	„ 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
Cork. Pop. (in 1901) 76,122.	May 7,	21·9	.	32	.	.	.	.	.	.	.	.	.	6	9	1
	„ 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	„ 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	„ 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	„ 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
Londonderry. Pop. in 1904 (Est.) 41,397	May 7,	16·4	.	13	.	.	.	.	.	.	.	.	.	3	5	.
	„ 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	„ 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	„ 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	„ 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
Limerick. Pop. (in 1901) 38,151.	May 7,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	„ 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
Waterford. Pop. (in 1901) 26,769.	May 7,	21·4	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 25th June, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	11	21·2	.	6	.	1	3	2	.	.	.	.	.	.	.	.	.	2	2	.	.	3
Do. 2 "	47,959	30	16·3	.	15	1	3	7	4	.	.	.	.	.	.	.	.	.	4	5	.	.	6
Do. 3 "	47,214	26	12·1	1·1	11	2	1	8	.	.	.	.	.	1	.	.	.	.	1	1	.	3	1
Do. 4 "	40,911	32	20·4	2·5	16	2	.	9	5	.	.	.	.	.	.	.	2	.	3	.	2	2	7
Do. 5 "	17,387	8	18·0	.	6	.	.	4	2	.	.	.	.	.	.	.	.	.	2	2	.	.	3
Do. 6 "	48,122	16	15·2	2·2	14	1	2	8	3	.	.	.	.	1	.	.	.	1	1	3	1	1	6
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	2	10·5	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	21	13·3	.	5	.	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Do. 10 "	23,064	15	31·7	.	14	2	1	9	2	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Do 11 "	34,802	22	22·5	9·0	15	1	5	5	4	.	1	.	.	4	.	.	.	1	1	1	.	.	.
Do. 12 "	33,588	32	18·6	3·1	12	3	5	4	.	.	1	.	.	1	.	.	.	.	3	1	.	.	1
Do 13 "	15,006	9	20·8	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	225	18·1	1·9	121	14	19	64	24	.	2	.	.	7	.	.	2	2	23	17	3	6	33
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	9	24·3	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Do. 2 "	10,701	5	19·5	4·9	4	1	.	2	1	.	.	.	.	.	.	.	.	1	2	.	.	.	3
Do. 3 "	9,978	8	26·1	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Do. 4 "	8,666	6	12·0	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 5 "	6,592	7	7·9	.	1	.			.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 6 "	10,702	5	29·2	.	6	.	.		1	.	.	.	.	.	.	.	.	.	1	2	.	1	2
Do. 7 "	16,616	9	12·6	.	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Total	76,122	49	19·2	0·7	28	3	.	15	10	.	.	.	.	.	.	.	.	1	8	5	.	3	9

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered,	252	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225
DEATHS registered.	182	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	148	141	159	151	147	134	138	130	126	121
Annual Death-rate per 1,000 of estimated Population.	26·5	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6
AGES, Under 1 year,	54	51	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14
AGES, 1–5 years,	25	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19
AGES, 5–60 years,	66	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64
AGES, 60 years and upwards,	37	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2
" Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	18	12	9	5	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7
" Diphtheria,	1	2	.	2	.	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Enteric Fever,	2	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2
" Diarrhœal Diseases,	2	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2
" Phthisis	21	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23
" Diseases of Respiratory System,	60	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17
Violent Deaths,	4	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th June, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	4	.	.	.	4
" " 1, West,	.	.	.	.	.	.	2	.	1	2	.	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	2	.	.	.	.	.	5	7	.	.	14
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	3	.	.	4	.	1	.	.	.	.	8
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	5	.	.	6	.	2	15	10	.	.	38

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th June, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th June.			
	June 4.	June 11.	June 18.	No. admitted.	Dis-charged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	38	32	44	23	10	1	56
Scarlet Fever,	39	35	33	11	7	.	37*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	12	15	16	4	5	2	13
Enteric Fever,	24	24	26	18	2	.	42
Pneumonia,	19	22	27	3	6	.	24

*Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	June 25,	2,465	1,143	12·8	1	55	3	16	17	5	25
EDINBURGH,	331,977	„ 25,	159	96	15·1	.	4	.	2	5	.	1
GLASGOW,	798,357	„ 25,	527	235	15·4	1	5	1	2	13	1	9
CALCUTTA,	847,793	Apr. 23,	.	912	55·9	5	5	.	.	.	87‡	158*
BOMBAY,	776,006	May 24,	339	686	46·0	12	7	.	.	.	39‡	40
MADRAS,	509,346	„ 13,	383	355	36·2	.	1	?	?	?	56	131
PARIS,	2,660,559	June 11,	1,053	791	15·4	.	16	1	6†	6	2	18
BRUSSELS (with 8 Faubourgs).	586,936	„ 4,	240	150	13·6	.	.	.	3†	1	1	13
AMSTERDAM,	548,137	„ 4,	314	129	12·3	.	9	.	.	3	.	8
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	411,000	June 4,	265	141	17·9	.	2	.	1†	7	.	9
CHRISTIANIA,	223,649	„ 11,	132	68	15·8	.	2	.	3	.	.	6
ST. PETERSBURG,	1,248,122	„ 11,	718	619	25·9	5	35	19	10	6	13	52
BERLIN,	1,960,909	May 28,	876	633	16·8	.	14	8	5†	8	1	48
HAMBURG,	751,842	June 4,	.	210	14·5	.	3	2	2†	3	1	5
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	June 11,	.	183	18·3	.	2	1	3†	.	1	30
VIENNA (with suburbs).	1,797,992	„ 11,	911	626	18·1	.	44	1	5†	3	1	42
BUDA-PESTH	813,399	„ 11,	427	294	18·8	.	4	11	1†	1	2	23
PRAGUE and Faubourgs.	426,402	„ 4,	223	167	20·1	.	3	.	1†	1	2	10
ROME,	496,201	Mar. 19,	272	182	19·1	.	7	1	3	.	.	6
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	May 14,	67	62	19·4	.	.	.	.	.	1	5
NEW YORK,	3,838,024	„ 28,	1,522	1,517	20·6	.	32	22	49†	2	17	52
PHILADELPHIA,	1,408,154	„ 21,	.	477	17·7	5	6	3	13†	1	30	24

* Including 102 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 440 deaths from bubonic fever in Calcutta and 160 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 25th June, 1904:—

"Although often cloudy and chiefly cool, the weather was fine and dry until Friday afternoon, from which time to the end of the week it was showery. Up to Thursday baric gradients were steep for westerly to north-westerly winds owing to the presence of atmospheric depressions over the Norwegian Sea and Scandinavia, together with a tendency to anticyclonic conditions over the Bay of Biscay and France. On Tuesday afternoon the sky cleared for the time being and there were several hours of sunshine. Next day there was scarcely any sunshine except from 8 to 9 a.m. Thursday was very fine, bright and summerlike, the strong sunshine sending the thermometer up to 66·8° in the screen. On the morning of that day an anticyclone was central over Ireland, Wales, the S.W. of England, Normandy and Brittany, and the clearing of the sky appeared to be brought about by a warm S.W. current along the western face of the anticyclone. A large area of low barometric pressure arrived off the West of Ireland on Friday morning. It gradually deepened and travelled eastward. Showers fell both with the southerly winds in front of the centre and with the northerly winds in its rear and thunderstorms occurred in the North of Ireland and of England. The afternoons of both Friday and Saturday were dull and rainy at intervals. In Dublin the mean height of the barometer was 30·063 inches, the range being from 30·393 inches at 9 a.m. of Wednesday (wind, W.N.W.) and 29·580 inches at midnight of Friday (wind, W.N.W.). The corrected mean temperature was 57·2°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 55·8°. The screened thermometers rose to 66·8° on Thursday, having fallen to 50·9° on Tuesday. Bright sunshine was estimated at 29½ hours, 11 having fallen on Thursday. Rain fell on 3 days to the amount of ·179 inch, ·101 inch being recorded on Saturday. W.N.W. winds were the most prevalent."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·074 inches. The highest reading (30·408) was on Wednesday at 9 a.m., wind W., and the lowest (29·623) on Friday at 9 p.m., wind W.

The mean temperature for the week was 55·4°, being 0·7° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Sunday, on which day the thermometer registered 64·3° and was lowest on Friday, the mercury having fallen to 46·8°. The mean of the Dry Bulb for the week was 54·2° and of the Wet Bulb 51·2°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 24·6 hours. The rainfall during the week measured ·180 inch.

At Greenwich the mean temperature for the week was 58·6°, the maximum 76·1°, and the minimum 44·3°; at Glasgow the maximum was 62·0°, the minimum 46·5°, and the mean 54·8°; and at Edinburgh the maximum was 61·3°, the minimum 45·4°, and the mean 53·0°. The rainfall at Greenwich measured 0·17 inch; at Glasgow 0.62 inch; and at Edinburgh 0·75 inch*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 19,	30·076	64·3	50·8	57·6	54·6	51·9	·83	·5	2·4	·015	W.	W.S.W.
Monday, " 20,	30·023	63·3	49·2	56·3	53·5	50·6	·81	·5	4·0	—	S.W.	W.
Tuesday, " 21,	30·318	61·5	49·0	55·3	55·0	51·1	·76	·6	4·7	—	W.	W.
Wednesday, " 22,	30·400	59·7	47·8	53·8	55·3	51·7	·78	·5	0·8	—	W.	Calm.
Thursday, " 23,	30·213	63·4	47·8	55·6	53·9	51·3	·84	·2	8·0	—	W.S.W.	Calm.
Friday, " 24,	29·741	58·6	46·8	52·7	52·4	49·6	·82	·5	0·2	·035	S.S.W.	W.
Saturday, " 25,	29·744	63·2	49·9	56·6	54·6	52·5	·87	·4	4·5	·080	N.W.	Calm.
Mean, . .	30·074	62·0	48·8	55·4	54·2	51·2	·82	·5	Total 24·6	·180	Prevailing Wind, W.	

Sunday—A dull day; night cloudy, showery a.m. *Monday*—A cloudy day; night overcast. *Tuesday*—A cloudy day; night overcast, *Wednesday*—A dull day; night overcast. *Thursday*—A fine but cloudy day; night cloudy. *Friday*—A dull day, showery p.m.; night cloudy. *Saturday*—A cloudy day, showery p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P. 1. 3. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 2ND JULY, 1904. [No. 26.

General Register Office, Charlemont House, Dublin, 4th July, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Week ending July 2.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 11.	Week ending June 18.	Week ending June 25.	Week ending July 2.	Average Rate for 4 weeks.
22 Town Dists.	**18·1**	**22·1**	**17·5**	**17·4**	**18·8**	Lisburn, . .	9·1	40·9	22·7	18·2	22·7
Armagh, . .	6·9	34·4	20·6	.	15·5	Londonderry .	22·7	7·6	12·6	20·2	15·8
Ballymena, .	.	9·6	14·4	9·6	8·4	Lurgan, . .	8·9	17·7	8·9	.	8·9
Belfast, . .	18·9	18·3	17·6	17·3	18·0	Newry, . .	16·8	8·4	12·6	21·0	14·7
Clonmel, . .	.	.	20·5	15·4	9·0	Newtownards, .	5·7	45·8	11·4	45·8	27·2
Cork, . . .	17·1	30·8	19·2	14·4	20·4	Portadown, .	5·2	36·2	.	5·2	11·7
Drogheda, . .	24·5	36·8	8·2	8·2	19·4	Queenstown, .	.	6·6	19·8	13·2	9·9
Dublin Reg. Area,	18·3	21·7	19·5	16·5	19·0	Sligo, . . .	4·8	105·5	4·8	4·8	30·0
Dundalk, . .	31·9	16·0	8·0	12·0	17·0	Tralee, . .	26·4	26·4	10·6	63·4	31·7
Galway, . .	19·4	35·0	11·7	31·1	24·3	Waterford, .	7·8	13·6	13·6	13·6	12·2
Kilkenny, . .	39·3	34·3	39·3	9·8	30·7	Wexford, . .	32·7	32·7	18·7	37·4	30·4
Limerick, . .	24·6	27·3	15·0	27·3	23·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in nineteen of the districts to 5·7 in Newtownards. Among the 119 deaths from all causes registered in Belfast are 3 from measles, 8 from whooping-cough, one from diphtheria, 3 from enteric fever, and 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—88 boys and 122 girls; and the deaths to 126—68 males and 58 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 16·5 per 1,000. During the twenty-six weeks ending with Saturday last the death-rate averaged 26·1 and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths registered include 2 from measles, 2 from scarlet fever, and one death each from whooping-cough, diphtheria, and *diarrhœa.* Not one death from small-pox, typhus, influenza, or enteric fever was registered. In the 3 weeks preceding, the deaths registered from measles were one, 2, and one, respectively.

Four deaths from broncho-pneumonia and 3 deaths from *pneumonia* were recorded.

Twenty-six deaths were assigned to tuberculous diseases, namely:—3 to tuberculous phthisis, 11 to *phthisis,* 2 to tuberculous meningitis, and 10 to other tuberculous conditions.

Two deaths were registered as having been caused by *cancer, malignant disease.*

There were six deaths of infants who were prematurely born.

Of 12 deaths from diseases of the nervous system, 3 (all being infants under one year old) were caused by *convulsions.*

Twenty-one deaths were due to diseases of the heart and blood-vessels.

There were 13 deaths from bronchitis.

Of the 4 accidental deaths registered, 3 were due to burns or scalds.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old and the death of a person aged 78 years.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old); and 33 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 92 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·5 per 1,000; the rate in the City was 16·7 (North City Districts, 16·9; South, 16·5), and in the Suburbs, 15·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·2 (1·0 in the North City Districts, and 1·5 in the South) and for the Suburbs, 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (5) are equal to an annual rate of 9·2 per 1,000. Measles and diphtheria each caused one death, and one death was due to accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·1 per 1,000. One death was caused by scarlatina, 3 by tuberculous disease, 2 by broncho-pneumonia, 2 by bronchitis, and 2 by accidental violence.

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. There were 4 deaths from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 14·8 per 1,000. The 6 deaths registered from tuberculous disease include 2 from tuberculous meningitis; there was one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 15·6.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 21·7 per 1,000. They include one death from broncho-pneumonia, one from *pneumonia,* 2 from bronchitis, and 4 from diseases of the heart and blood-vessels.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. Measles and tuberculosis each caused one death; 2 deaths were due to bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (10) are equal to an annual rate of 12·4 per 1,000. Scarlet fever and whooping-cough each caused one death; *pneumonia* caused one death; and bronchitis caused 2 deaths.

No. 4 *South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. There was one death from *diarrhœa*; tuberculous disease caused 3 deaths.

New Kilmainham District.—The one death is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 8·0; Blackrock, 11·9; and Kingstown, 20·7. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 13 deaths from all causes tabulated for Rathmines and Rathgar include one from *pneumonia,* 5 from tuberculous disease, 2 from diseases of the nervous system, and 2 from diseases of the heart and blood-vessels. Of the 4 deaths from all causes tabulated for Pembroke 2 were due to diseases of the heart and blood-vessels. The 7 deaths from all causes tabulated for Kingstown comprise 3 from tuberculous disease, and 2 each from diseases of the nervous system and from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 2nd July, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	June 11,	.	.	.	7	.	.	2	.	2	10	14	.	.	.	35
	June 18,	.	.	.	2	.	.	5	.	7	10	11	.	.	.	35
	June 25,	.	.	.	5	.	.	6	.	2	15	10	.	.	.	38
	July 2,	.	.	.	13	.	.	6	.	10	23	7	.	.	.	59
Rathmines and Rathgar Urban District.	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	2	.	.	1	.	.	.	.	.	.	1	4
	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Pembroke Urban District.	June 11,	.	1	.	.	.	.	.	.	.	.	1	.	.	2	4
	June 18,	.	5	.	.	.	.	.	.	1	.	2	.	.	10	18
	June 25,	.	2	.	.	.	.	1	.	.	.	.	.	.	11	14
	July 2,	.	3	.	1	.	.	1	.	.	.	1	.	.	1	7
Blackrock Urban District.	June 11,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	June 11,	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2
	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
City of Belfast.	June 11,	5	–	.	11	.	.	1	1	9	10	6	.	.	.	43
	June 18,	12	–	.	14	.	.	2	1	11	10	2	.	.	.	52
	June 25,	3	–	.	5	.	.	2	5	12	10	10	.	.	.	47
	July 2,	5	–	.	10	.	.	4	1	6	4	7	1	.	.	38

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd July, 1904.

From this it appears that:—

Twenty-three cases of measles were admitted to hospital during the week, 18 were discharged, and 61 patients remained under treatment at its close.

Fifteen cases of scarlet fever were admitted to hospital, 7 cases were discharged, there was one death, and 44* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 3 were discharged, there was one death, and 14 cases remained under treatment at the close of the week.

Fourteen cases of enteric fever were admitted to hospital, 5 cases were discharged, there was one death, and 50 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 8 patients were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·9), was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 17·1.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd July, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 2nd July, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrheal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 2nd July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	30·6	17·4	1·2	642	364	59	89	.	5	2	1	9	2	.	3	3	56	61	7	10	129	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	373,994	27·5	28·9	16·5	1·0	210	120	21	29	.	2	2	.	1	1	.	.	1	14	20	3	3	53	§70·1	36·4	54·8	0·14	§64·3	46·8	55·4	0·18	§67·7	43·7	56·3	0·73
City of Dublin	293,885	37·1	30·9	16·7	1·2	174	94	17	24	.	2	2	.	1	1	.	.	1	10	18	3	3	46	a72·0 b69·9	45·1 39·0	58·1 56·2	0·07 0·17	a66·8 b65·2	50·9 48·0	57·2 56·0	0·18 0·22	a70·1 b68·9	48·1 45·0	58·2 57·2	0·40 0·35
Urban Districts. Rathmines and Rathgar.	33,203	19·4	18·8	20·4	.	12	13	1	2	.	.	.	.	.	.	.	.	.	2	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	32·1	8·0	.	16	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	11·9	11·9	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	17·8	20·7	.	6	7	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	66·2	45·5	57·1	0·11	66·2	48·5	56·8	0·23	67·7	48·5	57·4	0·57
Urban Districts.																																			
Belfast,	358,680	24·4	33·3	17·3	2·5	229	119	24	29	.	3	.	.	3	1	.	3	2	18	18	3	6	31	66·3	45·6	56·4	0·17	63·1	45·1	54·7	0·31	66·1	48·3	56·5	0·34
Cork,	76,122	33·6	30·8	14·4	.	45	21	3	3	.	.	.	.	.	.	.	.	.	6	2	.	1	9	63	48	56·5	0·36	64	45	54·7	0·66	62	46	56·1	1·44
Londonderry,	41,397	19·1	21·4	20·2	.	17	16	3	7	.	.	.	.	.	.	.	.	.	3	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	19·1	27·3	.	14	20	6	3	.	.	.	.	.	.	.	.	.	4	3	.	.	16	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	25·3	13·6	.	13	7	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	13,426	2·5	27·2	31·1	.	7	8	.	2	.	.	.	.	.	.	.	.	.	1	4	.	.	4	68	48	57	0·30	63	46	55	0·59	73	49	58·4	0·71
Dundalk,	13,076	3·4	16·0	12·0	.	4	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	24·5	8·2	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	16·8	21·0	.	4	5	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74
Lurgan,	11,782	13·8	17·7	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74
Lisburn,	11,461	10·1	27·3	18·2	.	6	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74
Wexford,	11,168	23·2	37·4	37·4	.	8	8	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	33·5	9·6	.	7	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	33·6	4·8	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·3	35·2	55·6	0·34	65·5	41·3	54·0	0·21	66·5	41·2	55·1	1·15
Kilkenny,	10,609	11·5	49·1	9·8	.	10	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	44	55·6	0·19	66	43	55·4	0·15	66	42	56·1	0·66
Clonmel,	10,167	7·8	41·0	15·4	.	8	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	51·7	5·2	.	10	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74
Tralee,	9,867	16·6	42·3	63·4	.	8	12	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	10	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	114·5	45·8	5·7	20	8	1	3	.	.	.	1	.	.	.	.	.	.	1	1	.	1	66	45	54·3	0·72	61	47	54·1	0·16	63	45	54·4	1·55
Queenstown,	7,909	14·4	26·4	13·2	.	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	63	48	56·5	0·36	64	45	54·7	0·66	62	46	56·1	1·44
Armagh,	7,588	22·2	6·9	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20	69·0	40·5	54·4	0·74

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 2nd of July, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Phthisis,	.	2	3	3	.	.	.	.	.	.	2	.	2	.	.	2	14	.
Other General Diseases,	.	6	2	3	.	.	1	4	2	1	1	.	4	1	.	1	26	.
Total,	2	9	5	6	.	.	1	4	3	3	4	.	6	1	.	3	47	.
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	1	.	.	1	.	.	1	.	2	.	1	2	1	.	2	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	2	1	.	.	.	4	1	2	2	.	2	2	.	2	21	.
Respiratory System,	.	4	3	1	.	1	.	4	2	3	.	.	2	.	.	.	20	.
Digestive System,	.	1	.	1	.	.	.	1	1	.	2	.	.	.	2	.	8	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Urinary System,	.	.	.	.	1	.	1	2	.	.	1	.	.	.	.	.	5	3
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	8	5	3	2	1	1	12	4	7	5	1	6	3	2	4	66	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	.	.	.	.	.	1	.	1	.	1	.	.	.	4	.
E VIOLENT DEATHS,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Deaths from all Causes,	5	20	10	9	2	1	2	16	8	10	10	1	13	4	2	7	120	6
Annual Rate of Mortality in every 1,000 of the population	9·2	26·6	17·8	14·8	21·7	5·2	15·6	21·7	22·8	12·4	14·8	5·9	20·4	8·0	11·9	20·7	16·5	.
	16·9							16·5					15·8					
	16·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	5	.	5	1	.	.	.	1	2	4	.	2	1	1	.	24	5
Workhouse Hospitals,	1	2	4	1	.	.	.	10	1	1	5	1	2	.	.	1	29	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1894–1903.	In the Week ending S 2nd July, 1904. Deaths of Persons of th				
	June 30, 1894.	June 29, 1895.	June 27, 1896	July 3, 1897.	July 2, 1898.	July 1, 1899	June 30, 1900.	June 29, 1901.	June 28, 1902.	July 4, 1903.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 56·1	° 60·6	° 59·2	° 59·1	° 54·8				
ALL CAUSES.	136	150	171	136	146	154	144	135	149	127	144·8	126	8	13	13	17
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	2	.	.	.	.	3	3	·9	2	.	.	2	.
Scarlet Fever ...	2	.	1	2	2	1	.	1	2	.	1·1	2	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	2	1	2	3	2	1	1	.	1·6	.	.	.	.	.
Whooping Cough, ...	2	3	2	1	1	5	2	3	.	.	1·9	1	.	.	1	.
Diphtheria, ...	.	.	.	4	1	1	.	1	.	.	·7	1	.	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	4	1	.	.	4	1	.	1	4	.	1·5	.	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	5	11	3	3	3	1	.	.	1	2·8	.	.	.	.	.
												1	.	1	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	2	.	.	1	.	1	.	.	·4	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.
									.	.		.	.	.	.	.
									.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	2	.	2	2	.	·7	1	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	1	.	.	.	.	.	1	1	2	1	·6	.	.	.	.	.
									.	.		.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*," ...	21	21	26	15	34	23	21	17	2	4	21·0	3	.	.	.	.
									13	13		11	.	.	.	.
Tuberculous Meningitis, (Acute Hydrocephalus).	2	6	1	6	7	4	7	4	5	4	4·6	2	.	1	1	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	1	6	6	4	4	4	1	6	.	.	3·4	.	.	.	.	.
									.	2		.	.	.	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	6	2	7	1	7	.	4	1	6	3	3·8	10	.	.	2	.
									1	.		.	.	.	.	.
Alcoholism, ...	1	2	.	.	1	.	.	.	.	1	·5	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	2	.	.	.	.
Gout, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894–1

ITY-SIXTH WEEK ending Saturday, 2nd July, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1894–1903.	In the Week ending Saturday, 2nd July, 1904. Deaths of Persons of the Ages of								
	June 30, 1894.	June 29, 1895.	June 27, 1896.	July 3, 1897.	July 2, 1898.	July 1, 1899.	June 30, 1900.	June 29, 1901.	June 28, 1902.	July 4, 1903.		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·6	° 62·8	° 61·2	° 60·6	° 56·5	° 59·2	° 55·7	° 56·1	° 60·6	° 59·2	° 59·1	° 54·8								
na									1	3		.	.	.	.	.	.	.	.	.
... ...	7	6	4	5	7	5	8	6	1	.	6·0	.	.	.	.	.	.	.	.	.
Malignant Disease ...									1	6		2	.	.	.	.	1	.	1	.
s Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
ire Birth	3	.	5	4	6	.	2	2	8	2	3·2	6	4	2	.	.	.	.	.	.
tis (not tuberc.)									5	2		6	.	1	.	3	2	.	.	.
, G. P. of Insane									1	1		.	.	.	.	.	.	.	.	.
... ...									1	1		1	.	.	.	.	1	.	.	.
ons									5	7		3	2	1	.	.	.	.	.	.
or Ataxy									.	.		.	.	.	.	.	.	.	.	.
ria Dis. of Cord									.	3		.	.	.	.	.	.	.	.	.
System (other Dis.) ...	24	43	37	29	19	37	34	30	1	1	32·8	2	.	.	.	.	1	.	1	.
s., Endocarditis									1	6		4	.	.	.	.	.	3	1	.
Hæm. Thromb.									3	2		1	.	.	.	.	.	.	1	.
, *Hemiplegia*									2	5		6	.	.	.	.	1	3	2	.
m									.	.		.	.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
ıd Blood Vessel Dis. ..									15	13		10	.	.	.	1	.	3	4	2
ıot Spasm. or Memb.) ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
tis	13	9	13	12	10	10	13	15	12	12	11·9	13	.	4	2	.	.	2	4	1
s Pneumonia									2	.		.	.	.	.	.	.	.	.	.
-Pneumonia	10	6	12	6	11	13	13	6	3	5	9·7	4	.	2	1	.	.	.	1	.
nia"									6	4		3	.	.	1	.	.	2	.	.
Emphysema									.	.		.	.	.	.	.	.	.	.	.
... ...	.	1	1	5	.	2	3	1	.	1	1·9	.	.	.	.	.	.	.	.	.
ory Dis. (other)									2	3		.	.	.	.	.	.	.	.	.
is, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(not Epid.)	.	1	1	.	1	.	2	.	.	1	·6	1	.	.	.	.	.	1	.	.
nteritis									.	.		1	.	1	.	.	.	.	.	.
is (not Puerp.)	1	.	2	2	.	1	.	.	.	1	·7	1	.	.	.	1	.	.	.	.
of Liver									2	.		2	.	.	.	.	.	.	2	.
s. (other)	.	5	2	3	.	4	2	3	.	.	2·1	.	.	.	.	.	.	.	.	.
e Dis. (other)	4	4	4	5	1	2	4	4	5	.	3·3	4	1	.	.	.	1	.	2	.
s, Acute									2	1		1	.	.	.	.	.	.	1	.
Dis., Albuminuria ...	2	3	3	2	2	5	5	4	1	1	3·1	6	.	.	.	.	.	1	5	.
Sys. (Other Dis.) ...									.	.		1	.	.	.	.	.	.	1	.
ve Organs Dis.	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
th (Accid. of)	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	9	12	9	4	6	11	3	8	7	4	7·3	1	.	.	.	.	.	.	.	1
iseases	15	11	11	14	13	13	10	14	15	6	12·2	7	1	.	.	.	1	2	2	1
ACCIDENT.																				
ıays	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	1	.	.
les and Horses	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
wning)																				
ing Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
igrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	.	.	.	.	.	.	1	.	1	.	·2	3	.	.	1	2	.	.	.	.
ning	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.	.	.	.	.
cation in Bed	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
n or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	3	.	4	4	2	2	1	2	1	2	2·1	.	.	.	.	.	.	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
e	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
Births registered,	195	202	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210
*Average Births in corresponding week of previous 10 years,**	210	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223
Deaths registered,	208	216	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126
Annual Death-rate per 1,000,	28·6	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3
*Average Deaths in corresponding week of previous 10 years,**	216	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145
Ages, Under 5 years,	63	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34
5—20 "	15	18	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17
20—40 "	40	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42	30	15
40—60 "	31	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27
60—80 "	50	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28
80 years and upwards,	9	12	18	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2
" Scarlet Fever	3	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	9	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1
" Diphtheria,	1	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	6	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.
" Diarrhœal Diseases,	3	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1
" Phthisis,	26	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14
" Diseases of Heart and Blood Vessels,	26	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21
" Diseases of Respiratory System,	57	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20
Violent Deaths,	3	5	4	7	3	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4
Mean Temperature of the Air (Phœnix Park),	40·0	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8
Average Mean Temperature in corresponding week of previous 10 years,	40·4	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1
Rainfall in inches,	1·515	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·156	·713	·145	·186	·195	1·150	·505	·725	·180	·140
Mean Humidity of the Air, complete Saturation 1·0,	·88	·88	·94	·79	·93	·88	·90	·88	·80	·89	87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS in the Dublin Registration Area during the Week ending Saturday, 2nd July, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND JULY, 1904.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	17·5	126	34	17	15	27	23	5	.	2	2	.	1	1	.	.	1	7	14	3	20	4	78
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	15·0	5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
II.	Middle Class,	87,188	13·8	23	4	1	3	5	9	1	.	.	.	.	.	.	.	.	.	.	2	.	3	1	17
III.	Artisan Class and Petty Shopkeepers	110,423	13·2	28	11	4	3	6	3	1	.	.	1	.	1	1	.	.	.	3	1	1	7	.	16
IV.	General Service Class,	154,279	22·8	40	16	10	4	4	6	.	.	2	1	.	.	.	.	.	.	3	6	2	5	.	21
V.	Inmates of Workhouses,	6,024		30	3	2	5	10	9	1	.	.	.	.	.	.	.	.	1	1	4	.	5	.	20
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	24·9	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	33·8	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	4·7	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	6. Clerks and Commercial Assistants,	30,432	12·0	7	2	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	1	2	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	6
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	9. Building and Furnishing Trades,	29,801	17·5	10	4	3	1	1	1	.	.	.	1	.	1	.	.	.	.	2	1	.	2	.	5
	10. Clothing Trades,	23,260	4·5	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
	11. Food Supply Trades,	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	4	.	2	1	.	.	.	.	.	.	.	1	.	.	.	1	.	1	2	.	3
	13. Petty Shopkeepers,	7,894	13·2	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	15. Domestic Servants,	36,603	2·8	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	16·8	29	14	9	2	2	2	.	.	2	1	.	.	.	.	.	.	3	3	1	5	2	15
	Inmates of Workhouses.																								
V.	18 Workhouse Inmates,	6,024	.	30	3	2	5	10	9	1	.	.	.	.	.	.	.	.	1	1	4	.	5	.	20

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	May 14,	22·1	5·5	12	.	.	.	.	1	.	1	1	.	3	3	.
	„ 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
	„ 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
	June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
	„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	May 14,	26·6	2·7	20	.	.	.	.	2	.	.	.	.	.	5	.
	„ 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
	„ 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
	June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
	„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
	„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	July 2,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	2	4	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	May 14,	24·2	3·5	11	.	1	.	.	1	.	.	.	.	.	1	1
	„ 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
	„ 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
	„ 11,	13·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
	„ 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	May 14,	34·6	4·9	21	.	1	.	.	1	1	.	.	.	4	4	1
	„ 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
	„ 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
	„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	May 14,	24·5	2·7	18	.	.	.	.	2	.	.	.	.	3	3	.
	„ 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
	„ 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
	June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
	„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
	„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
	„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	May 14,	31·4	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 21,	23·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
	„ 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
	June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
	„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
	„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	May 14,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	2	.
	„ 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
	„ 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
	June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
	„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
	„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
	„ 25,	28·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 55,188	May 14,	22·3	.	15	.	.	.	.	.	.	.	.	.	1	3	.
	„ 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
	„ 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	8	1
	June 4,	10·4	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
	„ 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
	„ 25,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(1
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,908.	May 14,	9·4	1·6	6	.	.	.	.	.	.	.	1	.	.	1	.
	„ 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 18,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	„ 25,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	May 14,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	.	.
	„ 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	„ 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	May 14,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	May 14,	22·0	2·3	151	.	1	.	.	10	.	.	1	3	30	25	3
	„ 21,	21·4	2·2	147	.	3	1	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	2	.	6	.	.	.	4	24	29	1
	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	„ 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	„ 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
	„ 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
Cork. Pop. (in 1901) 76,122.	May 14,	26·7	.	39	.	.	.	.	.	.	.	.	.	9	8	.
	„ 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	„ 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	„ 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	„ 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
Londonderry. Pop. in 1904 (Est.) 41,397	May 14,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	1	1
	„ 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	„ 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	„ 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	„ 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
Limerick. Pop. (in 1901) 38,151.	May 14,	21·9	4·1	16	.	.	.	.	3	.	.	.	.	2	4	.
	„ 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	„ 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
Waterford. Pop. (in 1901) 26,769	May 14,	19·5	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 2nd July, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	5	10·6	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 2 "	47,959	35	14·1	1·1	13	3	2	7	1	.	.	.	.	.	.	.	1	.	3	3	.	.	2
Do. 3 "	47,214	30	19·9	1·1	18	4	1	10	3	.	.	.	.	.	.	.	.	1	4	3	1	2	1
Do. 4 "	40,911	36	24·2	2·5	19	5	2	4	8	.	.	.	.	1	.	.	.	1	4	3	.	.	8
Do. 5 "	17,387	8	15·0	6·0	5	1	1	3	.	.	.	.	.	1	.	.	1	.	.	1	.	1	2
Do. 6 "	48,122	16	11·9	2·2	11	1	1	6	3	.	.	.	.	1	1	.	.	.	1	1	1	1	4
Do 7 "	1,524	.	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 8 "	5,060	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	16	26·6	.	10	4	.	5	1	.	.	.	.	.	.	.	.	.	2	.	.	1	4
Do. 10 "	28,064	19	15·8	2·3	7	2	.	2	3	.	1	.	.	.	.	.	.	.	1	.	.	.	1
Do 11 "	34,802	30	22·5	7·5	15	.	4	7	4	.	.	.	.	4	.	.	1	.	1	1	1	1	5
Do. 12 "	33,588	21	17·1	3·1	11	3	1	5	2	.	1	.	.	1	.	.	.	.	1	3	.	.	3
Do 13 "	15,006	10	17·4	3·5	5	1	1	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	229	17·8	2·5	119	24	13	53	29	.	3	.	.	8	1	.	3	2	18	18	3	6	31
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 "	10,701	9	29·2	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	1	2	.	.	3
Do. 3 "	9,978	6	10·5	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 "	8,666	6	12·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 "	6,592	3	23·7	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 6 "	10,702	6	19·5	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Do. 7 "	16,616	9	12·6	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Total	76,122	45	14·4	.	21	3	1	14	3	.	.	.	.	.	.	.	.	.	6	2	.	1	9

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered,	226	213	215	188	190	201	209	268	226	207	212	261	182	244	271	283	245	231	239	194	228	245	243	216	225	229
DEATHS registered.	190	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119
Annual Death-rate per 1,000 of estimated Population,	27·6	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3
AGES, Under 1 year,	51	46	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24
AGES, 1–5 years,	30	19	13	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13
AGES, 5–60 years,	76	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53
AGES, 60 years and upwards,	33	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3
" Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	12	9	5	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8
" Diphtheria,	2	.	2	.	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1
" Simple Continued Fever,	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Enteric Fever,	1	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3
" Diarrhœal Diseases,	2	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2
" Phthisis	22	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18
" Diseases of Respiratory System,	79	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18
Violent Deaths,	2	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd July, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	4	.	.	.	4
" " 1, West,	.	.	.	4	.	.	2	.	5	10	.	.	.	21
" " 2,	.	.	.	.	.	.	1	.	1	3	.	.	.	5
" " 3,	.	.	.	4	.	.	1	.	4	3	2	.	.	14
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	1	4	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	4	.	.	1	.	.	1	.	.	.	6
" " 4,	.	.	.	1	.	.	.	.	.	1	1	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	13	.	.	6	.	10	23	7	.	.	59

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd July, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd July.			
	June 11.	June 18.	June 25.	No. admitted.	Discharged	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	32	44	56	23	18	.	61
Scarlet Fever,	35	33	37	15	7	1	44*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	15	16	13	5	3	1	14
Enteric Fever,	24	26	42	14	5	1	50
Pneumonia,	22	27	24	6	8	.	22

*Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	July 2,	2,514	1,148	12·9	1	58	7	9	29	5	24
EDINBURGH,	331,977	„ 2,	160	109	17·1	.	5	.	.	8	1	1
GLASGOW,	798,357	„ 2,	515	243	15·9	2	4	4	.	14	.	8
CALCUTTA,	847,796	Apr. 30,	.	738	45·2	5	1	.	.	.	88‡	160*
BOMBAY,	776,006	May 31,	327	578	38·7	16	1	.	.	1	37‡	37
MADRAS,	509,346	„ 20,	445	414	42·2	.	3	?	?	?	78	88*
PARIS,	2,660,559	June 18,	1,025	758	14·7	1	14	3	2†	10	.	23
BRUSSELS (with 8 Faubourgs).	586,936	„ 11,	244	157	13·9	.	1	.	.	1	1	6
AMSTERDAM,	548,137	„ 11,	278	154	14·6	.	7	.	.	2	.	14
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	June 11,	221	150	19·0	.	2	.	.	4	.	6
CHRISTIANIA,	223,649	„ 18,	112	56	13·0	.	.	1	.	.	.	3
ST. PETERSBURG,	1,248,122	„ 18,	500	667	27·9	2	39	13	13†	4	11	69
BERLIN,	1,960,909	„ 4,	904	626	16·6	.	9	12	6	10	.	50
HAMBURG,	751,842	„ 11,	.	233	16·1	.	3	2	1†	6	3	11
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	June 18,	.	177	17·7	.	4	.	2†	2	1	35
VIENNA (with suburbs).	1,797,992	„ 18,	1,069	659	19·1	.	50	1	5†	1	2	61
BUDA-PESTH	813,399	„ 18,	475	287	18·3	.	5	9	4	.	1	20
PRAGUE and Faubourgs.	426,402	„ 11,	189	187	22·8	.	1	.	.	2	.	19
ROME,	496,201	Mar. 26,	241	169	17·1	.	12	.	3	.	4	5
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	May 21,	95	61	19·1	.	.	.	.	.	1	2
NEW YORK,	3,838,024	June 4,	2,115	1,265	17·2	.	21	18	51†	7	8	38
PHILADELPHIA,	1,408,154	May 28,	.	494	18·2	2	8	11	9†	.	22	15

* Including 103 deaths from cholera in Calcutta and one in Madras.
† Including deaths from croup.
‡ Exclusive of 270 deaths from bubonic fever in Calcutta and 109 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 2nd July, 1904:—

"Pleasant, bright, summerlike weather characterised the closing week of the first half of the year 1904. At the beginning a cool N.W. wind prevailed as part of the circulation round a low pressure area central over the South of Sweden and the Baltic Sea. The cold culminated on Monday night, in the course of which the sheltered thermometer sank to 34° at Wick and Nairn in the North of Scotland, to 35° at Nottingham, 38° at Aberdeen, 43° at Leith, and 44° at Oxford. Even in Dublin, where the minimum occurred early on Monday morning so low a temperature as 45·1° was recorded in the screen. On Wednesday a gradual fall of the barometer in the West brought gradients for southerly winds, so that a very decided rise of the thermometer took place—first in Ireland, afterwards throughout Great Britain. The atmosphere at the same time became hazy and thick. On the day named the thermometer rose to 71·4° in Dublin and 77° in London and at Nottingham. Thursday was still warmer—72·0° being reached in Dublin and 78° in London, and as far north as Leith and Nairn, in Scotland. The decrease of atmospheric pressure soon became brisker and at 8 a.m. of Friday a depression, in which the barometer was as low as 29·40 inches, lay off the N.W. of Ireland. This system caused showers and squalls from S.W. or W. to the end of the week, but there were still long intervals of bright, dry weather. In Dublin the mean atmospheric pressure was 29·925 inches, the highest recorded reading of the barometer at 9 a.m. or 9 p.m. being 30·164 inches at 9 p.m. of Monday (wind, calm), the lowest being 29·635 inches at 9 a.m. of Friday (wind, W.S.W.). The corrected mean temperature was 58·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. was 58·2°. The screened thermometer fell to 45·1° on Monday, but rose to 72·0° on Thursday. Bright sunshine was estimated at 76¼ hours, of which 13 fell on Monday and 12¾ on Wednesday. The rainfall was ·068 inch on three days, ·032 inch being measured on Thursday. The prevalent winds were N.W. and S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·937 inches. The highest reading (30·174) was on Monday at 9 p.m., air calm, and the lowest (29·640) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 54·8°, being 4·3° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 70·1° and was lowest on Monday, the mercury having fallen to 36·4°. The mean of the Dry Bulb for the week was 57·0° and of the Wet Bulb 52·0°. The mean humidity of the air was ·73, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 74·2 hours. The rainfall during the week measured ·140 inch.

At Greenwich the mean temperature for the week was 59·7°, the maximum 73·9°, and the minimum 44·5°; at Glasgow the maximum was 75·5°, the minimum 38·9°, and the mean 57·2°; and at Edinburgh the maximum was 72·8°, the minimum 41·3°, and the mean 54·1°. The rainfall at Greenwich measured 0·15 inch; at Glasgow 0·46 inch; and at Edinburgh 0·23 inch*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, June 26,	29·977	61·7	44·9	53·3	51·6	48·5	·81	·2	12·1	—	N.W.	Calm.
Monday, „ 27,	30·154	63·7	36·4	50·1	54·4	50·5	·79	·0	13·3	—	Calm.	Calm.
Tuesday, „ 28,	30·129	67·3	40·9	54·1	59·7	52·3	·61	·2	8·1	—	S.	S.
Wednesday, „ 29,	29·970	70·1	45·8	58·0	62·5	55·2	·61	·2	13·0	—	E.	S.
Thursday, „ 30,	29·726	68·8	48·2	58·5	61·9	55·9	·70	·6	7·1	·065	W.	S.
Friday, July 1,	29·735	62·8	49·8	56·3	54·3	51·8	·84	·3	12·0	·020	S.W.	S.W.
Saturday, „ 2,	29·866	61·7	45·0	53·4	54·8	50·1	·72	·6	8·6	·055	S.W.	S.W.
Mean, . .	29·937	65·2	44·4	54·8	57·0	52·0	·73	·3	Total 74·2	·140	Prevailing Wind, S.W.	

Sunday—A fine but cloudy day; night cloudy. *Monday*—A fine but cloudy day; night clear. *Tuesday*—A fine but cloudy day; night cloudy. *Wednesday*—A fine but cloudy day; night cloudy. *Thursday*—A cloudy day, showery p.m.; night cloudy. *Friday*—Showery a.m., fine p.m.; night cloudy. *Saturday*—A showery day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P. 1. 3. 1904.

OFFICIAL

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] QUARTER ENDING SATURDAY, 2ND JULY, 1904. [No. 26A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1904, 378,994, there were registered during the thirteen weeks ended on Saturday, 2nd July, 1904, 2,902 births—1,418 boys and 1,484 girls—being equal to an annual ratio of 1 in 32·6, or 30·6 in every 1,000 of the population.

The number of births registered in the city was 2,457, equivalent to an annual rate of 33·5 in every 1,000 of the population; and in the urban districts named above, 445, equal to an annual rate of 20·8 in every 1,000 of the population.

There were registered in London during the same period 32,536 births—being equal to an annual birth-rate of 28·0 in every 1,000 of the estimated population; in Glasgow there were registered 6,648, being equal to 33·3 per 1,000; and in Edinburgh, 2,071—a number affording an annual birth-rate of 25·0 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,172—1,098 males and 1,074 females—affording an annual ratio of 1 in 43·6, or 22·9 in every 1,000 of the estimated population; omitting the deaths (124) of persons admitted into Public Institutions from localities outside the Area, the rate was 21·6 per 1,000. The annual mortality represented by the deaths registered during the second quarter of the ten years 1894–1903 in the Dublin Registration Area as then constituted, was 24·1 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 845, representing an annual mortality of 22·4 in every 1,000 of the population; and the number in the South City districts was 834, equivalent to a rate of 23·4 per 1,000. In the urban districts the number of deaths registered was 369, being equal to an annual death-rate of 17·2 in every 1,000.

The number of deaths registered in London during the same period was 17,171—a number equal to an annual rate of mortality of 14·8 in every 1,000 of the inhabitants; in Glasgow the number was 3,721, equal to 18·6 in every 1,000; and in Edinburgh, 1,421, affording an annual death-rate of 17·1 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 150, being 43 under the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·6, being 0·4 below the rate for the preceding three months.

Small-pox.—There is no report of death from small-pox from the Registrars of the Dublin Registration Area for the June quarter of 1904; the last fatality from small-pox was registered in the September Quarter of 1903.

Measles.—The deaths from measles, which number 32, are 12 above the average for the corresponding quarterly period of the preceding ten years; they are also in excess of the deaths (19) registered from this disease in the quarter preceding.

From Table I. it appears that 25 cases of measles were under treatment in hospitals at the close of March quarter; that 144 patients were admitted, 95 were discharged, 13 died, and 61 were under treatment in hospitals at the close of the June quarter of 1904. Of the 32 deaths registered from measles, 12 appertained to North City No. 3 District, and 9 to North City No. 2.

Scarlet Fever.—The deaths from scarlet fever registered in the period under notice were 7 in number; in the three quarterly periods preceding the deaths registered were 6, 10, and 8 respectively. There were only four deaths reported as occurring in the hospitals, although 108 cases were admitted during the quarter, in addition to 56 cases which were under treatment at the end of the March quarter.

The mortality from this disease shows a decline, when compared with the average (14) for the June quarter of the years 1894–1903.

Influenza.—The deaths directly attributed to "influenza," in number 24, are less than 50 per cent. of the average for the corresponding period of the last ten years. In the three quarterly periods preceding the deaths registered from influenza were 6, 25, and 48 respectively.

Whooping-cough.—The deaths from whooping-cough constitute nearly 50 per cent. of the deaths due to the principal epidemic diseases, and numbered 71, representing an annual death-rate of 0·7 per 1,000 of the estimated population of the Dublin Registration Area; these deaths are also above the average (43) for the corresponding quarter of the preceding 10 years. Of the 71 deaths, 65 appertain to the City Districts (17 of which were assigned to South City No. 1 District, and 11 to South City No. 3 District); and 6 to the Urban Districts, the latter figure including 5 deaths appertaining to Pembroke Urban District.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 430.

Diphtheria.—The deaths registered from diphtheria (including membranous croup), which present an average of 11 for the corresponding quarter of the past 10 years, numbered 12 in the period now the subject of review. Reference to Table I. gives the following information as regards the Hospital statistics for this disease. Of 84 cases under treatment, 65 were admitted during the June quarter, 10 deaths occurred, 60 patients were discharged, and 14 cases remained under treatment at the close of the quarter.

Enteric Fever.—The deaths which were registered from enteric fever were 16 in number. In the three quarterly periods preceding, deaths from this cause were 15, 28, and 30 respectively, and the average for the corresponding quarterly period of the years 1894 to 1903 was 24. From Table I. it may be seen that 29 cases of enteric fever were in the Dublin hospitals under treatment at the beginning of the quarter, 86 cases were admitted for treatment, 57 cases were discharged, 8 fatalities occurred, and 50 cases remained under treatment at the close of the quarter. Of the 16 deaths 9 were assigned to North City Districts, 4 to South City Districts, 2 to the Urban Districts, and one death of a person admitted to hospital from without the Dublin Registration Area occurred.

Diarrhœal Diseases.—Two deaths were tabulated to epidemic diarrhœa, epidemic enteritis, and 8 to *diarrhœa*, dysentery.

There were registered during the quarter 2 deaths from cerebro-spinal meningitis, 2 deaths from simple, continued, or ill-defined fever, 7 deaths from erysipelas, 2 deaths from septicæmia (not puerperal), and 2 deaths from pyæmia (not puerperal.)

Pneumonia.—Deaths from epidemic pneumonia, pneumonic fever (1), croupous pneumonia (8), broncho-pneumonia (56), and *pneumonia*, not otherwise defined (105), have been registered during the quarter.

Tuberculosis.—The deaths attributed to the various forms of tuberculous affections amounted to 470, representing a rate of 5·0 per 1,000 of the estimated population of the Dublin Registration Area, and form 21·6 per cent of the aggregate deaths which were registered during the period. In other words, it may be said that for every 5 deaths registered one was from tuberculous disease. The deaths included 84 registered as tuberculous phthisis, 220 as *phthisis*, 43 from tuberculous meningitis, 17 from tuberculous peritonitis, 14 from tabes mesenterica, and 92 from other forms of the disease.

Excluding deaths in institutions of those admitted from outside the Dublin Registration Area, the rate for the pulmonary form of the disease (tuberculous phthisis and *phthisis*) is 3·0 per 1,000 for the whole area; 3·1 per 1,000 for North Dublin City, 3·5 per 1,000 for South Dublin City, and 2·1 per 1,000 for the Urban Districts.

Cancer, Malignant Disease.—Of 98 deaths, 35 were attributed to carcinoma, 7 to sarcoma, and 56 to *cancer, malignant disease.*

Diseases of the Nervous System.—Of the 171 deaths from diseases of the nervous system, 59 were due to *convulsions*, 58 being of children under 5 years of age, of which number 49 were infants under 1 year old; there were 41 deaths from meningitis (not tuberculous), 15 deaths from insanity, or general paralysis of the insane, and 13 deaths from epilepsy.

Diseases of the Heart and Blood Vessels.—The deaths which were registered as having been caused by diseases of the heart or blood vessels numbered 305; these include 56 deaths from valvular heart disease, endocarditis, and 3 deaths from aneurysm.

Respiratory System.—There were 235 deaths from bronchitis registered amongst the deaths from respiratory diseases.

Accidental Deaths.—The deaths attributed to accidental violence numbered 37, and included 11 (8 of children under 5 years) from burns, scalds, or explosions, and 7 deaths by accidents associated with vehicles and horses.

Suicide.—Two deaths were registered from suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 2nd July, 1904.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox, . .	.	.	.	.	.
Measles, . . .	25	144	95	13	61
Scarlet Fever, . .	56	108	116	4	44*
Typhus " . .	.	1	1	.	.
Diphtheria, . .	19	65	60	10	14
Enteric Fever, . .	29	86	57	8	50
Pneumonia, . .	20	108	95	11	22

In 71 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 71 cases, 48, or 67·6 per cent., were deaths of children under 5 years of age: these 48 deaths form 8·0 per cent. of the total number of deaths of children of that age. Of the deaths of 116 infants under one month old registered, there were 23 (or 19·8 per cent.) regarding which the cause was uncertified.

From Table II., on page 428*b*, it will be seen that, excluding 124 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,048, equal to an annual rate of 21·6 per 1,000 of the estimated population, and that 146 of these deaths, representing an annual rate of 1·5 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 22·9 per 1,000, and for the urban districts 17·2 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·8, and in the urban districts 0·7, the rates for the several districts varying from 0·4 in New Kilmainham, and Rathmines and Rathgar, respectively, to 2·6 in South City, No 2, the 130 deaths from all causes registered in that district including 4 from measles, 2 from scarlet fever, and 6 from whooping-cough.

Occupations.—Table III., on page 429, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 18·1 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·6; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 30·4.

*Exclusive of 15 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

† See note (*) page 430.

Ages.—Of the 2,172 persons whose deaths were registered in the Dublin Registration Area during the quarter, 603 were under 5 years of age, this number being equal to an annual mortality of 63·2 in every 1,000 children at that age (according to the Census of 1901); 207 were between the ages of 5 and 20, representing an annual rate of 7·8 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 22·4 per 1,000 of the population at that age (according to the Census of 1901); 355 or 10·5 per 1,000 persons were between 20 and 40; 470 or 27·4 per 1,000 between 40 and 60; 457 or 75·3 per 1,000 between 60 and 80; 80 or 168·1 per 1,000 were aged 80 and upwards, including 10 persons aged 90 and upwards, of whom one was a woman whose age was stated to be 100 years.

Public Institutions.—Of the 2,172 deaths recorded during the quarter, 911, or 41·9 per cent., occurred in public institutions, viz., 522 in the various hospitals, prisons, and lunatic asylums; 172 in the North Dublin Union Workhouse; 208 in the South Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 50·8°. At Greenwich for the quarter, it was 53·5°; at Glasgow, 51·3°; and at Edinburgh, 49·0°.

The rainfall at Dublin during the thirteen weeks measured 4·930 inches; at Greenwich, 3·89 inches; at Glasgow, 8·19 inches; and at Edinburgh, 6·42 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 2nd July, 1904,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.		POPULATION, ESTIMATED TO MIDDLE OF 1904.†	QUARTER (13 WEEKS) ENDED 2ND JULY, 1904. ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–13.	TOTAL DEATHS.	DEATHS CAUSED BY: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
NORTH CITY.	NORTH CITY, No. 1, E.,	28,332	19·5	1·4	138	.	2	.	.	3	1	1	3	.	29	30	6
	,, 1, W.	39,146	25·6	1·5	251	.	2	1	.	8	1	.	1	2	23	61	6
	,, 2, .	30,107	24·4	2·3	184	.	9	.	.	5	.	.	2	1	31	29	1
	,, 3, .	31,673	22·7	2·3	180	.	12	.	.	4	2	.	.	.	24	36	4
	CLONTARF & HOWTH, No. 1, part of, .	4,806	17·5	2·5	21	.	.	1	.	1	.	.	1	.	3	2	.
	COOLOCK & DRUMCONDRA, No. 1, part of, .	10,017	17·2	1·6	43	.	.	.	.	2	.	.	2	.	4	9	3
	FINGLAS AND GLASNEVIN, part of, .	6,665	16·8	1·2	28	.	.	.	.	2	.	.	.	.	4	4	.
SOUTH CITY.	SOUTH CITY, No. 1, .	38,384	24·6	2·0	236	.	1	.	.	17	.	.	1	.	38	51	4
	,, 2, .	18,286	28·4	2·6	130	.	4	2	.	6	.	.	.	.	22	29	1
	,, 3, .	41,940	22·3	1·6	234	.	1	2	.	11	1	.	2	.	29	48	1
	,, 4, .	35,138	23·0	1·5	202	.	1	.	.	6	2	.	1	3	34	42	3
	NEW KILMAINHAM, .	8,891	14·4	0·4	32	.	.	1	.	.	.	.	.	.	2	8	.
URBAN DISTRICTS.	RATHMINES AND RATHGAR, . .	33,203	16·0	0·4	133	.	.	.	.	1	.	.	1	1	18	25	3
	PEMBROKE, .	26,025	26·3	1·1	166	.	.	.	.	5	.	1	1	.	11	18	1
	BLACKROCK, . .	8,759	17·8	0·9	39	.	.	.	.	.	.	.	.	2	8	6	1
	KINGSTOWN, .	17,622	20·7	0·7	91	.	.	.	.	.	3	.	.	.	8	23	1
TOTAL CITY,	NORTH, .	150,746	22·4	1·8	845	.	25	2	.	25	4	1	9	3	118	171	20
	SOUTH, .	142,639	23·4	1·7	834	.	7	5	.	40	3	.	4	3	125	178	9
	N. & S., .	293,385	22·9	1·8	1,679	.	32	7	.	65	7	1	13	6	243	349	29
TOTAL URBAN DISTRICTS,		85,609	17·2	0·7	369	.	.	.	.	6	3	1	2	3	45	72	6
TOTAL REGISTRATION AREA, ...		378,994	21·6	1·5	2,048	.	32	7	.	71	10	2	15	9	288	421	35
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .					124	.	.	.	.	.	2	.	1	1	16	9	4

* See note (*) on page 430. † See note (†) on page 431.

REGISTRATION OF DEATHS, (13 WEEKS) ENDING SATURDAY, 2ND JULY, 1904.

Class.	Occupation or Social Position [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	23·1	2,172	603	207	355	470	457	80	.	32	7	.	71	12	2	16	10	150	304	59	430	39	1,190
	CLASSES.																								
	Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	18·1	79	5	1	9	20	29	15	.	.	1	.	2	.	1	.	1	5	6	.	10	.	58
II.	Middle Class,	87,188	16·5	359	52	40	79	75	87	26	.	.	1	.	6	1	.	6	2	16	51	4	58	8	222
III.	Artisan Class and Petty Shopkeepers,	110,423	18·6	514	157	56	82	129	78	12	.	11	4	.	23	5	.	3	1	47	71	16	95	6	279
IV.	General Service Class,	154,279	30·4	831	330	98	126	145	121	11	.	20	1	.	40	6	1	6	4	78	115	32	161	24	421
V.	Inmates of Workhouses,	6,024		389	59	12	59	101	142	16	.	1	.	.	.	.	.	1	2	4	61	7	106	1	210
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	28·7	56	3	1	7	16	23	6	.	.	1	.	1	.	.	.	.	2	3	.	5	.	46
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	11·0	23	2	.	2	4	6	9	.	.	.	.	1	.	1	.	1	3	3	.	5	.	12
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	13·0	25	2	.	7	9	6	1	.	.	.	.	1	.	.	1	.	2	6	.	1	1	15
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	14·5	80	13	5	16	21	21	4	.	.	.	.	1	1	.	1	.	3	5	.	22	1	49
	6. Clerks and Commercial Assistants,	30,432	14·9	113	24	14	33	22	14	6	.	.	1	.	4	.	.	3	2	10	25	3	10	1	64
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	20·9	141	13	21	23	23	46	15	.	.	.	.	.	.	.	1	.	1	15	1	25	5	94
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	19·0	47	21	6	3	12	5	.	.	1	.	.	4	1	.	.	.	6	4	3	7	2	25
	9. Building and Furnishing Trades,	29,801	22·1	165	60	21	21	44	17	2	.	4	1	.	10	2	.	1	.	18	29	4	33	3	78
	10. Clothing Trades,	23,260	12·4	72	15	11	17	15	11	3	.	2	2	.	2	.	.	1	.	7	9	.	16	1	39
	11. Food Supply Trades,	9,242	18·6	43	13	3	6	12	8	1	.	1	.	.	3	.	.	.	.	4	4	3	10	.	22
	12. Other Trades and Callings ranking with Trades,	30,352	18·3	139	34	12	26	39	24	4	.	1	.	.	2	2	.	1	.	6	19	4	20	.	90
	13. Petty Shopkeepers,	7,894	24·3	48	14	3	9	7	13	2	.	2	1	.	2	.	.	.	1	6	6	2	9	.	25
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	20·9	70	24	5	10	6	22	3	.	1	.	.	2	1	.	1	2	7	6	1	15	1	40
	15. Domestic Servants,	36,603	8·7	80	21	6	25	15	9	4	.	.	.	.	4	.	.	2	.	6	21	2	9	1	41
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	19·5	70	24	6	12	17	11	.	.	1	.	.	5	.	.	.	1	7	7	2	14	5	35
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·2	611	261	81	79	107	79	4	.	18	1	.	29	5	1	3	1	58	81	27	123	17	305
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	6,024	.	389	59	12	59	101	142	16	.	1	.	.	.	.	.	1	2	4	61	7	106	1	210

Twenty-two Principal Town Districts of Ireland.—The average annual death rate represented by the deaths from all causes registered during last quarter in th Dublin Registration Area and twenty-one of the principal Urban Districts o Ireland (exclusive of deaths in Public Institutions of persons admitted from withou the districts), was 20·9 per 1,000 persons, the respective rates for the severa districts being as follow, ranging in order from the lowest to the highest :—

Ballymena, 11·8 ; Portadown, 13·5 ; Clonmel, 15·7 ; Newry, 15·8 ; Sligo, 16·9 Londonderry, 17·1 ; Dundalk, 17·1 ; Queenstown, 17·7 ; Tralee, 18·2 ; Drogheda 19·1 ; Belfast, 20·1 ; Newtownards, 20·2 ; Waterford, 20·5 ; Limerick, 20·7 ; Lurgan 20·7 ; Dublin Registration Area, 21·6 ; Cork, 22·5 ; Kilkenny, 22·6 ; Lisburn, 22·7 Wexford, 27·9 ; and Galway, 30·7.

The average annual rate represented by the deaths from the principal epidemi diseases* in the 22 districts is 1·5 per 1,000 of the population, the rates varying fro 0·0 in Dundalk, to 3·1 in Lisburn, the 65 deaths from all causes registered in tha district including 1 from scarlet fever, 6 from whooping-cough, and 2 from diarrhœa diseases. The 1,869 deaths from all causes registered in Belfast include 35 fro measles, 7 from scarlet fever, 1 from typhus, 104 from whooping-cough, 10 fro diphtheria, 1 from simple continued fever, 20 from enteric fever, and 29 fro diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases in the *twenty-one provincial urban districts* already named, and Tables IV. and V give in detail the results of the registration for the quarter :—

Small-pox.—No death from small-pox was registered in any of the Urban District of Ireland covered by this Report, during the quarter.

Measles.—Of 36 deaths, 35 were registered in Belfast and one in Galway.

Scarlet Fever.—Seven deaths were registered in Belfast, one in Lisburn, and one i Portadown.

Typhus.—One death from typhus was registered in Belfast and one in Newtownards

Whooping-cough.—Of 132 deaths registered from this disease 104 appertain t Belfast.

Diphtheria.—The 19 deaths include 10 registered in Belfast, 4 in Londonderry and one each in Cork, Galway, Ballymena, Sligo, and Tralee.

Enteric Fever.—Of 26 deaths under this heading, 20 were registered in Belfast, in Cork, and one in Londonderry, Sligo, and Portadown, respectively.

Diarrhœal Diseases.—Of 45 deaths from these diseases 29 were registered i Belfast.

Phthisis.—The death-rate for phthisis for the 22 towns in the aggregate, for th Dublin Registration Area, for Belfast County Borough, and for the Urba Districts collectively (exclusive of Belfast and Dublin Registration Area), were 3· per 1,000, 3·0 per 1,000, 3·8 per 1,000, and 3·7 per 1,000 of their respectiv populations.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued fever, enter fever, and diarrhœal diseases.

REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 2ND JULY, 1904.

TOWNS AND DISTRICTS	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Diseases in Cols. 10-18.	NUMBER REGISTERED. BIRTHS.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,093,289	19·2	31·0	20·9	1·5	8,472	5,704	951	1,370	.	68	16	2	203	29	5	41	54	959	1,144	104	197	1,677
DUBLIN REGISTRATION AREA,	378,994	27·5	30·6	21·6	1·5	2,902	2,048	346	504	.	32	7	.	71	10	2	15	9	288	421	35	49	787
URBAN DISTRICTS.																							
BELFAST,	358,680	24·4	33·9	20·1	2·3	3,043	1,869	376	352	.	35	7	1	104	10	1	20	29	342	392	37	87	422
CORK,	76,122	33·6	28·4	22·5	0·7	540	428	53	102	.	.	.	.	5	1	.	3	5	110	75	6	14	135
LONDONDERRY,	41,397	19·1	30·1	17·1	0·6	311	177	28	43	.	.	.	.	1	4	.	1	.	27	40	5	9	18
LIMERICK,	38,151	18·1	32·1	20·7	0·7	306	197	33	44	.	.	.	.	6	.	.	.	1	30	40	3	5	80
WATERFORD,	26,769	18·7	24·8	20·5	0·3	166	137	9	41	.	.	.	.	.	.	.	.	2	26	30	3	4	56
GALWAY,	13,426	2·5	29·2	30·7	1·2	98	103	5	44	.	1	.	.	.	1	2	.	.	15	20	2	2	35
DUNDALK,	13,076	9·4	26·0	17·1	.	85	56	8	17	.	.	.	.	.	.	.	.	.	16	9	1	1	9
DROGHEDA,	12,760	8·6	21·6	19·1	0·3	69	61	8	24	.	.	.	.	.	.	.	.	1	8	1	.	6	20
NEWRY,	12,405	17·8	28·4	15·8	0·3	88	49	3	22	.	.	.	.	1	.	.	.	.	8	12	.	2	.
LURGAN,	11,782	13·8	30·5	20·7	0·3	90	61	18	15	.	.	.	.	1	.	.	.	.	10	14	1	2	10
LISBURN,	11,461	10·1	30·4	22·7	3·1	87	65	11	15	.	.	1	.	6	.	.	.	2	10	9	1	4	7
WEXFORD,	11,168	23·2	26·9	27·9	0·7	75	78	10	26	.	.	.	.	.	.	.	.	2	10	21	1	1	17
BALLYMENA,	10,886	8·9	27·6	11·8	0·7	75	32	5	8	.	.	.	.	1	1	.	.	.	9	6	1	1	2
SLIGO,	10,870	3·7	25·8	16·9	0·7	70	46	9	18	.	.	.	.	.	1	.	1	.	9	4	.	1	19
KILKENNY,	10,609	11·5	30·5	22·6	0·4	81	60	7	24	.	.	.	.	.	.	.	.	1	7	9	1	1	16
CLONMEL,	10,167	7·8	26·4	15·7	0·4	67	40	2	8	.	.	.	.	.	.	.	.	1	4	10	1	1	13
PORTADOWN,	10,092	13·2	37·3	13·5	0·8	94	34	1	8	.	.	1	.	.	.	.	1	.	8	6	3	3	.
TRALEE,	9,867	16·6	24·7	18·2	1·6	61	45	3	20	.	.	.	.	3	1	.	.	.	2	2	.	.	16
NEWTOWNARDS,	9,110	18·9	27·2	20·2	0·4	62	46	4	18	.	.	.	1	.	.	.	.	.	10	7	1	.	7
QUEENSTOWN,	7,909	14·4	25·3	17·7	2·0	50	35	4	10	.	.	.	.	4	.	.	.	.	5	12	1	1	2
ARMAGH,	7,588	22·2	27·4	19·5	0·5	52	37	8	7	.	.	.	.	.	.	.	.	1	5	4	1	3	6

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1904; that for each of the other districts is the population according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 2nd JULY, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES: &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping Cough.	Diphtheria	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	137	19·8	2·2	73	14	8	42	14	.	.	.	.	4	.	.	1	3	17	13	2	8	19
" 2 "	47,959	354	18·8	1·1	225	45	31	105	44	.	.	2	.	3	3	.	4	1	45	49	3	8	44
" 3 "	47,214	395	19·6	1·9	231	44	20	132	35	.	1	.	1	10	1	.	2	7	54	47	4	10	42
" 4 "	40,911	420	29·1	3·5	298	66	46	128	58	.	5	.	.	21	1	1	4	4	50	72	7	11	106
" 5 "	17,387	116	28·0	0·9	100	19	7	59	15	.	.	.	.	2	.	.	1	1	21	26	3	9	38
" 6 "	48,122	280	17·5	1·1	211	29	13	115	54	.	.	.	.	8	1	.	.	4	48	39	6	12	50
" 7 "	1,524	9	34·1	.	13	1	2	9	1	.	.	.	.	.	.	.	.	.	1	2	.	.	6
" 8 "	5,060	37	22·9	4·7	29	12	6	8	3	.	.	.	.	3	.	.	1	2	2	8	2	4	8
" 9 "	19,569	198	20·9	2·7	102	22	12	44	24	.	.	.	.	10	.	.	.	3	13	10	.	2	20
" 10 "	23,064	239	21·0	1·9	121	27	16	54	24	.	2	1	.	5	1	.	1	1	25	24	1	2	17
" 11 "	34,802	319	20·9	4·0	182	30	32	84	36	.	11	.	.	17	1	.	3	3	37	32	3	8	29
" 12 "	33,588	376	24·3	4·9	204	50	52	74	28	.	14	4	.	19	1	.	3	.	19	49	6	10	34
" 13 "	15,006	162	20·8	1·3	78	17	6	40	15	.	2	.	.	2	1	.	.	.	10	21	.	3	9
" 14 "	240	1	33·3	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	3,043	21·4	2·4	1,869	376	246	895	352	.	35	7	1	104	10	1	20	29	342	392	37	87	422
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	70	21·4	0·3	69	7	4	41	17	.	.	.	.	1	.	.	.	.	21	13	.	.	36
" 2 "	10,701	92	19·8	1·9	53	11	3	33	6	.	.	.	.	.	.	.	3	2	12	11	1	2	18
" 3 "	9,978	86	22·4	1·2	56	6	6	30	14	.	.	.	.	1	.	.	.	2	24	11	.	1	17
" 4 "	8,666	63	18·0	.	39	5	6	13	15	.	.	.	.	.	.	.	.	.	2	11	1	1	7
" 5 "	6,592	54	22·5	.	37	5	5	15	12	.	.	.	.	.	.	.	.	.	9	3	2	4	8
" 6 "	10,702	61	26·5	.	71	9	8	36	18	.	.	.	.	.	.	.	.	.	15	9	.	1	18
" 7 "	16,616	114	24·8	1·2	103	10	15	58	20	.	.	.	.	3	1	.	.	1	27	17	2	5	31
Total,	76,122	540	22·5	0·7	428	53	47	226	102	.	.	.	.	5	1	.	3	5	110	75	6	14	135

ROBERT E. MATHESON.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, and 89, Abbey-street.
360. P. 1. 3. 1904.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
SISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

L. XLI.] WEEK ENDING SATURDAY, 9TH JULY, 1904. [No. 27.

General Register Office, Charlemont House, Dublin, 11*th July,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphatically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 18.	Week ending June 25.	Week ending July 2.	Week ending July 9.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 18.	Week ending June 25.	Week ending July 2.	Week ending July 9.	Average Rate for 4 weeks.
Town Dists.	22·1	17·5	17·4	17·1	18·5	Lisburn, . .	40·9	22·7	18·2	.	20·4
magh, . .	34·4	20·6	.	13·7	17·2	Londonderry .	7·6	12·6	20·2	11·3	12·9
llymena, .	9·6	14·4	9·6	33·5	16·8	Lurgan, . .	17·7	8·9	.	17·7	11·1
lfast, . .	18·3	17·6	17·3	17·7	17·7	Newry, . .	8·4	12·6	21·0	4·2	11·6
onmel, . .	.	20·5	15·4	5·1	10·3	Newtownards, .	45·8	11·4	45·8	5·7	27·2
rk, . . .	30·8	19·2	14·4	19·2	20·9	Portadown, .	36·2	.	5·2	5·2	11·7
rogheda, . .	36·8	8·2	8·2	4·1	14·3	Queenstown, .	6·6	19·8	13·2	6·6	11·6
ublin Reg. Area,	21·7	19·5	16·5	17·9	18·9	Sligo, . . .	105·5	4·8	4·8	38·4	38·4
undalk, . .	16·0	8·0	12·0	27·9	16·0	Tralee, . .	26·4	10·6	63·4	5·3	26·4
alway, . .	35·0	11·7	31·1	11·7	22·4	Waterford, .	13·6	13·6	13·6	29·2	17·5
ilkenny, . .	34·3	39·3	9·8	19·7	25·8	Wexford, . .	32·7	18·7	37·4	4·7	23·4
imerick, . .	27·3	15·0	27·3	15·0	21·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in eventeen of the districts to 3·9 in Galway. Among the 122 deaths from all causes egistered in Belfast are 2 from measles, 2 from scarlet fever, 2 from whooping-cough, ne from diphtheria, 3 from enteric fever, and one from diarrhœa; and the 28 deaths om all causes in Cork include one from whooping-cough and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 02—94 boys and 108 girls; and the deaths to 138—72 males and 66 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 19·0 in every ,000 of the population; omitting the deaths (numbering 8) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 17·9 per 1,000. During the twenty-seven weeks ending with Saturday last the death-rate averaged 25·9, and was 1·4 below the mean rate for the corresponding portions of the ten years 1894–1903.

Two deaths from measles, one death from influenza, 3 deaths from whooping-cough, and 5 deaths from *diarrhœa* were registered during the week, but no fatality was recorded from small-pox, scarlet fever, typhus, diphtheria, or enteric fever. In the previous 3 weeks, 2, one, and 2 deatbs were registered as from measles.

Five deaths from *pneumonia* were recorded.

The deaths due to tuberculous disease numbered 37, and included 6 deaths from tuberculous phthisis, 22 deaths from *phthisis*, 3 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 5 deaths from other forms of the disease.

Three deaths were assigned to carcinoma, and 5 deaths were due to *cancer, malignant disease.*

The deaths of 4 infants were registered as being due to prematurity.

Of 12 deaths attributed to diseases of the nervous system, 4 (of children under 5 years of age) were due to *convulsions.*

Twenty-four deaths were due to diseases of the heart and blood-vessels.

Bronchitis caused 10 deaths.

One death was the result of an accident.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 9 children under 5 years of age, including 8 infants under one year old.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 10 were under one month old), and 37 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 6 were octogenarians.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the City was 17·8 (North City Districts, 15·9; South, 19·7), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·2 (0·7 in the North City Districts, and 1·8 in the South), and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (4) are equal to an annual rate of 7·4 per 1,000. They include 3 from *phthisis.*

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Among them are 4 from tuberculous disease, and 2 from diseases of the nervous system.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. *Phthisis* caused 2 deaths, *pneumonia* one, and diseases of the heart and blood-vessels 2.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 16·5 per 1,000. Whooping-cough caused one death, tuberculous disease 5 deaths, and diseases of the heart and blood-vessels 2.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 15·6. The 3 deaths from all causes tabulated for Clontarf and Howth No. 1, part of, comprise one from *diarrhœa*, and two from diseases of the heart and blood-vessels.

No. 1 South City District (South Earl-street).—The deaths (13) represent an annual rate of 17·7 per 1,000. They include one from *diarrhœa*, 3 from tuberculous disease, 3 from diseases of the heart and blood-vessels, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·8 per 1,000. Measles caused 2 deaths, whooping-cough one, and bronchitis 2.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 16·2 per 1,000. Tuberculous disease caused 8 deaths, and diseases of the heart and blood-vessels 2.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Among them are one from *diarrhœa*, 4 from *phthisis*, one from *pneumonia*, and 2 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 18·0; Blackrock, 11·9; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Rathmines and Rathgar, one from whooping-cough for Pembroke, and one from *diarrhœa* for Kingstown. The 14 deaths from all causes tabulated for Rathmines and Rathgar include one from *phthisis*, and 3 from diseases of the heart and blood-vessels. The 9 deaths for Pembroke include one from tuberculous phthisis and one from *pneumonia*, and the 5 deaths from all causes for Kingstown include 2 from *phthisis*, and 2 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; :. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, ecutive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer · Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for ngstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for ə City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar. Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th July, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	June 18,	.	.	.	2	.	.	5	.	7	10	11	.	.	.	35
	June 25,	.	.	.	5	.	.	6	.	2	15	10	.	.	.	38
	July 2,	.	.	.	13	.	.	6	.	10	23	7	.	.	.	59
	July 9,	.	.	.	3	.	.	1	.	2	10	17	.	.	.	33
Rathmines and Rathgar Urban District.	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	2	.	.	1	.	.	.	.	.	.	1	4
	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 9,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
Pembroke Urban District.	June 18,	.	5	.	.	.	.	.	.	1	.	2	.	.	10	18
	June 25,	.	2	.	.	.	.	1	.	.	.	.	.	.	11	14
	July 2,	.	3	.	1	.	.	1	.	.	.	1	.	.	1	7
	July 9,	.	14	.	1	.	.	.	.	.	.	.	.	.	2	17
Blackrock Urban District.	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 9,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Kingstown Urban District.	June 18,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June 25,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	July 9,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
City of Belfast.	June 18,	12	–	.	14	.	.	2	1	11	10	2	.	.	.	52
	June 25,	3	–	.	5	.	.	2	5	12	10	10	.	.	.	47
	July 2,	5	–	.	10	.	.	4	1	6	4	7	1	.	.	38
	July 9,	2	–	.	7	.	.	5	2	2	2	4	.	.	.	24

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th July, 1904.

From this it appears that:—

Thirty-one cases of measles were admitted to hospital during the week, 9 were ischarged, and 83 patients remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 4 cases were discharged, nd 51* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 3 were discharged, and 17 cases emained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 3 cases were discharged, here was one death, and 50 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to ıospital, 10 patients were discharged, there was one death, and 18 cases remained nder treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which he rate was 12·9), was equal to an average annual death-rate of 13·5 per 1,000 persons ving; the average rate for 8 principal towns of Scotland was 15·8 per 1,000, the rate or Glasgow being 16·5, and for Edinburgh 16·2.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke ı the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th July, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 9th July, 1904. Numbers Registered. Births.	Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 9th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th June, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	12	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,093,289	19·2	30·7	17·1	1·2	644	358	71	82	.	5	2	.	6	3	.	3	6	66	42	6	20	94	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	873,994	27·5	27·8	17·9	1·4	202	130	22	33	.	2	.	.	3	.	.	.	5	27	14	1	3	45	§71·2	42·4	57·2	0·12	§70·1	36·4	54·8	0·14	§64·3	46·8	55·4	0·18
City of Dublin	298,385	37·1	31·1	17·8	1·2	175	100	18	19	.	2	.	.	2	.	.	.	3	23	12	.	1	36	a73·8	48·0	59·6	0·11	a72·0	45·1	58·1	0·07	a66·8	50·9	57·2	0·18
																								b71·9	43·0	58·3	0·14	b69·9	39·0	56·2	0·17	b65·2	48·0	56·0	0·22
Urban Districts. Rathmines and Rathgar.	33,208	19·4	12·6	22·0	1·6	8	14	2	7	.	.	.	.	.	.	.	.	1	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	20·0	18·0	2·0	10	9	2	4	.	.	.	.	1	.	.	.	.	1	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	11·9	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	20·7	14·8	3·0	7	5	.	2	.	.	.	.	.	.	.	.	1	2	.	.	.	3	72·7	48·5	60·0	0·07	66·2	45·5	57·1	0·11	66·2	48·5	56·8	0·23
Urban Districts.																																			
Belfast	358,680	24·4	37·1	17·7	1·6	255	122	33	25	.	2	2	.	2	1	.	3	1	20	13	5	12	24	65·5	44·6	55·4	1·21	66·8	45·6	56·4	0·17	63·1	45·1	54·7	0·31
Cork	76,122	33·6	32·2	19·2	1·4	47	28	3	2	.	.	.	.	1	1	.	.	.	5	3	.	3	6	68	47	56·3	0·26	63	48	56·5	0·36	64	45	54·7	0·66
Londonderry	41,397	19·1	22·7	11·3	1·3	18	9	5	1	.	.	.	.	.	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	15·0	15·0	.	11	11	1	6	.	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	31·2	29·2	.	16	15	1	5	.	.	.	.	.	.	.	.	.	4	4	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	23·3	11·7	3·9	6	3	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	64	49	56·3	0·57	68	48	57	0·30	63	46	55	0·59
Dundalk	18,076	2·4	35·9	27·9	.	9	7	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	32·7	4·1	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	37·8	4·2	.	9	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20
Lurgan	11,782	13·8	35·4	17·7	.	8	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20
Lisburn	11,461	10·1	31·3	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20
Wexford	11,168	23·2	28·0	4·7	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	43·1	33·5	.	9	7	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	14·4	38·4	.	3	8	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1	72·4	44·4	55·6	0·33	69·3	35·2	55·6	0·34	65·5	41·3	54·0	0·21
Kilkenny	10,609	11·5	4·2	19·7	.	1	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	75	40	58·1	0·17	67	44	55·6	0·19	66	43	55·4	0·15
Clonmel	10,167	7·8	20·5	5·1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	46·5	5·2	.	9	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20
Tralee	9,867	16·6	42·3	5·3	.	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	5·7	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	44	55·3	0·37	66	45	54·3	0·72	61	47	54·1	0·16
Queenstown	7,909	14·4	26·4	6·6	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	47	56·3	0·26	63	48	56·5	0·36	64	45	54·7	0·66
Armagh	7,588	22·2	18·7	18·7	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18	64·7	47·2	55·6	0·20

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 9th of July, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.	1	5	.
Phthisis,	3	3	2	4	.	.	1	2	.	4	4	.	1	1	.	2	27	1
Other General Diseases,	.	4	1		.	.	.	1	1	4	4	1	4	3	.	.	25	3
Total,	3	7	3	7	1	.	1	4	4	8	9	1	6	5	.	3	62	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	2	1	.	1	.	1	.	2	1	1	.	1	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	2	2	2	1	.	3	1	2	1	.	3	1	2	2	24	.
Respiratory System,	.	1	2	.	.	.	.	2	2	1	4	.	1	1	.	.	14	2
Digestive System,	.	1	.	.	.	.	.	.	1	.	1	1	2	1	.	.	7	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	1	5	6	3	2	2	1	6	4	5	7	2	6	4	2	2	58	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	3	1	.	.	.	.	3	.	.	1	.	1	.	.	.	9	.
E VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Deaths from all Causes,	4	5	10	10	3	2	2	13	8	13	17	3	14	9	2	5	130	8
Annual Rate of Mortality in every 1,000 of the population	7·4	20·0	17·8	16·5	32·5	10·4	15·6	17·7	22·8	16·2	25·2	17·6	22·0	18·0	11·9	14·8	17·9	.
	15·9							19·7					18·3					
	17·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	3	4	1	.	.	1	2	.	1	4	1	2	3	.	.	22	7
Workhouse Hospitals,	1	4	2	2	.	.	.	1	3	3	3	.	.	.	1	3	23	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease week of the ten ye

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1894-1903.	In the Week ending 9th July, 190			
												Deaths of Persons of			
												ALL AGES.	0 to 5.		
	July 7, 1894.	July 6, 1895.	July 4, 1896	July 10, 1897.	July 9, 1898.	July 8, 1899.	July 7, 1900.	July 6, 1901.	July 5, 1902.	July 11, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	° 59·8	° 57·0	° 59·2	° 56·5	° 57·0	° 60·6	° 56·2	° 58·9	° 58·9	° 60·4	° 58·5	° 57·2			
ALL CAUSES.	118	167	172	145	136	156	124	153	149	138	145·8	138	10	12	10
Small-pox, Vaccinated, ...	.	.	.	.		.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	5	.	.	6	.	1·1	2	.	.	2
Scarlet Fever ...	.	2	6	1	2	.	.	.	1	.	1·2	.	.	.	.
Typhus, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	4	2	3	1	3	1	6	.	1	2·4	1	.	.	.
Whooping Cough, ...	1	1	5	2	3	1	3	2	.	1	1·9	3	.	1	1
Diphtheria, ...	.	1	.	2	.	1	.	3	.	.	·7	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	2	·3	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.
Enteric Fever, ...	.	1	3	1	.	3	2	2	2	.	1·4	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	4	7	18	2	.	3	2	1	1 / 1	. / 1	4·0	. / 5	.	. / 2	. / 2
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.
Venereal Disease, ...	.	1	.	1	.	1	.	.	.	1	·4	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	. / . / .	1 / . / .	·1	. / . / .	.	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.
Erysipelas, ...	1	1	.	.	.	.	1	.	.	1	·4	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	2	.	.	.	1	1	.	3	. / .	. / .	·7	2 / .	.	. / .	. / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	19	28	20	24	18	26	26	19	2 / 16	2 / 24	22·4	6 / 22	.	. / .	. / .
Tuberculous Meningitis, (Acute Hydrocephalus).	2	7	6	4	3	8	3	3	4	1	4·1	3	.	1	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	6	4	6	2	5	2	2	6	2 / 2	. / 1	3·8	1 / .	.	. / .	. / .
Tuberculous Dis. (other), ... *Scrofula*, ...	.	2	3	4	3	3	6	5	4 / .	3 / .	3·3	5 / .	.	1 / .	. / .
Alcoholism, ...	.	.	.	2	1	.	.	1	.	1	·5	1	.	.	.
Rheumatic Fever, ...	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.
Gout, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.

* The figures for the years 1894-1

TY-SEVENTH WEEK ending Saturday, 9th July, 1904, with the deaths rom each cause in the corresponding erage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1894–1903.	In the Week ending Saturday, 9th July, 1904. Deaths of Persons of the Ages of							
	July 7, 1894.	July 6, 1895.	July 4, 1896.	July 10, 1897.	July 9, 1898.	July 8, 1899.	July 7, 1900.	July 6, 1901.	July 5, 1902.	July 11, 1903.		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 59·8	° 57 0	° 59·2	° 56·5	° 57·0	° 60·6	° 56·2	° 58·9	° 58·9	° 60·4	° 58·5	Mean Temp. ° 57·2							
na									.	3		3	.	.	.	.	2	1	.
... ...	2	2	6	7	6	5	3	7	.	.	4·7	.	.	.	.	.	.	.	.
talignant Disease ...									2	4		5	.	.	.	.	1	4	.
Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
re Birth	4	2	1	3	4	5	3	4	3	2	3·1	4	4	.	.	.	.	.	.
is (not tuberc.)									4	1		3	.	2	.	.	1	.	.
G. P. of Insane									1	.		2	.	.	.	1	1	.	.
... ...									.	1		.	.	.	.	.	.	.	.
ms									5	4		4	2	1	1	.	.	.	.
or Ataxy									.	.		1	.	.	.	.	1	.	.
ia Dis. of Cord									2	3		.	.	.	.	.	.	.	.
System (other Dis.) ...	25	36	31	30	32	34	22	33	2	2	30·8	2	.	.	1	.	1	.	.
s., Endocarditis									4	6		7	.	.	.	2	.	2	3	.
Hæm. Thromb.									.	2		2	.	.	.	.	.	1	1
, *Hemiplegia*									3	2		2	.	.	.	.	1	1	.
m									.	.		.	.	.	.	.	.	.	.
n, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.
d Blood Vessel Dis. ..									10	10		13	.	.	.	.	6	5	2
ot Spasm. or Memb.) ...	.	2	.	.	1	.	2	.	.	.	·5	.	.	.	.	.	.	.	.
is	7	16	5	4	10	12	8	8	11	6	8·7	10	.	2	1	.	1	6	.
s Pneumonia									.	1		.	.	.	.	.	.	.	.
-Pneumonia	7	9	10	7	6	11	5	5	3	6	9·2	.	.	.	.	.	.	.	.
mia"									14	8		5	.	.	1	1	1	2	.
Emphysema									.	.		1	.	.	.	.	1	.	.
... ...	.	4	2	7	1	1	.	2	1	1	2·3	.	.	.	.	.	.	.	.
ory Dis. (other)									1	3		.	.	.	.	.	.	.	.
is, Quinsy	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.
(not Epid.)	2	.	2	.	1	.	.	1	.	.	·7	1	.	.	.	.	1	.	.
nteritis									1	.		1	.	.	.	.	1	.	.
tis (not Puerp.)	1	.	.	1	.	1	.	.	.	.	·3	1	.	.	.	.	.	1	.
s of Liver	2	3	.	1	.	.	1	2	.	.	1·1	2	.	.	.	1	.	.	1
s. (other)									1	1		1	.	.	.	.	1	.	.
e Dis. (other)	2	3	8	6	6	2	2	7	1	2	3·9	2	.	.	.	.	.	2	.
is, Acute									1	3		.	.	.	.	.	.	.	.
Dis., Albuminuria ...	2	2	3	7	3	3	3	6	.	5	3·8	1	.	.	.	.	1	.	.
Sys. (Other Dis.) ...									.	.		1	.	.	.	.	.	1	.
ive Organs Dis.	.	1	2	.	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.
th (Accid. of)	.	.	.	.	.	.	.	1	3	.	·4	.	.	.	.	.	.	.	.
... ...	8	13	9	7	10	9	10	7	12	2	8·7	2	.	.	.	.	.	.	2
iseases	8	12	18	12	14	10	11	11	12	14	12·2	9	4	2	1	.	1	1	.
ACCIDENT.																			
ways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
cles and Horses	.	.	.	1	.	.	.	2	3	.	·6	.	.	.	.	.	.	.	.
, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
wning)																			
ing Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
is, Scalds, Explosions ...	.	1	.	1	2	.	2	.	.	1	·7	.	.	.	.	.	.	.	.
vning	3	.	2	.	.	.	.	2	2	2	1·1	.	.	.	.	.	.	.	.
cation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
eaths by Accidents ...	4	2	1	.	1	2	3	2	2	2	1·9	1	.	.	.	.	.	1	.
LENCE OTHER THAN ACCIDENTAL.																			
le	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	3	.	.	1	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																										
	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
Births registered,	202	203	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202
*Average Births in corresponding week of previous 10 years,**	205	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194
Deaths registered,	216	195	196	233	207	223	206	201	213	218	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	188
Annual Death-rate per 1,000,	29·7	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0
*Average Deaths in corresponding week of previous 10 years,**	225	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	14
Ages, Under 5 years,	50	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32
5—20 „	13	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11
20—40 „	45	33	35	33	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42	30	15	21
40—60 „	47	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37
60—80 „	49	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28	31
80 years and upwards,	12	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	.	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2
„ Scarlet Fever	.	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Whooping-cough,	5	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3
„ Diphtheria,	.	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.
„ Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
„ Enteric Fever,	3	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.
„ Diarrhœal Diseases,	3	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5
„ Phthisis,	30	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28
„ Diseases of Heart and Blood Vessels,	36	26	30	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24
„ Diseases of Respiratory System,	45	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16
Violent Deaths,	5	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1
Mean Temperature of the Air (Phœnix Park),	39·4	42·4	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	58·1	56·3	55·4	54·8	57·2
Average Mean Temperature in corresponding week of previous 10 years,	39·1	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5
Rainfall in inches,	·546	·135	·280	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145	·186	·195	1·150	·505	·725	·180	·140	·120
Mean Humidity of the Air, complete Saturation 1·0,	·88	·94	·79	·98	·88	·90	·88	·80	89	87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th July, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 9th July, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	19·2	138	32	11	21	37	31	6	.	2	.	.	3	.	.	.	5	10	28	4	16	1	79
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9·0	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS,	87,188	16·1	27	1	3	2	10	7	4	.	.	.	.	.	.	.	.	.	.	3	.	1	1	22
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	14·2	30	9	1	5	7	8	.	.	2	.	.	3	.	.	.	.	5	9	.	3	.	13
IV.	GENERAL SERVICE CLASS,	154,279	25·4	54	20	5	9	17	3	.	.	.	.	.	.	.	.	.	3	3	12	4	7	.	28
V.	INMATES OF WORKHOUSES,	6,024		24	2	2	5	3	10	2	.	.	.	.	.	.	.	.	2	2	4	.	5	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	6. Clerks and Commercial Assistants,	30,432	12·0	7	.	.	1	3	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	30·9	16	.	2	1	6	5	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	12
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	29,801	14·0	8	4	.	.	1	3	.	.	1	.	.	1	.	.	.	.	2	2	.	1	.	3
	10. Clothing Trades,	28,260	15·7	7	1	1	.	3	2	.	.	1	.	.	1	.	.	.	.	2	1	.	2	.	2
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	1	.	4	2	2	.	.	.	.	.	1	.	.	.	.	1	5	.	.	.	3
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	2	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	15. Domestic Servants,	36,603	15·7	11	2	1	5	3	.	.	.	.	.	.	.	.	.	.	.	.	4	2	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	19·1	33	14	3	3	11	2	.	.	.	.	.	.	.	.	.	3	3	8	1	4	.	17
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	24	2	2	5	3	10	2	.	.	.	.	.	.	.	.	2	2	4	.	5	.	13

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	May 21,	29·4	5·5	16	.	.	.	.	2	.	.	1	.	1	2	.
	„ 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	3	.
	June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
	„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
	„ 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	May 21,	20·0	1·3	15	.	.	.	.	1	.	.	.	.	1	4	.
	„ 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
	June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
	„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
	„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	July 2,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	2	4	2
	„ 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	May 21,	15·6	3·5	9	.	2	.	.	.	.	.	.	.	2	.	.
	„ 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
	„ 11,	13·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
	„ 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	„ 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	May 21,	23·0	.	14	.	.	.	.	.	.	.	.	.	1	4	1
	„ 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
	„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	May 21,	25·8	1·4	19	.	.	.	.	1	.	.	.	.	5	5	1
	„ 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
	June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
	„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
	„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
	„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	May 21,	28·5	2·9	10	.	.	.	.	1	.	.	.	.	3	2	.
	„ 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
	June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
	„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
	„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
	„ 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	May 21,	27·4	1·2	22	.	.	.	.	.	.	.	1	.	2	5	.
	„ 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
	June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
	„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
	„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
	„ 25,	28·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
	„ 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,138	May 21,	26·7	3·0	18	.	.	.	.	.	1	.	.	1	5	1	1
	„ 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	8	1
	June 4,	10·4	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
	„ 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
	„ 25,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	May 21,	11·0	.	7	.	.	.	.	.	.	.	.	.	2	1	.
	„ 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 18,	28·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	„ 25,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	18	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	May 21,	10·0	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	„ 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	May 21,	23·7	.	8	.	.	.	.	.	.	.	.	.	.	6	.
	„ 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
Belfast. Pop. in 1904 (Est.) 358,660.	May 21,	21·4	2·2	147	.	3	1	.	7	.	.	3	.	32	22	1
	„ 28,	19·5	1·6	134	.	1	2	.	6	.	.	.	4	24	29	1
	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	„ 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	„ 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	12	30	2
	„ 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	„ 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
Cork. Pop. (in 1901) 76,122.	May 21,	18·5	1·4	27	.	.	.	.	1	.	.	1	.	2	6	.
	„ 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	„ 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	„ 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	„ 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
Londonderry. Pop. in 1904 (Est.) 41,397	May 21,	22·7	1·3	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	„ 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	„ 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	„ 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	„ 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
Limerick. Pop. (in 1901) 38,151.	May 21,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	.	1
	„ 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	„ 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	„ 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,769.	May 21,	33·1	1·9	17	.	.	.	.	.	.	.	.	1	3	3	.
	„ 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 9th July, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	9	24·8	3·5	7	1	1	2	3	.	.	.	.	1	.	.	.	.	1	4	.	1	3
Do. 2 "	47,959	21	17·4	1·1	16	5	1	7	3	.	.	.	.	.	.	.	.	1	2	1	2	2	2
Do. 3 "	47,214	31	12·1	.	11	3	.	4	4	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 4 "	40,911	46	21·7	.	17	5	.	12	.	.	.	.	.	.	.	.	.	.	4	2	.	.	6
Do. 5 "	17,887	12	18·0	6·0	6	.	1	5	.	.	.	1	.	.	.	.	1	.	2	.	.	.	1
Do. 6 "	48,122	32	14·1	2·2	13	5	.	6	2	.	.	.	.	.	1	.	1	.	2	.	.	.	2
Do 7 "	1,524	1	..	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 "	5,080	7	20·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 "	19,569	8	18·3	2·7	5	1	.	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3
Do. 10 "	28,064	28	20·3	.	9	2	2	2	3	.	.	.	.	.	.	.	.	.	1	1	.	2	1
Do 11 "	34,802	28	30·0	4·5	20	6	1	6	7	.	1	1	.	1	.	.	.	.	4	2	3	4	5
Do. 12 "	33,588	28	18·6	1·6	12	3	1	6	2	.	1	.	.	.	.	.	.	.	2	2	.	.	1
Do 13 "	15,006	9	10·4	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	255	18·2	1·6	122	33	8	56	25	.	2	2	.	2	1	.	3	1	20	13	5	12	24
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	16·2	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Do. 2 "	10,701	7	19·5	4·9	4	.	1	3	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
Do. 3 "	9,978	7	10·5	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 4 "	8,666	9	12·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 "	6,592	2	23·7	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Do. 6 "	10,702	5	14·6	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	11	31·4	3·1	10	.	3	6	1	.	.	.	.	1	.	.	.	.	.	.	.	2	2
Total	76,122	47	19·2	1·4	28	3	5	18	2	.	.	.	.	1	1	.	.	.	5	3	.	3	6

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																										
	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.
No of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered,	213	215	188	190	201	209	263	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255
DEATHS registered.	199	140	149	150	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122
Annual Death-rate per 1,000 of estimated Population.	28·9	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7
AGES, Under 1 year,	48	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33
AGES, 1–5 years,	19	13	18	17	25	18	16	17	21	31	28	26	22	25	18	20	20	21	18	22	13	18	22	19	13	8
AGES, 5–60 years,	85	62	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56
AGES, 60 years and upwards,	47	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.
" Whooping cough,	9	5	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2
" Diphtheria,	.	2	.	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1
" Simple Continued Fever,	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	3	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3
" Diarrhœal Diseases,	1	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1
" Phthisis	23	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20
" Diseases of Respiratory System,	82	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13
Violent Deaths,	3	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th July, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	2	3	3	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	.	1	11	.	.	13
" " 2,	.	.	.	.	.		1	.	.	.	3	.	.	4
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	.	.	3	.	.	1	.	2	10	17	.	.	33

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th July, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th July.			
	June 18.	June 25.	July 2.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	44	56	61	31	9	.	83
Scarlet Fever,	33	37	44	11	4	.	51*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	16	13	14	6	3	.	17
Enteric Fever,	26	42	50	4	3	1	50
Pneumonia,	27	24	22	7	10	1	18

*Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
LONDON,	4,649,088	July 9,	2,526	1,154	12·9	.	53	9	7	27	1	39
EDINBURGH,	331,977	„ 9,	151	103	16·2	1	1	.	1	6	2	2
GLASGOW,	798,357	„ 9,	468	253	16·5	2	2	.	1	13	4	10
CALCUTTA,	847,793	May 7,	.	621	38·0	6	2	.	1	.	92‡	136*
BOMBAY,	776,006	June 7,	294	524	35·1	12	4	.	.	.	26‡	61
MADRAS,	509,346	May 27,	345	355	36·2	.	4	?	?	?	76	74
PARIS,	2,660,559	June 25,	1,033	711	12·9	.	16	3	4	5	2	22
BRUSSELS (with 8 Faubourgs).	586,936	„ 18,	220	119	10·6	.	.	.	2†	1	.	12
AMSTERDAM,	548,137	„ 18,	304	144	13·7	.	12	.	2	3	1	9
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	June 18,	200	129	16·4	.	2	.	.	3	.	7
CHRISTIANIA,	223,649	„ 25,	116	63	14·6	.	.	1	.	.	.	.
ST. PETERSBURG,	1,248,122	„ 25,	551	603	25·2	4	32	18	18†	7	13	65
BERLIN,	1,960,909	„ 11,	812	594	15·8	.	13	4	4†	10	2	39
HAMBURG,	751,842	„ 18,	.	218	15·1	.	3	2	2†	4	1	22
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	June 25,	.	191	19·1	.	3	1	.	2	.	27
VIENNA (with suburbs).	1,797,992	„ 25,	970	614	17·8	.	43	.	7†	3	1	87
BUDA-PESTH	813,399	„ 25,	443	261	16·7	.	9	4	4	.	.	31
PRAGUE and Faubourgs.	426,402	„ 18,	230	171	20·8	.	1	.	1†	.	2	12
ROME,	496,201	Apr. 2,	266	188	19·8	.	6	.	4	.	3	7
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	May 28,	85	74	23·2	.	1	.	.	.	1	3
NEW YORK,	3,838,024	June 11,	1,923	1,222	16·6	1	18	15	35†	6	7	60
PHILADELPHIA,	1,408,154	„ 4,	.	465	17·2	5	5	12	9†	1	19	23

* Including 100 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 171 deaths from bubonic fever in Calcutta and 78 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 9th July, 1904:—

"At first cloudy, showery and somewhat squally, the weather improved in the middle of the week, becoming bright, warm and summerlike, and so continued to the end. On Sunday morning an atmospheric depression was central to the northward of the Hebrides, and in the course of the day some local secondaries passed eastward across the British Isles, causing heavy showers in many places and thunder in parts of England and Scotland. On Monday another depression approached Scotland from the Atlantic, causing the wind to back to S.W. and freshen, with clouds and a renewal of showers. This disturbance had reached the Shetlands by Tuesday morning, and an improvement in the weather took place as it travelled away. Yet a third depression arrived off the N.W. of Scotland on Wednesday morning, but its unsettled weather affected only the North of Ireland and the greater part of Scotland. An anticyclone now spread over Ireland, England and France, so that the weather became bright and warm in these countries on Wednesday. Thursday, however, was dull in the midland counties and south of England, whereas Dublin enjoyed some 15 hours of bright sunshine on both Thursday and Friday. The latter day was fair and hot in England also. Saturday was cloudy in the morning, but afterwards brilliant—in the course of the day electrical clouds appeared in the northern sky and a light easterly sea-breeze came in along the coast. In Dublin the mean height of the barometer was 30·083 inches—the extremes being—lowest, 29·862 inches at 9 p.m. of Monday (wind, W.S.W.); highest, 30·276 inches at 9 a.m. of Saturday (wind, N.W.). The corrected mean temperature was 59·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·7°. The screened thermometers rose to 73·8° on Friday, having fallen to 48·0° on Thursday. Bright sunshine was estimated at 55½ hours, 15½ hours falling on Friday and 15 on Thursday. Rain fell on two days to the amount of ·114 inch, ·059 inch being measured on Monday. The prevalent wind was W.N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·102 inches. The highest reading (30·294) was on Saturday at 9 a.m., wind W.S.W., and the lowest (29·881) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 57·2°, being 1·3° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 71·2° and was lowest on Thursday, the mercury having fallen to 42·4°. The mean of the Dry Bulb for the week was 56·4° and of the Wet Bulb 53·6°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 53·5 hours. The rainfall during the week measured ·120 inch.

At Greenwich the mean temperature for the week was 63·2°, the maximum 82·2°, and the minimum 49·2°; at Glasgow the maximum was 63·2°, the minimum 48·0°, and the mean 55·5°; and at Edinburgh the maximum was 68·5°, the minimum 46·8°, and the mean 55·7°. The rainfall at Greenwich measured 0·22 inch; at Glasgow 0·48 inch; and at Edinburgh 0·15 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 3,	29·964	61·3	47·0	54·2	53·1	50·6	·75	·4	7·8	·020	W.S.W.	W.
Monday, „ 4,	29·948	61·3	48·9	55·1	56·3	52·9	·79	·6	0·1	·095	S.W.	S.W.
Tuesday, „ 5,	29·975	65·1	54·4	59·8	57·7	55·8	·88	·3	3·6	·005	W.S.W.	W.S.W.
Wednesday, „ 6,	30·048	66·8	52·2	59·5	57·0	55·1	·88	·3	1·5	—	S.W.	Calm.
Thursday, „ 7,	30·260	66·0	42·4	54·2	55·5	51·1	·73	·3	15·2	—	W.	W.
Friday, „ 8,	30·265	70·3	44·9	57·6	57·8	54·2	·78	·4	14·8	—	S.W.	W.
Saturday, „ 9,	30·256	71·2	48·3	59·8	57·7	55·7	·87	·2	10·5	—	W.S.W.	Calm.
Mean, . .	30·102	66·0	48·3	57·2	56·4	53·6	·81	·4	Total 53·5	·120	Prevailing Wind, W. and S.W.	

Sunday—A cloudy and showery day; night cloudy. *Monday*—A dull showery day; night overcast, drizzling rain 3.30 a.m. to 4.30 a.m. *Tuesday*—Overcast, showers a.m., fine, cloudy p.m.; night cloudy. *Wednesday*—A fine but dull day; night cloudy. *Thursday*—A beautiful day, light clouds; night clear. *Friday*—A beautiful day; night clear. *Saturday*—A beautiful day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. 7. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 16TH JULY, 1904. [No. 28.

General Register Office, Charlemont House, Dublin, 18*th July,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending June 25.	Week ending July 2.	Week ending July 9.	Week ending July 16.	Average Rate for 4 weeks.	Towns, &c.	Week ending June 25.	Week ending July 2.	Week ending July 9.	Week ending July 16.	Average Rate for 4 weeks.
22 Town Dists.	17·5	17·4	17·1	17·5	17·4	Lisburn, . .	22·7	18·2	.	9·1	12·5
Armagh, . .	20·6	.	13·7	27·5	15·5	Londonderry .	12·6	20·2	11·3	17·6	15·4
Ballymena, .	14·4	9·6	33·5	33·3	23·9	Lurgan, . .	8·9	.	17·7	4·4	7·8
Belfast, . .	17·6	17·3	17·7	16·6	17·3	Newry, . .	12·6	21·0	4·2	4·2	10·5
Clonmel, . .	20·5	15·4	5·1	5·1	11·5	Newtownards, .	11·4	45·8	5·7	17·2	20·0
Cork, . . .	19·2	14·4	19·2	13·7	16·6	Portadown, .	.	5·2	5·2	15·5	6·5
Drogheda, . .	8·2	8·2	4·1	4·1	6·2	Queenstown, .	19·8	13·2	6·6	19·8	14·9
Dublin Reg. Area,	19·5	16·5	17·9	19·3	18·3	Sligo, . . .	4·8	4·8	38·4	28·8	19·2
Dundalk, . .	8·0	12·0	27·9	12·0	15·0	Tralee, . .	10·6	63·4	5·3	21·1	25·1
Galway, . .	11·7	31·1	11·7	38·8	23·3	Waterford, .	13·6	13·6	29·2	21·4	19·4
Kilkenny, . .	39·3	9·8	19·7	19·7	22·1	Wexford, . .	18·7	37·4	4·7	18·7	19·9
Limerick, . .	15·0	27·3	15·0	12·3	17·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·6 in Queenstown. Among the 114 deaths from all causes registered in Belfast are one from measles, 3 from whooping-cough, 3 from enteric fever, and 3 from diarrhœal diseases; and the 14 deaths from all causes in Londonderry include one from diphtheria and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 172—93 boys and 79 girls; and the deaths to 146—80 males and 66 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·1 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 19·3 per 1,000. During the twenty-eight weeks ending with Saturday last the death-rate averaged 25·7, and was 1·4 below the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths include 10 from measles, one from influenza, 3 from whooping-cough, one from diphtheria, 2 from enteric fever, and 2 from *diarrhœa.* Not one death was registered from small-pox, scarlet fever, or typhus. In the 3 weeks preceding, one, 2, and 2 deaths, respectively, from measles were registered.

There were 2 deaths from broncho-pneumonia and 6 deaths from *pneumonia.*

The 27 deaths from tuberculous disease include 6 from tuberculous phthisis, 15 from *phthisis,* 2 from tuberculous meningitis, one from tuberculous peritonitis, and 3 from other forms of the disease.

Two deaths from carcinoma and 3 from *cancer, malignant disease* were recorded.

The deaths of 3 infants were assigned to prematurity.

Of 13 deaths classified to diseases of the nervous system, 10 (all being children under 5 years of age) were attributed to *convulsions.*

Seventeen deaths were attributed to diseases of the heart and blood-vessels.

There were 17 deaths from bronchitis.

Of three deaths due to accidental causes, one was by drowning.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year old.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 15 were under one month old) and 32 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a woman) was stated to have been aged 96 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·3 per 1,000; the rate in the City was 21·1 (North City Districts, 19·0; South, 23·4), and in the Suburbs, 12·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·2 (3·1 in the North City Districts, and 3·3 in the South) and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. Measles and diphtheria each caused one death, enteric fever caused 2 deaths *phthisis* caused 2 deaths, and tuberculous meningitis caused one death.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·0 per 1,000. Three deaths were due to measles, one to whooping-cough, one to broncho-pneumonia one to *pneumonia,* and 4 to tuberculous disease.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·1 per 1,000. Influenza and *diarrhœa* each caused one death, tuberculous disease caused 7 deaths, and one death was due to bronchitis.

No. 3 North City District (Benburb-street).—The deaths (6) represent an annual rate of 9·9 per 1,000. There was one death from tuberculous disease, 2 deaths from bronchitis, and one death from accident.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 20·8 per 1,000 inhabitants; Finglas and Glasnevin, part of, 15·6; and Clontarf and Howth, No. 1, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. One death from measles, 2 deaths from whooping-cough, 2 deaths from tuberculous phthisis 3 deaths from *pneumonia,* and one accidental death, were registered.

No. 2 South City District (Castle-street).—The deaths (13) are equal to an annual rate of 37·1 per 1,000. Three deaths from measles, one death from *diarrhœa,* and one death from *pneumonia,* were registered.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·6 per 1,000. Two deaths from measles, one death from broncho-pneumonia, and one accidental death, were registered.

No. 4 South City District (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·1 per 1,000. There were 3 deaths from tuberculous disease, and 2 from bronchitis.

New Kilmainham District.—There was no death tabulated for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 14·0; Blackrock, 0.0; and Kingstown, 11·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 10 deaths from all causes tabulated for Rathmines and Rathgar include 2 from tuberculous disease, 2 from diseases of the nervous system, and 3 from diseases of the heart and blood-vessels; the 7 deaths from all causes for Pembroke include 3 from diseases of the heart and blood-vessels, and 2 from bronchitis and the 4 deaths from all causes tabulated for Kingstown include 3 from *phthisis.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th July, 1904, and each of the preceding three weeks.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	June 25,	.	.	.	5	.	.	6	.	2	15	10	.	.	.	38
	July 2,	.	.	.	13	.	.	6	.	10	23	7	.	.	.	59
	July 9,	.	.	.	3	.	.	1	.	2	10	17	.	.	.	33
	July 16,	.	.	.	6	.	.	4	.	1	4	11	.	.	.	26
Rathmines and Rathgar Urban District.	June 25,	.	.	.	2	.	.	1	.	.	.	.	.	.	1	4
	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 9,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	July 16,	.	.	.	5	.	.	1	.	.	1	.	.	.	.	7
Pembroke Urban District.	June 25,	.	2	.	.	.	.	1	.	.	.	.	.	.	11	14
	July 2,	.	3	.	1	.	.	1	.	.	.	1	.	.	1	7
	July 9,	.	14	.	1	.	.	.	.	.	.	.	.	.	2	17
	July 16,	.	10	.	.	.	.	2	.	.	1	.	.	.	3	16
Blackrock Urban District.	June 25,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 9,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	July 16,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
Kingstown Urban District.	June 25,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	July 9,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	July 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	June 25,	3	–	.	5	.	.	2	5	12	10	10	.	.	.	47
	July 2,	5	–	.	10	.	.	4	1	6	4	7	1	.	.	38
	July 9,	2	–	.	7	.	.	5	2	2	2	4	.	.	.	24
	July 16,	2	–	.	8	.	.	3	.	8	4	4	.	.	.	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th July, 1904.

From this it appears that:—

Twenty-two cases of measles were admitted to hospital during the week, 24 were discharged, 4 died, and 77 patients remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 10 cases were discharged, and 50* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 4 were discharged, and 19 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 4 cases were discharged, there was one death, and 50 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 9 patients were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·9), was equal to an average annual death-rate of 13·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·8 per 1,000, the rate for Glasgow being 15·3, and for Edinburgh 13·4.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th July, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 16th July, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 16th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	24·2	17·5	1·6	508	366	78	84	.	11	.	.	7	2	.	5	9	56	55	7	10	112	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	373,994	27·5	28·7	19·3	2·5	172	140	35	32	.	10	.	.	3	1	.	2	2	21	24	5	4	58	§71·8	46·2	58·8	0·40	§71·2	42·4	57·2	0·12	§70·1	36·4	54·8	0·14
City of Dublin	293,385	37·1	25·8	21·1	3·2	145	119	32	25	.	10	.	.	3	1	.	2	2	18	21	3	3	54	a72·5 b72·9	50·3 44·3	61·4 59·5	0·38 0·32	a73·8 b71·9	48·0 43·0	59·6 58·3	0·11 0·14	a72·0 b69·9	45·1 39·0	58·1 56·2	0·07 0·17
Urban Districts. Rathmines and Rathgar	33,208	19·4	11·0	15·7	.	7	10	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	14·0	.	8	7	1	3	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	6·0	.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	33·5	11·8	.	11	4	.	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.	71·2	51	61·0	0·17	72·7	48·5	60·0	0·07	66·2	45·5	57·1	0·11
Urban Districts.																																			
Belfast	358,680	24·4	25·3	16·6	1·5	174	114	28	22	.	1	.	.	3	.	.	3	3	18	20	.	3	31	71·1	50·1	61·1	1·08	65·5	44·6	55·4	1·21	66·3	45·6	56·4	0·17
Cork	76,122	33·6	21·2	13·7	.	31	20	3	7	.	.	.	.	.	.	.	.	.	3	4	1	2	3	72	51	59·9	1·79	68	47	56·3	0·26	63	48	56·5	0·36
Londonderry	41,397	19·1	26·5	17·6	5·0	21	14	1	1	.	.	.	.	.	1	.	.	3	1	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	26·0	12·3	.	19	9	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	25·3	21·4	1·9	13	11	4	5	.	.	.	.	.	.	.	.	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	19·4	38·8	.	5	10	3	1	.	.	.	.	.	.	.	.	.	4	2	.	.	3	83	45	62	0·72	64	49	56·3	0·57	68	48	57	0·30
Dundalk	18,076	3·4	35·9	12·0	.	9	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	4·1	4·1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	4·2	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18
Lurgan	11,782	13·8	62·0	4·4	.	14	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18
Lisburn	11,461	10·1	18·2	9·1	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18
Wexford	11,168	23·2	9·3	18·7	.	2	4	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	22·7	38·3	.	6	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	38·4	28·8	.	8	6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	79·0	39·0	61·3	0·72	72·4	41·4	55·6	0·33	69·3	35·2	55·6	0·34
Kilkenny	10,609	11·5	9·8	19·7	.	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	78	45	61·3	0·98	75	40	58·1	0·17	67	44	55·6	0·19
Clonmel	10,187	7·8	.	5·1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	36·2	15·5	.	7	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18
Tralee	9,867	16·6	42·3	21·1	.	8	4	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	17·2	17·2	.	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	69	50	57·8	1·22	67	44	55·3	0·37	66	45	54·3	0·72
Queenstown	7,909	14·4	13·2	19·8	6·6	2	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	72	51	59·9	1·79	68	47	56·3	0·26	63	48	56·5	0·36
Armagh	7,588	22·2	6·9	27·5	.	1	4	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	3	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29	68·2	40·3	56·1	0·18

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the stations nearest to them have been substituted for those

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 16th of July, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DROMCONDRA, No. 1 (part of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	3	.	.	.	.	.	1	3	2	.	.	.	.	.	.	10	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Phthisis,	2	4	6	.	.	1	.	2	.	.	3	.	.	.	.	3	21	.
Other General Diseases,	1	1	5	8	.	1	1	8	1	2	1	.	3	1	.	.	23	3
Total,	7	9	12	8	.	2	1	8	5	4	4	.	3	1	.	3	62	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	1	.	.	.	.	.	2	1	4	1	.	2	.	.	.	13	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	.	1	.	.	.	.	2	2	4	2	.	3	3	.	.	17	.
Respiratory System,	.	3	2	2	.	1	.	6	3	2	2	.	.	2	.	1	24	2
Digestive System,	.	2	.	.	.	.	.	1	.	2	.	.	.	.	.	.	5	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	1	1	.	.	1	.	1	.	.	.	5	1
Generative System,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	6	4	2	.	2	1	12	6	12	6	.	6	5	.	1	65	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	1	.	.	.	.	1	2	2	.	.	.	.	.	.	8	.
E VIOLENT DEATHS,	.	.	.	1	.	.	.	1	.	1	.	.	1	1	.	.	5	.
Deaths from all Causes,	9	17	17	6	.	4	2	22	13	19	10	.	10	7	.	4	140	6
Annual Rate of Mortality in every 1,000 of the population	16·6	23·6	29·4	9·9	.	20·8	15·6	29·9	37·1	23·6	14·8	.	15·7	14·0	.	11·8	19·3	.
	9·0							23·4					12·8					
	21·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	3	2	4	3	.	1	.	2	1	5	2	.	.	.	.	.	23	6
Workhouse Hospitals	.	6	7	2	.	2	.	6	3	3	2	.	3	1	.	.	35	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1894-1903.	In the Week ending Sa 16th July, 1904. Deaths of Persons of the				
	July 14, 1894.	July 13, 1895.	July 11, 1896.	July 17, 1897.	July 16, 1898.	July 15, 1899	July 14, 1900.	July 13, 1901.	July 12, 1902.	July 18, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 56·6	° 58·5	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 59·8	° 58·2	° 56·9	° 58·9	Mean Temp. ° 58·8				
ALL CAUSES.	121	134	170	162	124	173	127	157	129	124	142·1	146	15	21	18	10
Small-pox, Vaccinated, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	7	.	.	6	.	1·4	10	.	4	6	.
Scarlet Fever	.	.	1	1	1	.	.	1	.	3	·7	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	2	1	1	.	.	1	1	.	.	·6	1	.	1	2	.
Whooping Cough, ...	3	.	7	3	1	4	4	4	2	1	2·9	3	.	.	.	1
Diphtheria, ...	.	1	.	.	.	3	.	1	1	1	·7	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	2	3	1	4	.	1	2	.	4	.	1·7	2	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	1	10	20	2	1	6	1	4	1 / 3	. / 1	5·0	. / 2	. / 1	. / .	. / 1	. / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	.	.	1	1	2	1	1	·7	2	1	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	1	1	.	.	. / . / .	. / . / .	·2	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	1	.	.	.	.	·2	1	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	1	.	2	.	1	1	.	.	. / .	1 / .	·6	. / .	. / .	. / .	. / .	. / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	20	22	20	21	23	33	31	25	1 / 13	4 / 22	23·5	6 / 15	. / .	. / .	. / .	1 / 1
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	4	5	4	6	5	4	1	1	3·7	2	.	1	1	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	4	7	1	3	7	1	4	3 / .	1 / 4	3·7	1 / .	. / .	. / .	. / .	1 / .
Tuberculous Dis. (other), ... *Scrofula*, ...	3	.	3	7	5	4	1	5	2 / .	6 / .	3·6	3 / .	. / .	. / .	. / .	1 / .
Alcoholism, ...	.	2	.	2	.	1	2	2	.	1	1·0	1	.	.	.	.
Rheumatic Fever, ...	.	1	1	.	2	.	.	1	.	2	·7	1	.	.	.	.
Gout, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894-1900

TY-EIGHT WEEK ending Saturday, 16th July, 1904, with the deaths from each cause in the corresponding erage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1894-1903.	In the Week ending Saturday, 16th July, 1904.							
												Deaths of Persons of the Ages of							
	July 14, 1894.	July 13, 1895.	July 11, 1896.	July 17, 1897.	July 16, 1898.	July 15, 1899.	July 14, 1900.	July 13, 1901.	July 12, 1902.	July 18, 1903.		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
ean Temperature.	° 56·6	° 58·5	° 58·4	° 59·8	° 60·7	° 59·0	° 60·8	° 59·8	° 58·2	° 56·9	° 58·9	Mean Temp. ° 58·8							
a	4	6	10	6	5	11	5	4	3	2	6·0	2	.	.	.	.	2	.	.
... ...									.	.		.	.	.	.	.	.	.	.
alignant Disease ...									3	1		3	.	.	.	1	2		.
Mellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
re Birth	1	.	4	3	4	4	2	4	2	3	2·7	3	3	.	.	.	.	.	.
is (not tuberc.)									3	2		1	.	.	.	1	.	.	.
G. P. of Insane									1	2		.	.	.	.	.	.	.	.
.. ..									.	.		2	.	.	.	1	1	.	.
ns									3	7		10	1	7	2	.	.	.	.
or Ataxy									.	.		.	.	.	.	.	.	.	.
a Dis. of Cord									.	.		.	.	.	.	.	.	.	.
System (other Dis.) ...	20	24	31	44	30	23	20	35	.	1	28·1	.	.	.	.	.	.	.	.
, Endocarditis									2	1		5	.	.	.	.	2	.	2	1
fem. Thromb.									1	2		.	.	.	.	.	.	.	.
Hemiplegia									3	3		6	.	.	.	.	2	2	2	.
n									.	.		.	.	.	.	.	.	.	.
n, Thromb. (not cerebral)									.	1		.	.	.	.	.	.	.	.
d Blood Vessel Dis. ..									12	10		6	.	.	.	.	1	4	1
ot Spasm. or Memb.) ...	1	1	1	1	.	1	.	1	1	.	·7	.	.	.	.	.	.	.	.
is	12	14	10	12	10	12	11	10	13	7	11·1	17	2	2	2	.	4	6	1
Pneumonia									.	.		.	.	.	.	.	.	.	.
Pneumonia	4	5	5	11	8	7	7	8	3	1	6·4	2	.	.	1	.	1	.	.
nia"									3	2		6	.	.	1	.	2	1	.
Emphysema									.	.		.	.	.	.	.	.	.	.
... ...	3	1	1	3	3	.	2	2	.	1	2·3	.	.	.	.	.	.	.	.
ory Dis. (other)									4	3		1	.	.	.	.	1	.	.
s, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
(not Epid.)	1	.	.	1	.	2	1	.	.	1	·8	.	.	.	.	.	.	.	.
nteritis									1	1		.	.	.	.	.	.	.	.
s (not Puerp.)	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.
of Liver	4	5	.	1	1	.	1	5	.	.	2·0	2	.	.	.	.	1	1	.
. (other)									2	1		2	1	.	.	.	1	.	.
Dis. (other)	2	3	3	3	1	7	2	2	3	3	2·9	1	.	.	1	.	.	.	.
, Acute									4	1		1	.	.	.	.	.	1	.
Dis., Albuminuria ...	2	2	5	4	2	6	3	7	2	1	4·0	3	.	.	.	.	1	1	.
Sys. (Other Dis.) ...									1	.		2	.	1	.	1	.	.	.
e Organs Dis.	.	.	2	.	.	.	.	.	1	1	·4	1	1	.	.	.	.	.	.
h (Accid. of)	.	1	.	.	.	1	.	1	.	.	3	.	.	.	.	.	.	.	.
... ...	9	7	3	6	6	9	7	6	4	3	6·0	3	.	.	.	.	.	2	1
seases	15	10	20	14	8	10	9	15	10	9	12·0	11	5	4	1	.	.	1	.
ACCIDENT.																			
ays	.	1	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.
les and Horses	1	.	.	1	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
vning)																			
ng Operations	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions ...	.	1	2	.	.	1	.	.	2	.	·6	.	.	.	.	.	.	.	.
ning	.	2	3	.	1	.	.	.	1	1	·8	1	.	.	.	1	.	.	.
ation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
aths by Accidents ...	1	.	2	2	2	3	4	1	.	1	1·6	1	.	.	.	1	.	.	.
ENCE OTHER THAN ACCIDENTAL.																			
... ...	1	1	1	.	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.
... ...	.	.	.	.	.	.	1	.	1	1	·3	1	.	.	.	.	.	1	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																										
	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Births registered,	208	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172
*Average Births in corresponding week of previous 10 years,**	198	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195
Deaths registered,	195	196	233	207	223	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146
Annual Death-rate per 1,000,	26·8	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1
*Average Deaths in corresponding week of previous 10 years,**	223	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142
Ages, Under 5 years,	55	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54
5—20 "	10	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10
20—40 "	33	35	33	31	30	31	34	36	35	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21
40—60 "	45	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29
60—80 "	39	48	65	48	49	49	49	53	40	50	52	45	37	43	37	33	45	38	29	34	27	29	30	28	31	28
80 years and upwards,	13	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10
" Scarlet Fever	1	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	5	11	9	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3
" Diphtheria,	.	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2
" Diarrhœal Diseases,	.	1	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2
" Phthisis,	27	26	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	23	21
" Diseases of Heart and Blood Vessels,	26	30	23	28	22	23	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17
" Diseases of Respiratory System,	44	41	51	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26
Violent Deaths,	4	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5
Mean Temperature of the Air (Phœnix Park),	42·4	41·9	37·0	38·3	37·7	42·6	36·1	33·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8
Average Mean Temperature in corresponding week of previous 10 years,	41·9	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9
Rainfall in inches,	·135	·280	1·860	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400
Mean Humidity of the Air, complete Saturation 1·0,	·94	·79	·98	·88	·90	·88	·80	89	87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th July, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 16th July, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	20·3	146	54	10	21	29	28	4	.	10	.	.	3	1	.	2	2	18	21	10	26	5	66
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9·0	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
II.	MIDDLE CLASS,	87,188	8·4	14	1	3	2	3	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	16·1	34	12	3	7	4	7	1	.	1	.	.	1	1	.	.	1	4	6	3	4	.	17
IV.	GENERAL SERVICE CLASS,	154,279	30·9	60	35	4	8	9	3	1	.	9	.	.	1	.	.	2	1	13	8	5	11	2	21
V.	INMATES OF WORKHOUSES,	6,024		35	6	.	4	11	12	2	.	.	.	.	1	.	.	.	.	1	6	2	10	1	15
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	6. Clerks and Commercial Assistants,	30,432	3·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	.	2	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	9. Building and Furnishing Trades,	29,801	24·5	14	5	1	1	3	5	1	.	.	.	.	.	1	.	.	1	2	1	.	2	.	9
	10. Clothing Trades,	28,260	6·7	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	11. Food Supply Trades,	9,242	28·2	5	3	.	2	.	.	.	.	1	.	.	1	.	.	.	.	2	1	1	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,852	13·7	8	3	.	4	.	1	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	3
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	11·7	3	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	1
	15. Domestic Servants,	36,603	8·5	6	2	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	1	.	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·3	47	28	4	4	9	1	1	.	7	.	.	1	.	.	2	1	11	5	4	10	2	15
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	35	6	.	4	11	12	2	.	.	.	.	1	.	.	.	.	1	6	2	10	1	15

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–15	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	May 28,	22·1	.	12	.	.	.	.	.	.	.	.	.	4	8	.
	June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
	„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
	„ 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est. 39,146.	May 28,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	2	2	.
	June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
	„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
	„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	July 2,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	2	4	2
	„ 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
	„ 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	May 28,	12·1	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
	„ 11,	13·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
	„ 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	„ 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	May 28,	21·4	.	13	.	.	.	.	.	.	.	.	.	.	6	.
	June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
	„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
	„ 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 32,384.	May 28,	23·1	.	17	.	.	.	.	.	.	.	.	.	2	4	.
	June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
	„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
	„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
	„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
	„ 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	May 28,	37·1	5·7	13	.	.	1	.	1	.	.	.	.	2	1	.
	June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
	„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
	„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
	„ 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
	„ 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	May 28,	19·9	6·2	16	.	.	1	.	3	.	.	1	.	4	1	.
	June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
	„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
	„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	3	3	.
	„ 25,	18·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
	„ 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	May 28,	38·6	.	26	.	.	.	.	.	.	.	.	.	3	8	1
	June 4,	10·4	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
	„ 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
	„ 25,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,908.	May 28,	12·6	.	8	.	.	.	.	.	.	.	.	.	.	2	1
	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	" 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	" 18,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	" 25,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	" 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	" 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	May 28,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	.	.
	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	" 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	" 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	" 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	" 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	May 28,	26·6	.	9	.	.	.	.	.	.	.	.	.	.	1	.
	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	" 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	" 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	" 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	" 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	May 28,	19·5	1·6	134	.	1	2	.	6	.	.	.	4	24	29	1
	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	" 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	" 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
	" 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	" 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	" 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
Cork. Pop. (in 1901) 76,122.	May 28,	18·5	0·7	27	.	.	.	.	.	1	.	.	.	5	5	1
	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	" 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	" 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	" 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	" 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	" 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
Londonderry. Pop. in 1904 (Est.) 41,397	May 28,	13·9	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	" 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	" 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	" 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	" 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	" 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
Limerick. Pop. (in 1901) 38,151.	May 28,	9·6	1·4	7	.	.	.	.	.	.	.	.	1	.	.	.
	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	" 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	" 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	" 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	" 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,769	May 28,	17·5	.	9	.	.	.	.	.	.	.	.	.	2	1	2
	June 4,	25·3	.	13	.	.	.	.	.	.	.	.	.	1	3	1
	" 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	" 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	" 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	" 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 16th July, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	7	28·3	.	8	.	1	5	2	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Do. 2 "	47,959	30	15·2	2·2	14	3	.	10	1	.	.	.	.	.	.	.	2	.	3	1	.	.	6
Do. 3 "	47,214	23	17·7	2·2	16	5	.		3	.	.	.	.	.	.	.	1	1	1	5	.	.	1
Do. 4 "	40,911	20	19·1	1·3	15	5	.	7	3	.	.	.	.	.	.	.	.	1	3	.	.	.	6
Do. 5 "	17,387	6	21·0	3·0	7	1	1	4	1	.	.	.	.	1	.	.	.	.	1	1	.	1	2
Do. 6 "	48,122	21	18·4	.	17	3	1	10	3	.	.	.	.	.	.	.	.	.	3	3	.	1	5
Do 7 "	1,524	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	1	20·6	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 9 "	19,569	6	8·0	2·7	3	1	.	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	1
Do. 10 "	28,064	13	20·3	.	9	2	.	5	2	.	.	.	.	.	.	.	.	.	1	3	.	1	2
Do 11 "	34,862	18	13·5	.	9	1	1	4	3	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Do. 12 "	33,588	25	17·1	3·1	11	1	4	4	2	.	.	.	.	1	.	.	.	1	2	3	.	.	3
Do 13 "	15,006	9	6·9	3·5	2	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	174	17·0	1·5	114	23	9	60	22	.	1	.	.	3	.	.	3	3	18	20	.	3	31
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	4	4·1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 "	10,701	5	14·6	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 3 "	9,978	10	15·7	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 4 "	8,666	3	12·0	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Do. 5 "	6,592	1	31·6	.	4	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 6 "	10,702	2	9 7	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	6	15·7	.	5	1	.	1	3	.	.	.	.	.	.	.	.	.	1	1	.	1	.
Total	76,122	31	13·7	.	20	3	4	6	7	.	.	.	.	.	.	.	.	.	3	4	1	2	3

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered,	215	188	190	201	209	268	226	207	212	261	182	244	271	283	245	281	239	194	228	245	243	216	225	229	255	174
DEATHS registered.	140	149	150	208	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114
Annual Death-rate per 1,000 of estimated Population,	20·4	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6
AGES, Under 1 year,	34	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23
AGES, 1–5 years,	13	18	17	25	13	16	17	21	31	28	26	22	25	18	20	20	21	18	22	13	18	22	19	13	8	9
AGES, 5–60 years,	62	63	70	93	90	88	78	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60
AGES, 60 years and upwards,	31	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1
,, Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		.	.	.	.	.	.
,, Whooping cough,	5	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3
,, Diphtheria,	2	.	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.
,, Simple Continued Fever,	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	1	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3
,, Diarrhœal Diseases,	.	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3
,, Phthisis	21	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18
,, Diseases of Respiratory System,	39	48	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20
Violent Deaths,	5	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th July, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	3	.	.	.	.	1	2	.	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	3	.	.	2	.	.	1	9	.	.	15
" " 2,	.	.	.	.	.	.	2	.	.	.	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	4	.	1	4	11	.	.	26

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th July, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th July.			
	June 25.	July 2.	July 9.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	56	61	83	22	24	4	77
Scarlet Fever,	37	44	51	9	10	.	50*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	13	14	17	6	4	.	19
Enteric Fever,	42	50	50	5	4	1	50
Pneumonia,	24	22	18	8	9	1	16

*Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	July 16,	2,450	1,152	12·9	.	39	8	7	28	5	57
EDINBURGH,	331,977	„ 16,	164	85	13·4	.	1	1	.	2	.	3
GLASGOW,	798,357	„ 16,	475	234	15·3	.	1	1	1	13	1	13
CALCUTTA,	847,796	May 14,	.	592	36·3	4	2	.	2	.	100‡	151*
BOMBAY,	776,006	June 14,	300	512	34·3	15	4	.	.	3	36‡	54*
MADRAS,	509,346	„ 3,	388	406	41·4	.	2	?	?	?	109	68*
PARIS,	2,660,559	July 2,	1,016	803	17·4	.	19	.	6	5	2	38
BRUSSELS (with 8 Faubourgs).	586,936	June 25,	205	136	12·0	.	2	.	.	.	.	7
AMSTERDAM,	548,137	„ 25,	267	124	11·8	.	8	.	.	4	.	10
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	411,000	June 25,	212	140	17·8	.	1	2	.	12	.	9
CHRISTIANIA,	223,649	July 2,	129	69	16·0	.	.	1	2†	1	.	1
ST. PETERSBURG,	1,248,122	„ 2,	767	626	26·2	4	33	16	5†	5	19	84
BERLIN,	1,960,909	June 18,	834	637	16·9	.	7	9	2†	10	3	92
HAMBURG,	751,842	„ 25,	.	223	15·4	.	6	.	3†	1	1	11
BRESLAU,	427,505	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	July 2,	.	202	20·2	.	3	.	1†	3	.	40
VIENNA (with suburbs).	1,797,992	„ 2,	1,000	579	16·7	.	18	2	10	.	.	60
BUDA-PESTH	813,399	„ 2,	421	267	17·1	.	4	5	2	2	.	24
PRAGUE and Faubourgs.	426,402	June 25,	182	181	22·1	.	1	.	1†	.	.	6
ROME,	496,201	Apr. 9,	248	192	20·2	.	6	.	4	1	1	6
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	June 4,	70	55	17·2	.	.	.	.	.	3	5
NEW YORK,	3,838,024	„ 18,	1,801	1,669	22·7	.	15	16	50†	3	11	50
PHILADELPHIA,	1,408,154	„ 11,	.	426	15·7	2	5	2	8†	.	16	23

* Including 95 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 134 deaths from bubonic fever in Calcutta and 63 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 16th July, 1904:—

"Although somewhat changeable from Tuesday, the weather was summerlike and seasonable. On Sunday the barometer was uniformly high all over the British Isles—the extreme readings at 8 a.m. being 30·29 inches at Donaghadee and 30·11 inches at St. Mary's, Scilly Islands. In the course of the day the thermometer rose to 84° in the Thames Valley, but much lower readings were recorded at coast stations—in Dublin the highest was 68°. During the ensuing night lightning was seen from Roche's Point and Portland Bill. The barometer soon began to give way in the S. and S.W., and by Tuesday morning a primary depression was found off the Kerry coast while a shallow subsidiary lay over France. Under these pressure conditions thunderstorms occurred—first, over the S.W. of England and W. of Ireland, afterwards over nearly the whole of England and Wales—at Bettws-y-Coed ·76 inch of rain fell in 1½ hours on Tuesday evening. In Dublin a heavy electrical shower fell at 2 p.m. of that same day and the clouds were seen to change their form rapidly, indicating high electrical tension. A beautiful summer's day followed on Wednesday, but on Thursday a new and deeper atmospheric depression appeared off the W. of Ireland, travelling northwards and spreading eastwards. This caused squalls or gales on the Irish coasts, and an abundant rainfall followed. A brisk rise of the barometer took place on Friday night, which proved clear and cool in Ireland—Saturday was at first fair, then cloudy. In Dublin the mean height of the barometer was 29·936 inches, the observed range being from 30·263 inches at 9 a.m. of Sunday (wind, E.N.E.) to 29·666 inches at 9 a.m. of Friday (wind, S.S.W.). The corrected mean temperature was 61·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·4°. On Wednesday the screened thermometers rose to 72·5°, on Saturday they fell to 50·3°. Bright sunshine was estimated at 45¾ hours, of which 13 fell on Monday and 11½ on Wednesday. E. and S.S.W. winds predominated. The rainfall was ·377 inch on three days, ·319 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·002 inches. The highest reading (30·283) was on Sunday at 9 a.m., wind E., and the lowest (29·682) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 58·8°, being 0·1° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Monday, on which day the thermometer registered 71·8° and was lowest also on that day, the mercury having fallen to 46·2°. The mean of the Dry Bulb for the week was 58·8° and of the Wet Bulb 56·5°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 46·5 hours. The rainfall during the week measured ·400 inch.

At Greenwich the mean temperature for the week was 68·1°, the maximum 85·2°, and the minimum 53·8°; at Glasgow the maximum was 79·3°, the minimum 47·0°, and the mean 61·4°; and at Edinburgh the maximum was 70·2°, the minimum 49·9°, and the mean 59·7°. The rainfall at Greenwich measured 0·01 inch; at Glasgow 0·49 inch; and at Edinburgh 0·58 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 10,	30·257	65·2	46·9	56·1	56·3	54·7	·90	·3	8·1	—	E.	Calm.
Monday, „ 11,	30·088	71·8	46·2	59·0	62·6	59·4	·82	·4	15·0	—	E.	Calm.
Tuesday, „ 12,	29·946	66·3	52·6	59·5	61·8	59·4	·87	·4	5·6	·020	E.	E.
Wednesday, „ 13,	30·001	69·7	53·9	61·8	59·8	57·1	·84	·2	11·7	—	S.W.	S.
Thursday, „ 14,	29·871	63·8	55·9	59·9	60·3	57·9	·86	·6	0·1	·040	S.W.	S.S.W.
Friday, „ 15,	29·733	65·1	50·7	57·9	55·3	53·8	·90	·5	0·1	·340	S.W.	S.W.
Saturday, „ 16,	30·116	68·0	46·9	57·5	55·3	53·4	·87	·7	5·9	—	W.	Calm.
Mean, . .	30·002	67·1	50·4	58·8	58·8	56·5	·87	·4	Total 46·5	·400	Prevailing Wind, E. and S.W.	

Sunday—Day fine but cloudy; night clear. *Monday*—A beautiful day; night clear. *Tuesday*—Day fine but cloudy; night cloudy, showery a.m. *Wednesday*—A fine day, detached clouds; night cloudy. *Thursday*—A dull day, but fine; night cloudy, light rain 3 to 9 a.m. *Friday*—Day overcast and wet; night cloudy. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. 124. 6. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 23RD JULY, 1904. [No. 29.

General Register Office, Charlemont House, Dublin, 25th July, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 2.	Week ending July 9.	Week ending July 16.	Week ending July 23.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 2.	Week ending July 9.	Week ending July 16.	Week ending July 23.	Average Rate for 4 weeks.
22 Town Dists.	17·4	17·1	17·5	15·6	16·9	Lisburn,	18·2	.	9·1	22·7	12·5
Armagh,	.	13·7	27·5	6·9	12·0	Londonderry	20·2	11·3	17·6	8·8	14·5
Ballymena,	9·6	33·5	38·3	4·8	21·5	Lurgan,	.	17·7	4·4	8·9	7·3
Belfast,	17·3	17·7	16·6	16·3	17·0	Newry,	21·0	4·2	4·2	25·2	13·7
Clonmel,	15·4	5·1	5·1	10·3	9·0	Newtownards,	45·8	5·7	17·2	17·2	21·5
Cork,	14·4	19·2	13·7	13·7	15·3	Portadown,	5·2	5·2	15·5	15·5	10·4
Drogheda,	8·2	4·1	4·1	24·5	10·2	Queenstown,	13·2	6·6	19·8	6·6	11·6
Dublin Reg. Area,	16·5	17·9	19·3	17·5	17·8	Sligo,	4·8	38·4	28·8	14·4	21·6
Dundalk,	12·0	27·9	12·0	16·0	17·0	Tralee,	63·4	5·3	21·1	5·3	23·8
Galway,	31·1	11·7	38·8	11·7	23·3	Waterford,	13·6	29·2	21·4	11·7	19·0
Kilkenny,	9·8	19·7	19·7	14·7	16·0	Wexford,	37·4	4·7	18·7	4·7	16·4
Limerick,	27·3	15·0	12·3	13·7	17·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·2 in Portadown. Among the 112 deaths from all causes registered in Belfast are 2 from whooping-cough, one from diphtheria, 4 from enteric fever, and 7 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 240—112 boys and 128 girls; and the deaths to 131—60 males and 71 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 18·0 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 17·5 per 1,000. During the twenty-nine weeks ending with Saturday last the death-rate averaged 25·4, and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

Amongst the deaths registered were 5 from measles, one from influenza, 3 from whooping-cough, 2 from enteric fever, 4 from epidemic diarrhœa, epidemic enteritis, and one from *diarrhœa.* Not one death was registered from small-pox, scarlet fever, typhus, or diphtheria. In the 3 weeks preceding, the deaths registered from measles were 2, 2, and 10; from whooping-cough were one, 3, and 3; and from diarrhœal diseases were one, 5, and 2, respectively.

Three deaths from broncho-pneumonia and 5 deaths from *pneumonia* were registered.

The deaths from tuberculous disease (24) comprise 4 from tuberculous phthisis, 10 from *phthisis*, 3 from tuberculous meningitis, 2 from tuberculous peritonitis, one from tabes mesenterica, one from scrofula, and 3 deaths from other forms of the disease.

Two deaths were attributed to *cancer*, *malignant disease.*

Premature birth was assigned as the cause of 3 deaths.

Of 10 deaths classified to diseases of the brain and nervous system, 8 (all of infants under one year old) were due to *convulsions.*

Diseases of the heart and blood-vessels caused 26 deaths.

There were 8 deaths from bronchitis.

Of 6 deaths from accidental circumstances, one was on a railway and one was caused by an accident in the docks.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old).

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 4 were under one month old), and 32 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 8 were octogenarians.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·5 per 1,000; the rate in the City was 19·0 (North City Districts, 18·7; South, 19·4), and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·7 (1·7 in the North City Districts, and 3·7 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. There were 2 deaths from measles; enteric fever and epidemic enteritis each caused one death.

No. 1 North City District, West (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. There was one death each from broncho-pneumonia and *pneumonia*, and bronchitis caused 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·3 per 1,000. Influenza and epidemic enteritis each caused one death, tuberculous disease caused 4 deaths, and broncho-pneumonia caused one death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 24·7 per 1,000. There were 6 deaths from tuberculous disease, including 2 from pulmonary tuberculosis, one from tuberculous meningitis and one from tuberculous peritonitis; there was one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 0·0. The 4 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, part of, include one from *pneumonia*, 2 from diseases of the heart and blood-vessels, and one from accidental violence.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 16·3 per 1,000. One death was due to each of the following diseases, measles, whooping-cough, enteric fever and *diarrhœa*; there were 3 deaths from tuberculosis, including one from tuberculous meningitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. Epidemic enteritis caused two deaths; *phthisis* also caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 17·4 per 1,000. There were 2 deaths from measles, one from whooping-cough, one from *pneumonia*, and 3 from tuberculous disease, including one death from tuberculous meningitis; 3 deaths from bronchitis were also registered.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. Tuberculous disease caused 4 deaths, broncho-pneumonia and *pneumonia*, each caused one death, and there was one death from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 23·5 per 1,000. There was one death from whooping-cough tabulated for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 7·9; Pembroke, 14·0; Blackrock, 17·9; and Kingstown, 14·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 5 deaths from all causes for Rathmines and Rathgar include 4 from diseases of the heart and blood-vessels; the 7 deaths from all causes for Pembroke include 3 from diseases of the heart and blood-vessels, and one from accidental violence; the 3 deaths from all causes for Blackrock include one from tuberculous phthisis; and the 5 deaths for Kingstown include 3 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd July, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	July 2,	.	.	.	13	.	.	6	.	10	23	7	.	.	.	59
	July 9,	.	.	.	3	.	.	1	.	2	10	17	.	.	.	33
	July 16,	.	.	.	6	.	.	4	.	1	4	11	.	.	.	26
	July 23,	.	.	.	9	.	.	7	.	3	7	18	.	.	1	45
Rathmines and Rathgar Urban District.	July 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 9,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	July 16,	.	.	.	5	.	.	1	.	.	1	.	.	.	.	7
	July 23,	.	.	.	4	.	.	1	.	.	.	.	.	.	.	5
Pembroke Urban District.	July 2,	.	3	.	1	.	.	1	.	.	.	1	.	.	1	7
	July 9,	.	14	.	1	.	.	.	.	.	.	.	.	.	2	17
	July 16,	.	10	.	.	.	.	2	.	.	1	.	.	.	3	16
	July 23,	.	21	.	.	.	.	.	.	.	.	1	.	.	5	27
Blackrock Urban District.	July 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 9,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	July 16,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	July 23,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	July 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	July 9,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	July 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	July 2,	5	–	.	10	.	.	4	1	6	4	7	1	.	.	38
	July 9,	2	–	.	7	.	.	5	2	2	2	4	.	.	.	24
	July 16,	2	–	.	8	.	.	3	.	8	4	4	.	.	.	29
	July 23,	.	–	.	11	.	.	2	.	10	7	5	.	.	.	35

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd July, 1904.

From this it appears that :—

Twenty-four cases of measles were admitted to hospital during the week, 27 were discharged, one died, and 73 patients remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 12 cases were discharged, and 44* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 6 were discharged, and 19 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 4 cases were discharged, and 52 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 7 patients were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·8), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 14·9.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd July, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 23rd July, 1904. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	32·3	15·6	1·6	678	327	66	77	.	5	.	.	5	1	.	6	16	42	52	7	14	90
Dublin Registration Area:—																							
Total,‡	378,994	27·5	33·0	17·5	2·1	240	127	24	30	.	5	.	.	3	.	.	2	5	14	17	3	5	52
City of Dublin	293,385	37·1	34·7	19·0	2·7	195	107	23	18	.	5	.	.	3	.	.	2	5	13	16	2	3	43
Urban Districts. Rathmines and Rathgar	33,208	19·4	28·6	7·9	.	15	5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Urban Districts. Pembroke	26,025	16·4	36·1	14·0	.	18	7	1	5	.	.	.	.	.	.	.	.	.	.	.	1	2	4
Urban Districts. Blackrock	8,759	8·1	6·0	17·9	.	1	3	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Urban Districts. Kingstown	17,622	12·1	32·5	14·8	.	11	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Urban Districts.																							
Belfast	358,680	24·4	37·5	16·3	2·0	258	112	30	23	.	.	.	.	2	1	.	4	7	13	25	3	8	22
Cork	76,122	33·6	24·7	13·7	.	36	20	2	8	.	.	.	.	.	.	.	.	.	3	3	.	.	7
Londonderry	41,397	19·1	12·6	8·8	1·3	10	7	1	1	.	.	.	.	.	.	.	.	1	1	2	.	.	.
Limerick	38,151	18·1	21·9	13·7	.	16	10	1	2	.	.	.	.	.	.	.	.	.	4	2	.	.	3
Waterford	26,769	18·7	25·3	11·7	.	13	6	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	3
Galway	13,426	2·5	31·1	11·7	.	8	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	18,076	3·4	28·9	16·0	.	6	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Drogheda	12,760	8·6	40·9	24·5	.	10	6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	46·2	25·2	.	11	6	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Lurgan	11,782	13·8	31·0	8·9	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lisburn	11,461	10·1	45·5	22·7	.	10	5	.	3	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Wexford	11,168	23·2	46·7	4·7	.	10	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Ballymena	10,886	8·9	28·7	4·8	4·8	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	4·8	14·4	4·8	1	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Kilkenny	10,609	11·5	29·5	14·7	.	6	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Clonmel	10,167	7·8	20·5	10·8	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Portadown	10,092	13·2	25·8	15·5	5·2	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	15·9	5·3	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Newtownards	9,110	18·9	28·6	17·2	.	5	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	7,909	14·4	39·6	6·6	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	48·1	6·9	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 23rd July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	72·0	47·0	59·3	0·43	71·8	46·2	58·8	0·40	71·2	42·4	57·2	0·12
City of Dublin	74·0 / 73·9	54·3 / 47·0	62·0 / 60·5	0·27 / 0·36	72·5 / 72·9	50·8 / 44·3	61·4 / 59·5	0·38 / 0·32	73·8 / 71·9	48·0 / 43·0	59·6 / 58·3	0·11 / 0·14
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	74·2	51·5	61·2	0·16	71·2	51	61·0	0·17	72·7	48·5	60·0	0·07
Urban Districts.												
Belfast	68·1	48·6	59·9	0·61	71·1	50·1	61·1	1·08	65·5	44·6	55·4	1·21
Cork	70	55	60·3	0·64	72	51	59·9	1·79	68	47	56·3	0·26
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	81	52	62	1·22	83	45	62	0·72	64	49	56·3	0·57
Galway	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29
Newry	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29
Lurgan	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29
Lisburn	.	.	.	.	.	.	.	.	.	.	.	.
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	75·3	51·6	62·2	0·85	79·0	39·0	61·3	0·72	72·4	44·4	55·6	0·33
Kilkenny	74	52	62	0·87	78	45	61·3	0·98	75	40	58·1	0·17
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	65	50	56·6	0·45	69	50	57·8	1·22	67	44	55·3	0·37
Queenstown	70	55	60·3	0·64	72	51	59·9	1·79	68	47	56·3	0·26
Armagh	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18	71·7	44·8	56·3	0·29

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown registered during the week ending Saturday, the 23rd of July, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	City of Dublin.												Urban District of				Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	North City No. 1 E.	North City No 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drumcondra, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. General Diseases:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	5	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	1	.	1	.	.	.	.	1	2	.	.	.	.	.	.	.	5	.
Phthisis,	.	.	2	4	1	.	.	1	2	.	5	.	.	.	1	.	14	.
Other General Diseases,	.	2	4	4	.	.	.	2	1	3	2	.	.	.	.	.	18	.
Total,	4	2	7	8	1	.	.	7	5	6	5	1	.	.	1	.	47	.
B. Local Diseases:																		
Diseases of: Nervous System	1	1	.	2	.	.	.	1	1	1	3	.	.	.	.	.	10	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	1	3	2	.	2	.	3	1	.	2	1	4	3	1	3	26	.
Respiratory System,	1	4	1	1	.	1	.	.	1	4	3	.	.	.	.	1	17	.
Digestive System,	3	2	1	1	.	.	.	.	.	2	.	.	.	1	.	.	10	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	4	.
Generative System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	5	9	6	6	.	3	.	4	4	7	8	2	5	5	2	4	70	1
C. Other Specified Diseases.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. Ill-defined and Not Specified Diseases,	.	1	.	1	.	.	.	1	.	1	.	1	.	1	.	1	7	.
E. Violent Deaths,	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	3	3
Deaths from all Causes,	9	12	13	15	1	4	.	12	9	14	14	4	5	7	3	5	127	4
Annual Rate of Mortality in every 1,000 of the population	16·6	16·0	22·5	24·7	10·8	20·8	.	16·3	25·7	17·4	20·8	23·5	7·9	14·0	17·9	14·8	17·5	.
	18·7							19·4					12·2					
	19·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	2	1	3	.	2	.	2	2	3	5	.	1	3	1	2	29	4
Workhouse Hospitals	.	2	3	4	.	.	.	3	.	5	3	1	1	1	.	.	23	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1894-1903.	In the Week ending Sa 23rd July, 1904. Deaths of Persons of th				
	July 21, 1894.	July 20, 1895.	July 18, 1896.	July 24, 1897.	July 23, 1898.	July 22, 1899.	July 21, 1900.	July 20, 1901.	July 19, 1902.	July 25, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 57·7	° 57·2	° 59·8	° 60·1	° 61·1	° 61·9	° 64·3	° 64·6	° 58·6	° 57·4	° 60·3	° 59·3				
ALL CAUSES.	117	168	179	156	152	147	165	138	155	131	150·8	131	4	20	17	9
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	1	2	.	.	.	.	.	.	.	2	·5	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	3	.	4	.	.	8	1	1·7	5	.	1	4	.
Scarlet Fever ...	1	.	3	2	1	2	1	1	.	1	1·2	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	2	1	1	.	.	1	1	.	·7	1	.	.	.	.
Whooping Cough, ...	1	3	4	4	5	2	5	.	1	3	2·8	3	.	.	3	.
Diphtheria, ...	.	.	.	3	1	2	2	1	1	.	1·0	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.
Enteric Fever, ...	4	.	2	.	1	1	2	2	3	1	1·6	2	.	.	.	1
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	6	16	25	7	5	10	4	14	1 .	1 .	8·9	4 1	.	3 .	1 .	. .
Hydrophobia, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	.	.	.	2	.	.	. . .	. . .	·3	. . .	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	1	.	.	1	.	3	1	·9	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	.	.	.	.	1	.	1	1 .	. .	·3	. .	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*," ...	23	22	32	18	21	17	28	22	. 25	1 16	22·5	4 10	.	.	.	1 2
Tuberculous Meningitis, (Acute Hydrocephalus).	1	.	4	6	4	3	4	.	.	3	2·5	3	.	.	1	2
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	1	4	10	3	4	7	7	5	1 2	. 1	4·5	2 1	.	. 1	.	1 .
Tuberculous Dis. (other), ... *Scrofula*, ...	4	4	2	5	4	2	5	1	3 .	7 .	3·7	3 1	.	.	1 .	. .
Alcoholism, ...	1	1	1	2	1	2	1	1	1	.	1·1	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	.	1	.	2	1	.	.	·6	1	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1894-190

NTY-NINTH WEEK ending Saturday, 23rd July, 1904, with the deaths from each cause in the corresponding
verage for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 21, 1894.	July 20, 1895.	July 18, 1896.	July 24, 1897.	July 23, 1898.	July 22, 1899.	July 21, 1900.	July 20, 1901.	July 19, 1902.	July 25, 1903.	Averages in 29th Week of the 10 years 1894–1903.	In the Week ending Saturday, 23rd July, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 57·7	° 57·2	° 59·8	° 60·1	° 61·1	° 61·9	° 64·3	° 64·6	° 58·6	° 57·4	° 60·3	° 59·3								
oma	4	3	8	8	6	2	6	4	.	4	5·4	.	.	.	.	.	.	.	.	.
a									.	2		.	.	.	.	.	.	.	.	.
Malignant Disease ...									5	2		2	.	.	.	.	2	.	.	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ture Birth	.	2	1	5	1	1	3	3	3	3	2·2	3	1	2	.	.	.	.	.	.
ritis (not tuberc.)									1	2		1	.	.	1	.	.	.	.	.
y, G. P. of Insane									2	1		.	.	.	.	.	.	.	.	.
sy									1	1		1	.	.	.	.	.	1	.	.
sions									3	.		8	1	7	.	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									1	2		.	.	.	.	.	.	.	.	.
is System (other Dis.) ...	26	39	33	24	39	25	35	31	.	1	32·1	.	.	.	.	.	.	.	.	.
Dis., Endocarditis									2	4		3	.	.	.	1	.	.	2	.
. Hæm. Thromb.									2	1		5	.	.	.	.	.	2	3	.
cy, Hemiplegia									6	6		5	.	.	.	.	.	4	1	.
ysm									.	.		.	.	.	.	.	.	.	.	.
ism, Thromb. (not cerebral)									.	.		1	.	.	.	.	1	.	.	.
and Blood Vessel Dis.									15	18		12	.	.	.	.	1	5	4	2
(not Spasm. or Memb.) ...	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
itis	6	10	8	9	10	11	10	6	10	9	8·9	8	.	2	2	.	.	1	2	1
ous Pneumonia									.	1		.	.	.	.	.	.	.	.	.
o-Pneumonia	4	10	5	5	18	18	11	8	3	2	9·5	3	.	.	1	.	1	.	1	.
nonia"									6	4		5	.	1	.	.	2	1	1	.
a, Emphysema									.	.		.	.	.	.	.	.	.	.	.
sy	1	4	1	2	2	1	2	.	1	.	1·7	.	.	.	.	.	.	.	.	.
atory Dis. (other)									3	.		1	.	.	.	.	1	.	.	.
itis, Quinsy	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
tis (not Epid.)	.	1	1	.	.	.	.	1	4	.	·8	1	.	.	1	.	.	.	.	.
Enteritis									.	1		1	.	.	1	.	.	.	.	.
nitis (not Puerp.)	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
sis of Liver	6	5	.	4	1	.	2	5	1	2	3·1	2	.	.	.	.	.	2	.	.
Dis. (other)									2	3		2	.	.	.	.	1	1	.	.
ive Dis. (other)	3	7	3	2	.	2	3	3	6	2	3·1	5	.	3	.	.	.	1	1	.
itis, Acute									3	2		.	.	.	.	.	.	.	.	.
's Dis., Albuminuria ...	1	2	5	5	3	5	3	3	3	4	3·9	2	.	.	.	.	.	1	1	.
y Sys. (Other Dis.) ...									.	.		2	.	.	.	.	.	.	.	2
ative Organs Dis.	1	1	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	1	.	.	.
irth (Accid. of)	.	1	.	1	.	1	2	.	1	.	6	1	.	.	.	.	1	.	.	.
ge	8	5	5	9	4	9	7	7	6	3	6·3	3	.	.	.	.	.	.	1	2
Diseases	8	16	15	22	14	12	14	10	9	8	12·8	6	2	.	1	.	1	.	2	.
ACCIDENT.																				
ilways	.	.	1	1	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	.	1
hicles and Horses	.	.	.	.	.	1	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
ps, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
rowning)																				
lding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	1	2	.	.	1	.	2	2	.	.	·7	.	.	.	.	.	.	.	.	.
owning	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ffocation in Bed	.	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.
ison or Poisonous Vapours...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Deaths by Accidents ...	1	4	2	1	1	1	2	2	1	2	1·7	4	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	.	1	1	1	·3	.	.	.	.	.	.	.	.	.
e	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
tion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE 7.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Jan. 30.	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Births registered,	190	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240
*Average Births in corresponding week of previous 10 years,**	197	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189
Deaths registered,	196	233	207	223	206	201	218	218	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	181
Annual Death-rate per 1,000,	27·0	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0
*Average Deaths in corresponding week of previous 10 years,**	205	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151
Ages, Under 5 years,	53	71	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41
5—20 "	13	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9
20—40 "	35	33	31	30	31	34	36	35	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21	25
40—60 "	43	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24
60—80 "	48	65	48	49	49	49	53	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24
80 years and upwards,	4	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5
" Scarlet Fever	.	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	11	9	6	9	11	10	6	13	5	11	8	11	5	8	11	10	5	4	9	1	3	.	1	3	3	3
" Diphtheria,	.	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2
" Diarrhœal Diseases,	1	1	3	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5
" Phthisis,	26	28	19	27	20	27	30	26	36	27	34	19	26	19	22	19	28	26	23	30	26	23	14	28	21	14
" Diseases of Heart and Blood Vessels,	30	28	28	22	28	28	41	28	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26
" Diseases of Respiratory System,	41	51	57	59	54	42	44	51	48	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17
Violent Deaths,	7	8	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6
Mean Temperature of the Air (Phœnix Park),	41·9	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3
Average Mean Temperature in corresponding week of previous 10 years,	41·0	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3
Rainfall in inches,	·280	1·860	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·713	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·430
Mean Humidity of the Air, complete Saturation 1·0,	·79	·93	·88	·90	·88	·80	89	87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81

* See note at foot of Table IV.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd July, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 23rd July, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	18·2	131	41	9	25	24	24	8	.	5	.	.	3	.	.	2	5	15	14	8	17	6	71
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	17·9	6	.	.	2	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5
II.	MIDDLE CLASS,	87,188	7·8	13	6	.	3	3	1	.	.	2	.	.	.	.	.	.	1	3	.	1	3	.	6
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	13·7	29	9	1	3	7	7	2	.	.	.	.	.	.	.	.	1	1	2	3	7	.	16
IV.	GENERAL SERVICE CLASS,	154,279	27·0	60	21	7	13	10	8	1	.	3	.	.	3	.	.	1	2	9	8	3	3	6	31
V.	INMATES OF WORKHOUSES,	6,024		23	5	1	4	3	7	3	.	.	.	.	.	.	.	1	1	2	3	1	4	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	31·2	5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	6. Clerks and Commercial Assistants,	30,432	3·4	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	4	.	1	1	1	.	.	1	.	.	.	.	.	.	1	2	.	1	1	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1
	9. Building and Furnishing Trades,	29,801	22·7	13	4	1	1	3	3	1	.	.	.	.	.	.	.	.	.	.	2	2	2	.	7
	10. Clothing Trades,	23,260	4·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	11. Food Supply Trades,	9,242	11·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	1	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	1	.	3	.	.	.	.	.	.	.	1	.	.	1	.	2	1	.	.	.	1
	15. Domestic Servants,	36,603	4·3	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	7·2	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·6	51	18	7	9	9	7	1	.	3	.	.	2	.	.	.	2	7	7	3	3	6	25
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	23	5	1	4	3	7	3	.	.	.	.	.	.	.	1	1	2	3	1	4	.	13

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	June 4,	11·0	.	6	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	18·4	1·8	10	.	.	.	.	.	.	.	1	.	2	3	.
	„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
	„ 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
	„ 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 89,146.	June 4,	21·3	1·3	16	.	.	.	.	1	.	.	.	.	4	1	1
	„ 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
	„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	July 2,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	2	4	2
	„ 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
	„ 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
	„ 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 80,107.	June 4,	24·2	12·1	14	.	3	.	.	3	.	.	1	.	1	2	.
	„ 11,	18·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
	„ 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	„ 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
	„ 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	June 4,	28·0	1·6	17	.	1	.	.	.	.	.	.	.	1	2	.
	„ 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
	„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
	„ 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	June 4,	27·2	5·4	20	.	.	.	.	3	.	.	1	.	3	1	1
	„ 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
	„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
	„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
	„ 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
	„ 23,	16·3	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	June 4,	20·0	.	7	.	.	.	.	.	.	.	.	.	3	3	.
	„ 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
	„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
	„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
	„ 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
	„ 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
	„ 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	June 4,	18·6	1·2	15	.	1	.	.	.	.	.	.	.	2	4	.
	„ 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
	„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
	„ 25,	28·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
	„ 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
	„ 23,	17·4	5·7	14	.	2	.	.	1	.	.	.	.	.	4	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	June 4,	10·4	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
	„ 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
	„ 25,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

Districts.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208	June 4,	15·7	1·6	10	.	.	.	.	1	.	.	.	.	3	1	.
	„ 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 18,	28·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	„ 25,	17·8	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	„ 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	June 4,	26·0	2·0	13	.	.	.	.	1	.	.	.	.	.	1	.
	„ 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	June 4,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	„ 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est. 358,680.	June 4,	19·3	2·6	133	.	4	1	.	7	3	.	2	1	25	24	1
	„ 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	„ 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
	„ 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	„ 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	„ 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	„ 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
Cork. Pop. (in 1901) 76,122.	June 4,	24·7	0·7	36	.	.	.	.	.	.	.	.	1	10	5	.
	„ 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	„ 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	„ 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	„ 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
Londonderry. Pop. in 1904 (Est.) 41,397	June 4,	22·7	1·3	18	.	.	.	.	.	.	.	1	.	3	2	.
	„ 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	„ 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	„ 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	„ 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	„ 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
Limerick. Pop. (in 1901) 38,151.	June 4,	31·4	.	23	.	.	.	.	.	.	.	.	.	2	6	.
	„ 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	„ 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	„ 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
Waterford. Pop. (in 1901) 26,769	June 4,	25·3	.	18	.	.	.	.	.	.	.	.	.	1	3	1
	„ 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 23rd July, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		DEATHS.																		
			All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	17	7·1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 2 "	47,959	29	13·0	1·1	12	1	4	4	3	.	.	.	.	.	1	.	.	.	1	4	1	1	7
Do. 3 "	47,214	29	16·6	1·1	15	3	.	8	4	.	.	.	.	.	.	.	.	1	3	6	1	2	2
Do. 4 "	40,911	40	17·8	2·5	14	5	3	4	2	.	.	.	.	2	.	.	.	.	2	.	.	.	2
Do. 5 "	17,887	11	21·0	3·0	7	.	2	3	2	.	.	.	.	.	.	.	1	.	.	2	.	.	1
Do. 6 "	48,122	18	20·6	4·3	19	3	.	11	5	.	.	.	.	.	.	.	1	3	1	4	.	2	7
Do 7 "	1,524	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 "	5,060	2	30·9	20·6	3	1	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.
Do. 9 "	19,569	15	18·3	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 10 "	28,064	17	15·8	.	7	4	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Do 11 "	34,802	29	25·5	3·0	17	7	.	7	3	.	.	.	.	.	.	.	1	1	1	4	1	1	1
Do. 12 "	33,588	36	12·4	1·6	8	3	1	3	1	.	.	.	.	.	.	.	1	.	.	2	.	.	1
Do 13 "	15,006	14	6·9	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	258	16·7	2·1	112	30	11	48	23	.	.	.	.	2	1	.	4	7	13	25	3	8	22
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	6	16·2	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Do. 2 "	10,701	8	9·7	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do 3 "	9,978	7	20·9	.	4	1	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do. 4 "	8,666	2	18·1	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 "	6,592	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	1	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do 7 "	16,616	12	15·7	.	5	.	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Total	76,122	36	13·7	.	20	2	3	7	8	.	.	.	.	.	.	.	.	.	3	3	.	.	7

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered,	188	190	201	209	263	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258
DEATHS registered.	149	150	203	185	186	161	154	212	167	156	160	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112
Annual Death-rate per 1,000 of estimated Population,	21·7	21·8	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3
AGES, Under 1 year,	40	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30
AGES, 1-5 years,	18	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11
AGES, 5-60 years,	63	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48
AGES, 60 years and upwards,	28	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	10	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2
" Diphtheria,	.	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1
" Simple Continued Fever,	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	1	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4
" Diarrhœal Diseases,	.	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7
" Phthisis	14	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13
" Diseases of Respiratory System,	48	43	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25
Violent Deaths,	3	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd July, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	.	.	3	.	.	.	.	1	1	.	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	1	1	.	1*	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	5	.	.	2	13	.	.	22
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	3	.	.	1	.	.	1	1	.	.	6
" " 4,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Total,	.	.	.	9	.	.	7	.	3	7	18	.	1	45

* Scarlatina and Diphtheria.

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd July, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd July.			
	July 2.	July 9.	July 16.	No. admitted.	Dis-charged	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	61	83	77	24	27	1	73
Scarlet Fever,	44	51	50	6	12	.	44*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	14	17	19	6	6	.	19
Enteric Fever,	50	50	50	6	4	.	52
Pneumonia,	22	18	16	8	7	1	16

*Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	July 23,	2,472	1,320	14·8	1	49	4	14	21	5	161
EDINBURGH,	331,977	„ 23,	185	95	14·9	.	6	.	1	2	.	4
GLASGOW,	798,357	„ 23,	453	243	15·3	2	2	3	1	13	3	10
CALCUTTA,	847,796	May 21,	.	645	39·5	1	2	.	4	.	101‡	170*
BOMBAY,	776,006	June 21,	338	535	35·8	13	4	.	.	.	41‡	46
MADRAS,	509,346	„ 10,	429	391	39·9	.	2	?	?	?	104	77*
PARIS,	2,660,559	July 9,	1,065	843	16·4	2	20	3	5†	13	2	31
BRUSSELS (with 8 Faubourgs).	586,936	„ 2,	220	118	10·4	.	.	.	.	.	.	12
AMSTERDAM,	548,160	„ 2,	274	149	17·3	.	5	.	2	4	.	12
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	July 2,	227	115	14·4	.	3	1	.	3	.	15
CHRISTIANIA,	223,649	„ 9,	110	55	12·8	.	.	.	1†	.	.	3
ST. PETERSBURG,	1,248,122	„ 9,	487	599	25·0	1	28	13	12†	6	14	65
BERLIN,	1,960,909	June 25,	924	580	15·4	.	12	6	1†	14	3	61
HAMBURG,	751,842	July 2,	.	209	14·5	.	1	2	2†	13	.	6
BRESLAU,	445,403	„ 9,	.	182	21·3	.	2	.	2†	?	1	33
MUNICH,	520,000	„ 9,		.	.	.	.	.	.	.	.	.
VIENNA (with suburbs).	1,797,992	„ 9,	886	669	19·3	.	25	2	6†	5	.	99
BUDA-PESTH	813,399	„ 9,	418	303	19·4	.	3	8	5†	2	1	50
PRAGUE and Faubourgs.	426,402	„ 2,	168	148	18·0	.	.	.	1†	.	.	10
ROME,	496,201	—	.	.	.	.	.	.	.	.	.	.
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	June 11,	89	42	13·2	.	.	.	.	.	1	2
NEW YORK,	3,838,024	„ 25,	1,853	1,691	23·0	.	31	21	35†	1	10	100
PHILADELPHIA,	1,408,154	„ 18,	.	388	14·3	1	9	2	4†	4	7	30

* Including 111 deaths from cholera in Calcutta and one in Madras.
† Including deaths from croup.
‡ Exclusive of 134 deaths from bubonic fever in Calcutta and 55 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 23rd July, 1904:—

"Over the greater part of England high summer reigned throughout this week, but in Ireland the weather was dull and rainy from Tuesday till Friday inclusive, this unsettled period being ushered in by thunder and lightning in many parts of the country on Tuesday. At the beginning of the week an anti-cyclone of moderate intensity (30·2 inches) was central over the British Isles, while a large depression was passing eastwards across the extreme north of Europe. The weather at this time was cold and rainy in Norway; calm, warm and bright in the British Isles and over France and Germany. By Tuesday morning a large area of relatively low atmospheric pressure reached the S.W. of Ireland, Cornwall and Brittany, and electrical disturbances broke out all over Ireland, Wales and the Cornwall Peninsula. During the following 3 days, an area of low barometer hovered off the West Coast of Ireland, causing variable southerly winds, clouds and frequent showers in this country. In England, on the contrary, clear skies and hot sunshine prevailed day after day. On Friday night dense fogs formed in the east of Ireland and over the Irish Sea and St. George's Channel. In the course of Saturday the sunshine returned to Ireland, but in England the weather became less fair. In Dublin the mean height of the barometer was 30·011 inches, pressure ranging from 30·290 inches at 9 p.m. of Sunday (wind, N.E.) to 29·858 inches at 9 a.m. of Wednesday (wind, S.E.). The corrected mean temperature was 62·0°. The mean dry bulb reading at 9 a.m. and 9 p.m. being 60·4°. The screened thermometers rose to 74·0° on Wednesday, having fallen to 54·3° on Monday. Bright sunshine was estimated at 49¾ hours, of which 13¼ fell on Monday and 12 on Sunday. Rain fell on 4 days to the amount of ·270 inch, ·142 inch being recorded on Thursday. The prevalent wind was E.N.E. Thunder and lightning occurred on Tuesday. Fog was observed on Friday and Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·023 inches. The highest reading (30·315) was on Sunday at 9 p.m., air calm, and the lowest (29·859) on Wednesday at 9 a.m., wind E.

The mean temperature for the week was 59·3°, being 1·0° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 72·0° and was lowest on Monday, the mercury having fallen to 47·0°. The mean of the Dry Bulb for the week was 59·5° and of the Wet Bulb 56·1°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 50·1 hours. The rainfall during the week measured ·430 inch.

At Greenwich the mean temperature for the week was 67·1°, the maximum 85·0°, and the minimum 54·2°; at Glasgow the maximum was 75·4°, the minimum 43·0°, and the mean 59·8°; and at Edinburgh the maximum was 66·4°, the minimum 47·0°, and the mean 56·6°. The rainfall at Greenwich measured 0·04 inch; at Glasgow 0·91 inch; and at Edinburgh 0·19 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer	Thermometer.			Hygrometer.			Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Maximum.	Minimum.	Mean.	Dry Bulb.	Wet Bulb.	Degree of Humidity, complete saturation = 1·0.					
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, July 17,	30·282	66·8	51·9	59·4	59·5	54·9	·75	·0	12·1	—	Calm.	Calm.
Monday, „ 18,	30·220	67·0	47·0	57·0	59·9	55·9	·77	·3	13·8	·050	N.E.	E.
Tuesday, „ 19,	29·966	70·3	52·3	61·3	59·5	56·8	·84	·4	4·9	·100	N.E.	E.
Wednesday, „ 20,	29·884	72·0	56·6	64·3	58·3	55·3	·82	·1	8·5	—	E.	S.W.
Thursday, „ 21,	29·924	67·8	49·5	58·7	62·0	56·7	·76	·1	4·7	·070	S.	S.E.
Friday, „ 22,	29·944	64·1	50·0	57·1	60·1	56·8	·83	·0	1·5	·200	S.	Calm.
Saturday, „ 23,	29·942	65·1	48·9	57·0	57·3	56·2	·93	·1	4·6	·010	E.	Calm.
Mean, . .	30·023	67·6	50·9	59·3	59·5	56·1	·81	·1	Total 50·1	·430	Prevailing Wind, E.	

Sunday—A fine but cloudy day; night clear. *Monday*—A beautiful day; night clear p.m., cloudy a.m. *Tuesday*—A cloudy day, thunder with heavy showers atn tervals; night overcast and showery. *Wednesday*—A fine but cloudy day; night clear. *Thursday*—A cloudy and showery day; night cloudy. *Friday*—Day overcast from 9 a.m., heavy rain a.m.; night overcast, heavy fog. *Saturday*—A cloudy day, light rain a.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.,

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360 Wt. 124. 6. 1904.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 30TH JULY, 1904 [No. 30.

General Register Office, Charlemont House, Dublin, 2nd August, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in ıe Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 15·9 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,093,289.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 9.	Week ending July 16.	Week ending July 23.	Week ending July 30.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 9.	Week ending July 16.	Week ending July 23.	Week ending July 30.	Average Rate for 4 weeks.
2 Town Dists.	17·1	17·5	15·6	15·9	16·5	Lisburn, . .	.	9·1	22·7	13·6	11·4
rmagh, . .	13·7	27·5	6·9	6·9	13·8	Londonderry .	11·3	17·6	8·8	8·8	11·6
allymena, .	33·5	38·3	4·8	4·8	20·3	Lurgan, . .	17·7	4·4	8·9	17·7	12·2
elfast, . .	17·7	16·6	16·3	16·7	16·8	Newry, . .	4·2	4·2	25·2	8·4	10·5
lonmel, . .	5·1	5·1	10·3	15·4	9·0	Newtownards, .	5·7	17·2	17·2	5·7	11·5
ork, . . .	19·2	13·7	13·7	13·0	14·9	Portadown, .	5·2	15·5	15·5	31·0	16·8
rogheda, . .	4·1	4·1	24·5	8·2	10·2	Queenstown, .	6·6	19·8	6·6	6·6	9·9
ublin Reg. Area,	17·9	19·3	17·5	17·9	18·1	Sligo, . . .	38·4	28·8	14·4	14·4	24·0
undalk, . .	27·9	12·0	16·0	4·0	15·0	Tralee, . .	5·3	21·1	5·3	.	7·9
alway, . .	11·7	38·8	11·7	11·7	18·5	Waterford, .	29·2	21·4	11·7	9·7	18·0
ilkenny, . .	19·7	19·7	14·7	14·7	17·2	Wexford, . .	4·7	18·7	4·7	28·0	14·0
imerick, . .	15·0	12·3	13·7	23·2	16·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 10·3 in Portadown, the 6 deaths from all causes registered in that district including one from scarlet fever and one from diarrhœa. Among the 115 deaths from all causes registered in Belfast are 2 from measles, 2 from whooping-cough, one from enteric fever, and 16 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 243—131 boys and 112 girls; and the deaths to 136—63 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 18·7 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 17·9 per 1,000. During the thirty weeks ending with Saturday last the death-rate averaged 25·2,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

and was 1·5 below the mean rate for the corresponding portions of the ten years 1894–1903.

Of the deaths registered 4 were from measles, 2 from whooping-cough, one each from diphtheria, enteric fever, and epidemic enteritis, and 4 from *diarrhœa*, dysentery. Not one death was registered from either small-pox, scarlet fever, or typhus. In the 3 weeks preceding, the deaths from measles numbered 2, 10, and 5; from whooping-cough, 3, 3, and 3; and from diarrhœal diseases, 5, 2, and 5, respectively.

One death from croupous pneumonia, 4 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* were registered.

Of the 24 deaths from tuberculous disease, 2 were from tuberculous phthisis, 13 from *phthisis*, 5 from tuberculous meningitis, and 4 from other forms of the disease

Carcinoma caused one death, and *cancer, malignant disease*, 9 deaths.

There were 3 deaths assigned to premature birth.

Diseases of the brain and nervous system caused 12 deaths, 6 (all of infants under one year old) being from *convulsions*.

Twenty deaths were attributed to diseases of the heart and blood-vessels.

There were 10 deaths from bronchitis.

Of 5 deaths due to accidental circumstances, 2 were caused by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these were all deaths of children under one year old.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 12 were under one month old), and 19 were aged 60 years and upwards, including 9 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a man) was stated to have been aged 91 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·9 per 1,000; the rate in the City was 19·9 (North City Districts, 20·8; South, 19·0), and in the Suburbs, 11·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·1 (2·1 in the North City Districts, and 2·2 in the South), and for the Suburbs, 0·0.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. Broncho-pneumonia, *pneumonia*, and *phthisis*, each caused one death; diseases of the heart and blood-vessels 2 deaths, and accidental violence one.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There were 2 deaths from measles, 2 from whooping-cough, one each from *diarrhœa*, broncho-pneumonia, and tubercular meningitis; 3 from diseases of the brain and nervous system, and 2 from diseases of the heart and blood-vessels.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. Among these are one from *diarrhœa*, one each from broncho-pneumonia and *pneumonia*, 2 from tuberculous disease, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. There were 2 deaths from *pneumonia*, 3 from tuberculous disease, and 2 each from diseases of the brain and nervous system and from diseases of the heart and blood-vessels, respectively.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 26·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. One of the 5 deaths tabulated for the first-named district was from tubercular meningitis, and one from *pneumonia*.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 20·4 per 1,000. One death was attributed to diphtheria, 4 deaths to tuberculous disease, one death to croupous-pneumonia, and one to accidental violence.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. One of the deaths was from measles, one from enteric fever, and one from epidemic enteritis; there were 5 deaths from tuberculous diseases, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (11) are equal to an annual rate of 13·7 per 1,000. Measles *diarrhœa*, and *pneumonia*, each caused one death; tuberculous disease, 3 deaths, and accidental violence one.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. Among these are one from *pneumonia*, 2 from tuberculous disease, 3 from diseases of the heart and blood-vessels, and 2 from bronchitis; there was one accidental death.

New Kilmainham District.—There were no deaths tabulated for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 12·0; Blackrock, 6·0; and Kingstown, 11·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 7 deaths from all causes tabulated for Rathmines and Rathgar 3 were from diseases of the heart and blood-vessels, and one from tuberculous meningitis. Among the 6 deaths from all causes for Pembroke one was from *pneumonia* and one from bronchitis; and of the 4 deaths for Kingstown, 2 were from diseases of the heart and blood-vessels and one from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE IN THE DUBLIN REGISTRATION AREA AND IN BELFAST.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 30th July, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	July 9,	.	.	.	3	.	.	1	.	2	10	17	.	.	.	33
	July 16,	.	.	.	6	.	.	4	.	1	4	11	.	.	.	26
	July 23,	.	.	.	9	.	.	7	.	3	7	18	.	.	1	45
	July 30,	.	.	.	3	.	.	2	.	10	12	11	1	.	.	39
Rathmines and Rathgar Urban District.	July 9,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2
	July 16,	.	.	.	5	.	.	1	.	.	1	.	.	.	.	7
	July 23,	.	.	.	4	.	.	1	.	.	.	.	.	.	.	5
	July 30,	.	.	.	1	.	.	2	.	.	1	.	.	.	1	5
Pembroke Urban District.	July 9,	.	14	.	1	.	.	.	.	.	.	.	.	.	2	17
	July 16,	.	10	.	.	.	.	2	.	.	1	.	.	.	3	16
	July 23,	.	21	.	.	.	.	.	.	.	.	1	.	.	5	27
	July 30,	.	11	.	.	.	.	.	.	.	.	1	.	.	5	17
Blackrock Urban District.	July 9,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	July 16,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	July 23,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 30,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Kingstown Urban District.	July 9,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	July 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	July 9,	2	–	.	7	.	.	5	2	2	2	4	.	.	.	24
	July 16,	2	–	.	8	.	.	3	.	8	4	4	.	.	.	29
	July 23,	.	–	.	11	.	.	2	.	10	7	5	.	.	.	35
	July 30,	1	–	.	8	.	.	1	1	4	5	5	.	.	.	25

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th July, 1904.

From this it appears that :—

Twenty-six cases of measles were admitted to hospital during the week, 13 were discharged, one died, and 85 patients remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 6 cases were discharged, and 43* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 6 were discharged, 2 died, and 17 cases remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, 17 cases were discharged, and 42 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 4 patients were discharged, there was one death, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·0), was equal to an average annual death-rate of 16·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·1 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 12·9.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th July, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 30th July, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 30th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	29·4	15·9	1·8	617	338	83	65	.	6	1	.	5	1	.	2	22	42	45	8	24	102	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—																								.	.	.	.	.	.	.	.	.	.	.	.
Total,‡	374,994	27·5	33·4	17·9	1·7	243	130	35	18	.	4	.	.	2	1	.	1	4	15	24	4	6	50	57·1·3	50·0	60·2	0·88	57·2·0	47·0	59·3	0·43	57·1·8	46·2	58·8	0·40
City of Dublin	298,385	37·1	36·3	19·9	2·1	204	112	33	11	.	4	.	.	2	1	.	1	4	15	19	4	6	46	a74·7	54·0	62·2	0·29	a74·0	54·3	62·0	0·27	a72·5	50·3	61·4	0·38
Urban Districts. Rathmines and Rathgar.	33,203	19·4	22·0	11·0	.	14	7	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	b71·1	52·0	60·9	0·88	b73·9	47·0	60·5	0·36	b72·9	44·3	59·5	0·32
Pembroke	26,025	16·4	28·0	12·0	.	14	6	1	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	6·0	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	20·7	11·8	.	7	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2	70·7	53·0	61·1	0·23	74·2	51·5	61·2	0·16	71·2	51	61·0	0·17
Urban Districts.																																			
Belfast	358,680	24·4	28·3	16·7	3·1	195	115	36	23	.	2	.	.	2	.	.	1	16	17	11	2	11	22	.	.	.	.	68·1	48·6	59·9	0·61	71·1	50·1	61·1	1·08
Cork	76,122	33·6	32·9	13·0	.	48	19	2	4	.	.	.	.	.	.	.	.	.	3	1	1	1	12	68	51	59·7	0·43	70	55	60·3	0·64	72	51	59·9	1·79
Londonderry	41,397	19·1	21·4	8·8	1·3	17	7	3	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	31·4	23·2	.	23	17	3	8	.	.	.	.	.	.	.	.	.	.	4	.	3	7	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	19·5	9·7	.	10	5	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	31·1	11·7	.	8	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	76	52	61	2·00	81	52	62	1·22	83	45	62	0·72
Dundalk	13,076	3·4	27·9	4·0	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	.	8·2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·3	25·2	8·4	.	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18
Lurgan	11,782	13·8	13·3	17·7	.	3	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18
Lisburn	11,461	10·1	18·2	13·6	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	1	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18
Wexford	11,168	23·2	18·7	28·0	.	4	6	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	38·3	4·8	.	8	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	19·2	14·4	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	70·1	51·3	61·5	2·39	75·3	51·6	62·2	0·85	79·0	39·0	61·3	0·72
Kilkenny	10,609	11·5	29·5	14·7	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	73	48	58·5	0·71	74	52	62	0·87	78	45	61·3	0·98
Clonmel	10,167	7·8	51·3	15·4	5·1	10	8	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	31·0	31·0	10·3	6	6	2	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18
Tralee	9,867	16·6	37·0	.	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	17·2	5·7	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	67	53	57·8	0·29	65	50	56·6	0·45	69	50	57·8	1·22
Queenstown	7,909	14·4	19·8	6·6	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	68	51	59·7	0·43	70	55	60·3	0·64	72	51	59·9	1·79
Armagh	7,588	22·2	13·7	6·9	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75	76·5	46·2	61·0	1·18

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations

BLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 30th of July, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMGONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	1	.	.	.	.	.	1	1	.	.	.	.	.	.	4	1
Phthisis,	1	.	1	2	.	.	.	4	3	3	1	.	.	.	.	.	15	.
Other General Diseases,	1	1	6	2	.	1	1	4	3	1	3	.	2	1	.	1	27	2
Total,	2	6	8	4	.	1	1	9	9	6	4	.	2	1	.	1	54	8
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	3	1	2	.	1	1	1	.	1	.	.	.	.	.	.	13	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	.	2	.	1	.	1	1	1	3	.	3	1	.	2	19	1
Respiratory System,	3	1	5	2	.	1	.	1	2	1	3	.	.	3	1	1	24	.
Digestive System,	.	1	2	.	.	1	.	2	.	1	2	.	.	.	.	.	9	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	7	8	6	.	4	1	5	3	4	9	.	5	5	1	3	68	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	4	.
E VIOLENT DEATHS,	1	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	4	1
Deaths from all Causes,	10	14	16	13	.	5	2	15	12	11	14	.	7	6	1	4	130	6
Annual Rate of Mortality in every 1,000 of the population	18·4	18·6	27·7	21·4	.	26·0	15·6	20·4	31·2	13·7	20·8	.	11·0	12·0	6·0	11·8	17·9	.
	20·8							19·0					11·0					
	19·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	1	3	5	2	.	1	1	4	.	3	2	.	2	.	.	.	24	5
Workhouse Hospitals	1	2	3	4	.	.	.	5	4	2	3	.	.	.	.	2	26	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease r
week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1894-1903.	In the Week ending 30th July, 190			
												Deaths of Persons of			
	July 28, 1894.	July 27, 1895.	July 25, 1896	July 31, 1897.	July 30, 1898.	July 29, 1899	July 28, 1900.	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.		ALL AGES.	0 to 5.		
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	57·8°	57·0°	60·1°	61·6°	57·1°	60·0°	62·8°	59·2°	54·0°	55·4°	58·6°	60·2°			
ALL CAUSES.	149	160	159	153	160	191	129	155	150	141	154·7	136	12	23	17
Small-pox, Vaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	13	.	.	8	1	2·2	4	.	2	2
Scarlet Fever	2	.	1	1	1	3	.	.	1	.	·9	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	1	1	.	1	.	3	.	.	·7	.	.	.	.
Whooping Cough, ...	3	3	3	1	.	3	.	4	1	.	1·8	2	.	1	1
Diphtheria, ...	.	.	.	3	1	.	1	1	1	.	·7	1	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.
Enteric Fever, ...	1	.	.	1	3	1	.	.	1	1	·8	1	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	25	43	9	10	19	4	21	. / 3	1 / 3	14·1	1 / 4	.	. / 3	1 / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	2	.	1	2	2	.	.	.	.	·7	1	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	..	.	.	.	.	1	.	.	. / . / .	. / . / .	·1	2 / . / .	.	.	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	.	1	.	1	1	.	1	·6	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	.	.	.	.	.	.	1	. / .	1 / .	·2	. / .	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	31	19	12	21	21	16	19	26	. / 18	6 / 17	20·6	2 / 13	.	.	. / 2
Tuberculous Meningitis, (Acute Hydrocephalus).	6	3	1	3	6	5	2	2	.	3	3·1	5	.	.	2 / 3
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	5	7	6	6	1	7	3	3	. / 2	2 / .	4·2	. / .	.	.	. / .
Tuberculous Dis. (other), ... *Scrofula*, ...	3	.	3	5	4	3	1	1	2 / .	3 / .	2·5	4 / .	.	1	. / 2 / .
Alcoholism, ...	.	1	2	1	.	1	.	1	2	.	·8	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	.	.	2	.	3	.	·6	.	.	.	.
Gout, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.

* The figures for the years 1894-190

RTIETH WEEK ending Saturday, 30th July, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: July 28, 1894.	July 27, 1895.	July 25, 1896.	July 31, 1897.	July 30, 1898.	July 29, 1899.	July 28, 1900.	July 27, 1901.	July 26, 1902.	Aug. 1, 1903.	Averages in 30th Week of the 10 years 1894–1903.	In the Week ending Saturday, 30th July, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 57·8	° 57·0	° 60·1	° 61·6	° 57·1	° 60·0	° 63·8	° 59·2	° 54·0	° 55·4	° 58·6	° 60·2								
oma	5	4	6	9	5	6	7	5	.	3	6·1	1	.	.	.	.	.	1	.
a									.	.		.	.	.	.	.	.	.	.
Malignant Disease ...									6	5		9	.	.	.	2	4	2	1
es Mellitus	.	.	.	.	.	.	.	.	1	1	·2	2	.	.	.	1	1	.	.
ture Birth	3	1	.	5	2	2	1	1	3	10	2·8	3	3	.	.	.	.	.	.
ritis (not tuberc.)									4	3		3	.	.	2	1	.	.	.
y, G. P. of Insane									2	1		.	.	.	.	.	.	.	.
sy									.	.		.	.	.	.	.	.	.	.
sions									4	9		6	3	3	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.
egia Dis. of Cord									1	1		.	.	.	.	.	.	.	.
is System (other Dis.) ...	28	32	23	31	34	43	30	35	4	.	32·1	3	1	.	.	.	2	.	.
Dis., Endocarditis									2	3		5	.	.	.	.	5	.	.
. Hæm. Thromb.									1	.		1	.	.	.	.	1	.	.
cy, *Hemiplegia*									4	3		2	.	.	.	.	2	.	.
rsm									.	.		1	.	.	.	.	1	.	.
ism, Thromb. (not cerebral) and Blood Vessel Dis.									11	12		11	.	.	.	2	2	5	2
(not Spasm. or Memb.) ...	1	3	1	.	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.
nitis	9	9	10	9	16	13	15	10	9	6	10·6	10	.	.	4	.	.	3	3
ous Pneumonia									.	.		1	.	.	1	.	.	.	.
o-Pneumonia	4	4	1	6	9	9	8	8	4	3	6·4	4	.	3	.	.	1	.	.
monia"									2	6		8	.	2	1	.	4	1	.
a, Emphysema									.	.		.	.	.	.	.	.	.	.
sy	2	3	1	4	1	2	.	1	.	.	1·6	.	.	.	.	.	.	.	.
atory Dis. (other)									2	.		1	.	1	.	.	.	.	.
itis, Quinsy	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.
tis (not Epid.)	1	1	3	1	.	2	1	.	1	1	1·2	1	.	1	.	.	.	.	.
Enteritis									.	1		4	.	1	2	.	.	1	.
nitis (not Puerp.)	.	1	.	.	.	1	2	1	.	.	·5	.	.	.	.	.	.	.	.
sis of Liver	1	1	.	1	3	1	2	1	3	.	1·5	1	.	.	.	.	.	1	.
Dis. (other)									2	.		1	1	.	.	.	.	.	.
ive Dis. (other)	3	3	6	2	8	6	2	2	8	6	4·6	2	.	1	.	.	.	1	.
itis, Acute									4	4		1	.	.	.	.	.	.	1
's Dis., Albuminuria ...	4	2	4	4	5	3	1	4	3	1	4·0	1	.	.	.	.	1	.	.
ry Sys. (Other Dis.) ...									1	.		3	.	.	.	.	.	1	1
ative Organs Dis.	.	.	2	.	1	.	.	1	.	.	·4	.	.	.	.	.	.	.	.
birth (Accid. of)	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.
ge	10	8	8	6	12	10	9	5	10	2	8·0	.	.	.	.	.	.	.	.
Diseases	19	16	17	17	11	14	13	12	13	15	14·7	6	2	3	.	.	1	.	.
ACCIDENT.																			
ailways	.	.	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.
hicles and Horses	.	1	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
ps, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
ilding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	·6	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	.	4	.	.	.	1	.	.	1	.	·8	2	1	.	.	.	1	.	.
rowning	.	.	1	1	.	.	1	.	1	4		.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	.	.	.	.	1	.	.	·2	1	.	.	1	.	.	.	.
oison or Poisonous Vapours...	.	.	1	.	.	.	.	3	.	1	1·4	1	.	.	.	.	.	1	.
Deaths by Accidents ...	1	1	1	1	2	2	2												
VIOLENCE OTHER THAN ACCIDENTAL.																			
icide	1	.	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.
de	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Feb. 6.	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Births registered,	255	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243
*Average Births in corresponding week of previous 10 years,**	211	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201
Deaths registered,	233	207	223	206	201	218	218	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	131	126
Annual Death-rate per 1,000,	32·1	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7
*Average Deaths in corresponding week of previous 10 years,**	214	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155
Ages, Under 5 years,	71	58	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52
5—20 "	13	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9
20—40 "	33	31	30	31	34	36	35	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21	25	23
40—60 "	40	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33
60—80 "	65	48	49	49	49	58	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15
80 years and upwards,	11	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4
" Scarlet Fever	.	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	9	6	9	11	10	6	13	5	11	8	11	5	8	11	10	5	4	9	1	3	.	1	3	3	5	2
" Diphtheria,	1	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1
" Simple Continued Fever,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1
" Diarrhœal Diseases,	1	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5
" Phthisis,	23	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15
" Diseases of Heart and Blood Vessels,	23	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20
" Diseases of Respiratory System,	51	57	59	54	42	44	51	48	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24
Violent Deaths,	8	5	3	4	6	8	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5
Mean Temperature of the Air (Phœnix Park),	37·0	38·3	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·8	60·2
Average Mean Temperature in corresponding week of previous 10 years.	38·6	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6
Rainfall in inches,	1·360	·565	·743	·628	·220	·745	·625	·268	·755	·788	·085	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375
Mean Humidity of the Air, complete Saturation 1·0.	·93	·88	·90	·88	·80	89	87	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th July, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 30th July, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	18·9	186	52	9	23	33	15	4	.	4	.	.	2	1	.	1	5	13	15	6	24	5	73
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	.	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
II.	MIDDLE CLASS,	87,188	12·6	21	5	.	7	8	5	1	.	.	.	.	.	.	.	.	.	.	1	.	6	.	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	16·5	35	15	4	6	7	2	1	.	2	.	.	1	.	.	.	2	5	6	2	3	2	17
IV.	GENERAL SERVICE CLASS,	154,279	24·4	48	25	4	8	9	2	.	.	2	.	.	1	1	.	.	3	7	5	4	12	3	17
V.	INMATES OF WORKHOUSES,	6,024		27	7	1	2	11	6	.	.	.	.	.	.	.	.	1	.	1	3	.	3	.	20
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3
	6. Clerks and Commercial Assistants,	30,432	15·4	9	3	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	4	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	7·7	4	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	4	.	1	.	.	1	.	1	.	.	.	.	.	.	.	1	.	1	1	.	3
	9. Building and Furnishing Trades,	29,801	12·2	7	6	.	.	.	1	.	.	1	.	.	.	.	.	.	1	2	1	.	1	1	2
	10. Clothing Trades,	23,260	4·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	11. Food Supply Trades,	9,242	16·9	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	4	3	3	4	.	.	.	.	.	.	.	.	.	.	1	2	2	1	.	1	8
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	15. Domestic Servants,	36,603	4·3	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3	.	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	22·0	38	21	4	7	6	.	.	.	2	.	.	1	1	.	.	2	6	4	3	5	3	14
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	27	7	1	2	11	6	.	.	.	.	.	.	.	.	1	.	1	3	.	3	.	20

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,339.	June 11,	18·4	1·8	10	.	.	.	.		.	.	1	.	2	3	.
		„ 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
		„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
		July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
		„ 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
		„ 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
		„ 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
		„ 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 29,146.	June 11,	26·6	.	20	.	.	.	.	.	.	.	.	.	3	3	1
		„ 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 25,	22·6	1·3	17	.	.	.	.	.	.	.	.	.	.	5	.
		July 2,	26·6	1·3	20	.	.	1	.	.	1	.	.	.	2	4	2
		„ 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
		„ 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
		„ 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
		„ 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	June 11,	13·9	.	8	.	.	.	.	.	.	.	.	.	4	.	.
		„ 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
		„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
		July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
		„ 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
		„ 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
		„ 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
		„ 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,673.	June 11,	11·5	.	7	.	.	.	.	.	.	.	.	.	.	3	.
		„ 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
		„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
		July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
		„ 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
		„ 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
		„ 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
		„ 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	June 11,	17·7	1·4	13	.	.	.	.	1	.	.	.	.	4	4	.
		„ 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
		„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
		July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
		„ 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
		„ 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
		„ 23,	16·8	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
		„ 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	June 11,	25·7	2·9	9	.	.	1	.	.	.	.	.	.	1	1	.
		„ 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
		„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
		July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
		„ 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
		„ 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
		„ 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
		„ 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	June 11,	24·9	.	20	.	.	.	.	.	.	.	.	.	.	6	.
		„ 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
		„ 25,	28·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
		July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
		„ 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
		„ 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
		„ 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
		„ 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	June 11,	17·8	1·5	12	.	1	.	.	.	.	.	.	.	3	3	.
		„ 18,	26·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
		„ 25,	14·3	.	10	.	.	.	.	.	.	.	.	.	2	3	.
		July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
		„ 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
		„ 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
		„ 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
		„ 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-18	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhoeal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 83,208.	June 11,	15·7	.	10	.	.	.	.	.	.	.	.	.	3	.	.
	„ 18,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	„ 25,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	„ 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	June 11,	16·0	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	June 11,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	„ 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est. 358,680.	June 11,	18·9	2·0	130	.	4	1	.	4	.	1	2	2	21	19	7
	„ 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
	„ 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	„ 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	„ 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	„ 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	„ 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
Cork. Pop. (in 1901) 76,122.	June 11,	17·1	0·7	25	.	.	.	.	.	.	.	.	1	7	3	1
	„ 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	„ 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	„ 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
Londonderry. Pop. in 1904 (Est.) 41,397	June 11,	22·7	1·3	18	.	.	.	.	.	1	.	.	.	4	5	1
	„ 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	„ 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	„ 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	„ 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	„ 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
Limerick. Pop. (in 1901) 38,151.	June 11,	24·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	„ 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	„ 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
Waterford. Pop. (in 1901) 26,769.	June 11,	7·8	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 30th July, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	5	28·3	3·5	8	4	.	3	1	.	.	.	.	.	.	.	.	1	.	1	.	2	2
Do. 2 ,,	47,959	2	14·1	1·1	13	1	.	7	5	.	.	.	.	.	.	.	.	1	5	.	.	.	4
Do. 3 ,,	47,214	24	25·4	4·4	23	10	.	8	5	.	.	.	.	.	.	.	.	4	3	3	.	3	1
Do. 4 ,,	40,911	20	22·9	5·1	18	7	1	8	2	.	.	.	.	1	.	.	1	2	1	1	.	1	3
Do. 5 ,,	17,387	7	18·0	3·0	6	1	.	4	1	.	.	.	.	.	.	.	.	1	.	1	1	1	3
Do. 6 ,,	48,122	19	18·4	5·4	17	3	2	10	2	.	.	.	.	.	.	.	.	5	4	2	1	1	5
Do 7 ,,	1,524	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 ,,	5,060	.	10·3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 9 ,,	19,569	8	2·7	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 10 ,,	28,064	24	11·3	2·3	5	2	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Do 11 ,,	34,802	6	15·0	3·0	10	4	.	3	3	.	1	.	.	1	.	.	.	.	1	1	.	2	2
Do. 12 ,,	33,588	23	12·4	1·6	8	2	1	5	.	.	1	.	.	.	.	.	.	.	3	.	.	.	.
Do 13 ,,	15,006	16	13·9	3·5	4	2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	195	17·2	3·1	115	36	6	50	23	.	2	.	.	2	.	.	1	16	17	11	2	11	22
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	6	16·2	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	4
Do. 2 ,,	10,701	8	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 ,,	9,978	2	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 4 ,,	8,666	11	12·0	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 ,,	6,592	2	15·8	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Do. ,,	10,702	3	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do 7 ,,	16,616	16	18·8	.	6	1	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	4
Total	76,122	48	13·0	.	19	2	1	12	4	.	.	.	.	.	.	.	.	.	3	1	1	1	12

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered,	190	201	209	268	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195
DEATHS registered.	150	208	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115
Annual Death-rate per 1,000 of estimated Population,	21·8	29·5	26·9	27·0	23·4	22·	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7
AGES, Under 1 year,	39	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36
AGES, 1-5 years,	17	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6
AGES, 5-60 years,	70	93	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50
AGES, 60 years and upwards,	24	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	11	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2
" Diphtheria,	1	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.
" Simple Continued Fever,	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	3	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1
" Diarrhœal Diseases,	.	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16
" Phthisis	26	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17
" Diseases of Respiratory System,	48	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11
Violent Deaths,	1	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th July, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	1	.	.	.	.	1	3	.	.	.	5
" " 1, West,	.	.	.	2	.	.	.	.	2	1	1	.	.	6
" " 2,	.	.	.	.	.	.	1	.	.	1	1	1	.	4
" " 3,	.	.	.	.	.	.	.	.	7	.	1	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	4	8	.	.	13
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	.	.	.	3	.	.	2	.	10	12	11	1	.	39

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th July, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th July.			
	July 9.	July 16.	July 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	83	77	73	26	13	1	85
Scarlet Fever,	51	50	44	5	6	.	43*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	17	19	19	6	6	2	17
Enteric Fever,	50	50	52	7	17	.	42
Pneumonia,	18	16	16	2	4	1	13

*Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	July 30,	2,467	1,423	16·0	2	36	7	5	13	6	301
EDINBURGH,	331,977	„ 30,	152	82	12·9	.	4	.	2	3	1	.
GLASGOW,	798,357	„ 30,	462	228	14·9	.	1	2	.	12	1	13
CALCUTTA,	847,796	May 28,	.	483	29·6	.	1	.	.	.	97‡	86*
BOMBAY,	776,006	June 28,	375	525	35·2	17	2	.	.	.	41‡	55*
MADRAS,	509,346	„ 17,	423	445	45·4	.	3	?	?	?	122	71*
PARIS,	2,660,559	July 16,	1,153	1,017	19·8	2	17	2	4†	6	5	136
BRUSSELS (with 8 Faubourgs).	586,936	„ 9,	216	147	13·0	1	1	.	2†	2	1	11
AMSTERDAM,	548,160	„ 9,	285	129	12·3	.	7	.	.	3	1	10
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	417,000	July 9,	170	116	14·5	.	1	1	1†	3	1	12
CHRISTIANIA	223,649	„ 16,	137	58	13·5	.	1	.	1†	.	.	5
ST. PETERSBURG,	1,248,122	„ 16,	483	577	24·1	.	26	8	13†	.	10	74
BERLIN,	1,960,909	„ 2,	851	570	15·1	.	9	6	12†	10	.	66
HAMBURG,	751,842	„ 9,	.	208	14·4	.	4	.	4†	5	1	14
BRESLAU,	445,403	„ 16,	.	188	22·0	.	4	1	.	?	.	45
MUNICH	520,000	„ 16,	.	222	22·2	.	4	3	1†	1	.	47
VIENNA (with suburbs).	1,797,992	„ 16,	883	676	19·5	1	20	.	5†	.	.	123
BUDA-PESTH	813,399	„ 16,	377	289	18·5	.	6	4	5†	1	1	53
PRAGUE and Faubourgs.	426,402	„ 9,	179	160	19·5	.	1	.	.	3	5	11
ROME,	496,201	Apr. 30,	229	189	19·9	.	12	.	.	.	3	11
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	June 18,	83	54	16·9	.	1	.	1†	.	.	5
NEW YORK,	3,838,024	July 2,	1,568	1,591	21·6	1	23	9	50†	5	15	316
PHILADELPHIA,	1,408,154	June 25,	.	395	14·6	1	2	1	8†	.	7	38

* Including 51 deaths from cholera in Calcutta, one in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 90 deaths from bubonic fever in Calcutta and 48 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 30th July, 1904:—

"Warm and summerlike, if somewhat changeable and showery, weather was experienced in Dublin; whereas England was visited by an almost tropical downpour of rain, ushered in—after a long period of drought and torrid heat—by severe thunderstorms on Monday, July 25. Already on Sunday the 24th ult. a shallow and complex atmospheric depression was spreading northwards and eastwards over the British Isles from the Atlantic. By Monday morning the barometer had fallen below 29·7 inches over the English Channel, Brittany and the S. and S.W. of England. Thunderstorms and heavy rains were becoming prevalent in the districts named, but in Scotland and many parts of Ireland and the North of England the weather was finer. As the depression, in which were several shallow minima, drifted slowly eastwards and north-eastwards, the weather became still finer in Ireland and Scotland, with light N.E. winds. But by Thursday morning a new area of low atmospheric pressure had appeared off the West of Ireland, throwing the weather again into an unsettled state and leading to a renewal of gloom and rain in England. Oxford seemed to bear the brunt of the bad weather, 2·78 inches of rain being measured in the 5 days ending with 8 a.m. of Saturday. In London Monday's thunderstorm was felt severely, an inch and three-quarters of rain being recorded in the N.W. district of the metropolis. A lunar rainbow was seen at Greystones, Co. Wicklow, on Saturday night. In Dublin the mean height of the barometer was 29·853 inches, pressure ranging between 29·688 inches at 9 p.m. of Monday (wind, E.N.E.) and 29·978 inches at 9 a.m. of Thursday (wind again E.N.E.). The corrected mean temperature was 62·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·7°. The screened thermometers fell to 54·0° on Sunday and rose to 74·7° on Saturday. Bright sunshine was estimated at 28¾ hours, of which about 9 hours fell on Saturday and 7¼ on Thursday. The dominant wind was E.N.E. Rain fell on 4 days to the amount of ·292 inch, ·257 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·864 inches. The highest reading (29·988) was on Thursday at 9 a.m., air calm, and the lowest (29·692) on Monday at 9 p.m., wind N.E.

The mean temperature for the week was 60·2°, being 1·6° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 71·3° and was lowest on Sunday, the mercury having fallen to 50·0°. The mean of the Dry Bulb for the week was 59·8°, and of the Wet Bulb 56·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·3 hours. The rainfall during the week measured ·375 inch.

At Greenwich the mean temperature for the week was 65·4°, the maximum 83·9°, and the minimum 52·2°; at Glasgow the maximum was 73·4°, the minimum 50·0°, and the mean 59·7°; and at Edinburgh the maximum was 70·4°, the minimum 49·8°, and the mean 56·0°. The rainfall at Greenwich measured 1·83 inches; and at Edinburgh 0·02 inch. There was no rain at Glasgow.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, July 24,	29·843	66·3	50·0	58·2	60·1	59·3	·96	·1	2·7	—	Calm.	Calm.
Monday, „ 25,	29·720	64·3	57·2	60·8	60·8	59·5	·92	·7	0·3	·365	E.	N.E.
Tuesday, „ 26,	29·767	61·8	55·3	58·6	56·0	54·9	·93	·2	0·6	—	E.	Calm.
Wednesday, „ 27,	29·915	63·3	51·2	57·3	57·2	55·3	·88	·0	0·6	·010	N.E.	Calm.
Thursday, „ 28,	29·975	69·3	55·2	62·3	63·3	58·9	·76	·4	6·3	—	Calm.	S.E.
Friday, „ 29,	29·929	69·6	56·9	63·3	59·9	54·7	·71	·3	7·8	—	S.W.	W.
Saturday, „ 30,	29·901	71·3	50·9	61·1	61·2	55·6	·70	·2	9·0	—	S.	Calm.
Mean, . .	29·864	66·6	53·8	60·2	59·8	56·9	·84	·3	Total 27·3	·375	—	

Sunday—Day fine but cloudy; night overcast. *Monday*—Day fine but dull; night overcast, heavy, rain 3 to 7 a.m. *Tuesday*—Day fine but dull; night cloudy. *Wednesday*—A dull day; night overcast, light rain 8.30 to 9.30 p.m. *Thursday*—Day fine but cloudy; night cloudy. *Friday*—Day fine but cloudy; night clear. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. 124. 6. 1904.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 6TH AUGUST, 1904. [No. 31.

General Register Office, Charlemont House,
Dublin, 8th August, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 17·6 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphatically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 16.	Week ending July 23.	Week ending July 30.	Week ending Aug. 6.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 16.	Week ending July 23.	Week ending July 30.	Week ending Aug. 6.	Average Rate for 4 weeks.
Town Dists.	17·5	15·6	15·9	17·6	16·7	Lisburn, . .	9·1	22·7	13·6	9·1	13·6
rmagh, . .	27·5	6·9	6·9	27·5	17·2	Londonderry .	17·6	8·8	8·8	17·6	13·2
llymena, .	38·3	4·8	4·8	23·9	17·9	Lurgan, . .	4·4	8·9	17·7	8·9	10·0
elfast, . .	16·6	16·3	16·7	15·8	16·3	Newry, . .	4·2	25·2	8·4	4·2	10·5
onmel, . .	5·1	10·3	15·4	41·0	17·9	Newtownards, .	17·2	17·2	5·7	11·4	12·9
ork, . . .	13·7	13·7	13·0	17·1	14·4	Portadown, .	15·5	15·5	31·0	5·2	16·8
rogheda, . .	4·1	24·5	8·2	8·2	11·3	Queenstown, .	19·8	6·6	6·6	.	8·3
ublin Reg. Area,	19·3	17·5	17·9	21·2	19·0	Sligo, . . .	28·8	14·4	14·4	9·6	16·8
undalk, . .	12·0	16·0	4·0	8·0	10·0	Tralee, . .	21·1	5·3	.	31·7	14·5
alway, . .	38·8	11·7	11·7	7·8	17·5	Waterford, .	21·4	11·7	9·7	19·5	15·6
ilkenny, . .	19·7	14·7	14·7	4·9	13·5	Wexford, . .	18·7	4·7	28·0	28·0	19·8
imerick, . .	12·3	13·7	23·2	15·0	16·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 2·5 per 1,000, the rates varying from 0·0 in ourteen of the districts to 13·7 in Armagh, the 4 deaths from all causes registered in hat district including one from whooping-cough and one from diarrhœa. Among the 09 deaths from all causes registered in Belfast are one from typhus, 2 from whooping-ough, 3 from enteric fever, and 11 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 88—103 boys and 85 girls; and the deaths to 161—75 males and 86 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·2 in every ,000 of the population; omitting the deaths (numbering 7) of persons admitted nto public institutions from localities outside the Area, the rate was 21·2 per 1,000. During the thirty-one weeks ending with Saturday last the death-rate averaged 25·1,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

and was 1·5 under the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths registered include 3 from measles, one from scarlet fever, 4 from whooping-cough, 2 from diphtheria, and 15 from diarrhœal diseases. In the preceding 3 weeks 10, 5, and 4 deaths from measles; 3, 3, and 2 deaths from whooping-cough; and 2, 5, and 5 deaths from diarrhœal diseases were registered, respectively.

Five deaths from broncho-pneumonia and 4 deaths from *pneumonia* were registered.

The 22 deaths due to tuberculous disease include 10 from *phthisis*, one from tuberculous meningitis, 2 from tuberculous peritonitis, 2 from tabes mesenterica, and 7 from other forms of the disease.

Two deaths were attributed to carcinoma, one to sarcoma, and 4 to *cancer, malignant disease.*

Premature birth caused the deaths of 2 infants.

Of 15 deaths from diseases of the nervous system 8 (all of infants under one year) were due to *convulsions.*

The deaths caused by diseases of the heart and blood-vessels numbered 25.

There were 14 deaths from bronchitis.

Of 2 deaths from accidental causes, one was due to burns and one to drowning.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 infants under one year old.

Seventy-two of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 9 were under one month old), and 38 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 6 were octogenarians.

Fifty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 13 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the City was 22·6 (North City Districts, 19·7; South, 25·6), and in the Suburbs, 16·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·4 per 1,000 inhabitants, the rate for the City being 3·9 (3·1 in the North City Districts, and 4·8 in the South), and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. There was one death from epidemic diarrhœa; broncho-pneumonia caused one death, and bronchitis caused 3 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Whooping-cough caused one death, and *diarrhœa* caused 2 deaths; there were 2 deaths from broncho-pneumonia, and one death from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There was one death from diphtheria, and there were 2 deaths from diarrhœal diseases, and one death from *pneumonia.*

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 16·5 per 1,000. There were 2 deaths from *diarrhœa.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 15·6.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 24·5 per 1,000. Diphtheria and *diarrhœa* each caused one death; there was one death from *phthisis*, and there were 4 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. There was one death from measles, and there were 3 deaths from diarrhœal diseases, and 3 deaths from tuberculous disease; *pneumonia* caused 2 deaths.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·6 per 1,000. Whooping-cough and *diarrhœa* each caused 2 deaths; there were 10 deaths from tuberculous disease, and 2 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·4 per 1,000. Measles caused one death, *diarrhœa, phthisis*, and bronchitis, each caused 2 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 20·0; Blackrock, 11·9; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts consist of one from scarlet fever for Rathmines and Rathgar, one from whooping-cough for Pembroke, and one from measles for Kingstown. Among the 7 deaths from all causes tabulated for Rathmines and Rathgar are 2 from tuberculous disease; of the 10 deaths tabulated for Pembroke one was from broncho-pneumonia, and one from *phthisis*; and of the 8 deaths from all causes for Kingstown one was from *pneumonia*, one from *phthisis*, and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 6th August, 1904, and each of the preceding three weeks.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Other Notifiable Diseases.†	Total.
City of Dublin.	July 16,	.	.	.	6	.	.	4	.	1	4	11	.	.	.	26
	July 23,	.	.	.	9	.	.	7	.	3	7	18	.	.	1	45
	July 30,	.	.	.	3	.	.	2	.	10	12	11	1	.	.	39
	Aug. 6,	.	.	.	3	.	.	1	.	.	12	9	.	.	.	25
Rathmines and Rathgar Urban District.	July 16,	.	.	.	5	.	.	1	.	.	1	.	.	.	.	7
	July 23,	.	.	.	4	.	.	1	.	.	.	.	.	.	.	5
	July 30,	.	.	.	1	.	.	2	.	.	1	.	.	.	1	5
	Aug. 6,	.	.	.	.	.	.	1	.	.	2	.	.	.	.	3
Pembroke Urban District.	July 16,	.	10	.	.	.	.	2	.	.	1	.	.	.	3	16
	July 23,	.	21	.	.	.	.	.	.	.	.	1	.	.	5	27
	July 30,	.	11	.	.	.	.	.	.	.	.	1	.	.	5	17
	Aug. 6,	.	14	.	.	.	.	.	.	.	1	.	1	.	1	17
Blackrock Urban District.	July 16,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	July 23,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	July 30,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
	Aug. 6,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	July 16,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July 30,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
City of Belfast.	July 16,	2	–	.	8	.	.	3	.	8	4	4	.	.	.	29
	July 23,	.	–	.	11	.	.	2	.	10	7	5	.	.	.	35
	July 30,	1	–	.	8	.	.	1	1	4	5	5	.	.	.	25
	Aug. 6,	1	–	.	10	1	.	2	.	15	10	3	.	.	.	42

The Registrar of the Urban District of Armagh reports that 5 cases of small-pox occurred in his District with one death. The Registrar of Drogheda No. 3 District reports that 2 cases of small-pox occurred in that District.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th August, 1904.

From this it appears that:—

Ten cases of measles were admitted to hospital during the week, 22 were discharged, one died, and 72 patients remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 8 cases were discharged, and 40* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 8 were discharged, 2 died, and 10 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 9 cases were discharged, 2 died, and 36 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 5 patients were discharged, and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·5), was equal to an average annual death-rate of 19·8 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 14·6 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 13·8.

* See note (*) Table XI.

† These vary according to the bye-laws of the Urban District. The cases shown for Pembroke in the above table were all cases of whooping-cough.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th August, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 6th August, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 6th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	27·3	17·6	2·5	573	369	94	81	.	3	1	1	8	2	.	3	34	50	47	6	15	95	°	°	°	°	°	°	°	°	°	°	°	°
Dublin Registration Area:—																								.	.	.	.	.	.	.	.	.	.	.	.
Total,†	378,994	27·5	25·9	21·2	3·4	188	154	43	37	.	3	1	.	4	2	.	.	15	10	23	2	5	48	§74·8	49·2	61·5	0·30	§71·3	50·0	60·2	0·38	§72·0	47·0	59·3	0·43
City of Dublin	298,385	37·1	27·9	22·6	3·9	157	127	35	31	.	2	.	.	3	2	.	.	15	8	19	1	4	42	a77·7	54·5	63·6	0·30	a74·7	54·0	62·2	0·29	a74·0	54·3	62·0	0·27
																								b74·9	51·6	62·6	0·34	b71·1	52·0	60·9	0·38	b73·9	47·0	60·5	0·36
Urban Districts. Rathmines and Rathgar	33,208	19·4	18·8	11·0	1·6	12	7	2	2	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	20·0	2·0	13	10	6	.	.	.	.	.	1	.	.	.	.	1	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	11·9	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	11·8	23·7	3·0	4	8	.	3	.	1	.	.	.	.	.	.	.	1	2	.	.	2	72·2	54·5	62·5	0·14	70·7	53·0	61·1	0·23	74·2	51·5	61·2	0·16
Urban Districts.																																			
Belfast	358,680	24·4	30·7	15·8	2·5	2·1	109	32	20	.	.	.	1	2	.	.	3	11	17	15	2	7	16	.	.	.	.	71·6	53·1	60·6	0·20	68·1	48·6	59·9	0·61
Cork	76,192	33·6	23·3	17·1	0·7	34	25	5	6	.	.	.	.	1	.	.	.	.	7	.	.	1	5	66	53	59·9	1·40	68	51	59·7	0·43	70	55	60·3	0·64
Londonderry	41,897	19·1	49·8	17·6	3·8	34	14	5	1	.	.	.	.	.	.	.	.	3	3	1	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	24·6	15·0	2·7	18	11	4	3	.	.	.	.	.	.	.	.	2	2	2	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	19·5	19·5	1·9	10	10	1	5	.	.	.	.	.	.	.	.	1	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	31·1	7·8	.	8	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	69	50	59	2·26	76	52	61	2·00	81	52	62	1·22
Dundalk	18,076	3·4	27·9	8·0	.	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	8·2	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	21·0	4·2	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75
Lurgan	11,782	13·8	17·7	8·9	.	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75
Lisburn	11,461	10·1	50·0	9·1	.	11	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75
Wexford	11,168	23·2	18·7	28·0	.	4	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	9·6	23·9	4·8	2	5	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	24·0	9·6	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	70·5	49·9	59·5	3·15	70·1	51·3	61·5	2·39	75·8	51·6	62·2	0·85
Kilkenny	10,609	11·5	19·7	4·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	70	46	59·5	0·96	73	48	58·5	0·71	74	52	62	0·87
Clonmel	10,167	7·8	25·6	41·0	.	5	8	2	1	.	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	20·7	5·2	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75
Tralee	9,867	16·6	5·3	31·7	.	1	6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	45·8	11·4	.	8	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	68	52	60·0	0·98	67	53	57·8	0·29	65	50	56·6	0·45
Queenstown	7,909	14·4	33·0	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	66	53	59·9	1·40	68	51	59·7	0·43	70	55	60·3	0·64
Armagh	7,588	22·2	6·9	27·5	13·7	1	4	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57	70·9	48·0	59·6	0·75

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 6th of August, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	North City No. 1 E.	North City No 1 W.	North City No. 2.	North City No. 3.	Clontarf & Howth No. 1 (part of).	Coolock and Drum-conora, No. 1 (pt. of)	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	3	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	1	.	.	.	.	.	.	.	2	.	.	.	1	.	.	4	.
Diphtheria,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	2	2	2	.	.	.	1	3	2	2	.	.	.	.	.	15	.
Phthisis,	.	.	.	.	.	.	.	1	2	3	2	.	.	1	.	1	10	.
Other General Diseases,	.	3	3	3	.	.	.	1	2	7	1	.	3	3	1	2	29	.
Total,	1	6	6	5	.	.	.	4	8	14	6	.	4	5	1	4	64	.
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	2	3	2	.	.	.	3	1	2	.	.	.	1	.	.	14	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	4	2	1	1	.	1	3	2	5	.	.	1	.	1	2	23	2
Respiratory System,	4	3	2	.	.	.	.	4	2	2	2	.	1	1	.	2	23	1
Digestive System,	3	4	.	1	.	.	.	.	1	.	.	2	.	1	.	.	12	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	1	.	.	.	1	.	.	2	.	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	14	8	4	1	.	2	10	6	11	2	2	2	3	1	4	77	6
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	.	.	4	.	2	1	.	1	1	.	.	11	1
E VIOLENT DEATHS,	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	2	.
Deaths from all Causes,	8	21	14	10	1	1	2	18	14	27	9	2	7	10	2	8	154	7
Annual Rate of Mortality in every 1,000 of the population	14·7	28·0	24·2	16·5	10·8	5·2	15·6	24·5	39·9	33·6	13·4	11·7	11·0	20·0	11·9	23·7	21·2	.
	19·7							25·6					16·4					
	22·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	3	2	1	.	.	.	4	1	6	2	.	1	2	1	1	24	5
Workhouse Hospitals	.	4	2	4	.	.	.	3	5	4	3	.	.	.	.	1	24	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease i
week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1894–1903.	In the Week ending 6th August, 19				
												Deaths of Persons of				
												ALL AGES.	0 to 5.			
	Aug. 4, 1894.	Aug. 3, 1895.	Aug. 1, 1896	Aug. 7, 1897.	Aug. 6, 1898.	Aug. 6, 1899	Aug. 4, 1900.	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	
Mean Temperature.	58·6	56·3	57·2	62·9	60·6	62·1	58·7	61·1	55·4	56·5	58·9	61·5				
ALL CAUSES.	134	172	184	150	160	223	159	158	165	137	164·2	161	9	25	28	1
Small-pox, Vaccinated, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	
Small-pox, Unvaccinated, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	
Small-pox, No Statement, ...	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	.	.	.	.	18	.	.	18	1	3·7	3	.	1	2	
Scarlet Fever	2	2	2	4	1	.	.	.	2	.	1·3	1	.	.	1	
Typhus, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	2	2	.	.	1	1	.	2	1	·9	.	.	.	.	
Whooping Cough, ...	.	2	3	1	2	4	3	4	2	1	2·2	4	.	2	2	
Diphtheria, ...	.	.	2	1	1	.	.	.	2	.	·6	2	.	.	2	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	
Simple Continued Fever, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	
Enteric Fever, ...	1	1	2	1	5	3	2	1	2	.	1·8	.	.	.	.	
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	7	17	28	20	18	43	9	27	1 4	2 3	17·9	4 11	. 1	2 7	2 2	
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease, ...	1	.	1	.	1	.	.	1	.	1	·5	1	.	1	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	1	1	.	.	.	.	1	. . .	. . .	·3	. . .	.	.	.	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	1	.	1	.	1	.	.	1 .	2 .	·6	. 1	.	.	.	
Septic Dis. (other), ...	..	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	
Tuberculous Phthisis, .. "*Phthisis*,"	21	24	21	14	21	24	24	15	3 16	2 12	19·7	. 10	.	.	1	1
Tuberculous Meningitis, (Acute Hydrocephalus).	4	3	8	6	7	5	4	.	1	2	4·0	1	.	.	.	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	3	8	5	4	4	9	5	9	1 .	1 1	5·0	2 2	.	.	1 1	1 1
Tuberculous Dis. (other), ... *Scrofula*, ...	4	4	3	4	6	3	4	1	2 .	3 .	3·4	7 .	.	1	2	2
Alcoholism, ...	2	1	.	1	.	1	.	1	.	1	·7	1	.	.	.	
Rheumatic Fever, ...	.	2	1	.	.	.	1	.	.	1	·5	.	.	.	.	
Gout, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	

* The figures for the years 1894–190

TY-FIRST WEEK ending Saturday, 6th August, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 4, 1894.	Aug. 3, 1895.	Aug. 1, 1896.	Aug. 7, 1897.	Aug. 6, 1898.	Aug. 5, 1899.	Aug. 4, 1900.	Aug. 3, 1901.	Aug. 2, 1902.	Aug. 8, 1903.	Averages in 31st Week of the 10 years 1894–1903.	In the Week ending Saturday, 6th August, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 58·6	° 56·3	° 57·2	° 62·9	° 60·6	° 62·1	° 58·7	° 61·1	° 55·4	° 56·5	° 58·9	Mean Temp. ° 61·5								
oma									2	2		2	.	.	.	.	.	2	.	.
ia	5	5	10	7	8	6	9	7	1	.	7·1	1	.	.	.	.	.	1	.	.
Malignant Disease ...									5	4		4	.	.	.	.	.	2	2	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
ture Birth	1	3	1	3	4	3	2	4	2	3	2·6	2	2	.	.	.	.	.	.	.
ritis (not tuberc.)									4	5		1	.	.	.	1	.	.	.	.
y, G. P. of Insane									1	1		.	.	.	.	.	.	.	.	.
sy									.	.		.	.	.	.	.	.	.	.	.
sions									6	7		8	3	5	.	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									.	2		4	.	.	.	.	.	2	2	.
is System (other Dis.) ...	31	35	37	30	23	40	36	26	5	1	32·6	2	.	.	.	2	.	.	.	.
Dis., Endocarditis									2	6		4	.	.	.	.	.	1	3	.
. Hæm. Thromb.									.	.		3	.	.	.	.	.	.	2	1
cy, *Hemiplegia*									2	7		4	.	.	.	.	.	2	2	.
ysm									.	1		.	.	.	.	.	.	.	.	.
ism, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
and Blood Vessel Dis.									5	13		14	.	.	.	.	1	3	8	2
(not Spasm. or Memb.) ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ritis	11	9	5	11	15	6	9	6	18	6	9·6	14	.	2	4	.	.	3	5	.
ous Pneumonia									.	.		.	.	.	.	.	.	.	.	.
o-Pneumonia	3	6	5	5	4	10	3	10	3	4	6·3	5	.	3	1	1	.	.	.	.
monia"									6	4		4	.	.	3	.	.	.	1	.
a, Emphysema									.	.		.	.	.	.	.	.	.	.	.
sy	3	3	1	3	1	2	2	1	.	.	2·0	.	.	.	.	.	.	.	.	.
atory Dis. (other)									2	1		1	.	.	.	.	.	1	.	.
itis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
tis (not Epid.)									1	1		3	.	2	1	.	.	.	.	.
Enteritis	.	2	2	.	2	3	1	1	1	1	1·5	4	.	4	.	.	.	.	.	.
nitis (not Puerp.)	.	.	1	.	.	3	1	1	1	.	·7	1	.	.	.	.	1	.	.	.
sis of Liver									2	.		.	.	.	.	.	.	.	.	.
Dis. (other)	1	2	6	2	1	3	2	4	1	3	2·7	1	.	.	.	1	.	.	.	.
ive Dis. (other)	4	9	8	5	6	6	8	7	5	3	6·1	5	.	2	1	.	.	2	.	.
itis, Acute									.	2		2	.	.	.	.	.	.	2	.
's Dis., Albuminuria ...	2	4	6	3	2	4	8	7	1	2	4·1	3	.	.	.	.	2	1	.	.
ry Sys. (Other Dis.) ...									.	.		.	.	.	.	.	.	.	.	.
ative Organs Dis.	2	.	.	.	2	1	.	1	2	2	1·0	.	.	.	.	.	.	.	.	.
birth (Accid. of)	.	.	.	1	.	.	.	.	.	3	·4	.	.	.	.	.	.	.	.	.
ge	10	6	7	5	9	9	8	5	5	5	6·9	5	.	.	.	.	.	.	4	1
Diseases	9	9	14	13	15	12	11	11	14	7	11·5	11	3	3	2	.	1	1	1	.
ACCIDENT.																				
ilways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
hicles and Horses	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
ps, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drowning)																				
ilding Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
nflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	.	.	1	.	.	.	.	.	.	1	·2	1	.	.	.	1	.	.	.	.
rowning	2	1	.	1	1	2	1	1	.	.	·9	1	.	.	.	.	1	.	.	.
ffocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ison or Poisonous Vapours...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	6	1	3	1	.	3	3	7	3	2·8	.	.	.	.	.	.	.	.	.
IOLENCE OTHER THAN ACCIDENTAL.																				
cide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
le	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ation	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

egistration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Feb. 13.	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Births registered,	181	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188
*Average Births in corresponding week of previous 10 years,**	211	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209
Deaths registered,	207	223	206	201	218	213	235	219	226	186	178	158	178	173	173	168	150	145	169	149	126	138	146	131	136	161
Annual Death-rate per 1,000,	28·5	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2
*Average Deaths in corresponding week of previous 10 years,**	213	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164
Ages, Under 5 years,	53	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72
5—20 ,,	14	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11
20—40 ,,	31	30	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42	30	15	21	21	25	23	17
40—60 ,,	49	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23
60—80 ,,	48	49	49	49	53	40	50	52	45	37	43	37	35	45	33	29	34	27	29	30	28	31	28	24	15	32
80 years and upwards,	12	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3
,, Scarlet Fever	1	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	6	9	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4
,, Diphtheria,	1	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2
,, Simple Continued Fever,	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.
,, Diarrhœal Diseases,	2	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15
,, Phthisis,	19	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10
,, Diseases of Heart and Blood Vessels,	28	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25
,, Diseases of Respiratory System,	57	59	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24
Violent Deaths,	5	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2
Mean Temperature of the Air (Phœnix Park),	38·3	37·7	42·6	36·1	8·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5
Average Mean Temperature in corresponding week of previous 10 years,	40·6	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9
Rainfall in inches,	·565	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290
Mean Humidity of the Air, complete Saturation 1·0,	·88	·90	·88	·80	89	87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th August, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 6th August, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	22·4	161	72	11	17	23	32	6	.	3	1	.	4	2	.	.	15	25	10	8	24	2	92
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	20·9	7	.	.	.	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
II.	MIDDLE CLASS,	87,188	9·0	15	3	2	2	2	6	.	.	1	.	.	.	.	.	.	.	1	.	.	1	1	12
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	22·2	47	21	3	5	9	8	1	.	.	.	.	.	1	.	.	4	5	3	5	6	.	28
IV.	GENERAL SERVICE CLASS,	154,279	29·9	66	40	5	8	7	5	1	.	2	1	.	3	1	.	.	9	16	5	2	13	1	29
V.	INMATES OF WORKHOUSES,	6,024		26	8	1	2	2	9	4	.	.	.	.	1	.	.	.	2	3	2	1	3	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	1	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	6. Clerks and Commercial Assistants,	30,432	5·1	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	5	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
	9. Building and Furnishing Trades,	29,801	36·7	21	8	3	1	3	5	1	.	.	.	.	.	1	.	.	1	2	1	3	.	.	13
	10. Clothing Trades,	28,260	13·5	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	6	.	.	2	2	.	.	.	.	.	.	.	.	.	2	2	.	1	1	.	6
	13. Petty Shopkeepers,	7,894	19·8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	35·0	9	2	2	1	1	3	.	.	1	.	.	.	.	.	.	1	2	.	.	1	.	6
	15. Domestic Servants,	36,603	5·7	4	3	1	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	3	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·9	48	32	1	6	6	2	1	.	1	.	.	2	1	.	.	7	11	4	2	10	1	20
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	23	8	1	2	2	9	4	.	.	.	.	1	.	.	.	2	3	2	1	3	.	17

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	June 18,	9·2	.	5	.	.	.	.	.	.	.	.	.	1	1	.
	„ 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
	„ 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
	„ 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
	„ 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	June 18,	16·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	July 2,	26·6	1·3	20	.	.	1	.	.	1	.	.	.	2	4	2
	„ 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
	„ 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
	„ 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 Est. 30,107.	June 18,	20·8	.	12	.	.	.	.	.	.	.	.	.	4	2	.
	„ 25,	24·2	.	14	.	.	.	.	.	.	.	.	.	.	4	.
	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	„ 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
	„ 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
	„ 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	June 18,	18·1	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	„ 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
	„ 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	3·2	10	.	.	.	.	.	.	.	.	2	.	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	June 18,	21·7	1·4	16	.	.	.	.	1	.	.	.	.	4	.	.
	„ 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
	„ 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
	„ 23,	16·3	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
	„ 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	June 18,	51·3	8·6	18	.	2	.	.	1	.	.	.	.	1	5	.
	„ 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
	„ 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
	„ 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
	„ 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
	„ 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	June 18,	22·4	1·2	18	.	.	.	.	1	.	.	.	.	2	3	.
	„ 25,	18·6	1·2	28	.	.	.	.	.	1	.	.	.	4	3	.
	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
	„ 9,	16·2	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
	„ 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
	„ 30,	18·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1904 (Est.) 35,188	June 18,	28·2	.	19	.	.	.	.	.	.	.	.	.	5	3	.
	„ 25,	14·8	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
	„ 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904, Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	June 18,	23·6	.	15	.	.	.	.	.	.	.	.	.	1	3	1
	„ 25,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	„ 9,	29·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	„ 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	June 18,	22·0	.	11	.	.	.	.	.	.	.	.	.	1	3	.
	„ 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	„ 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	June 18,	35·5	.	12	.	.	.	.	.	.	.	.	.	.	2	.
	„ 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	„ 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
Belfast. Pop. in 1904 (Est. 358,680.	June 18,	18·3	2·9	126	.	6	.	.	7	.	.	2	5	22	30	2
	„ 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	„ 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	„ 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	„ 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	„ 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
Cork. Pop. (in 1901) 76,122.	June 18,	30·8	2·1	45	.	.	.	.	1	.	.	1	1	16	4	.
	„ 25	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	„ 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	„ 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6,	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
Londonderry. Pop. in 1904 (Est.) 41,397	June 18,	7·6	.	6	.	.	.	.	.	.	.	.	.	1	.	1
	„ 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	„ 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	„ 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	„ 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
Limerick. Pop. (in 1901) 38,151.	June 18,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	1
	„ 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	„ 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
Waterford. Pop. (in 1901) 26,769	June 18,	13·6	.	7	.	.	.	.	.	.	.	.	.	3	1	.
	„ 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	„ 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 6th August, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	17	17·7	8·5	5	1	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	1
Do. 2 "	47,959	28	25·0	4·3	23	7	2	9	5	.	.	.	1	.	.	.	.	3	.	5	.	1	6
Do. 3 "	47,214	25	9·9	2·2	9	4	2	2	1	.	.	.	.	.	.	.	.	2	1	1	.	1	1
Do. 4 "	40,911	36	19·1	2·5	15	6	1	5	3	.	.	.	.	.	.	.	.	2	.	.	1	2	
Do. 5 "	17,887	11	30·0	9·0	10	1	2	4	3	.	.	.	.	.	.	.	.	3	2	3	.	.	4
Do. 6 "	48,122	17	18·0	.	12	3	.	7	2	.	.	.	.	.	.	.	.	.	4	2	1	2	2
Do 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	3	10·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	9	2·7	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 10 "	28,064	15	22·6	2·3	10	1	.	6	3	.	.	.	.	.	.	.	1	.	2	1	.	.	4
Do 11 "	34,802	20	19·5	3·0	13	7	.	4	2	.	.	.	.	1	.	.	.	1	5	2	.	.	1
Do. 12 "	33,588	23	12·4	3·1	8	1	1	6	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.
Do 13 "	15,006	7	6·9	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	211	16·3	2·5	109	32	10	47	20	.	.	.	1	2	.	.	3	11	17	15	2	7	26
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	7	12·2	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 "	10,701	2	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do 3 "	9,978	4	36·6	5·2	7	.	.	6	1	.	.	.	.	1	.	.	.	.	3	.	.	.	3
Do. 4 "	8,666	5	24·1	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Do. 5 "	6,592	3	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Do. 6 "	10,702	3	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 7 "	16,616	10	15·7	.	5	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total	76,122	34	17·1	0·7	25	5	2	12	6	.	.	.	.	1	.	.	.	.	7	.	.	1	5

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Feb. 13.	Feb. 20	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered,	201	209	268	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211
DEATHS registered.	203	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109
Annual Death-rate per 1,000 of estimated Population.	29·5	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8
AGES, Under 1 year,	41	34	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32
AGES, 1–5 years,	25	13	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10
AGES, 5–60 years,	93	90	83	78	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47
AGES, 60 years and upwards,	44	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Whooping cough,	13	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2
" Diphtheria,	.	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.
" Simple Continued Fever,	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	.	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3
" Diarrhœal Diseases,	.	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11
" Phthisis	40	25	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17
" Diseases of Respiratory System,	58	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15
Violent Deaths,	9	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th August, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	3	2	.	.	5
" " 1, West,	.	.	.	.	.	.	.	.	.	1	2	.	.	3
" " 2,	.	.	.	.	.	.	.	.	.	.	3	.	.	3
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	1	.	.	4	1	.	.	7
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	2	.	.	.	3
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	3	.	.	1	.	.	12	9	.	.	25

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th August, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th August.			
	July 16.	July 23.	July 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	77	73	85	10	22	1	72
Scarlet Fever,	50	44	43	5	8	.	40*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	19	19	17	3	8	2	10
Enteric Fever,	50	52	42	5	9	2	36
Pneumonia,	16	16	13	3	5	.	11

*Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Aug. 6,	2,302	1,745	19·6	1	31	2	10	21	7	558
EDINBURGH,	331,977	„ 6,	141	88	13·8	.	1	1	1	3	1	4
GLASGOW,	798,357	„ 6,	494	233	15·2	.	1	.	.	15	.	32
CALCUTTA,	847,796	June 4,	.	435	26·6	2	1	.	1	.	103‡	65*
BOMBAY,	776,006	July 5,	296	502	33·6	14	3	.	.	.	34‡	49
MADRAS,	509,346	June 24,	399	384	39·2	.	1	?	?	?	117	66
PARIS,	2,660,559	July 23,	1,027	1,150	22·4	1	19	3	.	9	6	236
BRUSSELS (with 8 Faubourgs).	586,936	„ 16,	223	156	13·8	.	.	.	1†	2	.	24
AMSTERDAM,	548,160	„ 16,	301	147	14·0	.	7	.	1	3	1	10
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	July 16,	240	106	13·3	.	3	1	.	1	.	6
CHRISTIANIA,	223,649	„ 23,	106	58	13·5	.	.	1	2†	1	.	4
ST. PETERSBURG,	1,248,122	„ 23,	546	573	23·9	1	18	9	17†	1	10	65
BERLIN,	1,960,909	„ 9,	918	597	15·9	.	10	10	4†	11	1	77
HAMBURG,	751,842	„ 16,	.	252	17·4	.	4	.	1†	9	1	17
BRESLAU,	445,403	„ 23,	.	278	32·5	.	.	.	1†	.	1	72
MUNICH,	520,000	„ 23,	.	241	24·1	.	6	1	1†	3	1	62
VIENNA (with suburbs).	1,797,992	„ 23,	915	708	21·0	.	17	1	6†	2	1	152
BUDA-PESTH	813,399	„ 23,	454	303	19·4	.	3	9	3†	.	2	65
PRAGUE and Faubourgs.	426,402	„ 16,	193	173	21·1	.	4	1	1†	2	4	16
ROME,	499,241	May 7,	253	192	20·1	.	6	.	2	1	4	8
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	June 25,	72	52	16·3	.	.	.	.	.	1	12
NEW YORK,	3,838,024	July 9,	2,299	1,641	22·3	.	15	13	29†	6	11	440
PHILADELPHIA,	1,408,154	„ 2,	.	533	19·7	.	3	1	11	3	11	74

* Including 24 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 70 deaths from bubonic fever in Calcutta and 40 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 6th August, 1904:—

"Summerlike, if changeable, weather held through the greater part of this week. In England torrid heat was felt, the thermometer rising to 91° in London on Thursday, the maxima on the previous days being 76°, 79°, 85°, and 88°. Until Thursday slight atmospheric gradients for southerly to south-westerly winds existed in the British Isles, and accordingly temperature gradually rose day by day under the combined influence of a warm equatorial air-current and bright sunshine. Along the extreme western and northern shores of Ireland clouds and rain were prevalent, and on Wednesday the rainfall became a downpour—1·73 inches being measured at Valentia and 1·45 inches at Malin Head on Thursday morning. Such rains in summer are usual along the western border of an aërial region of clear skies, sunshine, and warm S. winds. So it was on Wednesday, when the thermometer nearly touched 78° in Dublin (77·7°) and rose above 80° over the greater part of England. At 8 a.m. of Thursday a complex V.-shaped depression was found off the W. of Scotland and over Ireland. Thunderstorms of great severity broke out all over Great Britain and in the extreme north of Ireland. Scarcely had this thunderstorm depression passed away when a deep cyclonic system advanced suddenly from the Atlantic, causing a fresh to strong south-westerly gale on Saturday. This storm was accompanied by warmth, but comparatively little rain fell. In Dublin the mean height of the barometer was 29·933 inches, pressure ranging between 30·061 inches at 9 p.m. of Tuesday (wind, S.S.W.) and 29·548 inches at 9 a.m. of Saturday (wind, S.W.). The corrected mean temperature was 63·6°. The mean dry bulb reading at 9 a.m. and 9 p.m. was 62·6°. On Wednesday the screened thermometers rose to 77·7°, on Friday they fell to 54·5°. Bright sunshine was estimated at 39 hours, 10 falling on Sunday. The prevalent wind was S.S.W. Rain fell on three days to the amount of .298 inch, ·259 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·948 inches. The highest reading (30·071) was on Tuesday at 9 p.m., wind S.S.E., and the lowest (29·551) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 61·5°, being 2·6° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 74·8° and was lowest on Monday, the mercury having fallen to 49·2°. The mean of the Dry Bulb for the week was 61·3°, and of the Wet Bulb 56·6°. The mean humidity of the air was ·73, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 42·9 hours. The rainfall during the week measured ·290 inch.

At Greenwich the mean temperature for the week was 68·1°, the maximum 91°, and the minimum 53°; at Glasgow the maximum was 76·2°, the minimum 52·8°, and the mean 63·0°; and at Edinburgh the maximum was 75·1°, the minimum 52·2°, and the mean 61·8°. The rainfall at Greenwich measured 0·08 inch; at Glasgow 1·08 inches; and at Edinburgh 1.29 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, July 31,	29·911	69·3	51·2	60·3	60·7	55·6	·71	·5	9·0	·040	S.W.	S.S.W.
Monday, Aug. 1,	30·012	67·7	49·2	58·5	61·6	55·5	·67	·1	5·5	·010	S.	S.W.
Tuesday, „ 2,	30·112	71·6	54·8	63·2	62·3	57·8	·75	·3	6·4	—	S.W.	S.S.E.
Wednesday, „ 3,	30·028	74·8	59·6	67·2	66·3	60·6	·70	·2	8·2	—	S.W.	S.
Thursday, „ 4,	29·891	67·8	58·3	63·1	62·1	58·8	·79	·1	0·8	·195	S.	Calm.
Friday, „ 5,	29·914	67·1	51·3	59·2	58·2	53·8	·75	·6	5·0	·045	S.W.	S.
Saturday, „ 6,	29·769	63·3	54·0	58·7	57·6	53·8	·77	·5	8·0	—	S.W.	W.S.W.
Mean, . .	29·948	68·8	54·1	61·5	61·3	56·6	·73	·3	Total 42·9	·290	Prevailing Wind, S.W.	

Sunday—A cloudy day, heavy showers at intervals; night clear. *Monday*—A cloudy day, light showers a.m.; night cloudy, slight rain 3 to 4 a.m. *Tuesday*—Day fine but cloudy; night cloudy. *Wednesday*—Day fine but cloudy; night cloudy. *Thursday*—Overcast, heavy showers to 3 p.m., then fine; night cloudy, slight showers. *Friday*—Day cloudy and showery; night cloudy, showery p.m. *Saturday*—Day cloudy and squally; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. 124. 6. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 13TH AUGUST, 1904 [No. 32.

General Register Office, Charlemont House, Dublin, 15th August, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 23.	Week ending July 30.	Week ending Aug. 6.	Week ending Aug. 13.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 23.	Week ending July 30.	Week ending Aug. 6.	Week ending Aug. 13.	Average Rate for 4 weeks.
22 Town Dists.	15·6	15·9	17·6	19·6	17·2	Lisburn, . .	22·7	13·6	9·1	13·6	14·8
Armagh, . .	6·9	6·9	27·5	48·1	22·3	Londonderry .	8·8	8·8	17·6	10·1	11·3
Ballymena, .	4·8	4·8	23·9	4·8	9·6	Lurgan, . .	8·9	17·7	8·9	8·9	11·1
Belfast, . .	16·3	16·7	15·8	18·6	16·9	Newry, . .	25·2	8·4	4·2	4·2	10·5
Clonmel, . .	10·3	15·4	41·0	10·3	19·2	Newtownards, .	17·2	5·7	11·4	5·7	10·0
Cork, . . .	13·7	13·0	17·1	18·5	15·6	Portadown, .	15·5	31·0	5·2	10·3	15·5
Drogheda, .	24·5	8·2	8·2	12·3	13·3	Queenstown, .	6·6	6·6	.	.	3·3
Dublin Reg. Area,	17·5	17·9	21·2	27·0	21·9	Sligo, . . .	14·4	14·4	9·6	4·8	10·8
Dundalk, . .	16·0	4·0	8·0	16·0	11·0	Tralee, . .	5·3	.	31·7	5·3	10·6
Galway, . .	11·7	11·7	7·8	7·8	9·8	Waterford, .	11·7	9·7	19·5	9·7	12·7
Kilkenny, . .	14·7	14·7	4·9	9·8	11·0	Wexford, . .	4·7	28·0	28·0	4·7	16·4
Limerick, . .	13·7	23·2	15·0	20·5	18·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 3·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 20·6 in Armagh, the 7 deaths from all causes registered in that district including one death from small-pox of a person who was never vaccinated, one from whooping-cough, and one from diarrhœa; and the 128 deaths from all causes registered in Belfast include 5 from whooping-cough, one from diphtheria, one from enteric fever, and 17 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—116 boys and 93 girls; and the deaths to 199—101 males and 98 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·4 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 27·0 per 1,000. During the thirty-two weeks ending with Saturday last the death-rate averaged 25·1,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

and was 1·4 under the mean rate for the corresponding portions of the ten yea 1894–1903.

The deaths registered during the week include 5 from measles, one from scarlet feve 4 from whooping-cough, 2 from diphtheria, one from enteric fever, and 33 deaths fro diarrhœal diseases. In the 3 preceding weeks 5, 4, and 3 deaths from measles we respectively registered; also 3, 2, and 4 deaths from whooping-cough; 0, one, and 2 deat from diphtheria; and 5, 5, and 15 deaths from diarrhœal diseases.

One death from tetanus was registered.

There were 3 deaths from broncho-pneumonia and 6 deaths from *pneumonia.*

Of 37 deaths from tuberculous disease, one was assigned to tuberculous phthisis, 2 were assigned to *phthisis,* 2 to tuberculous meningitis, one to tabes mesenterica, and 9 other forms of the disease.

Five deaths were caused by *cancer, malignant disease.*

Twenty-one deaths (including 11 of children under 5 years from *convulsions*) we caused by diseases of the nervous system.

Nineteen deaths were due to diseases of the heart and blood-vessels.

There were 8 deaths from bronchitis.

Of 3 deaths from accidental causes, one was that of a child 3 years old from burns, a one was caused by drowning.

In 7 instances the cause of death was "uncertified," there having been no medic attendant during the last illness; these cases include the deaths of 4 children under years of age (including 3 infants under one year old) and the death of a person ag 77 years.

Ninety-four of the persons whose deaths were registered during the week were und 5 years of age (69 being infants under one year, of whom 7 were under one month old and 38 were aged 60 years and upwards, including 19 persons aged 70 and upwards, whom 5 were octogenarians, and one (a woman) was stated to have been aged 97 year

Sixty-one of the deaths registered during the week occurred in hospitals and oth public institutions; of this number 15 took place in the North Dublin Union Work house and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns f last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated c the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·0 per 1,000; the rate the City was 28·1 (North City Districts, 26·6; South, 29·6), and in the Suburbs, 23·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 6·3 per 1,0 inhabitants, the rate for the City being 6·8 (6·5 in the North City Districts, and 6·9 in the South and for the Suburbs, 4·9 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual ra of 29·4 per 1,000. There were 4 deaths from diarrhœal diseases, and 4 deaths from tuberculo disease.

No. 1 *North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 3 per 1,000. Measles and scarlet fever each caused one death, diarrhœal diseases caused 5 deaths, a the 4 deaths from tuberculous disease include one from tuberculous meningitis; there was one dea from *pneumonia.*

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 2 per 1,000. Four deaths were due to diarrhœal diseases; *phthisis* caused 2 deaths, and *pneumon* caused one death.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 23·0 p 1,000. There were 2 deaths from diarrhœal diseases, 3 deaths from tuberculous disease, one dea from broncho-pneumonia, and one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last we are:—Coolock and Drumcondra, No. 1, part of, 15·6 per 1,000 inhabitants; Clontarf and Howth, No. part of, 0·0; and Finglas and Glasnevin, part of, 7·8. One of the deaths tabulated for Coolock a Drumcondra, No. 1, part of, was from enteric fever, and one from broncho-pneumonia; and t death for Finglas and Glasnevin, part of, was from *diarrhœa.*

No. 1 *South City District* (South Earl-street).—The deaths (30) represent an annual rate of 40·8 p 1,000. Measles and whooping-cough each caused one death, 3 deaths were due to diarrhœal disease and the 6 deaths from tuberculous disease include one death from tuberculous meningitis; the were 2 deaths from *pneumonia,* and 3 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 p 1,000. There was one death from whooping-cough; diarrhœal diseases caused 4 deaths, *phthi* caused one death, and one death was due to *pneumonia*; there was one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 31·1 p 1,000. Measles, whooping-cough and *diarrhœa,* each caused 2 deaths; there was one death fro tetanus, and there were 8 deaths from tuberculous disease; one accidental death occurred.

No. 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 2 per 1,000. Diphtheria and *diarrhœa* each caused one death; there were 4 deaths from tuberculo disease, and one death was the result of an accident.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of t deaths was from *diarrhœa.*

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorde last week are:—Rathmines and Rathgar, 23·6; Pembroke, 30·1; Blackrock, 23·8; and Kingstow 11·8. The deaths from the principal epidemic diseases tabulated for these districts consist of o from measles and one from *diarrhœa* for Rathmines and Rathgar, one from diphtheria and 4 fro *diarrhœa* for Pembroke, and one from zymotic enteritis for Blackrock. Among the 15 deaths fro all causes tabulated for Rathmines and Rathgar are 4 from *phthisis* and one from broncho-pneumoni

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoide when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. vcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban trict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 13th August, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	July 23,	.	—	—	10*	.	.	7	.	3	7	18	.	—	—	—	—	—	45
	July 30,	.	—	—	3	.	.	2	.	10	12	11	1	—	—	—	—	—	39
	Aug. 6,	.	—	—	3	.	.	1	.	.	12	9	.	—	—	—	—	—	25
	Aug. 13,	3	—	—	10	.	.	2	.	6	5	13	.	—	—	—	—	—	39
Rathmines and Rathgar Urban District.	July 23,	.	—	—	4	.	.	1	.	.	.	.	.	—	—	—	.	—	5
	July 30,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	1	—	5
	Aug. 6,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	.	—	3
	Aug. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	3	—	4
Pembroke Urban District.	July 23,	.	21	.	.	.	.	.	.	.	.	1	.	.	5	.	—	—	27
	July 30,	.	11	.	.	.	.	.	.	.	.	1	.	.	5	.	—	—	17
	Aug. 6,	.	14	.	.	.	.	.	.	.	1	.	1	.	1	.	—	—	17
	Aug 13,	.	9	.	2	.	.	1	.	.	.	.	.	.	4	.	—	—	16
Blackrock Urban District.	July 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	July 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	July 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	July 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	July 23,	.	—	—	11	.	.	2	.	10	7	5	.	—	—	—	—	—	35
	July 30,	1	—	—	8	.	.	1	1	4	5	5	.	—	—	—	—	—	25
	Aug. 6,	1	—	—	10	1	.	2	.	15	10	3	.	—	—	—	—	—	42
	Aug. 13,	.	—	—	10	1	.	1	.	14	13	9	2	—	—	—	—	—	50

The Registrar of Dundalk Urban District in his weekly report states "there are 6 cases of small-x at present in the isolation hospital, (two only occurred in the Dundalk District); all patients are ng well."

The Registrar of Drogheda No. 3, reports that one case of small-pox was admitted to Hospital during past week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 13th August, 1904.

From this it appears that:—

Three cases of small-pox were admitted to hospital, and remained under treatment on turday last.

Nineteen cases of measles were admitted to hospital during the week, 25 were discharged, e died, and 65 patients remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 11 cases were discharged, there is one death, and 34† cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, one died, and 12 cases remained under eatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 6 cases were discharged, and 38 ses remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, patients were discharged, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 21·4), was equal to an average annual death-rate of 22·1 per 1,000 persons living; e average rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow ing 17·4, and for Edinburgh 15·2.

* Including one case of scarlatina and diphtheria.

† See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th August, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 13th August, 1904. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	32·0	19·6	8·7	671	412	131	74	1	6	1	.	10	3	.	2	54	61	39	6	10	98
Dublin Registration Area:—																							
Total,†	378,994	27·5	28·8	27·0	6·8	209	196	69	36	.	5	1	.	4	2	.	1	33	25	20	3	6	58
City of Dublin	293,385	37·1	30·4	28·1	6·8	171	153	53	28	.	4	1	.	4	1	.	1	27	21	17	3	6	54
Urban Districts. Rathmines and Rathgar	33,203	19·4	23·6	23·6	3·1	15	15	6	2	.	1	.	.	.	.	.	.	1	4	1	.	.	3
Pembroke	26,025	16·4	16·0	30·1	10·0	8	15	6	4	.	.	.	.	.	1	.	.	4	.	1	.	.	.
Blackrock	8,759	8·1	29·8	23·8	6·0	5	4	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Kingstown	17,622	12·1	29·6	11·8	.	10	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Urban Districts.																							
Belfast	358,680	24·4	33·0	18·6	3·5	227	128	46	17	.	.	.	.	5	1	.	1	17	16	12	3	4	16
Cork	76,122	33·6	39·0	18·5	.	57	27	4	4	.	.	.	.	.	.	.	.	.	8	3	.	.	11
Londonderry	41,397	19·1	35·3	10·1	1·3	28	8	3	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Limerick	38,151	18·7	33·4	20·5	1·4	61	15	4	5	.	.	.	.	.	.	.	.	1	3	.	.	.	5
Waterford	26,769	18·7	17·5	9·7	1·9	9	5	.	.	.	1	.	.	.	.	.	.	.	3	1	.	.	2
Galway	13,426	2·5	31·1	7·8	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	13,076	3·4	31·9	16·0	.	8	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Drogheda	12,760	8·6	28·6	12·3	.	7	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Newry	12,405	17·8	16·8	4·2	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	13·8	31·0	8·9	.	7	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lisburn	11,461	10·1	22·7	13·6	.	5	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Wexford	11,168	23·2	18·7	4·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Ballymena	10,886	8·9	23·9	4·8	.	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Sligo	10,870	8·7	28·8	4·8	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	10,609	11·5	34·3	9·8	.	7	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Clonmel	10,167	7·8	15·4	10·8	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	10·8	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	10·6	5·3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	22·9	5·7	5·7	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Queenstown	7,909	14·4	26·4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	6·9	48·1	20·6	1	7	1	2	1	.	.	.	1	.	.	.	1	.	1	.	.	2

Towns and Districts.	Meteorology.† Week ending 13th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th July, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	°	°	°		°	°	°		°	°	°	
Dublin Registration Area:—												
Total,†	§68·1	45·4	57·1	0·35	§74·8	49·2	61·5	0·30	§71·8	50·0	60·2	0·38
City of Dublin	a70·0	48·2	59·1	0·30	a77·7	54·5	68·6	0·30	a74·7	54·0	62·2	0·29
	b69·7	46·0	58·3	0·31	b74·9	51·6	62·6	0·34	b71·1	52·0	60·9	0·38
Urban Districts. Rathmines and Rathgar												
Pembroke												
Blackrock												
Kingstown	70·2	49	59·8	0·19	72·2	54·5	62·5	0·14	70·7	53·0	61·1	0·23
Urban Districts.												
Belfast									71·6	53·1	60·6	0·20
Cork	67	50	58·0	0·75	66	53	59·9	1·40	68	51	59·7	0·43
Londonderry												
Limerick												
Waterford												
Galway	68	47	57	0·62	69	50	59	2·26	76	52	61	2·00
Dundalk												
Drogheda												
Newry	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57
Lurgan	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57
Lisburn	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57
Wexford												
Ballymena												
Sligo	65·8	44·1	55·9	1·19	70·5	49·9	59·5	3·15	70·1	51·3	61·5	2·39
Kilkenny	67	48	61·0	0·68	70	46	59·5	0·96	73	48	58·5	0·71
Clonmel												
Portadown	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57
Tralee												
Newtownards	68	48	55·4	1·63	68	52	60·0	0·96	67	53	57·8	0·29
Queenstown	67	50	58·0	0·75	66	53	59·9	1·40	68	51	59·7	0·43
Armagh	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98	69·0	50·0	61·0	0·57

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 13th of August, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	1	.	2	.	.	1	.	.	.	5	.
Scarlet Fever (Scarlatina),	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	4	5	4	2	.	.	1	3	4	2	1	1	1	4	1	.	33	.
Phthisis,	2	3	2	3	.	.	.	5	1	4	1	.	4	.	.	.	25	.
Other General Diseases,	4	4	.	2	.	.	.	2	1	8	5	.	2	2	.	1	31	1
Total,	10	14	6	7	.	1	1	12	7	18	8	1	8	7	1	1	102	1
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	5	2	2	.	.	.	5	.	1	3	.	.	2	1	.	21	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	2	4	1	.	1	.	3	.	2	1	.	1	.	.	.	18	1
Respiratory System,	1	2	3	2	.	1	.	6	1	1	.	.	1	1	.	1	20	1
Digestive System,	2	1	1	1	.	.	.	1	.	2	.	1	4	1	1	1	16	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	2	1	.	.	.	.	1	.	.	.	.	.	2	.	.	6	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Total,	6	12	11	6	.	2	.	16	1	6	4	1	6	7	2	2	82	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	.	1	.	.	.		.	.		.	1	1	1	1	9	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	3	.
Deaths from all Causes,	16	26	17	14	.	3	1	30	9	25	15	2	15	15	4	4	196	3
Annual Rate of Mortality in every 1,000 of the population	29·4	34·6	29·4	23·0	.	15·6	7·8	40·8	25·7	31·1	22·3	11·7	23·6	30·1	23·8	11·8	27·0	.
	26·6							29·6					23·1					
	28·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	7	2	2	.	1	.	2	2	4	2	.	2	.	.	.	24	1
Workhouse Hospitals	.	1	5	7	.	.	.	10	.	4	5	.	1	.	.	1	34	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1894–1903.	In the Week ending S 13th August, 19				
												Deaths of Persons of th				
												ALL AGES.	0 to 5.			
	Aug. 11, 1894.	Aug. 10, 1895.	Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.	Aug. 11, 1900.	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 57·2	° 56·0	° 55·2	° 59·0	° 58·6	° 57·6	° 55·5	° 61·2	° 54·4	° 54·7	° 56·9	° 57·1				
ALL CAUSES.	124	149	161	178	171	214	161	166	154	136	161·4	199	7	62	25	11
Small-pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	9	.	.	20	1	3·1	5	.	1	3	1
Scarlet Fever	.	.	.	3	3	.	.	.	1	.	·7	1	.	.	.	.
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	1	1	2	.	.	.	1	1	·8	.	.	.	.	.
Whooping Cough,	1	1	4	5	5	3	1	.	1	1	2·2	4	.	2	2	.
Diphtheria,	.	.	2	.	1	2	3	2	2	1	1·3	2	.	.	1	1
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Enteric Fever,	2	2	3	4	3	4	.	1	4	2	2·5	1	.	.	.	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	8	23	32	39	19	49	19	33	. / 3	. / 2	22·7	10 / 23	.	9 / 18	1 / 4	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Venereal Disease,	1	.	.	.	2	1	.	.	.	.	·4	2	1	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	2	1	.	.	.	.	1	1	. / . / .	. / . / .	·5	1 / . / .	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	.	.	1	1	1	.	1	.	·5	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	2	1	1	.	.	.	.	2	. / .	. / .	·6	1 / .	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	1	.	·1	1	.	1	.	.
Tuberculous Phthisis, "*Phthisis*,"	19	23	21	22	17	24	24	20	1 / 14	9 / 14	20·8	1 / 24	.	.	.	4
Tuberculous Meningitis, (Acute Hydrocephalus).	.	6	6	4	3	4	5	3	9	3	4·3	2	.	1	1	.
Tuberculous Peritonitis, Tabes Mesenterica,	1	5	6	3	3	4	6	4	. / 1	1 / 2	3·6	. / 1	.	.	.	1
Tuberculous Dis. (other), *Scrofula*,	4	2	6	5	7	2	1	4	4 / .	1 / .	3·6	9 / .	.	4	.	.
Alcoholism,	.	2	.	1	.	.	3	1	1	.	·8	.	.	.	.	.
Rheumatic Fever,	.	.	.	2	.	.	1	1	.	1	·5	.	.	.	.	.
Gout,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894–19

-SECOND WEEK ending Saturday, 13th August, 1904, with the deaths from each cause in the corresponding ·age for those weeks.*

JSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 11, 1894.	Aug. 10, 1895.	Aug. 8, 1896.	Aug. 14, 1897.	Aug. 13, 1898.	Aug. 12, 1899.	Aug. 11, 1900.	Aug. 10, 1901.	Aug. 9, 1902.	Aug. 15, 1903.	Averages in 32nd Week of the 10 years 1894–1903.	In the Week ending Saturday, 13th August, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
an Temperature.	° 57·2	° 56·0	° 55·2	° 59·0	° 58·6	° 57·6	° 55·5	° 61·2	° 54·4	° 54·7	° 56·9	Mean Temp. ° 57·1								
... ...	4	3	4	4	6	8	11	8	2	5	6·0	·	·	·	·	·	·	·	·	·
... ...									·	·		·	·	·	·	·	·	·	·	·
lignant Disease ...									3	2		5	·	·	·	·	1	4	·	·
Mellitus	·	·	·	·	·	4	·	·	·	1	·1	·	·	·	·	·	·	·	·	·
e Birth	2	1	3	3	4	4	1	4	2	6	3·0	2	1	1	·	·	·	·	·	·
s (not tuberc.)									1	3		6	·	1	4	1	·	·	·	·
H. P. of Insane									2	2		1	·	·	·	·	·	·	·	1
... ...									1	·		1	·	·	·	1	·	·	·	·
s									9	7		11	2	6	3	·	·	·	·	·
r Ataxy									·	·		·	·	·	·	·	·	·	·	·
a Dis. of Cord									·	2		1	·	·	·	·	·	1	·	·
ystem (other Dis.) ...	24	30	27	33	26	40	31	37	·	3	31·4	1	·	1	·	·	·	·	·	·
Endocarditis									4	1		1	·	·	·	·	·	1	·	·
æm. Thromb.									1	1		2	·	·	·	·	·	1	1	·
Hemiplegia									5	4		3	·	·	·	·	·	·	2	1
... ...									·	·		1	·	·	·	·	·	1	·	·
Thromb. (not cerebral)									·	·		·	·	·	·	·	·	·	·	·
Blood Vessel Dis.									8	12		12	·	·	·	·	3	4	5	·
t Spasm. or Memb.) ...	·	·	1	1	·	·	·	·	·	·	·2	1	·	·	1	·	·	·	·	·
s	6	7	4	8	15	12	9	5	16	12	9·4	8	·	1	2	·	·	1	3	1
Pneumonia									·	1		·	·	·	·	·	·	·	·	·
Pneumonia	5	2	·	6	8	7	3	5	2	2	5·0	3	·	3	·	·	·	·	·	·
ia"									6	3		6	·	·	1	·	1	2	2	·
Emphysema									1	1		·	·	·	·	·	·	·	·	·
... ...	2	1	·	2	·	·	3	1	1	·	1·5	1	·	·	·	·	·	1	·	·
ry Dis. (other)									2	1		2	·	1	·	·	·	1	·	·
, Quinsy	·	·	·	·	·	1	1	·	·	·	·2	·	·	·	·	·	·	·	·	·
(not Epid.)	·	·	2	1	1	3	·	4	·	1	1·3	6	·	5	·	·	·	·	1	·
teritis									·	1		4	·	3	1	·	·	·	·	·
s (not Puerp.)	1	·	·	1	·	·	1	·	1	1	·5	·	·	·	·	·	·	·	·	·
of Liver	2	1	5	2	3	·	2	1	1	2	2·1	·	·	·	·	·	·	·	·	·
(other)									1	1		1	·	·	·	·	1	·	·	·
Dis. (other)	6	5	7	6	4	4	4	4	4	5	4·9	5	1	·	·	1	·	·	3	·
Acute									2	1		2	·	·	·	1	·	1	·	·
Dis., Albuminuria ...	2	4	2	3	3	1	3	·	·	1	2·4	4	·	·	·	·	·	1	3	·
Sys. (Other Dis.) ...									·	2		·	·	·	·	·	·	·	·	·
e Organs Dis.	·	·	1	·	·	·	·	·	·	·	·1	·	·	·	·	·	·	·	·	·
h (Accid. of)	·	2	·	·	·	·	1	·	·	·	·3	·	·	·	·	·	·	·	·	·
... ...	8	5	9	4	16	14	10	2	4	6	7·8	6	·	·	·	·	·	·	4	2
seases	16	14	13	9	14	13	11	15	9	5	11·9	11	2	3	·	·	2	2	1	1
ACCIDENT.																				
ays	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
les and Horses	·	·	·	·	·	1	2	1	·	·	·4	·	·	·	·	·	·	·	·	·
Boats, Docks (exclusive	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
wning)																				
ng Operations	·	·	·	·	·	·	·	1	·	1	·2	·	·	·	·	·	·	·	·	·
grations	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
s, Scalds, Explosions ...	1	1	·	1	2	1	2	1	·	·	·9	1	·	·	1	·	·	·	·	·
ning	1	1	·	4	2	1	·	3	·	·	1·2	1	·	·	·	·	1	·	·	·
cation in Bed	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
n or Poisonous Vapours...	·	·	·	·	·	·	·	·	1	·	·1	·	·	·	·	·	·	·	·	·
eaths by Accidents ...	2	1	·	·	1	·	1	2	1	·	·8	1	·	·	·	·	1	·	·	·
LENCE OTHER THAN ACCIDENTAL.																				
e	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
... ...	·	·	·	1	·	·	·	·	·	1	·2	·	·	·	·	·	·	·	·	·
n	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·

stration Area as then constituted.

TABLE 7.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																										
	Feb 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Births registered,	290	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209
*Average Births in corresponding week of previous 10 years,**	202	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197
Deaths registered,	223	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	181	186	161	199
Annual Death-rate per 1,000,	30·7	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4
*Average Deaths in corresponding week of previous 10 years,**	215	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161
Ages, Under 5 years,	70	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94
5—20 "	13	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11
20—40 "	30	31	34	36	35	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21	25	28	17	28
40—60 "	42	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	23
60—80 "	49	49	49	58	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32
80 years and upwards,	19	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5
" Scarlet Fever	.	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	9	11	10	6	18	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4
" Diphtheria,	1	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2
" Simple Continued Fever,	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1
" Diarrhœal Diseases,	2	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33
" Phthisis,	27	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	23	21	14	15	10	25
" Diseases of Heart and Blood Vessels,	22	28	28	41	23	35	25	20	25	24	18	31	17	24	21	1	21	34	28	21	24	17	26	20	25	19
" Diseases of Respiratory System,	59	54	42	44	51	48	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21
Violent Deaths,	3	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3
Mean Temperature of the Air (Phœnix Park),	37·7	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1
Average Mean Temperature in corresponding week of previous 10 years	39·4	39·9	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·	58·9	60·3	58·6	58·9	56·9
Rainfall in inches,	·743	·628	·220	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·480	·375	·290	·350
Mean Humidity of the Air, complete Saturation 1·0,	·90	·88	·89	·89	·87	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·78	·81	·87	·81	·84	·78	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th August, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 13th August, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accident, Homicide, and Suicide).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,850	27·6	199	94	11	28	23	32	6	.	5	1	.	4	2	.	1	33	46	25	11	21	3	93
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9.0	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
II.	MIDDLE CLASS,	87,188	15·5	26	7	3	7	2	6	1	.	.	1	.	.	1	.	.	5	7	4	.	.	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	25·5	54	26	3	4	14	6	1	.	1	.	.	1	.	.	.	12	14	5	3	7	2	23
IV.	GENERAL SERVICE CLASS,	154,279	37·7	80	50	5	9	6	8	2	.	4	.	.	3	1	.	1	15	24	6	6	7	1	36
V.	INMATES OF WORKHOUSES,	6,024		86	10	.	8	6	10	2	.	.	.	.	.	.	.	.	1	1	10	2	7	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21.3	9	2	.	3	2	2	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	6
	6. Clerks and Commercial Assistants,	30,432	18·8	11	5	2	4	.	.	.	.	.	1	.	.	1	.	.	4	6	2	.	.	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	.	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	2
	9. Building and Furnishing Trades,	29,801	33·2	19	10	1	2	5	1	.	.	1	.	.	.	.	.	.	5	6	1	1	2	1	8
	10. Clothing Trades,	28,260	6·7	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.
	11. Food Supply Trades,	9,242	22·6	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1
	12. Other Trades and Callings ranking with Trades,	30,352	34·4	20	6	1	2	.	3	1	.	.	.	.	.	1	.	.	3	4	2	1	3	.	10
	13. Petty Shopkeepers,	7,894	26·4	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	3	1	.	.	1	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	2
	15. Domestic Servants,	36,603	8·5	6	3	.	2	.	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	5	.	1	2	1	1	.	.	.	.	.	.	.	.	3	3	1	1	1	.	4
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·2	59	39	4	6	4	6	.	.	4	.	.	3	1	.	1	9	18	3	5	6	1	26
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	86	10	.	8	6	10	2	.	.	.	.	.	.	.	.	1	1	10	2	7	.	16

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1904 (Est.) 28,882.	June 25,	25·8	.	14	.	.	.	.	.	.	.	.	.	6	2	1
	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
	„ 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
	„ 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
	„ 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
	„ 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1904 (Est.) 39,146.	June 25,	22·6	1·3	17	.	.	.	.	.	1	.	.	.	.	5	.
	July 2,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	2	4	2
	„ 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
	„ 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
	„ 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
	„ 13,	34·6	9·3	26	.	1	1	.	.	.	.	.	5	3	2	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1904 (Est. 30,107.	June 25,	24·2		14	.	.	.	.	.	.	.	.	.	.	4	.
	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	„ 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
	„ 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
	„ 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
	„ 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1904 (Est.) 31,678.	June 25,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	2	.	2
	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	„ 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
	„ 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	3·2	10	.	.	.	.	.	.	.	.	2	.	.	.
	„ 13,	23·0	3·2	14	.	.	.	.	.	.	.	.	2	3	2	.
South City, No. 1. (Office, South Earl-street.) Pop. in 1904 (Est.) 38,884.	June 25,	17·7	.	13	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	„ 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
	„ 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
	„ 23,	16·3	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
	„ 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
	„ 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
South City, No. 2. (Office, Castle-street.) Pop. in 1904 (Est.) 18,286.	June 25,	11·4	.	4	.	.	.	.	.	.	.	.	.	.	2	.
	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
	„ 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
	„ 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
	„ 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
	„ 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
	„ 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	1
South City, No. 3. (Office, Peter-street.) Pop. in 1904 (Est.) 41,940.	June 25,	28·6	1·2	23	.	.	.	.	.	1	.	.	.	4	3	.
	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
	„ 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
	„ 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
	„ 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
	„ 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
South City, No. 4. (Office, Grand Canal-street) Pop. in 1904 (Est.) 35,188	June 25,	14·3	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
	„ 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
	„ 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,908.	June 25,	17·3	.	11	.	.	.	.	.	.	.	.	.	2	3	.
	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	" 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	" 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	" 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	" 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	" 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	June 25,	14·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	" 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	" 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	" 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	" 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	June 25,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	3	.
	July 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	" 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	" 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	" 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	" 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
	" 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est. 358,680.	June 25,	17·6	1·9	121	.	2	.	.	7	.	.	2	2	23	17	3
	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	" 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	" 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	" 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	" 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	" 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
Cork. Pop. (in 1901) 76,122.	June 25,	19·2	0·7	28	.	.	.	.	.	.	.	.	1	8	5	.
	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	" 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	" 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	" 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	" 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
	" 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
Londonderry. Pop. in 1904 (Est.) 41,397	June 25,	12·6	1·3	10	.	.	.	.	.	1	.	.	.	2	1	.
	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	" 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	" 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	" 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	" 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	" 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
Limerick. Pop. (in 1901) 38,151.	June 25,	15·0	.	11	.	.	.	.	.	.	.	.	.	3	2	.
	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	" 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	" 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	" 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	" 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
Waterford. Pop. (in 1901) 26,769.	June 25,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	" 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	" 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	" 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	" 0,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.
	" 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 13th August, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	16	17·7	3·5	5	2	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Do. 2 "	47,959	34	10·9	1·1	10	2	2	5	1	.	.	.	.	.	.	.	1	.	1	1	.	.	2
Do. 3 "	47,214	30	22·1	5·5	20	10	.	4	6	.	.	.	.	.	.	.	.	5	2	3	.	.	2
Do. 4 "	40,911	22	17·8	2·5	14	6	1	5	2	.	.	.	.	.	.	.	.	2	1	1	1	1	2
Do. 5 "	17,387	10	24·0	3·0	8	6	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 6 "	48,122	20	17·3	3·3	16	4	.	9	3	.	.	.	.	.	.	.	.	3	3	4	.	.	3
Do 7 "	1,524	.	.	.	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
Do. 8 "	5,060	.	41·2	10·3	4	1	.	2	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.
Do. 9 "	19,56	12	18·7	10·7	7	1	2	2	2	.	.	.	.	2	.	.	.	2	.	.	.	1	1
Do. 10 "	23,064	15	18·1	2·3	8	4	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 11 "	34,802	22	21·0	3·0	14	5	1	8	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1
Do. 12 "	33,588	34	23·3	1·6	15	3	3	7	2	.	.	.	.	1	.	.	.	.	4	1	2	2	2
Do 13 "	15,006	12	17·4	3·5	5	1	2	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	227	19·1	3·6	128	46	12	53	17	.	.	.	.	5	1	.	1	17	16	12	3	4	16
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	7	20·3	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	3	.	.	.	2
Do. 2 "	10,701	7	24·4	.	5	.	1	4	.	.	.	.	.	.	.	.	.	.	3	1	.	.	3
Do 3 "	9,978	9	26·1	.	5	1	1	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 4 "	8,666	6	18·1	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 "	6,592	6	7·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	15	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do 7 "	16,616	7	18·8	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Total	76,122	57	18·5	.	27	4	4	15	4	.	.	.	.	.	.	.	.	.	8	3	.	.	11

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered,	209	263	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227
DEATHS registered.	185	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128
Annual Death-rate per 1,000 of estimated Population,	26·9	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6
AGES, Under 1 year,	34	44	41	33	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	28	30	36	32	46
1–5 years,	13	16	17	21	31	28	26	22	25	18	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12
5–60 years,	90	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53
60 years and upwards,	48	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.
" Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Whooping cough,	8	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5
" Diphtheria,	.	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1
" Simple Continued Fever,	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1
" Diarrhœal Diseases,	.	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17
" Phthisis	25	20	17	26	33	31	16	36	28	31	27	25	30	33	24	25	21	22	23	18	20	18	13	17	17	16
" Diseases of Respiratory System,	54	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12
Violent Deaths,	5	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th August, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	7	.	.	.	.	.	1	.	.	.	8
" " 1, West,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	.	3	.	.	3
" " 3,	.	.	.	1	.	.	.	.	5	1	4	.	.	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	.	.	5	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	2	.	1	.	1	.	.	4
" " 4,	3	.	.	.	.	.	.	.	.	1	.	.	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	.	.	10	.	.	2	.	6	5	13	.	.	39

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th August, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th August.			
	July 23.	July 30.	Aug. 6.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	3	.	.	3
Measles,	73	85	72	19	25	1	65
Scarlet Fever,	44	43	40	6	11	1	34*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	19	17	10	3	.	1	12
Enteric Fever,	52	42	36	8	6	.	38
Pneumonia,	16	13	11	3	4	.	10

*Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Aug. 13,	2,730	1,912	21·4	1	35	10	7	21	2	687
EDINBURGH,	331,977	„ 13,	135	97	15·2	.	2	1	1	5	1	2
GLASGOW,	798,357	„ 13,	453	266	17·4	.	2	1	3	17	.	50
CALCUTTA,	847,796	June 11,	.	355	21·7	1	3	.	.	.	95‡	35*
BOMBAY,	776,006	July 12,	324	543	36·4	10	2	.	.	.	46†	49
MADRAS,	509,346	„ 1,	420	332	33·8	.	1	?	?	?	83	56
PARIS,	2,660,559	„ 30,	1,076	895	17·4	2	6	1	1†	6	2	181*
BRUSSELS (with 8 Faubourgs).	586,936	„ 23,	230	184	16·3	.	2	.	3†	1	.	38
AMSTERDAM,	548,160	„ 23,	219	139	13·2	.	5	.	1	2	1	18
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	July 23,	207	118	14·8	.	1	.	.	8	.	12
CHRISTIANIA	223,649	„ 30,	127	48	11·2	.	.	.	1†	.	.	5
ST. PETERSBURG,	1,248,122	„ 30,	612	546	22·8	.	20	13	12†	2	14	64
BERLIN,	1,960,909	„ 16,	932	608	16·2	.	10	10	6†	4	3	94
HAMBURG,	751,842	„ 23,	.	201	13·9	.	1	.	.	6	1	26
BRESLAU,	445,403	„ 30,	.	229	26·8	.	.	2	.	.	.	73
MUNICH,	520,000	„ 30,	.	223	22·3	.	1	2	.	5	2	70
VIENNA (with suburbs).	1,797,992	„ 30,	903	664	19·2	.	15	4	7†	1	.	176
BUDA-PESTH	813,399	„ 30,	437	300	19·2	1§	3	10	4†	.	.	62
PRAGUE and Faubourgs.	423,990	„ 23,	190	219	26·7	.	2	.	.	1	2	19
ROME,	499,241	May 14,	207	164	17·1	.	9	.	.	1	2	9
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	July 2,	67	43	13·5	.	1	.	.	.	.	2
NEW YORK,	3,838,024	„ 16,	2,021	1,548	21·0	.	13	7	41†	5	14	438
PHILADELPHIA,	1,408,154	„ 9,	.	444	16·4	.	1	2	5†	1	7	99

* Including 7 deaths from cholera in Calcutta, and 1 in Paris.
† Including deaths from croup.
‡ Exclusive of 36 deaths from bubonic fever in Calcutta and 33 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 13th August, 1904:—

"Although much cooler than in the previous week, and somewhat changeable and showery, the weather may be described as generally favourable. At 8 a.m. of Sunday the cyclonic depression, which had caused a severe gale on Saturday, August 6, was central over the extreme south of Norway. But its gradients had become much less steep, and its northwesterly winds were of moderate strength, dry and cool. A sheet of cirrus cloud covered the extreme southern sky as seen from the S.E. of Ireland, and this proved to be connected with a shallow depression over the Bay of Biscay and Brittany, which brought a rather heavy rainfall to those districts and to the shores of the English Channel. During the next two or three days moderate to fresh W. and N.W. winds prevailed, with rather low night temperatures, fair and bright mornings, and showery afternoons. In the course of Wednesday a cyclonic system of no great intensity passed across the N. of Ireland reaching the S. of Scotland on Thursday morning. The disturbance caused heavy rain in the N. of Ireland (Donaghadee getting 1·03 inches), parts of Lancashire, and Scotland: a shallow secondary V-shaped depression brought rain also to the S. of England on Thursday. Friday was fair, bright and warm; but on Saturday a new and deep depression advanced upon Ireland from the Atlantic, and a rainstorm spread over this country in the course of the day—its violence being reduced as it reached the east coast in the evening. In Dublin the mean height of the barometer was 30·007 inches, pressure ranging between 30·250 inches at 9 a.m. of Monday (wind, W.N.W.) and 29·722 inches at 9 p.m. of Saturday (wind, S.S.W.). The corrected mean temperature was 59·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·5°. On Thursday the screened thermometers fell to 48·2°, on Friday they rose to 70·0°. Sunshine was estimated at 49½ hours, 12 falling on Sunday and 11 on Saturday. Rain fell on 4 days to the amount of ·302 inch, ·172 inch being measured on Saturday. The prevalent winds were W.N.W and S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·043 inches. The highest reading (30·260) was on Monday at 9 a.m., wind S.W., and the lowest (29·730) on Saturday at 9 p.m., wind S.

The mean temperature for the week was 57·1°, being 0·2° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 68·1° and was lowest on Thursday, the mercury having fallen to 45·4°. The mean of the Dry Bulb for the week was 56·6°, and of the Wet Bulb 53·6°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 46·3 hours. The rainfall during the week measured ·350 inch.

At Greenwich the mean temperature for the week was 61·0°, the maximum 75·0°, and the minimum 45·4°; at Glasgow the maximum was 67·8°, the minimum 46·0°, and the mean 57·0°; and at Edinburgh the maximum was 66·3°, the minimum 46·9°, and the mean 56·3°. The rainfall at Greenwich measured 0·06 inch; at Glasgow 0·90 inch; and at Edinburgh 1·20 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 7,	30·134	67·2	49·6	58·4	55·9	52·9	·82	·3	11·0	—	S.W.	Calm.
Monday, „ 8,	30·259	67·0	48·0	57·5	55·2	53·5	·90	·4	5·7	·005	S.W.	Calm.
Tuesday, „ 9,	30·126	65·8	49·8	57·8	55·5	52·7	·83	·2	7·5	·035	W.	W.
Wednesday, „ 10,	29.975	59·8	46·9	53·4	55·7	53·6	·87	·7	1·2	·090	S,W.	S.W.
Thursday, „ 11,	29·893	63·0	45·4	54·2	55·3	51·7	·77	·6	10·0	—	W.	W.S.W.
Friday, „ 12,	30·066	68·1	48·4	58·3	57·7	54·0	·78	·3	10·7	—	W.S.W.	S.W.
Saturday, „ 13,	29·847	65·5	54·0	59·8	60·6	57·1	·80	·8	0·2	·220	S.W.	S.
Mean, . .	30·043	65·2	48·9	57·1	56·6	53·6	·82	·5	Total 46·3	·350	Prevailing Wind, S.W.	

Sunday—A fine day; night cloudy. *Monday*—Day fine but cloudy; night cloudy, light showers a.m. *Tuesday*—Day cloudy and showery; night cloudy, showery p.m., clear a.m. *Wednesday*—Day cloudy, heavy showers p.m.; night cloudy. *Thursday*—A fine day; night cloudy. *Friday*—A fine day; night clear. *Saturday*—A dull day, heavy showers p.m.; night cloudy and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360₈ Wt. 124. 6. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 20TH AUGUST, 1904. [No. 33

General Register Office, Charlemont House, Dublin, 22nd August, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending July 30.	Week ending Aug. 6.	Week ending Aug. 13.	Week ending Aug. 20.	Average Rate for 4 weeks.	Towns, &c.	Week ending July 30.	Week ending Aug. 6.	Week ending Aug. 13.	Week ending Aug. 20.	Average Rate for 4 weeks.
22 Town Dists.	15·9	17·6	19·6	19·4	18·1	Lisburn,	13·6	9·1	13·6	22·7	14·8
Armagh,	6·9	27·5	48·1	20·6	25·8	Londonderry	8·8	17·6	10·1	18·9	13·9
Ballymena,	4·8	23·9	4·8	.	8·4	Lurgan,	17·7	8·9	8·9	8·9	11·1
Belfast,	16·7	15·8	18·6	18·6	17·4	Newry,	8·4	4·2	4·2	4·2	5·3
Clonmel,	15·4	41·0	10·3	35·9	25·6	Newtownards,	5·7	11·4	5·7	22·9	11·4
Cork,	13·0	17·1	18·5	15·1	15·9	Portadown,	31·0	5·2	10·3	.	11·6
Drogheda,	8·2	8·2	12·3	28·6	14·3	Queenstown,	6·6	.	.	6·6	3·3
Dublin Reg. Area,	17·9	21·2	27·0	24·5	22·6	Sligo,	14·4	9·6	4·8	9·6	9·6
Dundalk,	4·0	8·0	16·0	.	7·0	Tralee,	.	31·7	5·3	10·6	11·9
Galway,	11·7	7·8	7·8	15·5	10·7	Waterford,	9·7	19·5	9·7	7·8	11·7
Kilkenny,	14·7	4·9	9·8	39·3	17·2	Wexford,	28·0	28·0	4·7	28·0	22·2
Limerick,	23·2	15·0	20·5	10·9	17·4						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 3·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh. Among the 128 deaths from all causes registered in Belfast are one from measles, one from typhus, 2 from whooping-cough, and 16 from diarrhœal diseases; and the 15 deaths from all causes in Londonderry include 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 260—103 boys and 157 girls; and the deaths to 183—89 males and 94 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·2 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 24·5 per 1,000. During the thirty-three weeks ending with Saturday last the death-rate averaged 25·1, and was 1·3 below the mean rate for the corresponding portions of the ten years 1894–1903.

The total deaths registered include 4 from measles, one from typhus, one from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

influenza, 3 from whooping-cough, one from diphtheria, one from enteric fever, and 33 deaths from diarrhœal diseases, but not one death from small-pox or from scarlet fever. In the 3 preceding weeks the deaths registered from measles were 4, 3, and 5; from whooping-cough, 2, 4, and 4; from diphtheria, one, 2, and 2; and from diarrhœal diseases the deaths were 5, 15, and 33, respectively. Of the 33 deaths which were registered from diarrhœal diseases during the period under notice, 22 deaths were those of infants under one year old.

There was one death from infective endocarditis and 4 deaths from *pneumonia.*

The 39 deaths from tuberculous disease include 2 from tuberculous phthisis, 19 from *phthisis,* 6 from tuberculous meningitis, 3 from tuberculous peritonitis, one from tabes mesenterica, and 8 deaths from other forms of the disease.

Two deaths were attributed to carcinoma, and one to *cancer, malignant disease.*

Prematurity occasioned the deaths of 4 infants.

Of 17 deaths assigned to diseases of the nervous system, 9 (8 being those of infants under one year old) were ascribed to *convulsions.*

There were 25 deaths from diseases of the heart and blood-vessels.

There were 3 deaths from bronchitis.

Of 4 deaths tabulated to violence 3 were accidental and one was suicidal. Of the former, one was due to burns, one to drowning, and one to suffocation by carbon dioxide (carbonic acid gas).

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Eighty-one of the persons whose deaths were registered during the week were under 5 years of age (60 being infants under one year, of whom 11 were under one month old) and 29 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 8 were octogenarians.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate in the City was 25·9 (North City Districts, 24·2; South, 27·8), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 5·9 per 1,000 inhabitants, the rate for the City being 6·2 (5·8 in the North City Districts, and 6·6 in the South), and for the Suburbs, 4·9 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 36·8 per 1,000. Two deaths from measles, one from influenza, one from enteric fever, 3 from diarrhœal diseases, one from *pneumonia,* and one from drowning, were registered.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28 per 1,000. Diarrhœal diseases and tuberculous disease, each caused 5 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20 per 1,000. *Phthisis,* tuberculous meningitis, and *pneumonia,* each caused one death; there was one death due to carbon dioxide (carbonic acid gas) poisoning.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. The deaths include 2 from measles, one from typhus, 3 from diarrhœal diseases, 3 from tuberculous disease, and one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 10·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·8.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 24·5 per 1,000. There were 6 deaths from diarrhœal diseases, tuberculous disease caused 3 deaths, including one from tuberculous meningitis; there was one death from *pneumonia,* and one death was due to suicide.

No. 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. Amongst the deaths registered there was one from whooping-cough, there were 3 from diarrhœal diseases, and 4 deaths from tuberculous disease, including one from tuberculous meningitis.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·8 per 1,000. There was one death from whooping-cough, there were 2 deaths from diarrhœal diseases, and 11 from tuberculous disease, including 3 from tuberculous peritonitis and 3 from tuberculous meningitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25 per 1,000. Four deaths from diarrhœal diseases and 5 deaths from tuberculous disease were registered.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. One of the 3 deaths was from whooping cough.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 30·1; Blackrock, 11·9; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include one from diphtheria and 4 from diarrhœal diseases for Pembroke, 2 from diarrhœal diseases for Rathmines and Rathgar, and one from zymotic enteritis for Blackrock. Among the 15 deaths from all causes tabulated for Pembroke are 2 from tuberculous disease and 2 from diseases of the heart and blood vessels; and the 8 deaths from all causes for Kingstown include 2 from *phthisis,* and one death from accidental burns.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Lawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 20th August, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	July 30,	.	—	—	3	.	.	2	.	10	12	11	1	—	—	—	—	—	39
	Aug. 6,	.	—	—	3	.	.	1	.	.	12	9	.	—	—	—	—	—	25
	Aug. 13,	3	—	—	10	.	.	2	.	6	5	13	.	—	—	—	—	—	39
	Aug. 20,	.	—	—	7	.	.	1	.	.	16	5	.	—	—	—	—	—	29
Rathmines and Rathgar Urban District.	July 30,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	1	—	5
	Aug. 6,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	.	—	3
	Aug. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	3	—	4
	Aug. 20,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	7	—	11
Pembroke Urban District.	July 30,	.	11	.	.	.	.	.	.	.	.	1	.	.	5	.	—	—	17
	Aug. 6,	.	14	.	.	.	.	.	.	.	1	.	1	.	1	.	—	—	17
	Aug 13,	.	9	.	2	.	.	1	.	.	.	.	.	.	4	.	—	—	16
	Aug. 20,	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	—	—	4
Blackrock Urban District.	July 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	2
Kingstown Urban District.	July 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	July 30,	1	—	—	8	.	.	1	1	4	5	5	.	—	—	—	—	—	25
	Aug. 6,	1	—	—	10	1	.	2	.	15	10	3	.	—	—	—	—	—	42
	Aug. 13,	.	—	—	10	1	.	1	.	14	13	9	2	—	—	—	—	—	50
	Aug. 20,	.	—	—	10	.	.	2	.	17	16	5	.	—	—	—	—	—	50

The Registrar of Armagh Urban District reports that there were no further deaths from small-pox registered, nor had he heard of any. There were 5 cases of small-pox sent into hospital from Urban and Rural District of Armagh during past week.

The Registrar of Drogheda No. 3, reports, "one case of small-pox during the past week."

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th August, 1904.

From this it appears that:—

The three cases of small-pox admitted during the preceding week remained in hospital under treatment on Saturday last. No fresh cases were received during last week.

Seven cases of measles were admitted to hospital during the week, 18 were discharged, one died, and 53 patients remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 4 cases were discharged, there was one death, and 37* cases remained under treatment at the close of the week.

One death from typhus took place in hospital of a person admitted during the week.

Four cases of diphtheria were admitted to hospital, 2 were discharged, and 14 cases remained under treatment at the close of the week.

Thirteen cases of enteric fever were admitted to hospital, 5 cases were discharged, and 46 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 5 patients were discharged, 2 died, and 8 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 21·6), was equal to an average annual death-rate of 22·7 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·1 per 1,000, the rate for Glasgow being 19·2, and for Edinburgh 14·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th August, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 20th August, 1904. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	12	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	31·5	19·4	3·3	660	407	122	69	.	5	1	2	6	1	.	1	54	66	29	6	15	103
Dublin Registration Area:—																							
Total,‡	378,994	27·5	35·8	24·5	5·9	260	178	60	27	.	4	.	1	3	1	.	1	33	21	8	4	7	57
City of Dublin	293,385	37·1	40·3	25·9	6·2	227	146	48	18	.	4	.	1	3	.	.	1	26	17	6	3	6	53
Urban Districts. Rathmines and Rathgar	33,208	19·4	17·3	11·0	3·1	11	7	1	3	.	.	.	.	.	.	.	.	2	1	.	.	.	.
Urban Districts. Pembroke	26,025	16·4	20·0	30·1	10·0	10	15	8	3	.	.	.	.	.	1	.	.	4	1	1	.	1	3
Urban Districts. Blackrock	8,759	8·1	11·9	11·9	6·0	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Urban Districts. Kingstown	17,622	12·1	29·6	23·7	.	10	8	2	3	.	.	.	.	.	.	.	.	.	2	1	1	.	.
Urban Districts.																							
Belfast	358,680	24·4	29·8	18·6	2·9	205	128	46	14	.	1	.	1	2	.	.	.	16	25	10	2	6	23
Cork	76,122	33·6	28·8	15·1	.	42	22	3	5	.	.	.	.	.	.	.	.	.	7	3	.	1	7
Londonderry	41,897	19·1	47·9	18·9	3·8	38	15	5	3	.	.	.	.	.	.	.	.	3	4	3	.	.	.
Limerick	38,151	18·1	16·4	10·9	.	12	8	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Waterford	26,769	18·7	21·4	7·8	1·9	11	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Galway	18,426	2·5	11·7	15·5	.	3	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	13,076	3·4	19·9	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	32·7	23·6	.	8	7	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Newry	12,405	17·8	21·0	4·2	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	13·8	13·3	8·9	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lisburn	11,461	10·1	36·4	22·7	.	8	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.
Wexford	11,168	23·2	28·0	28·0	.	6	6	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Ballymena	10,886	8·9	28·7	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	24·0	9·6	.	5	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kilkenny	10,609	11·5	54·1	39·8	.	11	8	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Clonmel	10,167	7·8	10·3	35·9	.	2	7	.	4	.	.	.	.	.	.	.	.	.	2	2	.	.	4
Portadown	10,092	13·2	31·0	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	21·1	10·6	5·8	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Newtownards	9,110	18·9	45·8	22·9	5·7	8	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Queenstown	7,909	14·4	33·0	6·6	.	5	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	48·1	20·6	6·9	7	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 20th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§68·6	39·3	55·8	0·96	§68·1	45·4	57·1	0·35	§74·8	49·2	61·5	0·30
City of Dublin	a70·9	44·8	58·1	0·87	a70·0	48·2	59·1	0·30	a77·7	54·5	63·6	0·30
	b69·3	40·4	56·4	0·94	b69·7	46·0	58·3	0·31	b74·9	51·6	62·6	0·34
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	70·7	46·0	58·8	0·68	70·2	49	59·8	0·19	72·2	54·5	62·5	0·14
Urban Districts.												
Belfast	.	.	.	.	.	.	.	.	.	.	.	.
Cork	64	44	56·9	0·37	67	50	58·0	0·75	66	53	59·9	1·40
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	64	48	55·7	0·86	68	47	57	0·62	69	50	59	2·26
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98
Lurgan	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98
Lisburn	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	64·2	36·0	54·0	1·02	65·8	44·1	55·9	1·19	70·5	49·9	59·5	3·15
Kilkenny	66	40	56·0	0·69	67	48	61·0	0·68	70	46	59·5	0·96
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	66	44	55·6	0·81	66	48	55·4	1·83	68	52	60·0	0·96
Queenstown	64	44	56·9	0·37	67	50	58·0	0·75	66	58	59·9	1·40
Armagh	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96	69·0	51·8	60·8	1·98

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 20th of August, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping Cough,	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	3	5	.	3	.	.	.	6	3	2	4	.	2	4	1	.	33	.
Phthisis,	.	5	1	2	.	.	.	1	2	3	3	.	1	1	.	2	21	.
Other General Diseases,	4	3	1	1	.	1	.	2	2	12	2	.	.	3	.	1	32	.
Total,	10	13	2	9	.	1	.	9	8	18	9	1	3	9	1	3	96	.
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	1	3	.	.	.	.	2	.	1	3	.	1	2	.	1	15	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	2	4	.	.	1	1	3	2	3	1	2	2	.	.	23	2
Respiratory System,	1	.	2	1	.	.	.	1	1	.	.	.	.	1	.	1	8	.
Digestive System,	6	3	.	.	.	.	.	3	1	.	2	1	1	1	1	1	20	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	1	.	1	.	2	.	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Integumentary System	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,		6		5	.	1	1	8	5	5	8	2	4	6	1	3	73	5
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	1	5	.
E. VIOLENT DEATHS,	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	4	.
Deaths from all Causes,	20	21	12	14	.	2	1	18	14	24	17	3	7	15	2	8	178	5
Annual Rate of Mortality in every 1,000 of the population	36·8	28·0	20·6	23·0	.	10·4	7·8	24·5	39·9	29·8	25·2	17·6	11·0	30·1	11·9	23·7	24·5	.
	24·2							27·8					19·5					
	25·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	2	3	6	.	1	.	1	1	6	2	1	.	1	1	.	27	3
Workhouse Hospitals	3	3	5	1	.	.	.	7	3	5	1	.	.	2	.	.	30	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease in
week of the ten year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1894-1903.	In the Week ending S 20th August, 19				
												Deaths of Persons of 1				
	Aug. 18, 1894.	Aug. 17, 1895.	Aug. 15, 1896.	Aug. 21, 1897.	Aug. 20, 1898.	Aug. 19, 1899.	Aug. 18, 1900.	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 56·5	° 59·3	° 58·6	° 58·8	° 59·5	° 61·0	° 60·2	° 58·9	° 57·0	° 53·3	° 58·3	° 55·8				
ALL CAUSES.	132	161	145	163	146	234	147	148	145	169	159·0	183	11	49	21	1
Small-pox, Vaccinated, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, Unvaccinated, ...	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	1	1	10	.	.	20	.	3·3	4	.	1	3	.
Scarlet Fever	1	2	4	3	1	.	.	1	1	.	1·3	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	1	.	1	.	·3	1	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	2	1	.	4	.	1	2	.	1·3	1	.	.	1	.
Whooping Cough, ...	2	1	1	2	1	7	1	3	.	1	1·9	3	.	2	1	.
Diphtheria, ...	.	.	.	.	.	1	.	.	.	1	·2	1	.	.	.	1
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.
Enteric Fever, ...	1	1	3	2	3	1	1	.	1	.	1·3	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	6	17	21	32	23	49	25	30	. / 1	3 / 8	21·5	10 / 23	. / 2	8 / 12	1 / 4	. / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	4	.	.	.	1	.	·5	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	1	.	. / . / .	. / . / .	·1	. / . / .	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	1	.	.	.	2	·3	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	.	.	.	.	1	.	1	. / .	1 / .	·3	. / .	. / .	. / .	. / .	. / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Tuberculous Phthisis, .. "*Phthisis*,"	26	23	13	26	18	26	20	24	1 / 17	6 / 16	21·6	2 / 19	. / .	. / .	. / .	. / 2
Tuberculous Meningitis, (Acute Hydrocephalus).	6	5	5	1	5	2	3	1	3	4	3·5	6	.	2	3	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	2	5	9	5	9	3	4	. / .	. / 1	4·0	3 / 1	. / .	2 / 1	1 / .	. / .
Tuberculous Dis. (other), ... *Scrofula*, ...	3	6	2	2	6	4	5	6	2 / .	8 / .	4·4	8 / .	. / .	4 / .	. / .	2 / .
Alcoholism, ...	1	.	3	2	1	.	1	.	1	1	1·0	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.

* The figures for the years 1894-19

TY-THIRD WEEK ending Saturday, 20th August, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 18, 1894.	Aug. 17, 1895.	Aug. 15, 1896.	Aug. 21, 1897.	Aug. 20, 1898.	Aug. 19, 1899.	Aug. 18, 1900.	Aug. 17, 1901.	Aug. 16, 1902.	Aug. 22, 1903.	Averages in 33rd Week of the 10 years 1894–1903.	In the Week ending Saturday, 20th August, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 56·5	° 59·3	° 58·6	° 58·8	° 59·5	° 61·0	° 60·2	° 58·9	° 57·0	° 53·3	° 58·3	Mean Temp. ° 55·8								
ma	3	9	6	1	5	8	6	3	2	6	6·1	2	.	.	.	.	.	2	.	.
a									.	.		.	.	.	.	.	.	.	.	.
Malignant Disease ...									6	6		1	.	.	.	.	1	.	.	.
s Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
ure Birth	.	2	3	2	.	.	2	1	1	5	1·6	4	4	.	.	.	.	.	.	.
ttis (not tuberc.)									2	1		3	.	.	1	1	.	1	.	.
, G. P. of Insane									.	1		1	.	.	.	1	.	.	.	.
y									.	.		1	.	.	.	1	.	.	.	.
ons									13	2		9	2	6	.	1	.	.	.	.
tor Ataxy									.	.		.	.	.	.	.	.	.	.	.
gia Dis. of Cord									2	1		2	.	.	.	.	.	1	1	.
s System (other Dis.) ...	27	29	31	28	30	30	32	30	2	.	30·4	1	.	.	1	.	.	.	.	.
is., Endocarditis									2	2		2	.	.	.	.	1	.	1	.
Hæm. Thromb.									1	1		4	.	.	.	.	1	1	1	1
y, *Hemiplegia*									4	6		7	.	.	.	.	.	3	3	1
sm									1	2		1	.	.	.	.	.	1	.	.
m, Thromb. (not cerebral)									.	1		.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis. ..									13	10		11	.	.	.	.	1	2	5	3
not Spasm. or Memb.) ...	1	.	.	.	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.
itis	7	5	6	11	12	15	9	9	8	13	9·5	3	.	.	1	.	.	.	2	.
as Pneumonia									.	.		.	.	.	.	.	.	.	.	.
o-Pneumonia	4	6	5	3	3	12	3	8	6	1	5·8	.	.	.	.	.	.	.	.	.
onia"									3	4		4	.	1	.	.	1	1	1	.
, Emphysema									.	.		.	.	.	.	.	.	.	.	.
... ...	1	1	1	1	.	2	1	1	.	1	1·3	1	.	.	.	.	1	.	.	.
tory Dis. (other)									1	3		.	.	.	.	.	.	.	.	.
tis, Quinsy	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
s (not Epid.)	.	2	.	2	3	4	2	1	.	3	2·0	4	1	2	1	.	.	.	.	.
Enteritis									.	3		6	.	5	.	.	.	.	.	1
itis (not Puerp.)	3	.	1	.	.	2	1	1	.	3	1·1	1	.	.	.	.	1	.	.	.
s of Liver	5	7	6	1	1	3	2	1	2	3	3·3	2	.	.	.	.	.	1	1	.
is. (other)									2	.		.	.	.	.	.	.	.	.	.
e Dis. (other)	3	13	2	6	3	3	1	2	5	9	4·7	8	1	1	3	.	1	1	1	.
is, Acute									2	.		1	.	.	.	.	1	.	.	.
Dis., Albuminuria ...	3	4	2	3	2	6	4	3	1	6	3·7	3	.	.	.	.	1	2	.	.
Sys. (Other Dis.) ...									1	.		1	.	.	.	.	.	1	.	.
ive Organs Dis.	1	.	1	1	.	2	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
rth (Accid. of)	.	1	.	.	.	.	.	1	1	1	·4	.	.	.	.	.	.	.	.	.
... ...	6	7	6	5	3	9	7	6	3	3	5·5	2	.	.	.	.	.	.	1	1
Diseases	13	14	10	14	10	17	10	6	6	14	11·4	6	1	2	.	2	.	.	1	.
ACCIDENT.																				
ways	.	.	.	1	1	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	1	.	2	2	1	.	.	·6	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ding Operations	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	1	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	1	.
wning	.	.	2	1	1	.	1	.	.	1	·6	1	.	.	.	.	1	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	1	.	.	.
Deaths by Accidents ...	1	.	1	.	1	2	.	.	3	1	·9	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	1	.	.	.	.	.	.	1	·2	1	.	.	.	.	1	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ristration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	Feb. 27.	Mar. 5.	Mar. 12.	Mar 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	224	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260
*Average Births in corresponding week of previous 10 years,**	215	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201
DEATHS registered,	206	201	213	213	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	131	136	161	199	183
Annual Death-rate per 1,000,	28·3	27·7	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2
*Average Deaths in corresponding week of previous 10 years,**	225	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159
AGES, Under 5 years,	61	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81
5—20 "	8	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13
20—40 "	31	34	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31
40—60 "	45	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29
60—80 "	49	49	53	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21
80 years and upwards,	12	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4
" Scarlet Fever	1	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	3	3	3	2	4	4	3
" Whooping-cough,	11	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	.	3	1	.	1	.	1	2	2	1
" Diphtheria,	.	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1
" Simple Continued Fever,	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	2	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1
" Diarrhœal Diseases,	.	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33
" Phthisis,	20	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21
" Diseases of Heart and Blood Vessels,	28	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25
" Diseases of Respiratory System,	54	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8
Violent Deaths,	4	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4
Mean Temperature of the Air (Phœnix Park),	42·6	36·1	38·0	42·6	43·6	42·1	45·9	47·8	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·3
Average Mean Temperature in corresponding week of previous 10 years,	39·9	41·3	41·4	43·	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·3	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3
Rainfall in inches,	·628	·220	·745	·625	·268	·753	·788	·035	·068	·150	·713	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955
Mean Humidity of the Air, complete Saturation 1·0,	·88	·80	·89	·87	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85

* See note at foot of Table IV.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th August, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 20th August, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22	(23)	(24)
	ALL PERSONS,	375,350	25·4	183	81	18	31	29	21	8	.	4	.	1	3	1	.	1	33	43	21	9	8	4	98
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	12·0	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
II.	MIDDLE CLASS,	87,188	12·0	20	6	1	7	1	3	2	.	.	.	.	.	1	.	.	3	4	4	.	2	.	10
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	18·4	39	19	3	5	6	4	2	.	.	.	.	.	.	.	.	10	10	4	2	1	.	22
IV.	GENERAL SERVICE CLASS,	154,279	89·0	88	53	5	17	9	3	1	.	4	.	1	3	.	.	1	17	26	7	6	3	3	43
V.	INMATES OF WORKHOUSES,	6,024		32	3	4	2	12	9	2	.	.	.	.	.	.	.	.	3	3	6	1	2	.	20
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	1		.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	.	.	2	.	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	.	3
	6. Clerks and Commercial Assistants,	30,432	12·0	7	6	.	1	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	11·6	6	.	1	4	1	.	.	.	.	.	.	.	1	.	.	.	1	3	.	1	.	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	9. Building and Furnishing Trades,	29,801	15·7	9	6	.	2	1	.	.	.	.	.	.	.	.	.	.	2	2	1	1	1	.	4
	10. Clothing Trades,	28,260	15·7	7	3	2	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	1	.	.	4
	11. Food Supply Trades,	9,242	16·9	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	3	1	.	1	3	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	13. Petty Shopkeepers,	7,894	39·6	6	3	.	2	.	1	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	3
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	28·3	6	1	.	2	1	2	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	3
	15. Domestic Servants,	36,603	11·4	8	5	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	14·5	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	40·6	70	43	3	14	6	1	1	.	4	.	1	.	.	.	.	14	22	5	3	3	3	34
V.	INMATES OF WORKHOUSES.																								
	18 Workhouse Inmates,	6,024	.	32	3	4	2	12	9	2	.	.	.	.	.	.	.	.	3	3	6	1	2	.	20

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,352.	July 2,	9·2	3·7	5	.	1	.	.	.	1	.	.	.	.	.	1
	" 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
	" 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
	" 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
	" 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
	" 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
	" 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	July 2,	26·6	1·3	20	.	.	1	.	.	.	.	.	.	2	4	2
	" 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
	" 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
	" 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
	" 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
	" 13,	34·6	9·3	26	.	1	1	.	.	.	.	.	5	3	2	.
	" 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	July 2,	17·3	.	10	.	.	.	.	.	.	.	.	.	3	3	.
	" 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	" 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
	" 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
	" 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
	" 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
	" 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	July 2,	14·8	.	9	.	.	.	.	.	.	.	.	.	3	1	.
	" 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
	" 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
	" 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	" 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	3·3	10	.	.	.	.	.	.	.	.	2	.	.	.
	" 13,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	3	2	.
	" 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	July 2,	21·7	.	16	.	.	.	.	.	.	.	.	.	.	4	.
	" 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
	" 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
	" 23,	16·3	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
	" 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
	" 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
	" 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	July 2,	22·8	2·9	8	.	1	.	.	.	.	.	.	.	.	2	.
	" 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
	" 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
	" 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
	" 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
	" 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	1
	" 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	July 2,	12·4	2·5	10	.	.	1	.	1	.	.	.	.	.	3	.
	" 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	" 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
	" 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
	" 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
	" 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
	" 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	July 2,	14·8	1·5	10	.	.	.	.	.	.	.	.	1	2	.	.
	" 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
	" 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	" 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
	" 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
	" 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
	" 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	July 2,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	" 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	" 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	" 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	" 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	" 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	" 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	July 2,	8·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	" 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	" 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	" 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	" 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	" 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
	" 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	July 2,	20·7	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	" 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	" 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	" 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	" 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
	" 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	" 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	1
Belfast. Pop. in 1904 (Est.) 358,680.	July 2,	17·3	2·5	119	.	3	.	.	8	1	.	3	2	18	18	3
	" 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	" 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	" 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	" 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	" 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	" 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
Cork Pop. (in 1901) 76,122.	July 2,	14·4	.	21	.	.	.	.	.	.	.	.	.	6	2	.
	" 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	" 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	" 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	" 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
	" 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	" 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
Londonderry. Pop. in 1904 (Est.) 41,397	July 2,	20·2	.	16	.	.	.	.	.	.	.	.	.	3	5	.
	" 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	" 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	" 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	" 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	" 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	" 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
Limerick. Pop. (in 1901) 38,151.	July 2,	27·3	.	20	.	.	.	.	.	.	.	.	.	4	3	.
	" 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	" 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	" 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	" 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	" 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	" 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
Waterford. Pop. (in 1901) 26,769	July 2,	13·6	.	7	.	.	.	.	.	.	.	.	.	2	.	.
	" 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	" 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	" 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	" 0,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.
	" 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.
	" 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended **20th August, 1904**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	5	21·2	7·1	6	3	.	3	.	.	.	.	.	.	.	.	.	2	2	.	.	1	1
Do. 2 "	47,959	19	6·5	3·3	6	2	.	3	1	.	.	.	1	.	.	.	.	2	1	1	.	.	2
Do. 3 "	47,214	20	25·4	7·7	23	7	5	9	2	.	.	.	.	1	.	.	.	6	5	2	1	1	2
Do. 4 "	40,911	35	19·1	3·8	15	10	.	4	1	.	.	.	.	.	.	.	.	3	1	.	.	3	1
Do. 5 "	17,387	11	33·0	.	11	4	2	3	2	.	.	.	.	.	.	.	.	.	1	3	.	.	1
Do. 6 "	48,122	24	20·6	.	19	5	.	11	3	.	.	.	.	.	.	.	.	.	2	3	1	1	7
Do 7 "	1,524	3	.	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	.	41·2	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 9 "	19,56	15	29·3	5·3	11	2	1	8	.	.	.	.	.	.	.	.	.	2	6	.	.	.	2
Do. 10 "	23,064	16	22·6	2·3	10	4	.	5	1	.	.	.	.	.	.	.	.	1	1	1	.	.	2
Do 11 "	34,802	28	13·5	1·5	9	1	.	6	2	.	.	.	.	1	.	.	.	.	3	.	.	.	2
Do. 12 "	33,588	18	15·5	1·6	10	4	1	4	1	.	1	.	.	.	.	.	.	.	2	.	.	.	2
Do 13 "	15,006	11	3·5	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 "	40	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	205	19·1	3·0	128	46	9	59	14	.	1	.	1	2	.	.	.	16	25	10	2	6	23
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	20·3	.	5	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3
Do. 2 "	10,701	5	4·9	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do 3 "	9,978	7	15·7	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 4 "	8,666	7	18·1	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 "	6,592	2	23·7	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Do. 6 "	10,702	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 7 "	16,616	10	22·0	.	7	1	2	3	1	.	.	.	.	.	.	.	.	.	4	.	.	.	2
Total	76,122	42	15·1	.	22	3	2	12	5	.	.	.	.	.	.	.	.	.	7	3	.	1	7

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered,	268	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205
DEATHS registered.	186	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128
Annual Death-rate per 1,000 of estimated Population,	27·0	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·8	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6
AGES, Under 1 year,	44	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46
AGES, 1-5 years,	16	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9
AGES, 5-60 years,	83	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59
AGES, 60 years and upwards,	43	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1
" Scarlet Fever,	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.
" Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
" Whooping cough,	5	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2
" Diphtheria,	1	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.
" Simple Continued Fever,	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.
" Diarrhœal Diseases,	3	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16
" Phthisis	20	17	26	33	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25
" Diseases of Respiratory System,	47	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10
Violent Deaths,	6	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th August, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	3	.	.	.	.	.	5	3	.	.	11
" " 1, West,	.	.	.	1	.	.	1	.	.	3	1	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	4	1	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	3	.	.	.	.	.	.	.	.	.	3
" " 4,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	7	.	.	1	.	.	16	5	.	.	29

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th August, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th August.			
	July 30.	Aug. 6.	Aug. 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	3	.	.	.	3
Measles,	85	72	65	7	18	1	53
Scarlet Fever,	43	40	34	8	4	1	37*
Typhus "	.	.	.	1	.	1	.
Diphtheria,	17	10	12	4	2	.	14
Enteric Fever,	42	36	38	13	5	.	46
Pneumonia,	13	11	10	5	5	2	8

*Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Aug. 20,	2,625	1,923	21·6	.	42	4	9	17	6	705
EDINBURGH,	331,977	„ 20,	152	94	14·8	.	1	2	1	1	.	4
GLASGOW,	798,357	„ 20,	433	294	19·2	.	3	1	.	11	.	44
CALCUTTA,	847,796	June 18,	.	377	23·1	2	2	.	1	.	100‡	41*
BOMBAY,	776,006	July 19,	345	569	38·1	6	4	.	.	.	45‡	53
MADRAS,	509,346	„ 8,	405	327	33·3	.	1	?	?	?	79	57
PARIS,	2,660,559	Aug. 6,	1,156	928	18·0	1	8	3	2†	17	5	168
BRUSSELS (with 8 Faubourgs).	586,926	July 30,	208	164	14·5	.	2	.	.	1	.	46
AMSTERDAM,	548,160	„ 30,	278	140	13·3	.	7	.	.	3	.	21
ROTTERDAM.	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	July 30,	243	128	16·0	.	2	1	.	6	.	10
CHRISTIANIA,	223,649	Aug. 6,	120	66	15·3	.	.	.	.	2	.	13
ST. PETERSBURG,	1,248,122	„ 6,	517	577	24·1	2	11	19	7†	3	13	74
BERLIN,	1,960,909	July 23,	947	680	18·1	.	9	4	1†	9	2	146
HAMBURG,	751,842	„ 30,	.	213	14·7	.	1	1	4†	7	.	37
BRESLAU,	445,403	Aug. 6,	.	292	34·2	.	2	1	2	.	.	82
MUNICH,	520,000	„ 6,	.	247	24·7	.	7	1	1†	1	1	73
VIENNA (with suburbs).	1,797,992	„ 6,	866	681	19·7	.	9	.	10†	6	2	175
BUDA-PESTH	813,399	„ 6,	385	289	18·5	.	5	9	4	1	1	68
PRAGUE and Faubourgs.	426,404	July 30,	184	159	19·4	.	.	.	1†	.	2	16
ROME,	499,241	May 21,	235	183	19·1	.	2	.	.	.	3	16
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	July 9,	83	50	15·7	.	1	.	.	.	.	9
NEW YORK,	3,838,024	„ 23,	1,877	1,726	23·5	.	7	3	25†	5	13	565
PHILADELPHIA,	1,408,154	„ 16,	.	483	17·8	.	.	2	7†	.	10	94

* Including 9 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 31 deaths from bubonic fever in Calcutta and 58 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 20th August, 1904:—

"During the greater part of this week the weather was unsettled, squally and showery, and Autumn was in evidence. Saturday, however, was a very fine, bright day, and Thursday was also favourable. On Sunday morning a large and rather deep depression (29·3 inches) was central off the N.W. of Scotland. Strong S.W. winds and heavy showers prevailed—especially in Ireland and Scotland. At 8 a.m. of Monday the primary depression (29·2 inches) was due N. of the Shetlands, while an equally deep secondary lay near Peterhead in the N.E. of Scotland. Gales, at first from S.W. afterwards from N.W., were prevalent and rainfall was reported from nearly all parts of the British Isles, with thunder at Valentia and Holyhead. Hardly had these disturbances passed away to Scandinavia and the Baltic when a fresh series of depressions arrived from the Atlantic. At 8 a.m. of Wednesday one of these systems was found over Donegal, a second lay over St. George's Channel. The latter led to downpours of rain in many parts of Great Britain, the measurements on Thursday morning including 1·60 inches at Aberystwyth, 1·30 inches at Spurn Head, 1·10 inches at Plymouth, 1·05 inches at Leith, and ·84 inch at Nottingham. Thunder, lightning and heavy rain occurred in Dublin and its vicinity on Wednesday afternoon. Thursday proved fine, but some shallow local depressions caused heavy showers on Friday afternoon, when the wind drew into N.W. and N. Saturday was a beautiful day after a clear, cold night—towards evening Snowdon was seen from the Wicklow coast. In Dublin the mean height of the barometer was 29·878 inches, pressure varying from 29·442 inches at 9 p.m. of Sunday (wind, S.W.) to 30·139 inches at 9 a.m. of Saturday (wind, N.N.W.). The corrected mean temperature was 58·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·8°. The screened thermometers rose to 70·9°, on Sunday and fell to 44·8° on Saturday. Bright sunshine was estimated at 47 hours, 11 falling on Sunday and 10½ on Saturday. Rain fell on five days to the amount of ·871 inch, ·412 inch being measured on Tuesday. The prevailing wind was W.N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·891 inches. The highest reading (30·152) was on Saturday at 9 a.m., wind W., and the lowest (29·458) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 55·8°, being 2·5° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Sunday, on which day the thermometer registered 68·6° and was lowest on Saturday, the mercury having fallen to 39·3°. The mean of the Dry Bulb for the week was 54·6°, and of the Wet Bulb 52·0°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 47·8 hours. The rainfall during the week measured ·955 inch.

At Greenwich the mean temperature for the week was 59·5°, the maximum 75·0°, and the minimum 45·5°; at Glasgow the maximum was 66·8°, the minimum 41·0°, and the mean 54·5°; and at Edinburgh the maximum was 65·9°, the minimum 43·5°, and the mean 54·6°. The rainfall at Greenwich measured 0·47 inch; at Glasgow 0·56 inch; and at Edinburgh 1·68 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 14,	29·520	68·6	55·1	61·9	58·8	54·3	·74	·8	10·0	·085	S.W.	S.W.
Monday, " 15,	29·847	64·6	52·9	58·8	55·0	53·3	·89	·6	5·8	·085	W.	W.
Tuesday, " 16,	30·032	61·5	42·6	52·1	55·5	51·5	·76	·3	5·2	·460	S,W.	Calm.
Wednesday, " 17,	29.750	64·7	49·3	57·0	53·4	52·5	·94	·9	5·8	·230	W.	W.N.W.
Thursday, " 18,	29·934	61·9	47·3	54·6	54·3	52·6	·92	·2	5·4	·025	W.	W.
Friday, " 19,	30·019	60·6	50·2	55·4	53·6	51·1	·84	·3	7·0	·070	W.	Calm.
Saturday, " 20,	30·137	62·1	39·3	50·7	51·3	48·5	·83	·1	8·6	—	W.	Calm.
Mean, . .	29·891	63·4	48·1	55·8	54·6	52·0	·85	·5	Total 47·8	·955	Prevailing Wind, W.	

Sunday—A fine day, showery from 5.30 p.m.; night cloudy, showery p.m. *Monday*—Day cloudy and showery; night cloudy. *Tuesday*—A showery day; night overcast and wet. *Wednesday*—A show day; night overcast and showery, thunderstorm at 5.30 p.m. *Thursday*—A cloudy day, showers at intervals; night cloudy. *Friday*—A cloudy day, heavy showers at intervals; night cloudy. *Saturday*—A fine day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. 124. 6. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 27TH AUGUST, 1904. [No. 34.

General Register Office, Charlemont House,
Dublin, 29th August, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 6.	Week ending Aug. 13.	Week ending Aug. 20.	Week ending Aug. 27.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 6.	Week ending Aug. 13.	Week ending Aug. 20.	Week ending Aug. 27.	Average Rate for 4 weeks.
22 Town Dists.	17·6	19·6	19·4	18·8	19·0	Lisburn,	9·1	13·6	22·7	4·5	12·5
Armagh,	27·5	48·1	20·6	13·7	27·5	Londonderry	17·6	10·1	18·9	15·1	15·4
Ballymena,	23·9	4·8	.	23·9	13·2	Lurgan,	8·9	8·9	8·9	17·7	11·1
Belfast,	15·8	18·6	18·6	17·4	17·6	Newry,	4·2	4·2	4·2	8·4	5·3
Blonmel,	41·0	10·3	35·9	10·3	24·4	Newtownards,	11·4	5·7	22·9	5·7	11·4
Cork,	17·1	18·5	15·1	17·8	17·1	Portadown,	5·2	10·3	.	5·2	5·2
Drogheda,	8·2	12·3	28·6	8·2	14·3	Queenstown,	.	.	6·6	13·2	5·0
Dublin Reg. Area,	21·2	27·0	24·5	23·5	24·0	Sligo,	9·6	4·8	9·6	24·0	12·0
Dundalk,	8·0	16·0	.	8·0	8·0	Tralee,	31·7	5·3	10·6	15·9	15·9
Galway,	7·8	7·8	15·5	19·4	12·6	Waterford,	19·5	9·7	7·8	11·7	12·2
Kilkenny,	4·9	9·8	39·3	34·3	22·1	Wexford,	28·0	4·7	28·0	46·7	26·8
Limerick,	15·0	20·5	10·9	8·2	13·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 3·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·7 in the Dublin Registration Area. Among the 120 deaths from all causes in Belfast are one each from measles, scarlet fever, whooping-cough, simple continued fever, and enteric fever, and 17 from diarrhœal diseases; and the 26 deaths from all causes in Cork include one from typhus and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—127 boys and 109 girls; and the deaths to 178—90 males and 88 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 24·5 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 23·5 per 1,000. During the thirty-four weeks ending with Saturday last the death-rate averaged 25·1, and was 1·2 under the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

The 178 deaths registered include 7 deaths from measles, one death from scarlet fever, 4 deaths from whooping-cough, one death from diphtheria, one death from enteric fever, and 35 deaths from diarrhœal diseases, but not one death from small-pox or typhus. In the 3 weeks preceding deaths were registered as follows—from measles, 3, 5, and 4; from whooping-cough, 4, 4, and 3; from diphtheria, 2, 2, and one; from enteric fever, 0, one and one; and from diarrhœal diseases, 15, 33, and 33 deaths, respectively.

Croupous pneumonia and broncho-pneumonia each caused one death, and *pneumonia* caused 2 deaths.

The 27 deaths attributed to tuberculous disease include 3 from tuberculous phthisis, 16 from *phthisis*, one from tuberculous meningitis, and 7 deaths from other forms of the disease.

Four deaths were assigned to carcinoma, and 6 to *cancer, malignant disease.*

The deaths of 6 infants prematurely born were registered.

Of 11 deaths from diseases of the nervous system, 7 were due to *convulsions.* Of the latter figure 6 were infants under one year of age.

There were 19 deaths registered as being caused by diseases of the heart and blood-vessels.

Eleven deaths from bronchitis were registered.

Two deaths from accidental causes occurred.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old and the deaths of 2 persons aged 60 years and upwards.

Eighty-six of the persons whose deaths were registered during the week were under 5 years of age (64 being infants under one year, of whom 13 were under one month old), and 33 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom one was an octogenarian, and one (a man) was stated to have been aged 94 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·5 per 1,000; the rate in the City was 24·0 (North City Districts, 24·6; South, 23·4), and in the Suburbs, 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 6·7 per 1,000 inhabitants, the rate for the City being 7·5 (8·0 in the North City Districts, and 6·9 in the South), and for the Suburbs, 4·3 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. One death from scarlet fever, 8 deaths from epidemic enteritis, 3 deaths from tuberculous disease, and one death from *cancer* were registered.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Three deaths from diarrhœal diseases, and 3 deaths from tuberculous disease, were registered; and there was one death from broncho-pneumonia.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·6 per 1,000. Three deaths were due to diarrhœal diseases, and *phthisis* and lobar pneumonia each caused one death.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Measles and whooping-cough each caused one death; there were 3 deaths from *diarrhœa* and 2 deaths from *phthisis.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 20·8; and Finglas and Glasnevin, part of, 31·3. There were 2 deaths from epidemic enteritis tabulated for Finglas and Glasnevin, part of, and one from the result of an accident for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 13·6 per 1,000. Measles and *diarrhœa* each caused one death; there were 3 deaths from tuberculous disease.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 48·5 per 1,000. Epidemic enteritis caused 2 deaths, and tuberculous disease caused 3 deaths; 4 deaths from bronchitis were registered.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·4 per 1,000. Two deaths from whooping-cough, one death from diphtheria, 6 deaths from diarrhœal diseases, and 3 deaths from tuberculous disease (including one death from tuberculous meningitis), were registered.

No. 4 South City District (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. The deaths registered include 2 from measles, 2 from diarrhœal diseases, one from *phthisis* and one death from carcinoma.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 35·2 per 1,000. One of the deaths was from whooping-cough and one was from *diarrhœa.*

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 26·0; Blackrock, 11·9; and Kingstown 23·7. The deaths from the principal epidemic diseases tabulated for these districts include 2 from measles, one from enteric fever, and one from *diarrhœa* for Rathmines and Rathgar, and 3 from diarrhœal diseases for Pembroke. Among the 13 deaths from all causes tabulated for the first-named district 2 were from diseases of the nervous system, one from *pneumonia*, and one from an accidental fall; the 13 deaths tabulated for Pembroke include 2 from *phthisis*; and of the 8 deaths from all causes for Kingstown 3 were from *phthisis* and one from *pneumonia.*

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 27th August, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 6,	.	—	—	3	.	.	1	.	.	12	9	.	—	—	—	—	—	25
	Aug. 13,	3	—	—	10	.	.	2	.	6	5	13	.	—	—	—	—	—	39
	Aug. 20,	.	—	—	7	.	.	1	.	.	16	5	.	—	—	—	—	—	29
	Aug. 27,	1	—	—	13	.	.	3	.	3	18	6	.	—	—	—	—	—	44
Rathmines and Rathgar Urban District.	Aug. 6,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	.	—	3
	Aug. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	3	—	4
	Aug. 20,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	7	—	11
	Aug. 27,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	1	—	3
Pembroke Urban District.	Aug. 6,	.	14	.	.	.	.	.	.	.	1	.	1	.	1	.	—	—	17
	Aug 13,	.	9	.	2	.	.	1	.	.	.	.	.	.	4	.	—	—	16
	Aug. 20,	.	1	.	.	.	.	3	.	.	.	.	.	.		.	—	—	4
	Aug. 27,	.	1	.	.	.	.	.	.	.	1	2	.	.	2	.	—	—	6
Blackrock Urban District.	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	2
	Aug. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	Aug. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 27,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
City of Belfast.	Aug. 6,	1	—	—	10	1	.	2	.	15	10	3	.	—	—	—	—	—	42
	Aug. 13,	.	—	—	10	1	.	1	.	14	13	9	2	—	—	—	—	—	50
	Aug. 20,	.	—	—	10	.	.	2	.	17	16	5	.	—	—	—	—	—	50
	Aug. 27,	1	—	—	11	.	.	.	1	30	18	8	1	—	—	—	—	—	70

The Registrar of Dundalk District reports:—There have been no fresh cases of small-pox during the week.

The Registrar of Armagh District reports:—There have been 3 fresh cases of small-pox during the week, but no deaths.

The Registrar of Drogheda No. 3, District reports:—No case of small-pox for past week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th August, 1904.

From this it appears that :—

One case of small-pox was admitted to hospital during the week, and 4 remained under treatment on Saturday last.

Eleven cases of measles were admitted to hospital during the week, 14 were discharged, 3 died, and 47 patients remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 8 cases were discharged, and 39* cases remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, one was discharged, and 15 cases remained under treatment at the close of the week.

Ten cases of enteric fever were admitted to hospital, 7 cases were discharged, one died, and 48 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, one patient was discharged, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·9), was equal to an average annual death-rate of 20·5 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 16·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th August, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 27th August, 1904. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	29·6	18·8	3·8	620	395	108	73	.	8	2	1	6	1	1	2	58	51	48	15	22	113
Dublin Registration Area:—																							
Total,‡	878,994	27·5	32·5	23·5	6·7	236	171	64	32	.	7	1	.	4	1	.	1	35	18	18	2	4	62
City of Dublin	293,385	37·1	35·5	24·0	7·5	200	135	54	24	.	5	1	.	4	1	.	.	31	13	15	1	3	47
Urban Districts. Rathmines and Rathgar	33,203	19·4	26·7	20·4	6·3	17	13	4	1	.	2	.	.	.	.	.	1	1	.	1	1	1	7
Pembroke	26,025	16·4	22·0	26·0	6·0	11	13	3	6	.	.	.	.	.	.	.	.	3	2	.	.	.	4
Blackrock	8,759	8·1	6·0	11·9	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown	17,622	12·1	20·7	23·7	.	7	8	2	.	.	.	.	.	.	.	.	.	.	3	1	.	.	4
Urban Districts.																							
Belfast	358,680	24·4	28·5	17·4	3·2	196	120	27	18	.	1	1	.	1	.	1	1	17	16	15	9	12	30
Cork	76,122	33·6	20·5	17·8	1·4	30	26	5	4	.	.	.	1	.	.	.	.	1	3	2	1	3	9
Londonderry	41,397	19·1	31·5	15·1	1·3	25	12	2	1	.	.	.	.	.	.	.	.	1	5	.	1	1	1
Limerick	38,151	18·1	27·3	8·2	.	20	6	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Waterford	26,769	18·7	25·3	11·7	5·8	13	6	1	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1
Galway	18,426	2·5	7·8	19·4	.	2	5	.	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1
Dundalk	13,076	3·4	12·0	8·0	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	36·8	8·2	.	9	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	29·4	8·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lurgan	11,782	13·8	22·1	17·7	.	5	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Lisburn	11,461	10·1	9·1	4·5	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Wexford	11,168	23·2	32·7	46·7	.	7	10	.	5	.	.	.	.	.	.	.	.	.	1	1	1	1	.
Ballymena	10,886	8·9	47·9	23·9	.	10	5	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Sligo	10,870	3·7	28·8	24·0	.	6	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Kilkenny	10,609	11·5	78·6	34·3	.	16	7	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	3
Clonmel	10,167	7·8	5·1	10·3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Portadown	10,092	13·2	20·7	5·2	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	63·4	15·9	5·3	12	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Newtownards	9,110	18·9	17·2	5·7	5·7	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Queenstown	7,909	14·4	46·1	13·2	.	7	2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	41·2	13·7	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.

Towns and Districts.	Meteorology.† Week ending 27th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	$70·7	40·4	54·6	0·54	$68·6	39·3	55·8	0·96	$68·1	45·4	57·1	0·35
City of Dublin	a71·9 b69·9	44·6 41·0	56·4 56·6	0·53 0·71	a70·9 b69·3	44·8 40·4	58·1 56·4	0·87 0·94	a70·0 b69·7	48·2 46·0	59·1 58·3	0·30 0·31
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	70·2	46·5	56·8	0·63	70·7	46·0	53·8	0·68	70·2	49	59·8	0·19
Urban Districts.												
Belfast	.	.	.	.	.	.	.	.	.	.	.	.
Cork	67	47	56·1	0·51	64	44	56·9	0·37	67	50	58·0	0·75
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	64	47	57	0·87	64	48	55·7	0·86	68	47	57	0·62
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96
Lisburn	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96
Wexford	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	68·4	39·5	54·1	0·67	64·2	36·0	51·0	1·02	65·8	44·1	55·9	1·19
Clonmel	69	41	55·9	0·73	66	40	56·0	0·69	67	48	61·0	0·68
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96
Newtownards	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	70	44	54·4	0·14	66	44	55·6	0·81	66	48	55·4	1·83
Armagh	67	47	56·1	0·51	64	44	56·9	0·37	67	50	58·0	0·75
	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59	67·1	44·2	55·7	1·96

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 27th of August, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	1	.	.	1	.	.	2	.	2	.	.	.	7	.
Scarlet Fever (Scarlatina),	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	2	.	1	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diarrhœal Diseases,	8	3	3	3	.	.	2	1	2	6	2	1	1	3	.	.	35	.
Phthisis,	3	2	1	2	.	.	.	1	2	1	1	.	.	2	.	3	18	1
Other General Diseases,	1	3	.	4	.	1	1	3	4	4	1	2	.	3	.	3	30	3
Total,	13	8	4	11	1	1	3	6	8	14	6	4	4	8	.	6	97	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	1	1	2	.	.	.	1	1	1	.	.	2	1	.	1	11	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	3	.	3	1	1	1	.	2	2	3	.	.	3	.	.	19	.
Respiratory System,	1	3	1	1	.	1	.	2	4	.	2	.	1	.	1	1	18	2
Digestive System,	1	2	1	.	1	.	.	.	2	1	1	2	2	.	1	.	14	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	9	4	6	2	2	1	3	9	4	6	2	6	5	2	2	65	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	1	1	.	.	.	1	.	.	1	.	2	.	.	.	7	.
E. VIOLENT DEATHS,	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	2	.
Deaths from all Causes,	15	18	9	18	3	4	4	10	17	18	13	6	13	13	2	8	171	7
Annual Rate of Mortality in every 1,000 of the population	27·6	24·0	15·6	29·6	32·5	20·8	31·3	13·6	48·5	22·4	19·3	35·2	20·4	26·0	11·9	23·7	23·5	.
	24·6							23·4					21·9					
	24·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	3	.	2	.	2	.	1	4	3	2	1	7	3	.	4	34	7
Workhouse Hospitals	2	6	1	7	.	.	.	3	3	3	2	.	.	1	.	.	28	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1894-1903.	In the Week ending S 27th August, 190				
												Deaths of Persons of th				
												ALL AGES.	0 to 5.			
	Aug. 25, 1894.	Aug. 24, 1895.	Aug. 22, 1896	Aug. 28, 1897.	Aug. 27, 1898.	Aug. 26, 1899	Aug. 25, 1900	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 23, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 56·4	° 59·3	° 54·5	° 57·5	° 54·6				
ALL CAUSES.	188	140	167	154	150	207	185	179	146	176	169·2	178	13	51	22	15
Small-pox, Vaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, Unvaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	18	.	.	16	.	3·4	7	.	3	4	.
Scarlet Fever	4	1	1	2	.	2	.	1	.	.	1·1	1	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	2	1	1	3	1	1	.	1	1·1	.	.	.	.	.
Whooping Cough, ...	4	1	2	.	.	1	5	1	2	3	1·9	4	.	3	1	.
Diphtheria, ...	.	.	.	2	2	.	1	.	.	2	·7	1	.	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.
Enteric Fever, ...	4	.	4	3	3	6	2	.	2	3	2·7	1	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	9	9	22	35	26	42	25	33	1	3	21·3	21	2	15	4	.
Diarrhœa, Dysentery, ...									2	6		14	2	7	4	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	1	.	.	2	1	5	1	1	2	1·4	4	.	4	.	.
Puerperal Septicæmia, Sapræmia,	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.
Puerperal Pyæmia, ...									.	.		.	.	.	.	.
Puerperal Fever, ...									.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	1	.	.	.	.	2	1	.	·5	.	.	.	.	.
Septicæmia (not Puerperal),	.	.	.	1	.	1	.	1	.	.	·3	2	.	.	.	.
Pyæmia (not Puerperal), ..									.	.		.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Tuberculous Phthisis, ..	25	26	17	21	19	19	25	30	3	3	23·1	3	.	.	.	.
"*Phthisis*,"									18	25		16	.	1	.	4
Tuberculous Meningitis, (Acute Hydrocephalus).	4	2	3	3	3	4	2	.	5	4	3·0	1	.	.	1	.
Tuberculous Peritonitis, ...	4	5	5	6	8	3	9	6	1	.	4·8	.	.	.	.	.
Tabes Mesenterica, ...									.	1		.	.	.	.	.
Tuberculous Dis. (other), ...	4	1	4	5	4	1	7	5	4	7	4·2	7	.	2	1	3
Scrofula, ...									.	.		.	.	.	.	.
Alcoholism, ...	.	.	1	1	4	1	1	.	.	.	·8	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1894-190

Y-FOURTH WEEK ending Saturday, 27th August, 1904, with the deaths from each cause in the correspondiog verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Aug. 25, 1894.	Aug. 24, 1895.	Aug. 22, 1896.	Aug. 28, 1897.	Aug. 27, 1898.	Aug. 26, 1899.	Aug. 25, 1900.	Aug. 24, 1901.	Aug. 23, 1902.	Aug. 29, 1903.	Averages in 34th Week of the 10 years 1894–1903.	In the Week ending Saturday, 27th August, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·1	° 59·5	° 56·0	° 57·5	° 58·5	° 61·7	° 56·8	° 56·4	° 59·3	° 54·5	° 57·5	° 54·6								
na									3	.		4	.	.	.	.	1	3	.	.
... ...	3	4	3	4	3	9	10	7	.	.	5·3	.	.	.	.	.	.	.	.	.
Malignant Disease ...									2	5		6	.	.	.	.	.	3	3	.
s Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.
re Birth	3	1	5	2	4	1	3	4	3	4	3·0	6	6	.	.	.	.	.	.	.
tis (not tuberc.)									3	1		4	.	1	1	2	.	.	.	.
, G. P. of Insane									1	2		.	.	.	.	.	.	.	.	.
y									.	4		.	.	.	.	.	.	.	.	.
ons									13	7		7	3	3	1	.	.	.	.	.
tor Ataxy									.	.		.	.	.	.	.	.	.	.	.
gia Dis. of Cord									.	1		.	.	.	.	.	.	.	.	.
s System (other Dis.) ...	37	27	36	25	22	23	37	32	2	3	31·0	.	.	.	.	.	.	.	.	.
s., Endocarditis									3	6		2	.	.	.	.	1	1	.	.
, Hæm. Thromb.									.	.		2	.	.	.	.	.	.	2	.
, Hemiplegia									4	5		1	.	.	.	.	.	1	.	.
sm									.	.		.	.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis.									10	6		14	.	.	.	2	2	9	1	
not Spasm. or Memb.) ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
tis	10	10	8	9	9	10	8	4	7	10	8·5	11	.	2	.	1	.	2	6	.
is Pneumonia									.	.		1	.	.	1	.	.	.	.	.
-Pneumonia	10	7	5	2	4	13	6	7	2	3	6·9	1	.	.	1	.	.	.	.	.
onia"									8	2		2	.	.	.	1	1	.	.	.
, Emphysema									.	.		.	.	.	.	.	.	.	.	.
y	1	1	3	2	1	.	.	.	.	.	1·1	2	.	.	.	.	1	.	1	.
tory Dis. (other)									1	2		3	.	.	1	.	1	.	1	.
tis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s (not Epid.)	5	.	.	1	4	2	2	1	.	3	2·1	2	.	2	.	.	.	.	.	.
Enteritis									.	3		3	.	2	.	.	.	1	.	.
itis (not Puerp.)	.	2	1	1	.	1	1	1	.	2	·9	2	.	.	.	2	.	.	.	.
is of Liver	4	2	1	2	3	1	4	.	2	1	2·5	1	.	.	.	.	.	1	.	.
is. (other)									1	4		.	.	.	.	.	.	.	.	.
ve Dis. (other)	4	8	4	5	2	2	2	6	2	6	4·1	7	.	1	1	.	2	.	3	.
is, Acute									3	1		.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	6	1	3	4	2	5	4	7	3	3	4·5	2	.	.	.	.	.	1	1	.
Sys. (Other Dis.) ...									2	1		.	.	.	.	.	.	.	.	.
tive Organs Dis.	.	1	.	1	.	.	2	.	.	1	·5	1	.	.	.	.	.	1	.	.
rth (Accid. of)	1	1	.	1	.	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.
... ...	13	12	11	3	5	12	3	9	3	4	7·5	1	.	.	.	.	.	.	.	1
Diseases	20	8	20	9	15	16	9	16	6	16	13·5	7	.	5	.	.	.	.	2	.
ACCIDENT.																				
lways	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	.	1	4	1	.	1	.	·7	1	.	.	.	.	1	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rowning)																				
ding Operations	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
flagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rns, Scalds, Explosions ...	.	1	1	1	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
owning	.	2	1	1	.	3	2	1	1	.	1·1	.	.	.	.	.	.	.	.	.
focation in Bed	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
son or Poisonous Vapours...	.	1	.	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	4	2	.	1	2	1	5	2	1	4	2·2	1	.	.	.	.	1	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Mar. 5.	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Births registered,	241	201	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236
*Average Births in corresponding week of previous 10 years,**	211	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192
Deaths registered,	201	218	218	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	131	136	161	199	183	178
Annual Death-rate per 1,000,	27·7	29·3	29·3	33·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5
*Average Deaths in corresponding week of previous 10 years,**	231	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169
Ages, Under 5 years,	51	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86
Ages, 5—20 "	15	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15
Ages, 20—40 "	34	36	85	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21
Ages, 40—60 "	45	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29	23
Ages, 60—80 "	49	58	40	50	52	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31
Ages, 80 years and upwards,	7	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7
" Scarlet Fever	.	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Whooping-cough,	10	6	13	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4
" Diphtheria,	.	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1
" Simple Continued Fever,	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	3	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1
" Diarrhœal Diseases,	1	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35
" Phthisis,	27	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21	19
" Diseases of Heart and Blood Vessels,	28	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	26	25	19	25	19
" Diseases of Respiratory System,	42	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20
Violent Deaths,	6	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2
Mean Temperature of the Air (Phœnix Park),	36·1	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6
Average Mean Temperature in corresponding week of previous 10 years,	41·3	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5
Rainfall in inches,	·226	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·875	·290	·350	·955	·540
Mean Humidity of the Air, complete Saturation 1·0,	·80	·89	·87	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th August, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 27th August, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	24·7	178	86	15	21	23	31	2	.	7	1	.	4	1	.	1	35	49	19	7	20	2	81
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	23·9	8	.	1	.	2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
II.	MIDDLE CLASS,	87,188	13·2	22	5	3	6	4	2	2	.	.	.	.	.	.	.	.	3	3	2	.	1	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	20·3	43	24	4	3	5	5	.	.	4	.	.	2	.	.	.	10	16	8	3	2	1	13
IV.	GENERAL SERVICE CLASS,	154,279	34·2	77	49	5	8	5	10	.	.	3	1	.	2	1	.	1	21	29	6	4	11	.	27
V.	INMATES OF WORKHOUSES,	6,024		28	6	2	4	7	9	.	.	.	.	.	.	.	.	.	1	1	3	.	5	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	31·2	5	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	33·8	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	7·1	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	6. Clerks and Commercial Assistants,	30,432	15·4	9	.	2	4	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	1	1	5
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	3	1	.	.	1	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	5·3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	9. Building and Furnishing Trades,	29,801	35·0	20	11	3	2	3	1	.	.	2	.	.	1	.	.	.	5	8	5	2	1	1	3
	10. Clothing Trades,	28,260	11·2	5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	11. Food Supply Trades,	9,242	11·3	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	22·3	13	9	1	.	1	2	.	.	1	.	.	1	.	.	.	4	6	1	1	.	.	5
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	4	.	.	2	1	.	.	.	.	.	.	.	.	.	3	3	1	.	.	.	3
	15. Domestic Servants,	36,603	8·5	6	5	.	.	1	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	47·1	13	9	2	1	.	1	.	.	.	1	.	2	.	.	.	4	7	.	1	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	29·6	51	31	3	7	2	8	.	.	3	.	.	.	.	.	1	13	17	5	3	9	.	17
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	28	6	2	4	7	9	.	.	.	.	.	.	.	.	.	1	1	3	.	5	.	19

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	July 9,	7·4	.	4	.	.	.	.	.	.	.	.	.	3	.	.
	„ 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
	„ 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
	„ 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
	„ 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
	„ 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
	„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	July 9,	20·0	.	15	.	.	.	.	.	.	.	.	.	3	1	.
	„ 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
	„ 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
	„ 13,	34·6	9.3	26	.	1	1	.	.	.	.	.	5	3	2	.
	„ 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
	„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	July 9,	17·3	.	10	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
	„ 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
	„ 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
	„ 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
	„ 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	July 9,	16·5	1·6	10	.	.	.	.	1	.	.	.	.	4	.	.
	„ 16,	9 9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	8·3	10	.	.	.	.	.	.	.	.	2	.	.	.
	„ 13,	23·0	8·3	14	.	.	.	.	.	.	.	.	2	3	2	.
	„ 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
	„ 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	3	2	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	July 9,	17·7	1·4	13	.	.	.	.	.	.	.	.	1	2	2	.
	„ 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
	„ 23,	16·8	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
	„ 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
	„ 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
	„ 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
	„ 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	July 9,	22·8	8·6	8	.	2	.	.	1	.	.	.	.	.	2	.
	„ 16,	37·1	11·4	18	.	3	.	.	.	.	.	.	1	.	3	.
	„ 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
	„ 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
	„ 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	1
	„ 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	.
	„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	July 9,	16·2	.	13	.	.	.	.	.	.	.	.	.	4	1	.
	„ 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
	„ 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
	„ 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
	„ 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
	„ 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
	„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	July 9,	25·2	1·5	17	.	.	.	.	.	.	.	.	1	4	4	.
	„ 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
	„ 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
	„ 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
	„ 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,203.	July 9,	22·0	1·6	14	.	.	.	.	.	.	.	.	1	1	1	1
	„ 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	„ 23,	7·9	.	5	.	.		.	.	.	.	.	.	.	.	.
	„ 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	„ 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	13	.	2	.	.	.	.	.	1	1	.	1	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	July 9,	18·0	2·0	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	„ 13	30·1	10·0	15	.	.	.	.	.	1	.	.	4		1	.
	„ 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	July 9,	14·8	3·0	5	.	.	.	.	.	.	.	.	1	2	.	.
	„ 16	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.		.	1	.
	„ 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	July 9,	17·7	1·6	122	.	2	2	.	2	1	.	3	1	20	13	5
	„ 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	„ 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	„ 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	„ 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	„ 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
Cork Pop. (in 1901) 76,122.	July 9,	19·2	1·4	28	.	.	.	.	1	1	.	.	.	5	3	.
	„ 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
	„ 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	„ 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
Londonderry. Pop. in 1904 (Est.) 41,397	July 9,	11·3	1·3	9	.	.	.	.	.	1	.	.	.	1	2	.
	„ 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	„ 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	„ 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	„ 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
Limerick. Pop. (in 1901) 38,151.	July 9,	15·0	.	11	.	.	.	.	.	.	.	.	.	2	2	.
	„ 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	„ 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Waterford. Pop. (in 1901) 26,769	July 9,	29·2	.	15	.	.	.	.	.	.	.	.	.	4	4	.
	„ 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 0,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.
	„ 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.
	„ 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 27th August, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	6	28·3	3·5	8	2	2	3	1	.	.	.	.	.	.	.	.	1	2	2	.	2	2
Do. 2 "	47,959	23	16·3	4·3	15	4	2	7	2	.	.	.	.	.	.	.	.	4	1	3	.	.	4
Do. 3 "	47,214	25	19·9	4·4	18	2	1	11	4	.	.	.	.	.	.	.	.	4	6	1	.	.	4
Do. 4 "	40,911	26	17·8	2·5	14	3	4	6	1	.	.	1	.	1	.	.	.	.	2	4	1	1	3
Do. 5 "	17,387	7	27·0	3·0	9	3	.	4	2	.	.	.	.	.	.	.	.	1	.	2	.	1	4
Do. 6 "	48,122	23	19·5	5·4	18	5	1	11	1	.	.	.	.	.	.	.	.	5	2	1	3	3	6
Do 7 "	1,524	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	8	30·9	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 9 "	19,569	7	16·0	5·3	6	1	1	4	.	.	1	.	.	.	.	.	.	1	1	.	1	1	2
Do. 10 "	28,064	18	15·8	4·5	7	2	.	2	3	.	.	.	.	.	.	.	1	1	1	1	.	.	.
Do 11 "	34,802	16	4·5	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 12 "	33,588	27	24·8	1·6	16	3	2	9	2	.	.	.	.	.	.	1	.	.	1	.	4	4	3
Do 13 "	15,006	9	6·9	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 "	40	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	196	17·9	3·3	120	27	14	61	18	.	1	1	.	1	.	1	1	17	16	15	9	12	30
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	5	28·4	.	7	.	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	1	5
Do. 2 "	10,701	5	14·6	4·9	3	1	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
Do 3 "	9,978	3	20·9	5·2	4	1	.	3	.	.	.	.	1	.	.	.	.	.	1	.	1	1	2
Do. 4 "	8,666	2	12·0	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 "	6,592	3	39·6	.	5	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 6 "	10,702	4	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 7 "	16,616	8	9·4	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total	76,122	30	17·8	1·4	26	5	1	16	4	.	.	.	1	.	.	.	.	1	3	2	1	3	9

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered	226	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196
DEATHS registered	161	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120
Annual Death-rate per 1,000 of estimated Population	23·4	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4
AGES, Under 1 year	41	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27
AGES, 1-5 years	17	21	31	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14
AGES, 5-60 years	73	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61
AGES, 60 years and upwards	30	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18
Deaths from Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles	1	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1
" Scarlet Fever	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1
" Typhus	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" Whooping cough	5	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1
" Diphtheria	.	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.
" Simple Continued Fever	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever	1	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1
" Diarrhœal Diseases	.	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17
" Phthisis	17	26	33	31	16	36	23	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16
" Diseases of Respiratory System	47	40	79	52	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15
Violent Deaths	6	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th August, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	7	.	.	.	8
" " 1, West,	1	.	.	2	.	.	.	.	.	1	.	.	.	4
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	6	.	.	.	.	.	1	.	.	.	7
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	.	.	.	1	.	.	2	5	.	.	8
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	1	.	.	.	.	1	5	.	.	.	7
New Kilmainham,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
Total,	1	.	.	13	.	.	3	.	3	18	6	.	.	44

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th August, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th August.			
	Aug. 6.	Aug. 13.	Aug. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	3	3	1	.	.	4
Measles,	72	65	53	11	14	3	47
Scarlet Fever,	40	34	37	10	8	.	39*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	10	12	14	2	1	.	15
Enteric Fever,	36	38	46	10	7	1	48
Pneumonia,	11	10	8	3	1	.	10

* Exclusive of 5 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Aug. 27,	2,575	1,682	18·9	.	30	9	19	20	4	483
EDINBURGH,	331,977	„ 27,	133	107	16·8	.	4	.	.	4	1	8
GLASGOW,	798,357	„ 27,	489	267	17·5	.	2	3	.	17	1	37
CALCUTTA,	847,793	June 25,	.	332	20·3	1	1	.	1	.	89‡	46*
BOMBAY,	776,006	July 26,	411	562	37·7	5	2	.	.	.	45‡	60*
MADRAS,	509,346	„ 15,	427	340	34·7	.	.	?	?	?	86	50
PARIS,	2,660,559	Aug. 13,	955	804	12·0	1	5	.	9†	6	4	148
BRUSSELS (with 8 Faubourgs).	586,936	„ 6,	223	186	16·5	.	.	.	.	1	1	44
AMSTERDAM,	548,435	„ 6,	274	163	15·5	.	2	.	1†	.	.	45
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.		.	.	.	.	.	.
COPENHAGEN,	417,000	Aug. 6,	248	137	17·1	.	.	.	.	3	.	22
CHRISTIANIA,	223,649	„ 13,	115	62	14·4	.	.	.	.	.	.	17
ST. PETERSBURG,	1,248,122	„ 13,	444	560	23·3	2	12	14	16	3	14	75
BERLIN,	1,960,909	July 30,	950	661	17·5	.	7	13	6†	14	4	185
HAMBURG,	751,842	Aug. 6,	.	313	21·6	.	1	.	2†	5	.	71
BRESLAU,	445,403	„ 13,	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	„ 13,	.	218	21·8	.	1	.	3†	2	.	51
VIENNA (with suburbs).	1,797,992	„ 13,	970	623	18·0	.	9	2	1†	.	1	191
BUDA-PESTH,	813,399	„ 13,	399	292	18·7	.	1	5	6†	3	3	63
PRAGUE and Faubourgs.	426,404	„ 6,	182	166	20·2	.	1	.	1†	3	.	21
ROME,	499,241	May 28,	222	206	21·5	.	4	.	.	1	4	18
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	July 16,	85	69	21·6	.	3	.	.	.	2	8
NEW YORK,	3,838,024	„ 30,	2,101	1,520	20·7	.	8	8	24†	3	16	426
PHILADELPHIA,	1,408,154	„ 23,	.	482	17·8	.	2	1	4†	2	11	114

* Including 19 deaths from cholera in Calcutta and 1 in Bombay.
† Including deaths from croup.
‡ Exclusive of 22 deaths from bubonic fever in Calcutta and 57 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 27th August, 1904:—

"A cool, changeable, showery period occupied the greater part of this week; but on Friday a decided increase in temperature occurred, becoming more pronounced on Saturday, which was a typical summer's day. On Sunday morning the distribution of atmospheric pressure over the British Isles and the Low Countries was anticyclonic and uniform, so that fine and quiet weather prevailed. As the day advanced, however, a change came—an area of comparatively low pressure drifted in from the Atlantic, the sky became overcast, and rain set in, becoming a downpour at night. At Greystones, Co. Wicklow, about an inch of rain fell (1·03 inches at Knockdolian, ·93 inch at Kiora). In Dublin ·418 inch was measured on Monday morning, but about seven-tenths of an inch at Valentia, Birr, Liverpool, Holyhead and Southport. The depression was central near Pembroke at 8 a.m. of Monday. Thence it passed across England to Germany, causing broken weather and heavy rains and in places thunderstorms. Cold northerly winds prevailed in the rear of the low pressure system, so that temperature fell many degrees—39° was registered at Birr on Wednesday, 35° at Wick and 33° at Nairn on Thursday. On the latter day a mild southerly wind set in over Ireland, bringing clouds, rain, and an increase of temperature. On Friday morning a large and rather deep (29·5) inches depression lay off the N. of Scotland, causing showers in many parts and fresh S.W. or W. winds. Saturday was warm and fine, but the amount of cloud was generally large and rain fell in the afternoon. In Dublin the mean height of the barometer was 30·056 inches, the range being to 30·203 inches at 9 p.m. of Tuesday (wind, N.N.W.) from 29·869 inches at 9 a.m. of Monday (wind, N.). The corrected mean temperature was 56·4°. The mean dry bulb temperature at 9 a.m. and 9 p.m. was 55·4°. The screened thermometers fell to 44·6° on Wednesday and rose to 71·9° on Saturday. Bright sunshine was estimated at 32 hours, 7½ falling on Wednesday. Northerly and afterwards westerly winds prevailed. The rainfall was ·527 inch on five days, ·418 inch being measured on Sunday. A thunderstorm passed over the Dublin and Wicklow Mountains on Tuesday afternoon, and lightning was seen on Saturday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·069 inches. The highest reading (30·218) was on Wednesday at 9 a.m., wind N.W., and the lowest (29·892) on Monday at 9 a.m., wind N.

The mean temperature for the week was 54·6°, being 2·9° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 70·7° and was lowest on Wednesday, the mercury having fallen to 40·4°. The mean of the Dry Bulb for the week was 54·1°, and of the Wet Bulb 51·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·4 hours. The rainfall during the week measured ·540 inch.

At Greenwich the mean temperature for the week was 57·6°, the maximum 72·7°, and the minimum 43·5°; at Edinburgh the maximum was 62·4°, the minimum 42·5°, and the mean 53·0°. The rainfall at Greenwich measured 0·22 inch; and at Edinburgh 0·25 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 21,	30·012	61·3	44·9	53·1	54·9	51·6	·81	·4	2·6	·425	Calm.	Calm.
Monday, „ 22,	29·987	60·8	47·7	54·3	50·8	48·7	·86	·2	6·7	·015	N.	N.W.
Tuesday, „ 23,	30·204	61·6	42·0	51·8	49·3	47·5	·88	·2	6·6	·060	Calm.	Calm.
Wednesday, „ 24,	30·216	62·1	40·4	51·3	50·6	48·7	·88	·1	6·7	—	N.W.	Calm.
Thursday, „ 25,	30·007	59·8	46·1	53·0	57·5	53·7	·77	·5	0·0	·035	S.W.	W.
Friday, „ 26,	29·966	63·1	50·8	57·0	55·5	52·4	·80	·3	4·5	—	W.S.W.	W.
Saturday, „ 27,	30·092	70·7	52·3	61·5	60·4	58·3	·87	·4	3·3	·005	S.W.	Calm.
Mean, . .	30·069	62·8	46·3	54·6	54·1	51·6	·84	·3	Total 30·4	·540	—	

Sunday—Clondy a.m., overcast showery p.m.; night overcast and wet. *Monday*—A cloudy day, showery a.m.; night clear from 8.30 p.m. *Tuesday*—A cloudy day, heavy showers a.m., thunder and heavy rain 1.30 p.m.; night cloudy. *Wednesday*—A cloudy day, fine; night cloudy. *Thursday*—Day overcast and showery; night cloudy, *Friday*—Day fine but cloudy; night cloudy. *Saturday*—A fine day, light showers 5.30 p.m.; night cloudy.

Note. The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. 124. 6. 1904.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

ISISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 3RD SEPTEMBER, 1904. [No. 35.

General Register Office, Charlemont House, Dublin, 5th September, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alpha-etically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 13.	Week ending Aug. 20.	Week ending Aug. 27.	Week ending Sept. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 13.	Week ending Aug. 20.	Week ending Aug. 27.	Week ending Sept. 3.	Average Rate for 4 weeks.
2 Town Dists.	19·6	19·4	18·8	18·8	19·2	Lisburn, . .	13·6	22·7	4·5	27·3	17·0
rmagh, . .	48·1	20·6	13·7	20·6	25·7	Londonderry .	10·1	18·9	15·1	23·9	17·0
allymena, .	4·8	.	23·9	14·4	10·8	Lurgan, . .	8·9	8·9	17·7	8·9	11·1
elfast, . .	18·6	18·6	17·4	18·0	18·2	Newry, . .	4·2	4·2	8·4	37·8	13·7
lonmel, . .	10·3	35·9	10·3	.	14·1	Newtownards,	5·7	22·9	5·7	22·9	14·3
ork, . . .	18·5	15·1	17·8	15·8	16·8	Portadown, .	10·3	.	5·2	25·8	10·3
rogheda, . .	12·3	28·6	8·2	16·3	16·4	Queenstown, .	.	6·6	13·2	33·0	13·2
ublin Reg. Area.	27·0	24·5	23·5	19·9	23·7	Sligo, . . .	4·8	9·6	24·0	9·6	12·0
undalk, . .	16·0	.	8·0	4·0	7·0	Tralee, . .	5·3	10·6	15·9	26·4	14·6
alway, . .	7·8	15·5	19·4	54·4	24·3	Waterford, .	9·7	7·8	11·7	3·9	8·3
Kilkenny, . .	9·8	39·3	34·3	.	20·8	Wexford, . .	4·7	28·0	46·7	18·7	24·5
Limerick, . .	20·5	10·9	8·2	19·1	14·7						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 3·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·9 in Armagh, the 3 deaths from all causes registered in that district including one death from small-pox, of a person who was never vaccinated. Among the 124 deaths from all causes in Belfast are 4 from measles, one from typhus, 2 from whooping-cough, 2 from enteric fever, and 18 from diarrhœal diseases; and the 19 deaths from all causes in Londonderry include 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 254—118 boys and 136 girls; and the deaths to 150—77 males and 73 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·6 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 19·9 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

During the thirty-five weeks ending with Saturday last the death-rate averaged 25·0, and was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903.

Measles, whooping-cough, and enteric fever each caused one death, and 26 deaths were caused by diarrhœal diseases. No deaths from small-pox or diphtheria were registered. The deaths from diarrhœal diseases in the 3 preceding weeks numbered 33, 33, and 35, respectively.

Broncho-pneumonia and *pneumonia* each caused 3 deaths.

Tuberculous disease caused 30 deaths, including 3 from tuberculous phthisis, 18 from *phthisis*, 2 from tuberculous meningitis, 3 from tuberculous peritonitis, one from tabes mesenterica, and 3 from other forms of the disease.

Carcinoma caused 2 deaths, and *cancer*, *malignant disease*, one.

The deaths of 10 infants prematurely born were registered.

Diseases of the nervous system caused 8 deaths, including 4 deaths of children, all under 5 years of age, from *convulsions*.

There were 20 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 7 deaths.

There were 5 deaths from accidental causes, including 2 from drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year old and the death of one person aged 60 years.

Sixty-five of the persons whose deaths were registered during the week were under 5 years of age (51 being infants under one year, of whom 15 were under one month old), and 30 were aged 60 years and upwards, including 9 persons aged 70 and upwards, of whom 5 were octogenarians.

Forty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·9 per 1,000; the rate in the City was 22·0 (North City Districts, 22·1; South, 21·9), and in the Suburbs, 12·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·0 per 1,000 inhabitants, the rate for the City being 4·4 (4·5 in the North City Districts, and 4·4 in the South), and for the Suburbs, 2·4 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 33·1 per 1,000. There was one death from enteric fever, 6 from epidemic enteritis, 4 from tuberculous disease, one from broncho-pneumonia, and 2 from *pneumonia*.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000. Epidemic enteritis caused one death, *phthisis* 3, and diseases of the heart and blood-vessels 3.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Among them are 2 from *diarrhœa*, 4 from *phthisis*, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 19·8 per 1,000. Diarrhœal diseases caused 2 deaths, and tuberculous disease 3.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 31·3. There was one death from epidemic enteritis registered in Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (10) represent an annual rate of 13·6 per 1,000. They include 2 from diarrhœal diseases, 3 from *phthisis*, and one from *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. Measles caused one death, and broncho-pneumonia one.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·6 per 1,000. One was caused by whooping-cough, 8 by diarrhœal diseases, 5 by tuberculous disease, and one by bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Tuberculous diseases caused 4 deaths, and diseases of the heart and blood-vessels 6.

New Kilmainham District.—There were no deaths tabulated for this district.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 6·0; Blackrock, 6·0; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include 3 from diarrhœal diseases for Rathmines and Rathgar, and one from *diarrhœa* for Pembroke. The 8 deaths from all causes for Kingstown include 2 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Newcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 3rd September, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 13,	3	—	—	10	.	.	2	.	6	5	13	.	—	—	—	—	—	39
	Aug. 20,	.	—	—	7	.	.	1	.	.	16	5	.	—	—	—	—	—	29
	Aug. 27,	1	—	—	13	.	.	3	.	3	18	6	.	—	—	—	—	—	44
	Sept. 3,	.	—	—	9	.	.	2	.	2	7	12	.	—	—	—	—	1	33
Rathmines and Rathgar Urban District.	Aug. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	3	—	4
	Aug. 20,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	7	—	11
	Aug. 27,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	1	—	3
	Sept. 3,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	4	—	8
Pembroke Urban District.	Aug 13,	.	9	.	2	.	.	1	.	.	.	.	.	.	4	.	—	—	16
	Aug. 20,	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	—	—	4
	Aug. 27,	.	1	.	.	.	.	.	.	.	1	2	.	.	2	.	—	—	6
	Sept. 3,	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	—	—	3
Blackrock Urban District.	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	2
	Aug. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Aug. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 27,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Aug. 13,	.	—	—	10	1	.	1	.	14	13	9	2	—	—	—	—	—	50
	Aug. 20,	.	—	—	10	.	.	2	.	17	16	5	.	—	—	—	—	—	50
	Aug. 27,	1	—	—	11	.	.	.	1	30	18	8	1	—	—	—	—	—	70
	Sept. 3,	1	—	—	11	.	.	2	1	25	27	7	.	—	—	—	—	—	74

The Registrar of Dundalk District reports:—One case of small-pox has occured during the past week.
The Registrar of Drogheda No. 3, District reports:—No further cases of small-pox.
The Registrar of Armagh District reports:—Four cases of small-pox admitted to hospital during week

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd September, 1904.

From this it appears that:—

Four cases of small-pox remained under treatment on Saturday last.

Five cases of measles were admitted to hospital during the week, 17 were discharged, one died, and 34 patients remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 4 cases were discharged, and 38* cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, one was discharged, and 20 cases remained under treatment at the close of the week.

Seven cases of enteric fever were admitted to hospital, one case was discharged, and 54 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 3 patients were discharged, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·4), was equal to an average annual death-rate of 18·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow being 18·6, and for Edinburgh 12·1.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd September, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd September, 1904. Annual Rate per 1,000 persons represented by: Births	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 3rd Sept, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	31·8	18·8	3·0	667	394	122	76	1	5	.	1	3	.	.	3	50	62	41	11	19	79	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—																																				
Total,‡	878,934	27·5	34·9	19·9	4·0	254	145	51	29	.	1	.	.	1	.	.	1	26	21	14	5	7	39	§73·3	46·9	58·8	0·84	§70·7	40·4	54·6	0·54	§68·6	39·3	55·8	0·96
City of Dublin	298,385	37·1	40·3	22·0	4·4	227	124	48	24	.	1	.	.	1	.	.	1	22	19	13	5	7	36	a74·0 b70·3	50·5 48·0	61·1 58·9	1·00 0·94	a71·9 b69·9	44·6 41·0	56·4 56·6	0·53 0·71	a70·9 b69·3	44·8 40·4	58·1 56·4	0·87 0·94
Urban Districts. Rathmines and Rathgar.	33,203	19·4	7·9	14·1	4·7	5	9	5	2	.	.	.	.	.	.	.	.	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke,	26,025	16·4	20·0	6·0	2·0	10	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock,	8,759	8·1	11·9	6·0	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown,	17,622	12·1	29·6	23·7	.	10	8	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	69·2	51·0	59·9	1·03	70·2	46·5	56·8	0·63	70·7	46·0	58·8	0·68
Urban Districts.																																				
Belfast,	358,680	24·4	26·3	18·0	3·9	181	124	41	22	.	4	.	1	2	.	.	2	18	14	13	3	6	16	71·1	50·1	58·9	1·11	62·1	42·1	54·1	0·46	66·1	42·9	.	1·43
Cork,	76,122	33·6	22·6	15·8	0·7	33	23	4	4	.	.	.	.	.	.	.	.	1	8	2	1	1	6	68	52	59·4	0·39	67	47	56·1	0·51	64	44	56·9	0·37
Londonderry,	41,397	19·1	36·5	23·9	2·5	29	19	7	2	.	.	.	.	.	.	.	.	2	3	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	38,151	18·1	57·4	19·1	.	42	14	2	6	.	.	.	.	.	.	.	.	.	2	2	.	3	7	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	26,769	18·7	23·4	3·9	.	12	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	18,426	2·5	50·5	54·4	3·9	13	14	3	2	.	.	.	.	.	.	.	.	1	2	2	1	.	1	73	45	54·5	0·63	64	47	57	0·87	64	48	55·7	0·86
Dundalk,	13,076	3·4	39·9	4·0	.	10	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	12,760	8·6	36·8	16·3	.	9	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	46·2	37·8	.	11	9	4	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59
Lurgan,	11,782	13·8	26·6	8·9	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59
Lisburn,	11,461	10·1	36·4	27·3	.	8	6	1	3	.	.	.	.	.	.	.	.	.	1	2	.	.	3	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59
Wexford,	11,168	28·2	32·7	18·7	.	7	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	10,886	8·9	28·7	14·4	.	6	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	10,870	3·7	28·8	9·6	.	6	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	74·2	46·5	58·8	0·66	68·4	39·5	54·1	0·67	64·2	36·0	51·0	1·02
Kilkenny,	10,609	11·5	9·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	73	41	57·6	1·13	69	41	55·9	0·73	66	40	56·0	0·69
Clonmel,	10,167	7·8	41·0	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	10,092	13·2	56·8	25·8	.	11	5	1	.	.	.	.	.	.	.	.	.	.	2	.	1	2	.	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59
Tralee,	9,867	16·6	26·4	26·4	.	5	5	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	22·9	22·9	5·7	4	4	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	65	50	57·1	1·38	70	44	54·4	0·14	66	44	55·6	0·81
Queenstown,	7,909	14·4	46·1	38·0	6·6	7	5	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	68	52	59·4	0·39	67	47	56·1	0·51	64	44	56·9	0·37
Armagh,	7,588	22·2	20·6	20·6	6·9	3	3	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54	66·0	40·8	54·7	0·59

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 3rd of September, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	6	1	2	2	.	.	1	2	.	8	.	.	3	1	.	.	26	.
Phthisis,	3	3	4	2	.	.	.	3	.	3	1	.	1	.	.	1	21	.
Other General Diseases,	1	2	1	5	.	1	.	.	3	5	3	.	1	1	.	1	24	1
Total,	11	6	7	9	.	1	1	5	4	17	4	.	5	2	..	2	74	1
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	1	.	.	.	.	1	.	.	2	1	.	1	1	.	.	7	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	3	4	.	.	.	1	1	.	2	6	.	1	.	.	2	20	.
Respiratory System,	4	.	3	.	.	.	1	1	2	1	1	.	.	.	.	1	14	.
Digestive System,	1	1	.	1	.	.	.	1	.	2	.	.	1	.	1	2	10	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	1	5	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	5	6	8	2	.	.	3	3	2	8	9	.	3	1	1	6	57	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	.	1	1	.	.	2	1	1	.	.	1	.	.	.	9	.
E. VIOLENT DEATHS,	1	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	5	.
Deaths from all Causes,	18	13	15	12	1	1	4	10	7	27	16	.	9	3	1	8	145	5
Annual Rate of Mortality in every 1,000 of the population	33·1	17·3	26·0	19·8	10·8	5·2	31·3	18·6	20·0	33·6	23·7	.	14·1	6·0	6·0	23·7	19·9	.
	22·1							21·9					12·8					
	22·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	2	2	1	.	.	.	2	1	5	4	.	.	.	.	2	19	3
Workhouse Hospitals	2	.	4	4	.	.	.	3	.	4	2	.	1	.	.	.	20	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease r
week of the ten year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1894-1903.	In the Week ending 3rd September,				
												Deaths of Persons of 1				
	Sept. 1, 1894.	Aug. 31, 1895.	Aug. 29, 1896.	Sept. 4, 1897.	Sept. 3, 1898.	Sept. 2, 1899	Sept. 1, 1900.	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 55·3	° 59·1	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 54·8	° 53·5	° 54·9	° 56·1	° 58·8				
ALL CAUSES.	131	158	142	155	185	205	186	176	156	116	161·0	150	15	36	14	10
Small-pox, Vaccinated, ...	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	14	.	.	11	.	2·6	1	.	1	.	.
Scarlet Fever ...	1	.	2	1	.	.	1	2	2	1	1·0	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	.	.	1	2	1	1	1	·7	.	.	.	.	.
Whooping Cough, ...	2	3	.	3	4	3	4	1	.	4	2·4	1	.	.	1	.
Diphtheria, ...	.	.	.	4	.	1	4	2	2	.	1·3	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	4	5	3	.	1	4	2	2	2	1	2·4	1	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	10	12	19	27	35	43	36	28	1 6	2 8	22·7	13 13	. 2	9 9	4 1	. 1
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	.	1	1	.	1	.	1	·5	.	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	1	1	.	.	.	. . 1	. . .	·3	1 . .	. . .	. . .	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	1	.	·1	.		.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	2	3	.	·5	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ...	.	.	.	.	1	1	.	1	. .	. .	·3	1 .	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, "*Phthisis*," ...	25	12	19	16	29	22	32	20	1 18	4 12	21·0	3 18	.	.	.	1 2
Tuberculous Meningitis, (Acute Hydrocephalus).	5	2	1	3	4	6	2	2	2	3	3·0	2	.	2	.	.
Tuberculous Peritonitis, Tabes Mesenterica, ...	1	5	5	7	2	10	5	10	. 1	. .	4·6	3 1	.	. 1	1 .	. .
Tuberculous Dis. (other), *Scrofula*, ...	3	1	4	2	3	2	2	3	2 1	3 .	2·6	3 .	.	2 .	. .	. .
Alcoholism, ...	1	1	.	.	1	1	2	.	1	2	·9	1	.	.	.	.
Rheumatic Fever, ...	.	3	.	1	.	1	1	.	.	.	·6	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894-190

'Y-FIFTH WEEK ending Saturday, 3rd September, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 1, 1894.	Aug. 31, 1895.	Aug. 29, 1896.	Sept. 4, 1897.	Sept. 3, 1898.	Sept. 2, 1899.	Sept. 1, 1900.	Aug. 31, 1901.	Aug. 30, 1902.	Sept. 5, 1903.	Averages in 35th Week of the 10 years 1894-1903.	In the Week ending Saturday, 3rd September, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 55·3	° 59·1	° 56·1	° 53·8	° 58·3	° 59·1	° 55·9	° 54·8	° 53·5	° 54·9	° 56·1	Mean Temp. ° 58·8								
na	2	3	8	7	4	6	7	7	3	1	5·6	2	.	.	.	.	.	1	1	.
... ...									.	.		.	.	.	.	.	.	.	.	.
Malignant Disease ...									4	4		1	.	.	.	.	.	.	1	.
s Mellitus	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.
ire Birth	.	3	.	2	2	2	1	.	1	2	1·3	10	7	3	.	.	.	.	.	.
tis (not tuberc.)									3	1		1	.	1	.	.	.	.	.	.
, G. P. of Insane									2	4		1	.	.	.	.	.	1	.	.
y									1	2		1	.	.	.	1	.	.	.	.
ons									7	2		4	2	1	1	.	.	.	.	.
or Ataxy									.	.		.	.	.	.	.	.	.	.	.
gia Dis. of Cord									1	.		.	.	.	.	.	.	.	.	.
System (other Dis.) ...	27	39	31	30	32	32	35	40	.	.	32·4	1	.	.	1	.	.	.	.	.
s., Endocarditis									5	9		3	.	.	.	1	.	2	.	.
Hæm. Thromb.									1	3		.	.	.	.	.	.	.	.	.
, *Hemiplegia*									2	3		4	.	.	.	.	1	3	.
m									1	.		1	.	.	.	1	.	.	.	.
m, Thromb. (not cerebral)									1	1		.	.	.	.	.	.	.	.	.
d Blood Vessel Dis.									8	1		12	.	.	.	1	1	6	3	1
not Spasm. or Memb.) ...	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
tis	6	8	8	6	13	7	3	7	9	10	7·7	7	1	2	1	.	.	.	3	.
is Pneumonia									.	1		.	.	.	.	.	.	.	.	.
-Pneumonia	7	2	2	2	5	6	2	4	2	.	4·1	3	.	.	3	.	.	.	.	.
onia"									4	4		3	.	1	.	.	.	.	.	2
, Emphysema									.	.		.	.	.	.	.	.	.	.	.
... ...	1	3	1	1	.	.	1	.	.	1	·9	.	.	.	.	.	.	.	.	.
tory Dis. (other)									1	.		1	.	.	.	.	1	.	.	.
is, Quinsy	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
s (not Epid.)	1	1	1	.	3	1	3	3	3	1	2·2	2	.	.	1	1	.	.	.	.
Enteritis									3	2		2	.	1	.	.	.	1	.	.
tis (not Puerp.)	1	.	1	.	2	1	.	1	2	.	·8	3	.	.	.	.	.	2	1	.
s of Liver	2	1	3	5	.	1	3	.	.	1	2·1	1	.	.	.	.	.	1	.	.
is. (other)									4	1		1	.	.	.	.	.	.	1	.
e Dis. (other)	5	10	.	2	4	9	4	4	3	4	4·5	3	.	1	.	.	.	1	1	.
is, Acute									1	.		2	.	.	.	.	1	.	1	.
Dis., Albuminuria ...	6	.	1	5	5	1	5	4	1	.	3·2	4	.	.	.	.	.	.	4	.
Sys. (Other Dis.) ...									1	2		.	.	.	.	.	.	.	.	.
ive Organs Dis.	1	1	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
rth (Accid. of)	4	.	1	.	.	1	.	1	.	1	8	1	.	.	.	1	.	.	.	.
... ...	3	15	12	11	7	8	13	11	4	2	8·6	3	.	.	.	.	.	.	1	2
Diseases	8	22	13	12	16	13	13	12	16	6	13·1	6	3	2	.	.	.	.	1	.
ACCIDENT.																				
ways	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
icles and Horses	.	2	.	2	2	.	.	2	.	.	·8	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive owning)	.	1	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.
ding Operations	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	1	.	.	.
lagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	.	.	1	.	1	1	2	2	1	·8	.	.	.	.	.	.	.	.	.
wning	2	.	.	1	.	3	1	.	1	1	·9	2	.	.	.	1	1	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	1	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	1	2	2	4	1	.	1	.	.	1·2	2	.	.	.	.	.	1	1	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	.	.	.	2	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	1	1	1	.	.	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
icn	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

*istration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Mar. 12.	Mar. 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
Births registered,	201	214	217	202	174	254	204	207	251	248	251	182	246	202	182	296	210	202	172	240	248	188	209	260	236	254
*Average Births in corresponding week of previous 10 years,**	199	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210
Deaths registered,	218	218	235	219	226	186	178	158	178	173	173	163	150	148	169	149	126	138	146	181	136	161	199	188	178	150
Annual Death-rate per 1,000,	29·3	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6
*Average Deaths in corresponding week of previous 10 years,**	234	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161
Ages, Under 5 years,	56	75	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65
5—20 ,,	16	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10
20—40 ,,	36	35	44	28	34	28	27	13	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17
40—60 ,,	41	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29	23	28
60—80 ,,	53	40	50	3	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25
80 years and upwards,	11	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	.	4	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	8	5	4	7	1
,, Scarlet Fever	1	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
,, Whooping-cough,	6	13	5	11	8	11	5	8	11	10	5	4	9	1	8	.	1	8	3	8	2	4	4	3	4	1
,, Diphtheria,	.	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.
,, Simple Continued Fever,	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	3	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1
,, Diarrhœal Diseases,	1	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35	26
,, Phthisis,	30	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21	19	21
,, Diseases of Heart and Blood Vessels,	41	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20
,, Diseases of Respiratory System,	44	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14
Violent Deaths,	3	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5
Mean Temperature of the Air (Phœnix Park),	38·0	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8
Average Mean Temperature in corresponding week of previous 10 years	41·4	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1
Rainfall in inches,	·745	·625	·268	·755	·788	·035	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835
Mean Humidity of the Air, complete Saturation 1 0,	·89	·87	·83	·82	·79	·73	·81	·81	·79	·88	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·73	·82	·85	·84	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd September, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 3rd September, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22	(23)	(24)
	ALL PERSONS,	375,350	20·8	150	65	10	17	23	25	5	.	1	.	.	1	.	.	1	26	29	21	4	14	5	77
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	17·9	6	.	.	1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
II.	MIDDLE CLASS,	87,188	14·4	24	11	3	2	1	6	1	.	.	.	.	.	.	.	.	5	5	3	1	.	1	14
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	23·1	49	16	5	6	11	9	2	.	.	.	.	.	.	.	.	7	7	11	1	4	3	23
IV.	GENERAL SERVICE CLASS,	154,279	23·1	49	31	1	7	8	2	.	.	1	.	.	1	.	.	1	13	16	5	1	6	1	20
V.	INMATES OF WORKHOUSES,	6,024		22	7	1	1	8	4	1	.	.	.	.	.	.	.	.	1		2	1	4	.	14
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	2·4	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	6. Clerks and Commercial Assistants,	30,432	22·3	13	7	.	2	1	3	.	.	.	.	.	.	.	.	.	2	2	1	1	.	.	9
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	3	3	.	.	2	.	.	.	.	.	.	.	.	.	3	3		.	.	1	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	2	2	1	.	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	2
	9. Building and Furnishing Trades,	29,801	33·2	19	6	1	1	6	4	1	.	.	.	.	.	.	.	.	2	2	5	.	1	2	9
	10. Clothing Trades,	23,260	11·2	5	2	1	.	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	11. Food Supply Trades,	9,242	22·6	4	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	3	.	3	2	4	.	.	.	.	.	.	.	.	.	2	2	1	.	2	.	7
	13. Petty Shopkeepers,	7,894	19·8	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	5	1	.	1	.	.	.	.	.	.	.	.	.	1	2	3	.	1	1	.	2
	15. Domestic Servants,	36,603	11·4	8	6	.	.	2	.	.	.	.	.	.	.	.	.	.	5	5	1	.	.	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	1	.	1	2	2	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	16·2	28	19	.	6	3	.	.	.	.	.	.	1	.	.	.	6	7	4	.	5	1	11
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	22	7	1	1	8	4	1	.	.	.	.	.	.	.	.	1	1	2	1	4	.	14

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,932.	July 16,	16·6	7·4	9	.	1	.	.	.	1	.	2	.	2	.	.
	„ 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
	„ 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
	„ 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
	„ 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
	„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	July 16,	22·6	5·3	17	.	3	.	.	1	.	.	.	.	4	3	.
	„ 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
	„ 13,	34·6	9.3	26	.	1	1	.	.	.	.	.	5	3	2	.
	„ 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
	„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	July 16,	29·4	1·7	17	.	.	.	.	.	.	.	.	1	6	2	.
	„ 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
	„ 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Au . 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
	„ 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
	„ 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	.
	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,673.	July 16,	9·9	.	6	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	3·3	10	.	.	.	.	.	.	.	.	2	.	.	.
	„ 13,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	3	2	.
	„ 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
	„ 27,	29·6	3·2	18	.	1	.	.	1	.	.	.	3	2	1	.
	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	July 16,	29·9	4·1	22	.	1	.	.	2	.	.	.	.	2	6	1
	„ 23,	16·3	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
	„ 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
	„ 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
	„ 20,	24 5	6·2	18	.	.	.	.	.	.	.	.	6	1	1	1
	„ 27,	18·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
	Sept. 3,	18·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	July 16,	37·1	11·4	13	.	3	.	.	.	.	.	.	1	.	3	.
	„ 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
	„ 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
	„ 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	.
	„ 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	1
	„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	July 16,	23·6	2·5	19	.	2	.	.	.	.	.	.	.	.	2	1
	„ 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
	„ 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
	„ 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
	„ 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
	„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	July 16,	14·8	.	10	.	.	.	.	.	.	.	.	.	3	2	.
	„ 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
	„ 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
	„ 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
	„ 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
	Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	July 16,	15·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1
	„ 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 13,	28·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	„ 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	13	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	July 16,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	2	1
	„ 23,	14·0	.	7	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	„ 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
	„ 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	July 16,	11·8	.	4	.	.	.	.	.	.	.	.	.	3	1	.
	„ 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	1
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	July 16,	16·6	1·5	114	.	1	.	.	3	.	.	3	3	18	20	.
	„ 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	„ 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	„ 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	„ 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept. 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
Cork Pop. (in 1901) 76,122.	July 16,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	4	1
	„ 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
	„ 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	„ 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
Londonderry. Pop. in 1904 (Est.) 41,397	July 16,	17·6	5·0	14	.	.	.	.	.	1	.	.	3	1	1	.
	„ 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	„ 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	„ 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
Limerick. Pop. (in 1901) 38,151.	July 16,	12·3	.	9	.	.	.	.	.	.	.	.	.	1	1	.
	„ 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	„ 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,769.	July 16,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	1
	„ 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.
	„ 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.
	„ 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 3rd September, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	10	3·5	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 2 "	47,959	25	21·7	4·3	20	6	3	8	3	.	.	.	1	.	.	.	.	3	2	1	1	2	5
Do. 3 "	47,214	31	21·0	4·4	19	4	5	6	4	.	2	.	.	.	.	.	.	2	3	3	.	1	1
Do. 4 "	40,911	36	22·9	6·4	18	8	.	8	2	.	.	.	.	.	.	.	.	5	2	2	1	2	4
Do. 5 "	17,387	4	6·0	3·0	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 6 "	48,122	13	18·4	5·4	17	3	1	10	3	.	.	.	.	.	.	.	2	3	4	1	.	.	3
Do 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	2	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	9	21·3	5·3	8	3	2	3	.	.	1	.	.	.	.	.	.	1	.	.	1	1	1
Do. 10 "	28,064	8	24·9	4·5	11	7	.	3	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Do 11 "	34,802	21	16·5	3·0	11	4	2	4	1	.	1	.	.	1	.	.	.	.	2	1	.	.	.
Do. 12 "	33,588	16	18·6	1·6	12	3	3	2	4	.	.	.	.	.	.	.	.	1	1	1	.	.	.
Do 13 "	15,006	6	18·9	3·5	4	.	1	.	3	.	.	.	.	1	.	.	.	.	.	2	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	181	18·5	4·0	124	41	17	44	22	.	4	.	1	2	.	.	2	18	14	13	3	6	16
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	20·3	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Do. 2 "	10,701	4	14·6	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do 3 "	9,978	2	5·2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 4 "	8,666	3	18·1	.	3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.
Do. 5 "	6,592	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	5	14·6	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do 7 "	16,616	10	25·1	3·1	8	2	.	5	1	.	.	.	.	.	.	.	.	1	3	.	.	.	3
Total	76,122	33	15·3	0·7	23	4	1	14	4														

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Mar. 12.	Mar. 19.	Mar. 26	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20	Aug. 27.	Sept. 3.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered,	207	212	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181
DEATHS registered,	154	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	138	128	120	124
Annual Death-rate per 1,000 of estimated Population,	22·4	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0
AGES, Under 1 year,	38	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41
AGES, 1–5 years,	21	31	28	26	22	25	18	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17
AGES, 5–60 years,	62	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44
AGES, 60 years and upwards,	33	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4
" Scarlet Fever,	.	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.
" Typhus,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
" Whooping cough,	9	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2
" Diphtheria,	3	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.
" Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
" Enteric Fever,	2	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2
" Diarrhœal Diseases,	.	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18
" Phthisis,	26	33	31	16	36	28	31	27	25	30	33	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14
" Diseases of Respiratory System,	40	79	52	51	42	53	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13
Violent Deaths,	6	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd September, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	2	.	.	.	.	.	2	.	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	.	.	.	1	.	2	1	6	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	.	.	.	1	5	.	.	8
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
" " 4,	.	.	.	2	.	.	.	.	.	.	.	.	1*	3
New Kilmainham,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
Total,	.	.	.	9	.	.	2	.	2	7	12	.	1*	33

* Scarlatina and Diphtheria.

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd September, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd September.			
	Aug. 13.	Aug. 20.	Aug. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	3	3	4	.	.	.	4
Measles,	65	53	47	5	17	1	34
Scarlet Fever,	34	37	39	13	4	.	48*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	12	14	15	6	1	.	20
Enteric Fever,	38	46	48	7	1	.	54
Pneumonia,	10	8	10	3	3	.	10

* Exclusive of 4 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Sept. 3,	2,160	1,459	16·4	.	15	6	8	25	12	338
EDINBURGH,	331,977	„ 3,	126	77	12·1	.	.	.	1	3	3	1
GLASGOW,	798,357	„ 3,	485	284	18·6	1	3	1	2	15	2	34
CALCUTTA,	847,796	July 2,	.	338	20·7	1	.	.	1	.	94‡	54*
BOMBAY,	776,006	Aug. 2,	394	581	38·9	8	4	.	.	.	36‡	83*
MADRAS,	509,346	July 22,	448	306	31·2	.	1	?	?	?	86	49
PARIS,	2,660,559	Aug. 20,	1,063	771	15·0	.	6	.	3†	10	3	109
BRUSSELS (with 8 Faubourgs).	586,936	„ 13,	192	183	16·2	.	1	.	.	1	1	37
AMSTERDAM,	548,435	„ 13,	287	126	12·0	.	4	.	.	3	.	24
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Aug. 13,	223	122	15·3	.	.	.	.	2	.	29
CHRISTIANIA,	223,649	„ 20,	114	62	14·4	.	.	.	1	1	.	17
ST. PETERSBURG,	1,248,122	„ 20,	513	573	23·9	2	14	6	14	4	14	83
BERLIN,	1,960,909	„ 6,	882	903	24·0	.	19	9	6†	14	1	326
HAMBURG,	751,842	„ 13,	.	289	20·0	.	3	2	3†	5	.	81
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Aug. 20,	.	228	22·8	.	1	.	.	1	1	78
VIENNA (with suburbs).	1,797,992	„ 20,	911	655	18·9	.	5	2	7†	1	5	180
BUDA PESTH	813,399	„ 20,	328	264	16·8	1§	1	6	5†	1	2	46
PRAGUE and Faubourgs.	426,404	„ 13,	160	159	19·4	.	1	.	1†	2	.	14
ROME,	499,241	June 4,	215	196	20·5	.	7	1	.	2	2	29
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	July 23,	100	99	31·0	.	5	.	.	.	2	10
NEW YORK,	3,838,024	Aug. 6,	2,210	1,439	19·6	.	6	2	33†	2	14	354
PHILADELPHIA,	1,408,154	July 30,	.	434	16·0	.	3	.	2†	2	10	106

* Including 20 deaths from cholera in Calcutta and 23 in Bombay.
† Including deaths from croup.
‡ Exclusive of 9 deaths from bubonic fever in Calcutta and 55 in Bombay.
§ Variola, varicella.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd September, 1904:—

"A week of changeable weather—at first very warm and fine though foggy at night; afterwards breezy and showery—the change taking place on Tuesday night with electric disturbances and a downpour of rain. On Sunday and Monday the western quadrant of a Continental anticyclone stretched across the British Isles, where light southerly breezes and high temperatures prevailed, fog hanging round the British and Irish coasts at night and in the morning. In the London district great heat was experienced up to Wednesday, the thermometer rising to 82° on Sunday, 84° on Monday and 83° on Tuesday. In Dublin the corresponding maxima were about 10° lower, namely, 74°, 71° and 72°, respectively. During Tuesday a large and finally V.-shaped depression developed over Ireland, spreading eastwards. It caused dull, close and sultry weather, thunder and lightning in many districts and downpours of rain—at first in the N. and E. of Ireland (Malin Head, 0·98 inch; Dublin, 0·90 inch) and later in the S.E. of England (London, 0·81 inch, and Oxford, 0·51 inch). By Wednesday morning the trough of the V. stretched across Great Britain from Caithness to the English Channel. Strong and squally N. and N.W. winds sprang up in Ireland, bringing a much reduced temperature and a clearing sky. By Friday a new set of disturbances had arrived from the Atlantic, renewing the clouds and rain, but Saturday was again bright and bracing, with a brisk N.W. wind, the week closing with a touch of Autumn in the air. In Dublin the mean atmospheric pressure was 29·976 inches, the barometer ranging from 30·114 inches at 9 a.m. of Sunday (wind, S.) to 29·703 inches at 9 p.m. of Tuesday (wind, E.S.E.). The corrected mean temperature was 61·1°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 58·9°. The screened thermometers rose to 74·0° on Sunday and fell to 50·5° on Wednesday. Bright sunshine was estimated at 40½ hours, of which 10 fell on Monday and 10½ on Saturday. The wind was variable, chiefly W.N.W. Rain fell on three days, the total measurement being 1·003 inches, of which ·903 inch was registered on Tuesday. Lightning was seen on Tuesday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·980 inches. The highest reading (30·128) was on Saturday at 9 p.m., air calm, and the lowest (29·613) on Tuesday at 9 p.m., wind S.

The mean temperature for the week was 58·8°, being 2·7° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Sunday, on which day the thermometer registered 73·3° and was lowest on Saturday, the mercury having fallen to 46·9°. The mean of the Dry Bulb for the week was 58·2°, and of the Wet Bulb 55·4°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 43·4 hours. The rainfall during the week measured ·835 inch.

At Greenwich the mean temperature for the week was 61·0°, the maximum 81·9°, and the minimum 49·5°; at Glasgow the maximum was 78·9°, the minimum 49·5°, and the mean 60·8°; and at Edinburgh the maximum was 72·3°, the minimum 47·3°, and the mean 59·4°. The rainfall at Greenwich measured 1·01 inches; at Glasgow 1·04 inches; and at Edinburgh 0·32 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Aug. 28,	30·104	73·3	52·8	63·1	61·6	59·0	·85	·5	8·6	—	Calm.	W.
Monday, „ 29,	29·999	69·7	52·7	61·2	59·6	57·1	·85	·1	10·0	—	W.	E.
Tuesday, „ 30,	29·694	72·3	49·9	61·1	62·7	61·1	·91	·1	2·4	·700	E.	S.
Wednesday, „ 31,	29·943	63·5	47·9	55·7	54·5	50·2	·80	·3	9·6	—	W.	W.
Thursday, Sept. 1,	30·105	61·0	51·4	56·2	57·1	54·2	·82	·7	0·7	·020	W.	W.
Friday, „ 2,	29·950	65·0	55·2	60·1	59·3	57·4	·88	·6	0·1	·115	S.W.	S.W.
Saturday, „ 3,	30·064	61·1	46·9	54·0	52·3	49·1	·80	·5	12·0	—	N.W.	Calm.
Mean, . .	29·980	66·6	51·0	58·8	58·2	55·4	·84	·4	Total 43·4	·835	Prevailing Wind, W.	

Sunday—Day fine but cloudy; night cloudy. *Monday*—A fine day; night clear. *Tuesday*—Day fine but cloudy; night overcast, heavy rain 7.30 p.m. to 1.0 a.m. *Wednesday*—Day fine but cloudy; night cloudy. *Thursday*—A dull day, showery; night cloudy. *Friday*—A dull day, light rain 3.30 to 8.0 p.m.; night overcast and showery. *Saturday*—A fine day, light clouds; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. 124. 6. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 10TH SEPTEMBER, 1904. [No. 36.

General Register Office, Charlemont House, Dublin, 12th September, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 20.	Week ending Aug. 27.	Week ending Sept. 3.	Week ending Sept. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 20.	Week ending Aug. 27.	Week ending Sept. 3.	Week ending Sept. 10.	Average Rate for 4 weeks.
22 Town Dists.	19·4	18·8	18·8	18·6	18·9	Lisburn, . .	22·7	4·5	27·3	13·6	17·0
Armagh, . .	20·6	13·7	20·6	48·1	25·7	Londonderry .	18·9	15·1	23·9	15·1	18·3
Ballymena, .	.	23·9	14·4	23·9	15·6	Lurgan, . .	8·9	17·7	8·9	8·9	11·1
Belfast, . .	18·6	17·4	18·0	18·5	18·1	Newry, . .	4·2	8·4	37·8	29·4	19·9
Clonmel, . .	35·9	10·3	.	46·2	23·1	Newtownards, .	22·9	5·7	22·9	5·7	14·3
Cork, . . .	15·1	17·8	15·8	17·8	16·6	Portadown, .	.	5·2	25·8	25·8	14·2
Drogheda, . .	28·6	8·2	16·3	8·2	15·3	Queenstown, .	6·6	13·2	33·0	.	13·2
Dublin Reg. Area,	24·5	23·5	19·9	20·8	22·2	Sligo, . . .	9·6	24·0	9·6	14·4	14·4
Dundalk, . .	.	8·0	4·0	4·0	4·0	Tralee, . .	10·6	15·9	26·4	10·6	15·9
Galway, . .	15·5	19·4	54·4	27·2	29·1	Waterford, .	7·8	11·7	3·9	17·5	10·2
Kilkenny, . .	39·3	34·3	.	19·7	23·3	Wexford, . .	28·0	46·7	18·7	9·3	25·7
Limerick, . .	10·9	8·2	19·1	6·8	11·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·7 in Waterford, the 9 deaths from all causes registered in that district including 5 from diarrhœal diseases. Among the 127 deaths from all causes in Belfast are one from measles, one from scarlet fever, one from whooping-cough, 3 from enteric fever, and 16 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—91 boys and 91 girls; and the deaths to 157—83 males and 74 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·6 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 20·8 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

During the thirty-six weeks ending with Saturday last the death-rate averaged 24·9, and was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903.

Measles, influenza, and simple continued fever each caused one death, whooping-cough caused 4 deaths, and 26 were attributed to diarrhœal diseases. In the 3 preceding weeks deaths from diarrhœal diseases numbered 33, 35, and 26, respectively.

Broncho-pneumonia caused 2 deaths, and *pneumonia* one.

Tuberculous disease caused 30 deaths, including 7 from tuberculous phthisis, 13 from *phthisis*, 2 from tuberculous meningitis, one from tuberculous peritonitis, one from tabes mesenterica, one from *scrofula*, and 5 from other forms of the disease.

Carcinoma caused 3 deaths, and *cancer, malignant disease*, 2.

The deaths of 5 infants were attributed to premature birth.

Diseases of the nervous system caused 8 deaths, including 5 deaths of infants, all under one year old, from *convulsions*.

There were 25 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 9 deaths.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year old and the death of one person aged 73 years.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (50 being infants under one year, of whom 12 were under one month old), and 39 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 6 were octogenarians, and 2 (a man and a woman) were stated to have been aged 90 and 96 years respectively.

Fifty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 24·2 (North City Districts, 24·9; South, 23·4), and in the Suburbs, 9·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·4 per 1,000 inhabitants, the rate for the City being 5·5 (5·1 in the North City Districts, and 5·8 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. They include 3 from diarrhœal diseases, and 3 from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. Diarrhœal diseases caused 4 deaths, tuberculous disease 3, and 3 were caused by diseases of the nervous system.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Among them are 4 from *diarrhœa*, 3 from tuberculous disease, and 4 from diseases of the heart and blood-vessels.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Simple continued fever caused one death, diarrhœal diseases 2, tuberculous disease 2, and 3 deaths were caused by bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 20·8; and Finglas and Glasnevin, part of, 15·6. There was one death from epidemic enteritis tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. Whooping-cough caused 3 deaths, tuberculous disease 7, and bronchitis 2.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. Diarrhœal diseases caused 2 deaths, and diseases of the heart and blood-vessels 4.

No. 3 South City District (Peter-street).—The deaths (15) are equal to an annual rate of 18·6 per 1,000. There was one death from whooping-cough, 5 from diarrhœal diseases, and one from broncho-pneumonia.

No. 4 South City District (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·1 per 1,000. Measles caused one death, diarrhœal diseases 4, and tuberculous diseases 2.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·0; Pembroke, 8·0; Blackrock, 0·0; and Kingstown, 11·8. There was one death from *diarrhœa* tabulated for Rathmines and Rathgar, and the 7 deaths from all causes in that district, also include 3 from diseases of the heart and blood-vessels; the deaths from all causes in Pembroke include 2 from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

:NS of the number of cases of Infectious Diseases notified under the "Infectious Diseases :ion) Act, 1889," as set forth in the following Table have been kindly furnished by :—
arles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock :istrict; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

,—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, :rock, and Kingstown), and in the City of Belfast, during the week ended 10th September, 1904, :ach of the preceding three weeks. A dash (—) denotes that the disease in question is not able in the District.

:S AND :BAN :RICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
7 of lin.	Aug. 20,	.	—	—	7	.	.	1	.	.	16	5	.	—	—	—	—	—	29
	Aug. 27,	1	—	—	13	.	.	3	.	3	18	6	.	—	—	—	—	—	44
	Sept. 3,	.	—	—	9	.	.	2	.	2	7	12	.	—	—	—	—	1	33
	Sept. 10,	.	—	—	5	.	.	4	.	1	6	8	1	—	—	—	—	—	25
mines athgar ban rict.	Aug. 20,	.	—	—	1	.	.	.	.	.	2	1	.	—	—	—	7	—	11
	Aug. 27,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	1	—	3
	Sept. 3,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	4	—	8
	Sept. 10,	.	—	—	2	.	.	1	.	.	1	1	.	—	—	—	3	—	8
roke an rict.	Aug. 20,	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	—	—	4
	Aug. 27,	.	1	.	.	.	.	.	.	.	1	2	.	.	2	.	—	—	6
	Sept. 3,	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	—	—	3
	Sept. 10,	.	1	.	8	.	.	.	.	.	2	.	.	.	10	.	—	—	21
krock ban rict.	Aug. 20,	.	—	—	.	.	.	1	.	.	.	.	.	1	—	—	—	—	2
	Aug. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
stown ban trict.	Aug. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Aug. 27,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
y of fast.	Aug. 20,	.	—	—	10	.	.	2	.	17	16	5	.	—	—	—	—	—	50
	Aug. 27,	1	—	—	11	.	.	.	1	30	18	8	1	—	—	—	—	—	70
	Sept. 3,	1	—	—	11	.	.	2	1	25	27	7	.	—	—	—	—	—	74
	Sept. 10,	.	—	—	12	.	.	5	.	17	25	5	.	—	—	—	—	—	64

e Registrar of Armagh District reports:—Two cases of small-pox occurred in Urban District week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ble XI. exhibits the number of cases of certain infectious diseases treated in the n Hospitals during the week ended 10th September, 1904.

om this it appears that :—

e case of small-pox was discharged from hospital during the week, leaving 3 under ment on Saturday last,

ven cases of measles were admitted to hospital during the week, 7 were discharged, 4 patients remained under treatment at its close.

ne cases of scarlet fever were admitted to hospital, 4 cases were discharged, and ases remained under treatment at the close of the week.

cases of diphtheria were admitted to hospital, 6 were discharged, and 20 cases ned under treatment at the close of the week.

cases of enteric fever were admitted to hospital, 6 cases were discharged, and 54 remained under treatment at the close of the week.

addition to the above-named diseases, one case of pneumonia was admitted to hospital, ients were discharged, and 8 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 15·2), was equal to an average annual death-rate of 17·5 per 1,000 persons living; verage rate for 8 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow g 15·1, and for Edinburgh 14·0.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th September, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 10th September, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total, Number.	Deaths. Total, Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	25·6	18·6	3·1	536	390	116	88	.	2	1	.	5	.	1	3	52	62	32	4	12	96
Dublin Registration Area:— Total,‡	378,994	27·5	25·0	20·8	4·4	182	151	50	34	.	1	.	.	4	.	1	.	26	20	12	.	1	48
City of Dublin	298,885	37·1	26·8	24·2	5·5	151	136	49	26	.	1	.	.	4	.	1	.	25	16	12	.	1	44
Urban Districts. Rathmines and Rathgar.	33,208	19·4	17·3	11·0	1·6	11	7	1	3	.	.	.	.	.	.	.	.	1	1	.	.	.	3
Urban Districts. Pembroke,	26,025	16·4	18·0	8·0	.	9	4	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Urban Districts. Blackrock,	8,759	8·1	17·9	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown,	17,622	12·1	23·7	11·8	.	8	4	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Urban Districts. Belfast,	358,680	24·4	28·5	18·5	3·2	196	127	43	24	.	1	1	.	1	.	.	3	16	25	8	2	7	17
Cork,	76,122	33·6	21·9	17·8	1·4	32	26	8	4	.	.	.	.	.	.	.	.	2	4	.	.	1	10
Londonderry,	41,397	19·1	20·2	15·1	2·5	16	12	1	5	.	.	.	.	.	.	.	.	2	2	3	.	1	1
Limerick,	38,151	18·1	17·8	6·8	.	13	5	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Waterford,	26,769	18·7	19·5	17·5	9·7	10	9	5	.	.	.	.	.	.	.	.	.	5	2	.	.	.	1
Galway,	18,426	2·5	46·6	27·2	3·9	12	7	2	2	.	.	.	.	.	.	.	.	1	.	3	1	1	.
Dundalk,	18,076	3·4	4·0	4·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Drogheda,	12,760	8·6	20·4	8·2	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	12,405	17·8	21·0	29·4	.	5	7	.	1	.	.	.	.	.	.	.	.	.	1	1	1	1	1
Lurgan,	11,782	13·8	26·6	8·9	.	6	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Lisburn,	11,461	10·1	22·7	13·6	.	5	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Wexford,	11,168	23·2	28·0	9·3	.	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ballymena,	10,886	8·9	23·7	23·9	.	6	5	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Sligo,	10,870	3·7	28·8	14·4	.	6	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Kilkenny,	10,609	11·5	9·8	19·7	.	2	4	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel,	10,167	7·8	30·8	46·2	.	6	9	1	3	.	.	.	.	.	.	.	.	.	1	3	.	.	8
Portadown,	10,092	13·2	25·8	25·8	.	5	5	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tralee,	9,867	16·6	42·3	10·6	.	8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	9,110	18·9	34·3	5·7	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown,	7,909	14·4	33·0	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh,	7,588	22·2	20·6	48·1	.	3	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3

Towns and Districts.	Meteorology.† Week ending 10th Sept, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Sept, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th August, 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	§68·3	39·0	55·5	0·36	§73·3	46·9	58·8	0·84	§70·7	40·4	54·6	0·54
City of Dublin	a71·6 b66·3	47·2 40·6	57·9 56·2	0·32 0·43	a74·0 b70·3	50·5 48·0	61·1 58·9	1·00 0·94	a71·9 b69·9	44·6 41·0	56·4 56·6	0·53 0·71
Urban Districts. Rathmines and Rathgar.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke,	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock,	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown,	65·7	45·5	57·2	0·54	69·2	51·0	59·9	1·03	70·2	46·5	56·8	0·63
Urban Districts. Belfast,	68·1	44·6	55·1	0·84	71·1	50·1	58·9	1·11	62·1	42·1	54·1	0·46
Cork,	63	47	56·0	2·00	68	52	59·4	0·39	67	47	56·1	0·51
Londonderry,	.	.	.	.	.	.	.	.	.	.	.	.
Limerick,	.	.	.	.	.	.	.	.	.	.	.	.
Waterford,	.	.	.	.	.	.	.	.	.	.	.	.
Galway,	65	47	55	1·06	73	45	54·5	0·63	64	47	57	0·87
Dundalk,	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda,	.	.	.	.	.	.	.	.	.	.	.	.
Newry,	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54
Lurgan,	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54
Lisburn,	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54
Wexford,	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena,	.	.	.	.	.	.	.	.	.	.	.	.
Sligo,	64·3	37·3	51·0	0·89	74·2	46·5	58·8	0·66	68·4	39·5	54·1	0·67
Kilkenny,	63	40	54·1	1·61	73	41	57·6	1·13	69	41	55·9	0·73
Clonmel,	.	.	.	.	.	.	.	.	.	.	.	.
Portadown,	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54
Tralee,	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards,	68	45	54·8	0·68	65	50	57·1	1·38	70	44	54·4	0·14
Queenstown,	63	47	56·0	2·00	68	52	59·4	0·39	67	47	56·1	0·51
Armagh,	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27	69·1	42·2	53·9	0·54

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 10th of September, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Whooping Cough,	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	26	.
Diarrhœal Diseases,	3	4	4	2	.	1	.	.	2	5	4	.	1	.	.	.	20	.
Phthisis,	2	3	2	1	.	.	.	4	.	1	2	1	1	2	.	1	20	.
Other General Diseases,	3	1	4	5	2	2	.	5	2	3	1	.	.	1	.	.	29	1
Total,	8	8	10	9	2	3	.	12	4	10	8	1	2	3	.	1	81	1
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	7	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	4	3	.	.	.	4	4	1	1	1	3	.	.	1	24	1
Respiratory System,	.	.	1	3	1	1	.	2	1	2	1	.	.	.	.	.	12	.
Digestive System,	1	3	.	2	.	.	.	2	1	1	.	1	1	.	.	1	13	2
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	3	7	5	8	1	1	2	9	7	4	2	2	5	1	.	2	59	5
C. OTHER SPECIFIED DISEASES,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	2	.	1	.	.	.	1	1	1	2	.	.	.	.	1	11	.
E. VIOLENT DEATHS,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from all Causes,	13	17	15	18	3	4	2	22	12	15	12	3	7	4	.	4	151	6
Annual Rate of Mortality in every 1,000 of the population	23·9	22·6	26·0	20·6	32·5	20·8	15·6	29·9	34·2	18·6	17·8	17·6	11·0	8·0	.	11·8	20·8	.
	21·9							23·4					9·1					
	24·2																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	.	2	1	.	.	1	2	2	2	2	2	2	1	.	.	19	4
Workhouse Hospitals	2	.	3	7	.	.	.	6	5	2	2	1	1	.	.	.	29	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disea
week of the ten

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1894-1903.	In the Week end 10th Septem			
												Deaths of Persons			
												ALL AGES.	0 to 5.		
	Sept. 8, 1894.	Sept. 7, 1895.	Sept. 5, 1896.	Sept. 11, 1897.	Sept. 10, 1898.	Sept. 9, 1899.	Sept. 8, 1900.	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	° 50·5	° 57·1	° 56·0	° 51·8	° 63·0	° 59·1	° 53·4	° 53·8	° 57·2	° 50·4	° 55·2	° 55·5			
ALL CAUSES.	175	149	156	150	206	251	154	154	170	145	171·0	157	12	38	1
Small-pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, Unvaccinated,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	1	17	.	.	11	.	2·9	1	1	.	
Scarlet Fever	1	1	5	2	2	2	.	2	3	.	1·8	.	.	.	
Typhus,	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	.	1	.	.	1	2	.	1	.	.	·5	1	.	.	
Whooping Cough,	4	2	3	3	6	2	5	2	.	1	2·8	4	1	.	
Diphtheria,	.	1	1	3	2	1	.	1	2	1	1·2	.	.	.	
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	
Simple Continued Fever,	1	.	1	.	.	1	.	.	.	.	·3	1	.	.	
Enteric Fever,	3	1	1	4	5	7	1	.	3	1	2·6	.	.	.	
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis,	8	8	11	17	39	47	21	30	1	4	19·8	13	1	10	
Diarrhœa, Dysentery,									9	3		13	2	4	
Hydrophobia,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	.	.	.	1	1	2	.	1	.	.	·5	2	1	1	
Puerperal Septicæmia, Sapræmia,									.	1		.		.	
Puerperal Pyæmia,	.	.	.	1	.	.	.	.	.	.	·2	.	.	.	
Puerperal Fever,									.	.		.		.	
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.		.	
Erysipelas,	.	1	1	1	.	1	.	.	.	2	·6	1	.	.	
Septicæmia (not Puerperal),	1	.	2	.	.	.	.	.	.	1	·4	.	.	.	
Pyæmia (not Puerperal),									.	.		.		.	
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
Tuberculous Phthisis,	29	27	25	24	16	31	22	25	.	8	25·2	7	.	.	
"*Phthisis*,"									24	21		13		.	
Tuberculous Meningitis, (Acute Hydrocephalus).	1	3	2	1	4	6	1	3	3	.	2·4	2	.	2	
Tuberculous Peritonitis,	4	3	4	4	8	7	7	4	2	1	4·5	1	.	.	
Tabes Mesenterica,									1	.		1	.	.	
Tuberculous Dis. (other),	.	6	6	3	4	5	8	2	1	1	3·6	5	.	2	
Scrofula,									.	.		1	.	.	
Alcoholism,	2	.	1	.	.	.	1	.	1	1	·6	1	.		
Rheumatic Fever,	2	.	.	.	1	.	.	1	.	.	·4	.	.	.	
Gout,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	

* The figures for the years 1

TY-SIXTH WEEK ending Saturday, 10th September, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 8, 1894.	Sept. 7, 1895.	Sept. 5, 1896.	Sept. 11, 1897.	Sept. 10, 1898.	Sept. 9, 1899.	Sept. 8, 1900.	Sept. 7, 1901.	Sept. 6, 1902.	Sept. 12, 1903.	Averages in 36th Week of the 10 years 1894–1903.	In the Week ending Saturday, 10th September, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	50·5°	57·1°	56·0°	51·8°	63·0°	59·1°	53·4°	53·8°	57·2°	50·4°	55·2°	Mean Temp. 55·5°								
oma	5	9	6	10	6	12	1	6	3	1	6·7	3	.	.	.	.	.	1	1	1
ia									.	.		.	.	.	.	.	.	.	.	.
Malignant Disease ...									6	2		2	.	.	.	.	.	1	1	.
es Mellitus	.	.	.	.	.	.	.	.	2	3	2·9	.	.	.	.	.	.	.	.	.
ture Birth	.	3	4	4	6	4	2	1	4	3		5	.	5	.	.	.	.	.	.
ritis (not tuberc.)										2		.	.	.	.	.	.	1	.	.
y, G. P. of Insane									.	1		1	.	.	.	.	.	.	.	.
sy									2	6		5	2	3	.	.	.	.	.	.
sions									7	1		1	.	.	.	.	.	.	.	1
otor Ataxy									.	2		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									.	1	32·2	1	.	.	.	1	.	.	.	.
is System (other Dis.) ...	38	35	35	24	35	22	29	29												
Dis., Endocarditis									4	5		4	.	.	.	1	.	3	.	.
. Hæm. Thromb.									2	2		1	.	.	.	.	.	.	1	.
xy, Hemiplegia									4	4		7	.	.	.	.	.	3	3	1
ysm									.	1		1	.	.	.	.	1	.	.	.
ism, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
and Blood Vessel Dis. ..									14	10		12	1	.	.	1	2	2	5	1
(not Spasm. or Memb.) ...	2	.	1	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.
hitis	10	6	4	9	15	18	13	6	13	9	10·3	9	.	3	2	.	1	.	3	.
ous Pneumonia									.	1		.	.	.	.	.	.	.	.	.
no-Pneumonia	12	3	1	8	9	13	4	5	3	.	6·4	2	.	.	1	.	.	1	.	.
monia"									4	1		1	.	.	.	.	.	.	.	1
ia, Emphysema									.	.		.	.	.	.	.	.	.	.	.
sy	2	1	3	2	2	.	1	1	.	.	1·2	.	.	.	.	.	.	.	.	.
atory Dis. (other)									.	.		.	.	.	.	.	.	.	.	.
litis, Quinsy	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
itis (not Epid.)	.	.	3	2	4	3	.	2	4	.	1·8	2	.	2	.	.	.	.	.	.
Enteritis									.	.		2	.	.	1	.	.	1	.	.
nitis (not Puerp.)	.	1	1	.	.	.	.	1	2	1	·6	2	.	.	.	.	.	1	1	.
osis of Liver	.	.	2	5	1	4	2	1	1	2	2·0	3	.	.	.	.	.	.	3	.
Dis. (other)									1	1		3	1	.	.	.	.	1	1	.
tive Dis. (other)	4	5	2	5	5	8	9	2	7	6	5·3	3	.	2	.	1	.	.	.	.
ritis, Acute									.	1		.	.	.	.	.	.	.	.	.
t's Dis., Albuminuria ...	6	2	3	.	1	3	5	4	3	6	3·6	1	.	.	.	.	1	.	.	.
ry Sys. (Other Dis.) ...									1	1		2	.	.	.	.	.	.	2	.
rative Organs Dis.	.	1	.	.	.	.	.	1	.	1	·3	1	.	.	.	.	.	.	1	.
birth (Accid. of)	.	2	.	.	1	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.
ige	9	5	10	5	8	13	9	7	6	2	7·4	7	.	.	.	.	.	.	4	3
r Diseases	21	16	14	8	15	14	6	13	11	18	13·6	7	2	3	1	.	.	.	1	.
ACCIDENT.																				
ailways	.	.	.	.	.	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
ehicles and Horses	.	1	.	.	1	.	2	1	.	2		.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	2	.	.	.	1	2	.	.	2	1	·9	.	.	.	.	.	.	.	.	.
rowning	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	.	1	2	1	.	.	.	·4	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	2	2	2	.	1	2	1·8	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	1	4	2	2																
VIOLENCE OTHER THAN ACCIDENTAL.																				
icide	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
ide	1	.	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
cution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Mar 19.	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
Births registered,	214	217	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236	254	182
*Average Births in corresponding week of previous 10 years,**	213	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204
Deaths registered,	213	235	219	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	131	136	161	199	183	178	150	157
Annual Death-rate per 1,000,	29·3	32·3	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6
*Average Deaths in corresponding week of previous 10 years,**	218	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171
Ages, Under 5 years,	75	67	66	67	58	51	48	57	50	47	51	87	34	37	32	34	32	54	41	52	72	94	81	86	65	68
5—20 "	12	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9
20—40 "	35	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20
40—60 "	37	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	28	28	29	23	28	21
60—80 "	40	50	2	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31
80 years and upwards,	14	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8
from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	5	4	4	4	8	2	4	2	2	.	5	1	2	1	2	2	10	5	4	8	3	4	7	1	1
" Scarlet Fever	.	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Whooping-cough,	13	5	11	8	11	5	8	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4
Diphtheria,	1	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.
" Simple Continued Fever,	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Enteric Fever,	1	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.
" Diarrhœal Diseases,	1	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35	26	26
" Phthisis,	26	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21	19	21	20
" Diseases of Heart and Blood Vessels,	23	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25
" Diseases of Respiratory System,	51	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	21	24	21	8	20	14	12
Violent Deaths,	6	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.
Mean Temperature of the Air (Phœnix Park),	42·6	43·6	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	52·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5
Average Mean Temperature in corresponding week of previous 10 years.	43·8	42·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2
Rainfall in inches,	·625	·268	·755	·788	·035	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360
Mean Humidity of the Air, complete Saturation 1·0,	·87	·83	·82	·79	·73	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th September, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 10th September, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	21·8	157	68	9	20	21	81	8	.	1	.	.	4	.	1	.	26	32	20	5	12	.	88
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	23·9	8	.	.	1	1	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	7
II.	MIDDLE CLASS,	87,188	13·8	23	7	2	4	4	5	1	.	.	.	.	.	.	.	.	4	4	4	.	2	.	13
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	13·7	29	15	3	2	2	6	1	.	.	.	.	.	.	.	.	6	6	3	.	2	.	18
IV.	GENERAL SERVICE CLASS,	154,279	31·6	66	40	3	8	10	4	1	.	1	.	.	4	.	1	.	15	21	6	5	3	.	31
V.	INMATES OF WORKHOUSES,	6,024		31	6	1	5	4	13	2	.	.	.	.	.	.	.	.	1	1	7	.	4	.	19
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	24·9	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	4·7	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	6. Clerks and Commercial Assistants,	30,432	13·4	9	4	.	3	1	1	.	.	.	.	.	.	.	.	.	3	3	2	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	1	2	1	3	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	9. Building and Furnishing Trades,	29,801	21·0	12	7	1	1	1	1	1	.	.	.	.	.	.	.	.	2	2	2	.	1	.	7
	10. Clothing Trades,	23,260	9·0	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	11. Food Supply Trades,	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	10·3	6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	4
	13. Petty Shopkeepers,	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	31·1	8	5	.	1	1	.	1	.	.	.	.	.	.	.	.	2	2	.	.	1	.	5
	15. Domestic Servants,	36,603	7·1	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	2	2	2	1	.	.	.
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	32·6	9	6	.	1	1	1	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·5	44	26	2	5	8	3	.	.	1	.	.	4	.	1	.	8	14	4	4	1	.	21
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	31	6	1	5	4	13	2	.	.	.	.	.	.	.	.	1	1	7	.	4	.	19

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATEMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	July 23,	16·6	7·4	9	.	2	.	.	.	.	.	1	1	.	1	.
	„ 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
	„ 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
	„ 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
	„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
	„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est. 39,146.	July 23,	16·0	.	12	.	.	.	.	.	.	.	.	.	.	4	.
	„ 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
	„ 13,	34·6	9·3	26	.	1	1	.	.	.	.	.	5	3	2	.
	„ 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
	„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.' 30,107.	July 23,	22·5	1·7	13	.	.	.	.	.	.	.	.	1	2	1	.
	„ 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
	„ 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
	„ 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	1
	„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	.
	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
	„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	July 23,	24·7	.	15	.	.	.	.	.	.	.	.	.	4	1	.
	„ 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	3·3	10	.	.	.	.	.	.	.	.	2	.	.	.
	„ 13,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	3	2	.
	„ 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
	„ 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	3	2	1	.
	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
	„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	July 23,	16·3	5·4	12	.	1	.	.	1	.	.	1	1	1	.	.
	„ 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
	„ 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
	„ 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
	„ 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
	Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
	„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	July 23,	25·7	5·7	9	.	.	.	.	.	.	.	.	2	2	1	.
	„ 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
	„ 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	.
	„ 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	1
	„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
	„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	July 23,	17·4	3·7	14	.	2	.	.	1	.	.	.	.	.	4	.
	„ 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
	„ 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
	„ 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
	„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
	„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,138	July 23,	20·8	.	14	.	.	.	.	.	.	.	.	.	3	3	1
	„ 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
	„ 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
	„ 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
	Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
	„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	July 23,	7·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	„ 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	13	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	July 23,	14·0	.	7	.			.	.	.	.	.	.	.	.	1
	„ 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	„ 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
	„ 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	„ 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	July 23,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	„ 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.		.	.	1	2	.
	„ 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	.
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	1
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	July 23,	16·3	2·0	112	.	.	.	.	2	1	.	4	7	13	25	3
	„ 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	„ 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	„ 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	„ 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
Cork Pop. (in 1901) 76,122.	July 23,	13·7	.	20	.	.	.	.	.	.	.	.	.	3	3	.
	„ 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
	„ 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	„ 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	„ 10,	17·8	1·4	16	.	.	.	.	.	.	.	.	2	4	.	.
Londonderry. Pop. in 1904 (Est.) 41,397	July 23,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	1	2	.
	„ 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	„ 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	„ 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
Limerick. Pop. (in 1901) 38,151.	July 23,	13·7	.	10	.	.	.	.	.	.	.	.	.	4	2	.
	„ 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	„ 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
Waterford. Pop. (in 1901) 26,769	July 23,	11·7	.	6	.	.	.	.	.	.	.	.	.	3	.	.
	„ 30,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	
	„ 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	
	„ 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.		
	„ 10,	17·5	9·7	9	.	.	.	.	.	.	.	.		2		

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th September, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	7	14·2	3·5	4	1	.	1	2	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 2 "	47,959	21	17·4	2·2	16	6	.	8	2	.	.	.	.	.	.	.	.	2	3	1	.	1	1
Do. 3 "	47,214	23	18·8	4·4	17	5	2	8	2	.	.	.	.	.	.	.	.	4	4	.	.	.	2
Do. 4 "	40,911	23	31·9	3·8	25	9	1	8	7	.	.	1	.	.	.	.	1	1	3	4	1	3	6
Do. 5 "	17,387	9	6·0	3·0	2	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 6 "	48,122	18	17·3	1·1	16	2	1	7	6	.	.	.	.	.	.	.	1	.	6	1	.	.	2
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	1	30·9	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 "	19,569	23	37·8	10·7	14	5	1	7	1	.	.	.	.	.	.	.	1	3	2	1	.	.	3
Do. 10 "	23,064	24	13·6	4·5	6	4	1	1	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.
Do 11 "	34,802	18	16·5	3·0	11	3	.	5	3	.	1	.	.	.	.	.	.	1	3	.	.	1	2
Do. 12 "	33,588	21	17·1	3·1	11	4	.	6	1	.	.	.	.	.	.	.	.	2	2	.	1	1	1
Do 13 "	15,006	7	6·9	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	196	19·0	3·3	127	43	7	53	24	.	1	1	.	1	.	.	3	16	25	8	2	7	17
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	3	8·1	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Do. 2 "	10,701	11	19·5	4·9	4	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Do 3 "	9,978	1	15·7	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 "	8,666	4	30·1	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Do. 5 "	6,592	4	31·6	.	4	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3
Do. 6 "	10,702	1	19·5	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do 7 "	16,616	8	12·6	3·1	4	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Total	76,122	32	17·8	1·4	26	8	1	13	4	.	.	.	.	.	.	.	.	2	4	.	.	1	10

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered,	212	261	182	244	271	283	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196
DEATHS registered.	212	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127
Annual Death-rate per 1,000 of estimated Population,	30·8	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5
AGES, Under 1 year,	45	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	0	36	32	46	46	27	41	43
AGES, 1–5 years,	31	28	26	22	25	18	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7
AGES, 5–60 years,	89	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53
AGES, 60 years and upwards,	47	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1
" Scarlet Fever,	.	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1
" Typhus,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.
" Whooping cough,	10	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1
" Diphtheria,	.	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.
" Simple Continued Fever,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
" Enteric Fever,	2	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3
" Diarrhœal Diseases,	3	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16
" Phthisis	33	31	16	36	28	31	27	25	30	33	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25
" Diseases of Respiratory System,	79	52	51	42	53	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8
Violent Deaths,	4	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3		2	3	2	9	3	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th September, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	.	2	.	.	.	4
" " 1, West,	.	.	.	.	.	.	.	.	1	1	.	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Clontarf and Howth No. 1 (part of),	.		.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	3	.	.	.	.	.	.	6	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 3,	.	.	.	.	.	.	4	.	.	.	.	.	.	4
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	2	1	.	3
Total,	.	.	.	5	.	.	4	.	1	6	8	1	.	25

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th September, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th September.			
	Aug. 20.	Aug. 27.	Sept, 3.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	3	4	4	.	1	.	3
Measles,	53	47	34	7	7	.	34
Scarlet Fever,	37	39	48	9	4	.	53*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	14	15	20	6	6	.	20
Enteric Fever,	46	48	54	6	6	.	54
Pneumonia,	8	10	10	1	3	.	8

* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Sept. 10,	2,504	1,354	15·2	.	8	2	20	16	8	258
EDINBURGH,	331,977	„ 10,	154	89	14·0	.	1	.	2	3	1	7
GLASGOW,	798,357	„ 10,	423	231	15·1	.	4	1	2	9	2	22
CALCUTTA,	847,793	July 9,	.	327	20·0	1	.	.	.	.	97‡	41*
BOMBAY,	776,006	Aug. 9,	394	677	45·4	8	2	.	.	.	39‡	109*
MADRAS,	509,346	July 29,	421	321	32·7	.	1	?	?	?	79	60
PARIS,	2,660,559	Aug. 27,	951	800	15·6	.	11	2	5†	11	3	103
BRUSSELS (with 8 Faubourgs).	586,936	„ 20,	217	158	14·1	.	2	.	.	1	.	30
AMSTERDAM,	548,435	„ 20,	322	143	13·6	.	4	.	.	2	.	32
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Aug. 20,	212	113	14·1	.	4	.	.	2	.	20
CHRISTIANIA,	223,649	„ 27,	118	50	11·6	.	.	1	.	.	.	8
ST. PETERSBURG,	1,248,122	„ 27,	461	482	20·1	2	3	5	8	2	7	67
BERLIN,	1,960,909	„ 13,	931	861	22·9	.	3	10	9†	11	1	343
HAMBURG,	751,842	„ 20,	.	300	20·7	.	1	.	.	5	1	90
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Aug. 27,	.	244	24·4	.	.	.	1†	1	1	80
VIENNA (with suburbs).	1,797,992	„ 27,	838	563	16·3	.	8	2	3†	.	3	121
BUDA-PESTH,	813,399	„ 27,	404	255	16·3	.	3	5	2†	.	4	33
PRAGUE and Faubourgs.	426,404	„ 20,	190	179	21·8	.	1	.	2†	2	1	27
ROME,	499,241	June 11,	178	208	21·7	.	3	.	.	1	4	37
		„ 18,	214	204	21·3	.	2	.	1	1	4	38
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	July 30,	94	68	21·3	.	7	.	.	.	1	11
NEW YORK,	3,838,024	Aug. 13,	2,030	1,418	19·3	1	7	2	23†	4	18	339
PHILADELPHIA,	1,408,154	„ 6,	.	428	15·8	.	2	3	5†	1	5	95

* Including 29 deaths from cholera in Calcutta and 34 in Bombay.
† Including deaths from croup.
‡ Exclusive of 18 deaths from bubonic fever in Calcutta and 51 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 10th September, 1904:—

"The weather was generally changeable and unsettled, with fresh or squally southerly to north-westerly winds, frequent showers and unsteady temperature. In the course of the week several atmospheric depressions travelled northwards or north-eastwards over the Atlantic off the coasts of Ireland and Scotland, while their subsidiaries passed in a more easterly direction across the British Isles to Holland, Germany and Denmark. Sunday morning broke fair and cold, but clouds soon overspread the sky, the wind backed to S. and freshened and rain fell heavily in the S. and W. of Ireland, Valentia getting ·91 inch, Blacksod Point ·89 inch, Roche's Point ·67 inch, and Birr ·51 inch. On Monday night a subsidiary brought ·58 inch of rain to Holyhead and ·57 inch to Pembroke—Dublin getting ·14 inch only. Tuesday and Wednesday were chiefly fine in this city, the mornings being especially brilliant. On Wednesday night, however, a sharply-defined V-shaped depression arrived from the Atlantic, causing heavy rain and squally S. to S.W. winds—the rainfall measurement in Dublin was only ·11 inch, but it amounted to 1·52 inches at Valentia, 1·20 inches at Blackpool, 1·15 inches at Roche's Point, and ·76 inch at Pembroke. Thursday and Friday were windy days, but otherwise fine and dry in Dublin. Over England, on the other hand, clouds and showers were prevalent owing to the presence of shallow secondary depressions. The wind moderated on Saturday, having drawn towards N. From cumulus clouds some showers fell, being heavy in places. In Dublin the mean height of the barometer was 29·922 inches, pressure falling to 29·576 inches at 9 p.m. of Monday (wind, S.E.), and rising to 30·201 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 57·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·8°. On Sunday the screened thermometers fell to 47·2°, on Monday they rose to 71·6°. The dominant winds were S.S.E., S.W., and W.N.W. Bright sunshine was estimated at 41 hours, 9½ falling on Friday, 9 on Wednesday, and 8 on Tuesday. Rain fell on 5 days to the amount of ·320 inch, ·136 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·927 inches. The highest reading (30·217) was on Saturday at 9 p.m., air calm, and the lowest (29·584) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 55·5°, being 0·3° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Monday, on which day the thermometer registered 68·3° and was lowest on Sunday, the mercury having fallen to 39·0°. The mean of the Dry Bulb for the week was 56·3°, and of the Wet Bulb 53·2°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 40·0 hours. The rainfall during the week measured ·360 inch.

At Greenwich the mean temperature for the week was 49·7°, the maximum 74·6°, and the minimum 42·2°; at Glasgow the maximum was 67·5°, the minimum 44·5°, and the mean 56·1°; and at Edinburgh the maximum was 64·5°, the minimum 45·4°, and the mean 54·9°. The rainfall at Greenwich measured 0·36 inch; at Glasgow 1·23 inches; and at Edinburgh 0·21 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 4,	29·864	60·1	39·0	49·6	58·9	54·4	·74	·9	1·3	·050	S.E.	S.
Monday, " 5,	29·604	68·3	57·5	62·9	59·4	57·1	·86	·9	1·3	·110	Calm.	S.W.
Tuesday, " 6,	29·827	64·8	50·4	57·6	56·3	53·0	·80	·5	8·9	·015	S.S.W.	S.W.
Wednesday, " 7,	30·053	62·5	44·3	53·4	53·6	50·1	·77	·8	9·7	·170	W.	S.W.
Thursday, " 8,	29·850	62·5	48·2	55·4	58·5	55·7	·83	·5	2·1	·015	S.W.	W.
Friday, " 9,	30·084	60·1	47·0	53·6	54·3	50·1	·75	·7	9·3	—	W.	W.
Saturday, " 10,	30·206	63·3	49·0	56·2	53·2	51·7	·90	·3	7·4	—	W.	Calm.
Mean, . .	29·927	63·1	47·9	55·5	56·3	53·2	·81	·7	Total 40·0	·360	Prevailing Wind, W.	

Sunday—A cloudy day, showery from 3 p.m.; night overcast, showery to 4 a.m. *Monday*—Day cloudy and showery; night overcast and showery to 1.30 a.m., then clear *Tuesday*—Bright a.m., cloudy, showers p.m.; night clear. *Wednesday*—A fine day; night overcast, rain 11 p.m. to 4.30 a.m. *Thursday*—Day cloudy and showery; night cloudy. *Friday*—A fine day; night cloudy. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. 124. 6. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 17TH SEPTEMBER, 1904. [No. 37.

General Register Office, Charlemont House, Dublin, 19th September, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Aug. 27.	Week ending Sept. 3.	Week ending Sept. 10.	Week ending Sept. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 27.	Week ending Sept. 3.	Week ending Sept. 10.	Week ending Sept. 17.	Average Rate for 4 weeks.
22 Town Dists.	18·8	18·8	18·6	18·0	18·6	Lisburn, . .	4·5	27·3	13·6	27·3	18·2
Armagh, . .	13·7	20·6	48·1	41·2	30·9	Londonderry .	15·1	23·9	15·1	11·3	16·4
Ballymena, .	23·9	14·4	23·9	14·4	19·1	Lurgan, . .	17·7	8·9	8·9	17·7	13·3
Belfast, . .	17·4	18·0	18·5	17·9	18·0	Newry, . .	8·4	37·8	29·4	16·8	23·1
Clonmel, . .	10·3	.	46·2	15·4	18·0	Newtownards, .	5·7	22·9	5·7	11·4	11·4
Cork, . . .	17·8	15·8	17·8	18·5	17·5	Portadown, .	5·2	25·8	25·8	15·5	18·1
Drogheda, . .	8·2	16·3	8·2	49·0	20·4	Queenstown, .	13·2	33·0	.	59·3	26·4
Dublin Reg. Area,	23·5	19·9	20·8	16·8	20·2	Sligo, . . .	24·0	9·6	14·4	19·2	16·8
Dundalk, . .	8·0	4·0	4·0	8·0	6·0	Tralee, . .	15·9	26·4	10·6	37·0	22·5
Galway, . .	19·4	54·4	27·2	31·1	33·0	Waterford, .	11·7	3·9	17·5	27·3	15·1
Kilkenny, . .	34·3	.	19·7	14·7	17·2	Wexford, . .	46·7	18·7	9·3	14·0	22·2
Limerick, . .	8·2	19·1	6·8	5·5	9·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·7 per 1,000, the rates varying from 0·0 in nine of the districts to 9·1 in Lisburn, the 6 deaths from all causes registered in that district including one from scarlet fever and one from diarrhœa. Among the 123 deaths from all causes registered in Belfast are 2 from measles, one from typhus, one from whooping-cough, 3 from enteric fever, and 14 from diarrhœal diseases; the 27 deaths from all causes in Cork include 5 from diarrhœal diseases, and the 14 deaths in Waterford include 4 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 177—92 boys and 85 girls; and the deaths to 134—63 males and 71 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 18·4 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 16·8 per 1,000 During the thirty-seven weeks ending with Saturday last the death-rate averaged 24·7 and was 1·3 below the mean rate for the corresponding portions of the ten year 1894–1903.

Diphtheria and enteric fever each caused 2 deaths, influenza caused one death, an 14 were due to diarrhœal diseases. In the 3 preceding weeks deaths from diarrhœa diseases numbered 35, 26, and 26, respectively.

Broncho-pneumonia caused 3 deaths, and *pneumonia* 5.

Tuberculous disease caused 29 deaths, including 3 from tuberculous phthisis, 8 fro *phthisis*, 5 from tuberculous meningitis, 4 from tuberculous peritonitis, 2 from tabe mesenterica, and 7 from other forms of the disease.

Carcinoma caused 3 deaths, sarcoma one, and *cancer*, *malignant disease*, 4.

The deaths of 4 infants were attributed to premature birth.

Diseases of the nervous system caused 10 deaths, including 4 deaths of children, a under 5 years of age, from *convulsions*.

There were 11 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 8 deaths.

In 2 instances the cause of death was "uncertified," there having been no medica attendant during the last illness; both these cases were children under one year old.

Sixty-one of the persons whose deaths were registered during the week were unde 5 years of age (44 being infants under one year, of whom 12 were under one month old) and 20 were aged 60 years and upwards, including 7 persons aged 70 and upwards, o whom one was an octogenarian.

Fifty-sseven of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 18 took place in the North Dublin Union Work house and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns fo last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated o the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·8 per 1,000; the rate i the City was 18·1 (North City Districts, 19·4; South, 16·8), and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,00 inhabitants, the rate for the City being 2·1 (1·7 in the North City Districts, and 2·6 in the South and for the Suburbs, 3·0 per 1,000.

No. 1 *North City District*, *East* (Clarence-street, North).—The deaths (11) are equal to an annual rat of 26·2 per 1,000. Tuberculous disease caused 2 deaths, diseases of the heart and blood-vessels *pneumonia* 2, and bronchitis 2.

No. 1 *North City District*, *West* (Summer-hill).—The deaths (15) are equal to an annual rate of 20 per 1,000. Diphtheria and enteric fever each caused one death, epidemic diarrhœa, epidemic enterit caused 2 deaths, tuberculous disease caused 2deaths, and broncho-pneumonia caused one.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22 per 1,000. They include 4 from tuberculous disease, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 18·1 pe 1,000. Among them are one from *diarrhœa*, 2 from tuberculous disease, and 2 from *convulsions*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last wee are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. part of, 10·4; and Finglas and Glasnevin, part of, 23·5. There were 2 deaths from tuberculo disease tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 14·9 pe 1,000. They include 2 from diarrhœal diseases, and 3 from tuberculous disease.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 pe 1,000. Tuberculous disease caused one death, and broncho-pneumonia one.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·9 pe 1,000. Among them are 3 from diarrhœal diseases, 4 from tuberculous disease, and 2 from diseases o the heart and blood-vessels.

No. 4 *South City District* (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13 per 1,000. Enteric fever and epidemic diarrhœa each caused one death, tuberculous disease cause 2 deaths, and *pneumonia* one.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorde last week are:—Rathmines and Rathgar, 14·1; Pembroke, 8·0; Blackrock, 6·0; and Kingstow 17·8. The deaths from the principal epidemic diseases tabulated for these districts include one fro zymotic enteritis for Rathmines and Rathgar, and 2 each from *diarrhœa* for Pembroke and Kingstow The 9 deaths from all causes for Rathmines and Rathgar also include 2 from tuberculous disease, an one from broncho-pneumonia.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoide when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 17th September, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Aug. 27,	1	—	—	13	.	.	3	.	3	18	6	.	—	—	—	—	—	44
	Sept. 3,	.	—	—	9	.	.	2	.	2	7	12	.	—	—	—	—	1	33
	Sept. 10,	.	—	—	5	.	.	4	.	1	6	8	1	—	—	—	—	—	25
	Sept. 17,	.	—	—	4	.	.	5	.	6	7	11	1	—	—	—	—	—	34
Rathmines and Rathgar Urban District.	Aug. 27,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	1	—	3
	Sept. 3,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	4	—	8
	Sept. 10,	.	—	—	2	.	.	1	.	.	1	1	.	—	—	—	3	—	8
	Sept. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
Pembroke Urban District.	Aug. 27,	.	1	.	.	.	.	.	.	.	1	2	.	.	2	.	—	—	6
	Sept. 3,	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	—	—	3
	Sept. 10,	.	1	.	8	.	.	.	.	.	2	.	.	.	10	.	—	—	21
	Sept. 17,	.	.	.	3	.	2	1	.	.	.	.	.	.	.	.	—	—	6
Blackrock Urban District.	Aug. 27,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Aug. 27,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	3
	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Aug. 27,	1	—	—	11	.	.	.	1	30	18	8	1	—	—	—	—	—	70
	Sept. 3,	1	—	—	11	.	.	2	1	25	27	7	.	—	—	—	—	—	74
	Sept. 10,	.	—	—	12	.	.	5	.	17	25	5	.	—	—	—	—	—	64
	Sept. 17,	.	—	—	21	.	.	6	1	9	22	8	.	—	—	—	—	—	67

The Registrar of Dundalk District reports:—There have been no cases of small-pox during the past week.
The Registrar of Armagh District reports:—Three cases of small-pox occurred in District during week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th September, 1904.

From this it appears that:—

One case of small-pox was discharged from hospital during the week, leaving 2 under treatment on Saturday last.

Seven cases of measles were admitted to hospital during the week, 14 were discharged, and 27 patients remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 10 cases were discharged, and 1* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 4 were discharged, there was one death, and 20 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 5 cases were discharged, there was one death, and 59 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 6 patients were discharged, there was one death, and 10 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·3), was equal to an average annual death-rate of 18·0 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow being 17·8, and for Edinburgh 15·1.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th September, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Registration—Week ending Saturday, 17th September, 1904. Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	28·9	18·0	2·7	606	378	108	64	.	2	1	1	3	1	.	6	43	43	47	9	15	100
Dublin Registration Area:—																							
Total,‡	373,994	27·5	24·4	16·8	2·3	177	122	43	20	.	.	.	.	.	1	.	2	14	10	16	2	4	45
City of Dublin	293,885	37·1	25·4	18·1	2·1	143	102	34	16	.	.	.	.	.	1	.	2	9	8	13	2	4	42
Urban Districts. Rathmines and Rathgar	33,208	19·4	26·7	14·1	1·6	17	9	4	1	.	.	.	.	.	.	.	.	1	1	2	.	.	2
Urban Districts. Pembroke	26,025	16·4	12·0	8·0	4·0	6	4	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Urban Districts. Blackrock	8,759	8·1	23·8	6·0	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Urban Districts. Kingstown	17,622	12·1	20·7	17·8	5·9	7	6	2	2	.	.	.	.	.	.	.	.	2	1	.	.	.	1
Urban Districts.																							
Belfast	358,680	24·4	33·9	17·9	·1	233	123	38	18	.	2	.	1	1	.	.	3	14	20	14	4	6	23
Cork	76,122	33·6	42·5	18·5	·4	62	27	6	4	.	.	.	.	.	.	.	.	5	4	3	.	2	7
Londonderry	41,397	19·1	30·2	11·3	1·3	24	9	.	2	.	.	.	.	.	.	.	.	1	2	1	.	1	1
Limerick	38,151	18·1	17·8	5·5	1·4	13	4	.	1	.	.	.	.	.	.	.	.	1	.	2	.	.	3
Waterford	26,769	18·7	19·5	27·3	7·8	10	14	3	6	.	.	.	.	.	.	.	.	4	1	2	.	1	4
Galway	18,426	2·5	35·0	31·1	.	9	8	2	1	.	.	.	.	.	.	.	.	.	.	2	2	.	4
Dundalk	18,076	3·4	23·9	8·0	4·0	6	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Drogheda	12,760	8·6	12·3	49·0	4·1	3	12	3	4	.	.	.	.	1	.	.	.	.	.	1	.	.	5
Newry	12,405	17·8	33·6	16·8	.	8	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	13·8	62·0	17·7	.	14	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Lisburn	11,461	10·1	22·7	27·8	9·1	5	6	1	3	.	.	1	.	.	.	.	.	1	.	1	.	.	.
Wexford	11,168	23·2	23·3	14·0	.	5	3	3	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Ballymena	10,886	8·9	19·2	14·4	.	4	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Sligo	10,870	3·7	38·4	19·2	4·8	8	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Kilkenny	10,609	11·5	14·7	14·7	.	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Clonmel	10,167	7·8	15·4	15·4	5·1	3	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Portadown	10,092	13·2	5·2	15·5	5·2	1	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tralee	9,867	16·6	26·4	37·0	.	5	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	11·4	.	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	7,909	14·4	59·3	59·3	.	9	9	1	1	.	.	.	.	.	.	.	.	2	1	1	1	3	1
Armagh	7,588	22·2	18·7	41·2	6·9	2	6	2	1	.	.	.	.	1	.	.	.	.	1	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 17th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§69·2	39·8	55·9	0·73	§68·3	39·0	55·5	0·36	§73·3	46·9	58·8	0·84
City of Dublin	a66·9 b64.2	48·9 46·0	57·9 56·0	1·45 1·01	a71·6 b66·3	47·2 40·6	57·9 56·2	0·32 0·43	a74·0 b70·3	50·5 48·0	61·1 58·9	1·00 0·94
Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	63·7	48·0	57·3	0·97	65·7	45·5	57·2	0·54	69·2	51·0	59·9	1·03
Urban Districts.												
Belfast	68·1	40·1	54·0	0·76	68·1	44·6	55·1	0·84	71·1	50·1	58·9	1·11
Cork	62	44	55·5	1·45	63	47	56·0	2·00	68	52	59·4	0·39
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	65	44	55·6	1·07	65	47	55	1·06	73	45	54·5	0·68
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27
Lisburn	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27
Wexford	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	67·0	37·0	55·2	0·90	64·3	37·3	51·0	0·89	74·2	46·5	58·8	0·66
Clonmel	66	39	55·1	1·07	68	40	54·1	1·61	73	41	57·6	1·13
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27
Newtownards	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	61	45	54·4	0·58	63	45	54·8	0·68	65	50	57·1	1·38
Armagh	62	44	55·5	1·45	63	47	56·0	2·00	68	52	59·4	0·39
	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95	71·6	44·0	58·4	1·27

* According to the Census of 1901, but in the cases of the Dublin Registration Area and the City of Dublin the

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 17th of September 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																		
	CITY OF DUBLIN.													URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																			
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	2	.	1	.	.	.	2	.	3	1	.	1	2	.	2	14	.	.
Phthisis,	1	1	1	1	.	.	1	1	.	1	1	.	1	.	.	1	10	1	
Other General Diseases,	2	3	6	3	.	2	1	4	2	4	2	2	4	.	.	1	36	4	
Total,	3	8	7	5	.	2	2	7	2	8	5	2	6	2	.	4	63	6	
B. LOCAL DISEASES:																			
Diseases of: Nervous System	.	2	.	2	.	.	.	1	1	2	.	.	.	1	.	.	9	1	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Heart and Blood Vessels,	3	1	2	.	.	.	.	.	.	2	2	.	.	.	.	1	11	.	
Respiratory System,	4	1	3	.	.	.	.	1	2	1	1	.	2	.	1	.	16	1	
Digestive System,	1	.	1	3	.	.	1	1	1	1	1	.	.	1	.	1	12	2	
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary System,	.	2	.	.	.	.	.	1	1	1	.	.	1	.	.	.	6	1	
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Accidents of Childbirth,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Total,		6	6	5	1	.	1	4	5	7	4	.	3	2	1	2	55	5	
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1	
E. VIOLENT DEATHS	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	2	.	
Deaths from all Causes,	11	15	13	11	1	2	3	11	7	16	9	3	9	4	1	6	122	12	
Annual Rate of Mortality in every 1,000 of the population	20·2	20·0	22·5	18·1	10·8	10·4	23·5	14·9	20·0	19·9	13·4	17·6	14·1	8·0	6·0	17·8	16·8	.	
	19·4							16·8					12·2						
	18·1																		

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	3	.	.	.	.	.	1	.	5	1	1	2	.	.	1	14	11
Workhouse Hospitals	5	2	4	4	1	1	1	2	5	4	2	.	.	.	.	.	31	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi
week of the ten years.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1894–1903.	In the Week ending Sat 17th September, 190					
												Deaths of Persons of the					
												ALL AGES.	0 to 5.				
	Sept. 15, 1894.	Sept. 14, 1895.	Sept. 12, 1896	Sept. 18, 1897.	Sept. 17, 1898.	Sept. 16, 1899	Sept. 15, 1900.	Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40
Mean Temperature.	51·8°	56·5°	56·7°	55·6°	60·6°	57·4°	54·5°	56·8°	52·5°	47·9°	55·0°	55·9°					
ALL CAUSES.	146	170	146	160	182	235	171	164	142	146	166·2	134	12	32	17	17	1
Small-pox, Vaccinated, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	23	.	.	6	1	3·1	.	.	.	.	.	.
Scarlet Fever	3	1	2	1	.	1	1	.	.	1	1·0	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	3	.	.	.	.	2	.	1	.	·6	1	.	.	.	.	.
Whooping Cough, ...	.	3	6	5	4	1	7	1	.	6	3·3	.	.	.	.	.	.
Diphtheria, ...	.	.	.	3	1	1	2	.	2	1	1·0	2	.	1	.	1	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	2	4	5	5	3	9	7	1	3	3	4·2	2	.	.	.	2	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	8	12	9	14	28	50	27	22	5 14	2 3	19·4	6 8	. 1	4 5	2 1	. 1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	1	2	2	.	2	1	.	·9	3	.	3	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	.	.	.	1	.	.	. . .	. . .	·2	. . .	. . .	. . .	. . .	. . .	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	2	.	.	·2	2	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	.	1	.	1	.	1	1	. .	. .	·4	. .	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	24	18	13	22	23	29	20	20	1 13	4 18	20·5	3 8	.	.	.	2 2	. 1
Tuberculous Meningitis, (Acute Hydrocephalus).	3	1	1	2	3	6	4	3	4	3	3·0	5	.	1	2	2	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	4	3	2	6	6	8	6	. .	. 2	3·9	4 2	1 .	2 1	1 1	. .	.
Tuberculous Dis. (other), ... *Scrofula*, ...	4	1	4	2	7	6	4	4	5 .	6 .	4·3	7 .	2 .	1 .	1 .	2 .	1 .
Alcoholism, ...	.	1	.	.	.	.	1	.	.	1	·3	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	.	1	2	.	.	·4	.	.	.	.	.	.
Gout, ...	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.

* The figures for the years 1894–1900 a

SEVENTH WEEK ending Saturday, 17th September, 1904, with the deaths from each cause in the corresponding ıge for those weeks.*

SES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Sept. 15, 1894.	Sept. 11, 1895.	Sept. 12, 1896.	Sept. 18, 1897.	Sept. 17, 1898.	Sept. 16, 1899.	Sept. 15, 1900.	Sept. 14, 1901.	Sept. 13, 1902.	Sept. 19, 1903.	Averages in 37th Week of the 10 years 1894-1903.	In the Week ending Saturday, 17th September, 1904. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	0 to 5. 1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
ın Temperature.	° 51·8	° 56·5	° 56·7	° 55·6	° 60·6	° 57·4	° 54·5	° 56·8	° 52·5	° 47·9	° 55·0	Mean Temp. ° 55·9								
... ...	5	10	6	8	4	3	7	7	.	2	5·9	3	.	.	.	1	1	1	.
... ...									.	.		1	.	.	.	1	.	.	.
... ignant Disease ...									4	3		4	.	.	.	.	1	2	1	.
ellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
Birth	4	.	.	6	3	5	.	2	2	4	2·6	4	3	1	.	.	.	.	.	.
(not tuberc.)									6	1		3	.	1	.	2	.	.	.	.
. P. of Insane									.	4		1	.	.	.	.	.	1	.	.
.. ..									2	.		2	.	.	.	.	1	1	.	.
... .									3	6		4	1	1	2	.	.	.	.	.
Ataxy									.	.		.	.	.	.	.	.	.	.	.
Dis. of Cord									1	.		.	.	.	.	.	.	.	.	.
ystem (other Dis.) ...	28	46	37	27	26	30	29	37	.	.	32·0	.	.	.	.	.	.	.	.	.
Endocarditis									2	4		1	.	.	.	.	.	1	.
m. Thromb.									.	4		1	.	.	.	.	.	1	.
Hemiplegia									4	2		4	.	.	.	.	1	3	.
... ...									.	.		.	.	.	.	.	.	.	.	.
Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
Blood Vessel Dis.									11	10		5	.	1	.	1	.	2	1	.
Spasm. or Memb.) ...	1	2	.	2	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
... ...	8	12	10	13	9	10	8	11	7	13	10·1	8	1	3	1	.	1	2	.	.
Pneumonia									1	.		.	.	.	.	.	.	.	.	.
neumonia	7	3	3	5	7	10	7	11	3	3	6·3	3	.	1	1	1	.	.	.	.
a"									2	1		5	.	.	1	.	1	2	1	.
mphysema									.	.		.	.	.	.	.	.	.	.	.
... ...	2	.	2	2	1	1	3	1	.	.	1·5	.	.	.	.	.	.	.	.	.
y Dis. (other)									1	2		1	.	.	.	.	.	1	.	.
Quinsy	.	.	1	.	.	2	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
not Epid.)	2	2	1	3	3	5	1	2	.	1	2·5	1	.	1	.	.	.	.	.	.
eritis									1	4		2	.	.	2	.	.	.	.	.
(not Puerp.)	1	1	.	.	1	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.
f Liver	2	4	5	2	5	3	1	1	2	.	2·5	1	.	.	.	.	.	1	.	.
(other)									.	.		2	1	.	.	.	1	.	.	.
Dis. (other)	4	7	3	1	6	5	4	.	3	5	3·8	8	1	2	1	.	2	1	1	.
Acute									.	2		2	.	.	1	.	.	.	1	.
is., Albuminuria ...	1	1	4	2	5	4	3	.	1	.	2·4	5	.	.	.	.	1	2	2	.
ys. (Other Dis.) ...									.	1		.	.	.	.	.	.	.	.	.
Organs Dis.	2	.	1	2	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
(Accid. of)	1	.	.	1	1	.	.	2	2	.	·7	1	.	.	.	.	1	.	.	.
... ...	12	10	9	6	8	9	10	2	8	5	7·9	1	.	.	.	.	.	.	1	.
eases	14	17	11	14	16	8	7	17	16	12	13·2	6	1	2	.	.	.	1	2	.
ACCIDENT.																				
ays	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
es and Horses	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
ning)									1	.	·1	.	.	.	.	.	.	.	.	.
g Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scalds, Explosions ...	.	.	1	4	1	1	1	1	.	1	1·0	.	.	.	.	.	.	.	.	.
ning	2	.	1	.	.	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.
ation in Bed	.	2	.	1	.	.	.	.	.	.	·3	1	.	1	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
aths by Accidents ...	1	2	5	2	1	3	3	3	2	.	2·2	1	.	.	.	.	1	.	.	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	1	.	.	1	.	2	·4	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Mar 26.	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept 17.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
Births registered,	217	202	174	254	204	207	251	248	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236	254	182	177
*Average Births in corresponding week of previous 10 years,**	199	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217
Deaths registered,	235	219	226	186	178	158	178	178	178	163	150	148	169	149	126	188	146	181	136	161	199	183	178	150	157	184
Annual Death-rate per 1,000,	34·8	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4
*Average Deaths in corresponding week of previous 10 years,**	220	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166
Ages, Under 5 years,	67	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61
5—20 ,,	10	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17
20—40 ,,	44	28	34	28	27	18	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20	13
40—60 ,,	52	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	23	29	23	28	21	23
60—80 ,,	50	2	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19
80 years and upwards,	12	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	5	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.
,, Scarlet Fever	.	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
,, Whooping-cough,	5	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.
,, Diphtheria,	2	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2
,, Simple Continued Fever,	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Enteric Fever,	.	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2
,, Diarrhœal Diseases,	1	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35	26	26	14
,, Phthisis,	36	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21	19	21	20	11
,, Diseases of Heart and Blood Vessels,	35	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11
,, Diseases of Respiratory System,	43	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17
Violent Deaths,	6	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2
Mean Temperature of the Air (Phœnix Park),	43·6	42·1	45·9	47·3	46·0	48·0	46·7	49·7	49·3	50·5	56·2	58·1	56·3	55·4	54·8	57·2	58·8	59·8	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9
Average Mean Temperature in corresponding week of previous 10 years.	2·8	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0
Rainfall in inches,	·268	·755	·788	·035	·068	·150	·718	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·850	·955	·540	·835	·360	·725
Mean Humidity of the Air, complete Saturation 1·0,	·83	·82	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·73	·82	·85	·84	·84	·81	·82

* See note at foot of Table IV.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th September, 1904; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 17th September, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	18·6	184	61	17	13	23	19	1	.	.	.	.	.	2	.	2	14	18	11	4	17	2	82
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	6·0	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
II.	Middle Class,	27,188	12·0	20	9	5	.	4	1	1	.	.	.	.	.	1	.	.	3	4	3	1	2	.	10
III.	Artisan Class and Petty Shopkeepers	110,423	9·9	21	13	3	1	1	3	.	.	.	.	.	.	.	.	1	2	3	1	.	3	.	14
IV.	General Service Class,	154,279	29·6	59	30	7	6	9	7	.	.	.	.	.	.	1	.	1	9	11	3	3	6	1	35
V.	Inmates of Workhouses,	6,024		32	9	2	6	8	7	.	.	.	.	.	.	.	.	.	.	.	4	.	6	1	21
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	12·5		.	.	.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	4	1	.	1	1	.	.	.	.	.	.	1	.	.	2	3	.	.	1	.	3
	6. Clerks and Commercial Assistants,	30,432	10·3	6	4	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	11·6	6	1	2	.	2	.	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	9. Building and Furnishing Trades,	29,801	15·7	9	6	2	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2	.	5
	10. Clothing Trades,	28,260	9·0	4	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	11. Food Supply Trades,	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	12. Other Trades and Callings ranking with Trades,	30,352	5·2	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	13. Petty Shopkeepers,	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	4
	15. Domestic Servants,	36,603	5·7	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	18·1	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·5	44	22	7	3	5	7	.	.	.	.	.	.	1	.	1	8	10	2	2	6	.	24
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	6,024	.	32	9	2	6	8	7	.	.	.	.	.	.	.	.	.	.	.	4	.	6	1	21

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	July 30,	18·4	.	10	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
	„ 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
	„ 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
	„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
	„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
	„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	July 30,	18·6	6·7	14	.	2	.	.	2	.	.	.	1	.	1	.
	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
	„ 13,	34·6	9.3	26	.	1	1	.	.	.	.	.	5	3	2	.
	„ 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
	„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	July 30,	27·7	1·7	16	.	.	.	.	.	.	.	.	1	1	5	.
	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	3	.
	„ 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
	„ 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	1
	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
	„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
	„ 17,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	July 30,	21·4	.	13	.	.	.	.	.	.	.	.	.	2	2	.
	Aug. 6,	16·5	3·3	10	.	.	.	.	.	.	.	.	2	.	.	.
	„ 13,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	3	2	.
	„ 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
	„ 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	3	2	1	.
	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
	„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
	„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	July 30,	20·4	1·4	15	.	.	.	.	.	1	.	.	.	4	1	1
	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
	„ 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
	„ 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
	„ 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
	Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
	„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
	„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	July 30,	34·2	8·6	12	.	1	.	.	.	.	.	1	1	3	2	.
	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
	„ 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	.
	„ 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	1
	„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
	„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	July 30,	13·7	2·5	11	.	1	.	.	.	.	.	.	1	3	1	1
	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
	„ 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
	„ 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
	„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
	„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
	„ 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	July 30,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	3	1
	Aug. 6,	18·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
	„ 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
	„ 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
	Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
	„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
	„ 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	July 30,	11·0	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	„ 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	13	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	July 30,	12·0	.	6	.	.	.	.	.	.	.	.	.	.	3	.
	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	„ 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
	„ 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	„ 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	July 30,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	.	1	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	July 30,	16·7	3·1	115	.	2	.	.	2	.	.	1	16	17	11	2
	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	„ 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	„ 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	„ 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	„ 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
Cork Pop. (in 1901) 76,122.	July 30,	13·0	.	19	.	.	.	.	.	.	.	.	.	3	1	1
	Aug. 6,	17·1	0·7	25	.	.	.	.	.	.	.	.	.	7	.	.
	„ 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	„ 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	„ 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	„ 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
Londonderry. Pop. in 1904 (Est.) 41,397	July 30,	8·8	1·3	7	.	.	.	.	.	.	.	.	1	2	.	.
	Aug. 6,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	„ 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	„ 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	„ 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
Limerick. Pop. (in 1901) 38,151.	July 30,	23·2	.	17	.	.	.	.	.	.	.	.	.	.	4	.
	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	„ 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
Waterford. Pop. (in 1901) 26,769	July 30,	9·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.
	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.
	„ 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.
	„ 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	„ 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 17th September, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	10	17·7	.	5	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Do. 2 ,,	47,959	27	18·5	3·3	17	6	1	7	3	.	.	.	1	.	.	.	1	1	4	7	.	.	3
Do. 3 ,,	47,214	33	15·5	2·2	14	5	2	3	4	.	1	.	.	.	.	.	.	1	.	2	.	.	2
Do. 4 ,,	40,911	32	19·1	3·8	15	4	4	6	1	.	.	.	.	1	.	.	1	1	2	2	.	.	6
Do. 5 ,,	17,887	6	21·0	3·0	7	1	.	5	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2
Do. 6 ,,	48,122	21	18·4	3·3	17	1	1	11	4	.	.	.	.	.	.	.	1	2	5	1	.	1	5
Do 7 ,,	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	.	51·5	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 9 ,,	19,569	12	18·7	2·7	7	3	.	4	.	.	.	.	.	.	.	.	.	1	1	1	1	1	2
Do. 10 ,,	28,064	26	23·3	6·8	9	5	1	3	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.
Do 11 ,,	34,802	22	22·5	3·0	15	5	3	5	2	.	.	.	.	.	.	.	.	2	2	.	3	4	1
Do. 12 ,,	33,588	30	10·9	3·1	7	4	.	2	1	.	.	.	.	.	.	.	.	2	1	1	.	.	.
Do 13 ,,	15,006	13	17·4	3·5	5	1	1	3	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	233	18·4	3·1	123	38	14	53	18	.	2	.	1	1	.	.	3	14	20	14	4	6	23
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	10	4·1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 ,,	10,701	7	34·1	4·9	7	1	3	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1
Do 3 ,,	9,978	7	10·5	5·2	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 4 ,,	8,666	11	24·1	6·0	4	1	.	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	2
Do. 5 ,,	6,592	4	23·7	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 6 ,,	10,702	7	24·4	9·7	5	4	.	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
Do 7 ,,	16,616	16	15·7	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	1	3
Total	76,122	62	18·5	3·4	27	6	5	12	4	.	.	.	.	.	.	.	.	5	4	3	.	2	7

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered,	261	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233
DEATHS registered.	167	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	108	128	120	124	127	123
Annual Death-rate per 1,000 of estimated Population.	24·3	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9
AGES, Under 1 year,	30	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38
AGES, 1–5 years,	28	26	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14
AGES, 5–60 years,	72	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53
AGES, 60 years and upwards,	37	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2
" Scarlet Fever,	.	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.
" Typhus,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1
" Whooping cough,	14	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1
" Diphtheria,	.	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Enteric Fever,	.	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3
" Diarrhœal Diseases,	1	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14
" Phthisis	31	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20
" Diseases of Respiratory System,	52	51	42	59	4	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14
Violent Deaths,	1	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th September, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 1, West,	.	.	.	1	.	.	1	.	2	1	.	.	.	5
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	3	2	2	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	3	7	.	.	11
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	2	.	.	.	.	.	.	1	.	.	3
" " 4,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	1	.	2
Total,	.	.	.	4	.	.	5	.	6	7	11	1	.	34

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th September, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th September.			
	Aug. 27.	Sept. 3.	Sept. 10.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	4	4	3	.	1	.	2
Measles,	47	34	34	7	14	.	27
Scarlet Fever,	39	48	53	8	10	.	51*
Typhus "	.	.	.	.	.	.	.
Diphtheria,	15	20	20	5	4	1	20
Enteric Fever,	48	54	54	11	5	1	59
Pneumonia,	10	10	8	9	6	1	10

* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Sept. 17,	2,514	1,360	15·3	.	8	14	9	16	9	189
EDINBURGH,	331,977	„ 17,	175	96	15·1	.	1	.	2	4	.	4
GLASGOW,	798,357	„ 17,	447	272	17·8	1	2	.	2	6	2	42
CALCUTTA,	847,798	July 16,	.	350	21·4	1	.	.	2	.	111‡	37*
		„ 23,	.	367	22·5	.	.	.	2	.	118‡	42*
BOMBAY,	776,006	Aug. 16,	394	662	44·4	1	4	.	.	.	56‡	115*
MADRAS,	509,346	„ 5,	415	361	36·8	.	.	?	?	?	97	40
PARIS,	2,660,559	Sept. 3,	999	803	15·6	1	3	2	2†	10	7	91
BRUSSELS (with 8 Faubourgs).	586,936	Aug. 27,	215	175	15·5	.	1	.	2†	1	2	35
AMSTERDAM,	548,435	„ 27,	261	133	12·6	.	2	.	.	1	2	24
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Aug. 27,	221	128	16·0	.	.	.	1	4	.	25
CHRISTIANIA,	223,649	Sept. 3,	88	54	12·5	.	.	.	1	2	.	15
ST. PETERSBURG,	1,248,122	„ 3,	408	532	22·2	.	9	11	14	3	16	54
BERLIN,	1,960,909	Aug. 20,	926	781	20·7	.	9	14	4†	17	3	290
HAMBURG,	751,842	„ 27,	.	255	17·6	.	1	.	2†	4	4	58
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Sept. 3,	.	213	21·3	.	.	.	1†	2	.	73
VIENNA (with suburbs).	1,797,992	„ 3,	849	542	15·7	.	5	1	6†		1	88
BUDA-PESTH,	813,399	„ 3,	356	276	17·3	.	2	8	6†	2	3	34
PRAGUE and Faubourgs.	426,404	Aug. 27,	175	189	23·0	.	.	.	2†	1	4	10
ROME,	499,241	June 25,	204	198	20·7	.	3	.	1	.	4	30
		July 2,	186	181	18·9	.	2	.	1	.	4	29
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	166,288	Aug. 6,	78	66	20·7	.	3	.	.	1	1	17
NEW YORK,	3,838,024	„ 20,	1,968	1,291	17·5	.	7	5	26†	2	23	293
PHILADELPHIA,	1,408,154	„ 13,	.	441	16·3	.	1	.	5†	3	11	83

* Including 7 and 13 deaths respectively from cholera in Calcutta and 33 in Bombay.
† Including deaths from croup.
‡ Exclusive of 5 and 6 deaths respectively from bubonic fever in Calcutta and 44 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 17th September, 1904 :—

"Very broken weather was felt in Ireland during the greater part of this week. Conditions were more favourable in Great Britain. Sunday no doubt was a beautiful day—a ridge of high atmospheric pressure lying over Great Britain and Ulster in the morning. As the day advanced cirrus cloud spread across the sky from W.S.W., a partial solar halo appeared, and at night the wind freshened from E. In Dublin rain set in at 8.40 a.m. on Monday and by 9 p.m. 1·215 inches had fallen at Fitzwilliam Square. At 8 a.m. of the same day the barometer stood at 30·21 inches at Aberdeen, the reading at Valentia (29·61 inches) being six-tenths of an inch lower. The depression subsequently travelled away northwards along the west coast of Ireland, finally passing off to the northwestward over the Atlantic. Tuesday was very fine and at first bright—at 5 30 p.m. a rainbow-coloured parhelion was seen to W.N.W. At 8 a.m. of Wednesday a new depression was central over the S. of Ireland, travelling eastwards. This disturbance brought squally S.E. to E. winds and a considerable rainfall to most districts. It gradually filled up as it travelled and at last dispersed over the Netherlands and Belgium on Thursday. An anticyclone now formed over Scandinavia (where temperature was low all through the week), while an Atlantic depression hovered off the W. coast of Ireland. The result was a prevalence of strong S.E. and S. winds, clouds, and a good deal of rain in Ireland, whereas the weather became fine and warm in Great Britain. In Ireland also these improved conditions were enjoyed on Saturday. In Dublin the mean height of the barometer was 29·904 inches, pressure ranging between 30·207 inches at 9 a.m. of Sunday (wind, E.) and 29·583 inches at 9 a.m. of Wednesday (wind, E.S.E.). The corrected mean temperature was 57·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·6°. The screened thermometers fell to 48·9° on Tuesday and rose to 66.9° on Friday. Bright sunshine was estimated at 28½ hours, 9½ falling on Sunday and 9¼ on Tuesday. S.S.E. winds prevailed. The rainfall was 1·452 inches on 5 days, 1·197 inches being recorded on Monday. This was the heaviest downpour in 24 hours in Dublin since September 2, 1902. In Trinity College 1·285 inches fell during the week."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·908 inches. The highest reading (30·203) was on Sunday at 9 a.m., wind E., and the lowest (29·590) on Wednesday at 9 a.m., wind S.E.

The mean temperature for the week was 55·9°, being 0·9° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 69·2° and was lowest on Tuesday, the mercury having fallen to 39·8°. The mean of the Dry Bulb for the week was 56·6°, and of the Wet Bulb 53·6°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·3 hours. The rainfall during the week measured ·725 inch.

At Greenwich the mean temperature for the week was 56·4°, the maximum 71·4°, and the minimum 41·2°; at Glasgow the maximum was 69·2°, the minimum 38·0°, and the mean 55·0°; and at Edinburgh the maximum was 68·4°, the minimum 43·8°, and the mean 53·3°. The rainfall at Greenwich measured 0·24 inch; at Glasgow 0·01 inch; and at Edinburgh 0·02 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 11,	30·130	59·1	45·5	52·3	55·7	52·5	·80	·1	8·9	—	E.	E.
Monday, „ 12,	29·778	58·1	52·1	55·1	54·2	51·2	·81	·2	0·2	·520	E.	S.W.
Tuesday, „ 13,	29·784	61·3	39·8	50·6	55·0	50·6	·73	·4	9·5	·120	S.W.	S.
Wednesday, „ 14,	29·682	57·7	49·4	53·6	51·1	50·6	·97	·0	0·6	·045	S.E.	Calm.
Thursday, „ 15,	29·919	62·4	46·3	54·4	59·2	53·1	·82	·1	2·8	·040	Calm.	S.E.
Friday, „ 16,	29·961	69·2	57·7	63·5	60·7	57·8	·83	·3	1·6	—	S.E.	S.
Saturday, „ 17,	30·104	66·0	56·9	61·5	60·6	56·3	·76	·2	4·7	—	S.S.E.	S.
Mean, . .	29·908	62·0	49·7	55·9	56·6	53·6	·82	·2	Total 28·3	·725	Prevailing Wind, S.S.E.	

Sunday—A fine day; night cloudy. *Monday*—Day overcast and heavy rain; night cloudy p.m., clear a.m. *Tuesday*—A fine day, showery from 4 p.m.; night overcast and showery. *Wednesday*—Overcast and light rain 9 to 11.30 a.m., cloudy p.m.; night cloudy, foggy a.m. *Thursday*—Cloudy a.m., dull, showery p.m.; night cloudy. *Friday*—A cloudy day; night cloudy. *Saturday*—Day fine but cloudy; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street

360 Wt. 124. 6. 1904.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.
Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 24TH SEPTEMBER, 1904. [No. 38.

General Register Office, Charlemont House, Dublin, 26th September, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphaically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 3.	Week ending Sept. 10.	Week ending Sept. 17.	Week ending Sept. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 3.	Week ending Sept. 10.	Week ending Sept. 17.	Week ending Sept. 24.	Average Rate for 4 weeks.
Town Dists.	18·8	18·6	18·0	20·6	19·0	Lisburn, . .	27·3	13·6	27·3	4·5	18·2
magh, . .	20·6	48·1	41·2	27·5	34·3	Londonderry .	23·9	15·1	11·3	17·6	17·0
llymena, .	14·4	23·9	14·4	14·4	16·8	Lurgan, . .	8·9	8·9	17·7	8·9	11·1
lfast, . .	18·0	18·5	17·9	17·7	18·0	Newry, . .	37·8	29·4	16·8	33·6	29·4
onmel, . .	.	46·2	15·4	25·6	21·8	Newtownards, .	22·9	5·7	11·4	17·2	14·3
rk, . . .	15·8	17·8	18·5	14·4	16·6	Portadown, .	25·8	25·8	15·5	15·5	20·6
rogheda, . .	16·3	8·2	49·0	12·3	21·4	Queenstown, .	33·0	.	59·3	19·8	28·0
ublin Reg. Area,	19·9	20·8	16·8	25·9	20·8	Sligo, . . .	9·6	14·4	19·2	9·6	13·2
ndalk, . .	4·0	4·0	8·0	12·0	7·0	Tralee, . .	26·4	10·6	37·0	37·0	27·7
alway, . .	54·4	27·2	31·1	35·0	36·9	Waterford, .	3·9	17·5	27·3	13·6	15·6
ilkenny, . .	.	19·7	14·7	9·8	11·1	Wexford, . .	18·7	9·3	14·0	28·0	17·5
merick, . .	19·1	6·8	5·5	21·9	13·3						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 3·4 per 1,000, the rates varying from 0·0 in ine of the districts to 5·7 in Newtownards. Among the 122 deaths from all causes in elfast are 5 from measles, one from scarlet fever, 2 from whooping-cough, 6 from nteric fever, and 12 from diarrhœal diseases; and the 7 deaths from all causes in Waterford include 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 22—117 boys and 105 girls; and the deaths to 194—113 males and 81 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·7 in every ,000 of the population; omitting the deaths (numbering 6) of persons admitted nto public institutions from localities outside the Area, the rate was 25·9 per 1,000. During the thirty-eight weeks ending with Saturday last the death-rate averaged 24·8,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts.

† See note (*), Table II. ‡ See columns 10–18 of Table II.

and was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903.

Whooping-cough caused 4 deaths; measles, cerebro-spinal fever, and enteric fever each caused one death; and 28 deaths were attributed to diarrhœal diseases. In the 3 preceding weeks deaths from diarrhœal diseases numbered 26, 26, and 14, respectively.

Broncho-pneumonia caused one death, and *pneumonia* 5.

Tuberculous disease caused 40 deaths, including 8 from tuberculous phthisis, 17 from *phthisis*, 4 from tuberculous meningitis, 2 from tuberculous peritonitis, one from tabes mesenterica, one from *scrofula*, and 7 from other forms of the disease.

Carcinoma caused one death, and *cancer*, *malignant disease*, 8.

The deaths of 6 infants were attributed to premature birth.

Diseases of the nervous system caused 11 deaths, including 2, of children under one year old, from *convulsions*.

There were 27 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 18 deaths.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (50 being infants under one year, of whom 10 were under one month old), and 46 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 9 were octogenarians, and 3 (2 males and a female) were stated to have been aged 90, 103, and 91 years, respectively.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·9 per 1,000; the rate in the City was 28·1 (North City Districts, 28·7; South, 27·4), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·7 per 1,000 inhabitants, the rate for the City being 5·2 (5·1 in the North City Districts, and 5·1 in the South), and for the Suburbs, 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 33·1 per 1,000. There were 4 deaths from diarrhœal diseases, and 3 from tuberculous disease.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. There was one death from epidemic enteritis, 4 from tuberculous disease, 3 from diseases of the heart and blood-vessels, and one from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. Among them are 5 deaths from diarrhœal diseases, 3 from tuberculous disease, and 7 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 per 1,000. Measles and *diarrhœa* each caused one death, and tuberculous disease caused 2.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 41·6; and Finglas and Glasnevin, part of, 31·3. The 8 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, part of, include one from *diarrhœa*, 2 from tuberculous disease, and 2 from *pneumonia*; and the 4 deaths for Finglas and Glasnevin, part of, include 2 from diarrhœal diseases.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 32·6 per 1,000. They include 2 from whooping-cough, one from enteric fever, one from epidemic enteritis, 6 from tuberculous disease, and 4 from diseases of the heart and blood-vessels.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·9 per 1,000. Two deaths were caused by whooping-cough, one by epidemic enteritis, 2 by *phthisis*, and 2 by bronchitis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·9 per 1,000. Diarrhœal diseases caused 4 deaths, tuberculous disease 5, and diseases of the heart and blood-vessels 2.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Among them are 2 from diarrhœal diseases, 6 from tuberculous disease, one from *pneumonia*, and 2 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. They include one from *diarrhœa*.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 24·0; Blackrock, 6·0; and Kingstown 14·8. The deaths from the principal epidemic diseases tabulated for these districts include 3 from diarrhœal diseases for Rathmines and Rathgar, and 2 from diarrhœal diseases for Pembroke. The 12 deaths from all causes tabulated for Rathmines and Rathgar include 3 from tuberculous disease, and one from broncho-pneumonia; and the 12 deaths for Pembroke include 3 from tuberculous disease, 5 from diseases of the heart and blood-vessels, and 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. weett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:— the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 24th September, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 3,	.	—	—	9	.	.	2	.	2	7	12	.	—	—	—	—	1	33
	Sept. 10,	.	—	—	5	.	.	4	.	1	6	8	1	—	—	—	—	—	25
	Sept. 17,	.	—	—	4	.	.	5	.	6	7	11	1	—	—	—	—	—	34
	Sept. 24,	.	—	—	4	.	.	2	.	.	14	14	.	—	—	—	—	—	34
Rathmines and Rathgar Urban District.	Sept. 3,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	4	—	8
	Sept. 10,	.	—	—	2	.	.	1	.	.	1	1	.	—	—	—	3	—	8
	Sept. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	7	—	9
Pembroke Urban District.	Sept. 3,	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	—	—	3
	Sept. 10,	.	1	.	8	.	.	.	.	.	2	.	.	.	10	.	—	—	21
	Sept. 17,	.	.	.	3	.	2	1	.	.	.	.	.	.	.	.	—	—	6
	Sept. 24,	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	—	—	4
Blackrock Urban District.	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
City of Belfast.	Sept. 3,	1	—	—	11	.	.	2	1	25	27	7	.	—	—	—	—	—	74
	Sept. 10,	.	—	—	12	.	.	5	.	17	25	5	.	—	—	—	—	—	64
	Sept. 17,	.	—	—	21	.	.	6	1	9	22	8	.	—	—	—	—	—	67
	Sept. 24,	.	—	—	22	.	.	3	1	10	9	4	.	—	—	—	—	—	49

he Registrar of Dundalk District reports:—There have been no further cases of small-pox in this district.
he Registrar of Armagh District reports:—One case of small-pox sent into Union this week from my rict.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 24th September, 1904.

From this it appears that:—

One case of small-pox was discharged from hospital during the week, leaving one under atment on Saturday last.

Ten cases of measles were admitted to hospital during the week, 4 were discharged, d 33 patients remained under treatment at its close.

Three cases of scarlet fever were admitted to hospital, 10 cases were discharged, and * cases remained under treatment at the close of the week.

A case of typhus fever was admitted to hospital during the week.

Seven cases of diphtheria were admitted to hospital, 6 were discharged, and 21 cases nained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 14 cases were discharged, there re 2 deaths, and 52 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, e patient was discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 13·7), was equal to an average annual death-rate of 16·0 per 1,000 persons living; average rate for 8 principal towns of Scotland was 16·0 per 1,000, the rate for Glasgow ng 15·9, and for Edinburgh 16·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th September, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	REGISTRATION—WEEK ENDING SATURDAY, 24TH SEPTEMBER, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS	1,098,289	19·2	28·6	20·6	3·4	599	432	104	97	.	7	1	.	7	.	.	8	49	56	49	15	31	111
DUBLIN REGISTRATION AREA:—																							
TOTAL,‡	378,994	27·5	30·5	25·9	4·7	222	188	50	44	.	1	.	.	4	.	.	1	28	25	26	2	8	65
CITY OF DUBLIN	293,885	37·1	32·7	28·1	5·2	184	158	44	35	.	1	.	.	4	.	.	1	23	23	20	1	7	57
Urban Districts. RATHMINES AND RATHGAR.	33,203	19·4	20·4	18·8	4·7	13	12	4	2	.	.	.	.	.	.	.	.	3	1	1	.	.	4
PEMBROKE	26,025	16·4	28·0	24·0	4·0	14	12	1	4	.	.	.	.	.	.	.	.	2	1	2	.	.	3
BLACKROCK	8,759	8·1	17·9	6·0	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	17,622	12·1	28·7	14·8	.	8	5	1	2	.	.	.	.	.	.	.	.	.	.	3	1	1	1
URBAN DISTRICTS.																							
BELFAST	358,680	24·4	32·0	17·7	3·8	220	122	29	25	.	5	1	.	2	.	.	6	12	15	13	9	17	22
CORK	76,122	33·6	20·5	14·4	0·7	30	21	3	4	.	.	.	.	.	.	.	1	.	2	.	3	4	10
LONDONDERRY	41,897	19·1	35·3	17·6	1·3	28	14	4	4	.	.	.	.	.	.	.	.	1	4	3	.	.	5
LIMERICK	38,151	18·1	32·8	21·9	1·4	24	16	7	1	.	.	.	.	.	.	.	.	1	1	1	1	1	8
WATERFORD	26,769	18·7	19·5	13·6	3·9	10	7	2	2	.	.	.	.	.	.	.	.	2	1	.	.	.	3
GALWAY	18,426	2·5	19·4	35·0	3·9	5	9	2	2	.	1	.	.	.	.	.	.	.	1	3	.	.	.
DUNDALK	18,076	3·4	13·0	12·0	4·0	3	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
DROGHEDA	12,760	8·6	28·6	12·3	.	7	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
NEWRY	12,405	17·8	25·2	33·6	4·2	6	8	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.
LURGAN	11,782	13·8	17·7	8·9	.	4	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
LISBURN	11,461	10·1	18·2	4·5	4·5	4	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
WEXFORD	11,168	23·2	42·0	28·0	.	9	6	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1
BALLYMENA	10,886	8·9	19·2	14·4	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	10,870	3·7	14·4	9·6	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY	10,609	11·5	14·7	9·8	4·9	3	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
CLONMEL	10,167	7·8	5·1	25·6	.	1	5	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.
PORTADOWN	10,092	13·2	31·0	15·5	.	6	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE	9,867	16·6	15·9	37·0	5·8	3	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS	9,110	18·9	11·4	17·2	5·7	2	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1
QUEENSTOWN	7,909	14·4	26·4	19·8	.	4	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
ARMAGH	7,588	22·2	6·9	27·5	.	1	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Towns and Districts.	METEOROLOGY.† Week ending 24th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 22 TOWN DISTRICTS	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—												
TOTAL,‡	§66·8	37·9	52·6	0·00	§69·2	39·8	55·9	0·73	§68·3	39·0	55·5	0·36
CITY OF DUBLIN	a66·0 b64·8	44·3 36·0	55·5 52·8	0·00 0·00	a66·9 b64.2	48·9 46·0	57·9 56·0	1·45 1·01	a71·6 b66·3	47·2 40·6	57·9 56·2	0·32 0·43
Urban Districts. RATHMINES AND RATHGAR.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN	63·2	46·0	56·8	0·00	63·7	48·0	57·3	0·97	65·7	45·5	57·2	0·54
URBAN DISTRICTS.												
BELFAST	64·1	42·6	54·3	0·00	63·1	40·1	54·0	0·76	63·1	44·6	55·1	0·84
CORK	62	47	55·2	0·01	62	44	55·5	1·45	63	47	56·0	2·00
LONDONDERRY	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY	70	40	52	0·00	65	44	55·6	1·07	65	47	55	1·06
DUNDALK	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95
LURGAN	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95
LISBURN	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95
WEXFORD	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO	67·7	35·0	53·6	0·00	67·0	37·0	55·2	0·90	64·3	37·8	51·0	0·89
KILKENNY	65	40	54·1	0·00	66	39	55·1	1·07	68	40	54·1	1·61
CLONMEL	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95
TRALEE	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS	62	48	55·6	0·00	61	45	54·4	0·58	63	45	54·8	0·68
QUEENSTOWN	62	47	56·2	0·01	62	44	55·5	1·45	63	47	56·0	2·00
ARMAGH	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63	65·0	43·9	54·5	0·95

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 24th of September, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	4	1	5	1	.	1	2	1	1	4	2	1	3	2	.	.	28	.
Phthisis,	3	4	2	2	.	1	.	4	2	2	3	.	1	1	.	.	25	.
Other General Diseases,	5	3	3	.	.	2	2	4	3	4	6	.	4	2	.	.	38	2
Total,	12	8	10	4	.	4	4	12	8	10	11	1	8	5	.	.	97	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	2	2	1	.	.	.	.	2	.	2	1	.	.	.	.	1	11	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	3	1	1	.	2	.	4	1	2	3	.	1	5	.	.	25	2
Respiratory System,	1	2	7	2	.	2	.	.	2	.	3	1	1	2	.	3	26	.
Digestive System,	.	2	3	1	1	.	.	2	2	1	.	.	.	.	1	.	13	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	1	1	.	.	.	.	.	1	.	.	.	2	.	.	.	6	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	6	11	13	4	1	4	.	8	6	5	7	1	4	7	1	4	82	4
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	.	.	.	.	.	3	.	1	.	1	.	.	.	.	7	.
E. VIOLENT DEATHS	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Deaths from all Causes,	18	21	23	8	1	8	4	24	14	16	18	3	12	12	1	5	188	6
Annual Rate of Mortality in every 1,000 of the population	33·1	28·0	39·8	13·2	10·8	41·6	31·3	32·6	39·9	19·9	26·7	17·6	18·8	24·0	6·0	14·8	25·9	.
	28·7							27·4					18·3					
	28·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	1	4	3	2	.	.	.	8	2	4	1	.	4	1	.	1	31	5
Workhouse Hospitals	3	5	10	.	.	1	.	3	2	4	4	.	.	2	.	.	34	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1894–1903.	In the Week ending S 21th September, 1				
												Deaths of Persons of th				
	Sept. 22, 1894.	Sept. 21, 1895.	Sept. 19, 1896.	Sept. 25, 1897.	Sept. 24, 1898.	Sept. 23, 1899	Sept. 22, 1900.	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 52·9	° 54·9	° 56·0	° 53·7	° 54·9	° 52·4	° 56·2	° 54·7	° 52·9	° --	° 54·3†	° 52·6				
ALL CAUSES.	137	148	148	190	181	200	167	180	168	165	168·4	194	10	40	17	14
Small-pox, Vaccinated, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	23	.	.	13	.	3·7	1	.	.	.	.
Scarlet Fever	1	2	2	4	1	2	.	1	2	.	1·5	.	.	.	.	.
Typhus, ...	.	2	.	.	1	.	.	.	.	.	·3	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	1	1	2	.	1	.	.	.	·5	.	.	.	.	.
Whooping Cough, ...	2	1	3	4	4	1	3	4	1	.	2·3	4	.	2	2	.
Diphtheria, ...	.	.	.	1	.	.	1	2	4	1	·9	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	7	2	2	9	5	5	3	3	1	1	3·8	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	6	12	10	21	27	24	26	20	9 11	4 10	18·0	17 11	. .	11 7	6 1	. .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	.	.	.	1	.	2	3	.	.	·7	1	.	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	1	1	.	1	.	.	1 . .	. . 1	·5	. . .	. . .	. . .	. . .	. . .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	1	.	1	1	.	.	·5	1	.	.	.	1
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	1	.	.	1	.	2	.	1	1 .	. .	·6	2 1	. .	. .	. .	. .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	22	18	13	29	23	18	13	27	. 15	8 19	20·5	8 17	. .	. .	1 4	.
Tuberculous Meningitis, (Acute Hydrocephalus).	1	3	2	10	9	5	.	1	1	2	3·4	4	.	1	.	3
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	1	7	8	2	6	5	8	7	1 .	1 .	4·6	2 1	. .	1 1	1 .	.
Tuberculous Dis. (other), ... *Scrofula*, ...	3	1	7	4	6	8	8	9	4 .	4 .	5·4	7 1	. .	1 .	. 1	3 .
Alcoholism, ...	.	2	1	.	.	2	.	2	3	1	1·1	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

† For nine years only.

* The figures for the years 1894–190

y-EIGHTH WEEK ending Saturday, 24th September, 1904, with the deaths from each cause in the corresponding erage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 22, 1894.	Sept. 21, 1895.	Sept. 19, 1896.	Sept. 25, 1897.	Sept. 24, 1898.	Sept. 23, 1899.	Sept. 22, 1900.	Sept. 21, 1901.	Sept. 20, 1902.	Sept. 26, 1903.	Averages in 38th Week of the 10 years 1894–1903.	In the Week ending Saturday, 24th September, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
ean Temperature.	° 52·9	° 54·9	° 56·0	° 53·7	° 51·9	° 52·4	° 56·2	° 54·7	° 52·9	° —	° 54·3†	° 52·6								
a	5	7	5	6	8	6	7	10	2	3	6·8	1	.	.	.	.	.	1	.
... ...									.	2		.	.	.	.	.	.	.	.
alignant Disease ...									6	1		8	.	.	.	.	4	4	.
Mellitus	.	.	.	.	.	5	.	5	.	.	.	1	.	.	.	.	1	.	.
re Birth	.	.	1	3	4	5	4	5	2	8	3·2	6	6	.	.	.	.	.	.
is (not tuberc.)									3	.		2	.	.	.	1	1	.	.
G. P. of Insane									1	4		2	.	.	.	.	1	.	1	.
.. ..									.	.		1	.	.	.	.	.	1	.	.
ns									10	7		2	.	2	.	.	.	.	.	.
r Ataxy									.	.		.	.	.	.	.	.	.	.	.
ia Dis. of Cord									.	2		.	.	.	.	.	.	.	.	.
System (other Dis.) ...	30	26	24	31	25	25	38	29	.	1	29·7	4	.	1	1	.	.	2	.
,, Endocarditis									2	4		4	.	.	.	.	3	.	1
æm. Thromb.									2	2		3	.	.	.	.	2	.	1
Hemiplegia									5	5		7	.	.	.	.	1	4	2
n									.	.		2	.	.	.	1	1	.	.
, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.
d Blood Vessel Dis.									8	13		11	.	.	.	2	4	3	2
ot Spasm. or Memb.) ...	1	1	.	1	.	1	1	1	1	1	·8	.	.	.	.	.	.	.	.
is	18	9	12	10	9	14	9	9	8	10	10·8	18	2	4	1	.	2	7	2
Pneumonia									.	.		.	.	.	.	.	.	.	.
Pneumonia	1	12	4	8	6	8	5	9	1	3	7·2	1	1	.	.	.	.	.	.
nia"									2	9		5	.	.	.	.	2	3	.
Emphysema									.	.		1	.	.	.	.	.	1	.
... ...	3	.	2	2	1	1	.	2	.	.	1·6	.	.	.	.	.	.	.	.
ory Dis. (other)									4	1		1	.	.	.	.	.	.	1
s, Quinsy	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
(not Epid.)	1	.	4	.	3	2	1	1	2	2	2·1	2	.	2	.	.	.	.	.
nteritis									3	2		2	.	1	1	.	.	.	.
is (not Puerp.)	1	1	.	.	1	1	.	2	.	.	·6	.	.	.	.	.	.	.	.
of Liver	4	7	6	3	2	1	5	2	2	1	3·4	2	.	.	.	.	1	1	.
(other)									.	1		2	.	.	.	.	1	1	.
Dis. (other)	2	3	11	9	8	5	4	5	4	5	5·6	6	.	3	.	1	1	.	.
, Acute									.	.		2	.	.	.	.	2	.	.
Dis., Albuminuria ...	3	3	3	5	2	5	3	3	2	5	3·6	3	.	.	.	.	2	1	.
Sys. (Other Dis.) ...									.	2		2	.	.	.	.	.	.	1	1
ve Organs Dis.	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
h (Accid. of)	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	6	8	8	4	10	10	9	9	8	5	7·7	3	.	.	.	.	.	2	1
seases	12	15	13	10	14	15	10	9	16	11	12·5	8	1	2	2	.	2	1	.
ACCIDENT.																				
ays	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
les and Horses	.	.	.	2	.	.	.	.	.	.	·2	1	.	.	.	1	.	.	.
Boats, Docks (exclusive wning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ng Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	1	.	1	3	.	1	1	.	.	.	·7	.	.	.	.	.	.	.	.
ning	1	.	.	.	1	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
ation in Bed	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.
n or Poisonous Vapours...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.
aths by Accidents ...	1	2	1	3	.	1	3	.	2	1	1·4	1	.	.	.	.	1	.	.
LENCE OTHER THAN ACCIDENTAL.																				
e	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.
... ...	1	.	.	1	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.

† For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	Apr. 2.	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept 17.	Sept. 24
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	202	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	248	188	269	260	236	254	182	177	222
*Average Births in corresponding week of previous 10 years,**	236	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195
DEATHS registered,	219	226	186	178	158	178	173	173	163	150	148	169	149	126	138	146	131	136	161	199	183	178	150	157	134	194
Annual Death-rate per 1,000,	30·1	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7
*Average Deaths in corresponding week of previous 10 years,**	231	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168
AGES, Under 5 years,	66	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61	67
5—20 "	15	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14
20—40 "	28	34	28	27	13	32	21	29	28	26	30	42	30	15	21	21	25	28	17	28	31	21	17	20	13	29
40—60 "	46	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38
60—80 "	2	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34
80 years and upwards,	12	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	3	4	7	1	1	.	1
" Scarlet Fever	1	.	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Whooping-cough,	11	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4
" Diphtheria,	.	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.
" Simple Continued Fever,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Enteric Fever,	2	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1
" Diarrhœal Diseases,	2	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	23
" Phthisis,	27	34	19	26	19	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21	19	21	20	11	25
" Diseases of Heart and Blood Vessels,	25	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27
" Diseases of Respiratory System,	55	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26
Violent Deaths,	5	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2
Mean Temperature of the Air (Phœnix Park),	42·1	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	58·1	56·3	55·4	54·8	57·2	58·8	59·8	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6
Average Mean Temperature in corresponding week of previous 10 years,	42·4	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3
Rainfall in inches,	·755	·788	·035	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000
Mean Humidity of the Air, complete Saturation 1·0,	·82	·79	·78	·81	·8	·79	·88	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th September, 1904; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH SEPTEMBER, 1904.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accident, Homicide, and Suicide).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	27·0	194	67	14	29	38	34	12	.	1	.	.	4	.	.	1	28	34	25	2	26	2	105
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	26·9	9	.	.	1	1	2	5	.	.	.	.	.	.	.	.	1	1	.	.	1	.	7
II.	MIDDLE CLASS,	87,188	19·7	33	6	4	2	7	10	4	.	.	.	.	.	.	.	.	4	4	1	.	9	.	19
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	23·1	49	20	5	10	11	3	.	.	.	.	.	2	.	.	.	9	11	6	.	6	2	24
IV.	GENERAL SERVICE CLASS,	154,279	33·5	68	38	5	9	9	6	1	.	1	.	.	2	.	.	1	13	17	10	2	5	.	34
V.	INMATES OF WORKHOUSES,	6,024		35	3	.	7	10	13	2	.	.	.	.	.	.	.	.	1	1	8	.	5	.	21
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	1	1	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	4
	6. Clerks and Commercial Assistants,	30,432	15·4	9	4	.	2	.	2	1	.	.	.	.	.	.	.	.	3	3	.	.	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,038	28·9	15	1	3	.	5	3	3	.	.	.	.	.	.	.	.	1	1	1	.	3	.	10
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1		.	.	.	.	1
	9. Building and Furnishing Trades,	29,801	36·7	21	9	3	5	4	.	.	.	.	.	.	2	.	.	.	4	6	2	.	2	1	10
	10. Clothing Trades,	23,260	6·7	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	11. Food Supply Trades,	9,242	28·2	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	5	2	1	3	3	.	.	.	.	.	.	.	.	.	2	2	3	.	2	.	7
	13. Petty Shopkeepers,	7,894	26·4	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	3·9	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	15. Domestic Servants,	36,603	10·0	7	3	.	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	43·5	12	9	1	.	2	.	.	.	.	.	.	.	.	.	.	5	5	.	.	.	.	6
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·9	48	26	4	7	6	4	1	.	1	.	.	2	.	.	.	8	11	8	1	3	.	25
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	35	3	.	7	10	13	2	.	.	.	.	.	.	.	.	1	1	8	.	5	.	21

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	Aug. 6,	14·7	1·8	8	.	.	.	.	.	.	.	.	1	.	4	.
		„ 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
		„ 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
		„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
		Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
		„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
		„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
		„ 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Aug. 6,	28·0	4·0	21	.	.	.	.	1	.	.	.	2	.	3	.
		„ 13,	34·6	9·3	26	.	1	1	.	.	.	.	.	5	3	2	.
		„ 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
		„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
		Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
		„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
		„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
		„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Aug. 6,	24·2	5·2	14	.	.	.	.	.	1	.	.	2	.	2	.
		„ 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
		„ 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
		„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	1
		Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
		„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
		„ 17,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Aug. 6,	16·5	3·3	10	.	.	.	.	.	.	.	.	2	.	.	.
		„ 13,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	3	2	.
		„ 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
		„ 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	3	2	1	.
		Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
		„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
		„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Aug. 6,	24·5	2·7	18	.	.	.	.	.	1	.	.	1	1	4	.
		„ 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
		„ 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
		„ 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
		Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
		„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
		„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
		„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Aug. 6,	39·9	11·4	14	.	1	.	.	.	.	.	.	3	2	2	.
		„ 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	.
		„ 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	1
		„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
		Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
		„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
		„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
		„ 24,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Aug. 6,	33·6	5·0	27	.	.	.	.	2	.	.	.	2	3	2	.
		„ 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
		„ 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
		„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
		Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	3	3	1	1
		„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
		„ 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
		„ 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Aug. 6,	13·4	4·5	9	.	1	.	.	.	.	.	.	2	2	2	.
		„ 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
		„ 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
		„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
		Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
		„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
		„ 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
		„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Aug. 6,	11·0	1·6	7	.	.	1	.	.	.	.	.	.	.	1	.
	„ 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	„ 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	13	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Aug. 6,	20·0	2·0	10	.	.	.	.	1	.	.	.	.	1	1	1
	„ 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
	„ 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	„ 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Aug. 6,	23·7	3·0	8	.	1	.	.	.	.	.	.	.	1	2	.
	„ 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	„ 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
Belfast. Pop. in 1904 (Est.) 358,680.	Aug. 6,	15·8	2·5	109	.	.	.	1	2	.	.	3	11	17	15	2
	„ 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	„ 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	„ 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	„ 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
	„ 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	13	9
Cork Pop. (in 1901) 76,122.	Aug. 6,	17·1	0·7	25	.	.	.	.	1	.	.	.	.	7	.	.
	„ 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	„ 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·3	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	„ 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	„ 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	„ 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
Londonderry. Pop. in 1904 (Est.) 41,397	Aug. ,	17·6	3·8	14	.	.	.	.	.	.	.	.	3	3	1	1
	„ 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3.	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	„ 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	„ 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	„ 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
Limerick. Pop. (in 1901) 38,151.	Aug. 6,	15·0	2·7	11	.	.	.	.	.	.	.	.	2	2	2	1
	„ 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	10·9		8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	„ 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
Waterford. Pop. (in 1901) 26,769	Aug. 6,	19·5	1·9	10	.	.	.	.	.	.	.	.	1	1	2	.
	„ 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.
	„ 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	„ 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	„ 24,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 24th September, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	8	28·3	3·5	8	1	.	4	3	.	.	.	.	.	.	.	.	1	1	2	2	3	2
Do. 2 "	47,959	26	10·9	1·1	10	2	1	4	3	.	.	.	.	.	.	.	.	1	3	.	.	.	.
Do. 3 "	47,214	33	19·9	7·7	18	4	5	6	3	.	4	.	.	.	.	.	1	2	1	1	.	2	2
Do. 4 "	40,911	23	21·7	1·3	17	3	2	9	3	.	.	.	.	1	.	.	.	.	2	3	3	3	6
Do. 5 "	17,387	9	15·0	3·0	5	3	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1
Do. 6 "	48,122	21	16·3	7·6	15	5	1	9	.	.	.	.	.	.	.	.	3	4	2	.	2	2	4
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	8	10·3	10·3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	..	.	.	.
Do. 9 "	19,569	6	26·6	2·7	10	2	.	4	4	.	.	1	.	.	.	.	.	.	1	.	.	2	2
Do. 10 "	28,064	17	27·1	6·8	12	2	3	4	3	.	1	.	.	.	.	.	1	1	1	2	.	.	2
Do 11 "	34,862	28	19·5	4·5	13	4	1	5	3	.	.	.	.	1	.	.	1	1	1	1	2	5	2
Do. 12 "	33,588	25	15·5	.	10	2	1	6	1	.	.	.	.	.	.	.	.	.	2	3	.	.	.
Do 13 "	15,006	15	10·4	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	220	18·2	3·9	122	29	14	54	25	.	5	1	.	2	.	.	6	12	15	13	9	17	22
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	8	24·3	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Do. 2 "	10,701	4	14·6	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2
Do 3 "	9,978	.	10·5	5·2	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 4 "	8,666	1	12·0	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 "	6,592	1	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 6 "	10,702	9	4·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 7 "	16,616	7	18·8	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	.	.	2	2	2
Total	76,122	30	14·4	0·7	21	3	2	12	4	.	.	.	.	.	.	.	1	.	2	.	3	4	10

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered,	182	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220
DEATHS registered,	156	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122
Annual Death-rate per 1,000 of estimated Population,	22·7	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7
AGES, Under 1 year,	28	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29
AGES, 1–5 years,	26	22	25	18	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14
AGES, 5–60 years,	69	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54
AGES, 60 years and upwards,	33	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5
" Scarlet Fever,	.	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1
" Typhus,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.
" Whooping cough,	11	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2
" Diphtheria,	.	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Enteric Fever,	2	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6
" Diarrhœal Diseases,	.	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12
" Phthisis	16	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15
" Diseases of Respiratory System,	51	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13
Violent Deaths,	7	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th September, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	.	.	1	.	.	2
" " 1, West,	.	.	.	.	.	.	.	.	.	4	1	.	.	5
" " 2,	.	.	.	1	.	.	.	.	.	1	2	.	.	4
" " 3,	.	.	.	1	.	.	.	.	.	1	1	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	1	.	.	4	6	.	.	11
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	3	1	.	.	5
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
Total,	.	.	.	4	.	.	2	.	.	14	14	.	.	34

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th September, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th September.			
	Sept. 3	Sept. 10.	Sept. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	4	3	2	.	1	.	1
Measles,	34	34	27	10	4	.	33
Scarlet Fever,	48	53	51	3	10	.	44*
Typhus "	.	.	.	1	.	.	1
Diphtheria,	20	20	20	7	6	.	21
Enteric Fever,	54	54	59	9	14	2	52
Pneumonia,	10	8	10	7	1	.	16

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Sept. 24,	2,272	1,223	13·7	.	6	3	19	5	13	108
EDINBURGH,	331,977	„ 24,	144	107	16·8	.	.	2	.	4	2	4
GLASGOW,	798,357	„ 24,	447	243	15·9	.	1	1	1	9	1	30
CALCUTTA,	847,796	July 30,	.	341	20·9	.	1	.	2	.	115‡	43*
		Aug. 6,	.	361	22·1	.	.	.	.	.	127‡	35*
BOMBAY,	776,006	„ 23,	399	628	42·1	1	1	.	.	.	57‡	88*
MADRAS,	509,346	„ 12,	422	342	34·9	.	.	?	?	?	78	57
PARIS,	2,660,559	Sept. 10,	986	691	13·4	3	3	.	5†	7	9	65
BRUSSELS (with 8 Faubourgs).	586,936	„ 3,	215	179	15·8	.	3	.	3†	4	.	31
AMSTERDAM,	548,435	„ 3,	289	121	11·5	.	3	.	1	1	1	15
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	417,000	Sept. 3,	222	104	13·0	.	1	.	.	3	1	18
CHRISTIANIA,	223,649	„ 10,	130	56	13·0	.	.	.	1	.	1	13
ST. PETERSBURG,	1,248,122	„ 10,	581	461	19·3	.	3	11	11	4	15	37
BERLIN,	1,960,909	Aug. 27,	874	769	20·4	.	3	9	5†	12	3	272
HAMBURG,	751,842	Sept. 3,	.	246	17·0	.	1	.	2†	3	2	49
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Sept. 10,	.	199	19·9	.	1	1	2†	2	1	49
VIENNA (with suburbs).	1,797,992	„ 10,	1,024	530	15·3	.	3	1	6†	2	2	80
BUDA-PESTH,	813,399	„ 10,	416	268	17·1	.	3	9	2†	1	7	27
PRAGUE and Faubourgs.	426,404	„ 3,	180	147	17·9	.	.	2	.	2	.	14
ROME,	505,371	July 9,	195	179	18·5	.	2	.	1	1	4	26
		„ 16,	206	184	18·8	.	2	1	1	2	6	25
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Aug. 13,	71	82	25·5	.	3	.	.	.	5	16
NEW YORK,	3,838,024	„ 27,	1,958	1,335	18·1	.	4	2	25†	6	28	286
PHILADELPHIA,	1,408,154	„ 20,	.	420	15·5	.	1	4	7†	5	11	76

* Including 2 and 4 deaths respectively from cholera in Calcutta and 12 in Bombay.
† Including deaths from croup.
‡ Exclusive of 6 and 8 deaths respectively from bubonic fever in Calcutta and 50 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th September, 1904 :—

"A large anticyclone of great staying power and considerable intensity brought fair weather to the whole of Western and Northern Europe—only on Sunday did a little rain fall at exposed stations along the western shores of Ireland, Scotland, and Norway ; and again, on and after Thursday conditions were unsettled in the east and south-east of England and some rainfall occurred there. On Sunday morning the central area of the anticyclone embraced Denmark, the South of Sweden and the Baltic, in which regions the barometer stood above 30·6 inches. The wind circulated round the high-pressure system with the hands of a watch, being E. or N.E. over Germany, France and the Netherlands, S.E. over England and Ireland, but S. or S.W. over Scotland and Scandinavia. There was very little change on Monday, and fine bright weather prevailed during both days. Under the combined influence of a clear sky, a dry atmosphere, and an easterly wind, temperature now became very low over Central Europe, and by night also at inland stations in the British Isles—32° was recorded on 3 successive nights at Munich ; Nairn reported 33° in the course of Wednesday night, Nottingham 36° and Birr 37° on Tuesday night. Clouds showed a marked increase on Thursday, Friday and Saturday, but on the other days the amount of bright sunshine was very large, reaching 10 or even 11 hours at many stations. Rain fell in England on and after Thursday, and the appearance became unsettled in Ireland also on Saturday. In Dublin the mean height of the barometer was 30·204 inches, pressure increasing to 30·308 inches at 9 p.m. of Friday (wind, N.E.) and decreasing to 30·079 inches at 9 p.m. of Saturday (wind, N.N.E.). The corrected mean temperature was 55·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·9°. On Sunday the screened thermometers rose to 66·0°, on Thursday they fell to 44·3°. The prevalent winds were at first S.E., afterwards N.E. Bright sunshine was estimated at 56 hours, a daily average of 8 hours. On Tuesday there were 11½ hours of sunshine. The week was rainless for the first time in Dublin since the week ended Saturday, June 6, 1903."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·214 inches. The highest reading (30·321) was on Friday at 9 p.m., wind N.E., and the lowest (30·086) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 52·6°, being 1·7° below the average for the corresponding period of the 9 years 1894-1902. The temperature was highest on Sunday, on which day the thermometer registered 66·8° and was lowest on Wednesday, the mercury having fallen to 37·9°. The mean of the Dry Bulb for the week was 53·1°, and of the Wet Bulb 50·2°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 57·3 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 53·6°, the maximum 64·1°, and the minimum 40·5° ; at Glasgow the maximum was 70·0°, the minimum 35·5°, and the mean 53·6° ; and at Edinburgh the maximum was 67·8°, the minimum 41·6°, and the mean 52·9°. The rainfall at Greenwich measured 0·20 inch ; at Glasgow 0·03 inch ; and at Edinburgh 0·29 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 18,	30·205	66·8	48·3	57·6	55·0	51·8	·81	·5	10·8	—	S.E.	Calm.
Monday, „ 19,	30·165	63·1	44·7	53·9	57·8	53·0	·72	·0	7·6	—	S.E.	E.
Tuesday, „ 20,	30·203	60·2	42·9	51·6	51·4	48·5	·83	·1	10·9	—	S.E.	Calm.
Wednesday, „ 21,	30·204	60·7	37·9	49·3	49·8	47·1	·84	·2	10·8	—	S.E.	Calm.
Thursday, „ 22,	30·233	57·8	38·7	48·3	53·7	51·0	·83	·8	7·8	—	E.	N.E.
Friday, „ 23,	30·316	60·0	48·7	54·4	52·3	50·6	·89	·6	6·6	—	N.E.	N.E.
Saturday, „ 24,	30·169	57·0	48·7	52·9	51·9	49·3	·83	·6	2·8	—	N.E.	Calm.
Mean, . .	30·214	60·8	44·3	52·6	53·1	50·2	·82	·4	Total 57·3	·000	Prevailing Wind, S.E. & N.E.	

Sunday—A fine day ; night clear. *Monday*—A fine day, light clouds ; night clear. *Tuesday*—A fine day ; night sky clear, ground fog. *Wednesday*—A fine day ; night sky clear, ground fog. *Thursday*—Day fine but cloudy ; night cloudy. *Friday*—Day fine but cloudy ; night clear. *Saturday*—Day fine but cloudy ; night cloudy

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN : Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360 Wt. 124. 6. 1904.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 1ST OCTOBER, 1904. [No. 39.

General Register Office, Charlemont House, Dublin, 3rd October, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the ıst four weeks, and during the whole of that period, in the several Districts, alpha- ıtically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 10.	Week ending Sept. 17.	Week ending Sept. 24.	Week ending Oct. 1.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 10.	Week ending Sept. 17.	Week ending Sept. 24.	Week ending Oct. 1.	Average Rate for 4 weeks.
2 Town Dists.	18·6	18·0	20·6	19·4	19·2	Lisburn, . .	13·6	27·3	4·5	4·5	12·5
rmagh, . .	48·1	41·2	27·5	6·9	30·9	Londonderry .	15·1	11·3	17·6	11·3	13·8
allymena, .	23·9	14·4	14·4	4·8	14·4	Lurgan, . .	8·9	17·7	8·9	22·1	14·4
elfast, . .	18·5	17·9	17·7	17·6	17·9	Newry, . .	29·4	16·8	33·6	37·8	29·4
lonmel, . .	46·2	15·4	25·6	10·3	24·4	Newtownards, .	5·7	11·4	17·2	28·6	15·7
ork, . . .	17·8	18·5	14·4	22·6	18·3	Portadown, .	25·8	15·5	15·5	20·7	19·4
rogheda, . .	8·2	49·0	12·3	28·6	24·5	Queenstown, .	.	59·3	19·8	.	19·8
ublin Reg. Area,	20·8	16·8	25·9	19·0	20·6	Sligo, . . .	14·4	19·2	9·6	24·0	16·8
undalk, . .	4·0	8·0	12·0	19·9	11·0	Tralee, . .	10·6	37·0	37·0	31·7	29·1
alway, . .	27·2	31·1	35·0	38·8	33·0	Waterford, .	17·5	27·3	13·6	19·5	19·5
ilkenny, . .	19·7	14·7	9·8	9·8	13·5	Wexford, . .	9·3	14·0	28·0	28·0	19·8
merick, . .	6·8	5·5	21·9	36·9	17·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last veek * were equal to an annual rate of 2·5 per 1,000, the rates varying from 0·0 in welve of the districts to 12·6 in Newry, the 9 deaths from all causes registered in that istrict including 2 from whooping-cough and one from diarrhœa. Among the 121 eaths from all causes in Belfast are 2 from measles, one from typhus, 2 from whoop- ng-cough, one from simple continued fever, and 10 from diarrhœal diseases; the 33 eaths in Cork include 3 from diarrhœal diseases; the 9 deaths from all causes in Lon- onderry include 3 from diarrhœal diseases; and the 10 deaths in Waterford include 4 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 258—131 boys and 127 girls; and the deaths to 146—60 males and 86 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 20·1 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 19·0 per 1,000. During the thirty-nine weeks ending with Saturday last the death-rate averaged 24·7, and was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903.

Whooping-cough and influenza each caused one death, enteric fever 2, and diarrhœal diseases 16. In the 3 preceding weeks deaths from diarrhœal diseases numbered 26, 14, and 28, respectively.

Broncho-pneumonia caused one death, and *pneumonia* 4.

Tuberculous disease caused 23 deaths, including 3 from tuberculous phthisis, 8 from *phthisis*, 4 from tuberculous meningitis, one from tuberculous peritonitis, one from *scrofula*, and 6 from other forms of the disease.

Carcinoma caused 2 deaths, and *cancer, malignant disease*, 6.

The deaths of 3 infants were attributed to premature birth.

Diseases of the nervous system caused 9 deaths, including 2, of children under 5 year of age, from *convulsions*.

There were 20 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 8 deaths.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old).

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 7 were under one month old), and 32 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·0 per 1,000; the rate in the City was 21·0 (North City Districts, 21·1; South, 20·8), and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·5 (2·4 in the North City Districts, and 2·6 in the South), and for the Suburbs, 3·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. *Diarrhœa* caused one death, diseases of the nervous system 3, and bronchitis 2.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Among them are 4 from diarrhœal diseases, 2 from tuberculous disease, and 2 from diseases of the heart and blood-vessels.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. There was one death from *diarrhœa*, 6 from tuberculous disease, and 2 from diseases of the heart and blood-vessels.

No. 3 North City District (Benburb-street).—The deaths (10) represent an annual rate of 16·5 per 1,000. They include one from tuberculous disease, and 2 from diseases of the heart and blood-vessels.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 5·2; and Finglas and Glasnevin, part of, 7·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 27·2 per 1,000. There were 3 deaths from *diarrhœa*, one from tuberculous phthisis, and one from *pneumonia*.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Epidemic diarrhœa and tuberculous disease, each caused one death, and 2 were due to diseases of the heart and blood-vessels.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. They include one from enteric fever, 2 from diarrhœal diseases, 5 from tuberculous disease, and 5 from diseases of the heart and blood-vessels.

No. 4 South City District (Grand Canal-street).—The deaths (8) are equivalent to an annual rate of 11·9 per 1,000. *Pneumonia* caused one death, and diseases of the digestive system 2.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000. They include 2 from *phthisis*.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 8·0; Blackrock, 11·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Rathmines and Rathgar; one from enteric fever and 2 from *diarrhœa* for Pembroke; and one from *diarrhœa* for Kingstown. The 10 deaths from all causes tabulated for Rathmines and Rathgar include one from broncho-pneumonia, and one from *pneumonia*; and the 2 deaths for Blackrock include one from *pneumonia*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Lawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 1st October, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 10,	.	—	—	5	.	.	4	.	1	6	8	1	—	—	—	—	—	25
	Sept. 17,	.	—	—	4	.	.	5	.	6	7	11	1	—	—	—	—	—	34
	Sept. 24,	.	—	—	4	.	.	2	.	.	14	14	.	—	—	—	—	—	34
	Oct. 1,	.	—	—	5	1	.	3	.	.	8	12	.	—	—	—	—	—	29
Rathmines and Rathgar Urban District.	Sept. 10,	.	—	—	2	.	.	1	.	.	1	1	.	—	—	—	3	—	8
	Sept. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	7	—	9
	Oct. 1,	.	—	—	1	.	.	3	1	.	1	.	.	—	—	—	.	—	6
Pembroke Urban District.	Sept. 10,	.	1	.	8	.	.	.	.	.	2	.	.	.	10	.	—	—	21
	Sept. 17,	.	.	.	3	.	2	1	.	.	.	.	.	.	.	.	—	—	6
	Sept. 24,	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	—	—	4
	Oct. 1,	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	—	—	4
Blackrock Urban District.	Sept. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 1,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
Kingstown Urban District.	Sept. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Sept. 10,	.	—	—	12	.	.	5	.	17	25	5	.	—	—	—	—	—	64
	Sept. 17,	.	—	—	21	.	.	6	1	9	22	8	.	—	—	—	—	—	67
	Sept. 24,	.	—	—	22	.	.	3	1	10	9	4	.	—	—	—	—	—	49
	Oct. 1,	1	—	—	12	1	.	3	.	17	17	9	.	—	—	—	—	—	60

The Registrar of Armagh District reports:—Two cases of small-pox occurred in Urban Districts during week, none in Rural.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st October, 1904.

From this it appears that:—

One case of small-pox was discharged from hospital during the week, and none remained under treatment on Saturday last.

Sixteen cases of measles were admitted to hospital during the week, 4 were discharged, and 45 patients remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 5 cases were discharged, and 60* cases remained under treatment at the close of the week.

One case of typhus fever remained in hospital at the end of the week.

Four cases of diphtheria were admitted to hospital, 6 were discharged, and 19 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 11 cases were discharged, and 52 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 2 patients were discharged, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·3), was equal to an average annual death-rate of 15·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·3, and for Edinburgh 14·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st October, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS	1,098,289	19·2	32·9	19·4	2·5	689	407	116	77	.	3	1	1	5	.	1	3	38	36	51	10	17	120
DUBLIN REGISTRATION AREA:—																							
TOTAL,‡	373,994	27·5	35·5	19·0	2·6	258	188	37	27	.	.	.	.	1	.	.	2	16	10	12	5	8	50
CITY OF DUBLIN	298,385	37·1	41·2	21·0	2·5	232	118	28	23	.	.	.	.	1	.	.	1	12	8	9	4	7	47
Urban Districts. RATHMINES AND RATHGAR.	33,203	19·4	17·3	15·7	1·6	11	10	4	3	.	.	.	.	.	.	.	.	1	1	2	1	1	2
PEMBROKE,	26,025	16·4	12·0	8·0	6·0	6	4	3	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
BLACKROCK,	8,759	8·1	11·9	11·9	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
KINGSTOWN,	17,622	12·1	20·7	11·8	3·0	7	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
URBAN DISTRICTS.																							
BELFAST,	358,680	24·4	28·0	17·6	2·3	197	121	32	17	.	2	.	1	2	.	1	.	10	10	17	4	7	26
CORK,	76,122	33·6	35·6	22·6	2·1	52	33	12	6	.	.	.	.	.	.	.	.	3	6	4	1	1	11
LONDONDERRY,	41,397	19·1	29·0	11·3	3·8	23	9	6	.	.	.	.	.	.	.	.	.	3	1	.	.	.	1
LIMERICK,	38,151	18·1	71·1	36·9	.	52	27	9	8	.	.	.	.	.	.	.	.	.	2	5	.	1	14
WATERFORD,	26,769	18·7	33·1	19·5	7·8	17	10	6	.	.	.	.	.	.	.	.	.	4	.	2	.	.	3
GALWAY,	18,426	2·5	23·8	38·8	3·9	6	10	1	2	.	1	.	.	.	.	.	.	.	1	4	.	.	8
DUNDALK,	13,076	3·4	12·0	19·9	.	3	5	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	12,760	8·6	36·8	28·6	.	9	7	.	3	.	.	.	.	.	.	.	.	.	4	.	.	.	.
NEWRY,	12,405	17·8	25·2	37·8	12·6	6	9	2	3	.	.	.	.	2	.	.	.	1	.	1	.	.	.
LURGAN,	11,782	13·8	17·7	22·1	.	4	5	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
LISBURN,	11,461	10·1	13·6	4·5	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
WEXFORD,	11,168	23·2	14·0	28·0	.	3	6	1	2	.	.	.	.	.	.	.	.	.	1	4	.	.	1
BALLYMENA,	10,886	8·9	19·2	4·8	4·8	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
SLIGO,	10,870	3·7	28·8	24·0	4·8	6	5	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
KILKENNY,	10,609	11·5	24·6	9·8	.	5	2	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2
CLONMEL,	10,167	7·8	35·9	10·3	.	7	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	10,092	13·2	51·7	20·7	.	10	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE,	9,867	16·6	42·3	31·7	.	8	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	9,110	18·9	40·1	28·6	5·7	7	5	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	2
QUEENSTOWN,	7,909	14·4	33·0	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ARMAGH,	7,688	22·2	27·5	6·9	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TOWNS AND DISTRICTS.	METEOROLOGY.† Week ending 1st Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
TOTAL OF 22 TOWN DISTRICTS	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
DUBLIN REGISTRATION AREA:—												
TOTAL,‡	§65·1	34·6	50·6	0·32	§66·8	37·9	52·6	0·00	§69·2	39·8	55·9	0·73
CITY OF DUBLIN	a64·0	41·1	52·8	0·47	a66·0	44·3	55·5	0·00	a66·9	48·9	57·9	1·45
	b65·2	36·0	51·5	0·50	b64·8	36·0	52·8	0·00	b64·2	46·0	56·0	1·01
Urban Districts. RATHMINES AND RATHGAR.	.	.	.	.	.	.	.	.	.	.	.	.
PEMBROKE,	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK,	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN,	64·7	43·5	54·6	0·18	63·2	46·0	56·8	0·00	63·7	48·0	57·3	0·97
URBAN DISTRICTS.												
BELFAST,	64·1	38·1	52·3	0·68	64·1	42·6	54·3	0·00	63·1	40·1	54·0	0·76
CORK,	62	44	53·3	0·51	62	47	56·2	0·01	62	44	55·5	1·45
LONDONDERRY,	.	.	.	.	.	.	.	.	.	.	.	.
LIMERICK,	.	.	.	.	.	.	.	.	.	.	.	.
WATERFORD,	.	.	.	.	.	.	.	.	.	.	.	.
GALWAY,	63	41	53	0·47	70	40	56	0·00	65	44	55·6	1·07
DUNDALK,	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA,	.	.	.	.	.	.	.	.	.	.	.	.
NEWRY,	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63
LURGAN,	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63
LISBURN,	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63
WEXFORD,	.	.	.	.	.	.	.	.	.	.	.	.
BALLYMENA,	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO,	61·0	36·8	50·9	0·60	67·7	35·0	53·6	0·00	67·0	37·0	55·2	0·90
KILKENNY,	64	36	50·0	0·34	65	40	54·1	0·00	66	39	55·1	1·07
CLONMEL,	.	.	.	.	.	.	.	.	.	.	.	.
PORTADOWN,	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63
TRALEE,	.	.	.	.	.	.	.	.	.	.	.	.
NEWTOWNARDS,	61	44	52·3	0·72	62	48	55·6	0·00	61	45	54·4	0·58
QUEENSTOWN,	62	44	53·3	0·51	62	47	56·2	0·01	62	44	55·5	1·45
ARMAGH,	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01	64·1	39·0	54·8	0·63

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 1st of October, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Diarrhœal Diseases,	1	4	1	.	.	.	.	3	1	2	.	.	1	2	.	1	16	.
Phthisis,	.	1	1	.	1	.	.	1	.	2	.	2	1	.	.	1	10	1
Other General Diseases,	1	8	9	3	.	.	.	2	1	4	1	.	1	.	.	1	31	3
Total,	2	13	11	3	1	.	1	6	2	9	1	2	3	3	.	3	60	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	3	1	.	1	.	.	.	1	.	1	.	.	1	.	.	1	9	.
Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	.	2	2	2	.	1	.	2	2	5	1	.	1	.	1	.	19	1
Respiratory System,	2	1	1	.	1	.	.	2	.	.	2	.	2	.	1	.	12	1
Digestive System,	1	2	.	1	.	.	.	3	1	1	2	1	.	.	.	.	12	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	2	2	.	.	.	2	1	2	1	.	.	.	.	.	11	.
Generative System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	6	6	6	1	1	.	11	4	9	6	1	4	.	2	1	65	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	.	1	.	.	.	1	.	2	1	.	2	1	.	.	8	1
E. VIOLENT DEATHS	1	.	1	.	.	.	.	2	.	.	.	.	1	.	.	.	5	.
Deaths from all Causes,	10	19	18	10	2	1	1	20	6	20	8	3	10	4	2	4	138	8
Annual Rate of Mortality in every 1,000 of the population	18·4	25·3	31·2	16·5	21·7	5·2	7·8	27·2	17·1	24·9	11·9	17·6	15·7	8·0	11·9	11·8	19·0	.
	21·1							20·8					12·2					
	21·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	3	4	3	1	.	.	2	2	4	2	1	2	.	.	1	25	8
Workhouse Hospitals	4	3	7	2	.	.	.	1	1	5	2	.	.	.	.	.	25	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg week of the ten years.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1894–1903.	In the Week ending Sat 1st October, 1904. Deaths of Persons of the				
	Sept. 29, 1894.	Sept. 28, 1895.	Sept. 26, 1896.	Oct. 2, 1897.	Oct. 1, 1898.	Sept. 30, 1899.	Sept. 29, 1900.	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 57·0	° 55·5	° 56·8	° 53·4	Mean Temp. ° 50·6				
ALL CAUSES.	144	166	104	178	165	223	167	133	213	139	163·2	146	7	30	18	5
Small-pox, Vaccinated, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, Unvaccinated, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	28	.	.	10	.	3·9	.	.	.	.	.
Scarlet Fever ...	.	2	4	2	1	.	.	1	3	.	1·3	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	1	.	1	.	2	3	2	1	1·1	1	.	.	.	.
Whooping Cough, ...	2	4	2	1	5	2	3	1	1	.	2·1	1	.	1	.	.
Diphtheria, ...	.	.	.	3	.	1	.	.	5	.	·9	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	2	1	·3	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	4	2	3	6	4	11	4	3	8	2	4·7	2	.	1	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	8	14	8	9	29	27	18	12	4	1	14·7	5	.	4	1	.
Diarrhœa, Dysentery, ...									15	2		11	.	9	2	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	1	.	1	.	.	1	.	.	.	·3	2	.	.	.	.
Puerperal Septicæmia, Sapræmia,	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.
Puerperal Pyæmia, ...									.	.		.	.	.	.	.
Puerperal Fever, ...									.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	1	1	1	.	.	1	·5	1	.	1	.	.
Septicæmia (not Puerperal),	.	.	.	.	2	2	1	3	.	.	·9	1	.	.	.	.
Pyæmia (not Puerperal), ...									.	1		.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
Tuberculous Phthisis, ...	23	22	12	18	19	23	31	17	1	3	20·4	3	.	.	.	.
"*Phthisis*," ...									19	16		8	.	.	1	.
Tuberculous Meningitis, (Acute Hydrocephalus).	3	6	2	5	3	3	2	3	4	2	3·3	4	.	.	3	1
Tuberculous Peritonitis, ...	3	11	.	6	10	8	6	11	.	1	5·9	1	.	.	.	.
Tabes Mesenterica, ...									1	2		.	.	.	.	.
Tuberculous Dis. (other), ...	3	2	1	4	2	6	4	2	7	10	4·1	6	.	2	1	2
Scrofula, ...									.	.		1	.	.	.	1
Alcoholism, ...	2	.	1	1	.	.	2	.	1	.	·7	1	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	1	.	.	1	.	1	·4	.	.	.	.	.
Gout, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894–1900

-NINTH WEEK ending Saturday, 1st October, 1904, with the deaths from each cause in the corresponding rage for those weeks.*

JSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Sept. 29, 1894.	Sept. 28, 1895.	Sept. 26, 1896.	Oct. 2, 1897.	Oct. 1, 1898.	Sept. 30, 1899.	Sept. 29, 1900.	Sept. 28, 1901.	Sept. 27, 1902.	Oct. 3, 1903.	Averages in 39th Week of the 10 years 1894–1903.	In the Week ending Saturday, 1st Octber, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
an Temperature.	° 49·5	° 59·4	° 51·2	° 53·0	° 50·0	° 47·5	° 54·1	° 57·0	° 55·5	° 56·8	° 53·4	° 50·6								
... ...	4	5	3	5	8	7	5	4	1	.	4·9	2	.	.	.	.	.	1	1	.
... ...									.	.		.	.	.	.	.	.	.	.	.
ulignant Disease ...									3	4		6	.	.	.	.	.	4	2	.
Tellitus	.	.	.	.	.	.	.	.	2	1	·3	.	.	.	.	.	.	.	.	.
e Birth	2	3	2	1	1	3	4	2	3	3	2·4	3	3	.	.	.	.	.	.	.
s (not tuberc.)									7	1		3	.	1	2	.	.	.	.	.
, P. of Insane									3	.		1	.	.	.	.	.	1	.	.
.. ..									.	2		1	.	.	.	.	.	1	.	.
s									9	7		2	.	1	1	.	.	.	.	.
Ataxy									1	.		.	.	.	.	.	.	.	.	.
Dis. of Cord									.	1		1	.	.	.	.	.	.	1	.
ystem (other Dis.) ...	32	40	27	37	26	34	33	21	2	.	32·1	1	.	.	.	.	.	1	.	.
Endocarditis									3	5		3	.	.	.	.	1	1	1	.
em. Thromb.									1	1		1	.	.	.	.	.	.	1	.
Hemiplegia									3	1		1	.	.	.	.	.	.	1	.
... ...									.	.		.	.	.	.	.	.	.	.	.
Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
Blood Vessel Dis. ..									14	10		15	1	.	.	.	.	4	8	2
Spasm. or Memb.) ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.
... ...	10	5	6	17	11	13	10	12	16	11	11·1	8	.	1	1	.	.	1	4	1
Pneumonia									.	.		.	.	.	.	.	.	.	.	.
neumonia	6	6	2	10	8	16	3	7	2	3	7·1	1	.	.	.	.	1	.	.	.
ia"									5	3		4	.	1	.	.	1	.	2	.
mphysema									1	.		.	.	.	.	.	.	.	.	.
... ...	4	3	3	2	3	1	1	1	.	1	2·3	.	.	.	.	.	.	.	.	.
y Dis. (other)									3	.		.	.	.	.	.	.	.	.	.
Quinsy	.	1	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
not Epid.)									2	.		2	.	2	.	.	.	.	.	.
eritis	.	1	.	2	.	1	.	1	4	2	1·3	3	.	.	2	.	1	.	.	.
(not Puerp.)	1	1	.	1	.	1	2	.	1	.	·7	1	.	.	.	.	1	.	.	.
f Liver									1	.		.	.	.	.	.	.	.	.	.
(other)	5	2	2	.	.	2	2	2	4	2	2·2	1	.	.	.	.	.	1	.	.
Dis. (other)	4	1	3	4	2	5	10	4	8	5	4·6	6	.	3	1	.	1	1	.	.
Acute									.	2		6	.	.	1	.	2	1	1	1
s., Albuminuria ...	2	5	5	7	1	1	5	8	1	7	4·6	4	.	.	.	.	1	2	1	.
s. (Other Dis.) ...									.	2		1	.	.	.	.	.	1	.	.
Organs Dis.	.	.	1	3	.	.	.	1	1	.	·6	1	.	.	.	.	.	1	.	.
(Accid. of)	1	.	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	7	9	4	10	11	8	5	4	2	3	6·3	3	.	.	.	.	.	.	1	2
ases	13	12	9	18	10	12	8	4	21	12	11·9	10	3	3	1	.	2	.	1	.
ACCIDENT.																				
ys	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s and Horses	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
oats, Docks (exclusive ning)	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
g Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
rations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scalds, Explosions ...	1	2	1	.	2	1	.	1	2	.	1·0	1	.	.	.	.	.	1	.	.
ing	.	.	.	1	1	2	1	.	.	.	·5	.	.	.	.	.	.	.	.	.
tion in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ths by Accidents ...	1	1	.	2	2	2	1	1	3	5	1·8	4	.	.	.	1	1	2	.	.
NCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ation Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Apr 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
Births registered,	174	254	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236	254	182	177	222	258
*Average Births in corresponding week of previous 10 years,**	179	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213
Deaths registered,	226	186	178	158	178	173	173	163	150	143	169	149	126	138	146	181	136	161	199	183	178	150	157	134	194	146
Annual Death-rate per 1,000,	31·1	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1
*Average Deaths in corresponding week of previous 10 years,**	204	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163
Ages, Under 5 years,	67	58	51	48	57	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61	67	55
5—20 ,,	19	15	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5
20—40 ,,	34	28	27	13	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20	18	29	22
40—60 ,,	55	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38	32
60—80 ,,	45	37	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26
80 years and upwards,	6	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.
,, Scarlet Fever	.	.	.	.	.	1	1	2	.	1	.		2	.	.	.	.	1	1	.	1	.	.	.	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Whooping-cough,	8	11	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1
,, Diphtheria,	2	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.
,, Simple Continued Fever,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
,, Enteric Fever,	3	.	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2
,, Diarrhœal Diseases,	2	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	28	16
,, Phthisis,	34	19	26	19	22	19	23	26	23	30	26	28	14	28	21	14	15	10	25	21	19	21	20	11	25	11
,, Diseases of Heart and Blood Vessels,	20	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20
,, Diseases of Respiratory System,	46	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13
Violent Deaths,	2	5	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5
Mean Temperature of the Air (Phœnix Park),	45·9	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6
Average Mean Temperature in corresponding week of previous 10 years,	44·8	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4
Rainfall in inches,	·788	·085	·068	·150	·718	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315
Mean Humidity of the Air, complete Saturation 1·0,	·79	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st October, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 1st October, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(18)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	20·3	146	55	5	22	32	26	6	.	.	.	.	1	.	.	2	16	19	11	2	13	5	96
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
II.	MIDDLE CLASS,	87,188	8·4	14	1	1	4	1	5	2	.	.	.	.	.	.	.	1	.	1	.	.	1	1	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	15·1	32	11	3	5	9	3	1	.	.	.	.	1	.	.	.	7	8	1	.	3	3	17
IV.	GENERAL SERVICE CLASS,	154,279	31·2	71	40	.	11	11	8	1	.	.	.	.	.	.	.	1	9	10	8	2	5	1	45
V.	INMATES OF WORKHOUSES,	6,024		25	2	1	2	9	10	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	21
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	18·4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	14·2	6	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6
	6. Clerks and Commercial Assistants,	30,432	3·4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	9. Building and Furnishing Trades,	29,801	14·0	8	4	.	1	2	1	.	.	.	.	.	1	.	.	.	2	3	.	.	2	2	1
	10. Clothing Trades,	28,260	13·5	6	1	.	2	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	5
	11. Food Supply Trades,	9,242	16·9	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	3	1	1	3	.	1	.	.	.	.	.	.	.	.	3	3	1	.	.	1	4
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	15·5	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	2
	15. Domestic Servants,	36,603	5·7	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	5	.	2	.	1	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	6
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·9	55	33	.	8	10	4	.	.	.	.	.	.	.	.	1	6	7	7	1	5	1	34
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	25	2	1	2	9	10	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	21

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,832.	Aug. 13,	29·4	7·4	16	.	.	.	.	.	.	.	.	4	2	1	.
	„ 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
	„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
	„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
	„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Aug. 13,	34·6	9·3	26	.	1	1	.	.	.	.	.	5	3	2	.
	„ 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
	„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
	„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Aug. 13,	29·4	6·9	17	.	.	.	.	.	.	.	.	4	2	3	.
	„ 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	1
	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
	„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
	„ 17,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Aug. 13,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	3	2	.
	„ 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
	„ 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	3	2	1	.
	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
	„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
	„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
	„ 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 88,884.	Aug. 13,	40·8	6·8	30	.	1	.	.	1	.	.	.	3	5	6	.
	„ 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
	„ 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
	Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
	„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
	„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
	„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Aug. 13,	25·7	14·3	9	.	.	.	.	1	.	.	.	4	1	1	.
	„ 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	1
	„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
	„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 24,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Aug. 13,	31·1	7·5	25	.	2	.	.	2	.	.	.	2	4	1	1
	„ 20,	29·8	8·7	24	.	.	.	.	1	.	.	.	2	3	.	.
	„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
	„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
	„ 17,	19·9	8·7	16	.	.	.	.	.	.	.	.	3	1	1	.
	„ 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	Oct. 1,	24·9	5·7	20	.	.	.	.	.	.	.	1	2	2	.	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,138	Aug. 13,	22·3	3·0	15	.	.	.	.	.	1	.	.	1	1	.	1
	„ 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
	Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
	„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
	„ 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
	„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,203.	Aug. 13,	23·6	3·1	15	.	1	.	.	.	.	.	.	1	4	1	.
	„ 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	18	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Aug. 13,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	.	1	.
	„ 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	„ 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Aug. 13,	11·8	.	4	.	.	.	.	.	.	.	.	.	.	1	.
	„ 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	„ 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	Aug. 13,	18·6	3·5	128	.	.	.	.	5	1	.	1	17	16	12	3
	„ 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept. 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	„ 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	„ 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
	„ 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	18	9
	Oct. 1,	17·6	2·3	121	.	2	.	1	2	.	1	.	10	10	17	4
Cork Pop. (in 1901) 76,122.	Aug. 13,	18·5	.	27	.	.	.	.	.	.	.	.	.	8	3	.
	„ 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	„ 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	„ 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	„ 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
Londonderry. Pop. in 1904 (Est.) 41,397	Aug. 13,	10·1	1·3	8	.	.	.	.	.	.	.	.	1	1	.	.
	„ 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	„ 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	„ 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	„ 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
Limerick. Pop. (in 1901) 38,151.	Aug. 13,	20·5	1·4	15	.	.	.	.	.	.	.	.	1	3	.	.
	„ 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	„ 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,769	Aug. 13,	9·7	1·9	5	.	1	.	.	.	.	.	.	.	3	1	.
	„ 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	„ 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	„ 24,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 1st October, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	6	31·9	7·1	9	2	.	6	1	.	.	.	.	.	.	.	.	2	1	.	2	2	2
Do. 2 "	47,959	29	17·4	.	16	8	.	7	1	.	.	.	.	.	.	.	.	.	1	3	.	1	4
Do. 3 "	47,214	24	21·0	2·2	19	4	3	7	5	.	.	.	.	.	.	.	.	2	2	3	.	1	3
Do. 4 "	40,911	29	15·3	1·3	12	2	2	8	.	.	.	.	.	.	.	.	.	1	.	3	.	.	6
Do. 5 "	17,387	5	12·0	.	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Do. 6 "	48,122	28	13·0	.	12	1	2	6	3	.	.	.	.	.	.	.	.	.	3	1	2	2	1
Do 7 "	1,524	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Do. 8 "	5,060	3	10·3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	13	24·0	5·2	9	3	.	6	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
Do. 10 "	28,064	14	22·6	6·8	10	2	1	5	2	.	2	.	1	.	.	.	.	.	1	2	.	.	3
Do 11 "	34,802	15	16·5	6·0	11	4	4	3	.	.	.	.	.	2	.	1	.	1	1	2	.	.	.
Do. 12 "	33,588	24	21·7	1·6	14	3	4	3	4	.	.	.	.	.	.	.	.	1	.	2	.	.	2
Do 13 "	15,006	6	10·4	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	197	18·1	2·4	121	32	17	55	17	.	2	.	1	2	.	1	.	10	10	17	4	7	26
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	5	12·2	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 2 "	10,701	6	19·5	.	4	.	1	2	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Do 3 "	9,978	8	41·8	10·5	8	3	.	3	2	.	.	.	.	.	.	.	.	2	1	2	.	.	3
Do. 4 "	8,666	3	6·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 "	6,592	9	31·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Do. 6 "	10,702	5	24·4	4·9	5	2	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
Do 7 "	16,616	16	25·1	.	8	3	.	3	2	.	.	.	.	.	.	.	.	.	2	.	1	1	2
Total	76,122	52	22·6	2·1	33	12	3	12	6	.	.	.	.	.	.	.	.	3	6	4	1	1	11

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered,	244	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197
DEATHS registered.	180	185	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121
Annual Death-rate per 1,000 of estimated Population,	26·2	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6
AGES, Under 1 year,	31	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32
AGES, 1–5 years,	22	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17
AGES, 5–60 years,	89	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55
AGES, 60 years and upwards,	38	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2
" Scarlet Fever,	.	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.
" Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1
" Whooping cough,	12	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2
" Diphtheria,	.	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" Enteric Fever,	1	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.
" Diarrhœal Diseases,	1	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10
" Phthisis	36	28	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10
" Diseases of Respiratory System,	42	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17
Violent Deaths,	4	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st October, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
" " 1, West,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
" " 2,	.	.	.	1	.	.	.	.	.	.	2	.	.	3
" " 3,	.	.	.	.	1	.	1	.	.	4	1	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	.	3	7	.	.	11
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	5	1	.	3	.	.	8	12	.	.	29

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st October, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st October.			
	Sept. 10.	Sept. 17.	Sept. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	3	2	1	.	1	.	.
Measles,	34	27	33	16	4	.	45
Scarlet Fever,	53	51	44	11	5	.	50*
Typhus "	.	.	1	.	.	.	1
Diphtheria,	20	20	21	4	6	.	19
Enteric Fever,	54	59	52	11	11	.	52
Pneumonia,	8	10	16	5	2	.	19

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4.649,088	Oct. 1,	2,537	1,279	14·3	.	17	9	16	9	10	84
EDINBURGH,	331,977	„ 1,	145	94	14·8	.	.	.	1	5	.	9
GLASGOW,	798,357	„ 1,	397	249	16·3	.	.	3	.	15	3	28
CALCUTTA,	847,793	Aug. 13,	.	378	23·1	.	1	.	3	.	116‡	45*
		„ 20,	.	377	23·1	2	1	.	.	1	127‡	48*
BOMBAY,	776,006	„ 30,	382	693	46·4	3	.	.	.	.	60‡	114*
MADRAS,	509,346	„ 19,	392	409	41·7	.	.	?	?	?	104	63
PARIS,	2,660,559	Sept. 17,	1,043	692	13·4	.	3	.	2†	4	2	54
BRUSSELS (with 8 Faubourgs).	586,936	„ 10,	218	152	13·5	.	2	.	.	4	.	28
AMSTERDAM,	548,435	„ 10,	276	133	12·6	.	1	.	.	5	1	11
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Sept. 10,	242	122	15·3	.	.	.	.	7	.	31
CHRISTIANIA,	223,649	„ 17,	106	64	14·9	.	.	.	1	.	.	8
ST. PETERSBURG,	1,248,122	„ 17,	651	510	21·3	1	5	6	9	2	16	76
BERLIN,	1,960,909	„ 3,	853	742	19·7	.	6	13	4†	10	5	226
HAMBURG,	751,842	„ 10,	.	246	17·0	.	.	.	2†	1	1	37
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Sept. 17,	.	179	17·9	.	1	.	1†	2	.	38
VIENNA (with suburbs).	1,797,992	„ 17,	910	514	14·9	.	2	3	6†	.	1	58
BUDA-PESTH,	813,399	„ 17,	392	247	15·8	.	2	8	5†	.	4	26
PRAGUE and Faubourgs.	426,404	„ 10,	193	154	18·8	.	.	.	1†	1	.	12
ROME,	505,371	July 23,	198	215	22·2	.	1	1	.	2	4	34
		„ 30,	209	187	19·3	.	2	1	.	.	12	25
TURIN,	344,203	—	.	.		.	.	.	.	.	.	.
VENICE,	167,741	Aug. 20,	95	68	21·1	.	1	.	.	1	1	10
NEW YORK,	3,838,024	Sept. 3,	1,638	1,274	17·3	.	3	5	28†	5	17	241
PHILADELPHIA,	1,408,154	Aug. 27,	.	422	15·6	.	1	.	4†	2	9	63

* Including 4 deaths from cholera in Calcutta and 39 in Bombay.
† Including deaths from croup.
‡ Exclusive of 3 deaths from bubonic fever in Calcutta and 59 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 1st October, 1904:—

"The anticyclonic conditions which held during the greater part of the previous week were succeeded by an unstable state of the atmosphere and consequently changeable, showery weather. In the course of Sunday and the following night a barometric depression travelled from the Thames Estuary northwards to the Pentland Firth. It caused rain or showers in most districts, the largest measurement being ·69 inch at Aberdeen. During the next two days local irregularities in atmospheric pressure kept the weather in a showery condition, but as gradients were slight and the sky clear by night, temperature became very low at inland stations in the early morning hours and dense fogs formed. On Tuesday morning 4 separate area of low pressure and 3 separate high pressure systems existed over North-western Europe. At noon of this day a heavy bank of cumulus cloud formed over Dublin in consequence apparently of a strong upward current of air—a downpour of rain followed, amounting to ·254 inch at Fitzwilliam-square and to ·322 inch in Trinity College. Two fine days ensued. On Thursday afternoon cirrus cloud spread across the sky from W. and in it a solar halo appeared. These proved to be the forerunners of a large Atlantic depression which was central off the Hebrides on Friday morning. The system was attended by fresh to strong S. to W. winds, a brisk increase of temperature and a good deal of rain (Valentia getting ·86 inch and Stornoway 1·00 inch up to 8 a.m. of Friday). As the disturbance and its secondaries passed away to the N.E., the sky cleared, temperature fell and the air became crisp and dry on Saturday. In Dublin the mean height of the barometer was 29·947 inches, pressure rising to 30·160 inches at 9 a.m of Thursday (wind, calm) and falling to 29·734 inches at 9 a.m. of Friday (wind, S.S.W.). The corrected mean temperature was 52·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·3°. The screened thermometers rose to 64·0° on Thursday having been down to 41·1° during the previous night. Bright sunshine was estimated at 33 hours, 9 falling on Thursday and again on Saturday. Westerly winds were the most prevalent. Rain fell on 5 days to the amount of ·469 inch, ·254 inch being registered on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·956 inches. The highest reading (30·172) was on Wednesday at 9 p.m., air calm, and the lowest (29·741) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 50·6°, being 2·8° below the average for the corresponding period of the 10 years 1894-1903. Both extremes of temperature—highest 65·1° and lowest 34·6°, were registered on Thursday. The mean of the Dry Bulb for the week was 50·8°, and of the Wet Bulb 48·8°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 37·5 hours. The rainfall measured 0·315 inch.

At Greenwich the mean temperature for the week was 52·1°, the maximum 65·7°, and the minimum 38·8°; at Glasgow the maximum was 64·5°, the minimum 37·0°, and the mean 51·6°; and at Edinburgh the maximum was 61·4°, the minimum 44·0°, and the mean 51·0°. The rainfall at Greenwich measured 0·14 inch; at Glasgow 0·87 inch; and at Edinburgh 0·75 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Sept. 25,	29·890	55·1	43·3	49·2	47·7	46·9	·95	·2	0·7	—	Calm.	Calm.
Monday, „ 26,	29·933	60·7	39·1	49·9	50·7	48·2	·84	·4	5·0	·060	Calm.	Calm.
Tuesday, „ 27,	30·051	58·8	43·0	50·9	48·6	47·7	·94	·1	6·4	·055	Calm.	Calm.
Wednesday, „ 28,	30·146	59·3	35·1	47·2	50·5	48·5	·87	·0	6·2	·015	Calm.	Calm.
Thursday, „ 29,	30·076	65·1	34·6	49·9	54·1	52·0	·86	·7	9·1	·125	Calm.	S.W.
Friday, „ 30,	29·754	60·8	51·7	56·3	55·0	53·0	·86	·9	0·2	.060	S.W.	W.
Saturday, Oct. 1,	29·844	56·9	44·4	50·7	48·7	45·5	·82	·5	9·9	—	W.	S.W.
Mean, . .	29·956	59·5	41·6	50·6	50·8	48·8	·88	·4	Total 37·5	·315	—	

Sunday—Day fine but dull; night cloudy. *Monday*—A cloudy day, showery p.m.; night cloudy. *Tuesday*—A cloudy day, showery p.m.; night sky clear, heavy fog. *Wednesday*—A cloudy day, showery p.m.; night sky clear, heavy fog. *Thursday*—A fine day; night cloudy and showery. *Friday*—A dull day, showery a.m.; night overcast, wet a.m. *Saturday*—A fine day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360 Wt. 124. 6. 1904.

OFFICIAL.

JARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
EYRE AND SPOTTISWOODE, EAST HARDING STREET, FLEET STREET, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

ɔL. XLI.] QUARTER ENDING SATURDAY, 1ST OCTOBER, 1904. [No. 39A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, ıich consists of the city of Dublin and the urban districts of Rathmines and Rathgar, ımbroke, Blackrock, and Kingstown, the total area thereof being 13,757 ıtute acres, and the population estimated to the middle of 1904, 378,994, ere were registered during the thirteen weeks ended on Saturday, 1st ctober, 1904, 2,843 births—1,428 boys and 1,415 girls—being equal to an annual tio of 1 in 33·3, or 30·0 in every 1,000 of the population.

The number of births registered in the city was 2,411, equivalent to an annual te of 32·9 in every 1,000 of the population; and in the urban districts named ove, 432, equal to an annual rate of 20·2 in every 1,000 of the population.

There were registered in London during the same period 32,034 births—being equal an annual birth-rate of 27·6 in every 1,000 of the estimated population; in Glasgow ere were registered 5,926, being equal to 29·7 per 1,000; and in Edinburgh, 1,957 a number affording an annual birth-rate of 23·6 in every 1,000 of the estimated pulation.

Deaths.—The number of deaths registered in the Dublin Registration Area during e quarter was 2,053—1,026 males and 1,027 females—affording an annual ratio 1 in 46·2, or 21·7 in every 1,000 of the estimated population; omitting the deaths 3) of persons admitted into Public Institutions from localities outside the Area, e rate was 20·8 per 1,000. The annual mortality represented by the deaths gistered during the third quarter of the ten years 1894–1903 in the Dublin egistration Area as then constituted, was 22·4 per 1,000 of the estimated mean pulation of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 826, representing an annual mortality of 21·9 in every 1,000 of the population; and the number in the South City districts was 816, equivalent to a rate of 22·9 per 1,000. In the urban districts the number of deaths registered was 328, being equal to an annual death-rate of 15·3 in every 1,000.

The number of deaths registered in London during the same period was 18,986—a number equal to an annual rate of mortality of 16·3 in every 1,000 of the inhabitants; in Glasgow the number was 3,297, equal to 16·5 in every 1,000; and in Edinburgh, 1,214, affording an annual death-rate of 14·6 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 351, being 201 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 3·7, being 2·1 above the rate for the preceding three months.

Small-pox.—No fatality from small-pox occurred; from Table I. it appears that 4 cases of the disease were admitted to hospital, and discharged therefrom upon recovery during the quarterly period ending on October 1st, 1904.

Measles.—The deaths which were registered from measles, 43 in number, exceed those of the quarter preceding by 11; of the 43 deaths 16 appertained to North City districts, 23 to South City districts, 3 to the Urban District of Rathmines and Rathgar, and 1 to the Urban District of Kingstown; in the three quarterly periods (December, 1903, and March and June, 1904) deaths from measles were 3, 19, and 32, respectively. It may be seen in Table I. that the total number of cases admitted to hospitals suffering from measles was 195, that 198 were discharged, that 13 deaths occurred in hospitals, and that 45 patients remained under treatment at the close of the quarter.

Scarlet Fever.—The deaths from scarlet fever, 3 in number, are below the average (15) for the third quarter of the 10 years, 1894-1903, and also below the number registered in any of the three preceding quarters, which were 10, 8, and 7, respectively. It may be seen from Table I. and note, that 50 cases of scarlet fever were under treatment in hospitals at the close of the quarter, and that 9 patients were at Beneavin, the Convalescent Home of Cork Street Fever Hospital.

Typhus.—The death from typhus was the only one as yet recorded in the Dublin Registration Area during the present year, 1904, and appertains to the district of North City, No. 3.

Influenza.—In the three quarterly periods preceding, deaths from influenza were 25, 48, and 24 respectively, but in the period ending on October 1st the deaths attributed to this disease declined to 7, the average for the corresponding quarter of the 10 years preceding being 12.

Whooping-cough.—Although the deaths (36) from whooping-cough show a decrease of nearly 50 per cent. when compared with those (71) which were registered in the preceding quarter, they are above the average for the corresponding quarterly period of the 10 years preceding; the number of deaths from whooping-cough registered in the December quarter of 1903, was 45, and during the March quarter of 1904 there were 110 deaths registered. Of the 36 deaths, 9 appertained to the district of South City, No. 1, and 10 to the district of South City, No. 3.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 646.

Diphtheria.—Of the 10 deaths from diphtheria, 7 were tabulated for City Districts, 2 for Pembroke Urban District, and one death occurred of a person admitted to an institution from without the Dublin Registration Area. From Table I. it appears that at the close of the previous quarter 14 persons suffering from diphtheria were under treatment in the Dublin Hospitals, that 64 cases were admitted during the quarter, that 53 were discharged, that 6 deaths occurred in hospitals, and that on the 1st October 19 cases remained under treatment.

The 10 deaths are under the average (11) for the corresponding quarter of the 10 years preceding. The number of deaths registered from diphtheria in the three quarters preceding were 9, 7, and 12, respectively.

Cerebro-Spinal Fever.—Two deaths from cerebro spinal fever were recorded.

Enteric Fever.—The deaths from enteric fever, 14 in nnmber, are less by 50 per cent. than the average (31) for the corresponding period of the 10 years preceding. In the three quarters preceding deaths from enteric fever were 28, 30, and 16, respectively, Of the 14 deaths 7 were assigned to North City Districts, 5 to South City Districts, 1 to the Urban District of Rathmines and Rathgar, and 1 to the Pembroke Urban District. Table I. indicates that 50 cases of enteric fever were in hospitals at the close of the preceding quarter, and that 52 were under treatment at the close of the period now the subject of review, during which 102 cases were admitted, 92 were discharged, and 8 fatalities occurred in hospitals.

Diarrhœal Diseases.—The deaths from diarrhœal diseases form a feature of the mortality statistics, this being a usual coincidence at the period of the year included in this report. The total number of deaths assigned to above causes was 243, namely 104 deaths from epidemic diarrhœa, epidemic enteritis, and 139 deaths from *diarrhœa*, dysentery. The total equals a rate of 2·6 per 1,000 of the population (estimated) of the Dublin Registration Area, and exceeds the average for the corresponding quarter of the past 10 years by 33 deaths. Of the total deaths, 204, equal to an annual rate of 2·8 per 1,000, appertained to City Districts, and 38, equal to an annual rate of 1·8 per 1,000, appertained to the Urban Districts which, with the City, constitute the Dublin Registration Area.

Pneumonia.—Of 88 deaths, 2 were attributed to croupous pneumonia, 28 to bronchopneumonia, and 58 to *pneumonia*, not otherwise defined.

Tuberculosis.—The number of victims to tuberculous disease amounted to 389; this figure includes the following deaths—48 from tuberculous phthisis, 193 from *phthisis*, 40 from tuberculous meningitis, 20 from tuberculous peritonitis, 10 from tabes mesenterica, 4 deaths from scrofula, and 74 from other forms of tuberculous disease. The total, 389, is equal to an annual rate of 4·1 per 1,000 of the population of the area, the rate for the pulmonary forms of the disease being 2·5 per 1,000; in the three preceding quarterly periods the corresponding rates were respectively 4·6 and 3·2, 5·3 and 3·6, and 5·0 and 3·2 per 1,000 of the estimated population of the area.

Cancer, Malignant Disease.—The deaths include 25, attributed to carcinoma, 2 to sarcoma, and 56 to *cancer, malignant disease.*

Premature Birth.—Fifty-five deaths were assigned to this cause.

The following deaths from general diseases occurred amongst others:—One from tetanus, one from infective endocarditis, and six from erysipelas.

Diseases of the Nervous System.—The total deaths (157) include 80 from *convulsions*; of the latter, 68 were of infants under one year old.

Diseases of the Heart and Blood Vessels.—Seven deaths from aneurysm were registered; the total number of deaths assigned to above heading was 278.

Bronchitis, &c.—The deaths from bronchitis which were registered amounted to 131; there were 19 deaths from other diseases of the respiratory organs.

Accidental Deaths.—The deaths attributed to accidental violence numbered 39; these include 4 deaths by burns or scalds (1 being that of a child aged 3 years), and two deaths by poisons or poisonous vapours.

Homicide, Suicide.—One death from homicidal violence, and two deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 1st October, 1904.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox, . .	.	4	4	.	.
Measles, . . .	61	195	198	13	45
Scarlet Fever, . .	44	104	96	2	50*
Typhus „ . .	.	2	.	1	1
Diphtheria, . .	14	64	53	6	19
Enteric Fever, . .	50	102	92	8	52
Pneumonia, . .	22	64	60	7	19

In 85 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 85 cases, 61, or 71·8 per cent., were deaths of children under 5 years of age: these 61 deaths form 7·4 per cent. of the total number of deaths of children of that age. Of the deaths of 137 infants under one month old registered, there were 26 (or 19·0 per cent.) regarding which the cause was uncertified.

From Table II., on page 644*b*, it will be seen that, excluding 83 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,970, equal to an annual rate of 20·8 per 1,000 of the estimated population, and that 349 of these deaths, representing an annual rate of 3·7 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 22·4 per 1,000, and for the urban districts 15·3 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 4·1, and in the urban districts 2·3, the rates for the several districts varying from 0·9 in Blackrock to 7·4 in South City, No 2, the 142 deaths from all causes registered in that district including 8 from measles, 5 from whooping-cough, one from enteric fever, and 20 from diarrhœal diseases.

Occupations.—Table III., on page 645, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 15·6 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 12·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 17·8; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 30·5.

*Exclusive of 9 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

† See note (*) page 646.

Ages.—Of the 2,053 persons whose deaths were registered in the Dublin Registration Area during the quarter, 828 were under 5 years of age, this number being equal to an annual mortality of 86·8 in every 1,000 children at that age (according to the Census of 1901); 144 were between the ages of 5 and 20, representing an annual rate of 5·4 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 26·8 per 1,000 of the population at that age (according to the Census of 1901); 288 or 8·5 per 1,000 persons were between 20 and 40; 368 or 21·5 per 1,000 between 40 and 60; 349 or 57·5 per 1,000 between 60 and 80; 76 or 159·7 per 1,000 were aged 80 and upwards, including 10 persons aged 90 and upwards, of whom one was a man whose age was stated to be 103 years.

Public Institutions.—Of the 2,053 deaths recorded during the quarter, 760, or 37·0 per cent., occurred in public institutions, viz., 384 in the various hospitals, prisons, and lunatic asylums; 180 in the North Dublin Union Workhouse; 189 in the South Dublin Union Workhouse; and 7 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 56·8°. At Greenwich for the quarter, it was 60·8°; at Glasgow, 57·1°; and at Edinburgh, 55·8°.

The rainfall at Dublin during the thirteen weeks measured 5·695 inches; at Greenwich, 4·88 inches; at Glasgow, 7·91 inches; and at Edinburgh, 6·95 inches.

TABLE II.—Showing, for the **Quarter**, (13 weeks) **ended 1st October, 1904,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

			QUARTER (13 WEEKS) ENDED 1ST OCTOBER, 1904.														
REGISTRARS' DISTRICTS, &c.		POPULATION, ESTIMATED TO MIDDLE OF 1904.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS		TOTAL DEATHS.	DEATHS CAUSED BY											
			FROM ALL CAUSES.	FROM DISEASES IN COLS. 5–13.		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
NORTH CITY.	NORTH CITY, No. 1, E.,	28,332	22·7	6·1	161	.	5	1	.	.	1	.	5	31	20	22	4
	„ 1, W.	39,146	23·4	4·2	229	.	6	1	.	4	1	.	1	28	29	21	.
	„ 2, .	30,107	25·5	3·3	192	.	.	.	.	.	1	.	.	24	25	33	2
	„ 3, .	31,673	20·1	3·0	159	.	4	.	1	2	.	1	.	16	23	14	2
	CLONTARF & HOWTH, No. 1, part of, .	4,806	13·3	1·7	16	.	1	.	.	.	.	.	.	1	2	2	.
	COOLOCK & DRUMCONDRA, No. 1, part of, .	10,017	16·4	1·2	41	.	.	.	.	.	.	.	1	2	2	8	2
	FINGLAS AND GLASNEVIN, part of, .	6,665	16·8	4·2	28	.	.	.	.	1	.	.	.	6	2	1	.
SOUTH CITY.	SOUTH CITY, No. 1, .	38,384	23·4	4·0	225	.	4	.	.	9	2	.	2	21	30	28	6
	„ 2, .	18,286	31·1	7·4	142	.	8	.	.	5	.	.	1	20	14	23	1
	„ 3, .	41,940	23·4	5·2	245	.	7	.	.	10	1	.	1	35	27	16	4
	„ 4, .	35,138	19·6	2·6	172	.	4	.	.	.	1	.	1	17	25	24	6
	NEW KILMAINHAM, .	8,891	14·4	2·7	32	.	.	.	.	3	.	.	.	3	3	1	1
URBAN DISTRICTS.	RATHMINES AND RATHGAR, . .	38,203	15·1	2·3	125	.	3	1	.	.	.	.	1	14	11	9	4
	PEMBROKE, .	26,025	16·8	3·5	109	.	.	.	.	2	2	.	1	18	8	11	3
	BLACKROCK, . .	8,759	9·6	0·9	21	.	.	.	.	.	.	.	.	2	1	4	.
	KINGSTOWN, .	17,622	16·6	1·1	73	.	1	.	.	.	.	.	.	4	15	12	2
TOTAL CITY,	NORTH, .	150,746	21·9	3·8	826	.	16	2	1	7	3	1	7	108	103	101	11
	SOUTH, .	142,639	22·9	4·3	816	.	23	.	.	27	4	.	5	96	99	91	18
	N. & S., .	293,385	22·4	4·1	1,642	.	39	2	1	34	7	1	12	204	202	192	29
TOTAL URBAN DISTRICTS,		85,609	15·3	2·3	328	.	4	1	.	2	2	.	2	38	35	36	9
TOTAL REGISTRATION AREA, ...		378,994	20·8	3·7	1,970	.	43	3	1	36	9	1	14	242	237	228	38
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .					83	.	.	.	.	.	1	.	.	1	4	10	4

* See note (*) on page 646. † See note (*) on page 647.

REGISTRATION OF DEATHS, (13 WEEKS) ENDING SATURDAY, 1st OCTOBER, 1904.

Class.	Occupation or Social Position [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	21·9	2,053	828	144	288	368	349	76	.	43	3	1	36	10	1	11	243	351	241	80	238	42	1,101
	CLASSES.																								
	Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	15·6	68	2	1	5	17	28	15	.	.	.	.	.	.	.	.	1	1	2	.	5	2	58
II.	Middle Class,	87,188	12·5	272	68	30	48	45	62	19	.	3	1	.	.	3	.	1	28	36	26	3	29	6	172
III.	Artisan Class and Petty Shopkeepers,	110,423	17·8	491	212	41	62	93	71	12	.	10	.	.	11	2	.	1	71	95	65	22	51	13	245
IV.	General Service Class,	154,279	30·5	846	472	56	121	119	69	9	.	30	2	1	23	5	1	10	130	202	89	47	92	19	397
V.	Inmates of Workhouses,	6,024		376	74	16	52	94	119	21	.	.	.	.	2	.	.	2	13	17	59	8	61	2	229
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	17·4	34	2	1	1	7	14	9	.	.	.	.	.	.	.	.	.	.	1	.	3	1	29
	2. Merchants and Manufacturers, Higher Class,	1,277	9·4	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	8,360	14·8	31	.	.	3	9	14	5	.	.	.	.	.	.	.	.	.	.	1	.	2	1	27
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	11·4	22	5	.	1	6	10	.	.	1	.	.	.	.	.	.	1	2	.	.	1	.	19
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	11·1	61	11	4	12	11	17	6	.	.	.	.	.	1	.	.	5	6	3	.	9	.	43
	6. Clerks and Commercial Assistants,	30,432	11·7	89	38	7	23	8	8	5	.	1	1	.	.	1	.	1	15	19	10	2	11	1	46
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	14·8	100	14	19	12	20	27	8	.	1	.	.	.	1	.	.	7	9	13	1	8	5	64
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	19·4	48	26	5	10	2	4	1	.	1	.	.	.	.	.	.	6	7	7	2	6	.	26
	9. Building and Furnishing Trades,	29,801	24·2	180	84	16	17	32	26	5	.	5	.	.	5	2	.	1	26	39	23	9	20	8	81
	10. Clothing Trades,	23,260	9·8	57	21	6	6	15	8	1	.	1	.	.	1	.	.	.	7	9	5	2	5	.	36
	11. Food Supply Trades,	9,242	16·0	37	18	2	5	8	3	1	.	2	.	.	1	.	.	.	8	11	7	3	3	1	12
	12. Other Trades and Callings ranking with Trades,	30,352	17·7	134	47	11	19	30	24	3	.	1	.	.	4	.	.	.	20	25	19	5	10	2	73
	13. Petty Shopkeepers,	7,894	17·7	35	16	1	5	6	6	1	.	.	.	.	.	.	.	.	4	4	4	1	7	2	17
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	20·0	67	31	4	9	11	11	1	.	2	.	.	1	.	.	3	12	18	6	3	4	1	35
	15. Domestic Servants,	36,603	8·2	75	37	4	16	12	4	2	.	.	1	.	.	1	.	1	11	14	11	8	4	.	38
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	24·5	88	50	6	11	11	9	1	.	2	1	.	3	.	.	.	20	26	6	4	11	.	41
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·4	616	354	42	85	85	45	5	.	26	.	1	19	4	1	6	87	144	65	32	73	18	233
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	6,024	.	376	74	16	52	94	119	21	.	.	.	.	2	.	.	2	13	17	59	8	61	2	229

Twenty-two Principal Town Districts of Ireland.—The average annual deat rate represented by the deaths from all causes registered during last quarter in th Dublin Registration Area and twenty-one of the principal Urban Districts o Ireland (exclusive of deaths in Public Institutions of persons admitted from withou the districts), was 18·2 per 1,000 persons, the respective rates for the severa districts being as follow, ranging in order from the lowest to the highest :—

Dundalk, 10·7 ; Lurgan, 12·2 ; Queenstown, 13·2 ; Lisburn, 13·3 ; Newtownard 13·6 ; Londonderry, 14·4 ; Portadown, 14·7 ; Waterford, 15·5 ; Ballymena, 15·8 Limerick, 16·0 ; Kilkenny, 16·2 ; Drogheda, 16·3 ; Cork, 16·7 ; Newry, 16·8 ; Sligo 16·9 ; Belfast, 17·5 ; Clonmel, 17·7 ; Tralee, 18·2 ; Wexford, 20·1 ; Dublin Registra tion Area, 20·8 ; Armagh, 23·7 ; and Galway, 23·8.

The average annual rate represented by the deaths from the principal epidemi diseases* in the 22 districts is 2·6 per 1,000 of the population, the rates varying fro 0·0 in Lurgan and Wexford, to 4·2 in Armagh, the 45 deaths from all causes regis tered in that district including 2 from small-pox, 4 from whooping-cough, and 2 fro diarrhœal diseases. The 1,565 deaths from all causes registered in Belfast includ 21 from measles, 5 from scarlet fever, 5 from typhus, 27 from whooping-cough, from diphtheria, 2 from simple continued fever, 30 from enteric fever, and 158 fro diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases in the *twenty-one provincial urban districts* already named, and Tables IV. and V give in detail the results of the registration for the quarter :—

Small-pox.—Two deaths were registered for the Urban District of Armagh.

Measles.—Twenty-one deaths were registered in Belfast, 3 in Galway, and one i Waterford.

Scarlet Fever.—Of the deaths, 9 in number, 5 were in Belfast, 2 in Newtownards and one each in Lisburn and Portadown.

Typhus.—Five deaths were registered in Belfast and one in Cork.

Whooping-cough.—Of 41 deaths from whooping-cough 27 were reported fro Belfast, 4 from Armagh, 3 from Newry, 2 from Cork, and one each from Drogheda Clonmel, Tralee, Newtownards, and Queenstown.

Diphtheria.—Three deaths from diphtheria are reported from Belfast, 2 fro Londonderry, and one from Cork.

Simple, Continued, and Ill-defined Fever.—Two such deaths were registered i Belfast.

Enteric Fever.—Thirty deaths from enteric fever were registered in Belfast, an one death occurred in each of Cork, Ballymena, and Sligo Urban Districts.

Diarrhœal Diseases.—Of 243 deaths 158 appertained to Belfast, 22 to London derry, 21 to Waterford, 12 to Cork, and 5 to Limerick.

Phthisis.—The death-rate for phthisis for the 22 towns in the aggregate, for th Dublin Registration Area, for Belfast County Borough, and for the Urba Districts collectively (exclusive of Belfast and Dublin Registration Area), were 2· per 1,000, 2·5 per 1,000, 2·5 per 1,000, and 2·6 per 1,000 of their respectiv populations.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued fever, enteri fever, and diarrhœal diseases.

REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 1ST OCTOBER, 1904.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Diseases in Cols. 19-18.	NUMBER REGISTERED. BIRTHS.	DEATHS. Total Number.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,093,289	19·2	29·5	18·2	2·6	8,068	4,968	1,328	1,018	2	68	12	7	77	15	3	47	485	693	577	111	225	1,329
DUBLIN REGISTRATION AREA,	378,994	27·5	30·0	20·8	3·7	2,843	1,970	583	399	.	43	3	1	36	9	1	14	242	237	228	38	68	677
URBAN DISTRICTS.																							
BELFAST,	358,680	24·4	30·6	17·5	2·8	2,748	1,565	456	268	.	21	5	5	27	3	2	30	158	226	186	48	106	298
CORK,	76,122	33·6	28·1	16·7	0·9	534	317	60	62	.	.	.	1	2	1	.	1	12	63	28	8	20	104
LONDONDERRY,	41,397	19·1	30·1	14·4	2·3	311	149	43	26	.	.	.	.	.	2	.	.	22	30	20		4	19
LIMERICK,	38,151	18·1	34·0	16·0	0·5	324	153	33	49	.	.	.	.	.	.	.	.	5	21	23	2	8	58
WATERFORD,	26,769	18·7	23·0	15·5	3·3	154	104	25	26	.	1	.	.	.	.	.	.	21	18	13	1	3	34
GALWAY,	13,426	2·5	27·7	23·8	1·5	93	80	15	17	.	3	.	.	.	.	.	.	2	9	21	4	1	21
DUNDALK,	13,076	9·4	23·6	10·7	0·6	77	35	7	11	.	.	.	.	.	.	.	.	2	1	1	1	2	5
DROGHEDA,	12,760	8·6	25·1	16·3	0·3	80	52	6	21	.	.	.	.	1	.	.	.	.	7	3	.	.	15
NEWRY,	12,405	17·8	28·7	16·8	1·3	89	52	8	15	.	.	.	.	3	.	.	.	1	7	4	1	1	1
LURGAN,	11,782	13·8	28·9	12·2	.	85	36	6	7	.	.	.	.	.	.	.	.	.	8	4	.	.	10
LISBURN	11,461	10·1	26·5	13·3	1·0	76	38	5	13	.	.	1	.	.	.	.	.	2	7	8	.	2	7
WEXFORD,	11,168	23·2	26·1	20·1	.	73	56	6	24	.	.	.	.	.	.	.	.	.	8	9	2	2	12
BALLYMENA,	10,886	8·9	27·9	15·8	1·1	76	43	10	6	.	.	.	.	.	.	.	1	2	7	8	.	.	2
SLIGO,	10,870	3·7	24·7	16·9	1·1	67	46	9	6	.	.	.	.	.	.	.	1	2	6	4	.	.	7
KILKENNY,	10,609	11·5	25·6	16·2	0·4	68	43	6	15	.	.	.	.	.	.	.	.	1	7	4	.	2	11
CLONMEL,	10,167	7·8	21·2	17·7	0·8	54	45	5	13	.	.	.	.	1	.	.	.	1	8	8	.	.	15
PORTADOWN,	10,092	13·2	31·3	14·7	1·6	79	37	14	3	.	.	1	.	.	.	.	.	3	5	.	1	2	.
TRALEE,	9,867	16·6	30·0	18·2	1·6	74	45	12	13	.	.	.	.	1	.	.	.	3	5	1	1	1	16
NEWTOWNARDS,	9,110	18·9	25·0	13·6	2·6	57	31	9	9	.	.	2	.	1	.	.	.	3	3	1	.	1	6
QUEENSTOWN,	7,909	14·4	33·4	13·2	1·0	66	26	4	2	.	.	.	.	1	.	.	.	1	3	1	2	2	3
ARMAGH,	7,588	22·2	21·1	23·7	4·2	40	45	6	13	2	.	.	.	4	.	.	.	2	7	2	.	.	8

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1904; that for each of the other districts is the population according to the Census of 1901.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) ended 1st OCTOBER, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* **with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases**; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping Cough.	Diphtheria	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	123	20·6	3·0	76	18	6	36	16	.	.	.	.	2	.	.	1	8	13	11	4	13	20
" 2 "	47,959	334	15·7	2·3	188	58	16	86	33	.	.	.	4	.	1	.	4	18	27	28	4	8	46
" 3 "	47,214	351	18·8	3·7	222	66	25	84	47	.	7	.	.	1	.	.	2	34	33	31	2	11	13
" 4 "	40,911	388	20·4	2·8	209	73	19	90	27	.	.	2	.	6	.	.	3	18	23	22	8	16	58
" 5 "	17,887	108	19·3	3·2	84	24	10	38	12	.	.	1	.	1	1	.	2	9	7	14	1	3	21
" 6 "	48,122	275	17·3	2·9	208	43	10	118	37	.	.	.	.	.	1	.	9	25	41	23	10	15	52
" 7 "	1,524	11	28·9	5·2	11	5	1	4	1	.	.	.	.	.	.	.	.	2	.	.	.	3	3
" 8 "	5,060	35	24·5	3·2	31	12	3	11	5	.	.	.	.	.	.	.	.	4	6	5	.	2	3
" 9 "	19,569	143	17·8	4·1	87	24	8	44	11	.	2	1	.	3	.	.	2	12	13	5	3	6	21
" 10 "	23,064	230	19·6	3·3	113	41	8	42	22	.	3	.	1	.	.	.	3	12	12	14	.	3	15
" 11 "	34,802	286	17·9	2·9	156	51	14	62	29	.	4	1	.	9	.	1	2	8	26	14	9	17	19
" 12 "	33,588	330	16·9	1·9	142	36	22	63	21	.	3	.	.	2	.	1	2	7	21	16	7	7	15
" 13 "	15,006	134	10·1	1·3	38	10	6	15	7	.	2	.	.	2	.	.	.	1	4	3	.	2	2
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	2,748	17·9	2·9	1,565	456	148	693	268	.	21	5	5	27	3	2	30	158	226	186	48	106	298
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	79	15·5	.	50	6	2	28	14	.	.	.	.	.	.	.	.	.	11	2	.	1	29
" 2 "	10,701	79	16·1	1·5	43	7	11	22	3	.	.	.	.	.	1	.	.	3	11	11	1	1	11
" 3 "	9,973	67	18·4	2·4	46	8	4	23	11	.	.	.	1	1	.	.	1	3	12	7	1	1	13
" 4 "	8,666	67	16·6	0·5	36	7	3	16	10	.	.	.	.	.	.	.	.	1	10	.	2	4	13
" 5 "	6,592	40	19·4	.	32	8	3	19	2	.	.	.	.	.	.	.	.	.	4	3	1	5	11
" 6 "	10,702	65	12·0	1·1	32	9	3	14	6	.	.	.	.	.	.	.	.	3	4	1	.	1	3
" 7 "	16,616	137	15·8	0·7	78	15	8	39	16	.	.	.	.	1	.	.	.	2	11	4	3	7	24
Total,	76,122	534	16·7	0·9	317	60	34	161	62	.	.	.	1	2	1	.	1	12	63	28	8	20	104

GENERAL REGISTER OFFICE,
Charlemont House, Dublin, 26th October, 1904.

ROBERT E. MATHESON,
Registrar-General.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-Street.
360. P. 124. 6. 1904.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
SISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

L. XLI.] WEEK ENDING SATURDAY, 8TH OCTOBER, 1904. [No. 40.

General Register Office, Charlemont House, Dublin, 10th October, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 17·4 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the t four weeks, and during the whole of that period, in the several Districts, alphaically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 17.	Week ending Sept. 24.	Week ending Oct. 1.	Week ending Oct. 8.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 17.	Week ending Sept. 24.	Week ending Oct. 1.	Week ending Oct. 8.	Average Rate for 4 weeks.
Town Dists.	18·0	20·6	19·4	17·4	18·9	Lisburn, . .	27·3	4·5	4·5	22·7	14·8
magh, . .	41·2	27·5	6·9	6·9	20·6	Londonderry .	11·3	17·6	11·3	11·3	12·9
llymena, .	14·4	14·4	4·8	9·6	10·8	Lurgan, . .	17·7	8·9	22·1	13·3	15·5
lfast, . .	17·9	17·7	17·6	19·2	18·1	Newry, . .	16·8	33·6	37·8	16·8	26·2
onmel, . .	15·4	25·6	10·3	35·9	21·8	Newtownards, .	11·4	17·2	28·6	11·4	17·2
rk, . . .	18·5	14·4	22·6	18·5	18·5	Portadown, .	15·5	15·5	20·7	10·3	15·5
ogheda, . .	49·0	12·3	28·6	12·3	25·5	Queenstown, .	59·3	19·8	.	19·8	21·7
ublin Reg. Area,	16·8	25·9	19·0	17·5	19·8	Sligo, . . .	19·2	9·6	24·0	28·8	20·4
undalk, . .	8·0	12·0	19·9	19·9	15·0	Tralee, . .	37·0	37·0	31·7	15·9	30·4
alway, . .	31·1	35·0	38·8	.	26·2	Waterford, .	27·3	13·6	19·5	15·6	19·0
lkenny, . .	14·7	9·8	9·8	9·8	11·0	Wexford, . .	14·0	28·0	28·0	23·3	23·3
merick, . .	5·5	21·9	36·9	10·9	18·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in venteen of the districts to 4·7 in Wexford. Among the 132 deaths from all causes Belfast are 5 from measles, one from whooping-cough, 5 from enteric fever, and 7 om diarrhœal diseases; among the 27 deaths from all causes in Cork are 3 from iarrhœal diseases; and the 8 deaths in Waterford include 2 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 78—87 boys and 91 girls; and the deaths to 130—67 males and 63 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 17·9 in every ,000 of the population; omitting the deaths (numbering 3) of persons admitted

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

into public institutions from localities outside the Area, the rate was 17·5 per 1,000. During the forty weeks ending with Saturday last the death-rate averaged 24·5 and was 1·3 below the mean rate for the corresponding portions of the ten years 1894–1903.

Scarlet fever and enteric fever each caused one death, whooping-cough 3, and diarrhœal diseases 10. In the 3 preceding weeks deaths from diarrhœal diseases numbered 14, 28, and 16, respectively.

Croupous pneumonia caused 2 deaths, broncho-pneumonia 3, and *pneumonia* 2.

Tuberculous disease caused 32 deaths, including 4 from tuberculous phthisis, 20 from *phthisis*, 2 from tuberculous meningitis, 2 from tabes mesenterica, and 4 from other forms of the disease.

Carcinoma caused 2 deaths, and *cancer*, *malignant disease*, one.

The deaths of 2 infants were attributed to premature birth.

Diseases of the nervous system caused 4 deaths.

There were 27 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 11 deaths.

In one instance only (that of a person aged 63 years) the cause of death was "uncertified," there having been no medical attendant during the last illness.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 2 were under one month old) and 31 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 4 were octogenarians.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·5 per 1,000; the rate in the City was 18·7 (North City Districts, 16·9; South, 20·5), and in the Suburbs, 13·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·5 (1·7 in the North City Districts, and 3·3 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·7 per 1,000. They include one from tuberculous disease, and one from *pneumonia*.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000. *Diarrhœa* caused one death, tuberculous disease 4, diseases of the heart and blood-vessels 5, and broncho-pneumonia one.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. One death was caused by scarlet fever, 4 by tuberculous disease, and one by croupous pneumonia.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 18·1 per 1,000. Whooping-cough caused one death, and tuberculous disease 2.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 32·5 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. There was one death from epidemic enteritis tabulated for Clontarf and Howth, No. 1, part of, and one from *diarrhœa* for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 34·0 per 1,000. Among them are one from enteric fever, 4 from *diarrhœa*, 4 from tuberculous disease, 5 from diseases of the heart and blood-vessels, one from broncho-pneumonia, and 4 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. Epidemic enteritis caused 1 death, tuberculous disease 4, and diseases of the heart and blood-vessels 2.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·9 per 1,000. They include 2 from whooping-cough, one from *diarrhœa*, 4 from tuberculous disease, 3 from diseases of the heart and blood-vessels, one from croupous-pneumonia, and one from *pneumonia*.

No. 4 South City District (Grand Canal-street).—The deaths (6) are equivalent to an annual rate of 8·9 per 1,000. Tuberculous disease caused 4 deaths, and broncho-pneumonia one.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·3; Pembroke, 12·0; Blackrock, 41·7; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts is from *diarrhœa* for Rathmines and Rathgar. The 6 deaths from all causes tabulated for Pembroke include 2 from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. vcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban trict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 8th October, 1904 and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 17,	.	—	—	4	.	.	5	.	6	7	11	1	—	—	—	—	—	34
	Sept. 24,	.	—	—	4	.	.	2	.	.	14	14	.	—	—	—	—	—	34
	Oct. 1,	.	—	—	5	1	.	3	.	.	8	12	.	—	—	—	—	—	29
	Oct. 8,	.	—	—	8	.	.	6	.	1	23	9	.	—	—	—	—	—	47
Rathmines and Rathgar Urban District.	Sept. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	7	—	9
	Oct. 1,	.	—	—	1	.	.	3	1	.	1	.	.	—	—	—	.	—	6
	Oct. 8,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	1	—	6
Pembroke Urban District.	Sept. 17,	.	.	.	3	.	2	1	.	.	.	.	.	.	.	.	—	—	6
	Sept. 24,	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	—	—	4
	Oct. 1,	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	—	—	4
	Oct. 8,	.	1	.	.	.	.	.	.	.	1	1	.	.	2	.	—	—	5
Blackrock Urban District.	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 1,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Sept. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	2	—	—	—	—	2
City of Belfast.	Sept. 17,	.	—	—	21	.	.	6	1	9	22	8	.	—	—	—	—	—	67
	Sept. 24,	.	—	—	22	.	.	3	1	10	9	4	.	—	—	—	—	—	49
	Oct. 1,	1	—	—	12	1	.	3	.	17	17	9	.	—	—	—	—	—	60
	Oct. 8,	1	—	—	14	1	.	5	1	16	22	9	.	—	—	—	—	—	69

The Registrar of Dundalk District reports:—There have been no further cases of small-pox.
The Registrar of Armagh District reports:—No case of variola occurred in District during week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 8th October, 1904.

From this it appears that:—

Twenty cases of measles were admitted to hospital during the week, 9 were discharged, id 56 patients remained under treatment at its close.

Four cases of scarlet fever were admitted to hospital, 11 cases were discharged, and 3* cases remained under treatment at the close of the week.

One case of typhus fever remained in hospital at the end of the week.

Six cases of diphtheria were admitted to hospital, 8 were discharged, and 17 cases mained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 10 cases were discharged, there as one death, and 52 cases remained under treatment at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, patients were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 13·9), was equal to an average annual death-rate of 15·1 per 1,000 persons living; e average rate for 8 principal towns of Scotland was 15·1 per 1,000, the rate for Glasgow eing 15·2, and for Edinburgh 12·7.

* See note (*) Table XI.

TABLE II—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th October, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 8th October, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	25·7	17·4	1·9	539	364	92	79	.	5	1	.	4	.	.	6	23	60	55	5	14	91
Dublin Registration Area:—																							
Total,‡	378,994	27·5	24·5	17·5	2·1	178	127	29	30	.	.	1	.	3	.	.	1	10	24	20	3	6	49
City of Dublin	298,385	37·1	27·5	18·7	2·5	155	105	24	23	.	.	1	.	3	.	.	1	9	19	18	1	5	46
Urban Districts. Rathmines and Rathgar.	33,208	19·4	12·6	6·3	1·6	8	4	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Pembroke	26,025	16·4	18·0	12·0	.	9	6	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Blackrock	8,759	8·1	6·0	41·7	.	1	7	2	1	.	.	.	.	.	.	.	.	.	1	1	1	1	1
Kingstown	17,622	12·1	14·8	14·8	.	5	5	.	4	.	.	.	.	.	.	.	.	.	1	.	1	.	1
Urban Districts.																							
Belfast	358,680	24·4	31·0	19·2	2·6	218	132	33	21	.	5	.	.	1	.	.	5	7	24	23	1	6	20
Cork	76,122	33·6	17·8	18·5	2·1	26	27	9	6	.	.	.	.	.	.	.	.	3	2	4	1	1	8
Londonderry	41,397	19·1	23·9	11·3	.	19	9	3	1	.	.	.	.	.	.	.	.	.	1	3	.	.	1
Limerick	38,151	18·1	15·0	10·9	.	11	8	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Waterford	26,769	18·7	33·1	15·6	3·9	17	8	3	4	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Galway	18,426	2·5	11·7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	18,076	3·4	4·0	19·9	.	1	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	24·5	12·3	.	6	8	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Newry	12,405	17·8	8·4	16·8	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	13·8	31·0	13·3	.	7	8	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Lisburn	11,461	10·1	31·8	22·7	.	7	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Wexford	11,168	23·2	32·7	23·3	4·7	7	5	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Ballymena	10,886	8·9	33·5	9·6	.	7	2	1	1	.	.	.	.	.	.	.	.	1	1	2	.	.	.
Sligo	10,870	8·7	24·0	28·8	.	5	6	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	10,609	11·5	4·9	9·8	.	1	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Clonmel	10,167	7·8	30·8	35·9	.	6	7	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	15·5	10·3	.	3	2	.	2	.	.	.	.	.	.	.	.	.	3	.	.	1	4
Tralee	9,867	18·6	31·7	15·3	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	40·1	11·4	.	7	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Queenstown	7,909	14·4	26·4	19·8	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Armagh	7,588	22·2	20·6	6·9	.	3	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.

Towns and Districts.	Meteorology.† Week ending 8th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Sept., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—												
Total,‡	§59·6	32·9	48·3	0·15	§65·1	34·6	50·6	0·32	§66·8	37·9	52·6	0·00
City of Dublin	a61·4	33·2	50·2	0·12	a64·0	41·1	52·8	0·47	a66·0	44·3	55·5	0·00
	b60·4	31·0	49·2	0·10	b65·2	6·0	51·5	0·50	b64·8	36·0	52·8	0·00
Urban Districts. Rathmines and Rathgar.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	59·7	43·0	51·5	0·03	64·7	43·5	54·6	0·18	63·2	46·0	56·8	0·00
Urban Districts.												
Belfast	57·5	35·8	49·2	0·22	61·1	38·1	52·3	0·68	64·1	42·6	54·3	0·00
Cork	61	44	51·5	0·37	62	44	53·3	0·51	62	47	56·2	0·01
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	.	.	.	.	.	.	.	.	.	.	.	.
Dundalk	60	48	54	0·21	68	41	53	0·47	70	40	56	0·00
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01
Lisburn	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01
Wexford	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	.	.	.	.	.	.	.	.	.	.	.	.
Kilkenny	62·3	36·3	49·2	0·50	61·0	36·8	50·9	0·60	67·7	35·0	53·6	0·00
Clonmel	59	35	47·1	0·04	64	36	50·0	0·34	65	40	54·1	0·00
Portadown	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01
Newtownards	.	.	.	.	.	.	.	.	.	.	.	.
Queenstown	58	38	48·8	0·39	61	44	52·3	0·72	62	48	55·6	0·00
Armagh	61	44	51·5	0·37	62	44	53·3	0·51	62	47	56·2	0·01
	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49	64·0	37·0	52·1	0·01

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† Not having been found practicable to obtain Returns of Temperature and Rainfall in the Districts of Ballymena and Newtownards, the Meteorological Returns for Lisburn are given for those Districts.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 8th of October, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	CITY OF DUBLIN.												URBAN DISTRICT OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	.	1	.	1	4	1	1	.	.	1	.	.	.	10	.
Phthisis,	.	4	2	1	.	.	.	3	3	4	2	.	1	2	1	1	24	.
Other General Diseases,	4	1	2	5	.	.	.	2	1	.	2	.	.	.	2	.	19	.
Total,	4	6	5	7	1	.	1	10	5	7	4	.	2	2	3	1	58	.
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	.	2	.	.	.	.	1	.	.	.	.	.	1	.	.	4	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	5	2	1	2	.	.	5	2	3	1	1	1	.	1	2	26	1
Respiratory System,	1	2	2	2	.	.	1	5	.	3	1	1	.	1	1	.	20	.
Digestive System,	1	.	.	.	.	.	.	2	.	1	.	.	1	1	.	.	6	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	7	7	4	2	.	1	13	2	8	2	2	2	3	2	2	59	2
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	.	.	.	.	.	.	2	.	.	.	.	.	1	1	1	7	1
E. VIOLENT DEATHS	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	3	.
Deaths from all Causes,	8	13	12	11	3	.	2	25	7	16	6	2	4	6	7	5	127	3
Annual Rate of Mortality in every 1,000 of the population	14·7	17·3	20·8	18·1	32·5	.	15·6	34·0	20·0	19·9	8·9	11·7	6·3	12·0	41·7	14·8	17·5	.
	16·9							20·5					18·4					
	18·7																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	3	3	5	1	.	.	5	1	3	2	.	.	1	1	1	28	3
Workhouse Hospitals	2	3	2	3	.	.	.	7	.	4	.	.	.	.	.	.	21	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1894-1903.	In the Week ending Sa 8th October, 1904.				
												Deaths of Persons of the				
												ALL AGES.	0 to 5.			5 and under 20.
	Oct. 6, 1894.	Oct. 5, 1895.	Oct. 3, 1896.	Oct. 9, 1897.	Oct. 8, 1898.	Oct. 7, 1899	Oct. 6, 1900.	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.			Under 1 month.	1 month and under a year.	1 to 5.	
Mean Temperature.	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 52·1	° 51·1	° 52·4	° 51·2	Mean Temp. ° 48·3				
ALL CAUSES.	158	143	135	147	155	196	182	149	169	150	158·4	130	2	27	16	10
Small-pox, Vaccinated, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, Unvaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	32	1	.	8	.	4·1	.	.	.	.	.
Scarlet Fever ...	1	2	3	3	.	.	.	.	.	1	1·0	1	.	.	.	1
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	2	.	1	.	.	1	1	·6	.	.	.	.	.
Whooping Cough, ...	.	1	1	.	3	2	5	2	1	2	1·7	3	.	.	3	.
Diphtheria, ...	1	.	1	.	.	.	.	2	5	1	1·0	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever, ...	1	.	6	4	2	4	3	8	6	2	3·6	1	.	.	.	.
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	10	8	3	11	15	17	28	9	7	3	12·4	2	.	1	1	.
									12	1		8	.	6	2	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	2	1	.	.	.	.	1	1	·5	1	.	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.
									.	.		.	.	.	.	.
									.	.		.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	1	1	.	.	·3	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	1	.	.	.	1	.	.	.	.	1	·3	1	.	.	.	1
									.	.		.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*," ...	20	17	18	23	14	20	14	21	2	2	19·2	4	.	1	.	1
									16	25		20	.	.	1	3
Tuberculous Meningitis, (Acute Hydrocephalus).	4	5	2	3	10	6	3	1	4	.	3·8	2	.	.	1	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	3	3	4	1	7	8	7	11	.	4	4·9	.	.	.	.	.
									.	1		2	.	2	.	.
Tuberculous Dis. (other), ... *Scrofula*, ...	4	5	2	.	7	2	2	3	3	9	3·8	4	.	.	2	2
									1	.		.	.	.	.	.
Alcoholism, ...	1	2	1	1	1	.	1	.	.	1	·8	1	.	.	.	.
Rheumatic Fever, ...	.	1	.	1	.	.	.	.	1	.	·3	1	.	.	.	.
Gout, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894-1900 a

'H WEEK ending Saturday, 8th October, 1904, with the deaths from each cause in the corresponding ıge for those weeks.*

SES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 6, 1894.	Oct. 5, 1895.	Oct. 3, 1896.	Oct. 9, 1897.	Oct. 8, 1898.	Oct. 7, 1899.	Oct. 6, 1900.	Oct. 5, 1901.	Oct. 4, 1902.	Oct. 10, 1903.	Averages in 40th Week of the 10 years 1894–1903.	In the Week ending Saturday, 8th Octber, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
ın Temperature.	° 47·9	° 51·4	° 53·2	° 51·2	° 56·4	° 46·1	° 50·4	° 52·1	° 51·1	° 52·4	° 51·2	Mean Temp. ° 48·3								
... ...	7	5	1	5	9	3	7	6	2	4	5·6	2	.	.	.	.	1	1	.	.
... ...									.	.		.	.	.	.	.	.	.	.	.
ignant Disease ...									2	5		1	.	.	.	.	.	1	.	.
ellitus	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
Birth	5	5	.	4	3	.	7	1	5	1	3·1	2	1	1	.	.	.	.	.	.
(not tuberc.)									2	2		2	.	2	.	.	.	.	.	.
. P. of Insane									2	.		.	.	.	.	.	.	.	.	.
.. ..									.	.		.	.	.	.	.	.	.	.	.
... .									13	5		.	.	.	.	.	.	.	.	.
Ataxy									.	.		1	.	.	.	.	.	1	.	.
Dis. of Cord									1	1		1	.	.	.	.	1	.	.	.
ystem (other Dis.) ...	31	25	29	31	32	29	32	24	1	1	29·7									
Endocarditis									5	5		9	.	.	.	.	1	4	4	.
em. Thromb.									.	1		1	.	.		.	.	.	1	.
Hemiplegia									3	3		7	.	.	.	.	1	1	5	.
... ...									.	1		.	.	.	.	.	.	.	.	.
Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
Blood Vessel Dis. ..									6	12		10	.	.	.	.	1	1	5	3
Spasm. or Memb.) ...	1	1	1	.	.	1	3	.	.	.	·7		.	.	.	.	.	.	.	.
... ...	16	13	15	14	8	16	11	9	11	8	12·1	11	.	5	2	.	.	2	1	1
Pneumonia									.	.		2	.	1	.	.	1	.	.	.
'neumonia	6	8	7	7	6	13	5	12	1	5	7·8	3	1	.	1	.	.	1	.	.
ia"									6	2		2	.	.	1	1	.	.	.	.
mphysema									1	.		.	.	.	.	.	.	.	.	.
... ...	2	5	1	1	1	1	4	1	.	1	1·9	.	.	.	.	.	.	.	.	.
y Dis. (other)									.	1		2	.	.	.	.	1	.	1	.
, Quinsy	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
not Epid.)	2	1	.	1	1	.	.	.	4	.	1·6	1	.	.	1	.	.	.	.	.
teritis									2	5		1	.	1	.	.	.	.	.	.
(not Puerp.)	1	1	1	.	1	.	.	.	1	2	·7	.	.	.	.	.	.	.	.	.
Liver	.	4	1	3	.	5	2	.	.	2	2·0	1	.	.	.	.	.	1	.	.
(other)									2	1		.	.	.	.	.	.	.	.	.
Dis. (other)	1	5	3	3	2	7	6	9	5	5	4·6	4	.	1	1	1	.	1	.	.
Acute									1	.		1	.	.	.	.	1	.	.	.
is., Albuminuria ...	3	3	3	4	4	3	3	2	1	5	3·3	2	.	.	.	.	.	2	.	.
ys. (Other Dis.) ...									1	.		.	.	.	.	.	.	.	.	.
e Organs Dis.	.	.	.	1	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.
n (Accid. of)	2	1	.	1	2	1	1	1	1	.	1·0	.	.	.	.	.	.	.	.	.
... ...	5	7	11	7	7	12	11	9	5	4	7·8	2	.	.	.	.	.	.	2	.
eases	14	6	13	9	15	9	17	12	11	11	11·7	8	.	4	.	.	1	.	3	.
ACCIDENT.																				
ays	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
les and Horses	2	1	.	.	.	1	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
vning)																				
ng Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions ...	1	1	2	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
ning	1	2	.	1	2	.	1	.	1	.	·8	1	.	.	.	.	.	1	.	.
ation in Bed	.	.	.	.	.	.	.	.	.	1	·1	1	.	1	.	.	.	.	.	.
or Poisonous Vapours...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
aths by Accidents ...	4	2	3	5	1	1	6	2	.	.	2·4	1	.	.	.	.	.	.	1	.
LENCE OTHER THAN ACCIDENTAL.																				
... ...											·2	.	.	.	.	.	.	.	.	.
... ...	1	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May. 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
Births registered,	254	204	207	251	248	251	182	246	202	182	296	210	202	172	240	248	188	269	260	236	254	182	177	222	258	178
*Average Births in corresponding week of previous 10 years,**	192	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187
Deaths registered,	186	178	158	178	173	173	163	150	143	169	149	126	188	146	181	186	161	199	188	178	150	157	184	194	146	180
Annual Death-rate per 1,000,	25·6	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9
*Average Deaths in corresponding week of previous 10 years,**	200	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158
Ages, Under 5 years,	58	51	48	57	50	47	51	37	34	7	32	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45
5—20 „	15	15	16	18	9	12	17	17	18	21	18	17	11	10	8	9	11	11	13	15	10	9	17	14	5	10
20—40 „	28	27	13	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20	18	29	22	23
40—60 „	40	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38	32	21
60—80 „	37	43	37	35	45	38	29	34	27	29	0	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27
80 years and upwards,	8	5	5	5	7	8	2	6	4	8	11	5	6	4	8		6	6	8	2	5	8	1	12	6	4
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	4	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.
„ Scarlet Fever	.	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
„ Whooping-cough,	11	5	3	11	10	5	4	2	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3
„ Diphtheria,	1	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.
„ Simple Continued Fever,	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
„ Enteric Fever,	.	.	1	2	2	3	1	2	1	.	.	.	.	2	.	1	.	1	1	1	1	.	2	1	2	1
„ Diarrhœal Diseases,	.	1	1	1	.	3	1	.	.	.	.	1	5	2	5		15	33	33	35	26	26	14	28	16	10
„ Phthisis,	19	26	19	22	19	23	26	23	30	26	23	4	23	21	14	15	10	25	21	19	21	20	11	25	11	24
„ Diseases of Heart and Blood Vessels,	25	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27
„ Diseases of Respiratory System,	35	47	44	34	29	36	29	25	29	28	28	20	16	26	17	4	24	21	8	20	14	12	17	26	13	20
Violent Deaths,	5	4	2	5	2	3	3	3	2	1		4	1	5	6	5	2	3	4	2	5	.	2	2	5	3
Mean Temperature of the Air (Phœnix Park),	47·3	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	53·8	55·5	55·9	52·6	50·6	48·3
Average Mean Temperature in corresponding week of previous 10 years.	44·9	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	8·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2
Rainfall in inches,	·035	·068	·150	·713	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·480	·375	·290	·350	·955	·540	·335	·360	·725	·000	·315	·150
Mean Humidity of the Air, complete Saturation 1·0,	·78	·81	·81	·79	·83	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·83	·83

* See note at foot of Table IV.

† Erroneous.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th October, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 8th October, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	18·1	130	45	10	23	21	27	4	.	.	1	.	3	.	.	1	10	15	24	.	20	3	68
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9·0	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
II.	MIDDLE CLASS,	87,188	6·6	11	4	1	.	1	4	1	.	.	.	.	1	.	.	.	1	2	1	.	3	.	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	13·2	28	9	1	6	6	6	.	.	.	.	.	.	.	.	.	4	4	6	.	5	.	13
IV.	GENERAL SERVICE CLASS,	154,279	28·6	67	24	7	11	14	10	1	.	.	1	.	2	.	.	1	4	8	13	.	8	3	35
V.	INMATES OF WORKHOUSES,	6,024		21	8	1	5	.	6	1	.	.	.	.	.	.	.	.	1	1	4	.	3	.	13
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	3,360	6·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	9·5	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	2
	6. Clerks and Commercial Assistants,	30,432	1·7	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	7·7	4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	15·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	9. Building and Furnishing Trades,	29,801	12·2	7	3	1	1	1	1	.	.	.	.	.	.	.	.	.	2	2	2	.	2	.	1
	10. Clothing Trades,	23,260	13·5	6	3	.	1	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
	11. Food Supply Trades,	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	13·7	8	1	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	5
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	4. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	1	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
	15. Domestic Servants,	36,603	10·0	7	2	.	4	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	3	.	.	4	1	.	.	.	.	.	1	.	.	1	1	3	2	.	.	1	2
	17. Hawkers, Porters, Labourers, &c.,	89,861	27·3	47	18	6	6	10	7	.	.	.	1	.	1	.	.	.	3	5	7	.	6	2	27
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	21	8	1	5	.	6	1	.	.	.	.	.	.	.	.	1	1	4	.	3	.	13

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	Aug. 20,	36·8	11·0	20	.	2	.	.	.	.	.	1	3	.	1	1
	„ 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
	„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
	„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
	„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 59,146.	Aug. 20,	28·0	6·7	21	.	.	.	.	.	.	.	.	5	5	.	.
	„ 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
	„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
	„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Aug. 20,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	2	.
	„ 27,	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	1
	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
	„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
	„ 17,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
	„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Aug. 20,	23·0	9·9	14	.	2	.	1	.	.	.	.	3	2	1	.
	„ 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	3	2	1	.
	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
	„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
	„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
	„ 24,	18·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Aug. 20,	24·5	8·2	18	.	.	.	.	.	.	.	.	6	1	1	1
	„ 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
	Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
	„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
	„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
	„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
	„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Aug. 20,	39·9	11·4	14	.	.	.	.	1	.	.	.	3	2	1	1
	„ 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
	„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	2	2	.
	„ 24,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Aug. 20,	29·8	3·7	24	.	.	.	.	1	.	.	.	2	3	.	.
	„ 27,	22·4	11·2	18	.	.	.	.	2	1	.	.	6	1	.	.
	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
	„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
	„ 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
	„ 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
	„ 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Aug. 20,	25·2	5·9	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
	Sept. 3,	28·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
	„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
	„ 17,	18·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
	„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Aug. 20,	11·0	3·1	7	.	.	.	.	.	.	.	.	2	1	.	.
	„ 27,	20·4	6·3	18	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	1
	„ 8,	6·3	1·6	4	.	.	.	.	.	.	.	.	1	1	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Aug. 20,	30·1	10·0	15	.	.	.	.	.	1	.	.	4	1	1	.
	„ 27,	26·0	6·0	18	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	„ 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	„ 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Aug. 20,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	1	1
	„ 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	„ 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
Belfast. Pop. in 1904 (Est.) 358,680.	Aug. 20,	18·6	2·9	128	.	1	.	1	2	.	.	.	16	25	10	2
	„ 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	„ 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	„ 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
	„ 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	13	9
	Oct. 1,	17·6	2·3	121	.	2	.	1	2	.	1	.	10	10	17	4
	„ 8,	19·2	2·6	132	.	5	.	.	1	.	.	5	7	24	23	1
Cork Pop. (in 1901) 76,122.	Aug. 20,	15·1	.	22	.	.	.	.	.	.	.	.	.	7	3	.
	„ 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	„ 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	„ 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	„ 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	„ 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
Londonderry. Pop. in 1904 (Est.) 41,397	Aug. 20,	18·9	3·8	15	.	.	.	.	.	.	.	.	3	4	3	.
	„ 27,	15·1	1·8	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	„ 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	„ 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	„ 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
Limerick. Pop. (in 1901) 38,151.	Aug. 20,	10·9	.	8	.	.	.	.	.	.	.	.	.	1	.	.
	„ 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	„ 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
Waterford. Pop. (in 1901) 26,769.	Aug. 20,	7·8	1·9	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	„ 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	„ 24,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	„ 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 8th October, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	10	17·7	.	5	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 2 "	47,959	25	20·7	.	19	6	1	11	1	.	.	.	.	.	.	.	.	.	7	2	.	.	3
Do. 3 "	47,214	31	18·8	5·5	17	3	1	11	2	.	2	.	.	.	.	.	2	1	6	.	1	2	2
D 4 "	40,911	29	19·1	2·5	15	7	3	1	4	.	.	.	.	.	.	.	.	2	.	3	.	2	3
Do. 5 "	17,387	13	30·0	6·0	10	1	2	6	1	.	.	.	.	.	.	.	1	1	1	5	.	1	4
Do. 6 "	48,122	13	17·3	1·1	16	3	2	7	4	.	.	.	.	.	.	.	1	.	2	4	.	.	2
Do 7 "	1,524	2	.	.	3	.	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2
Do. 8 "	5,060	1	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	13	13·3	.	5	.	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Do. 10 "	28,064	15	24·9	13·6	11	2	5	3	1	.	2	.	.	1	.	.	.	3	1	.	.	1	1
Do 11 "	34,802	26	18·0	.	12	4	2	4	3	.	.	.	.	.	.	.	.	.	1	5	.	.	.
Do. 12 "	33,588	21	18·6	.	12	7	.	4	1	.	.	.	.	.	.	.	.	.	3	1	.	.	.
Do 13 "	15,006	14	20·8	3·5	6	.	2	2	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	213	19·7	2·7	132	33	19	59	21	.	5	.	.	1	.	.	5	7	24	23	1	6	20
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	20·3	.	5	1	.	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Do. 2 "	10,701	3	24·4	4·9	5	3	.	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.
Do 3 "	9,978	2	20·9	10·5	4	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
Do. 4 "	8,666	2	36·1	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 "	6,592	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	3	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1
Do 7 "	16,616	6	15·7	.	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	2	.	.	2
Total	76,122	26	18·5	2·1	27	9	1	11	6	.	.	.	.	.	.	.	.	3	2	4	1	1	8

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered,	271	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213
DEATHS registered,	185	148	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132
Annual Death-rate per 1,000 of estimated Population,	26·9	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2
AGES, Under 1 year,	35	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33
1–5 years,	25	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19
5–60 years,	81	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59
60 years and upwards,	44	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	7	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5
" Scarlet Fever,	.	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.
" Whooping cough,	10	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1
" Diphtheria,	3	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
" Enteric Fever,	1	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5
" Diarrhœal Diseases,	1	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7
" Phthisis	28	31	27	25	30	32	24	25	21	22	23	18	20	18	18	17	17	16	25	16	14	25	20	15	10	24
" Diseases of Respiratory System,	59	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23
Violent Deaths,	5	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9		2	4	9	4	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th October, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	.	2	.	.	.	3
" " 1, West,	.	.	.	1	.	.	.	.	.	4	1	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 3,	.	.	.	.	.	.	1	.	.	3	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	1	.	1	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	2	.	.	.	.	.	10	7	.	.	19
" " 2,	.	.	.	.	.	.	1	.	.	1	.	.	.	2
" " 3,	.	.	.	3	.	.	1	.	.	1	.	.	.	5
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Total,	.	.	.	8	.	.	6	.	1	23	9	.	.	47

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th October, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th October.			
	Sept. 17.	Sept. 24.	Oct. 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	2	1	.	.	.	.	.
Measles,	27	33	45	20	9	.	56
Scarlet Fever,	51	44	50	4	11	.	43*
Typhus "	.	1	1	.	.	.	1
Diphtheria,	20	21	19	6	8	.	17
Enteric Fever,	59	52	52	11	10	1	52
Pneumonia,	10	16	19	4	7	.	16

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Oct. 8,	2,470	1,243	13·9	.	14	4	20	7	9	52
EDINBURGH,	331,977	„ 8,	145	81	12·7	.	.	.	.	2	1	8
GLASGOW,	798,357	„ 8,	468	233	15·2	.	1	1	1	10	.	18
CALCUTTA,	847,796	Aug. 20,	.	365	22·3	1	.	.	3	.	124‡	53*
BOMBAY,	776,006	Sept. 6,	389	611	40·9	.	.	.	1	.	51‡	72*
MADRAS,	509,346	Aug. 26,	467	344	35·1	.	.	?	?	?	98	54
PARIS,	2,660,559	Sept. 24,	1,059	770	15·0	2	4	3	2†	6	6	49
BRUSSELS (with 8 Faubourgs).	586,936	„ 17,	221	169	15·0	.	1	.	.	.	1	26
AMSTERDAM,	548,435	„ 17,	268	140	13·3	.	2	.	.	4	2	14
ROTTERDAM.	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Sept. 17,	214	127	15·9	.	1	.	.	5	.	35
CHRISTIANIA,	223,649	„ 24,	168	38	10·7	.	.	1	.	1	.	9
ST. PETERSBURG,	1,248,122	„ 24,	618	519	21·7	3	5	14	17	6	7	63
BERLIN,	1,960,909	„ 10,	883	708	18·8	.	4	9	5†	8	6	185
HAMBURG,	751,842	„ 17,	.	251	17·4	.	1	1	3†	3	.	41
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Sept. 24,	.	174	17·4	.	2	.	.	1	.	45
VIENNA (with suburbs).	1,797,992	„ 24,	977	484	14·0	.	4	.	8†	.	1	55
BUDA-PESTH,	813,399	„ 24,	410	229	14·6	.	5	11	2†	1	5	28
PRAGUE and Faubourgs.	426,404	„ 17,	195	175	21·3	.	.	1	.	2	3	11
ROME,	505,371	Aug. 6,	222	150	15·5	.	.	.	.	.	7	27
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Aug. 27,	81	59	18·3	.	.	.	.	1	.	12
NEW YORK,	3,838,024	Sept. 10,	2,329	1,309	17·8	.	8	2	25†	3	23	218
PHILADELPHIA,	1,408,154	Sept. 3,	.	371	13·7	.	.	1	3†	2	10	58

* Including 4 deaths from cholera in Calcutta and 18 in Bombay.
† Including deaths from croup.
‡ Exclusive of 5 deaths from bubonic fever in Calcutta and 51 in Bombay.

METEOROLOGY.

(For Abstract of Observations at several Irish Meteorological Stations see TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 8th October, 1904 :—

"Autumn advanced with no uncertain steps in the course of this week. In the Dublin district, although temperature ruled low, the weather was chiefly fine and dry, but in the south of England conditions were especially unsettled and stormy and rain fell in abundance. Sunday was very fine in Dublin but a sheet of cirrus cloud covered the southern sky until evening. This cloud formation was related to a subsidiary depression, which formed at the mouth of the English Channel and developed great energy in the course of a few hours. Downpours of rain accompanied the disturbance as it travelled south-eastwards across France—at 8 a.m. of Monday the largest rainfalls recorded were 2·44 inches at Brest, 2·12 inches at Jersey, 1·14 inches at L'Orient, 1·06 inches at Portland Bill, and ·92 inches at Scilly. Monday was brilliant, but Tuesday proved unsettled and showery owing to the passage of a large and deep atmospheric depression across the North Atlantic to the N.W. of Norway. Temperature rose fast for the time being. On Wednesday a still deeper and more serious depression came in from the Atlantic, crossing Scotland in an easterly direction during the following night. At 8 a.m. of Thursday the barometer was below 28·8 inches in the S.W. of Norway. This system caused strong S.W. to N.W. gales and rain in all districts. On Thursday evening a subsidiary appeared off the S. of Ireland, thence passing rapidly eastwards, and reaching the Straits of Dover on Friday morning. It brought heavy rain to both sides of the English Channel. The wind now drew into N.N.W. or N., and the weather remained cold, though it became finer and drier in Ireland. In Dublin the mean height of the barometer was 30·006 inches, pressure ranging between 30·354 inches at 9 a.m. of Monday (wind, W.) and 29·364 inches at 6 p.m. of Wednesday (wind, W.S.W., a gale). The corrected mean temperature was 50·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·6°. On Monday the screened thermometers fell to 38·2°, on Wednesday they rose to 61·4°. Bright sunshine was estimated at 31½ hours, of which 8 fell on Sunday, Monday and Friday severally. The dominant winds were W. and N.W. Rain fell on 3 days to the amount of ·116 inch, ·069 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·021 inches. The highest reading (30·377) was on Monday at 9 a.m., air calm, and the lowest (29·422) on Wednesday at 9 p.m., wind W.

The mean temperature for the week was 48·3°, being 2·9° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, when the thermometer registered 59·6°, and was lowest on Monday, the mercury having fallen to 32·9°. The mean of the Dry Bulb for the week was 47·0°, and of the Wet Bulb 45·0°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·6 hours. The rainfall measured 0·150 inch.

At Greenwich the mean temperature for the week was 50·3°, the maximum 58·0°, and the minimum 43·3°; at Glasgow the maximum was 59·8°, the minimum 38·7°, and the mean 49·6°; and at Edinburgh the maximum was 55·9°, the minimum 36·8°, and the mean 48·3°. The rainfall at Greenwich measured 0·86 inch; at Glasgow 0·57 inch; and at Edinburgh 0·35 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 2,	30·099	54·8	39·5	47·2	43·3	41·9	·90	·5	7·8	—	Calm.	Calm.
Monday, „ 3,	30·373	58·8	32·9	45·9	45·0	43·4	·89	·3	8·3	—	Calm.	Calm.
Tuesday, „ 4,	30·101	58·1	39·0	48·6	49·3	49·1	·81	·7	1·1	·070	S.W.	W.
Wednesday, „ 5,	29·672	59·6	49·1	54·4	52·9	50·2	·83	·5	0·0	·015	S.W.	W.
Thursday, „ 6,	29·697	53·8	44·6	49·2	47·4	44·3	·79	·9	1·2	·055	W.	W.
Friday, „ 7,	29·952	55·0	41·2	48·1	46·1	43·1	·76	·4	7·1	.010	N.W.	W.
Saturday, „ 8,	30·254	51·8	37·1	44·5	45·3	42·8	·82	·7	5·1	—	W.	W.
Mean, . .	30·021	56·0	40·5	48·3	47·0	45·0	·83	·6	Total 30·6	·150	Prevailing Wind, W.	

Sunday—Day fine but cloudy; night clear. *Monday*—A fine day; night cloudy. *Tuesday*—Overcast and light rain a.m., cloudy p.m.; night cloudy, drizzling rain 5 to 7.30 a.m. *Wednesday*—Day overcast, showers a.m.; night overcast p.m., light rain 4.30 to 6 p.m., cloudy a.m., light. *Thursday*—Day cloudy, showery a.m.; night cloudy, showery a.m. *Friday*—Day fine but cloudy; night clear. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. 10. 1904.

OFFICIAL.

EKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
STING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
ENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

XLI.] WEEK ENDING SATURDAY, 15TH OCTOBER, 1904. [No. 41.

General Register Office, Charlemont House, Dublin, 17th October, 1904.

TWENTY-TWO TOWN DISTRICTS.

ıe average annual death-rate represented by the deaths registered* last week in)ublin Registration Area and the twenty-one principal provincial Urban Districts eland was 17·7 per 1,000 of their aggregate population, which, for the purposes ese Returns, is estimated at 1,093,289.† The deaths registered in each of the four weeks, and during the whole of that period, in the several Districts, alpha- ally arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Sept. 24.	Week ending Oct. 1.	Week ending Oct. 8.	Week ending Oct. 15.	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 24.	Week ending Oct. 1.	Week ending Oct. 8.	Week ending Oct. 15.	Average Rate for 4 weeks.
own Dists.	20·6	19·4	17·4	17·7	18·8	Lisburn, . .	4·5	4·5	22·7	13·6	11·3
ıgh, . .	27·5	6·9	6·9	6·9	12·1	Londonderry .	17·6	11·3	11·3	16·4	14·2
'mena, .	14·4	4·8	9·6	.	7·2	Lurgan, . .	8·9	22·1	13·3	13·3	14·4
ıst, . .	17·7	17·6	19·2	16·0	17·6	Newry, . .	33·6	37·8	16·8	12·6	25·2
mel, . .	25·6	10·3	35·9	.	18·0	Newtownards, .	17·2	28·6	11·4	11·4	17·2
. . . .	14·4	22·6	18·5	17·1	18·2	Portadown, .	15·5	20·7	10·3	5·2	12·9
'heda, . .	12·3	28·6	12·3	.	13·3	Queenstown, .	19·8	.	19·8	19·8	14·9
inReg.Area,	25·9	19·0	17·5	21·6	21·0	Sligo, . . .	9·6	21·0	28·8	14·4	19·2
ıalk, . .	12·0	19·9	19·9	4·0	14·0	Tralee, . .	37·0	31·7	15·9	5·3	22·5
vay, . .	35·0	38·8	.	58·3	33·0	Waterford, .	13·6	19·5	15·6	5·8	13·6
enny, . .	9·8	9·8	9·8	34·3	15·9	Wexford, . .	28·0	28·0	23·3	18·7	24·5
erick, . .	21·9	36·9	10·9	23·2	23·2						

'he deaths from certain epidemic diseases ‡ registered in the 22 districts during last k* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in lve of the districts to 5·7 in Newtownards. Among the 110 deaths from all causes istered in Belfast are 3 from measles, 3 from whooping-cough, one from enteric fever, 8 from diarrhœal diseases; and the 25 deaths in Cork include one from diphtheria one from diarrhœa.

DUBLIN REGISTRATION AREA.

n the Dublin Registration Area the births registered during the week amounted to —117 boys and 85 girls; and the deaths to 162—87 males and 75 females.

DEATHS.

'he deaths registered represent an annual rate of mortality of 22·3 in every 00 of the population; omitting the deaths (numbering 5) of persons admitted) public institutions from localities outside the Area, the rate was 21·6 per 1,000. ring the forty-one weeks ending with Saturday last the death-rate averaged 24·4,

Exclusive of deaths of persons admitted into Public Institutions from without the respective ricts.

† See note (*), Table II. ‡ See columns 10-18 of Table II.

and was 1·4 below the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths registered include 3 from whooping-cough, one death from enteric fever, and 8 deaths from diarrhœal diseases. In the 3 weeks preceding, diarrhœal diseases caused 28, 16, and 10 deaths, respectively.

Croupous pneumonia caused one death, broncho-pneumonia caused 4 deaths, and 5 deaths were registered from *pneumonia.*

The total (21) deaths from tuberculous disease, include 2 deaths from tuberculous phthisis, 6 deaths from *phthisis,* 4 from tuberculous meningitis, one from tuberculous peritonitis, and 8 deaths from other forms of the disease.

One death was attributed to carcinoma, and 6 deaths to *cancer, malignant disease.*

Premature birth caused the deaths of 7 infants under one year of age.

The deaths (17) assigned to diseases of the nervous system include the deaths of 13 children under one year from *convulsions.*

There were 26 deaths from diseases of the heart and blood-vessels.

Bronchitis caused 23 deaths.

Of two deaths from accidental causes, one was due to drowning.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 10 children under one year old and the death of one person aged 87 years.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (49 being infants under one year, of whom 12 were under one month old), and 40 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (females) were stated to have been aged 90 years, respectively.

Forty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 22·6 (North City Districts, 19·0; South, 26·3), and in the Suburbs, 18·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·6 (1·0 in the North City Districts, and 2·2 in the South), and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. Tuberculous meningitis caused 2 deaths, bronchitis caused 2 deaths, and one accidental death by drowning was registered.

No. 1 North City District, West (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. There was one death from *diarrhœa*; *phthisis* caused 2 deaths, tuberculous peritonitis caused one death, and bronchitis caused one death.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. There were 3 deaths from *convulsions,* and one death from accidental violence was registered.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 23·0 per 1,000. There were 2 deaths from *diarrhœa*; *phthisis* and tuberculous meningitis each caused one death; there was one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 23·5. There was one death from *pneumonia* tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·5 per 1,000. Enteric fever caused one death, there were 3 deaths from tuberculous disease; broncho-pneumonia and *pneumonia* each caused one death.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 45·6 per 1,000. Epidemic diarrhœa caused 4 deaths; there was one death from tuberculous meningitis; there was one death from *pneumonia,* and bronchitis caused 5 deaths.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. There was one death from epidemic diarrhœa, there were 5 deaths from tuberculous disease, there was one death from broncho-pneumonia, and bronchitis caused one death.

No. 4 South City District (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. There were 2 deaths from tuberculous disease, and bronchitis caused one death.

New Kilmainham District.—The one death registered is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 10·0; Blackrock, 41·7; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one death each from whooping-cough for Rathmines and Rathgar, Pembroke and Kingstown. The 13 deaths from all causes tabulated for Rathmines and Rathgar include 3 from diseases of the brain and nervous system, 3 from diseases of the heart and blood-vessels, one from broncho-pneumonia, and one from *pneumonia*; and the 5 deaths for Kingstown include 2 from diseases of the brain and nervous system, and one from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 15th October, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Sept. 24,	.	—	—	4	.	.	2	.	.	14	14	.	—	—	—	—	—	34
	Oct. 1,	.	—	—	5	1	.	3	.	.	8	12	.	—	—	—	—	—	29
	Oct. 8,	.	—	—	8	.	.	6	.	1	23	9	.	—	—	—	—	—	47
	Oct. 15,	.	—	—	10	1	.	3	.	1	23	16	.	—	—	—	—	—	54
Rathmines and Rathgar Urban District.	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	7	—	9
	Oct. 1,	.	—	—	1	.	.	3	1	.	1	.	.	—	—	—	.	—	6
	Oct. 8,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	1	—	6
	Oct. 15,	.	—	—	.	.	.	.	.	.	3	.	.	—	—	—	.	—	3
Pembroke Urban District.	Sept. 24,	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	—	—	4
	Oct. 1,	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	—	—	4
	Oct. 8,	.	1	.	.	.	.	.	.	.	1	1	.	.	2	.	—	—	5
	Oct. 15,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	—	—	3
Blackrock Urban District.	Sept. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 1,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	Sept. 24,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	2	—	—	—	—	2
	Oct. 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	4
City of Belfast.	Sept. 24,	.	—	—	22	.	.	3	1	10	9	4	.	—	—	—	—	—	49
	Oct. 1,	1	—	—	12	1	.	3	.	17	17	9	.	—	—	—	—	—	60
	Oct. 8,	1	—	—	14	1	.	5	1	16	22	9	.	—	—	—	—	—	69
	Oct. 15,	2	—	—	18	.	.	3	1	14	14	11	1	—	—	—	—	—	64

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th October, 1904.

From this it appears that:—

Twenty-seven cases of measles were admitted to hospital during the week, 12 were discharged, and 71 patients remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 11 were discharged, and 43* cases remained under treatment at the close of the week.

Two cases of typhus fever were admitted to hospital, and 3 cases remained under treatment at the end of the week.

Three cases of diphtheria were admitted to hospital, 2 were discharged, and 18 cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 11 were discharged, and 50 cases remained under treatment at the close of the week.

In addition to the above-named diseases, one case of pneumonia was admitted to hospital, 3 patients were discharged, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·2), was equal to an average annual death-rate of 15·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 16·6, and for Edinburgh 13·4.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th October, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Registration—Week ending Saturday, 15th October, 1904. Numbers Registered. Births. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 15th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	28·8	17·7	1·7	604	372	106	79	.	3	1	.	7	3	.	3	19	38	70	7	13	74	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:—																																			
Total,‡	378,994	27·5	27·8	21·6	1·7	202	157	49	39	.	.	.	.	3	.	.	1	8	8	33	2	4	42	§60·7	27·8	47·9	0·08	§59·6	32·9	48·3	0·15	§65·1	34·6	50·6	0·32
City of Dublin	293,885	37·1	30·2	22·6	1·6	170	127	39	29	.	.	.	.	.	.	.	1	8	8	25	2	4	38	a61·8 / b59·8	36·0 / 34·0	50·7 / 49·3	0·05 / 0·05	a61·4 / b60·4	38·2 / 34·0	50·2 / 49·2	0·12 / 0·10	a64·0 / b65·2	41·1 / 36·0	52·8 / 51·5	0·47 / 0·50
Urban Districts. Rathmines and Rathgar.	33,203	19·4	20·4	20·4	1·6	13	13	3	4	.	.	.	.	1	.	.	.	.	.	5	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	22·0	10·0	2·0	11	5	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	41·7	.	4	7	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	11·8	14·8	3·0	4	5	3	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	60·7	38·5	51·6	0·00	59·7	43·0	51·5	0·03	64·7	43·5	54·6	0·18
Urban Districts.																																			
Belfast	358,680	24·4	33·3	16·0	2·2	229	110	33	20	.	3	.	.	3	.	.	1	8	13	21	2	4	10	57·5	31·2	48·0	0·12	57·5	35·8	49·2	0·22	64·1	38·1	52·3	0·68
Cork	76,122	33·6	28·8	17·1	1·4	42	25	4	7	.	.	.	.	.	1	.	.	1	7	1	2	4	7	59	47	53·5	0·21	61	44	51·5	0·37	62	44	53·3	0·51
Londonderry	41,397	19·1	23·9	16·4	1·3	19	13	3	3	.	.	.	.	.	1	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	27·3	23·2	1·4	20	17	5	3	.	.	.	.	.	.	.	.	1	2	5	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	7·8	5·8	.	4	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	15·5	58·3	3·9	4	15	5	1	.	.	.	.	.	.	.	.	1	1	3	1	.	2	62	46	53	0·41	60	48	54	0·21	63	41	53	0·47
Dundalk	13,076	3·4	31·9	4·0	.	8	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	28·6	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	12·6	4·2	6	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49
Lurgan	11,782	13·8	44·8	13·3	.	10	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49
Lisburn	11,461	10·1	22·7	13·6	.	5	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49
Wexford	11,168	23·2	46·7	18·7	.	10	4	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	14·4	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	19·2	14·4	4·8	4	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	57·0	29·7	47·1	0·37	62·3	36·3	49·2	0·50	61·0	36·8	50·9	0·60
Kilkenny	10,609	11·5	68·8	34·3	.	14	7	2	1	.	.	.	.	.	.	.	.	.	2	2	.	.	5	61	39	49·1	0·36	59	35	47·1	0·04	64	36	50·0	0·34
Clonmel	10,167	7·8	20·5	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	20·7	5·2	5·2	4	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49
Tralee	9,867	16·6	.	5·3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	11·4	11·4	5·7	2	2	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	58	39	49·0	0·07	53	38	48·8	0·39	61	44	52·3	0·72
Queenstown	7,909	14·4	26·4	19·8	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	59	47	53·5	0·21	61	44	51·5	0·37	62	44	53·3	0·51
Armagh	7,588	22·2	20·6	6·9	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20	62·8	40·9	51·8	0·49

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

‡ Excluding [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 15th of October, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	3	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	1	.	2	.	.	.	.	4	1	.	.	.	.	.	.	8	.
Phthisis,	.	2	.	1	.	.	.	1	.	3	1	.	.	.	.	.	8	.
Other General Diseases,	2	5	1	2	.	1	1	9	2	3	5	.	.	1	2	.	34	2
Total,	2	8	1	5	.	1	1	11	6	7	6	.	1	2	2	1	54	2
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	2	3	3	.	.	.	.	1	.	1	.	3	.	1	2	17	.
Diseases of Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Heart and Blood Vessels,	2	3	2	1	.	1	.	1	2	6	3	.	3	1	1	.	26	.
Diseases of Respiratory System,	2	2	.	2	1	2	.	6	6	2	1	1	5	1	1	1	33	1
Diseases of Digestive System,	1	.	.	1	.	1	.	2	.	1	2	.	.	.	1	.	9	1
Diseases of Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of Urinary System,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diseases of Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	7	5	8	1	4	.	9	9	10	7	1	11	2	4	3	87	3
C. OTHER SPECIFIED DISEASES.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	.	1	1	.	.	2	1	1	3	1	.	1	1	1	1	14	.
E. VIOLENT DEATHS	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Deaths from all Causes,	9	15	8	14	1	5	3	21	16	20	14	1	13	5	7	5	157	5
Annual Rate of Mortality in every 1,000 of the population	16·6	20·0	13·9	23·0	10·8	26·0	23·5	28·5	45·6	24·9	20·8	5·9	20·4	10·0	41·7	14·8	21·6	.
	19·0							26·3					18·3					
	22·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	2	2	2	.	1	.	3	2	1	3	.	.	1	.	.	17	5
Workhouse Hospitals	.	5	2	3	.	.	.	3	2	4	3	.	2	.	1	.	25	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis
week of the ten years, 1

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1894–1903.	In the Week ending Satu 15th October, 1904. Deaths of Persons of the A				
	Oct. 13, 1894.	Oct. 12, 1895.	Oct. 10, 1896.	Oct. 16, 1897.	Oct. 15, 1898.	Oct. 14, 1899.	Oct. 13, 1900.	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 11, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·0	° 48·2	° 50·0	° 49·1	° 47·9					
ALL CAUSES.	144	180	158	161	167	225	183	146	192	145	170·1	162	12	37	19	8	1
Small-pox, Vaccinated, ...	2	1	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	44	.	.	11	.	5·6	.	.	.	.	.	.
Scarlet Fever ...	.	1	4	1	2	2	.	.	2	.	1·2	.	.	.	.	.	.
Typhus, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	2	2	3	2	.	1	.	1	1·2	.	.	.	.	.	.
Whooping Cough, ...	2	3	2	1	1	.	1	1	.	1	1·2	3	.	3	.	.	.
Diphtheria, ...	1	1	.	2	.	1	1	.	2	.	·8	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Enteric Fever, ...	7	5	4	7	3	7	4	6	2	4	4·9	1	.	.	.	.	1
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	3	17	10	4	14	15	16	14	7	1	11·5	5	.	2	2	.	.
Diarrhœa, Dysentery, ...									10	4		3	.	2	.	1	.
Hydrophobia, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	1	2	.	2	3	2	.	.	.	3	1·3	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia,	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Puerperal Pyæmia, ...									.	.		.	.	.	.	.	.
Puerperal Fever, ...									.	.		.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	.	1	.	.	.	·3	1	.	.	.	1	.
Septicæmia (not Puerperal),	.	.	1	1	1	.	.	1	1	.	·5	1	.	.	.	.	.
Pyæmia (not Puerperal), ..									.	.		.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Tuberculous Phthisis, ..	22	18	19	24	20	22	26	21	1	6	22·3	2	.	.	.	.	1
"*Phthisis*," ...									25	19		6	.	.	.	2	3
Tuberculous Meningitis, (Acute Hydrocephalus).	3	3	2	4	4	7	2	.	2	1	2·8	4	.	1	1	2	.
Tuberculous Peritonitis, ...	5	10	7	4	7	8	5	5	1	.	5·4	1	.	.	.	.	1
Tabes Mesenterica, ...									1	1		.	.	.	.	.	.
Tuberculous Dis. (other), ...	3	7	2	5	5	1	8	5	6	8	5·0	8	.	4	1	1	1
Scrofula, ...									.	.		.	.	.	.	.	.
Alcoholism, ...	2	.	1	.	1	1	.	1	1	1	·8	3	.	.	.	.	2
Rheumatic Fever, ...	1	.	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	1
Gout, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.

* The figures for the years 1894–1900 a

-FIRST WEEK ending Saturday, 15th October, 1904, with the deaths from each cause in the corresponding
rage for those weeks.*

USES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 13, 1894.	Oct. 12, 1895.	Oct. 10, 1896.	Oct. 16, 1897.	Oct. 15, 1898.	Oct. 14, 1899.	Oct. 13, 1900.	Oct. 12, 1901.	Oct. 11, 1902.	Oct. 17, 1903.	Averages in 41st Week of the 10 years 1894–1903.	In the Week ending Saturday, 15th Octber, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
ean Temperature.	° 52·8	° 47·6	° 47·4	° 49·5	° 48·9	° 48·0	° 50·9	° 48·0	° 48·2	° 50·0	° 49·1	° 47·9								
a	3	6	9	3	1	7	5	3	.	3	4·7	1	.	.	.	.	.	.	.	1
... ...									.	2		.	.	.	.	.	.	.	.	
alignant Disease ...									2	3		6	.	.	.	.	.	4	2	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
e Birth	.	1	1	1	2	6	4	1	5	4	2·5	7	5	2	.	.	.	.	.	.
s (not tuberc.)									8	5		2	1	.	.	1	.	.	.	.
G. P. of Insane									.	3		.	.	.	.	.	.	.	.	.
.. ..									1	1		1	.	.	.	.	.	.	1	.
is									10	5		13	3	10	.	.	.	.	.	.
r Ataxy									.	.		.	.	.	.	.	.	.	.	.
a Dis. of Cord									.	2		.	.	.	.	.	.	.	.	.
System (other Dis.) ...	39	33	33	23	29	32	37	37	4	.	34·9	1	.	1	.	.	.	.	.	.
, Endocarditis									4	7		10	.	.	.	.	1	4	4	1
æm. Thromb.									1	2		6	.	.	.	.	1	4	1	.
Hemiplegia									6	2		1	.	.	.	.	.	.	1	.
n									.	2		.	.	.	.	.	.	.	.	.
n, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
l Blood Vessel Dis. ...									8	15		9	.	.	.	.	2	1	4	2
t Spasm. or Memb.) ...	.	1	1	2	.	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.
s	9	12	10	17	14	15	22	9	13	12	13·3	23	.	3	6	.	.	5	8	1
Pneumonia									1	.		1	.	.	.	.	.	1	.	.
Pneumonia	5	6	3	7	7	13	7	7	2	.	6·7	4	.	.	2	.	.	.	2	.
nia"									5	4		5	.	1	1	.	.	2	1	.
Emphysema									2	.		.	.	.	.	.	.	.	.	.
... ...	1	2	1	4	1	1	.	.	.	1	1·5	.	.	.	.	.	.	.	.	.
ry Dis. (other)									.	2		1	.	.	1	.	.	.	.	.
, Quinsy	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
(not Epid.)	.	2	1	1	2	2	3	.	3	1	1·6	2	.	2	.	.	.	.	.	.
teritis									1	.		3	.	.	2	.	.	1	.	.
s (not Puerp.)	.	.	1	.	1	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.
of Liver	3	5	3	4	6	.	3	3	1	.	3·0	.	.	.	.	.	.	.	.	.
(other)									2	.		.	.	.	.	.	.	.	.	.
Dis. (other)	1	5	9	6	6	4	5	4	1	4	4·5	5	.	1	2	.	1	1	.	.
, Acute									2	.		.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	4	5	8	5	1	3	3	3	3	2	4·1	2	.	.	.	.	.	.	2	.
ys. (Other Dis.) ...									1	1		.	.	.	.	.	.	.	.	.
e Organs Dis.	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
n (Accid. of)	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	5	11	4	11	15	12	9	7	6	2	8·2	4	.	.	.	.	.	.	2	2
eases	16	12	12	11	15	15	13	10	20	8	13·2	14	3	5	1	.	.	3	2	.
ACCIDENT.																				
ays	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
es and Horses	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
vning)																				
ng Operations	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
grations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
, Scalds, Explosions ...	.	1	1	1	.	.	2	1	1	1	·8	.	.	.	.	.	.	.	.	.
ning	1	.	.	2	.	1	2	1	.	.	·7	1	.	.	.	.	.	1	.	.
ation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
aths by Accidents ...	2	5	2	3	1	1	1	2	1	.	1·8	1	.	.	.	.	.	1	.	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	204	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236	254	182	177	222	258	178	202
*Average Births in corresponding week of previous 10 years,**	205	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182
DEATHS registered,	178	158	178	173	173	163	150	143	169	149	126	138	146	131	136	161	199	183	178	150	157	134	194	146	130	162
Annual Death-rate per 1,000,	24·5	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	2·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3
*Average Deaths in corresponding week of previous 10 years,**	189	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170
AGES, Under 5 years,	51	48	57	50	47	51	37	34	7	2	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68
5—20 "	15	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8
20—40 "	27	18	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20	13	29	22	23	15
40—60 "	37	39	36	41	39	36	30	30	32	28	27	37	29	24	33	28	28	29	23	28	21	23	38	32	21	31
60—80 "	43	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33
80 years and upwards,	5	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.
" Scarlet Fever	.	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
" Whooping-cough,	5	3	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3
" Diphtheria,	1	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.
" Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
" Enteric Fever,	.	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1
" Diarrhœal Diseases,	1	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35	26	26	14	28	16	10	8
" Phthisis,	26	19	22	19	23	26	23	30	26	23	4	23	21	14	15	10	25	21	19	21	20	11	25	11	24	8
" Diseases of Heart and Blood Vessels,	24	18	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26
" Diseases of Respiratory System.	47	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34
Violent Deaths,	4	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2
Mean Temperature of the Air (Phœnix Park),	46·0	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9
Average Mean Temperature in corresponding week of previous 10 years	46·0	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	8·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1
Rainfall in inches,	·068	·150	·713	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·885	·360	·725	·000	·315	·150	·080
Mean Humidity of the Air, complete Saturation 1·0,	·81	·81	·79	·83	·75	·85	·84	·84	·78	·83	·78	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·83	·82	·88	·88	·86

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th October, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 15th October, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	22·5	162	68	8	15	31	33	7	.	.	.	.	3	.	.	1	8	12	8	13	34	2	23
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	15·0	5	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
II.	MIDDLE CLASS,	87,188	13·8	23	7	1	3	3	8	1	.	.	.	.	2	.	.	.	2	4	2	4	6	.	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	17·5	37	16	2	2	8	8	1	.	.	.	.	1	.	.	.	.	1	.	7	2	.	27
IV.	GENERAL SERVICE CLASS,	154,279	31·6	72	41	4	7	11	6	3	.	.	.	.	.	.	.	1	6	7	6	2	18	2	37
V.	INMATES OF WORKHOUSES,	6,024		25	3	.	3	9	8	2	.	.	.	.	.	.	.	.	.	.	.	.	7	.	18
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	3,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	3	1	1	1	2	.	.	.	.	.	1	.	.	.	1	2	.	1	2	.	5
	6. Clerks and Commercial Assistants,	30,432	8·6	5	2	.	1	.	2	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	.	1	2	4	1	.	.	.	.	.	.	.	.	1	1	1	1	3	.	3
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	10·6	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	9. Building and Furnishing Trades,	29,801	22·7	13	7	1	1	3	1	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	11
	10. Clothing Trades,	23,260	13·5	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5
	11. Food Supply Trades,	9,242	28·2	5	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	3
	12. Other Trades and Callings ranking with Trades,	30,352	13·7	8	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	4	1	.	3
	13. Petty Shopkeepers,	7,894	19·8	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	4	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	4
	15. Domestic Servants,	36,603	7·1	5	2	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	6
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·3	54	32	3	4	9	4	2	.	.	.	.	.	.	.	1	5	6	4	2	17	2	23
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	25	3	.	3	9	8	2	.	.	.	.	.	.	.	.	.	.	.	.	7	.	18

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Aug. 27,	27·6	16·6	15	.	.	1	.	.	.	.	.	8	3	1	.
	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
	„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
	„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
	„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Aug. 27,	24·0	4·0	18	.	.	.	.	.	.	.	.	3	2	3	.
	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
	„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
	„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
	„ 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Aug., 27	15·6	5·2	9	.	.	.	.	.	.	.	.	3	1	1	1
	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
	„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
	„ 17,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
	„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Aug. 27,	29·6	8·2	18	.	1	.	.	1	.	.	.	8	2	1	.
	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
	„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
	„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
	„ 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
	„ 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	Aug. 27,	13·6	2·7	10	.	1	.	.	.	.	.	.	1	1	2	.
	Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
	„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
	„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
	„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
	„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
	„ 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Aug. 27,	48·5	5·7	17	.	.	.	.	.	.	.	.	2	2	4	.
	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
	„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 24,	32·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
	„ 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Aug. 27,	22·4	11·3	18	.	.	.	.	2	1	.	.	6	1	.	.
	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
	„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
	„ 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
	„ 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
	„ 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
	„ 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Aug. 27,	19·3	5·9	13	.	2	.	.	.	.	.	.	2	1	2	.
	Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
	„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
	„ 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
	„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Aug. 27,	20·4	6·3	13	.	2	.	.	.	.	.	1	1	.	1	1
	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	" 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	" 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	" 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	1
	" 8,	6·3	1·6	4	.	.	.	.	.	.	.	.	1	1	.	.
	" 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Aug. 27,	26·0	6·0	13	.	.	.	.	.	.	.	.	3	2	.	.
	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	" 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	" 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	" 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	" 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	" 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Aug. 27,	23·7	.	8	.	.	.	.	.	.	.	.	.	3	1	.
	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	" 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	" 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	" 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	" 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	" 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Aug. 27,	17·4	3·2	120	.	1	1	.	1	.	1	1	17	16	15	9
	Sept. 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	" 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	" 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
	" 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	13	9
	Oct. 1,	17·6	2·3	121	.	2	.	1	2	.	1	.	10	10	17	4
	" 8,	19·2	2·6	132	.	5	.	.	1	.	.	5	7	24	23	1
	" 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
Cork Pop. (in 1901) 76,122.	Aug. 27,	17·8	1·4	26	.	.	.	1	.	.	.	.	1	3	2	1
	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	" 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	" 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	" 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	" 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	" 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
Londonderry. Pop. in 1904 (Est.) 41,397	Aug. 27,	15·1	1·3	12	.	.	.	.	.	.	.	.	1	5	.	1
	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	" 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	" 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	" 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	" 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	" 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
Limerick. Pop. (in 1901) 38,151.	Aug. 27,	8·2	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	" 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	" 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	" 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	.
	" 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	" 15,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
Waterford. Pop. (in 1901) 26,769.	Aug. 27,	11·7	5·8	6	.	.	.	.	.	.	.	.	3	.	1	.
	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	" 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	" 24,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	" 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.
	" 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 15th October, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	13	28·3	14·2	8	3	1	4	.	.	.	.	.	.	.	.	.	4	1	.	.	1	1
Do. 2 "	47,959	25	15·2	3·3	14	3	4	2	5	.	.	.	.	1	.	.	.	2	1	1	.	.	1
Do. 3 "	47,214	31	18·8	2·2	17	3	7	6	1	.	2	.	.	.	.	.	.	.	3	3	1	1	3
Do. 4 "	40,911	30	15·3	1·3	12	4	.	7	1	.	.	.	.	.	.	.	.	1	2	1	.	.	3
Do. 5 "	17,387	10	24·0	3·0	8	2	2	3	1	.	.	.	.	.	.	.	1	.	2	2	.	.	1
Do. 6 "	48,122	22	16·3	.	15	4	.	7	4	.	.	.	.	.	.	.	.	.	2	3	.	.	1
Do 7 "	1,524	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	1	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	11	10·7	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 10 "	23,064	15	15·8	4·5	7	3	2	.	2	.	1	.	.	1	.	.	.	.	.	1	.	.	.
Do 11 "	34,802	19	10·5	1·5	7	1	1	3	2	.	.	.	.	.	.	.	.	1	1	3	.	.	.
Do. 12 "	33,588	38	21·7	.	14	8	2	3	1	.	.	.	.	.	.	.	.	.	1	6	1	2	.
Do 13 "	15,006	11	10·4	3·5	3	1	1	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	229	16·4	2·2	110	33	20	37	20	.	3	.	.	3	.	.	1	8	13	21	2	4	10
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	5	16·2	.	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 2 "	10,701	10	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 3 "	9,978	9	20·9	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Do. 4 "	8,666	4	6·0	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 "	6,592	2	23·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	1
Do. 6 "	10,702	2	4·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 7 "	13,616	10	31·4	6·3	10	1	.	3	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered,	233	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229
DEATHS registered.	143	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110
Annual Death-rate per 1,000 of estimated Population.	20·8	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0
AGES, Under 1 year,	25	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33	33
AGES, 1-5 years,	13	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20
AGES, 5-60 years,	74	67	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37
AGES, 60 years and upwards,	31	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Measles,	1	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3
„ Scarlet Fever,	1	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.
„ Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.
„ Whooping cough,	2	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3
„ Diphtheria,	2	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.
„ Simple Continued Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
„ Enteric Fever,	1	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1
„ Diarrhœal Diseases,	.	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8
„ Phthisis	31	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13
„ Diseases of Respiratory System,	42	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21
Violent Deaths,	2	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th October, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	.	.	2	.	.	4
" " 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 2,	.	.	.	.	1	.	.	.	1	4	.	.	.	6
" " 3,	.	.	.	2	.	.	.	.	.	1	2	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	8	10	.	.	18
" " 2,	.	.	.	.	.	.	.	.	.	3	1	.	.	4
" " 3,	.	.	.	5	.	.	3	.	.	5	.	.	.	13
" " 4,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	10	1	.	3	.	1	23	16	.	.	54

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th October, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th October.			
	Sept. 24.	Oct. 1.	Oct. 8.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	1	.	.	.	.	.	.
Measles,	33	45	56	27	12	.	71
Scarlet Fever,	44	50	43	11	11	.	43*
Typhus "	1	1	1	2	.	.	3
Diphtheria,	21	19	17	3	2	.	18
Enteric Fever,	52	52	52	9	11	.	50
Pneumonia,	16	19	16	1	3	.	14

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Oct. 15,	2,491	1,270	14·2	.	15	11	17	5	15	49
EDINBURGH,	331,977	„ 15,	161	85	13·4	.	.	1	3	5	.	4
GLASGOW,	798,357	„ 15,	498	254	16·6	.	3	2	2	12	2	15
CALCUTTA,	847,793	Sept. 3,	.	373	22·8	.	2	.	1	1	116‡	48*
BOMBAY,	776,006	„ 13,	415	594	39·8	1	1	.	.	1	50‡	66*
MADRAS,	509,346	„ 2,	456	344	35·1	.	1	?	?	?	93	45
PARIS,	2,660,559	Oct. 1,	990	787	15·4	1	.	.	3†	4	10	35
BRUSSELS (with 8 Faubourgs).	586,936	Sept. 24,	214	131	11·6	1	3	.	.	1	.	22
AMSTERDAM,	548,435	„ 24,	274	128	12·2	.	.	.	1	5	1	9
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	417,000	Sept. 24,	220	125	15·6	.	3	.	.	3	1	29
CHRISTIANIA,	223,649	Oct. 1,	131	58	13·5	.	.	.	2	1	.	5
ST. PETERSBURG,	1,248,122	„ 1,	480	537	22·4	.	4	11	15	7	16	82
BERLIN,	1,960,909	Sept. 17,	897	613	16·2	.	4	9	9†	2	5	129
HAMBURG,	751,842	„ 24,	.	261	18·1	.	.	3	4†	3	.	43
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Oct. 1,	.	200	20·0	.	.	.	4†	1	.	31
VIENNA (with suburbs).	1,797,992	„ 1,	937	500	14·5	.	1	2	3†	.	2	59
BUDA-PESTH	813,399	„ 1,	446	268	17·1	.	5	9	4†	.	5	14
PRAGUE and Faubourgs.	426,404	Sept. 24,	194	160	19·5	.	1	.	.	1	2	18
ROME,	505,371	Aug. 13,	209	183	18·9	.	1	1	1	.	12	18
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Sept. 3,	57	46	14·3	.	1	.	1†	.	1	5
NEW YORK,	3,838,024	„ 17,	1,884	1,227	16·7	.	4	4	16†	9	24	221
PHILADELPHIA,	1,408,154	„ 10,	.	400	14·8	1	1	4	9†	.	15	55

* Including 5 deaths from cholera in Calcutta and 4 in Bombay.
† Including deaths from croup.
‡ Exclusive of 7 deaths from bubonic fever in Calcutta and 62 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 15th October, 1904:—

"Fine, quiet, autumnal weather characterised this week. During the first three days gradually lessening gradients for S.W. or W. winds were in evidence over the British Isles and Scandinavia, and the weather was accordingly somewhat changeable and showery. In the course of Tuesday, however, an anticyclone spread over our Islands from the Atlantic, so that by 8 a.m. of Wednesday the barometer had risen to 30·41 inches at Blacksod Point, Co. Mayo. The change in atmospheric pressure had been preceded in Dublin by some rain early on Tuesday and a damp air—as the day advanced, the weather became fine and warm, the thermometer rising to 61·8° in the screen. Wednesday was brilliant, cool and dry, with light to moderate N. to N.E. winds—after 5 p.m. much cirrus cloud spread across the sky from the westward, but no bad weather followed. By 9 p.m. of this day the barometer had risen to 30·49 inches in Dublin, and at 8 a.m. of Thursday the isobar of 30·5 inches embraced the greater part of England, Oxford reporting a reading of 30·55 inches with a temperature of 35° and Nottingham one of 30·54 inches, and temperature 30°. The previous night had been very cold in the inland and eastern districts of Great Britain, Nairn recording 28°, Nottingham 29°, Leith 30° and Aberdeen 31°. After Thursday the anticyclone drifted slowly north eastwards to Scandinavia and gradients for S.E. winds appeared over Ireland. The weather remained dry, although haze prevailed and clouds increased, especially on Saturday. In Dublin the mean height of the barometer was 30·183 inches, pressure ranging from 30·485 inches at 9 p.m. of Wednesday (wind, N.E.) to 29·900 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 50·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·5°. The screened thermometers rose to 61·8° on Tuesday and fell to 36·0° on Thursday. Bright sunshine was estimated at 19¾ hours, 9 of which occurred on Wednesday. The prevalent winds were W.S.W. and S.S.E. Rain fell on 2 days to the amount of ·045 inch, ·025 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·193 inches. The highest reading (30·505) was on Wednesday at 9 p.m., air calm, and the lowest (29·918) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 47·9°, being 1·2° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Tuesday, when the thermometer registered 60·7°, and was lowest on Thursday, the mercury having fallen to 27·8°. The mean of the Dry Bulb for the week was 49·6°, and of the Wet Bulb 47·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 20·3 hours. The rainfall measured 0·080 inch.

At Greenwich the mean temperature for the week was 47·8°, the maximum 59·2°, and the minimum 31·9°; at Glasgow the maximum was 58·2°, the minimum 28·9°, and the mean 46·9°; and at Edinburgh the maximum was 57·6°, the minimum 37·7°, and the mean 46·8°. The rainfall at Greenwich measured 0·02 inch; at Glasgow 0·12 inch; and at Edinburgh 0·08 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 9,	30·158	57·6	43·8	50·7	52·7	51·1	·89	·8	2·6	·040	S.W.	S.W.
Monday, „ 10,	30·159	59·3	45·8	52·6	53·0	51·7	·92	·8	3·1	·040	Calm.	S.W.
Tuesday, „ 11,	30·180	60·7	50·3	55·3	54·2	52·2	·87	·3	2·2	—	S.W.	Calm.
Wednesday, „ 12,	30·461	53·3	35·2	44·3	43·8	41·4	·84	·3	8·4	—	N.W.	Calm.
Thursday, „ 13,	30·352	54·5	27·8	41·2	48·2	45·6	·82	·1	0·7	—	Calm.	S.E.
Friday, „ 14,	30·114	53·1	39·3	46·2	48·0	45·3	·82	·0	2·1	—	S.E.	Calm.
Saturday, „ 15,	29·928	52·9	37·1	45·0	47·2	45·2	·87	·1	1·2	—	Calm.	Calm.
Mean, . .	30·193	55·9	39·9	47·9	49·6	47·5	·86	·3	Total 20·3	·080	—	

Sunday—Day fine but cloudy; night cloudy, light rain 5.30 p.m. to 9.30 p.m. *Monday*—Day fine but cloudy; night cloudy p.m., overcast and light rain a.m. *Tuesday*—Day fine but cloudy; night cloudy. *Wednesday*—A fine day, cloudy p.m.; night cloudy. *Thursday*—A fine day, but dull; night cloudy. *Friday*—Day fine but cloudy; night cloudy. *Saturday*—Day fine but cloudy; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P. 289. 9. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 22ND OCTOBER, 1904. [No. 42.

General Register Office, Charlemont House, Dublin, 24th October, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 1.	Week ending Oct. 8.	Week ending Oct. 15.	Week ending Oct. 22.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 1.	Week ending Oct. 8.	Week ending Oct. 15.	Week ending Oct. 22.	Average Rate for 4 weeks.
22 Town Dists.	19·4	17·4	17·7	20·2	18·7	Lisburn, . .	4·5	22·7	13·6	4·5	11·3
Armagh, . .	6·9	6·9	6·9	20·6	10·3	Londonderry .	11·3	11·3	16·4	8·8	12·0
Ballymena, .	4·8	9·6	.	19·2	8·4	Lurgan, . .	22·1	13·3	13·3	8·9	14·4
Belfast, . .	17·6	19·2	16·0	17·7	17·6	Newry, . .	37·8	16·8	12·6	25·2	23·1
Clonmel, . .	10·3	35·9	.	20·5	16·7	Newtownards, .	28·6	11·4	11·4	5·7	14·3
Cork, . . .	22·6	18·5	17·1	19·9	19·5	Portadown, .	20·7	10·3	5·2	20·7	14·2
Drogheda, . .	28·6	12·3	.	16·3	14·3	Queenstown, .	.	19·8	19·8	33·0	18·2
Dublin Reg. Area,	19·0	17·5	21·6	24·9	20·7	Sligo, . . .	24·0	28·8	14·4	24·0	22·8
Dundalk, . .	19·9	19·9	4·0	23·9	16·9	Tralee, . .	31·7	15·9	5·3	21·1	18·5
Galway, . .	38·8	.	58·3	19·4	29·1	Waterford, .	19·5	15·6	5·8	5·8	11·7
Kilkenny, . .	9·8	9·8	34·3	19·7	18·4	Wexford, . .	28·0	23·3	18·7	18·7	22·2
Limerick, . .	36·9	10·9	23·2	27·3	24·6						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·3 in Wexford, the 4 deaths from all causes registered in that district including 2 from whooping-cough. Among the 122 deaths from all causes registered in Belfast are one from measles, one from scarlet fever, one from whooping-cough, 2 from enteric fever, and 6 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 257—122 boys and 135 girls; and the deaths to 191—100 males and 91 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·3 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 24·9 per 1,000. During the forty-two weeks ending with Saturday last the death-rate averaged 24·5, and was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*), Table II. ‡ See columns 10–18 of Table II.

Six deaths from measles, one death each from influenza and diphtheria, and 11 deaths from diarrhœal diseases were registered. Deaths from diarrhœal diseases in the 3 preceding weeks were 16, 10, and 8, respectively. No death from small-pox, scarlet fever, typhus, whooping-cough, or enteric fever was registered during the week.

Three deaths from croupous pneumonia, 8 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* were registered.

The 36 deaths due to tuberculous disease comprise 6 from tuberculous phthisis, 19 from *phthisis*, 3 from tuberculous meningitis, one from tuberculous peritonitis, one from tabes mesenterica, and 6 deaths from other forms of the disease.

One death was ascribed to carcinoma, and 5 deaths to *cancer*, *malignant disease*.

Deaths of 9 infants whose births were premature were registered.

The 16 deaths from diseases of the brain and nervous system include 8, of infants under one year, from *convulsions*.

Twenty-three deaths were caused by diseases of the heart and blood-vessels.

Nineteen deaths were caused by bronchitis.

Four deaths were assigned to accidental violence, including one death by drowning.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 9 children under 5 years of age (including 7 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Eighty-two of the persons whose deaths were registered during the week were under 5 years of age (63 being infants under one year, of whom 21 were under one month old), and 43 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a woman) was stated to have been aged 95 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse and 7 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·9 per 1,000; the rate in the City was 25·6 (North City Districts, 26·6; South, 24·5), and in the Suburbs, 22·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·8 (3·1 in the North City Districts, and 2·6 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street. North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. Tuberculous disease caused 3 deaths, broncho-pneumonia one, and there was one death from accidental drowning.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. There were 2 deaths from epidemic enteritis, 5 from tuberculous disease, and 2 from *pneumonia*.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. Among them are 3 from diarrhœal diseases, 3 from tuberculous disease, one from broncho-pneumonia, and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 per 1,000. They include 2 from measles, one each from diphtheria, *diarrhœa*, and *phthisis*, 2 from broncho-pneumonia, one from *pneumonia*, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 20·8; and Finglas and Glasnevin, part of, 54·8. The 4 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, part of, include 2 from bronchitis, and the 7 deaths for Finglas and Glasnevin, part of, include 4 from tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. Measles caused 2 deaths, *diarrhœa* 2, tuberculous disease 3, diseases of the nervous system 4, lobar-pneumonia 2, and bronchitis 2.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. They include 2 from *phthisis*.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000. There was one death from measles, 2 from tuberculous disease, 2 from broncho-pneumonia, and 5 from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Measles and *diarrhœa* each caused one death, tuberculous disease 3, and broncho-pneumonia 2.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·6; Pembroke, 16·0; Blackrock, 41·7; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from epidemic enteritis for Rathmines and Rathgar, and one from *diarrhœa* for Kingstown. The 15 deaths from all causes tabulated for Rathmines and Rathgar include 2 from diseases of the brain and nervous system, and 5 from diseases of the heart and blood-vessels; the 8 deaths for Pembroke include 3 from tuberculous disease; the 7 deaths for Blackrock include 3 from tuberculous disease; and the 7 deaths from all causes for Kingstown include 2 from diseases of the brain and nervous system, and 4 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 22nd October, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 1,	.	—	—	5	1	.	3	.	.	8	12	.	—	—	—	—	—	29
	Oct. 8,	.	—	—	8	.	.	6	.	1	23	9	.	—	—	—	—	—	47
	Oct. 15,	.	—	—	10	1	.	3	.	1	23	16	.	—	—	—	—	—	54
	Oct. 22,	.	—	—	6	.	.	7	1	2	18	14	.	—	—	—	—	—	48
Rathmines and Rathgar Urban District.	Oct. 1,	.	—	—	1	.	.	3	1	.	1	.	.	—	—	—	.	—	6
	Oct. 8,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	1	—	6
	Oct. 15,	.	—	—	.	.	.	.	.	.	3	.	.	—	—	—	.	—	3
	Oct. 22,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	.	—	1
Pembroke Urban District.	Oct. 1,	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	—	—	4
	Oct. 8,	.	1	.	.	.	.	.	.	.	1	1	.	.	2	.	—	—	5
	Oct. 15,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	—	—	3
	Oct. 22,	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	—	—	4
Blackrock Urban District.	Oct. 1,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	2
	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Oct. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	2	—	—	—	—	2
	Oct. 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	4
	Oct. 22,	.	—	—	2	.	.	.	.	.	.	.	.	.	—	—	—	—	2
City of Belfast.	Oct. 1,	1	—	—	12	1	.	3	.	17	17	9	.	—	—	—	—	—	60
	Oct. 8,	1	—	—	14	1	.	5	1	16	22	9	.	—	—	—	—	—	69
	Oct. 15,	2	—	—	18	.	.	3	1	14	14	11	1	—	—	—	—	—	64
	Oct. 22,	6	—	—	12	.	.	7	2	25	31	6	1	—	—	—	—	—	90

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

'able XI. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 22nd October, 1904.

'rom this it appears that :—

'wenty-eight cases of measles were admitted to hospital during the week, 28 were dis-rged, there were 2 deaths, and 69 patients remained under treatment at its close.

'en cases of scarlet fever were admitted to hospital, 3 were discharged, there was one th, and 49* cases remained under treatment at the close of the week.

'hree cases of typhus fever remained under treatment at the end of the week.

even cases of diphtheria were admitted to hospital, 4 were discharged, there was one th, and 20 cases remained under treatment at the close of the week.

ight cases of enteric fever were admitted to hospital, 13 were discharged, and 45 cases ained under treatment in hospital at the close of the week.

n addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, atients were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

'he mortality last week in 76 large English towns, including London (in which the was 16·6), was equal to an average annual death-rate of 15·9 per 1,000 persons living; average rate for 8 principal towns of Scotland was 16·5 per 1,000, the rate for Glasgow g 16·9, and for Edinburgh 15·7.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd October, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 22nd October, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 22nd Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	30·7	20·2	1·7	648	424	118	106	.	7	1	.	5	1	.	2	19	59	76	8	16	124	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	378,994	27·5	35·4	24·9	2·5	257	181	63	42	.	6	.	.	.	1	.	.	11	24	33	8	5	57	§63·5	41·7	58·9	0·43	§60·7	27·8	47·9	0·08	§59·6	32·9	48·3	0·15
City of Dublin	298,385	37·1	39·5	25·6	2·8	222	144	54	30	.	6	.	.	.	1	.	.	9	19	31	1	3	49	a64·0 b64·8	44·8 41·0	55·6 54·3	0·29 0·33	a61·8 b59·8	36·0 34·0	50·7 49·3	0·05 0·05	a61·4 b60·4	38·2 34·0	50·2 49·2	0·12 0·10
Urban Districts. Rathmines and Rathgar.	33,203	19·4	31·4	23·6	1·6	20	15	3	6	.	.	.	.	.	.	.	.	1	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	20·0	16·0	.	10	8	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	.	41·7	.	.	7	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	14·8	20·7	8·0	5	7	3	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	64·2	45·5	56·6	0·12	60·7	33·5	51·6	0·00	59·7	43·0	51·5	0·03
Urban Districts.																																			
Belfast	358,680	24·4	33·4	17·7	1·6	230	122	29	18	.	1	1	.	1	.	.	2	6	16	33	3	7	35	62·1	37·9	52·8	0·28	57·5	31·2	48·0	0·12	57·5	35·8	49·2	0·22
Cork	76,122	33·6	20·5	19·9	.	30	29	4	10	.	.	.	.	.	.	.	.	.	8	1	.	1	14	61	46	54·8	1·17	59	47	53·5	0·21	61	44	51·5	0·37
Londonderry	41,397	19·1	30·2	8·8	.	24	7	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	21·9	27·3	.	16	20	5	6	.	.	.	.	.	.	.	.	.	2	2	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	15·6	5·8	.	8	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	27·2	19·4	.	7	5	.	3	.	.	.	.	.	.	.	.	.	1	2	.	.	1	62	52	57·5	2·25	62	46	55	0·41	60	48	54	0·21
Dundalk	18,076	3·4	12·0	23·9	8·0	3	6	2	3	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	40·9	16·3	.	10	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	46·2	25·2	.	11	6	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20
Lurgan	11,782	13·8	31·0	8·9	4·4	7	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20
Lisburn	11,461	10·1	27·3	4·5	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20
Wexford	11,168	23·2	9·3	18·7	9·3	2	4	1	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	38·3	19·2	.	8	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	4·8	24·0	.	1	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	62·2	42·1	52·9	1·25	57·0	29·7	47·1	0·37	62·3	36·3	49·2	0·50
Kilkenny	10,609	11·5	4·9	19·7	.	1	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	64	37	54·9	0·61	61	39	49·1	0·36	59	35	47·1	0·04
Clonmel	10,167	7·8	25·6	20·5	.	5	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	15·5	20·7	.	3	4	1	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20
Tralee	9,867	16·6	10·6	21·1	5·2	2	4	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	22·9	5·7	.	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	59	42	52·0	0·39	58	39	49·0	0·07	53	38	48·8	0·39
Queenstown	7,909	14·4	33·0	33·0	.	5	5	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61	46	54·8	1·17	59	47	53·5	0·21	61	44	51·5	0·37
Armagh	7,588	22·2	20·6	20·6	.	3	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19	59·8	37·7	49·1	0·20

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area and for the Cities of Belfast and Londonderry, the Population given is that estimated to the

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 22nd of October, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	2	.	1	1	.	.	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	2	3	1	.	.	.	2	.	.	1	.	1	.	.	1	11	.
Phthisis,	1	5	3	1	1	.	2	1	2	1	2	.	.	3	2	.	24	1
Other General Diseases,	4	3	.	2	.	1	3	4	1	4	4	1	3	3	1	.	34	4
Total,	5	10	6		1	1	5	9	3	6	8	1	4	6	3	1	76	5
B. LOCAL DISEASES:																		
Diseases of Nervous System	1	1	.	.	.	.	.	4	1	.	1	1	2	1	1	2	15	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	2	3	.	.	.	.	1	1	2	3	.	5	.	1	4	23	.
Respiratory System,	1	2	5	6	.	2	.	4	1	7	3	.	1	.	1	.	33	.
Digestive System,	3	2	.	2	.	.	1	3	.	1	.	.	1	.	1	.	14	3
Lymphatic System, &c.,	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Urinary System,	.	1	.	1	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	6	8	9	10	.	2	2	12	3	10	9	1	9	1	4	6	92	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	.	1	.	.	1	.	1	3	1	.	.	1	.	.	.	10	.
E. VIOLENT DEATHS	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	3	1
Deaths from all Causes,	14	18	16	17	1	4	7	22	9	17	17	2	15	8	7	7	181	10
Annual Rate of Mortality in every 1,000 of the population	25·8	24·0	27·7	28·0	10·8	20·8	54·8	29·9	25·7	21·1	25·2	11·7	23·6	16·0	41·7	20·7	24·9	.
	26·6							24·5					22·5					
	25·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	.	4	4	6	.	.	2	5	1	.	7	.	3	4	.	.	36	10
Workhouse Hospitals	.	4	7	2	.	1	.	1	1	2	2	.	.	1	.	.	21	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years 1894-1903.	In the Week ending 22nd October, 1				
												Deaths of Persons of				
												ALL AGES.	0 to 5.			
	Oct. 20, 1894.	Oct. 19, 1895.	Oct. 17, 1896.	Oct. 23, 1897.	Oct. 22, 1898.	Oct. 21, 1899.	Oct. 20, 1900.	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	
Mean Temperature.	° 43·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 46·5	° 49·4	° 48·8	° 47·6	° 53·9				
ALL CAUSES.	121	162	148	142	174	250	168	150	200	164	167·9	191	21	42	19	1
Small-pox, Vaccinated, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	
Small-pox, Unvaccinated, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	.	.	1	.	52	.	.	19	.	7·2	6	.	1	5	
Scarlet Fever ...	1	3	2	2	1	1	.	.	2	.	1·2	.	.	.	.	
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	1	1	.	1	2	.	.	4	.	·9	1	.	.	.	
Whooping Cough, ...	.	.	3	1	7	1	2	1	1	1	1·7	.	.	.	.	
Diphtheria, ...	.	1	.	1	.	2	3	1	1	.	·9	1	.	.	1	
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	
Simple Continued Fever, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	
Enteric Fever, ...	4	4	7	6	4	4	4	3	1	4	4·1	.	.	.	.	
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	9	12	5	3	11	4	9	5	4 7	1 7	7·7	4 7	. .	4 5	. 1	
Hydrophobia, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	
Venereal Disease, ...	1	.	1	2	.	2	.	1	.	.	·7	1	.	1	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	1	.	.	.	.	. . .	. . .	·1	. . 1	. . .	. . .	. . .	
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	1	.	.	2	.	1	.	. .	. .	·4	1 .	.	.	1 .	
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	
Tuberculous Phthisis, "*Phthisis*," ...	21	28	8	12	19	26	23	20	. 18	7 12	19·4	6 19	. .	. 1	. .	
Tuberculous Meningitis, (Acute Hydrocephalus).	2	5	5	4	6	8	2	1	3	3	3·9	3	.	1	1	
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	1	6	5	7	6	8	4	5	2 .	1 2	4·7	1 1	. .	. 1	. .	
Tuberculous Dis. (other), ... *Scrofula*, ...	2	2	4	2	1	5	5	5	2 1	4 .	3·3	6 .	1 .	3 .	1 .	
Alcoholism, ...	2	2	.	.	.	1	1	.	.	1	·7	1	.	.	.	
Rheumatic Fever, ...	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	
Gout, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	

* The figures for the years 1894-1

T-SECOND WEEK ending Saturday, 22nd October, 1904, with the deaths from each cause in the correspondig erage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 20, 1894.	Oct. 19, 1895.	Oct. 17, 1896.	Oct. 23, 1897.	Oct. 22, 1898.	Oct. 21, 1899.	Oct. 20, 1900.	Oct. 19, 1901.	Oct. 18, 1902.	Oct. 24, 1903.	Averages in 42nd Week of the 10 years 1894–1903.	In the Week ending Saturday, 22nd Octber, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
lean Temperature.	° 43·1	° 48·0	° 42·8	° 51·7	° 50·2	° 49·5	° 46·4	° 46·5	° 49·4	° 48·8	° 47·6	° 53·9								
na									2	1		1	.	.	.	.	.	1	.	.
... ...	5	6	2	4	4	9	7	4	.	.	5·5	.	.	.	.	.	.	.	.	.
Malignant Disease ...									5	6		5	.	.	.	.	3	2	.	.
Mellitus	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
re Birth	3	1	1	3	2	1	4	3	1	3	2·2	9	8	1	.	.	.	.	.	.
is (not tuberc.) ...									3	2		1	.	1	.	.	.	.	.	.
G. P. of Insane									1	3		4	.	.	.	.	3	.	1	.
... ...									1	.		.	.	.	.	.	.	.	.	.
ms									11	11		8	3	5	.	.	.	.	.	.
or Ataxy									.	.		.	.	.	.	.	.	.	.	.
ia Dis. of Cord									.	.		1	.	.	.	.	1	.	.	.
System (other Dis.) ...	26	31	42	38	30	39	29	46	1	.	35·0	2	.	1	.	.	.	1	.	.
s, Endocarditis									4	8		2	.	.	.	.	1	1	.	.
Iæm. Thromb.									1	.		8	.	.	.	.	.	.	3	5
, *Hemiplegia*									4	2		4	.	.	.	.	.	1	3	.
m									.	1		1	.	.	.	.	1	.	.	.
n, Thromb. (not cerebral)									1	.		.	.	.	.	.	.	.	.	.
d Blood Vessel Dis. ..									10	5		8	1	.	.	.	3	2	2	
ot Spasm. or Memb.) ...	.	.	1	3	2	.	2	1	.	.	·9	.	.	.	.	.	.	.	.	.
is	16	12	15	18	27	20	24	14	27	19	19·2	19	1	3	3	1	.	2	6	3
s Pneumonia									.	.		3	.	.	1	.	.	1	1	.
-Pneumonia	3	7	1	7	10	17	7	6	5	2	7·4	8	1	4	2	.	.	1	.	.
nia"									7	2		3	.	.	1	.	.	.	1	1
Emphysema									.	.		.	.	.	.	.	.	.	.	.
... ...	.	2	1	3	1	2	.	.	.	.	1·6	.	.	.	.	.	.	.	.	.
ory Dis. (other)									3	4		.	.	.	.	.	.	.	.	.
is, Quinsy	.	1	.	.	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.
(not Epid.)	.	1	1	.	1	2	.	.	3	1	1·4	1	.	1	.	.	.	.	.	.
nteritis									3	2		2	.	2	.	.	.	.	.	.
is (not Puerp.)	2	1	1	.	1	.	1	.	1	2	·9	.	.	.	.	.	.	.	.	.
of Liver	2	2	1	1	3	3	7	.	1	.	2·1	1	.	.	.	.	.	.	1	.
s. (other)									.	1		4	.	.	.	1	2	1	.	.
Dis. (other) ...	1	5	4	2	3	6	4	7	5	6	4·3	9	1	2	.	2	2	1	1	.
s, Acute									1	2		3	.	.	.	1	.	1	1	.
Dis., Albuminuria ...	3	4	5	4	3	3	4	5	2	4	4·4	1	.	.	.	.	.	.	1	.
Sys. (Other Dis.) ...									1	3		.	.	.	.	.	.	.	.	.
ve Organs Dis.	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
th (Accid. of)	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	7	9	5	8	5	10	12	11	6	7	8·0	1	.	.	.	.	.	.	.	1
iseases	7	12	17	4	18	13	9	6	19	12	11·7	17	4	5	2	1	.	3	2	.
ACCIDENT.																				
ways	.	.	1	.	.	.	2	.	.	.	·3	1	.	.	.	.	1	.	.	.
cles and Horses	.	.	1	.	1	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
wning)																				
ing Operations	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
igrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	.	.	3	1	1	.	.	2	.	1	·8	.	.	.	.	.	.	.	.	.
ning	.	1	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	1	.	.	.
cation in Bed	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
n or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	.	.	2	2	3	5	.	2	4	4	2·2	2	1	.	.	.	1	.	.	.
LENCE OTHER THAN ACCIDENTAL.																				
s	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
n	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered,	207	251	243	251	182	246	202	182	296	210	202	172	240	243	188	269	260	236	254	182	177	222	258	178	202	257
*Average Births in corresponding week of previous 10 years,**	204	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195
Deaths registered,	158	178	173	173	163	150	143	169	149	126	188	146	131	136	161	199	183	178	150	157	134	194	146	130	162	191
Annual Death-rate per 1,000,	21·7	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	2·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3
*Average Deaths in corresponding week of previous 10 years,**	184	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168
Ages, Under 5 years,	48	57	50	47	51	37	34	7	2	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82
5—20 ,,	16	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10
20—40 ,,	13	32	21	29	28	26	30	42	30	15	21	21	25	23	17	23	31	21	17	20	18	29	22	23	15	30
40—60 ,,	39	36	41	39	36	30	30	32	28	27	37	29	24	33	23	28	29	28	28	21	23	38	32	21	31	26
60—80 ,,	37	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30
80 years and upwards,	5	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6
,, Scarlet Fever	.	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	11	10	5	4	2	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.
,, Diphtheria,	1	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1
,, Simple Continued Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
,, Enteric Fever,	1	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.
,, Diarrhœal Diseases,	1	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35	26	26	14	28	16	10	8	11
,, Phthisis,	19	22	19	23	26	23	30	26	23	4	26	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25
,, Diseases of Heart and Blood Vessels,	19	31	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23
,, Diseases of Respiratory System.	44	34	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33
Violent Deaths,	2	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4
Mean Temperature of the Air (Phœnix Park),	48·9	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9
Average Mean Temperature in corresponding week of previous 10 years.	48·6	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	8·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6
Rainfall in inches,	·156	·713	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·850	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430
Mean Humidity of the Air, complete Saturation 1·0,	·81	·79	·88	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·88	·86	·90

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd October, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 22nd October, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accident, Homicide, and Suicide).	Other Causes.
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	26·5	191	82	10	30	26	30	13	.	6	.	.	.	1	.	.	11	18	25	8	33	4	103
	CLASSES:																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	17·9	6	1	.	.	.	1	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
II.	MIDDLE CLASS,	87,188	18·5	81	7	2	3	6	8	5	.	.	.	.	.	.	.	.	1	1	3	.	3	.	24
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	25·0	53	29	3	8	7	4	2	.	1	.	.	.	1	.	.	2	4	8	2	9	1	29
IV.	GENERAL SERVICE CLASS,	154,279	32·9	80	44	4	16	9	6	1	.	5	.	.	.	.	.	.	5	10	10	6	13	3	38
V.	INMATES OF WORKHOUSES,	6,024		21	1	1	3	4	11	1	.	.	.	.	.	.	.	.	2	2	4	.	7	.	8
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	1	.	.	.	1	4	.	.	.	.	.	.	.	.	1	1	.	.	1	.	4
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	1	1	1	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	18·9	8	1	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	8
	6. Clerks and Commercial Assistants,	30,432	17·1	10	5	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	.	1	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	8
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	31·7	6	5	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	5
	9. Building and Furnishing Trades,	29,801	24·5	14	7	.	3	1	2	1	.	.	.	.	.	.	.	.	1	1	3	.	3	.	7
	10. Clothing Trades,	23,260	22·4	10	8	.	2	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	11. Food Supply Trades,	9,242	22·6	4	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	7	2	2	2	1	.	.	1	.	.	.	.	.	.	1	2	4	1	2	1	6
	13. Petty Shopkeepers,	7,894	33·0	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14 Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	3
	15. Domestic Servants,	36,603	7·1	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	25·4	7	3	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1	1	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	36·0	62	36	3	9	7	6	1	.	5	.	.	.	.	.	.	2	7	6	6	12	1	30
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	21	1	1	3	4	11	1	.	.	.	.	.	.	.	.	2	2	4	.	7	.	8

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the vincial County the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the*

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,332.	Sept. 3,	33·1	12·9	18	.	.	.	.	.	.	.	1	6	3	4	1
	„ 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
	„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
	„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Sept. 3,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	3	.	.
	„ 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
	„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
	„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
	„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
	„ 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
	„ 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Sept. 3,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	4	3	.
	„ 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
	„ 17,	22·5	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
	„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	„ 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Sept. 3,	19·8	3·3	12	.	.	.	.	.	.	.	.	2	2	.	.
	„ 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
	„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
	„ 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
	„ 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
	„ 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Sept. 3,	13·6	2·7	10	.	.	.	.	.	.	.	.	2	3	1	.
	„ 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
	„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
	„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
	„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
	„ 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
	„ 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Sept. 3,	20·0	2·9	7	.	1	.	.	.	.	.	.	.	.	2	.
	„ 10,	34·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
	„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 24,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
	„ 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
	„ 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Sept. 3,	33·6	11·2	27	.	.	.	.	1	.	.	.	8	3	1	1
	„ 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
	„ 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
	„ 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
	„ 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
	„ 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
	„ 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Sept. 3,	23·7	.	16	.	.	.	.	.	.	.	.	.	1	1	3
	„ 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
	„ 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
	„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 33,208.	Sept. 3,	14·1	4·7	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	1
	„ 8,	6·3	1·6	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	„ 22,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Sept. 3,	6·0	2·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	„ 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	„ 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Sept. 3,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
	„ 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	„ 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	„ 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	Sept. 3,	18·0	3·9	124	.	4	.	1	2	.	.	2	18	14	13	3
	„ 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	„ 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
	„ 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	13	9
	Oct. 1,	17·6	2·3	121	.	2	.	1	2	.	1	.	10	10	17	4
	„ 8,	19·2	2·6	132	.	5	.	.	1	.	.	5	7	24	23	1
	„ 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
	„ 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
Cork Pop. (in 1901) 76,122.	Sept. 3,	15·8	0·7	23	.	.	.	.	.	.	.	.	1	8	2	1
	„ 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	„ 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	„ 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	„ 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	„ 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	„ 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
Londonderry. Pop. in 1904 (Est.) 41,397	Sept. 3,	23·9	2·5	19	.	.	.	.	.	.	.	.	2	3	4	.
	„ 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	„ 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	„ 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	„ 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
Limerick. Pop. (in 1901) 38,151.	Sept. 3,	19·1	.	14	.	.	.	.	.	.	.	.	.	2	2	.
	„ 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	„ 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	„ 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
Waterford. Pop. (in 1901) 26,769	Sept. 3,	3·9	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	„ 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	„ 24,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	„ 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 22nd October, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	9	21·2	3·5	6	2	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2	3
Do. 2 "	47,959	23	21·7	2·2	20	2	3	13	2	.	.	.	.	.	.	.	1	1	6	4	1	1	7
Do. 3 "	47,214	34	23·2	4·4	21	3	4	11	3	.	.	.	.	1	.	.	.	3	.	5	.	1	7
Do. 4 "	40,911	39	19·1	.	15	4	1	9	1	.	.	.	.	.	.	.	.	.	2	4	1	1	8
Do. 5 "	17,887	10	18·0	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3
Do. 6 "	48,122	19	17·3	1·1	16	2	1	7	6	.	.	.	.	.	.	.	.	1	1	7	1	2	4
Do 7 "	1,524	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	8	13·3	2·7	5	2	1	2	.	.	1	.	.	.	.	.	.	.	2	1	.	1	11
Do. 10 "	23,064	16	11·3	.	5	.	1	3	1	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Do 11 "	34,802	23	13·5	1·5	9	3	1	2	3	.	.	.	.	.	.	.	.	.	1	3	.	.	.
Do. 12 "	33,588	36	20·2	1·6	13	7	2	3	1	.	.	1	.	.	.	.	.	.	1	5	.	.	1
Do 13 "	15,006	10	17·4	.	5	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	230	18·2	1·6	122	29	15	60	18	.	1	1	.	1	.	.	2	6	16	33	3	7	35
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	9	24·3	.	6	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Do. 2 "	10,701	5	14·6	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Do 3 "	9,978	4	20·9	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Do. 4 "	8,666	2	24·1	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 "	6,592	.	7·9	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	3	4·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	7	31·4	.	10	2	.	5	3	.	.	.	.	.	.	.	.	.	4	1	.	.	9
Total,	76,122	30	19·8	.	29	4	4	11	10	.	.	.	.	.	.	.	.	.	8	1	.	1	14

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered,	245	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230
DEATHS registered,	141	159	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122
Annual Death-rate per 1,000 of estimated Population,	20·5	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7
AGES, Under 1 year,	32	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33	33	29
AGES, 1–5 years,	20	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15
AGES, 5–60 years,	67	78	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60
AGES, 60 years and upwards,	22	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1
" Scarlet Fever,	1	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.
" Whooping cough,	13	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1
" Diphtheria,	1	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
" Simple Continued Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
" Enteric Fever,	.	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2
" Diarrhœal Diseases,	3	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6
" Phthisis	27	25	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16
" Diseases of Respiratory System,	28	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33
Violent Deaths,	2	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd October, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	1	1	2	.	.	5
" " 1, West,	.	.	.	4	.	.	1	.	1	2	1	.	.	9
" " 2,	.	.	.	.	.	.	2	.	.	1	1	.	.	4
" " 3,	.	.	.	1	.	.	1	.	.	4	3	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	7	6	.	.	13
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	.	.	.	2	1	.	2	.	.	.	5
" " 4,	.	.	.	1	.	.	.	.	.	.	1	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	7	1	2	18	14	.	.	48

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd October, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd October.			
	Oct. 1.	Oct. 8.	Oct. 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	45	56	71	28	28	2	69
Scarlet Fever,	50	43	43	10	3	1	49*
Typhus "	1	1	3	.	.	.	3
Diphtheria,	19	17	18	7	4	1	20
Enteric Fever,	52	52	50	8	13	.	45
Pneumonia,	19	16	14	10	6	.	18

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Oct. 22,	2,442	1,476	16·6	.	26	6	13	11	12	45
EDINBURGH,	331,977	„ 22,	165	100	15·7	.	.	1	3	.	.	2
GLASGOW,	798,357	„ 22,	475	258	16·9	.	3	1	5	15	5	17
CALCUTTA,	847,796	Sept. 10,	.	361	22·1	.	.	.	.	.	118	51*
BOMBAY,	776,006	„ 20,	380	635	42·6	2	2	.	.	.	48‡	85*
MADRAS,	509,346	„ 9,	448	316	32·2	.	.	?	?	?	88	47
PARIS,	2,660,559	Oct. 8,	957	791	15·4	.	1	.	3†	5	7	32
BRUSSELS (with 8 Faubourgs).	586,936	„ 1,	209	152	13·6	.	1	.	2†	.	.	22
AMSTERDAM,	548,982	„ 1,	277	141	13·4	.	2	.	1	8	1	13
ROTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Oct. 1,	227	133	16·6	.	1	1	1†	4	.	21
CHRISTIANIA,	223,649	„ 8,	117	67	15·6	.	.	1	2	1	.	5
ST. PETERSBURG,	1,248,122	„ 8,	593	504	21·1	1	12	12	16	7	9	63
BERLIN,	1,960,909	Sept. 24,	905	636	16·8	.	2	12	3†	6	2	102
HAMBURG,	751,842	Oct. 1,	.	240	16·6	.	3	4	2†	3	.	24
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Oct. 8,	.	200	20·0	.	1	4	4†	2	.	23
VIENNA (with suburbs).	1,797,992	„ 8,	921	515	14·7	.	5	.	5†	.	2	52
BUDA-PESTH,	813,399	„ 8,	447	241	15·4	.	1	9	1†	.	5	16
PRAGUE and Faubourgs.	426,404	„ 1,	158	162	19·8	.	1	1	.	1	2	14
ROME,	505,371	Aug. 20,	255	163	16·8	.	.	.	.	.	12	16
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Sept. 10,	85	63	19·6	.	.	.	.	.	2	9
NEW YORK,	3,838,024	„ 24,	1,780	1,224	16·6	.	3	1	28†	5	20	180
PHILADELPHIA,	1,408,154	„ 17,	.	408	15·1	1	.	2	9†	1	16	44

* Including 5 deaths from cholera in Calcutta and 13 in Bombay.
† Including deaths from croup.
‡ Exclusive of 51 deaths from bubonic fever in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 22nd October, 1904:—

"Dull, muggy weather prevailed till Friday, but that and the following day were fair and bright as well as dry and bracing. From Monday to Friday inclusive temperature ruled high, the mean height of the thermometer on Tuesday (St. Luke's Day) being 60°, or some 12° above average for the time of year. Sunday, indeed, was the only really cool day of the week, the thermal range in Dublin being from 44·8° to 54·2°. Throughout that day the barometer fell steadily, as a large and deep depression advanced to the N.W. of Scotland from S.W. This disturbance caused clouds and rain and at night a fresh south-westerly gale. By 8 a.m. of Monday the barometer was down to 28·90 inches at Sumburgh Head in the Shetlands, whereas it stood at 30·32 inches at Biarritz. Hence gradients for S.W. and W. winds were steep over North-Western Europe, and gales from these points were felt in many districts. Rain fell heavily in the S.W. and N.W. of Ireland, Valentia recording 1·20 inches, Blacksod Point ·86 inch, and Birr ·75 inch on Monday morning. The barometer rose fast as the depression travelled away to the North of Europe, so that at 8 a.m. of Wednesday the isobar of 30·3 inches included the whole of the British Isles except Sutherland and Caithness—over England and Wales pressure exceeded 30·4 inches. Slight gradients for S. winds held till Friday, and the weather was dull, warm and damp in Ireland, but fine and bright in eastern England, the thermometer rising to 69° at Clacton-on-Sea. The last two days were bright and bracing in the east of Ireland, with freshening S.W. winds and a showery tendency. In Dublin the mean height of the barometer was 29·956 inches, pressure ranging between 29·460 inches at 4 a.m. of Monday (wind, S.W.) and 30·389 inches at 9 a.m. of Wednesday (wind, E.). The corrected mean temperature was 55·6°, or about 7° above the average; the mean dry bulb reading at 9 a.m. and 9 p.m. was 55·0°. On Sunday the screened thermometers fell to 44·8°; on Friday they rose to 64·0°. Bright sunshine was estimated at 13½ hours, 7 falling on Saturday and 5 on Friday. The dominant wind was S.W. Rain fell on 5 days to the amount of ·285 inch, ·216 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·967 inches. The highest reading (30·399) was on Wednesday at 9 a.m., air calm, and the lowest (29·603) on Monday at 9 a.m., wind W.

The mean temperature for the week was 53·9°, being 6·3° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, when the thermometer registered 63·5°, and was lowest on Saturday, the mercury having fallen to 41·7°. The mean of the Dry Bulb for the week was 54·1°, and of the Wet Bulb 52·5°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 10·1 hours. The rainfall measured 0·430 inch.

At Greenwich the mean temperature for the week was 54·9°, the maximum 66·5°, and the minimum 36·4°; at Glasgow the maximum was 61·9°, the minimum 40·5°, and the mean 52·8°; and at Edinburgh the maximum was 57·9°, the minimum 38·8°, and the mean 51·2°. The rainfall at Greenwich measured 0·43 inch; at Glasgow 0·28 inch; and at Edinburgh 0·01 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Oct. 16,	29·792	52·6	41·8	47·2	50·5	48·2	·85	·6	0·0	·330	S.W.	S.W.
Monday, „ 17,	29·714	59·7	51·2	55·5	57·4	56·0	·92	·8	0·6	·045	W.	S.W.
Tuesday, „ 18,	30·225	61·1	56·3	58·7	57·2	56·5	·96	·3	0·2	·030	W.	Calm.
Wednesday, „ 19,	30·373	60·8	53·4	57·1	55·4	55·3	1·00	·0	0·0	—	Calm.	N.N.E.
Thursday, „ 20,	30·186	59·8	50·3	55·1	54·8	54·2	·94	·0	0·0	·025	Calm.	Calm.
Friday, „ 21,	29·792	63·5	46·5	55·0	52·6	50·2	·84	·2	2·7	—	Calm.	W.S.W.
Saturday, „ 22,	29·639	56·3	41·7	49·0	50·6	47·0	·76	·2	6·6	—	S.W.	S.
Mean,	29·967	59·1	48·7	53·9	54·1	52·5	·90	·3	Total 10·1	·430	Prevailing Wind, S.W.	

Sunday—Day overcast and wet; night overcast and wet. *Monday*—Day overcast, drizzling showers, cloudy intervals; night cloudy, drizzling showers. *Tuesday*—A dull day, drizzling rain a.m.; night overcast, drizzling rain 10 to 11.30 p.m. *Wednesday*—Day overcast and foggy; night overcast, foggy p.m., clear a.m. *Thursday*—Day overcast, foggy a.m.; night cloudy, showery a.m. *Friday*—Day fine but cloudy; night cloudy p.m., clear a.m. *Saturday*—A fine day; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360, Wt. P 289. 9. 1904.

OFFICIAL.

EEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
ISISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH

Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 29TH OCTOBER, 1904. [No. 43.

General Register Office, Charlemont House, Dublin, 31*st October,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphatically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c.	Week ending Oct. 8.	Week ending Oct. 15.	Week ending Oct. 22.	Week ending Oct. 29.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Oct. 8.	Week ending Oct. 15.	Week ending Oct. 22.	Week ending Oct. 29.	Average Rate for 4 weeks.
Town Dists.	17·4	17·7	20·2	18·6	18·5	Lisburn, . .	22·7	13·6	4·5	13·6	13·6
magh, . .	6·9	6·9	20·6	13·7	12·0	Londonderry .	11·3	16·4	8·8	25·2	15·4
llymena, .	9·6	.	19·2	.	7·2	Lurgan, . .	13·3	13·3	8·9	8·9	11·1
lfast, . .	19·2	16·0	17·7	18·2	17·8	Newry, . .	16·8	12·6	25·2	.	13·7
onmel, . .	35·9	.	20·5	15·4	18·0	Newtownards, .	11·4	11·4	5·7	.	7·1
rk, . . .	18·5	17·1	19·9	18·5	18·5	Portadown, .	10·3	5·2	20·7	15·5	12·9
rogheda, . .	12·3	.	16·3	20·4	12·3	Queenstown, .	19·8	19·8	33·0	6·6	19·8
ublin Reg. Area,	17·5	21·6	24·9	20·6	21·1	Sligo, . . .	28·8	14·4	24·0	19·2	21·6
undalk, . .	19·9	4·0	23·9	4·0	13·0	Tralee, . .	15·9	5·3	21·1	10·6	13·2
alway, . .	.	58·3	19·4	15·5	23·3	Waterford, .	15·6	5·8	5·8	21·4	12·2
ilkenny, . .	9·8	34·3	19·7	34·3	24·5	Wexford, . .	23·3	18·7	18·7	9·3	17·5
lmerick, . .	10·9	23·2	27·3	26·0	21·8						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last veek * were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in ourteen of the districts to 4·7 in Wexford. The 125 deaths from all causes in Belfast nclude 4 from measles, one from scarlet fever, 9 from enteric fever, and 8 from iarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—97 boys and 99 girls; and the deaths to 156—70 males and 86 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted nto public institutions from localities outside the Area, the rate was 20·6 per 1,000. During the forty-three weeks ending with Saturday last the death-rate averaged 24·4, and was 1·3 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (a), Table II. ‡ See columns 10-18 of Table II.

The total includes 4 deaths from measles, 2 deaths from scarlet fever, one death from influenza, 2 deaths from whooping-cough, one death each from diphtheria, cerebro-spinal fever and enteric fever, and 6 deaths from diarrhœal diseases. The deaths registered from diarrhœal diseases in the 3 weeks preceding were 10, 8, and 1 respectively.

There was one death from croupous pneumonia, there were 3 deaths from broncho-pneumonia, and there were 4 deaths from *pneumonia.*

The deaths assigned to tuberculous disease comprise 6 deaths from pulmonary tuberculosis, 19 deaths from *phthisis,* 2 deaths from tuberculous peritonitis, one death from tabes mesenterica, and 5 deaths from other forms of the disease.

Three deaths from carcinoma, one death from sarcoma, and one death from *cancer malignant disease* were registered.

The deaths of 4 infants prematurely born were registered.

Of 12 deaths due to diseases of the brain and nervous system 5, all being infants under one year old, were due to *convulsions.*

Twenty-four deaths were tabulated to diseases of the heart or blood-vessels.

Bronchitis caused 10 deaths.

Of 3 deaths assigned to accidental causes, one was caused by burns, and one was due to drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under one year old, and the deaths of 2 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 10 were under one month old); and 33 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 6 were octogenarians.

Fifty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·6 per 1,000; the rate in the City was 22·4 (North City Districts, 23·2; South, 21·6), and in the Suburbs, 14·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·3 (1·4 in the North City Districts, and 3·3 in the South), and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·6 per 1,000. One death from whooping-cough and 3 deaths from tuberculous disease were registered.

No. 1 North City District, West (Summer-hill).—The deaths (25) are equal to an annual rate of 33·3 per 1,000. Two deaths from diarrhœal diseases, 6 deaths from tuberculous disease, one death from broncho-pneumonia, and 2 deaths from *pneumonia,* were registered.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. One death from *phthisis,* one death from *pneumonia,* one death from bronchitis, and one death due to accident, were registered.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 19·8 per 1,000. Enteric fever caused one death; 5 deaths were due to tuberculous disease, and one death to *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 23·5.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 19·0 per 1,000. There were 2 deaths from measles, 2 deaths from tuberculous disease, one death from broncho-pneumonia, and 3 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (3) are equal to an annual rate of 8·6 per 1,000. Not one death from any of the principal epidemics, or from the general diseases, is included in the 3 deaths that were registered.

No. 3 South City District (Peter-street).—The deaths (22) are equal to an annual rate of 27·4 per 1,000. Two deaths from measles, one death from scarlet fever, one death from whooping-cough, one death from epidemic diarrhœa, and 4 deaths from tuberculous disease, were registered.

No. 4 South City District (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. Diarrhœal diseases caused 2 deaths, *phthisis* caused one death; there was one death from broncho-pneumonia; there were two deaths from bronchitis, and 2 from accidental violence.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8; Pembroke, 6·0; Blackrock, 17·9; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines and Rathgar, one from scarlet fever for Pembroke, and one from chronic intestinal catarrh for Kingstown. The 12 deaths from all causes tabulated for Rathmines and Rathgar include 4 from tuberculous disease; and the 6 deaths from all causes for Kingstown include 2 from diseases of the nervous system.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 29th October, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 8,	.	—	—	8	.	.	6	.	1	23	9	.	—	—	—	—	—	47
	Oct. 15,	.	—	—	10	1	.	3	.	1	23	16	.	—	—	—	—	—	54
	Oct. 22,	.	—	—	6	.	.	7	1	2	18	14	.	—	—	—	—	—	48
	Oct. 29,	.	—	—	6	.	.	4	.	2	8	7	.	—	—	—	—	—	27
Rathmines and Rathgar Urban District.	Oct. 8,	.	—	—	1	.	.	.	.	.	3	1	.	—	—	—	1	—	6
	Oct. 15,	.	—	—	.	.	.	.	.	.	3	.	.	—	—	—	.	—	3
	Oct. 22,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	.	—	1
	Oct. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
Pembroke Urban District.	Oct. 8,	.	1	.	.	.	.	.	.	.	1	1	.	.	2	.	—	—	5
	Oct. 15,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	—	—	3
	Oct. 22,	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	—	—	4
	Oct. 29,	.	9	.	.	.	.	1	.	.	1	.	.	.	.	1	—	—	12
Blackrock Urban District.	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Oct. 8,	.	—	—	.	.	.	.	.	.	.	.	.	2	—	—	—	—	2
	Oct. 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	4
	Oct. 22,	.	—	—	2	.	.	.	.	.	.	.	.	.	—	—	—	—	2
	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	5
City of Belfast.	Oct. 8,	1	—	—	14	1	.	5	1	16	22	9	.	—	—	—	—	—	69
	Oct. 15,	2	—	—	18	.	.	3	1	14	14	11	1	—	—	—	—	—	64
	Oct. 22,	6	—	—	12	.	.	7	2	25	31	6	1	—	—	—	—	—	90
	Oct. 29,	7	—	—	18	.	.	4	.	16	25	18	1	—	—	—	—	—	89

The Registrar of Armagh District reports:—No case of small-pox this week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 29th October, 1904.

From this it appears that :—

Eighteen cases of measles were admitted to hospital during the week, 22 were dis-rged, there was one death, and 64 patients remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 5 were discharged, there was death, and 57* cases remained under treatment at the close of the week.

Three cases of typhus fever remained under treatment at the end of the week.

Nine cases of diphtheria were admitted to hospital, 4 were discharged, there was one th, and 24 cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 7 were discharged, there was one th, and 46 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, atients were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the was 14·7), was equal to an average annual death-rate of 15·0 per 1,000 persons living; average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow ng 16·1, and for Edinburgh 16·8.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th October, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 29th October, 1904. Annual Rate per 1,000 persons represented by Births	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 29th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
																								°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts	1,098,289	19·2	27·4	18·6	2·1	574	391	82	82	.	8	3	.	4	1	.	10	18	55	64	7	10	101	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	878,994	27·5	27·0	20·6	2·2	196	150	33	31	.	4	2	.	2	1	.	1	6	22	21	3	5	49	§58·8	29·9	47·6	0·00	§63·5	41·7	53·9	0·43	§60·7	27·8	47·9	0·08
City of Dublin	298,885	37·1	28·8	22·4	2·3	162	126	28	24	.	4	1	.	2	.	.	1	5	18	20	3	5	42	a59·5 b58·4	34·3 31·2	49·9 47·7	0·01 0·00	a64·0 b64·8	44·8 41·0	55·6 54·3	0·29 0·33	a61·8 b59·8	36·0 34·0	50·7 49·3	0·05 0·05
Urban Districts. Rathmines and Rathgar	33,203	19·4	25·1	18·8	1·6	16	12	1	4	.	.	.	.	.	1	.	.	.	3	1	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	6·0	2·0	8	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	17·9	.	4	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	17·8	17·8	3·0	6	6	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	59·7	40·7	52·3	0·03	64·2	45·5	56·6	0·12	60·7	38·5	51·6	0·00
Urban Districts.																																			
Belfast	358,680	24·4	32·9	18·2	3·2	226	125	31	18	.	4	1	.	.	.	.	9	8	12	26	1	1	26	59·1	36·5	48·4	0·08	62·1	37·9	52·8	0·28	57·5	31·2	48·0	0·12
Cork	76,122	33·6	25·8	18·5	0·7	37	27	6	5	.	.	.	.	.	.	.	.	1	6	4	1	1	11	57	42	51·5	0·98	61	46	54·8	1·17	59	47	53·5	0·21
Londonderry	41,897	19·1	22·7	25·2	.	18	20	3	3	.	.	.	.	.	.	.	.	.	6	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	20·5	26·0	1·4	15	19	5	7	.	.	.	.	.	.	.	.	1	2	5	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	19·5	21·4	1·9	10	11	3	5	.	.	.	.	.	.	.	.	1	2	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway	13,426	2·5	27·2	15·5	.	7	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57	34	48·6	0·72	62	52	57·5	2·25	62	46	55	0·41
Dundalk	13,076	3·4	.	4·0	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	20·4	4·1	4	5	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	8·4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19
Lurgan	11,782	13·8	31·0	8·9	4·4	7	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19
Lisburn	11,461	10·1	59·1	13·6	.	13	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19
Wexford	11,168	23·2	14·0	9·3	4·7	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	23·9	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·9	31·0	46·6	0·47	62·2	42·1	52·9	1·25	57·0	29·7	47·1	0·37
Sligo	10,870	3·7	24·0	19·2	.	5	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	59	33	48·6	0·14	64	37	54·9	0·61	61	39	49·1	0·36
Kilkenny	10,609	11·5	4·9	34·3	.	1	7	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel	10,167	7·8	5·1	15·4	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19
Portadown	10,099	13·2	31·0	15·5	.	6	3	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	26·4	10·6	.	5	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	41	49·1	0·19	59	42	52·0	0·39	58	39	49·0	0·07
Newtownards	9,110	18·9	28·6	.	.	5	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	42	51·5	0·98	61	46	54·8	1·17	59	47	53·5	0·21
Queenstown	7,909	14·4	26·4	6·6	.	4	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48	58·4	31·5	48·2	0·19
Armagh	7,588	22·2	27·5	13·7	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.												

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 29th of October, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (part of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	4	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	2	.	.	.	.	.	.	.	1	2	.	.	.	.	1	6	.
Phthisis,	3	5	1	2	.	2	.	1	.	2	1	1	3	1	.	.	22	3
Other General Diseases,	3	4	1	5	.	3	1	2	.	3	1	1	2	1	.	.	27	.
Total,	7	11	2	8	.	5	1	5	.	10	4	2	6	3	.	1	65	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	1	.	.	.	.	.	.	.	.	1	1	.	2	2	11	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	1	2	2	1	.	1	1	4	.	5	2	1	2	.	.	1	23	1
Respiratory System,	.	4	2	3	.	1	.	4	.	3	3	.	1	.	.	.	21	.
Digestive System,	.	3	3	.	.	.	1	.	.	3	3	.	.	.	.	.	13	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	12	8	4	.	2		8	2	12	9	3	5	.	2	3	74	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL DEFINED AND NOT SPECIFIED DISEASES,	.	2	.	.	.	.	.	1	1	.	.	.	1	.	1	2	8	1
E. VIOLENT DEATHS	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Deaths from all Causes,	9	25	11	12	.	7	3	14	3	22	15		12	3	3	6	150	6
Annual Rate of Mortality in every 1,000 of the population	16·6	33·3	19·1	19·8	.	36·4	25·5	19·0	8·6	27·4	22·3	29·3	18·8	6·0	17·9	17·8	20·6	.
	23·2							21·6					14·6					
	22·4																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	3	2	2	5	.	.	.	3	1	3	2	3	6	1	.	.	31	6
Workhouse Hospitals	2	3	1	1	.	.	1	6	.	2	2	.	.	.	.	.	18	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease re
week of the ten year

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years 1894–1903.	In the Week ending S 29th October, 19				
												Deaths of Persons of 1				
	Oct. 27, 1894.	Oct. 26, 1895.	Oct. 24, 1896.	Oct. 30, 1897.	Oct. 29, 1898.	Oct. 28, 1899	Oct. 27, 1900.	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.
Mean Temperature.	° 46·1	° 39·1	° 40·5	° 53·5	° 50·5	° 48·9	° 47·0	° 44·2	° 50·7	° 44·3	° 46·5	° 47·6				
ALL CAUSES.	150	139	190	189	177	244	141	146	223	162	176·1	156	10	23	17	11
Small-pox, Vaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, Unvaccinated.	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	44	.	.	20	.	6·4	4	.	.	4	.
Scarlet Fever	.	1	9	2	1	1	2	1	2	1	2·6	2	.	.	1	1
Typhus,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	3	2	5	.	3	3	1·6	1	.	.	.	.
Whooping Cough,	1	2	3	.	1	.	2	2	1	2	1·4	2	.	2	.	.
Diphtheria,	1	.	.	1	3	2	.	1	2	1	1·1	1	.	.	1	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	1	.
Simple Continued Fever,	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.
Enteric Fever,	3	5	8	9	3	6	4	.	1	.	3·9	1	.	.	.	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	7	6	5	5	5	9	6	5	4	.	6·6	3	.	2	1	.
Diarrhœa, Dysentery,									10	4		3	.	1	1	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Venereal Disease,	1	.	.	1	3	.	1	2	1	2	1·1	.	.	.	.	.
Puerperal Septicæmia, Sapræmia,									.	.		1	.	.	.	.
Puerperal Pyæmia,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Puerperal Fever,									.	.		.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	2	1	.	1	.	.	.	1	·5	.	.	.	.	.
Septicæmia (not Puerperal),	1	1	4	.	.	2	.	1	1	.	1·0	1	.	.	.	1
Pyæmia (not Puerperal),									.	.		.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis,	20	20	20	19	20	29	15	19	2	6	20·3	6	.	.	.	1
"*Phthisis*,"									15	18		19	.	.	1	2
Tuberculous Meningitis, (Acute Hydrocephalus).	3	5	6	2	5	.	4	1	5	2	3·3	.	.	.	.	.
Tuberculous Peritonitis,	5	5	5	5	4	8	4	2	2	1	4·1	2	.	1	.	.
Tabes Mesenterica,									.	.		1	.	.	1	.
Tuberculous Dis. (other),	3	4	3	5	3	2	1	4	4	4	3·3	5	.	1	.	3
Scrofula,									.	.		.	.	.	.	.
Alcoholism,	1	1	1	.	2	1	.	3	.	2	1·1	1	.	.	.	.
Rheumatic Fever,	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.
Gout,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

* The figures for the years 1894-19

THIRD WEEK ending Saturday, 29th October, 1904, with the deaths from each cause in the corresponding age for those weeks.*

SES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Oct. 27, 1894.	Oct. 26, 1895.	Oct. 24, 1896.	Oct. 30, 1897.	Oct. 29, 1898.	Oct. 28, 1899.	Oct. 27, 1900.	Oct. 26, 1901.	Oct. 25, 1902.	Oct. 31, 1903.	Averages in 43rd Week of the 10 years 1894–1903.	In the Week ending Saturday, 29th October, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under 1 year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
an Temperature.	46·1	39·1	40·5	53·5	50·5	48·9	47·0	44·2	50·7	44·3	46·5	Mean Temp. 47·6								
... ...	9	3	6	6	5	9	7	8	1	2	6·2	3	.	.	.	.	2	1	.
... ...									.	.		1	.	.	.	1	.	.	.
ignant Disease ...									5	1		1	.	.	.	1	.	.	.
ellitus	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.
Birth	1	1	6	7	2	2	7	2	4	6	3·8	4	4	.	.	.	.	.	.
(not tuberc.)									3	2		3	.	1	1	.	1	.	.
P. of Insane									.	3		1	.	.	.	.	1	.	.
.. ..									1	.		.	.	.	.	.	.	.	.
... .									13	5		5	.	5	.	.	.	.	.
Ataxy									.	.		.	.	.	.	.	.	.	.
Dis. of Cord									3	2		2	.	.	.	.	1	1	.
stem (other Dis.) ...	25	34	34	36	35	41	24	36	.	2	35·0	1	.	1	.	.	.	.	.
Endocarditis									5	5		3	.	.		.	1	2	.
m. Thromb.									2	5		2	.	.	.	1	1	.	.
Hemiplegia									7	4		7	.	.	.	.	3	4	.
... ...									.	.		.	.	.	.	.	.	.	.
Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.
Blood Vessel Dis. ..									11	12		12	1	.	.	2	5	3	1
Spasm. or Memb.) ...	1	1	1	.	.	.	1	.	1	.	·5	.	.	.	.	.	.	.	.
... ...	9	11	15	23	22	20	17	19	23	15	17·4	10	1	1	2	.	.	5	1
neumonia									.	2		1	.	.	.	.	1	.	.
eumonia	8	7	4	15	8	19	9	7	14	3	10·6	3	2	.	1	.	.	.	.
,, ...									8	2		4	.	.	1	.	1	1	.
nphysema									.	.		.	.	.	.	.	.	.	.
... ...	.	2	1	2	2	1	2	1	1	.	1·6	1	.	.	.	.	1	.	.
Dis. (other)									2	2		2	.	.	.	1	.	1	.
Quinsy	1	.	1	1	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.
ot Epid.)	2	1	2	2	2	.	.	1	1	4	1·9	2	.	.	1	.	.	1	.
ritis									3	1		2	.	2	.	.	.	.	.
not Puerp.)	1	1	2	1	.	.	1	1	1	.	·8	1	.	.	.	.	1	.	.
Liver	4	2	2	2	1	2	2	.	.	1	2·1	3	.	.	.	2	1	.	.
ther)									4	1		2	.	.	.	1	.	1	.
is. (other)	7	3	6	5	3	5	8	1	5	4	4·7	3	.	1	.	.	1	.	1
cute									2	.		.	.	.	.	.	.	.	.
,, Albuminuria ...	1	3	5	4	4	5	4	1	1	5	3·6	2	.	.	.	1	1	.	.
. (Other Dis.) ...									.	1		2	.	.	.	.	.	1	1
Organs Dis.	.	.	.	1	1	1	.	.	.	.	·3	1	.	.	.	1	.	.	.
Accid. of)	1	.	1	.	2	.	.	1	1	2	·8	.	.	.	.	.	.	.	.
... ...	10	4	12	7	16	14	7	5	5	2	8·2	5	.	.	.	.	.	3	2
ses	14	9	18	16	13	9	4	19	19	13	13·4	10	2	5	.	2	.	1	.
ACCIDENT.																			
s	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
and Horses	.	.	.	2	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.
ats, Docks (exclusive ing)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.
tions	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
calds, Explosions ...	2	.	1	2	.	.	.	1	1	1	·8	1	.	.	.	1	.	.	.
g	.	2	1	2	2	3	1	1	1	.	1·3	1	.	.	.	.	1	.	.
on in Bed	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.
Poisonous Vapours...	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.
s by Accidents ...	1	3	4	2	2	2	2	.	1	3	2·0	.	.	.	.	.	.	.	.
CE OTHER THAN ACCIDENTAL.																			
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.
... .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

tion Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	251	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236	254	182	177	222	258	178	202	257	196
*Average Births in corresponding week of previous 10 years,**	239	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193
DEATHS registered,	178	173	173	163	150	143	169	149	126	138	146	131	136	161	199	188	178	150	157	184	194	146	130	162	191	156
Annual Death-rate per 1,000,	24·5	23·8	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5
*Average Deaths in corresponding week of previous 10 years,**	183	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176
AGES, Under 5 years,	57	50	47	51	37	34	37	32	34	32	54	41	52	72	91	81	86	65	68	61	67	55	45	68	82	50
5—20 ,,	13	9	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11
20—40 ,,	32	21	29	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20	13	29	22	23	15	30	33
40—60 ,,	36	41	39	35	30	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38	32	21	31	26	29
60—80 ,,	35	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27
80 years and upwards,	5	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	4	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4
,, Scarlet Fever	.	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	11	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2
,, Diphtheria,	.	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1
,, Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
,, Enteric Fever,	2	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1
,, Diarrhœal Diseases,	1	.	3	1	.	.	.	.	1	5	2	5	5	15	33	33	35	26	26	14	28	16	10	8	11	6
,, Phthisis,	22	19	23	26	23	30	26	23	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25
,, Diseases of Heart and Blood Vessels,	31	17	24	21	21	21	34	28	21	24	17	26	25	25	19	25	19	20	25	11	27	20	27	26	23	24
,, Diseases of Respiratory System.	34	29	36	29	25	29	28	28	20	16	26	17	21	24	21	8	20	14	12	17	26	13	20	34	33	21
Violent Deaths,	5	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3
Mean Temperature of the Air (Phœnix Park),	46·7	49·7	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58 8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6
Average Mean Temperature in corresponding week of previous 10 years.	47·2	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51 2	49·1	47·6	46·5
Rainfall in inches,	·713	·145	·186	·195	1·150	·505	·725	·180	·140	·120	·400	·480	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·480	·000
Mean Humidity of the Air, complete Saturation 1·0,	·79	·83	·75	·85	·84	·84	·78	·82	·78	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·83	·86	·90	·92

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th October, 1904; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH OCTOBER, 1904.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	21·7	156	50	11	33	29	27	6	.	4	2	.	2	1	.	1	6	16	25	5	21	3	86
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9·0	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
II.	MIDDLE CLASS,	87,188	16·1	27	4	2	8	6	6	1	.	.	.	.	1	.	.	.	1	2	3	.	5	.	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	21·7	46	18	2	10	8	6	2	.	1	1	.	1	1	.	1	2	7	6	2	7	1	23
IV.	GENERAL SERVICE CLASS,	154,279	26·6	62	26	6	11	9	8	2	.	3	1	.	.	.	.	.	2	6	10	3	6	2	35
V.	INMATES OF WORKHOUSES,	6,024		18	2	1	3	6	6	.	.	.	.	.	.	.	.	.	1	1	3	.	3	.	11
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	16·6	7	.	.	2	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	6. Clerks and Commercial Assistants,	30,432	20·6	12	4	.	4	3	1	.	.	.	.	.	.	.	.	.	1	.	4	.	3	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	15·4	8	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1
	9. Building and Furnishing Trades,	29,801	17·5	10	5	.	3	2	.	.	.	.	.	.	1	1	.	.	1	3	.	.	1	.	6
	10. Clothing Trades,	23,260	22·4	10	2	1	3	.	3	1	.	.	1	.	.	.	.	.	.	1	2	.	2	.	5
	11. Food Supply Trades,	9,243	11·3	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	32·6	19	9	.	3	4	2	1	.	1	.	.	.	.	.	1	1	.	4	2	2	.	8
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	GENERAL SERVICE CLASS.																								
IV.	14 Army, Police, Postal Delivery, and Prison Services, &c.,	18,425	31·1	8	.	.	3	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	6
	15. Domestic Servants,	36,603	10·0	7	2	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,990	11·5	4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·0	43	22	5	6	3	5	2	.	3	1	.	.	.	.	.	2	6	6	2	6	1	22
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	18	2	1	3	6	6	.	.	.	.	.	.	.	.	.	1	1	3	.	3	.	11

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the vincial County the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the*

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhoeal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Sept. 10,	23·9	5·5	13	.	.	.	.	.	.	.	.	3	2	.	.
		„ 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
		„ 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
		Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
		„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
		„ 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
		„ 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Sept. 10,	22·6	5·3	17	.	.	.	.	.	.	.	.	4	3	.	.
		„ 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
		„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
		Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
		„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
		„ 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
		„ 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
		„ 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Sept. 10,	26·0	6·9	15	.	.	.	.	.	.	.	.	4	2	1	.
		„ 17,	22·5	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
		Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
		„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
		„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
		„ 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
		„ 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Sept. 10,	29·6	4·9	18	.	.	.	.	.	.	1	.	2	1	3	.
		„ 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
		„ 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
		Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
		„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
		„ 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
		„ 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
		„ 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Sept. 10,	29·9	4·1	22	.	.	.	.	3	.	.	.	.	4	2	.
		„ 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
		„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
		Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
		„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
		„ 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
		„ 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
		„ 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,486.	Sept. 10,	24·2	5·7	12	.	.	.	.	.	.	.	.	2	.	1	.
		„ 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
		„ 24,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
		Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
		„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
		„ 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
		„ 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Sept. 10,	18·6	7·5	15	.	.	.	.	1	.	.	.	5	1	2	.
		„ 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
		„ 24,	19·9	5·0	16	.	.	.	.	2	.	.	.	4	2	.	.
		Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
		„ 8,	19·9	3·7	16	.	.	.	.	.	.	.	.	1	4	3	1
		„ 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
		„ 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
		„ 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	South City, No. 4. (*Office, Grand Canal-street.*) Pop. in 1904 (Est.) 35,188	Sept. 10,	17·8	7·4	12	.	1	.	.	.	.	.	.	4	2	1	.
		„ 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
		„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
		Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
		„ 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
		„ 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
		„ 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted*; also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208	Sept. 10,	11·0	1·6	7	.	.	.	.	.	.	.	.	1	1	.	.
	„ 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	„ 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	1
	„ 8,	6·3	1·6	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	„ 22,	18·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	1
	„ 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025	Sept. 10,	8·0	.	4	.	.	.	.	.	.	.	.	.	2	.	.
	„ 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	„ 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	„ 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	„ 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Sept. 10,	11·8	.	4	.	.	.	.	.	.	.	.	.	1	.	.
	„ 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	„ 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	„ 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	„ 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1904 (Est.) 358,660.	Sept. 10,	18·5	3·2	127	.	1	1	.	1	.	.	3	16	25	8	2
	„ 17,	17·9	3·1	123	.	2	.	1	1	.	.	2	14	20	14	4
	„ 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	13	9
	Oct. 1,	17·6	2·3	121	.	2	.	1	2	.	1	.	10	10	17	4
	„ 8,	19·2	2·6	132	.	5	.	.	1	.	.	5	7	24	23	1
	„ 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
	„ 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
	„ 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	26	1
Cork Pop. (in 1901) 76,122.	Sept. 10,	17·8	1·4	26	.	.	.	.	.	.	.	.	2	4	.	.
	„ 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	„ 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	„ 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	„ 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	„ 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	„ 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
Londonderry. Pop. in 1904 (Est.) 41,897	Sept 10,	15·1	2·5	12	.	.	.	.	.	.	.	.	2	2	3	.
	„ 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	„ 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	„ 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
Limerick. Pop. (in 1901) 38,151.	Sept. 10,	6·8	.	5	.	.	.	.	.	.	.	.	.	2	1	.
	„ 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	„ 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	.
	„ 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	„ 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	26·0	1.4	19	.	.	.	.	.	.	.	.	1	2	5	.
Waterford. Pop. (in 1901) 26,769	Sept. 10,	17·5	9·7	9	.	.	.	.	.	.	.	.	5	2	.	.
	„ 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	„ 24,	18·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	„ 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	3	.	.	.
	„ 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th October, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	13	35·4	10·6	10	4	.	2	4	.	.	.	.	.	.	.	2	1	.	3	.	.	.
Do. 2 ,,	47,959	21	14·1	1·1	13	2	1	8	2	.	.	.	.	.	.	.	.	1	.	4	.	.	2
Do. 3 ,,	47,214	32	12·1	.	11	4	.	5	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1
Do. 4 ,,	40,911	39	24·2	5·1	19	4	6	6	3	.	.	1	.	.	.	.	1	2	2	1	.	.	6
Do. 5 ,,	17,387	10	15·0	6·0	5	2	.	2	1	.	.	.	.	.	.	.	2	.	.	3	.	.	2
Do. 6 ,,	48,122	21	24·9	5·4	23	5	1	14	3	.	.	.	.	.	.	.	3	2	4	3	.	.	7
Do 7 ,,	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	2	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	11	21·3	8·0	8	.	4	3	1	.	3	.	.	.	.	.	.	.	.	2	.	.	1
Do. 10 ,,	28,064	15	27·1	4·5	12	3	1	8	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2
Do 11 ,,	34,802	17	10·5	1·5	7	2	1	2	2	.	.	.	.	.	.	.	.	1	.	4	.	.	1
Do. 12 ,,	33,588	32	20·2	1·6	18	3	2	8	.	.	.	.	.	.	.	.	1	.	3	2	1	1	
Do 13 ,,	15,006	12	10·4	.	3	1	.	2	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	226	18·7	3·3	125	31	16	60	18	.	4	1	.	.	.	.	9	8	12	26	1	1	26
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	8	32·4	.	8	2	.	4	2	.	.	.	.	.	.	.	.	.	2	.	.	.	4
Do. 2 ,,	10,701	1	14·6	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	1	1	2
Do 3 ,,	9,978	8	26·1	5·2	5	1	1	3	.	.	.	.	.	.	.	.	.	1	2	2	.	.	3
Do. 4 ,,	8,666	4	6·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 5 ,,	6,592	2	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 6 ,,	10,702	6	24·4	.	5	2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do, 7 ,,	16,616	8	9·4	.	3	1	1	.	1	.	.	.	.	.	.	.	.	1	6	4	1	1	11
Total,	76,122	37	18·5	0·7	27	6	2	14	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered,	231	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226
DEATHS registered.	159	151	147	134	138	150	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125
Annual Death-rate per 1,000 of estimated Population.	23·1	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2
AGES, Under 1 year,	39	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	33	33	33	29	31
AGES, 1–5 years,	20	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16
AGES, 5–60 years,	73	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60
AGES, 60 years and upwards,	27	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4
" Scarlet Fever,	.	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.
" Whooping cough,	11	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.
" Diphtheria,	.	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
" Simple Continued Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
" Enteric Fever,	2	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9
" Diarrhœal Diseases,	5	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8
" Phthisis	25	30	31	24	25	21	22	23	18	20	18	18	17	17	16	25	16	14	25	20	15	10	24	13	16	12
" Diseases of Respiratory System	37	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26
Violent Deaths,	3	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th October, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 1, West,	.	.	.	.	.	.	1	.	.	1	1	.	.	3
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	2	.	2	1	5	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
South City No. 1,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
" " 2,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	2	.	.	.	.	.	2	.	.	.	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	4	.	2	8	7	.	.	27

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th October, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th October.			
	Oct. 8.	Oct. 15.	Oct. 22.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles.	56	71	69	18	22	1	64
Scarlet Fever.	43	43	49	14	5	1	57*
Typhus "	1	3	3	.	.	.	3
Diphtheria,	17	18	20	9	4	1	24
Enteric Fever,	52	50	45	9	7	1	46
Pneumonia,	16	14	18	4	5	.	17

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Oct. 29,	2,585	1,311	14·7	.	20	8	12	7	7	25
EDINBURGH,	331,977	„ 29,	153	107	16·8	.	.	.	1	3	1	4
GLASGOW,	798,357	„ 29,	448	247	16·1	.	1	1	1	8	2	17
CALCUTTA,	847,793	Sept. 17,	.	305	18·7	.	1	.	.	.	91‡	27*
BOMBAY,	776,006	„ 27,	456	663	44·4	2	3	.	.	.	46‡	68*
MADRAS,	509,346	„ 16,	454	355	36·2	.	2	?	?	?	88‡	51
PARIS,	2,660,559	Oct. 15,	883	810	15·7	.	2	1	1†	2	3	39
BRUSSELS (with 8 Faubourgs).	586,936	„ 8,	219	158	14·0	.	1	.	2†	.	3	17
AMSTERDAM,	548,982	„ 8,	286	115	10·9	.	4	.	1	4	2	4
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Oct. 8,	184	125	15·6	.	1	2	.	2	.	13
CHRISTIANIA,	223,649	„ 15,	138	28	6·5	.	.	.	.	.	.	2
ST. PETERSBURG,	1,248,122	„ 15,	612	490	20·5	1	11	7	20	7	8	63
BERLIN,	1,978,033	„ 1,	706	583	15·4	.	3	16	5†	8	.	92
HAMBURG,	751,842	„ 8,	.	214	14·8	.	2	7	2†	1	.	10
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Oct. 15,	.	181	18·1	.	1	2	1†	3	.	18
VIENNA (with suburbs).	1,797,992	„ 15,	979	484	13·9	.	2	.	4†	.	1	38
BUDA-PESTH	813,399	„ 15,	501	295	18·9	.	4	10	8†	.	3	20
PRAGUE and Faubourgs.	426,404	„ 8,	155	155	18·9	.	.	.	.	2	3	4
ROME,	505,371	Aug. 27,	216	150	15·5	.	1	.	1	1	9	19
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Sept. 17,	93	51	15·9	.	.	.	1†	.	.	6
NEW YORK,	3,838,024	Oct. 1,	2,253	1,261	17·1	.	5	1	31†	2	18	150
PHILADELPHIA,	1,408,154	Sept. 24,	.	401	14·8	.	.	.	8†	.	17	35

* Including 3 deaths from cholera in Calcutta and 9 in Bombay.
† Including deaths from croup.
‡ Exclusive of 2 deaths from bubonic fever in Calcutta, 85 in Bombay, and 1 in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 29th October, 1904:—

"Singularly fine, mild and dry weather for the time of year prevailed in the Dublin district during this week. On Thursday night and Friday morning, however, a heavy fall of rain occurred over the greater part of Ireland—the measurements at 8 a.m. of Friday being ·93 inch at Valentia, ·80 inch at Blacksod Point, ·77 inch at Roche's Point, ·51 inch at Malin Head and ·27 inch at Birr, King's Co. On Sunday morning atmospheric pressure was uniformly low throughout Ireland—the extreme readings at 8 a.m. being 29·62 inches at Malin Head and 29·68 inches at Donaghadee. At 1·30 p.m. a little rain fell in Dublin (·008 inch), but the weather held up well and the barometer rose briskly. The next three days were very fine, the barometer standing high and being remarkably steady—brilliant sunsets occurred on Tuesday and Wednesday. During the night of the latter day the thermometer fell to 34·3° in the screen in Dublin—the grass minimum in Trinity College being 27·4°. On Thursday a rapid recovery of temperature took place as a light southerly air-current set in, the maximum being 55·8°, or a range of 21·5° in a very few hours. At 8 a.m. of this day a very steep temperature gradient existed over the British Isles, Valentia in Kerry reporting 60° and Nottingham only 35°. The latter station was in the centre of an anticyclone and also inland—hence its coldness. On Thursday and Friday the barometer was relatively low over Ireland and the adjoining Ocean, and under these conditions the heavy rainfall already described took place. On Saturday a brisk E.N.E. wind prevailed with cirrus cloud in an upper S.W. current, but the weather was fine and dry. In Dublin the mean height of the barometer was 30·148 inches, the range being from 29·638 inches at 9 a.m. of Sunday (wind, S.S.W.) to 30·341 inches at 9 a.m. of Saturday (wind, E.N.E.). The corrected mean temperature was 49·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·2°. On Thursday the screened thermometers sank to 34·3°, on Friday they rose to 59·5°. Bright sunshine was estimated at 19·5 hours, 5 occurring on both Monday and Thursday. Rain fell in measurable amount only on Sunday, when ·008 inch was registered. The most prevalent wind was W.N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·154 inches. The highest reading (30·340) was on Saturday at 9 a.m., wind E., and the lowest (29·693) on Sunday at 9 a.m., wind S.

The mean temperature for the week was 47·6°, being 1·1° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, when the thermometer registered 58·8°, and was lowest on Thursday, the mercury having fallen to 29·9°. The mean of the Dry Bulb for the week was 46·8°, and of the Wet Bulb 45·5°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 20·0 hours. There was no rain during the week.

At Greenwich the mean temperature for the week was 49·9°, the maximum 59·9°, and the minimum 36·2°; at Glasgow the maximum was 57·5°, the minimum 37·0°, and the mean 49·6°; and at Edinburgh the maximum was 55·2°, the minimum 41·5°, and the mean 48·5°. The rainfall at Greenwich measured 0·20 inch; at Glasgow 0·08 inch; and at Edinburgh 0·06 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 23,	29·770	56·3	48·3	52·3	51·1	49·0	·87	·2	0·0	—	S.	Calm.
Monday, " 24,	30·132	53·8	41·2	47·5	44·3	43·2	·92	·5	6·0	—	Calm.	W.
Tuesday, " 25,	30·283	52·0	37·9	45·0	44·7	43·6	·93	·8	3·5	—	W.	W.
Wednesday, " 26,	30·288	53·2	34·8	44·0	41·5	40·8	·94	·1	2·4	—	W.	Calm.
Thursday, " 27,	30·123	57·6	29·9	43·8	46·8	46·1	·96	·0	4·8	—	Calm.	Calm.
Friday, " 28,	30·163	58·8	45·3	52·1	51·8	51·0	·95	·1	0·1	—	Calm.	E.
Saturday, " 29,	30·321	55·8	41·6	48·7	47·3	45·1	·88	·5	3·2	—	E.	Calm.
Mean, . .	30·154	55·4	39·9	47·6	46·8	45·5	·92	·3	Total 20·0	·000	—	

Sunday—Day overcast; night overcast. *Monday*—A fine day; night clear p.m., cloudy a.m. *Tuesday*—Day fine but cloudy; night cloudy. *Wednesday*—Day fine but cloudy; night sky clear p.m., cloudy a.m., heavy fog. *Thursday*—Bright a.m., cloudy p.m.; night cloudy. *Friday*—Day fine but dull; night overcast. *Saturday*—Day fine but cloudy; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P 289. 9. 1904.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 5TH NOVEMBER, 1904. [No. 44.

General Register Office, Charlemont House, Dublin, 7th November, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 19·0 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphatically arranged, corresponded to the following annual rates per 1,000:—

TOWNS, &c.	Week ending Oct. 15.	Week ending Oct. 22.	Week ending Oct. 29.	Week ending Nov. 5.	Average Rate for 4 weeks.	TOWNS, &c.	Week ending Oct. 15.	Week ending Oct. 22.	Week ending Oct. 29.	Week ending Nov. 5.	Average Rate for 4 weeks.
Town Dists.	17·7	20·2	18·6	19·0	18·9	Lisburn, . .	13·6	4·5	13·6	9·1	10·2
'magh, . .	6·9	20·6	13·7	27·5	17·2	Londonderry .	16·4	8·8	25·2	10·1	15·1
llymena, .	.	19·2	.	23·9	10·8	Lurgan, . .	13·3	8·9	8·9	13·3	11·1
lfast, . .	16·0	17·7	18·2	17·2	17·3	Newry, . .	12·6	25·2	.	8·4	11·6
onmel, . .	.	20·5	15·4	46·2	20·5	Newtownards, .	11·4	5·7	.	28·6	11·4
rk, . . .	17·1	19·9	18·5	25·3	20·2	Portadown, .	5·2	20·7	15·5	5·2	11·7
rogheda, . .	.	16·3	20·4	12·3	12·3	Queenstown, .	19·8	33·0	6·6	6·6	16·5
ublin Reg. Area,	21·6	24·9	20·6	21·5	22·1	Sligo, . . .	14·4	24·0	19·2	14·4	18·0
ndalk, . .	4·0	23·9	4·0	19·9	13·0	Tralee, . .	5·3	21·1	10·6	26·4	15·9
lway, . .	58·3	19·4	15·5	15·5	27·2	Waterford, .	5·8	5·8	21·4	15·6	12·2
ilkenny, . .	34·3	19·7	34·3	.	22·1	Wexford, . .	18·7	18·7	9·3	28·0	18·7
merick, . .	23·2	27·3	26·0	19·1	23·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fteen of the districts to 5·3 in Tralee. Among the 118 deaths from all causes in elfast are 6 from measles, 2 from scarlet fever, one from enteric fever, and 5 from iarrhœal diseases; and the 37 deaths from all causes in Cork include one from enteric ever and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 17—106 boys and 111 girls; and the deaths to 162—77 males and 85 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 22·3 in every ,000 of the population; omitting the deaths (numbering 6) of persons admitted nto public institutions from localities outside the Area, the rate was 21·5 per 1,000. During the forty-four weeks ending with Saturday last the death-rate averaged 24·4, nd was 1·3 below the mean rate for the corresponding portions of the ten years 894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

There were 6 deaths from measles, and one death from each of the following diseases—scarlet fever, influenza, whooping-cough, and diphtheria; 5 deaths were due to diarrhœal diseases. In the 2 weeks, ended 29th October, measles caused 6 and 4 deaths respectively, and in the 4 weeks ending on the same date the deaths registered from diarrhœal diseases were 10, 8, 11, and 6 respectively.

There was one death from croupous pneumonia, there were 9 deaths from broncho-pneumonia, and there were 2 deaths from *pneumonia.*

The total (32) deaths from tuberculous disease include 8 from tuberculous phthisis, 12 from *phthisis,* 3 from tuberculous meningitis, 2 from tabes mesenterica, and 7 deaths from other forms of the disease.

Two deaths were assigned to carcinoma, one to sarcoma, and 3 to *cancer, malignant disease.*

The deaths of 4 infants were attributed to premature birth.

Of 12 deaths from diseases of the brain and nervous system 4, of infants under one year old, were caused by *convulsions.*

Twenty-three deaths were due to diseases of the heart or blood-vessels.

Bronchitis caused the deaths of 17 persons.

Two deaths from accidental causes, one being that of a child aged 4 years from burns, and 2 deaths by suicide were registered.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under one year old, and the death of one person aged 69 years.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 6 were under one month old), and 40 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 25 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000; the rate in the City was 23·1 (North City Districts, 20·4; South, 26·0), and in the Suburbs, 15·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·6 (1·0 in the North City Districts, and 2·2 in the South), and for the Suburbs, 2·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·4 per 1,000. The deaths include 5 from tuberculous disease, one from croupous pneumonia, and one from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There was one death from epidemic diarrhœa, there were 4 deaths from tuberculous disease, and 2 deaths from broncho-pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. There were 7 deaths from tuberculous disease; *pneumonia* caused one death, and bronchitis caused 2 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 21·4 per 1,000. Measles caused one death; there was one death from *phthisis,* there were 2 deaths from broncho-pneumonia, and 2 deaths from bronchitis; one death was due to burns.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 15·6; and Finglas and Glasnevin, part of, 7·8. Of the 3 deaths from all causes tabulated for the district of Coolock and Drumcondra, No. 1 (part of), one was from measles and one from *phthisis.*

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 29·9 per 1,000. There were 2 deaths from measles, there was one death from *diarrhœa,* there were 4 deaths from tuberculous disease, there was one death from broncho-pneumonia, and 4 deaths from bronchitis; one death was caused by suicide.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. There was one death from measles, there were 2 deaths from tuberculous disease, and one death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 21·1 per 1,000. Measles and epidemic diarrhœa each caused one death; there were 2 deaths from tuberculous disease, there were 2 deaths from broncho-pneumonia, and 3 deaths from bronchitis.

No. 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. There was one death from influenza, there were 2 deaths from tuberculous disease, broncho-pneumonia caused one death, and bronchitis caused 2 deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 14·0; Blackrock, 29·8; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Rathmines and Rathgar, one from scarlet fever and one from *diarrhœa* for Pembroke, and one from *diarrhœa* for Blackrock. Of the 9 deaths from all causes tabulated for Rathmines and Rathgar, one was due to tuberculous phthisis, 4 to diseases of the heart and blood-vessels, and one to *pneumonia.* The 7 deaths from all causes tabulated for Pembroke include one from *phthisis.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. ıwcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive ıitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ·ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

ıBLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 5th November, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 15,	.	—	—	10	1	.	3	.	1	23	16	.	—	—	—	—	—	54
	Oct. 22,	.	—	—	6	.	.	7	1	2	18	14	.	—	—	—	—	—	48
	Oct. 29,	.	—	—	6	.	.	4	.	2	8	7	.	—	—	—	—	—	27
	Nov. 5,	.	—	—	3	.	.	5	.	.	7	17	.	—	—	—	—	—	32
ıathmines ı Rathgar Urban District.	Oct. 15,	.	—	—	.	.	.	.	.	.	3	.	.	—	—	—	.	—	3
	Oct. 22,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	.	—	1
	Oct. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
	Nov. 5,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	5
embroke Urban District.	Oct. 15,	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	—	—	3
	Oct. 22,	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	—	—	4
	Oct. 29,	.	9	.	.	.	.	1	.	.	1	.	.	.	.	1	—	—	12
	Nov. 5,	.	4	.	2	.	.	.	.	1	.	2	.	.	1	.	—	—	10
lackrock Urban District.	Oct. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 5,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
ingstown Urban District.	Oct. 15,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	4
	Oct. 22,	.	—	—	2	.	.	.	.	.	.	.	.	.	—	—	—	—	2
	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	5
	Nov. 5,	..	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	1
ity of elfast.	Oct. 15,	2	—	—	18	.	.	3	1	14	14	11	1	—	—	—	—	—	64
	Oct. 22,	6	—	—	12	.	.	7	2	25	31	6	1	—	—	—	—	—	90
	Oct. 29,	7	—	—	18	.	.	4	.	16	25	18	1	—	—	—	—	—	89
	Nov. 5,	5	—	—	13	.	.	3	.	18	17	4	1	—	—	—	—	—	61

he Registrar of Armagh District reports:—No case of small-pox occurred during week.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ıble XI. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 5th November, 1904.

om this it appears that :—

venty-eight cases of measles were admitted to hospital during the week, 27 were arged, there were 2 deaths, and 63 patients remained under treatment at its close.

even cases of scarlet fever were admitted to hospital, 7 were discharged, there was leath, and 60* cases remained under treatment at the close of the week.

o cases of typhus fever were admitted to hospital, 2 were discharged, and 3 patients ined under treatment at the end of the week.

ree cases of diphtheria were admitted to hospital, 6 were discharged, there was one , and 29 cases remained under treatment at the close of the week.

ght cases of enteric fever were admitted to hospital, 8 were discharged, and 46 cases ned under treatment in hospital at the close of the week.

addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, ients were discharged, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the as 14·9), was equal to an average annual death-rate of 14·9 per 1,000 persons living; verage rate for 8 principal towns of Scotland was 17·8 per 1,000, the rate for Glasgow 18·6, and for Edinburgh 15·7.

* See note (*) Table XI.

TABLE II—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th November, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by: Births	Annual Rate per 1,000 persons represented by: Deaths. From all Causes.	Annual Rate per 1,000 persons represented by: Deaths. From Diseases, in cols. 10-18.	Registration—Week ending Saturday, 5th November, 1904. Births.	Total Number	Under 1 year of Age.	At 60 years & upwards.	Deaths. Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 5th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	30·2	19·0	1·6	633	399	98	101	.	12	3	.	3	.	.	3	12	53	82	9	18	99	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area: Total,‡	373,994	27·5	29·9	21·5	1·8	217	156	40	39	.	6	1	.	1	.	.	.	5	20	31	3	5	52	§57·3	32·8	49·0	0·01	§58·8	29·9	47·6	0·00	§63·5	41·7	53·9	0·43
City of Dublin	298,385	37·1	35·0	23·1	1·6	197	130	34	27	.	6	.	.	.	.	.	.	3	17	30	3	5	48	a58·0 b56·8	39·9 36·0	51·4 49·8	0·01 0·01	a59·5 b58·4	34·3 31·2	49·9 47·7	0·01 0·00	a64·0 b64·8	44·8 41·0	55·6 54·3	0·29 0·33
Urban Districts. Rathmines and Rathgar	33,208	19·4	12·6	14·1	1·6	8	9	.	6	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	14·0	14·0	4·0	7	7	1	3	.	.	1	.	.	.	.	.	1	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	29·8	6·0	2	5	3	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	8·9	14·8	.	3	5	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	57·2	42·5	51·6	0·00	59·7	40·7	52·3	0·03	64·2	45·5	56·6	0·12
Urban Districts.																																			
Belfast	358,680	24·4	34·6	17·2	2·0	238	118	35	27	.	6	2	.	.	.	.	1	5	15	32	4	10	21	56·0	31·8	46·3	0·04	59·1	36·5	48·4	0·08	62·1	37·9	52·8	0·28
Cork	76,122	33·6	26·0	25·3	1·4	38	37	6	10	.	.	.	.	.	.	.	1	1	3	6	.	1	10	55	46	50·8	0·02	57	42	51·5	0·98	61	46	54·8	1·17
Londonderry	41,397	19·1	16·4	10·1	.	13	8	2	4	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	50·6	19·1	.	37	14	4	2	.	.	.	.	.	.	.	.	.	1	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	15·6	15·6	.	8	8	2	2	.	.	.	.	.	.	.	.	.	1	2	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	31·1	15·5	.	8	4	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57	38	48·6	0·07	57	34	48·6	0·72	62	52	57·5	2·25
Dundalk	18,076	2·4	19·9	19·9	.	5	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	12·3	.	4	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	33·6	8·4	.	8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48
Lurgan	11,782	13·8	44·8	13·3	4·4	10	3	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48
Lisburn	11,461	10·1	13·6	9·1	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48
Wexford	11,168	23·2	9·8	28·0	4·7	2	6	2	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	43·1	23·9	4·8	9	5	.	2	.	.	.	.	.	.	.	1	.	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	14·4	14·4	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·3	32·4	47·6	0·40	55·9	31·0	46·6	0·47	62·2	42·1	52·9	1·25
Kilkenny	10,609	11·5	14·7	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56	38	49·3	0·07	59	33	48·6	0·14	64	37	51·9	0·61
Clonmel	10,167	7·8	41·0	46·2	.	8	9	3	2	.	.	.	.	.	.	.	.	.	2	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	25·8	5·2	.	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·5	33·0	47·6	0·08	53·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48
Tralee	9,867	16·6	37·0	26·4	5·3	7	5	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	22·9	28·6	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	56	46	49·7	0·09	57	41	49·1	0·19	59	42	52·0	0·39
Queenstown	7,909	14·4	18·2	6·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55	46	50·8	0·02	57	42	51·5	0·98	61	46	54·8	1·17
Armagh	7,588	22·2	6·9	27·5	.	1	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12	62·8	41·5	52·8	0·48

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 5th of November, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROOK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	1	.	2	1	1	.	.	.	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	1	.	.	.	.	.	1	.	1	.	.	.	1	1	.	5	.
Phthisis,	4	2	4	1	.	1	.	2	2	1	.	.	1	1	1	.	20	.
Other General Diseases,	1	4	4	1	.	.	.	4	.	2	8	.	2	1	1	1	29	1
Total,	5	7	8	3	.	2	.	9	3	5	8	.	4	4	3	1	62	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	2	2	.	.	.	.	2	.	2	.	.	1	.	.	12	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	2	2	.	.	.	1	1	2	2	3	4	1	1	1	22	1
Respiratory System,	3	3	4	4	1	.	.	6	1	5	3	.	1	.	.	.	31	.
Digestive System,	.	.	1	.	.	1	.	.	2	1	2	.	.	.	.	2	9	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Urinary System,	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
Generative System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	4	7	9	8	1	1	.	8	6	10	11	3	5	2	1	3	79	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	.	.	1	.	.	.	4	1	2	.	.	.	1	1	1	12	1
E. VIOLENT DEATHS	.	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	3	1
Deaths from all Causes,	10	14	17	18	1	3	1	22	10	17	19	3	9	7	5	5	156	6
Annual Rate of Mortality in every 1,000 of the population	18·4	18·6	29·1	21·4	10·8	15·6	7·8	29·9	23·5	21·1	28·2	17·6	14·1	14·0	29·8	14·8	21·5	.
	20·4							26·0					15·8					
	23·1																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	1	1	.	3	.	1	.	1	3	3	1	.	.	1	.	1	16	6
Workhouse Hospitals	5	6	11	3	.	.	.	3	1	2	3	.	1	1	.	.	36	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease
week of the ten yea

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years 1894–1903.	In the Week ending 5th November,			
												Deaths of Persons of			
												ALL AGES.	0 to 5.		
	Nov. 3, 1894.	Nov. 2, 1895.	Oct. 31, 1896.	Nov. 6, 1897.	Nov. 5, 1898.	Nov. 4, 1899.	Nov. 3, 1900.	Nov. 2, 1901.	Nov. 1, 1902.	Nov. 7, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	° 51·5	° 40·2	° 38·3	° 48·5	° 48·4	° 50·0	° 50·8	° 51·0	° 50·1	° 43·9	° 47·3	° 49·0			
ALL CAUSES.	160	211	159	144	166	216	152	168	183	166	172·5	162	6	34	26
Small-pox, Vaccinated.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.
Small-pox, Unvaccinated. ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	38	1	.	16	.	5·6	6	.	3	2
Scarlet Fever	1	5	3	.	2	.	1	1	3	.	1·6	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	1	1	1	1	1	.	1	2	1·1	1	.	.	.
Whooping Cough, ...	1	1	2	1	3	2	3	4	1	.	1·8	1	.	.	1
Diphtheria, ...	.	1	.	2	3	3	.	1	1	.	1·1	1	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.
Enteric Fever, ...	3	2	3	8	3	2	3	5	2	1	3·2	.	.	.	.
Asiatic Cholera, ...	.		.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	5	4	1	1	6	6	5	9	. / 3	. / 1	4·1	2 / 3	. / .	2 / 3	. / .
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.
Venereal Disease, ...	1	1	1	.	2	.	1	1	1	.	·8	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	. / . / .	. / . / .	.	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	1	.	.	.	1	.	.	1 / .	. / .	·3	1 / .	. / .	. / .	1 / .
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	36	20	19	23	24	15	16	11	1 / 20	5 / 21	21·1	8 / 12	. / .	. / .	. / .
Tuberculous Meningitis, (Acute Hydrocephalus).	.	8	3	6	5	7	3	1	4	1	3·8	3	.	2	1
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	8	4	6	3	4	4	5	. / .	2 / .	3·8	. / 2	. / .	. / 1	. / 1
Tuberculous Dis. (other), ... *Scrofula*, ...	3	1	2	.	2	7	2	2	8 / .	7 / .	3·4	7 / .	. / .	1 / .	3 / .
Alcoholism, ...	2	2	1	1	.	.	3	.	1	.	1·0	2	.		.
Rheumatic Fever, ...	1	.	1	.	.	1	1	.	.	.	·4	.	.	.	.
Gout, ...	2	.	.	1	.	.	.	.	.	.	·3	1	.	.	.

* The figures for the years 1894–19

ETY-FOURTH WEEK ending Saturday, 5th November, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 3, 1894.	Nov. 2, 1895.	Oct. 31, 1896.	Nov. 6, 1897.	Nov. 5, 1898.	Nov. 4, 1899.	Nov. 3, 1900.	Nov. 2, 1901.	Nov 1, 1902.	Nov. 7, 1903.	Averages in 44th Week of the 10 years 1894–1903.	In the Week ending Saturday, 5th November, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	51·5	40·2	38·3	48·5	48·4	50·0	50·8	51·0	50·1	43·9	47·3	49·0								
oma	6	8	2	11	4	3	10	7	1	7	6·6	2	.	.	.	.	.	1	1	.
a									.	.		1	.	.	.	.	.	1	.	.
. *Malignant Disease* ...									6	1		3	.	.	.	.	.	1	2	.
es Mellitus	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	.	1	.
ture Birth	2	3	5	1	2	5	.	5	3	5	3·1	4	4	.	.	.	.	.	.	.
ritis (not tuberc.)									6	5		4	.	.	.	2	1	1	.	.
y, G. P. of Insane									1	2		.	.	.	.	.	.	.	.	.
sy									2	1		1	.	.	.	.	1	.	.	.
sions									8	10		4	.	4	.	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									1	2		2	.	.	.	1	.	.	1	.
is System (other Dis.) ...	31	45	36	27	33	31	26	41	2	.	35·1	1	.	1	.	.	.	.	.	.
Dis., Endocarditis									2	7		1	.	.	.	.	1	.	.	.
. Hæm. Thromb.									1	2		5	.	.	.	.	.	1	4	.
cy, Hemiplegia									2	4		6	.	.	.	.	.	2	4	.
rsm									1	.		.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
and Blood Vessel Dis. ..									12	10		11	.	1	.	.	3	1	3	3
(not Spasm. or Memb.) ...	.	.	.	4	.	.	.	.	.	.	4·	.	.	.	.	.	.	.	.	.
ditis	14	34	18	13	27	36	27	18	23	23	23·3	17	.	5	6	.	.	1	4	1
ous Pneumonia									.	.		1	.	.	1	.	.	.	.	.
o-Pneumonia	13	14	11	16	8	16	7	8	5	2	11·6	9	.	3	5	.	1	.	.	.
monia"									7	9		2	.	.	.	.	.	.	2	.
a, Emphysema									.	.		1	.	.	.	.	.	1	.	.
y	2	3	1	.	.	1	2	3	.	.	1·6	.	.	.	.	.	.	.	.	.
atory Dis. (other)									2	2		1	.	.	1	.	.	.	.	.
itis, Quinsy	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.	.	.
is (not Epid.)	1	1	2	2	.	1	.	.	.	1	1·0	1	.	1	.	.	.	.	.	.
Enteritis									1	1		.	.	.	.	.	.	.	.	.
itis (not Puerp.)	1	1	3	.	.	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.
is of Liver	1	1	.	3	4	2	2	1	.	3	2·0	1	.	.	.	.	.	.	1	.
Dis. (other)									1	2		4	.	.	.	.	2	1	1	.
ve Dis. (other)	3	5	5	1	3	6	.	3	4	2	3·2	4	.	2	.	.	2	.	.	.
tis, Acute									.	2		1	.	.	.	.	.	1	.	.
s Dis., Albuminuria ...	2	6	3	2	3	6	4	6	3	3	4·1	1	.	.	.	.	.	.	1	.
y Sys. (Other Dis.) ...									.	1		1	.	.	.	.	1	.	.	.
tive Organs Dis.	.	.	.	.	1	.	.	2	2	1	·6	1	.	.	.	.	1	.	.	.
rth (Accid. of)	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
e	11	8	8	5	10	6	14	8	3	5	7·8	5	.	.	.	.	.	.	3	2
Diseases	12	18	17	6	11	12	9	14	19	8	12·6	11	2	5	2	.	1	.	1	.
ACCIDENT.																				
ways	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	1	.	.	.	.
s, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ding Operations	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
dagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	5	2	1	3	2	1	2	.	1	1·8	1	.	.	1	.	.	.	.	.
wning	.	.	.	.	1	.	1	2	.	.	·4	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ion or Poisonous Vapours...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	1	.	2	1	1	1	4	1	1	.	1·2	.	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	.	.	.	2	.	.	·3	2	.	.	.	.	2	.	.	.
ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ristration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	243	251	182	246	202	182	296	210	202	172	240	243	188	209	260	236	254	182	177	222	258	178	202	257	196	217
*Average Births in corresponding week of previous 10 years,**	217	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190
DEATHS registered,	173	173	163	150	143	169	149	126	138	146	181	136	161	199	183	178	150	157	134	194	146	130	162	191	156	162
Annual Death-rate per 1,000,	28·8	28·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3
*Average Deaths in corresponding week of previous 10 years,**	170	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173
AGES, Under 5 years,	50	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82	50	66
5—20 ,,	9	12	17	17	18	1	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9
20—40 ,,	21	29	28	26	30	2	30	15	21	21	25	23	17	28	31	21	17	20	13	29	22	23	15	30	33	28
40—60 ,,	41	39	36	30	30	2	28	27	37	29	24	33	23	28	29	28	28	21	23	38	32	21	31	26	29	19
60—80 ,,	45	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33
80 years and upwards,	7	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6
,, Scarlet Fever	1	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	10	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1
,, Diphtheria,	1	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1
,, Simple Continued Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.
,, Diarrhœal Diseases,	.	3	1	.	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	28	16	10	8	11	6	5
,, Phthisis,	19	23	26	23	30	26	28	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20
,, Diseases of Heart and Blood Vessels,	17	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23
,, Diseases of Respiratory System.	29	36	29	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31
Violent Deaths,	2	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4
Mean Temperature of the Air (Phœnix Park),	49·7	49·3	50·5	56·2	58·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0
Average Mean Temperature in corresponding week of previous 10 years	47·6	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3
Rainfall in inches,	·145	·136	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010
Mean Humidity of the Air, complete Saturation 1·0,	·88	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·88	·86	·90	·92	·87

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th November, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 5th November, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accident, Homicide, and Suicide).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	22·5	162	66	9	28	19	33	7	.	6	1	.	1	1	.	.	5	14	20	4	31	4	89
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	9·0	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
II.	Middle Class,	87,188	16·1	27	7	1	6	1	11	1	.	1	.	.	.	.	.	.	.	1	1	.	3	.	22
III.	Artisan Class and Petty Shopkeepers	110,423	13·7	29	14	2	3	7	3	.	.	1	.	.	.	.	.	.	1	2	2	1	8	1	15
IV.	General Service Class,	154,279	33·5	67	41	2	10	4	9	1	.	4	1	.	1	1	.	.	4	11	4	3	16	3	30
V.	Inmates of Workhouses,	6,024		36	4	4	7	7	9	5	.	.	.	.	.	.	.	.	.	.	12	.	4	.	20
	Professional and Independent Class.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	13·4	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	6.2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	27·0	4	1	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	2	.	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
	6. Clerks and Commercial Assistants,	30,432	6·9	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	19·3	10	4	.	1	.	4	1	.	1	.	.	.	.	.	.	.	1	1	.	3	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	2
	9. Building and Furnishing Trades,	29,801	19·2	11	7	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	7
	10. Clothing Trades,	28,260	9·0	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	1
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	2	1	1	1	2	.	.	1	.	.	.	.	.	.	.	1	1	.	1	.	4
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	6	.	.	1	.	.	.	.	1	.	1	.	.	.	1	3	.	.	1	.	3
	15. Domestic Servants,	36,603	14·2	10	4	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	8
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	25·0	43	24	2	7	2	7	1	.	4	.	.	.	1	.	.	2	7	4	3	13	2	14
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	6,024	.	36	4	4	7	7	9	5	.	.	.	.	.	.	.	.	.	.	12	.	4	.	20

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents c RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of th the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to th* vincial Count

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
City of Dublin (part of). Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Sept. 17,	20·2	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 24,	38·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
	„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Sept. 17,	20·0	5·3	15	.	.	.	.	.	1	.	1	2	1	1	.
	„ 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	Oct. 1,	26·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
	„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
	„ 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
	„ 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
	„ 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
	Nov. 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Sept. 17,	22·5	.	18	.	.	.	.	.	.	.	.	.	1	3	.
	„ 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
	„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
	„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	„ 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
	„ 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Sept. 17,	18·1	1·6	11	.	.	.	.	.	.	.	.	1	1	.	1
	„ 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
	„ 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
	„ 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
	„ 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Sept. 17,	14·2	2·7	11	.	.	.	.	.	.	.	.	2	1	1	.
	„ 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
	„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
	„ 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
	„ 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
	„ 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Sept. 17,	20·0	.	7	.	.	.	.	.	.	.	.	.	.	2	.
	„ 21,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
	„ 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
	„ 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Sept. 17,	19·9	3·7	16	.	.	.	.	.	.	.	.	3	1	1	.
	„ 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
	„ 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
	„ 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
	„ 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
	„ 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Sept. 17,	13·4	3·0	9	.	.	.	.	.	.	.	1	1	1	1	.
	„ 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
	„ 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2
	Nov. 5	28·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted*; also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,908.	Sept. 17,	14·1	1·6	9	.	.	.	.	.	.	.	.	1	1	2	.
	" 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	.
	" 8,	6·8	1·6	4	.	.	.	.	.	.	.	.	1	1	.	1
	" 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	" 22,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	.
	" 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Sept. 17,	8·0	4·0	4	.	.	.	.	.	.	.	.	2	.	.	.
	" 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	" 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	" 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	" 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	" 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5.	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Sept. 17,	17·8	5·9	6	.	.	.	.	.	.	.	.	2	1	.	.
	" 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	" 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	" 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	" 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	" 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	Sept 17,	17·9	3·1	123	.	2	.	1	1	.	.	3	14	20	14	4
	" 24,	17·7	3·8	122	.	5	1	.	2	.	.	6	12	15	13	9
	Oct. 1,	17·6	2·3	121	.	2	.	1	2	.	1	.	10	10	17	4
	" 8,	19·2	2·6	132	.	5	.	.	1	.	.	5	7	14	23	1
	" 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
	" 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
	" 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	16	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
Cork Pop. (in 1901) 76,122.	Sept. 17,	18·5	3·4	27	.	.	.	.	.	.	.	.	5	4	3	.
	" 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	" 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	" 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	" 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	" 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
Londonderry. Pop. in 1904 (Est.) 41,397	Sept 17,	11·3	1·3	9	.	.	.	.	.	.	.	.	1	2	1	.
	" 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	" 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	" 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	" 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	" 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
Limerick. Pop. (in 1901) 38,151.	Sept. 17,	5·5	1·4	4	.	.	.	.	.	.	.	.	1	.	2	.
	" 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	1
	Oct. 1,	26·9	.	27	.	.	.	.	.	.	.	.	.	2	2	.
	" 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	" 15,	28·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	" 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	" 29	26·0	1.4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
Waterford. Pop. (in 1901) 26,769	Sept. 17,	27·3	7·8	14	.	.	.	.	.	.	.	.	4	1	2	.
	" 24,	13·6	3·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	" 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.
	" 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	" 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	" 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th November, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	8	31·9	7·1	9	4	2	2	1	.	.	.	.	.	.	.	.	2	1	3	1	2	1
Do. 2 ,,	47,959	28	16·3	2·2	15	3	.	6	6	.	.	.	.	.	.	.	1	1	3	5	.	.	3
Do. 3 ,,	47,214	39	16·6	4·4	15	6	4	3	2	.	4	.	.	.	.	.	.	.	2	4	.	1	.
Do. 4 ,,	40,911	34	15·3	1·3	12	4	1	5	2	.	.	1	.	.	.	.	.	.	.	3	1	2	6
Do. 5 ,,	17,387	5	24·0	.	8	.	.	5	3	.	.	.	.	.	.	.	.	.	3	2	.	2	2
Do. 6 ,,	48,122	15	18·4	.	17	3	.	7	7	.	.	.	.	.	.	.	.	.	.	5	2	3	5
Do 7 ,,	1,524	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 ,,	5,060	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	17	18·7	2·7	7	2	.	3	2	.	1	.	.	.	.	.	.	.	1	2	.	.	2
Do. 10 ,,	23,064	16	18·6	6·8	6	3	2	.	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.
Do 11 ,,	34,802	21	15·0	1·5	10	4	2	2	2	.	.	.	.	.	.	.	.	1	2	2	.	.	.
Do. 12 ,,	33,588	33	24·8	.	16	6	3	6	1	.	.	.	.	.	.	.	.	.	2	5	.	.	1
Do 13 ,,	15,006	13	6·9	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	238	17·6	2·1	118	35	15	41	27	.	6	2	.	.	.	.	1	5	15	32	4	10	21
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	20·3	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 2 ,,	10,701	6	24·4	4·9	5	1	.	4	.	.	.	.	.	.	.	.	1	.	1	3	.	.	1
Do 3 ,,	9,978	7	36·6	.	7	2	.	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	4
Do. 4 ,,	8,666	4	12·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 5 ,,	6,592	2	39·6	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 6 ,,	10,702	4	34·1	.	7	1	.	3	3	.	.	.	.	.	.	.	.	.	2	.	.	1	2
Do, 7 ,,	16,616	9	18·3	3·1	6	1	.	3	2	.	.	.	.	.	.	.	.	1	3	.	.	.	1
Total,	76,122	38	25·3	1·	37	6	.	21	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered,	239	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226	233
DEATHS registered.	151	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125	118
Annual Death-rate per 1,000 of estimated Population.	22·0	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2
AGES, Under 1 year,	32	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33	33	29	31	35
AGES, 1–5 years,	21	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15
AGES, 5–60 years,	71	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41
AGES, 60 years and upwards,	27	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	½	1	2	5	2	5	3	1	4	6
,, Scarlet Fever,	1	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.
,, Whooping cough,	10	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.
,, Diphtheria,	.	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Simple Continued Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
,, Enteric Fever,	1	3	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1
,, Diarrhœal Diseases,	3	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5
,, Phthisis	30	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15
,, Diseases of Respiratory System,	25	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32
Violent Deaths,	3	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th November, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	1	.	.	2	1	.	.	6
" " 1, West,	.	.	.	.	.	.	1	.	.	1	1	.	.	3
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	.	.	.	1	.	.	1	3	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.		1	12	.	.	13
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	3	.	.	5	.	.	7	17	.	.	32

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th November, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th November.			
	Oct. 15.	Oct. 22.	Oct. 29.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	71	69	64	28	27	2	63
Scarlet Fever,	43	49	57	11	7	1	60*
Typhus "	3	3	3	2	2	.	3
Diphtheria,	18	20	24	3	6	1	20
Enteric Fever,	50	45	46	8	8	.	46
Pneumonia,	14	18	17	6	4	.	19

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Nov. 5,	2,581	1,330	14·9	.	14	13	15	4	6	22
EDINBURGH,	331,977	„ 5,	150	100	15·7	.	.	1	2	4	.	5
GLASGOW,	798,357	„ 5,	439	284	18·6	.	.	.	3	12	1	10
CALCUTTA,	847,793	—	.	.	.	.	.	.	.	.	.	.
BOMBAY,	776,006	Oct. 4,	420	685	45·9	4	1	.	.	.	56‡	64*
MADRAS,	509,346	Sept. 23,	432	359	36·6	.	1	?	?	?	100	48
PARIS,	2,660,559	Oct. 22,	1,027	810	15·7	1	2	1	.	4	4	32
BRUSSELS (with 8 Faubourgs).	586,936	„ 15,	204	155	13·7	1	1	.	.	.	1	15
AMSTERDAM,	549,783	„ 15,	260	140	13·3	.	3	.	1	2	.	3
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Oct. 15,	228	96	12·0	.	1	1	.	3	.	7
CHRISTIANIA,	223,649	„ 22,	132	56	13·0	.	.	.	1	2	.	3
ST. PETERSBURG,	1,248,122	„ 22,	757	509	21·3	5	1	14	14	6	9	49
BERLIN,	1,978,033	„ 8,	843	574	15·2	.	6	11	7†	4	1	69
HAMBURG,	751,842	„ 15,	.	213	14·7	.	2	3	3†	1	.	19
BRESLAU,	445,403	—	.	.	.	.	.	.	.	.	.	.
MUNICH,	520,000	Oct. 22,	.	220	22·0	.	2	.	2†	4	1	29
VIENNA (with suburbs).	1,816,303	„ 22,	927	529	15·1	.	3	.	9†	1	2	50
BUDA-PESTH	813,399	„ 22,	468	251	16·0	.	1	10	12†	.	.	12
PRAGUE and Faubourgs.	430,569	„ 15,	170	147	17·7	.	1	.	2	.	1	10
ROME,	505,371	Sept. 3,	217	164	16·9	.	1	.	1	.	7	26
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Sept. 24,	85	44	13·7	.	.	.	.	1	1	6
NEW YORK,	3,838,024	Oct. 8,	2,305	1,174	16·0	1	3	6	34†	.	28	124
PHILADELPHIA,	1,408,154	„ 1,	.	399	14·7	.	.	1	12†	1	7	37

* Including 7 deaths from cholera in Bombay.
† Including deaths from croup.
‡ Exclusive of 80 deaths from bubonic fever in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 5th November, 1904:—

"Until Saturday the sky was densely overcast in Dublin, only three-quarters of an hour of bright sunshine being observed during the first six days of the week. On Saturday, however, there was bright sunshine between 8 a.m and 3 p.m. Early on Sunday morning a local area of cold lay over the centre, west and south-west of Ireland, the thermometer standing at 38° at both Birr and Valentia—on the east coast it was 10° higher, although it had been down to 39·9° in Dublin during the previous night. A succession of dull, cheerless days with leaden skies and moderate easterly winds followed. In England drizzling rain fell, but in Ireland the weather remained dry. On the morning of Tuesday, November 1, an anticyclone with the barometer up to or above 30·4 inches was central over Scotland. Twenty-four hours later this system had drifted southwards to Central England, in which region the barometer slightly exceeded 30·5 inches (Oxford reported 30·54 inches at 8 a.m. of Wednesday). The wind now became westerly and so continued to the end of the week. The shift of wind was connected with the passage eastwards across Northern Europe of a large and deep atmospheric depression in which the barometer fell to 28·83 inches at Bodö, in Norway, on Thursday evening. This disturbance brought frost and snow to Scandinavia, fresh westerly winds and high temperatures to the British Isles. A subsidiary depression on Saturday caused showers and a fall of temperature in the evening. In Dublin the mean height of the barometer was 30·274 inches, pressure rising to 30·470 inches at 9 a.m. of Wednesday (wind, S.S.E.) and falling to 30·022 inches at 4 p.m. of Saturday (wind, W.). The corrected mean temperature was 51·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·0°. The screened thermometers fell to 39·9° on Sunday and rose to 58·0° on Thursday. The prevalent winds were—at first, E.N.E., afterwards W. Only 6 hours of bright sunshine were observed, of which 5¼ occurred on Saturday. The rainfall was ·011 inch, of which ·010 inch fell in a shower on Saturday evening, constituting one 'rainy' day."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·279 inches. The highest reading (30·478) was on Wednesday at 9 a.m., air calm, and the lowest (30·043) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 49·0°, being 1·7° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Thursday, when the thermometer registered 57·3°, and was lowest on Sunday, the mercury having fallen to 32·8°. The mean of the Dry Bulb for the week was 49·5°, and of the Wet Bulb 47·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 4·7 hours. The rainfall during the week measured ·010 inch.

At Greenwich the mean temperature for the week was 49·3°, the maximum 56·4°, and the minimum 44·2°; at Glasgow the maximum was 56·9°, the minimum 37·0°, and the mean 48·7°; and at Edinburgh the maximum was 54·9°, the minimum 38·4°, and the mean 47·4°. The rainfall at Greenwich measured 0·11 inch; at Glasgow 0·15 inch; and at Edinburgh 0·05 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Oct. 30,	30·221	51·8	32·8	42·3	50·8	49·0	·88	·3	0·0	—	E.	E.N.E.
Monday, „ 31,	30·258	52·1	47·1	49·6	49·5	47·0	·83	·3	0·0	—	E.	N.E.
Tuesday, Nov. 1,	30·412	49·5	45·9	47·8	48·1	46·5	·89	·0	0·0	—	Calm.	Calm.
Wednesday, „ 2,	30·445	51·2	45·8	48·5	49·5	47·4	·86	·7	0·0	—	Calm.	W.
Thursday, „ 3,	30·337	57·3	49·7	53·5	52·0	50·0	·87	·3	0·2	—	W.	W.
Friday, „ 4,	30·225	54·8	48·3	51·6	49·8	48·2	·90	·5	0·5	—	W.	Calm.
Saturday, „ 5,	30·052	55·0	43·8	49·4	46·8	45·1	·88	·4	4·0	·010	W.	Calm.
Mean, . .	30·279	53·1	44·8	49·0	49·5	47·6	·87	·4	Total 4·7	·010	Prevailing Wind, W.	

Sunday—Day overcast; night overcast. *Monday*—Day overcast; night overcast. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast; night overcast. *Thursday*—A cloudy day; night overcast. *Friday*—A cloudy day; night cloudy. *Saturday*—Fine but cloudy day, shower at 5 p.m.; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P 239. 9. 1904.

OFFICIAL.

VEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
)NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or
OLIVER & BOYD, EDINBURGH
Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 12TH NOVEMBER, 1904. [No. 45.

General Register Office, Charlemont House,
Dublin, 14th November, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 18·9 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the ıst four weeks, and during the whole of that period, in the several Districts, alpha-ıtically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 22.	Week ending Oct. 29.	Week ending Nov. 5.	Week ending Nov. 12.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 22.	Week ending Oct. 29.	Week ending Nov. 5.	Week ending Nov. 12.	Average Rate for 4 weeks.
' Town Dists.	20·2	18·6	19·0	18·9	19·2	Lisburn, . .	4·5	13·6	9·1	9·1	9·1
·magh, . .	20·6	13·7	27·5	20·6	20·6	Londonderry .	8·8	25·2	10·1	17·6	15·4
ıllymena, .	19·2	.	23·9	4·8	12·0	Lurgan, . .	8·9	8·9	13·3	35·4	16·6
elfast, . .	17·7	18·2	17·2	18·6	17·9	Newry, . .	25·2	.	8·4	8·4	10·5
onmel, . .	20·5	15·4	46·2	15·4	24·4	Newtownards, .	5·7	.	28·6	45·8	20·0
ork, . . .	19·9	18·5	25·3	21·2	21·2	Portadown, .	20·7	15·5	5·2	20·7	15·5
rogheda, . .	16·3	20·4	12·3	24·5	18·4	Queenstown, .	33·0	6·6	6·6	.	11·6
ublin Reg. Area.	24·9	20·6	21·5	20·2	21·8	Sligo, . . .	24·0	19·2	14·4	4·8	15·6
ındalk, . .	23·9	4·0	19·9	8·0	14·0	Tralee, . .	21·1	10·6	26·4	.	14·5
alway, . .	19·4	15·5	15·5	11·7	15·5	Waterford, .	5·8	21·4	15·6	17·5	15·1
ilkenny, . .	19·7	34·3	.	29·5	20·9	Wexford, . .	18·7	9·3	28·0	23·3	19·8
merick, . .	27·3	26·0	19·1	17·8	22·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in ghteen of the districts to 4·4 in Lurgan. Among the 128 deaths from all causes in elfast are 12 from measles, one from scarlet fever, one from whooping-cough, 4 from ıteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to)3—101 boys and 102 girls; and the deaths to 156—79 males and 77 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 000 of the population; omitting the deaths (numbering 9) of persons admitted to public institutions from localities outside the Area, the rate was 20·2 per 1,000. uring the forty-five weeks ending with Saturday last the death-rate averaged 24·3, ıd was 1·3 below the mean rate for the corresponding portions of the ten years 894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective stricts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

The total includes 7 deaths from measles, one from scarlet fever, and 5 deaths from diarrhœal diseases; not one death was registered from any of the following diseases—small-pox, typhus, whooping-cough, diphtheria, or enteric fever. In the 3 weeks preceding, 6, 4, and 6 deaths from measles, and 11, 6, and 5 deaths from diarrhœal diseases, respectively, were registered.

There was one death from cerebro-spinal meningitis, one death from croupous pneumonia; there were also 2 deaths from broncho-pneumonia, and 3 deaths from *pneumonia*.

The 27 deaths ascribed to tuberculous disease include 6 from tuberculous phthisis, 16 from *phthisis*, one from tuberculous meningitis, and 4 deaths from other forms of the disease.

The deaths of 5 infants born prematurely were recorded.

Of 12 deaths from diseases of the brain and nervous system 6 were from *convulsions*, all the latter being of children under 5 years of age.

Nineteen deaths from diseases of the heart and blood-vessels were registered.

Of 23 deaths from diseases of the respiratory system (exclusive of the pneumonias), 21 were due to bronchitis.

Accidental violence caused 5 deaths, of which 2 were due to drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year old, and the deaths of 2 persons aged 60 years and upwards.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 9 were under one month old), and 45 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 8 were octogenarians, and one (a woman) was stated to have been aged 91 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number one took place in the North Dublin Union Workhouse and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 20·6 (North City Districts, 13·8; South, 27·8), and in the Suburbs, 18·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·8 (1·0 in the North City Districts, and 2·6 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (2) are equal to an annual rate of 3·7 per 1,000. There was no death recorded in above district from epidemic or general disease.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000. *Phthisis*, tuberculous meningitis, and croupous-pneumonia, each caused one death; there were 4 deaths from bronchitis, and one accidental death registered.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. There were 2 deaths from tuberculous disease, one death from *pneumonia*, and 2 deaths from bronchitis registered.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 11·5 per 1,000. Two deaths from measles, one death from *diarrhœa*, and one death from tuberculous disease were registered.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 26·0; and Finglas and Glasnevin, part of, 0·0. The 5 deaths from all causes tabulated for Coolock and Drumcondra, No. 1 part of, include one from cerebro-spinal meningitis and 2 from tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. Two deaths were due to measles, 4 to tuberculous disease, and 4 to bronchitis; one accidental death was registered.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 20·0 per 1,000. Measles caused 2 deaths, and *phthisis* and broncho-pneumonia each caused one death.

No. 3 South City District (Peter-street).—The deaths (33) are equal to an annual rate of 41·0 per 1,000. There were 2 deaths from epidemic diarrhœa, 3 deaths from tuberculous phthisis, 4 deaths from *phthisis*, 2 deaths from other tuberculous diseases, one death from *pneumonia*, and 3 deaths from bronchitis; one accidental death was registered.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Measles caused one death, *phthisis* caused 3 deaths, and bronchitis 3 deaths.

New Kilmainham District.—The one death registered is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·4; Pembroke, 16·0; Blackrock, 17·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from scarlet fever for Kingstown and one from *diarrhœa* for Pembroke. The 13 deaths from all causes in Rathmines and Rathgar include 2 from tuberculous disease, and one from *pneumonia*; and the 7 deaths from all causes for Kingstown include 2 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
r Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive tary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock in District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban rict; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration rea (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, lackrock, and Kingstown), and in the City of Belfast, during the week ended 12th November, 1904, nd each of the preceding three weeks. A dash (—) denotes that the disease in question is not otifiable in the District.

ITIES AND URBAN ISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
ity of ublin.	Oct. 22,	.	—	—	6	.	.	7	1	2	18	14	.	—	—	—	—	—	48
	Oct. 29,	.	—	—	6	.	.	4	.	2	8	7	.	—	—	—	—	—	27
	Nov. 5,	.	—	—	3	.	.	5	.	.	7	17	.	—	—	—	—	—	32
	Nov. 12,	.	—	—	4	3	.	5	.	7	8	18	.	—	—	—	—	—	45
thmines Rathgar Urban istrict.	Oct. 22,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	.	—	1
	Oct. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
	Nov. 5,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	5
	Nov. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	1	—	2
mbroke Urban istrict.	Oct. 22,	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	—	—	4
	Oct. 29,	.	9	.	.	.	.	1	.	.	1	.	.	.	.	1	—	—	12
	Nov. 5,	.	4	.	2	.	.	.	.	1	.	2	.	.	1	.	—	—	10
	Nov. 12,	.	12	.	.	.	.	.	.	.	1	.	.	.	6	.	—	—	19
ackrock Urban istrict.	Oct. 22,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Oct. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 5,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 12,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
ngstown Urban istrict.	Oct. 22,	.	—	—	2	.	.	.	.	.	.	.	.	.	—	—	—	—	2
	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	5
	Nov. 5,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	1
	Nov. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	2
ity of elfast.	Oct. 22,	6	—	—	12	.	.	7	2	25	31	6	1	—	—	—	—	—	90
	Oct. 29,	7	—	—	18	.	.	4	.	16	25	18	1	—	—	—	—	—	89
	Nov. 5,	5	—	—	13	.	.	3	.	18	17	4	1	—	—	—	—	—	61
	Nov. 12,	5	—	—	10	.	.	4	2	19	8	11	.	—	—	—	—	—	59

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ible XI. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 12th November, 1904.

om this it appears that:—

wenty-six cases of measles were admitted to hospital during the week, 23 were arged, there was one death, and 65 patients remained under treatment at its close.

ne cases of scarlet fever were admitted to hospital, 9 were discharged, and 60* remained under treatment at the close of the week.

ne case of typhus fever was admitted to hospital, and 4 patients remained under treat- at the end of the week.

ur cases of diphtheria were admitted to hospital, 4 were discharged, and 20 cases ined under treatment at the close of the week.

ght cases of enteric fever were admitted to hospital, 10 were discharged, and 44 cases ined under treatment in hospital at the close of the week.

addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, tients were discharged, there was one death, and 17 cases remained under treatment e end of the week.

ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 15·2), was equal to an average annual death-rate of 15·7 per 1,000 persons living; average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow 19·7, and for Edinburgh 17·3.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th November, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 12th November, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 12th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th Oct., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	28·9	18·9	1·7	605	396	88	99	.	19	2	.	1	1	.	5	7	56	84	10	15	94	°	°	°	.	°	°	°	.	°	°	°	.
Dublin Registration Area:—																																			
Total,‡	378,994	27·5	27·9	20·2	1·7	203	147	25	45	.	7	1	.	.	.	.	.	4	21	28	5	9	47	§57·3	37·4	46·7	0·97	§57·3	32·8	49·0	0·01	§58·8	29·9	47·6	0·00
City of Dublin	298,385	37·1	29·9	20·6	1·8	168	116	22	31	.	7	.	.	.	.	.	.	3	19	24	3	7	40	a59·0 b57·4	39·0 38·0	48·8 47·3	0·70 1·00	a58·0 b56·8	39·9 36·0	51·4 49·8	0·01 0·01	a59·5 b58·4	34·3 31·2	49·9 47·7	0·01 0·00
Urban Districts. Rathmines and Rathgar.	33,208	19·4	22·0	20·4	.	14	13	.	6	.	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	16·0	16·0	2·0	8	8	1	3	.	.	.	.	.	.	.	.	1	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	11·9	17·9	.	2	3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	32·5	20·7	3·0	11	7	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	1	58·7	40·5	49·9	0·83	57·2	42·5	51·6	0·00	59·7	40·7	52·3	0·03
Urban Districts.																																			
Belfast	358,680	24·4	31·3	18·6	3·1	215	128	40	21	.	12	1	.	1	.	.	4	3	14	31	.	.	16	56·0	36·5	46·0	1·46	56·0	31·3	46·3	0·04	59·1	36·5	48·4	0·08
Cork	76,122	33·6	32·9	21·2	.	48	31	4	8	.	.	.	.	.	.	.	.	.	8	7	2	3	6	59	42	50·9	1·22	55	46	50·8	0·02	57	42	51·5	0·98
Londonderry	41,897	19·1	23·9	17·6	.	19	14	1	6	.	.	.	.	.	.	.	.	.	2	4	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	16·4	17·8	1·4	12	18	1	1	.	.	.	.	.	.	.	1	.	1	3	.	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	15·6	17·5	.	8	9	2	.	.	.	.	.	.	.	.	.	.	5	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	27·2	11·7	.	7	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	57	38	48·5	1·40	57	38	48·6	0·07	57	34	48·6	0·72
Dundalk	18,076	9·4	23·9	8·0	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	28·6	24·5	.	7	6	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	8·4	.	6	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12
Lurgan	11,782	13·8	18·3	35·4	4·4	3	8	2	2	.	.	.	.	1	.	.	.	.	2	1	1	.	3	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12
Lisburn	11,461	10·1	9·1	9·1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12
Wexford	11,168	23·2	28·0	23·3	.	6	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	14·4	4·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·0	39·3	47·0	1·53	56·3	32·4	47·6	0·40	55·9	31·0	46·6	0·47
Sligo	10,870	8·7	24·0	4·8	.	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	58	36	48·6	1·07	56	38	49·3	0·07	59	33	48·6	0·14
Kilkenny	10,609	11·5	98·3	29·5	.	20	6	2	2	.	.	.	.	.	.	.	.	.	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel	10,167	7·8	10·3	15·4	.	2	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12
Portadown	10,092	13·2	51·7	20·7	.	10	4	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	15·9	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57	39	46·7	1·71	56	46	49·7	0·09	57	41	49·1	0·19
Newtownards	9,110	18·9	51·5	45·8	.	9	8	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	59	42	50·9	1·22	55	46	50·8	0·02	57	42	51·5	0·98
Queenstown	7,909	14·4	59·3	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08	58·0	33·0	48·3	0·12
Armagh	7,588	22·2	13·7	20·6	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1												

* According to the Census of 1901.

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 12th of November, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin Sth. Superintendent Reg.'s District									
AMES OF DISEASES, &c.	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	2	.	.	.	2	2	.	1	.	.	.	.	.	7	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	.	.	.	1	.	.	.	.	.	2	.	.	.	1	.	.	4	1
Phthisis,	.	1	1	.	.	2	.	4	1	7	3	.	2	.	.	.	21	1
Other General Diseases,	.	2	4	2	.	1	.	3	1	7	3	.	.	3	.	2	28	3
Total,	.	3	5	5	.	3	.	9	4	16	7	.	2	4	.	3	61	5
. LOCAL DISEASES:																		
Nervous System	.	.	.	1	.	.	.	2	1	2	3	.	1	.	.	1	11	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	1	3	.	1	.	.	3	.	4	.	.	1	1	2	2	19	.
Respiratory System,	.	5	3	.	.	1	.	4	1	5	4	1	2	1	1	.	28	1
Digestive System,	1	1	.	.	.	.	.	.	1	1	1	.	2	.	.	.	7	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Urinary System,	.	.	1	.	.	.	.	.	.	2	1	.	2	1	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
seases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	2	7	7	1	1	1	.	9	3	15	9	1	8	3	3	3	73	4
OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	2	.	1	.	1	.	.	.	1	.	.	2	.	.	1	8	.
VIOLENT DEATHS	.	1	.	.	.	.	.	1	.	1	.	.	1	1	.	.	5	.
eaths from all Causes,	2	13	12	7	1	5	.	19	7	33	16	1	13	8	3	7	147	9
nnual Rate of Mortality in every 1,000 of the population	3·7	17·3	20·8	11·5	10·8	26·0	.	25·8	20·0	41·0	23·7	5·9	20·4	16·0	17·9	20·7	20·2	.
	13·8							27·8					18·9					
	20·6																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

olic Hospitals, Prisons and unatic Asylums,	1	2	5	2	.	.	.	5	.	7	5	.	4	1	.	1	33	9
rkhouse Hospitals	.	.	.	.	.	1	.	2	2	6	2	.	.	1	.	.	14	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease week of the ten ye

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1894-1903.	In the Week ending 12th November			
												Deaths of Persons of			
												ALL AGES.	0 to 5.		
	Nov. 10, 1894.	Nov. 9, 1895.	Nov. 7, 1896.	Nov. 13, 1897.	Nov. 12, 1898.	Nov. 11, 1899.	Nov. 10, 1900.	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.		Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.
Mean Temperature.	48·4°	45·7°	38·3°	52·5°	48·4°	47·7°	45·1°	43·2°	47·7°	47·6°	46·5°	46·7°			
ALL CAUSES.	153	163	172	133	201	249	154	171	228	157	178·1	156	9	16	18
Small-pox, Vaccinated,	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.
Small-pox, Unvaccinated,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	39	.	.	16	.	5·5	7	.	.	6
Scarlet Fever	1	.	5	8	3	1	.	.	4	1	2·3	1	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	2	.	2	1	1	1	.	4	1	1·2	.	.	.	.
Whooping Cough,	3	1	3	2	4	1	1	1	.	3	1·9	.	.	.	.
Diphtheria,	.	1	.	1	2	3	.	.	3	.	1·0	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.
Enteric Fever,	2	4	7	9	5	5	4	2	5	3	4·6	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	2	2	2	3	8	6	6	2	. / 2	. / 1	3·4	3 / 2	. / .	2 / .	1 / .
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.
Venereal Disease,	.	.	.	1	1	.	1	.	1	2	·6	.	.	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	.	.	.	.	.	.	1	.	. / . / 1	. / . / .	·2	. / . / .	. / . / .	. / . / .	. / . / .
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	1	.	.	.	.	.	2	.	·3	1	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	.	.	.	.	.	.	.	. / 2	. / .	·2	. / .	. / .	. / .	. / .
Septic Dis. (other),	.	.	.	.	.	.	.	.	2	.	·2	1	.	.	.
Tuberculous Phthisis, "*Phthisis*,"	27	20	15	13	17	21	26	19	1 / 23	4 / 12	19·8	6 / 16	. / .	. / .	. / .
Tuberculous Meningitis, (Acute Hydrocephalus).	6	5	3	3	10	5	.	5	6	4	4·7	1	.	.	1
Tuberculous Peritonitis, Tabes Mesenterica,	3	3	6	3	10	5	5	3	2 / .	. / 1	4·1	. / .	. / .	. / .	. / .
Tuberculous Dis. (other), *Scrofula*,	2	3	3	2	5	3	4	3	6 / .	5 / .	3·6	4 / .	. / .	1 / .	1 / .
Alcoholism,	.	.	.	.	1	1	.	1	4	.	·7	2	.	.	.
Rheumatic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gout,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.

* The figures for the years 1894-19

TY-FIFTH WEEK ending Saturday, 12th November, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years 1894–1903.	In the Week ending Saturday, 12th November, 1904. Deaths of Persons of the Ages of							
	Nov. 10, 1894.	Nov. 9, 1895.	Nov. 7, 1896.	Nov. 13, 1897.	Nov. 12, 1898.	Nov. 11, 1899.	Nov. 10, 1900.	Nov. 9, 1901.	Nov. 8, 1902.	Nov. 14, 1903.		ALL AGES.	0 to 5. Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	48·4°	45·7°	38·3°	52·5°	48·4°	47·7°	45·1°	43·2°	47·7°	47·6°	46·5°	46·7°								
ma	5	7	3	5	6	9	9	1	1	3	5·9	7	.	.	.	.	5	2	.
a									.	1		1	.	.	.	.	1	.	.
Malignant Disease ...									4	5		3	.	.	.	1	1	1	.
s Mellitus	2	1	2	1	6	4	6	7	.	.	3·3	.	.	.	.	.	.	.	.
ure Birth									1	3		5	4	.	1	.	.	.	.
tis (not tuberc.)									4	4		.	.	.	.	.	.	.	.
, G. P. of Insane									.	.		3	.	.	.	1	1	1	.
y									.	2		1	.	.	.	.	.	1	.
ons									6	7		6	1	4	1	.	.	.	.
tor Ataxy									.	.		.	.	.	.	.	.	.	.
gia Dis. of Cord									.	.		1	.	.	.	.	.	1	.
System (other Dis.) ...	21	43	35	26	30	37	28	52	1	.	35·5	1	.	.	.	.	.	1	.
s, Endocarditis									5	5		8	.	.	.	1	1	3	3	.
Hæm. Thromb.									.	2		3	.	.	.	.	.	1	2	.
, *Hemiplegia*									8	4		1	.	.	.	.	.	1	.
m									2	1		.	.	.	.	.	.	.	.
m, Thromb. (not cerebral)									.	2		.	.	.	.	.	.	.	.
nd Blood Vessel Dis. ...									12	18		7	.	1	.	.	1	3	1
not Spasm. or Memb.) ...	.	.	2	2	.	.	1	2	.	.	·7	.	.	.	.	.	.	.	.
tis	14	23	29	11	25	37	15	19	35	24	23·2	21	.	3	3	.	3	8	4
s Pneumonia									.	.		1	.	1	.	.	.	.	.
-Pneumonia	9	6	10	7	9	20	4	10	8	5	9·8	2	1	.	1	.	.	.	.
onia"									9	1		3	.	.	1	.	1	1	.
, Emphysema									1	.		2	.	.	.	.	1	1	.
... ...	2	1	2	3	.	.	3	3	.	2	2·3	.	.	.	.	.	.	.	.
tory Dis. (other)									4	2		.	.	.	.	.	.	.	.
is, Quinsy	.	.	.	1	.	.	.	1	.	1	·3	.	.	.	.	.	.	.	.
s (not Epid.)									3	1		1	.	1	.	.	.	.	.
Enteritis	.	.	1	2	1	2	1	.	.	.	1·1	2	.	.	1	.	1	.	.
tis (not Puerp.)	5	.	2	.	1	1	.	1	.	2	1·2	.	.	.	.	.	.	.	.
s of Liver	3	.	3	3	4	1	1	2	1	1	2·0	2	.	.	.	.	2	.	.
s. (other)									.	1		2	.	.	.	.	1	1	.
e Dis. (other)	7	7	3	1	4	6	9	4	7	3	5·1	1	.	.	.	.	1	.	.
is, Acute									4	.		1	.	.	.	.	.	1	.
Dis., Albuminuria ...	9	4	6	1	5	7	3	7	4	2	5·4	2	.	.	.	.	2	.	.
Sys. (Other Dis.) ...									1	1		4	.	.	.	.	2	1	1
ive Organs Dis.	.	1	1	.	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.
th (Accid. of)	.	.	.	1	1	1	1	.	1	.	·5	1	.	.	.	.	1	.	.
... ...	5	13	13	12	16	11	11	13	6	5	10·5	3	.	.	.	.	.	1	2
iseases	17	14	10	9	17	14	7	6	11	8	11·3	11	3	3	1	.	1	3	.
ACCIDENT.																			
ways	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
cles and Horses	.	1	.	.	1	.	.	.	1	.	·3	1	.	.	.	.	1	.	.
, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ing Operations	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
s, Scalds, Explosions ...	1	1	2	.	5	.	3	2	.	1	1·5	1	.	.	.	.	.	.	1
vning	3	.	.	.	.	4	.	.	1	.	·8	2	.	.	.	.	2	.	.
ocation in Bed	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	.	.	2	.	2	1	1	4	1	3	1·4	.	.	.	.	.	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																			
le	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																										
	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.
No. of weeks in Annual Serie	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	251	182	246	202	182	296	210	202	172	240	243	188	269	260	236	254	182	177	222	258	178	202	257	196	217	203
*Average Births in corresponding week of previous 10 years,**	200	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191
DEATHS registered,	173	163	150	143	169	149	126	188	146	181	136	161	199	183	178	150	157	134	194	146	130	162	191	156	162	156
Annual Death-rate per 1,000,	23·8	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	18·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3	21·5
*Average Deaths in corresponding week of previous 10 years,**	175	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178
AGES, Under 5 years,	47	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82	50	66	43
5—20 ,,	12	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8
20—40 ,,	29	28	26	30	42	30	15	21	21	25	28	17	28	31	21	17	20	13	29	22	23	15	30	33	28	26
40—60 ,,	33	36	30	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	33	32	21	31	26	29	19	34
60—80 ,,	38	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36
80 years and upwards,	8	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6		7	13	6	7	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7
,, Scarlet Fever	1	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	5	4	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.
,, Diphtheria,	1	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	3	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.
,, Diarrhœal Diseases,	3	1	.	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	28	16	10	8	11	6	5	5
,, Phthisis,	23	26	23	30	26	23	14	23	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22
,, Diseases of Heart and Blood Vessels,	24	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19
,, Diseases of Respiratory System.	36	29	25	29	23	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29
Violent Deaths,	3	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5
Mean Temperature of the Air (Phœnix Park),	49·3	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7
Average Mean Temperature in corresponding week of previous 10 years	49·7	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5
Rainfall in inches,	·186	·195	1·150	·505	·725	·180	·149	·120	·400	·430	·375	·290	·850	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·270
Mean Humidity of the Air, complete Saturation 1·0,	·75	·85	·84	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·83	·86	·90	·92	87	·91

* See note at foot of Table IV † For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 12th November, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 12th November, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	21·7	156	43	8	26	34	36	9	.	7	1	.	.	.	.	.	5	13	22	6	29	5	31
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,486	23·9	8	1	.	2	.	3	2	.	.	.	.	.	.	.	.	1	1	1	.	3	.	3
II.	Middle Class,	37,188	16·7	28	3	2		9	9	1	.	.	1	.	.	.	.	.	.	1	3	.	5	1	18
III.	Artisan Class and Petty Shopkeepers	110,423	16·1	34	8	2	6	7	8	3	.	1	.	.	.	.	.	.	2	3	5	2	8	1	15
IV.	General Service Class,	154,279	28·0	72	31	4	13	12	10	2	.	6	.	.	.	.	.	.	2	8	8	4	12	3	37
V.	Inmates of Workhouses,	6,024		14	.	.	1	6	6	1	.	.	.	.	.	.	.	.	.	.	5	.	1	.	8
	Professional and Independent Class.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	1	.	2	.	2	1	.	.	.	.	.	.	.	.	1	1	1	.	2	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	21·3	9	.	.	3	3	3	.	.	.	1	.	.	.	.	.	.	1	1	.	2	.	5
	6. Clerks and Commercial Assistants,	30,432	6·9	4	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	23·2	12	1	1	1	5	4	.	.	.	.	.	.	.	.	.	.	.	2	.	2	1	7
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	9. Building and Furnishing Trades,	29,801	28·0	16	5	2	2	3	3	1	.	.	.	.	.	.	.	.	1	1	2	2	5	1	5
	10. Clothing Trades,	23,260	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	20·6	12	2	.	2	3	4	1	.	1	.	.	.	.	.	.	1	2	1	.	3	.	6
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	General Service Class.																								
IV.	14 Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	19·4	5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2
	15. Domestic Servants,	36,603	4·3	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	29·0	8	4	1	1	2	.	.	.	1	.	.	.	.	.	.	.	1	2	.	3	1	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	32·5	56	26	3	10	8	8	1	.	5	.	.	.	.	.	.	2	7	5	4	6	1	33
	Inmates of Workhouses.																								
V.	18 Workhouse Inmates,	6,024	.	14	.	.	1	6	6	1	.	.	.	.	.	.	.	.	.	.	5	.	1	.	8

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Sept. 24,	33·1	7·4	18	.	.	.	.	.	.	.	.	4	3	1	.
	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
	„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
	„ 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Sept. 24,	28·0	1·3	21	.	.	.	.	.	.	.	.	1	4	2	.
	Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
	„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
	„ 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
	„ 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
	„ 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
	Nov. 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
	„ 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Sept. 24,	39·8	8·7	23	.	.	.	.	.	.	.	.	5	2	7	.
	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
	„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
	„ 15,	15·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	„ 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
	„ 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Sept. 24,	13·2	3·3	8	.	1	.	.	.	.	.	.	1	2	2	.
	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
	„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
	„ 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
	„ 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
	„ 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
	„ 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Sept. 24,	32·6	5·4	24	.	.	.	.	2	.	.	1	1	4	.	1
	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
	„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
	„ 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
	„ 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
	„ 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
	„ 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Sept. 24,	39·9	8·6	14	.	.	.	.	2	.	.	.	1	2	2	.
	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
	„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
	„ 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
	„ 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Sept. 24,	19·9	5·0	16	.	.	.	.	.	.	.	.	4	2	.	.
	Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
	„ 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
	„ 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
	„ 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
	„ 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
	„ 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,138	Sept. 24,	26·7	3·0	18	.	.	.	.	.	.	.	.	2	3	3	.
	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
	„ 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	1
	Nov. 5,	28·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	23·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,808.	Sept. 24,	18·8	4·7	12	.	.	.	.	.	.	.	.	3	1	1	.
	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	6·5	1·6	4	.	.	.	.	.	.	.	.	1	1	.	1
	„ 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	„ 22,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	.
	„ 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 12,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Sept. 24,	24·0	4·0	12	.	.	.	.	.	.	.	.	2	1	2	.
	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	„ 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	„ 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5,	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	„ 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Sept. 24,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	3	1
	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	„ 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	„ 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	Sept. 24,	17·7	3·8	122	.	5	1	1	2	.	.	6	12	15	18	9
	Oct. 1,	17·6	2·3	121	.	2	.	.	2	.	1	.	10	10	17	4
	„ 8,	19·2	2·6	132	.	5	.	1	1	.	.	5	7	24	23	1
	„ 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	18	21	2
	„ 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
	„ 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	26	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	„ 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
Cork. Pop. (in 1901) 76,122.	Sept. 24,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	.	3
	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	„ 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	„ 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	„ 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	„ 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
	„ 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
Londonderry. Pop. in 1904 (Est.) 41,397	Sept 24,	17·6	1·3	14	.	.	.	.	.	.	.	.	1	4	3	.
	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	„ 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
Limerick. Pop. (in 1901) 38,151.	Sept. 24,	21·9	1·4	16	.	.	.	.	.	.	.	.	1	1	1	.
	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	1
	„ 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	„ 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	26·0	1.4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
Waterford. Pop. (in 1901) 26,769.	Sept. 24,	13·6	2·9	7	.	.	.	.	.	.	.	.	2	1	.	.
	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	„ 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th November, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from		DEATHS. Total No. of Deaths.	Ages at Death.				Deaths from													
			All Causes.	Diseases in Cols. 10-18.		Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	8	28·3	.	8	1	.	6	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Do. 2 ,,	47,959	23	17·4	1·1	16	2	1	6	7	.	.	.	.	.	.	.	.	1	.	7	.	.	1
Do. 3 ,,	47,214	29	19·9	6·6	18	3	5	7	3	.	6	.	.	.	.	.	.	.	2	4	.	.	2
Do. 4 ,,	40,911	41	22·9	2·5	18	10	2	4	2	.	1	1	.	.	.	.	.	.	.	5	.	.	3
Do. 5 ,,	17,387	8	18·0	3·0	6	4	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Do. 6 ,,	48,122	20	11·9	4·3	11	3	.	7	1	.	.	.	.	.	.	.	2	2	3	1	.	.	2
Do 7 ,,	1,524	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 8 ,,	5,060	3	10·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 ,,	19,569	14	24·0	8·0	9	4	3	1	1	.	8	.	.	.	.	.	.	.	.	1	.	.	.
Do. 10 ,,	28,064	21	29·4	4·5	13	4	2	6	1	.	2	.	.	.	.	.	.	.	2	4	.	.	1
Do 11 ,,	34,802	14	16·5	1·5	11	4	.	6	1	.	.	.	.	.	.	.	1	.	2	4	.	.	2
Do. 12 ,,	33,588	25	21·7	.	14	3	1	8	2	.	.	.	.	.	.	.	.	.	3	3	.	.	3
Do 13 ,,	15,006	9	6·9	3·5	2	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	215	19·1	3·1	128	40	16	51	21	.	12	1	.	1	.	.	4	3	14	31	.	.	16
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	2	16·2	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Do. 2 ,,	10,701	8	29·2	.	6	2	.	4	.	.	.	.	.	.	.	.	.	.	2	3	.	.	.
Do 3 ,,	9,978	6	26·1	.	5	1	1	3	.	.	.	.	.	.	.	.	.	.	1	1	2	2	1
Do. 4 ,,	8,666	8	6·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 5 ,,	6,592	3	31·6	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Do. 6 ,,	10,702	5	9·7	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do, 7 ,,	16,616	16	28·2	.	9	.	2	3	4	.	.	.	.	.	.	.	.	.	3	2	.	.	1
Total,	76,122	48	21·2	.	31	4	4	15	8	.	.	.	.	.	.	.	.	.	8	7	2	3	6

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	194	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226	238	215
DEATHS registered,	147	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125	118	128
Annual Death-rate per 1,000 of estimated Population,	21·4	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6
AGES, Under 1 year,	31	29	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33	33	29	31	35	40
AGES, 1–5 years,	18	22	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16
AGES, 5–60 years,	77	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51
AGES, 60 years and upwards,	21	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.
" Measles,	3	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12
" Scarlet Fever,	2	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.
" Whooping cough,	7	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1
" Diphtheria,	.	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Simple Continued Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.
" Enteric Fever,	3	.	2	2		2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4
" Diarrhœal Diseases,	.	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3
" Phthisis	32	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14
" Diseases of Respiratory System,	22	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31
Violent Deaths,	1	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th November, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	1	2	1	.	.	4
" " 1, West,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	.	2	.	.	.	6	3	3	.	.	14
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	1	.	1	.	.	.	6	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	.	3	.	.	3
" " 3,	.	.	.	1	.	.	1	.	.	2	1	.	.	5
" " 4,	.	.	.	2	.	.	3	.	.	.	.	.	.	5
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	4	3	.	5	.	7	8	18	.	.	45

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th November, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th November.			
	Oct. 22.	Oct. 29.	Nov. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	69	64	63	26	23	1	65
Scarlet Fever,	49	57	60	9	9	.	60*
Typhus "	3	3	3	1	.	.	4
Diphtheria,	20	24	20	4	4	.	20
Enteric Fever,	45	46	46	8	10	.	44
Pneumonia,	18	17	19	5	6	1	17

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
ONDON,	4.649,088	Nov. 12,	2,476	1,357	15·2	.	15	9	13	4	11	27
DINBURGH,	331,977	„ 12,	137	110	17·3	.	.	.	1	4	.	4
LASGOW,	798,357	„ 12,	435	302	19·7	.	6	1	1	14	.	18
ALCUTTA,	847,796	Sept. 24,	.	372	22·8	.	.	.	1	.	128‡	37*
OMBAY,	776,006	Oct. 11,	520	650	43·6	.	.	.	.	1	49‡	58*
ADRAS,	509,346	Sept. 30,	423	332	33·8	.	1	?	?	?	88	55*
ARIS,	2,660,559	Oct. 29,	875	748	13·6	2	.	2	2†	3	8	32
RUSSELS (with 8 Faubourgs).	586,936	„ 22,	175	154	13·7	.	1	.	5†	1	2	10
MSTERDAM,	549,783	„ 22,	308	161	15·3	.	4	2	2	6	1	10
OTTERDAM,	320,991	—	.	.	.	.	.	.	.	.	.	.
HE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
OPENHAGEN,	417,000	Oct. 22,	200	120	15·0	.	1	.	.	3	.	8
HRISTIANIA,	223,649	„ 29,	117	44	10·2	.	.	.	3	.	.	2
T. PETERSBURG,	1,248,122	„ 29,	593	501	20·9	2	7	18	22	4	16	56
ERLIN,	1,964,315	„ 15,	858	580	15·3	.	4	16	11†	4	4	64
IAMBURG,	751,842	„ 22,	.	218	15·1	.	2	3	1†	.	.	6
RESLAU,	445,679	„ 29,	.	183	21·4	.	2	.	5†	3	.	11
UNICH,	520,000	„ 29,	.	171	17·1	.	.	.	2†	2	2	27
IENNA (with suburbs).	1,816,303	„ 29,	853	500	14·3	.	7	2	9†	.	.	50
UDA-PESTH,	813,399	„ 29,	399	254	16·3	.	6	10	8†	1	5	12
RAGUE and Faubourgs.	426,402	„ 22,	182	167	20·2	.	3	.	.	1	1	7
OME,	505,371	Sept. 10,	208	170	17·5	.	.	.	2	1	7	18
URIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
ENICE,	167,741	Oct. 1,	74	49	15·2	.	.	.	.	.	.	6
EW YORK,	3,838,024	„ 15,	2,256	1,222	16·6	.	6	8	26†	4	29	111
HILADELPHIA,	1,408,154	„ 8,	.	380	14·0	.	.	2	10†	.	5	31

* Including 2 deaths from cholera in Calcutta, 7 in Bombay, and 1 in Madras.
† Including deaths from croup.
‡ Exclusive of 3 deaths from bubonic fever in Calcutta, and 71 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 12th November, 1904 :—

"Although this week opened and closed with fine, bright weather, the intervening period from Monday to Thursday inclusive was very unsettled, dull, rainy, and often stormy. At 1 p.m. of Sunday a solar halo appeared in a sheet of cirriform cloud which finally developed into nimbus, from which rain fell abundantly at night. On Monday morning a well-defined cyclonic system was central over Ireland, travelling in an east-north-easterly direction. As it advanced, it became more energetic, so that whereas the barometer read 29·46 inches in the centre at Birr, King's County, at 8 a.m. of Monday, the minimal reading was 28·82 inches at Wisby, Gothland, in the Baltic, on Wednesday morning. During the interval this depression caused a widespread rainfall over North-Western Europe, gales in many districts, and extensive variations of temperature. On Tuesday night another low-pressure system advanced to the North of Scotland from the Atlantic; this disturbance brought a renewal of storm and rain to Ireland and England, with high temperatures. In Scotland baric gradients were slight, and so the weather was colder and finer. A new but shallow depression approached Scotland from the Atlantic on Thursday, produced heavy rains in many places, but no great wind. As this system passed away, the sky cleared and the weather became fine, bright and mild. In London the rainfall up to 8 a.m. of Friday was as much as 1·33 inches. In Dublin the mean atmospheric pressure was 29·860 inches, the barometer falling to 29·440 inches at 9 a.m. of Monday (wind, W.N.W.) and rising to 30·261 inches at 9 a.m. of Saturday (wind, calm). The mean temperature was 48·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·7°. The prevailing winds were W.S.W. and W., gale force being reached on Tuesday and Wednesday. Bright sunshine was estimated at 13 hours, of which 8 occurred on Saturday. Rain fell on 5 days to the amount of ·695 inch, ·362 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·871 inches. The highest reading (30·264) was on Saturday at 9 p.m., air calm, and the lowest (29·440) on Monday at 9 a.m., wind W.

The mean temperature for the week was 46·7°, being 0·2° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Wednesday, on which day the thermometer registered 57·3°, and was lowest on Tuesday, the mercury having fallen to 37·4°. The mean of the Dry Bulb for the week was 46·2°, and of the Wet Bulb 45·0°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 11·6 hours. The rainfall during the week measured ·970 inch.

At Greenwich the mean temperature for the week was 48·8°, the maximum 59·0°, and the minimum 36·4°; at Glasgow the maximum was 54·8°, the minimum 31·2°, and the mean 42·7°; and at Edinburgh the maximum was 52·1°, the minimum 33·3°, and the mean 41·3°. The rainfall at Greenwich measured 1·4 inches; at Glasgow 1·27 inches; and at Edinburgh 0·85 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 6,	30·019	49·6	38·4	44·0	41·5	40·6	·93	·9	3·5	·585	W.	Calm.
Monday, „ 7,	29·618	50·2	38·1	44·2	44·6	43·8	·93	1·0	0·6	·100	W.	W.
Tuesday, „ 8,	29·824	50·8	37·4	44·1	45·7	44·2	·88	·9	0·6	·130	W.	S.W.
Wednesday, „ 9,	29·577	57·3	48·4	52·8	52·8	51·5	·88	·8	0·0	·025	W.	W.N.W
Thursday, „ 10,	29·903	50·6	42·2	46·4	47·3	45·9	·90	·5	0·0	·120	W.	S.E.
Friday, „ 11,	29·930	53·4	44·9	49·2	48·0	46·5	·91	·7	0·0	·010	W.	W.
Saturday, „ 12,	30·228	54·2	37·9	46·1	43·3	42·4	·94	·1	6·9	—	W.S.W.	Calm.
Mean, . .	29·871	52·3	41·0	46·7	46·2	45·0	·91	·7	Total 11·6	·970	Prevailing Wind, W.	

Sunday—Day fine but cloudy; night cloudy p.m., overcast a.m., heavy rain 10 p.m. to 9 a.m. *Monday*—Overcast, rain 9 to 11.30 a.m., cloudy p.m.; night cloudy. *Tuesday*—Overcast a.m., cloudy p.m.; night overcast, showery and squally. *Wednesday*—Day overcast and showery; night cloudy. *Thursday*—Day overcast, showery p.m.; night cloudy and showery. *Friday*—Day overcast, showery p.m.; night clear. *Saturday*—A fine day; night clear.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P 289. 9. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 19TH NOVEMBER, 1904. [No. 46

General Register Office, Charlemont House, Dublin, 21st November, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Oct. 29.	Nov. 5.	Nov. 12	Nov. 19.	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Average Rate for 4 weeks.
22 Town Dists.	18·6	19·0	18·9	21·2	19·4	Lisburn, . .	13·6	9·1	9·1	13·6	11·4
Armagh, . .	13·7	27·5	20·6	20·6	20·6	Londonderry .	25·2	10·1	17·6	16·4	17·3
Ballymena, .	.	23·9	4·8	14·4	10·8	Lurgan, . .	8·9	13·3	35·4	39·8	24·3
Belfast, . .	18·2	17·2	18·6	19·8	18·5	Newry, . .	.	8·4	8·4	12·6	7·4
Clonmel, . .	15·4	46·2	15·4	46·2	30·8	Newtownards, .	.	28·6	45·8	17·2	22·9
Cork, . . .	18·5	25·3	21·2	20·5	21·4	Portadown, .	15·5	5·2	20·7	5·2	11·7
Drogheda, . .	20·4	12·3	24·5	16·3	18·4	Queenstown, .	6·6	6·6	.	13·2	6·6
Dublin Reg. Area,	20·6	21·5	20·2	21·2	21·6	Sligo, . . .	19·2	14·4	4·8	33·6	18·0
Dundalk, . .	4·0	19·9	8·0	12·0	11·0	Tralee, . .	10·6	26·4	.	10·6	11·9
Galway, . .	15·5	15·5	11·7	31·1	18·5	Waterford, .	21·4	15·6	17·5	13·6	17·0
Kilkenny, . .	34·3	.	29·5	14·7	19·6	Wexford, . .	9·3	28·0	23·3	14·0	18·7
Limerick, . .	26·0	19·1	17·8	21·9	21·2						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 6·9 in Armagh. Among the 136 deaths from all causes registered in Belfast are 8 from measles, one from scarlet fever, one from diphtheria, one from enteric fever, and 4 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—98 boys and 96 girls; and the deaths to 183—94 males and 89 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 24·2 per 1,000. During the forty-six weeks ending with Saturday last the death-rate averaged 24·2, and was 1·3 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

There were 8 deaths from measles, 4 from whooping-cough, one from influenza, one from diphtheria, 2 from enteric fever, and 5 from diarrhœal diseases. In the 3 preceding weeks, deaths from measles numbered 4, 6, and 7, and those from diarrhœal diseases 6, 5, and 5, respectively.

There was one death from pneumonic fever, one from croupous pneumonia, 6 from broncho-pneumonia, and 9 from *pneumonia.*

There were 32 deaths from tuberculous disease, including 10 from tuberculous phthisis, 13 from *phthisis,* 2 from tuberculous meningitis, one from tuberculous peritonitis, one from tabes mesenterica, and 5 from other forms of the disease.

There were 3 deaths of infants attributed to premature birth.

There were 17 deaths from diseases of the brain and nervous system, including 7 (all of children under one year old), from *convulsions.*

Diseases of the heart and blood-vessels caused 23 deaths.

Of the 22 deaths from diseases of the respiratory system (exclusive of the pneumonias), 21 were due to bronchitis.

There were 5 deaths attributed to accidental violence, including one by burns and one by drowning.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 9 children under 5 years of age (including 7 infants under one year old) and the death of one person aged 64 years.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 6 were under one month old), and 43 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a female) was stated to have been aged 97 years.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·2 per 1,000; the rate in the City was 25·2 (North City Districts, 22·1; South, 28·5), and in the Suburbs, 20·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·2 (1·4 in the North City Districts, and 5·1 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 31·3 per 1,000. Whooping-cough caused one death, enteric fever one, tuberculous disease 3, broncho-pneumonia 2, and bronchitis 2.

No. 1 North City District, West (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There were 2 deaths from tuberculous disease, one from croupous pneumonia, one from *pneumonia*, and 2 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. *Diarrhœa* caused one death, *phthisis* 2, *pneumonia* one, and bronchitis 3.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 per 1,000. Among them are one from whooping-cough, 3 from tuberculous disease, 4 from diseases of the heart and blood-vessels, 2 from broncho-pneumonia, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 31·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 15·6. Among the 6 deaths from all causes tabulated for Coolock and Drumcondra, No. 1, part of, are 2 from tuberculous disease.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 35·3 per 1,000. They include 4 from measles, one from enteric fever, 6 from tuberculous disease, 3 from diseases of the heart and blood-vessels, and 2 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·5 per 1,000. *Diarrhœa* caused 2 deaths, *phthisis* one, diseases of the heart and blood-vessels 3, and bronchitis 2.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 22·4 per 1,000. Measles caused one death, diarrhœal diseases 2, tuberculous disease 3, diseases of the heart and blood-vessels 4, and broncho-pneumonia one.

No. 4 South City District (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·6 per 1,000. Among them are 2 from measles, 2 from whooping-cough, 4 from tuberculous disease, one from broncho-pneumonia, one from *pneumonia*, and 5 from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 26·7; Pembroke, 18·0; Blackrock, 0·0; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles for Rathmines and Rathgar, and one from diphtheria for Kingstown. Among the 17 deaths from all causes tabulated for Rathmines and Rathgar are one from *phthisis*, 2 from diseases of the heart and blood-vessels, one from *pneumonia*, and 2 from bronchitis; the 9 deaths from all causes tabulated for Pembroke include one from tuberculous phthisis and 2 from *pneumonia*; and the 8 deaths from all causes tabulated for Kingstown include one from *phthisis* and 2 from *pneumonia.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 19th November, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Oct. 29,	.	—	—	6	.	.	4	.	2	8	7	.	—	—	—	—	—	27
	Nov. 5,	.	—	—	3	.	.	5	.	.	7	17	.	—	—	—	—	—	32
	Nov. 12,	.	—	—	4	3	.	5	.	7	8	18	.	—	—	—	—	—	45
	Nov. 19,	.	—	—	7	.	.	7	.	.	13	12	.	—	—	—	—	—	39
Rathmines and Rathgar Urban District.	Oct. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	.	—	2
	Nov. 5,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	5
	Nov. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	1	—	2
	Nov. 19,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	.	—	3
Pembroke Urban District.	Oct. 29,	.	9	.	.	.	.	1	.	.	1	.	.	.	.	1	—	—	12
	Nov. 5,	.	4	.	2	.	.	.	.	1	.	2	.	.	1	.	—	—	10
	Nov. 12,	.	12	.	.	.	.	.	.	.	1	.	.	.	6	.	—	—	19
	Nov. 19,	.	4	.	3	.	.	.	.	.	1	.	.	.	.	.	—	—	8
Blackrock Urban District.	Oct. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 5,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 12,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 19,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Oct. 29,	.	—	—	5	.	.	.	.	.	.	.	.	.	—	—	—	—	5
	Nov. 5,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	1
	Nov. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	2
	Nov. 19,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	—	4
City of Belfast.	Oct. 29,	7	—	—	18	.	.	4	.	16	25	18	1	—	—	—	—	—	89
	Nov. 5,	5	—	—	13	.	.	3	.	18	17	4	1	—	—	—	—	—	61
	Nov. 12,	5	—	—	10	.	.	4	2	19	8	11	.	—	—	—	—	—	59
	Nov. 19,	1	—	—	15	.	.	10	3	17	13	8	.	—	—	—	—	—	67

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th November, 1904.

From this it appears that :—

Forty-three cases of measles were admitted to hospital during the week, 10 were discharged, there were 4 deaths, and 94 patients remained under treatment at its close.

Eighteen cases of scarlet fever were admitted to hospital, 7 were discharged, and 71* cases remained under treatment at the close of the week.

Four cases of typhus fever remained under treatment in hospital at the end of the week.

Eleven cases of diphtheria were admitted to hospital, 5 were discharged, and 26 cases remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 11 were discharged, there was one death, and 38 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 7 patients were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·9), was equal to an average annual death-rate of 16·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 18·4.

* See note (*) Table XI.

TABLE II—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th November, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 19th November, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,098,289	19·2	28·1	21·2	2·0	590	444	75	98	.	17	2	.	6	2	.	3	11	51	99	12	16	139
Dublin Registration Area:— Total,‡	878,994	27·5	26·7	24·2	2·8	194	176	29	42	.	8	.	.	4	1	.	2	5	22	38	4	5	64
City of Dublin	298,885	37·1	27·9	25·2	3·2	157	142	25	32	.	7	.	.	4	.	.	2	5	19	30	3	4	58
Urban Districts. Rathmines and Rathgar	33,208	19·4	15·7	26·7	1·6	10	17	3	4	.	1	.	.	.	.	.	.	.	1	4	.	.	2
Urban Districts. Pembroke	26,025	16·4	30·1	18·0	.	15	9	.	4	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Urban Districts. Blackrock	8,759	8·1	23·8	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	17,622	12·1	23·7	28·7	3·0	8	8	1	2	.	.	.	.	.	1	.	.	.	1	2	1	1	3
Urban Districts. Belfast	358,680	24·4	31·3	19·8	2·2	215	136	29	27	.	8	1	.	.	1	.	1	4	17	42	4	7	26
Cork	76,122	33·6	26·0	20·5	0·7	38	30	3	6	.	1	.	.	.	.	.	.	.	4	5	1	1	18
Londonderry	41,397	19·1	30·2	16·4	.	24	13	2	2	.	.	.	.	.	.	.	.	.	.	1	3	3	4
Limerick	38,151	18·1	28·7	21·9	.	21	16	4	6	.	.	.	.	.	.	.	.	.	2	4	.	.	3
Waterford	26,769	18·7	21·4	13·6	.	11	7	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	5
Galway	18,426	2·5	7·8	31·1	.	2	8	.	2	.	.	.	.	.	.	.	.	.	1	2	.	.	1
Dundalk	18,076	3·4	35·9	12·0	.	9	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	20·4	16·3	.	5	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newry	12,405	17·8	25·2	12·6	4·2	6	3	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Lurgan	11,782	13·8	35·4	39·8	4·4	8	9	1	3	.	.	.	.	.	.	.	.	1	.	2	.	.	1
Lisburn	11,461	10·1	9·1	18·6	.	2	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Wexford	11,168	23·2	14·0	14·0	4·7	3	3	1	1	.	.	.	.	1	.	.	.	.	.	2	.	.	.
Ballymena	10,886	8·9	28·7	14·4	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Sligo	10,870	3·7	28·8	33·6	.	6	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	5
Kilkenny	10,609	11·5	19·7	14·7	.	4	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Clonmel	10,167	7·8	35·9	46·2	.	7	9	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	7
Portadown	10,092	13·2	31·0	5·2	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·	21·1	10·6	.	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Newtownards	9,110	18·9	40·1	17·2	5·7	7	3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Queenstown	7,909	14·4	39·6	18·2	.	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	41·2	20·6	6·9	6	3	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1

Towns and Districts.	Meteorology.† Week ending 19th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	$57·5	30·6	45·8	0·05	$57·3	37·4	46·7	0·97	$57·3	32·8	49·0	0·01
City of Dublin	a57·8 b57·8	38·1 34·0	48·4 46·1	0·02 0·03	a59·0 b57·4	39·0 38·0	48·8 47·3	0·70 1·00	a58·0 b56·8	39·9 36·0	51·4 49·8	0·01 0·01
Urban Districts. Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Urban Districts. Kingstown	59·2	38·0	49·4	0·00	58·7	40·5	49·9	0·83	57·2	42·5	51·6	0·00
Urban Districts. Belfast	55·5	33·6	47·8	0·11	56·0	36·5	46·0	1·46	56·0	31·3	46·3	0·04
Cork	56	39	49·5	0·07	59	42	50·9	1·22	55	46	50·8	0·02
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	54	36	47·8	0·54	57	38	48·5	1·40	57	38	48·6	0·07
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	55·1	39·3	48·8	0·19	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08
Lurgan	55·1	39·3	48·8	0·19	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08
Lisburn	55·1	39·3	48·8	0·19	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	56·2	38·4	48·3	0·33	56·0	39·3	47·0	1·53	56·3	32·4	47·6	0·40
Kilkenny	57	34	47	0·02	58	36	48·6	1·07	56	38	49·3	0·07
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	55·1	39·3	48·8	0·19	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	55	42	48·1	0·09	57	39	46·7	1·71	56	46	49·7	0·09
Queenstown	56	39	49·5	0·07	59	42	50·9	1·22	55	46	50·8	0·02
Armagh	55·1	39·3	48·8	0·19	57·0	37·0	46·2	1·23	55·5	33·0	47·6	0·08

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 19th of November, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	GOODLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	4	.	1	2	.	1	.	.	.	8	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	1	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	1	.	.	.	.	.	2	2	.	.	.	.	.	.	5	.
Phthisis,	2	1	2	2	.	1	.	4	1	2	3	1	1	1	.	1	22	1
Other General Diseases,	4	3	.	3	.	1	.	3	.	4	3	.	4	2	.	3	20	2
Total,	8	4	3	6	.	2	.	12	3	9	10	1	6	3	.	5	72	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	3	2	1	.	.	2	.	3	2	.	2	.	.	2	.	.	17	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Heart and Blood Vessels,	1	.	.	4	.	1	.	3	3	4	1	.	2	1	.	.	20	3
Respiratory System,	4	4	4	4	.	.	1	2	2	1	7	1	4	2	.	2	38	.
Digestive System,	.	1	.	1	.	.	1	3	.	2	.	.	1	1	.	.	10	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	1	.	1	.	1	.	1	.	.	.	.	3	.	.	.	7	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	9	5	10	.	4	2	12	7	7	11	1	10	6	.	2	94	3
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	.	.	2	.	1	.	.	1	.	.	.	6	.
E. VIOLENT DEATHS	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	4	1
Deaths from all Causes,	17	14	8	17	.	6	2	26	10	18	22	2	17	9	.	8	176	7
Annual Rate of Mortality in every 1,000 of the population	31·3	18·6	13·9	28·0	.	31·2	15·6	35·3	28·5	22·4	32·6	11·7	26·7	18·0	.	23·7	24·2	.
	22·1							28·5					20·7					
	25·2																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	4	3	2	3	.	2	.	4	.	5	4	1	2	.	.	1	31	5
Workhouse Hospitals	1	3	3	8	.	.	.	6	3	2	3	1	.	1	.	2	33	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years 1894–1903.	In the Week ending Sat 19th November, 190				
												Deaths of Persons of the				
	Nov. 17, 1894.	Nov. 16, 1895.	Nov. 14, 1896.	Nov. 20, 1897.	Nov. 19, 1898.	Nov. 18, 1899	Nov. 17, 1900.	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 44·2	° 45·9	° 42·4	° 46·3	° 43·6	° 48·0	° 44·4	° 40·2	° 47·9	° 40·2	° 44·3	° 45·8				
ALL CAUSES.	156	155	190	156	186	248	179	180	202	182	183·4	183	6	23	37	12
Small-pox, Vaccinated, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, Unvaccinated, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, No Statement, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	51	1	.	10	.	6·2	8	.	.	6	2
Scarlet Fever ...	.	.	5	1	.	2	1	.	2	.	1·1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	3	2	.	3	2	.	3	1	1	1·5	1	.	.	.	.
Whooping Cough, ...	1	.	4	.	2	2	2	1	1	2	1·5	4	.	2	2	.
Diphtheria, ...	1	.	1	1	1	3	1	3	1	2	1·4	1	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.
Enteric Fever, ...	2	2	2	6	3	9	3	.	4	2	3·3	2	.	.	.	.
Asiatic Cholera, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	2	2	1	2	2	5	4	2	. / 3	. / 4	2·7	1 / 4	.	1 / 2	. / 2	.
Hydrophobia, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Venereal Disease, ...	.	2	.	1	.	2	2	.	2	2	1·1	2	.	2	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	2	3	1	.	.	1	.	.	. / . / .	1 / . / .	·8	1 / . / .	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	1	1	.	.	·3	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	1	.	.	.	1	.	.	.	. / .	1 / .	·3	1 / .	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1
Tuberculous Phthisis, "*Phthisis*," ...	12	19	24	16	22	17	30	36	. / 19	2 / 18	21·5	10 / 13	.	.	2	2
Tuberculous Meningitis, (Acute Hydrocephalus).	4	6	.	6	3	6	3	3	2	5	3·8	2	.	1	1	.
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	3	6	3	6	6	5	2	4	2 / .	2 / .	3·9	1 / 1	.	. / 1	. / .	1
Tuberculous Dis. (other), ... *Scrofula*, ...	7	6	8	5	4	4	.	3	3 / .	6 / .	4·6	5 / .	.	1	1	3
Alcoholism, ...	1	1	1	1	.	.	.	2	.	1	·7	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Gout, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.

* The figures for the years 1894–1900

ETY-SIXTH WEEK ending Saturday, 19th November, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Nov. 17, 1894.	Nov. 16, 1895.	Nov. 14, 1896.	Nov. 20, 1897.	Nov. 19, 1898.	Nov. 18, 1899.	Nov. 17, 1900.	Nov. 16, 1901.	Nov. 15, 1902.	Nov. 21, 1903.	Averages in 46th Week of the 10 years 1894-1903.	In the Week ending Saturday, 19th November, 1904. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
Mean Temperature.	° 44·2	° 45·9	° 42·4	° 46·3	° 43·6	° 48·0	° 44·4	° 40·2	° 47·9	° 40·2	° 44·3	° 45·8								
oma									.	2		4	.	.	.	.	.	2	1	1
ia	5	4	4	6	4	10	6	9	1	.	6·0	.	.	.	.	.	.	.	.	.
Malignant Disease ...									5	4		5	.	.	.	.	1	3	1	.
es Mellitus	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.	.	.	1	.
ture Birth	1	5	2	1	5	4	3	8	2	1	3·2	3	3	.	.	.	.	.	.	.
ritis (not tuberc.)									2	1		5	.	1	4	.	.	.	.	.
y, G. P. of Insane									1	2		1	.	.	.	.	.	1	.	.
sy									.	2		.	.	.	.	.	.	.	.	.
sions									7	8		7	3	4	.	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									.	4		1	.	.	.	.	.	1	.	.
is System (other Dis.) ...	40	36	37	28	30	31	37	36	4	1	37·3	3	.	.	.	.	.	3	.	.
is., Endocarditis									6	4		7	.	.	.	1	.	1	5	.
. Hæm. Thromb.									2	2		2	.	.	.	.	1	1	.	.
y, Hemiplegia									9	6		3	.	.	.	.	3	.	.	.
sm									1	2		.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)									1	.		.	.	.	.	.	.	.	.	.
and Blood Vessel Dis.									20	13		11	.	.	.	.	5	1	3	2
(not Spasm. or Memb.) ...	2	.	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.
itis	7	24	24	26	26	26	22	15	26	31	22·7	21	.	2	4	.	2	2	10	1
us Pneumonia									.	1		1	.	.	1	.	.	.	.	.
o-Pneumonia	11	19	12	5	23	22	9	8	2	9	13·6	6	.	.	6	.	.	.	.	.
nonia"									7	8		9	.	2	3	.	.	3	.	1
, Emphysema									.	.		.	.	.	.	.	.	.	.	.
y	5	1	2	4	4	1	5	2	.	.	2·7	.	.	.	.	.	.	.	.	.
story Dis. (other)									2	1		1	.	.	1	.	.	.	.	.
tis, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
is (not Epid.)									.	1		1	.	1	.	.	.	.	.	.
Enteritis	.	.	2	1	1	.	1	1	.	1	·8	1	.	1	.	.	.	.	.	.
itis (not Puerp.)	2	.	1	1	2	2	.	.	1	1	1·0	.	.	.	.	.	.	.	.	.
is of Liver									2	.		3	.	.	.	.	.	2	1	.
is. (other)	2	.	4	4	3	1	1	2	1	2	2·2	1	.	.	.	.	1	.	.	.
ve Dis. (other)	5	2	1	3	4	7	7	4	8	5	4·6	4	.	.	2	.	.	1	1	.
tis, Acute									4	.		2	.	1	.	.	1	.	.	.
s Dis., Albuminuria ...	6	2	5	6	4	2	7	2	2	3	4·5	5	.	.	.	.	.	5	.	.
Sys. (Other Dis.) ...									2	.		.	.	.	.	.	.	.	.	.
ive Organs Dis.	.	.	.	1	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
rth (Accid. of)	.	.	.	.	.	.	.	.	2	.	·2	1	.	.	.	.	1	.	.	.
... ...	9	3	14	8	10	12	14	12	6	6	9·4	3	.	.	.	.	.	2	1	
Diseases	11	7	22	8	15	13	10	16	20	10	13·2	4	.	1	.	2	.	1	.	
ACCIDENT.																				
ways	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
icles and Horses	.	.	1	.	.	.	.	1	.	.	·2	1	.	.	.	.	1	.	.	.
, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	2	.	2	1	3	3	2	.	.	1	1·4	1	.	.	1	.	.	.	.	.
wning	.	.	1	1	.	1	2	2	.	.	·7	1	.	.	.	.	1	.	.	.
ocation in Bed	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	1	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
Deaths by Accidents ...	5	.	2	4	.	.	2	1	2	.	1·6	2	.	.	.	1	1	.	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
on	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

istration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.
No. of weeks in Annual Series.	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
Births registered,	182	246	202	182	296	210	202	172	240	248	188	209	260	236	254	182	177	222	258	178	202	257	196	217	203	194
*Average Births in corresponding week of previous 10 years,**	192	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199
Deaths registered,	163	150	143	169	149	126	138	146	181	136	161	199	183	178	150	157	134	194	146	130	162	191	156	162	156	183
Annual Death-rate per 1,000,	22·4	20·6	19·7	23·3	20·5	17·3	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3	21·5	25·2
*Average Deaths in corresponding week of previous 10 years,**	170	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183
Ages, Under 5 years,	51	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82	50	66	43	66
5—20 "	17	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12
20—40 "	28	26	30	42	30	15	21	21	25	23	17	28	31	21	17	20	13	29	22	28	15	30	33	28	26	26
40—60 "	36	30	30	32	28	27	37	29	24	33	23	23	29	23	28	21	23	38	32	21	31	26	29	19	34	36
60—80 "	29	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37
80 years and upwards,	2	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	.	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7	8
" Scarlet Fever	2	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	4	9	1	3	.	1	3	5	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.	4
" Diphtheria,	.	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	1	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2
" Diarrhœal Diseases,	1	.	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	28	16	10	8	11	6	5	5	5
" Phthisis,	26	23	30	26	23	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23
" Diseases of Heart and Blood Vessels,	21	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23
" Diseases of Respiratory System.	29	25	29	23	28	20	16	26	17	21	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	33
Violent Deaths,	3	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5
Mean Temperature of the Air (Phœnix Park),	50·5	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8
Average Mean Temperature in corresponding week of previous 10 years	50·0	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3
Rainfall in inches,	·195	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050
Mean Humidity of the Air, complete Saturation 1·0,	·85	·84	·84	·78	·82	·78	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·83	·82	·88	·83	·86	·90	·92	·87	·91	·91

* See note at foot of Table IV. † Erroneous.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th November, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 19th November, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	25·4	183	66	12	26	36	37	6	.	8	.	.	4	1	.	2	5	20	23	7	38	5	90
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	17·9	6	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
II.	MIDDLE CLASS,	87,188	14·4	24	7	2	1	7	4	3	.	.	.	.	.	1	.	.	1	2	1	1	4	.	16
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	20·3	43	15	4	8	6	10	.	.	4	.	.	1	.	.	.	.	5	6	2	11	1	18
IV.	GENERAL SERVICE CLASS,	154,279	35·8	75	40	5	11	12	6	1	.	4	.	.	3	.	.	2	3	12	8	4	12	4	35
V.	INMATES OF WORKHOUSES,	6,024		35	4	1	6	8	14	2	.	.	.	.	.	.	.	.	1	1	8	.	9	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1 Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	40·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	3. Persons of Rank and Property, not otherwise described,	8,360	6·2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	2	.	4	1	1	.	.	.	.	.	1	.	.	1	2	.	.	1	.	7
	6. Clerks and Commercial Assistants,	30,482	15·7	8	3	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	1	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	9·6	5	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.
	9. Building and Furnishing Trades,	29,801	24·5	14	4	4	4	1	1	.	.	4	.	.	.	.	.	.	.	4	4	.	1	.	5
	10. Clothing Trades,	28,260	11·2	5	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	29·2	17	4	.	3	2	8	.	.	.	.	.	1	.	.	.	.	1	.	1	3	1	11
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	GENERAL SERVICE CLASS.																								
IV.	14 Army, Police, Postal Delivery, and Prison Services, &c.,	18,425	28·3	6	3	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	4
	15. Domestic Servants,	36,603	2·8	2	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	4	.	1	2	.	.	.	1	.	.	.	.	.	.	.	1	1	1	1	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·8	60	33	5	9	9	3	1	.	3	.	.	3	.	.	1	3	10	7	3	9	4	27
	INMATES OF WORKHOUSES.																								
V.	18 Workhouse Inmates,	6,024	.	35	4	1	6	8	14	2	.	.	.	.	.	.	.	.	1	1	8	.	9	.	17

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

	DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).	**North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,352.	Oct. 1,	18·4	1·8	10	.	.	.	.	.	.	.	.	1	.	2	1
		„ 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
		„ 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
		„ 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
		„ 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
		Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
		„ 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
		„ 19,	31·3	3·7	17	.	.	.	.	1	.	.	1	.	2	4	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Oct. 1,	25·3	5·3	19	.	.	.	.	.	.	.	.	4	1	1	.
		„ 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
		„ 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
		„ 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
		„ 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
		Nov. 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
		„ 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
		„ 19,	18·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Oct. 1,	31·2	1·7	18	.	.	.	.	.	.	.	.	1	1	1	1
		„ 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
		„ 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
		„ 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
		„ 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
		Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
		„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
		„ 19,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Oct. 1,	16·5	.	10	.	.	.	.	.	.	.	.	.	.	.	.
		„ 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
		„ 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
		„ 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
		„ 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
		Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
		„ 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
		„ 19,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Oct. 1,	27·2	4·1	20	.	.	.	.	.	.	.	.	3	1	2	2
		„ 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
		„ 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
		„ 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
		„ 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
		Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
		„ 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
		„ 19,	35·3	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Oct. 1,	17·1	2·9	6	.	.	.	.	.	.	.	.	1	.	.	.
		„ 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
		„ 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
		„ 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
		„ 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
		Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
		„ 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
		„ 19,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Oct. 1,	24·9	3·7	20	.	.	.	.	.	.	.	1	2	2	.	.
		„ 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
		„ 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
		„ 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
		„ 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
		Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
		„ 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	1
		„ 19,	22·4	3·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Oct. 1,	11·9	.	8	.	.	.	.	.	.	.	.	.	.	2	.
		„ 8,	6·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
		„ 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
		„ 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
		„ 29,	22·8	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2
		Nov. 5,	28·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
		„ 12,	23·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
		„ 19,	32·6	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Oct. 1,	15·7	1·6	10	.	.	.	.	.	.	.	.	1	1	2	.
	„ 8,	6·3	1·6	4	.	.	.	.	.	.	.	.	1	1	.	1
	„ 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	„ 22,	29·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	.
	„ 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 12,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	1
	„ 19,	26·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Oct. 1,	8·0	6·0	4	.	.	.	.	.	.	.	1	2	.	.	.
	„ 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	„ 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	„ 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5,	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	„ 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	„ 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Oct. 1,	11·8	3·0	4	.	.	.	.	.	.	.	.	1	1	.	.
	„ 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	„ 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	„ 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
	„ 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	1
Belfast. Pop. in 1904 (Est.) 358,660.	Oct. 1,	17·6	2·3	121	.	2	.	.	2	.	1	.	10	10	17	4
	„ 8,	19·2	2·6	132	.	5	.	1	1	.	.	5	7	24	23	1
	„ 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
	„ 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	38	3
	„ 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	26	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	„ 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	„ 19,	19·8	2·2	136	.	8	1	.	.	1	.	1	4	17	42	4
Cork Pop. (in 1901) 76,122.	Oct. 1,	22·6	2·1	33	.	.	.	.	.	.	.	.	3	6	4	1
	„ 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	„ 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	„ 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	„ 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
	„ 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
	„ 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
Londonderry. Pop. in 1904 (Est.) 41,397	Oct. 1,	11·3	3·8	9	.	.	.	.	.	.	.	.	3	1	.	.
	„ 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	„ 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	„ 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	„ 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
Limerick. Pop. (in 1901) 38,151.	Oct. 1,	36·9	.	27	.	.	.	.	.	.	.	.	.	2	2	1
	„ 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	„ 15,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	„ 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	„ 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
Waterford. Pop. (in 1901) 26,769	Oct. 1,	19·5	7·8	10	.	.	.	.	.	.	.	.	4	.	2	.
	„ 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.
	„ 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	„ 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th November, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	13	24·8	3·5	7	1	1	3	2	.	.	.	.	.	.	.	.	1	.	4	.	.	4
Do. 2 "	47,959	33	16·3	..	15	2	1	8	4	.	.	.	.	.	.	.	.	.	1	4	.	.	2
Do. 3 "	47,214	22	17·7	1·1	16	5	1	7	3	.	1	.	.	.	.	.	.	.	3	4	.	1	3
Do. 4 "	40,911	31	29·3	5·1	23	5	5	11	2	.	2	.	.	.	1	.	.	1	3	7	.	.	5
Do. 5 "	17,387	9	24·0	3·0	8	1	3	1	3	.	1	.	.	.	.	.	.	.	1	3	1	1	2
Do. 6 "	48,122	16	13·0	1·1	12	6	1	2	3	.	.	.	.	.	.	.	.	1	1	4	.	2	4
Do 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	2	61·8	10·3	6	2	.	3	1	.	1	.	.	.	.	.	.	.	1	3	.	.	2
Do. 9 "	19,569	18	18·7	2·7	7	2	1	3	1	.	.	.	.	.	.	.	.	1	1	3	.	.	.
Do. 10 "	28,064	14	33·9	9·0	15	3	5	7	.	.	3	1	.	.	.	.	.	.	3	3	.	.	1
Do 11 "	34,802	24	21·0	1·5	14	1	1	9	3	.	.	.	.	.	.	.	1	.	2	5	2	2	1
Do. 12 "	33,588	28	14·0	.	9	1	3	3	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1
Do 13 "	15,006	5	13·9	.	4	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	215	20·3	2·2	136	29	22	58	27	.	8	1	.	.	1	.	1	4	17	42	4	7	26
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	7	24·3	.	6	1	.	4	1	.	.	.	.	.	.	.	.	.	1	2	.	.	5
Do. 2 "	10,701	5	24·4	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	1	1	1	1	3
Do 3 "	9,978	5	15·7	5·2	3	.	1	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	2
Do. 4 "	8,666	4	18·1	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3
Do. 5 "	6,592	4	23·7	.	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	11	31·4	.	10	1	2	4	3	.	.	.	.	.	.	.	.	.	.	1	.	.	5
Total,	76,122	38	20·5	0·7	30	3	4	17	6	.	1	.	.	.	.	.	.	.	4	5	1	1	18

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered,	228	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226	238	215	215
DEATHS registered.	134	133	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	133	110	122	125	118	128	136
Annual Death-rate per 1,000 of estimated Population,	19·5	19·3	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8
AGES. Under 1 year,	29	28	29	27	14	24	33	28	30	36	32	46	46	27	41	43	38	29	33	33	33	29	31	35	40	29
1–5 years,	22	18	18	22	19	18	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22
5–60 years,	59	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	58	54	55	59	37	60	60	41	51	58
60 years and upwards,	24	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	1	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8
" Scarlet Fever,	.	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1
" Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.
" Whooping cough,	6	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1	.
" Diphtheria,	.	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Simple Continued Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.
" Enteric Fever,	.	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4	1
" Diarrhœal Diseases,	4	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4
" Phthisis,	24	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14	17
" Diseases of Respiratory System,	29	24	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31	42
Violent Deaths,	1	1	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.	4

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th November, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	2	1	.	.	3
" " 1, West,	.	.	.	1	.	.	.	.	.	3	.	.	.	4
" " 2,	.	.	.	1	.	.	.	.	.	1	1	.	.	3
" " 3,	.	.	.	1	.	.	.	.	.	1	3	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1,	.	.	.	1	.	.	1	.	.	.	6	.	.	8
" " 2,	.	.	.	.	.	.	2	.	.	1	.	.	.	3
" " 3,	.	.	.	1	.	.	2	.	.	1	1	.	.	5
" " 4,	.	.	.	.	.	.	1	.	.	3	.	.	.	4
New Kilmainham,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Total,	.	.	.	7	.	.	7	.	.	13	12	.	.	39

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th November, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th November.			
	Oct. 29.	Nov. 5.	Nov. 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	64	63	65	43	10	4	94
Scarlet Fever,	57	60	60	18	7	.	71*
Typhus "	3	3	4	.	.	.	4
Diphtheria,	24	20	20	11	5	.	26
Enteric Fever,	46	46	44	6	11	1	38
Pneumonia,	17	19	17	6	7	.	16

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON,	4,649,088	Nov. 19,	2,455	1,505	16·9	.	15	8	23	12	10	25
EDINBURGH,	331,977	„ 19,	135	117	18·4	.	.	1	1	1	.	4
GLASGOW,	798,357	„ 19,	437	282	18·4	.	3	.	.	14	.	9
CALCUTTA,	847,796	Oct. 1,	.	385	23·6	2	.	.	2	.	121‡	34
BOMBAY,	776,006	„ 18,	440	620	41·5	3	2	.	.	.	43‡	45*
MADRAS,	509,346	—	.	.	.	.	.	.	.	.	.	.
PARIS,	2,660,559	Nov. 5,	1,105	791	14·5	.	.	2	2†	2	4	26
BRUSSELS (with 8 Faubourgs).	586,936	Oct. 29,	216	128	11·3	.	2	.	1†	.	2	10
AMSTERDAM,	549,783	„ 29,	241	141	13·4	.	6	1	2	4	2	7
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN.	417,000	Oct. 29,	232	104	13·0	.	1	.	.	1	.	10
CHRISTIANIA.	223,649	Nov. 5,	117	59	13·7	.	.	1	.	.	1	4
ST. PETERSBURG,	1,248,122	„ 5,	582	501	20·9	1	11	19	8	7	10	29
BERLIN,	1,964,315	Oct 22,	899	597	15·7	.	6	13	10†	3	3	48
HAMBURG,	751,842	„ 29,	.	181	12·5	.	2	.	7†	1	2	8
BRESLAU,	445,679	Nov. 5	.	197	23·0	.	1	.	.	.	1	28
MUNICH,	520,000	„ 5,	.	190	19·0	.	.	1	2†	4	.	18
VIENNA (with suburbs).	1,816,303	„ 5,	897	513	14·7	.	3	.	4†	1	1	46
BUDA-PESTH	813,399	„ 5,	384	274	17·5	.	3	4	4†	.	4	11
PRAGUE and Faubourgs.	426,402	Oct. 29,	190	137	16·5	.	4	.	.	.	.	5
ROME,	505,371	Sept. 17,	277	144	14·9	.	1	.	.	1	9	12
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Oct. 8,	85	60	18·7	.	.	.	.	.	2	7
NEW YORK,	3,838,024	„ 22,	1,842	1,193	16·2	.	3	7	30†	3	19	85
PHILADELPHIA,	1,408,154	„ 15,	.	414	15·3	.	1	2	11†	1	11	26

* Including 3 deaths from cholera in Bombay.
† Including deaths from croup.
‡ Exclusive of 3 deaths from bubonic fever in Calcutta, and 68 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday 19th November, 1904:—

"A general tendency to anticyclonic conditions was observed over the British Isles and Central Europe during this week. In the far North and also to a less extent over the extreme south-east of Europe, on the other hand the distribution of atmospheric pressure was usually cyclonic and the weather accordingly was disturbed in those regions. On Sunday morning a very steep thermometric gradient existed in the British Isles—at 8 a.m. the thermometer read 31° at Oxford, but 51° at Dungeness and 55° in the West of Ireland: dense fog hung over central and south-eastern England. Clacton-on-Sea had a temperature of 36° compared with 51° at Dungeness. On Monday morning the barometer ranged from 30·76 inches at Berlin to 29·61 inches at Bodö in Norway, and the wind swept round in a broad anticyclonic curve from E. in Germany, S.E. in the south of England, S. in Ireland, to S.W. in Scotland and Scandinavia. At 8 a.m. of Tuesday the thermometer read 29° at Nottingham and Oxford, but 54° at Valentia and Roche's Point. A shallow depression at this time formed within the limits of the anticyclone causing rain in Ireland, Wales, and parts of Scotland. With a renewed rise of the barometer calms and fogs prevailed on Wednesday and Thursday. On Friday morning a large depression was central near Bodö in Norway, where the barometer was down to 29·03 inches compared with a reading of 30·46 inches at Portland Bill. This northern depression brought freshening westerly winds, clouds, showers and high (followed by much lower) temperatures to the British Isles. Saturday was crisp and dry—in the evening there was a lunar halo and a close conjunction of the moon, and the planet Jupiter was well seen. In Dublin the mean height of the barometer was 30·371 inches, the range being from 30·527 inches at 7 p.m. of Wednesday (wind, N.N.W.) to 30·131 inches at 9 p.m. of Saturday (wind, W.). The mean temperature was 48·4°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 47·3°. The screened thermometers rose to 57·8° on Tuesday and fell to 38·1° on Thursday. The dominant wind was W. Bright sunshine was estimated at 13·5 hours, 5 occurring on Sunday. Rainfall was ·019 inch, ·018 inch falling on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·379 inches. The highest reading (30·540) was on Wednesday at 9 a.m., wind W., and the lowest (30·129) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 45·8°, being 1·5° above the average for the corresponding period of the 10 years 1894-1903. Both extremes of temperature—highest 57·5°, and lowest 30·6°, were recorded on Tuesday. The mean of the Dry Bulb for the week was 46·1°, and of the Wet Bulb 44·9°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·0 hours. The rainfall during the week measured ·050 inch.

At Greenwich the mean temperature for the week was 42·2°, the maximum 53·6°, and the minimum 30·0°; at Glasgow the maximum was 57·2°, the minimum 38·4°, and the mean 48.9°; and at Edinburgh the maximum was 56·4°, the minimum 39·8°, and the mean 48·5°. The rainfall at Greenwich measured 0·01 inch; at Glasgow 0·39 inch; and at Edinburgh 0·01 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 13,	30·350	56·7	38·0	47·4	49·6	47·9	·88	·0	2·1	—	W.S.W.	Calm.
Monday, „ 14,	30·449	54·7	41·9	48·3	47·4	46·2	·91	·2	0·7	—	S.E.	Calm.
Tuesday, „ 15,	30·410	57·5	30·6	44·1	49·9	47·8	·86	·6	2·5	·015	S.W.	W.
Wednesday, „ 16,	30·521	49·7	33·9	41·8	37·4	37·1	·98	·3	0·7	—	W.	Calm.
Thursday, „ 17,	30·481	51·3	33·8	42·6	43·9	43·3	·95	·4	0·4	—	Calm.	W.
Friday, „ 18,	30·283	51·1	47·1	50·6	52·4	51·2	·92	·5	0·0	·035	S.W.	S.W.
Saturday, „ 19,	30·157	53·2	38·5	45·9	42·3	40·8	·89	·8	2·6	—	W.	W.
Mean, . .	30·379	53·9	37·7	45·8	46·1	44·9	·91	·4	Total 9·0	·050	Prevailing Wind, W.	

Sunday—Day fine but cloudy; night cloudy. *Monday*—Day fine but cloudy; night clear. *Tuesday*—Day cloudy, light rain p.m; night cloudy. *Wednesday*—Overcast a.m., cloudy p.m., fine; night cloudy. *Thursday*—Overcast, a.m., cloudy p.m., fine: night cloudy. *Friday*—Day overcast but fine; night cloudy. and showery. *Saturday*—Day fine but cloudy; night cloudy.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

360. Wt. P 289. 9. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 26TH NOVEMBER, 1904. [No. 47.

General Register Office, Charlemont House, Dublin, 28th November, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 5.	Week ending Nov. 12.	Week ending Nov. 19.	Week ending Nov. 26.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 5.	Week ending Nov. 12.	Week ending Nov. 19.	Week ending Nov. 26.	Average Rate for 4 weeks.
22 Town Dists.	19·0	18·9	21·2	18·8	19·5	Lisburn, . .	9·1	9·1	13·6	27·3	14·8
Armagh, . .	27·5	20·6	20·6	6·9	18·9	Londonderry .	10·1	17·6	16·4	12·6	14·2
Ballymena, .	23·9	4·8	14·4	4·8	12·0	Lurgan, . .	13·3	35·4	39·8	13·3	25·4
Belfast, . .	17·2	18·6	19·8	19·6	18·8	Newry, . .	8·4	8·4	12·6	8·4	9·5
Clonmel, . .	46·2	15·4	46·2	15·4	30·8	Newtownards, .	28·6	45·8	17·2	11·4	25·7
Cork, . . .	25·3	21·2	20·5	16·4	20·8	Portadown, .	5·2	20·7	5·2	5·2	9·1
Drogheda, . .	12·3	24·5	16·3	12·3	16·4	Queenstown, .	6·6	.	13·2	26·4	11·6
Dublin Reg. Area,	21·5	20·2	24·2	22·6	22·1	Sligo, . . .	14·4	4·8	33·6	14·4	16·8
Dundalk, . .	19·9	8·0	12·0	27·9	17·0	Tralee, . .	26·4	.	10·6	15·9	13·2
Galway, . .	15·5	11·7	31·1	.	14·6	Waterford, .	15·6	17·5	13·6	15·6	15·6
Kilkenny, . .	.	29·5	14·7	4·9	12·3	Wexford, . .	28·0	23·3	14·0	14·0	19·8
Limerick, . .	19·1	17·8	21·9	15·0	18·5						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·7 in Wexford. Among the 135 deaths from all causes registered in Belfast are 7 from measles, 5 from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 149—76 boys and 73 girls; and the deaths to 170—81 males and 89 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 22·6 per 1,000. During the forty-seven weeks ending with Saturday last the death-rate averaged 24·3, and was 1·4 below the mean rate for the corresponding portions of the ten years 1894–1903.

The deaths registered during the week include 12 deaths from measles, one death from scarlet fever, 4 deaths from whooping-cough, and 4 deaths from *diarrhœa*, dysentery.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

There was no registered mortality from small-pox, typhus, diphtheria, or enteric fever. The deaths registered from measles in the preceding four weeks were 4, 6, 7, and 8, respectively; and those from diarrhœal diseases were 6, 5, 5, and 5, respectively.

One death from croupous pneumonia, 9 deaths from broncho-pneumonia, and 5 deaths from *pneumonia* were registered.

Of a total of 28 deaths from tuberculous disease, 4 were attributed to tuberculous phthisis, 11 to *phthisis*, 5 to tuberculous meningitis, one to tuberculous peritonitis, and 7 to other forms of the disease.

Five deaths from carcinoma, and 2 deaths from *cancer*, *malignant disease*, were registered.

The deaths of 3 infants (under one month old), prematurely born, were registered.

The deaths from diseases of the brain and nervous system, 15 in number, include those of 6 infants (under one year old) from *convulsions*.

Twenty-three deaths from diseases of the heart and blood-vessels were registered.

Bronchitis caused 21 deaths.

Of 8 deaths registered as having been caused by accidental violence, 3 were due to burns or scalds (one being that of a child aged one year) and 2 deaths were caused by drowning.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 8 were under one month old), and 50 were aged 60 years and upwards, including 28 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·6 per 1,000; the rate in the City was 25·2 (North City Districts, 24·9; South, 25·6), and in the Suburbs, 13·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 3·2 (2·1 in the North City Districts, and 4·4 in the South), and for the Suburbs, 1·8 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·6 per 1,000. There was one death from *diarrhœa*, and there were 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one death from *pneumonia*, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. Measles caused one death; there were 6 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, 3 deaths from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Whooping-cough and *diarrhœa* each caused one death; there were 3 deaths from tuberculous disease, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 per 1,000. Measles and whooping-cough each caused one death; tuberculous disease caused 2 deaths, broncho-pneumonia caused 2 deaths, *pneumonia* caused one death, and bronchitis caused 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Finglas and Glasnevin, part of, 7·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Coolock and Drumcondra, No. 1, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 25·8 per 1,000. Measles caused 4 deaths, whooping-cough caused one death; there were 4 deaths from tuberculous disease (including 2 from tuberculous meningitis), one from *pneumonia*, and 3 from bronchitis; one death due to accidental violence was registered.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·7 per 1,000. There were 2 deaths from measles; there were also 2 deaths from bronchitis registered.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·9 per 1,000. Measles and dysentery each caused one death, tuberculous disease caused 2 deaths, broncho-pneumonia caused one death, and bronchitis caused 4 deaths; there was one death due to accidental violence.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. Measles and whooping-cough each caused one death. Of 4 deaths due to tuberculous disease 2 were caused by tuberculous meningitis; there was one death from broncho-pneumonia, there were 4 deaths from bronchitis, and 2 deaths were due to accidental violence.

New Kilmainham District.—The one death (equal to an annual rate of 5·9 per 1,000) was from scarlet fever.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 18·0; Blackrock, 6·0; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from measles for Rathmines and Rathgar, and one from *diarrhœa* for Kingstown. The 9 deaths from all causes tabulated for Rathmines and Rathgar include 2 from tuberculous disease, and one from croupous pneumonia; and the 9 deaths from all causes for Pembroke include 2 from *pneumonia*, and one from accidental violence.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 26th November, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 5,	.	—	—	3	.	.	5	.	.	7	17	.	—	—	—	—	—	32
	Nov. 12,	.	—	—	4	3	.	5	.	7	8	18	.	—	—	—	—	—	45
	Nov. 19,	.	—	—	7	.	.	7	.	.	13	12	.	—	—	—	—	—	39
	Nov. 26,	.	—	—	4	.	.	5	1	1	9	8	.	—	—	—	—	—	28
Rathmines and Rathgar Urban District.	Nov. 5,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	.	—	5
	Nov. 12,	.		—	1	.	.	..	.	.	.	.	.	—	—	—	1	—	2
	Nov. 19,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	.	—	3
	Nov. 26,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	.	—	4
Pembroke Urban District.	Nov. 5,	.	4	.	2	.	.	.	.	1	.	2	.	.	1	.	—	—	10
	Nov. 12,	.	12	.	.	.	.	.	.	.	1	.	.	.	6	.	—	—	19
	Nov. 19,	.	4	.	3	.	.	.	.	.	1	.	.	.	.	.	—	—	8
	Nov. 26,	.	1	.	1	.	.	.	.	.	.	1	.	.	..	.	—	—	3
Blackrock Urban District.	Nov. 5,	.	1	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Nov. 12,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 19,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 26,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
Kingstown Urban District.	Nov. 5,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	1
	Nov. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	2
	Nov. 19,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	—	4
	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.
City of Belfast.	Nov. 5,	5	—	—	13	.	.	3	.	18	17	4	1	—	—	—	—	—	61
	Nov. 12,	5	—	—	10	.	.	4	2	19	8	11	.	—	—	—	—	—	59
	Nov. 19,	1	—	—	15	.	.	10	3	17	13	8	.	—	—	—	—	—	67
	Nov. 26,	6	—	—	18	.	.	7	2	10	10	5	.	—	—	—	—	—	58

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th November, 1904.

From this it appears that :—

Nineteen cases of measles were admitted to hospital during the week, 19 were discharged, there were 3 deaths, and 91 patients remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 6 were discharged, there was one death, and 74* cases remained under treatment at the close of the week.

One case of typhus was discharged during the week and 3 cases remained under treatment at its close.

Six cases of diphtheria were admitted to hospital, 2 were discharged, and 30 cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 9 were discharged, and 38 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 1 patients were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·8), was equal to an average annual death-rate of 17·3 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 20·1, and for Edinburgh 15·4.

* See note (*) Table XI.

TABLE II—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th November, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 26th November, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. In cols. 10-19.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 26th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	21·1	18·8	2·0	448	395	63	105	.	19	1	.	6	.	.	6	9	45	102	18	18	91	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	378,994	27·5	20·5	22·6	2·9	149	164	28	48	.	12	1	.	4	.	.	.	4	14	36	8	7	55	§45·0	23·1	33·6	0·39	§57·5	30·6	45·8	0·05	§57·3	37·4	46·7	0·97
City of Dublin	293,385	37·1	23·1	25·2	3·2	130	142	26	39	.	10	1	.	4	.	.	.	3	13	31	7	6	52	a44·3 / b45·9	27·3 / 24·0	35·9 / 34·5	0·35 / 0·35	a57·8 / b57·8	33·1 / 31·0	48·4 / 46·1	0·02 / 0·03	a59·0 / b57·4	39·0 / 38·0	48·8 / 47·3	0·70 / 1·00
Urban Districts. Rathmines and Rathgar	33,208	19·4	7·9	14·1	3·1	5	9	.	2	.	2	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	8·0	18·0	.	4	9	1	4	.	.	.	.	.	.	.	.	.	.	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	23·8	6·0	.	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	17·8	8·9	3·0	6	3	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	47·7	29·0	37·6	0·47	59·2	38·0	49·4	0·00	58·7	40·5	49·9	0·83
Urban Districts.																																			
Belfast	358,680	24·4	20·6	19·6	2·2	142	135	20	27	.	7	.	.	.	.	.	5	3	23	42	3	9	23	45·9	28·0	36·7	0·57	55·5	39·6	47·8	0·11	56·0	36·5	46·0	1·46
Cork	76,122	33·6	21·9	16·4	0·7	32	24	3	4	.	.	.	.	.	.	.	1	.	4	7	1	1	5	48	30	39·4	0·33	56	39	49·5	0·07	59	42	50·9	1·22
Londonderry	41,897	19·1	21·4	12·6	.	17	10	3	3	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	23·2	15·0	1·4	17	11	2	5	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	21·4	15·6	.	11	8	1	3	.	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	31·1	.	4·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	48	27	36·3	0·77	53	36	47·8	0·54	57	38	48·5	1·40
Dundalk	18,076	3·4	16·0	27·9	4·0	4	7	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	20·4	12·8	.	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42·5	19·5	33·0	0·70	55·1	39·8	48·8	0·19	57·0	37·0	46·2	1·23
Newry	12,405	17·8	16·8	8·4	.	4	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·5	19·5	33·0	0·70	55·1	39·8	48·8	0·19	57·0	37·0	46·2	1·23
Lurgan	11,782	13·8	22·1	13·8	4·4	5	3	1	1	.	.	.	.	1	.	.	.	.	.	1	.	.	3	42·5	19·5	33·0	0·70	55·1	39·8	48·8	0·19	57·0	37·0	46·2	1·23
Lisburn	11,461	10·1	18·2	27·3	.	4	6	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·5	19·5	33·0	0·70	55·1	39·8	48·8	0·19	57·0	37·0	46·2	1·23
Wexford	11,168	23·2	33·7	14·0	4·7	7	3	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	14·4	4·8	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	28·8	14·4	.	6	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	46·2	23·8	34·6	2·77	56·2	38·4	48·3	0·33	56·0	39·3	47·0	1·53
Kilkenny	10,609	11·5	24·6	4·9	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	45	23	33·3	0·53	57	34	47	0·02	58	36	48·6	1·07
Clonmel	10,167	7·8	5·1	15·4	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	41·3	5·2	.	8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	42·5	19·5	33·0	0·70	55·1	39·8	48·8	0·19	57·0	37·0	46·2	1·23
Tralee	9,867	16·6	10·6	15·9	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	28·6	11·4	.	5	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	44	29	38·2	0·43	55	42	48·1	0·09	57	39	46·7	1·71
Queenstown	7,909	14·4	26·4	26·4	.	4	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	48	30	39·4	0·33	56	39	49·5	0·07	59	42	50·9	1·22
Armagh	7,588	22·2	27·5	6·9	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	42·5	19·5	33·0	0·70	55·1	39·8	48·8	0·19	57·0	37·0	46·2	1·23

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 26th of November, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLASNEVIN & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	1	.	.	.	4	2	1	1	.	2	.	.	.	12	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	1	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhœal Diseases,	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
Phthisis,	8	8	2	1	.	.	.	1	.	1	2	.	1	.	.	.	14	1
Other General Diseases,	.	4	1	3	.	.	.	6	1	4	3	.	2	1	.	.	25	1
Total,	4	8	5	6	.	.	.	12	3	7	7	1	5	1	.	1	60	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	3	2	.	.	.	1	2	1	1	.	1	.	.	.	15	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	2	2	3	2	.	.	.	1	2	4	3	.	1	1	.	1	22	1
Respiratory System,	3	6	1	5	.	.	.	4	2	5	5	.	2	3	.	.	36	1
Digestive System,	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.	.	5	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	.	2	1	.	.	.	.	.	.	.	2	.	.	1	.	.	6	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	14	9	9	.	.	.	6	6	11	12	.	4	5	.	1	84	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	3	1	.	2	.	.	1	.	.	1	.	.	.	2	1	1	12	.
E. VIOLENT DEATHS	1	1	1	.	.	.	.	1	.	1	2	.	.	1	.	.	8	.
Deaths from all Causes,	15	24	15	17	.	.	1	19	9	20	21	1	9	9	1	3	164	6
Annual Rate of Mortality in every 1,000 of the population	27·6	32·0	26·0	28·0	.	.	7·8	25·8	25·7	24·9	31·2	5·9	14·1	18·0	6·0	8·9	22·6	.
	24·9							25·6					13·4					
	25·2																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	7	1	3	.	.	.	5	4	3	2	1	1	2	.	.	31	6
Workhouse Hospitals	3	2	4	6	.	.	.	2	1	4	2	.	.	.	.	.	24	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years 1894–1903.	In the Week ending Sa 26th November, 19				
												Deaths of Persons of th				
	Nov. 24, 1894.	Nov. 23, 1895.	Nov. 21, 1896.	Nov. 27, 1897.	Nov. 26, 1898.	Nov. 25, 1899.	Nov. 24, 1900.	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 44·4	° 45·5	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 44·9	° 42·4	° 44·4	° 43·4	Mean Temp. ° 33·6				
ALL CAUSES.	163	160	198	170	208	220	187	176	237	188	190·7	170	8	20	35	11
Small-pox, Vaccinated,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, Unvaccinated,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	38	.	.	19	.	5·7	12	.	2	10	.
Scarlet Fever	1	2	7	3	4	1	.	.	5	.	2·3	1	.	.	1	.
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	2	1	5	1	.	.	1	2	1·4	.	.	.	.	.
Whooping Cough,	3	.	3	1	5	.	5	1	.	3	2·1	4	.	1	2	1
Diphtheria,	.	.	.	.	.	2	1	4	4	1	1·2	.	.	.	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	1	1	.	.	.	.	1	.	.	·3	.	.	.	.	.
Enteric Fever,	5	2	1	12	2	4	9	3	2	5	4·5	.	.	.	.	.
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	4	5	3	5	6	3	5	2	2	.	4·3	.	.	.	.	.
Diarrhœa, Dysentery,									5	3		4	.	1	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	1	.	.	2	.	1	1	1	.	·6	2	.	2	.	.
Puerperal Septicæmia, Sapræmia,	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.
Puerperal Pyæmia,									.	.		.	.	.	.	.
Puerperal Fever,									.	.		.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	1	1	.	2	.	1	1	.	.	·6	.	.	.	.	.
Septicæmia (not Puerperal),	2	1	1	.	.	.	1	.	1	.	·6	.	.	.	.	.
Pyæmia (not Puerperal),									.	.		1	.	1	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.
Tuberculous Phthisis,	20	11	28	16	27	20	31	23	3	5	22·5	4	.	.	.	.
"*Phthisis*,"									18	23		11	.	.	.	.
Tuberculous Meningitis, (Acute Hydrocephalus).	4	6	1	3	8	3	.	1	2	2	3·0	5	.	3	1	.
Tuberculous Peritonitis,	3	2	3	3	4	7	3	4	2	1	3·2	1	.	.	.	.
Tabes Mesenterica,									.	.		.	.	.	.	.
Tuberculous Dis. (other),	4	2	4	4	5	3	6	8	6	5	4·9	7	.	2	.	4
Scrofula,									1	1		.	.	.	.	.
Alcoholism,	1	1	.	1	1	.	.	1	.	.	·5	.	.	.	.	.
Rheumatic Fever,	.	.	2	1	.	1	1	.	.	.	·5	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.

* The figures for the years 1894–1900

TY-SEVENTH WEEK e iding Saturday, 26th November, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Nov. 24, 1894.	Nov. 23, 1895.	Nov. 21, 1896.	Nov. 27, 1897.	Nov. 26, 1898.	Nov. 25, 1899.	Nov. 24, 1900.	Nov. 23, 1901.	Nov. 22, 1902.	Nov. 28, 1903.	Averages in 47th Week of the 10 years 1894-1903.	In the Week ending Saturday, 26th November, 1904. Deaths of Persons of the Ages of: All Ages.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
lean Temperature.	° 44·4	° 45·5	° 42·6	° 43·0	° 40·7	° 48·2	° 37·4	° 44·9	° 42·4	° 44·4	° 43·4		° 33·6								
na									2	1		5		.	.	.	.	1	3	1
... ...	2	6	6	4	11	7	4	2	.	1	5·9	.		.	.	.	.	.	.	.
Malignant Disease ...									7	6		2		.	.	.	.	1	1	.
Mellitus	.	.	.	.	.	.	.	.	.	.		.		.	.	.	.	.	.	.
re Birth	2	7	3	7	3	.	2	7	4	2	3·7	3	3	.	.	.	.	.	.	.
is (not tuberc.)									5	2		2		.	1	1	.	.	.	.
G. P. of Insane									4	3		2		.	.	.	1	.	1	.
.. ..									1	3		.		.	.	.	.	.	.	.
ns									19	11		6	3	3	.	.	.	.	.	.
or Ataxy									.	.		.		.	.	.	.	.	.	.
ia Dis. of Cord									1	1		2		.	.	.	1	.	1	.
System (other Dis.) ...	38	30	32	30	35	35	39	48	2	1	39·9	3		.	.	.	1	.	2	.
., Endocarditis									3	5		3		.	.	1	.	1	1	.
Iæm. Thromb.									.	7		2		.	.	.	.	.	2	.
Hemiplegia									9	7		4		.	.	.	1	1	2	.
n									.	1		2		.	.	.	.	2	.	.
a, Thromb. (not cerebral)									.	.		.		.	.	.	.	.	.	.
d Blood Vessel Dis.									11	16		12		.	.	.	.	1	0	1
ot Spasm. or Memb.) ...	2	1	1	.	1	2	.	.	.	.	·7									
is	9	25	31	19	28	27	21	21	33	23	23·7	21	.	.	8	.	1	2	9	1
Pneumonia									.	1		1	.	.	1	.	.	.	.	.
Pneumonia	12	6	18	10	15	20	11	11	7	6	13·4	9	.	2	5	.	.	2	.	.
nia"									9	8		5	.	1	2	.	2	.	.	.
Emphysema									.	.		1	.	.	.	.	.	.	1	.
... ...	2	1	5	2	2	2	4	3	.	.	2·5	.	.	.	.	.	.	.	.	.
ory Dis. (other)									3	1		.	.	.	.	.	.	.	.	.
s, Quinsy	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
(not Epid.)									1	.		1	.	.	1	.	.	.	.	.
nteritis	.	2	1	1	..	.	2	.	2	2	1·1	.	.	.	.	.	.	.	.	.
s (not Puerp.)	3	1	1	.	1	.	.	.	2	.	·8	.	.	.	.	.	.	.	.	.
of Liver									1	.		1	.	.	.	.	.	1	.	.
(other)	2	1	3	1	3	2	2	2	2	.	1·9	1	.	.	.	.	1	.	.	.
Dis. (other)	3	6	4	7	1	2	4	4	9	5	4·5	3	.	.	.	1	1	1	.	.
, Acute									1	.		5	.	.	1	2	.	2	.	.
Dis., Albuminuria ...	8	2	4	6	5	5	7	3	4	5	5·0	2	.	.	.	.	.	1	1	.
Sys. (Other Dis.) ...									.	.		.	.	.	.	.	.	.	.	.
e Organs Dis.	.	1	1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.
h (Accid. of)	.	.	.	1	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.
... ...	10	11	13	12	10	12	12	8	2	4	9·4	8	.	.	.	.	.	.	5	3
eases	14	21	10	13	14	16	11	13	18	12	14·2	4	1	1	1	.	.	.	1	.
ACCIDENT.																				
ays	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
es and Horses	1	.	.	.	.	.	.	.	1	.	·2	1	.	.	.	.	1	.	.	.
Boats, Docks (exclusive	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	1	.	.	.	.
ning)																				
g Operations	.	.	.	2	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
rations	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
Scalds, Explosions ...	3	1	2	1	2	2	1	1	.	.	1·3	3	.	.	1	1	.	1	.	.
ing	.	.	1	.	.	.	1	.	.	1	·3	2	1	.	.	.	.	1	.	.
ation in Bed	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.
ths by Accidents ...	2	2	3	.	3	2	1	1	1	.	1·5	1	.	.	.	.	.	.	1	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

ration Area as then constituted.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																										
	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.
No. of weeks in Annual Series.	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	246	202	182	296	210	202	172	240	248	188	209	260	286	254	182	177	222	258	178	202	257	196	217	208	194	149
*Average Births in corresponding week of previous 10 years,**	212	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199	183
DEATHS registered,	150	143	169	149	126	138	146	131	136	161	199	183	178	150	157	184	194	146	130	162	191	156	162	15	183	170
Annual Death-rate per 1,000,	20·6	19·7	23·3	20·5	17·3	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3	21·5	25·2	23·4
*Average Deaths in corresponding week of previous 10 years,**	162	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183	191
AGES, Under 5 years,	37	34	37	32	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82	50	66	43	66	63
5—20 ,,	17	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12	11
20—40 ,,	26	30	42	30	15	21	21	25	28	17	28	31	21	17	20	18	29	22	28	15	30	33	28	26	26	24
40—60 ,,	30	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38	32	21	31	26	29	19	34	36	22
60—80 ,,	34	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37	44
80 years and upwards,	6	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	5	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7	8	12
,, Scarlet Fever	.	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	9	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.	4	4
,, Diphtheria,	1	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1	.
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	2	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2	.
,, Diarrhœal Diseases,	.	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	28	16	10	8	11	6	5	5	5	4
,, Phthisis,	23	30	26	23	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23	15
,, Diseases of Heart and Blood Vessels,	21	21	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23	23
,, Diseases of Respiratory System.	25	29	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	38	37
Violent Deaths,	3	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5	8
Mean Temperature of the Air (Phœnix Park),	56·2	53·1	56·3	55·4	54·8	57·2	58·8	59·8	60·2	61·5	57·1	55·8	54·6	53·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8	33·6
Average Mean Temperature in corresponding week of previous 10 years,	52·7	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3	43·4
Rainfall in inches,	1·150	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050	·385
Mean Humidity of the Air, complete Saturation 1·0,	·84	·84	·78	·82	·78	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·83	·86	·90	·92	·87	·91	·91	·88

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th November, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 26th November, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	23·6	170	63	11	24	22	44	6	.	12	1	.	4	.	.	.	4	21	15	6	37	8	33
	CLASSES.																								
	Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	9·0	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
II.	MIDDLE CLASS,	87,188	14·4	24	6	2	4	1	10	1	.	.	.	.	.	.	.	.	1	1	.	1	6	1	15
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	19·8	42	12	2	9	10	8	1	.	4	.	.	.	.	.	.	2	6	7	.	10	3	16
IV.	GENERAL SERVICE CLASS,	154,279	32·9	77	38	6	9	7	15	2	.	7	1	.	4	.	.	.	.	12	6	5	16	4	34
V.	INMATES OF WORKHOUSES,	6,024		24	6	1	2	3	10	2	.	1	.	.	.	.	.	.	.	1	2	.	5	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	18·5	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	11·8	5	.	.	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	6. Clerks and Commercial Assistants,	30,432	13·7	8	4	.	1	.	3	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	4
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	17·4	9	1	2	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	6
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	9. Building and Furnishing Trades,	29,801	21·0	12	5	1	.	4	2	.	.	1	.	.	.	.	.	.	.	1	1	.	3	.	7
	10. Clothing Trades,	23,260	15·7	7	2	.	2	1	2	.	.	1	.	.	.	.	.	.	.	1	.	.	3	.	3
	11. Food Supply Trades,	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades,	30,352	29·2	17	5	.	6	2	4	.	.	2	.	.	.	.	.	.	2	4	4	.	4	1	4
	13. Petty Shopkeepers,	7,894	18·2	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	42·7	11	3	.	1	1	6	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	6
	15. Domestic Servants,	36,603	7·1	5	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	25·4	7	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	1	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·3	54	32	4	5	3	9	1	.	7	1	.	4	.	.	.	.	12	4	5	9	3	21
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	24	6	1	2	3	10	2	.	1	.	.	.	.	.	.	.	1	2	.	5	.	16

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Oct. 8,	14·7	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	" 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	" 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	" 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
	" 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 19,	31·3	3·7	17	.	.	.	.	1	.	.	1	.	2	4	1
	" 26,	27·6	1·8	15	.	.	.	.	.	.	.	.	1	3	3	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Oct 8,	17·3	1·3	13	.	.	.	.	.	.	.	.	1	4	2	.
	" 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
	" 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
	" 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
	Nov 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
	" 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	" 19,	18·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	" 26,	32·0	1·3	24	.	1	.	.	.	.	.	.	.	3	6	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 80,107.	Oct. 8,	20·8	1·7	12	.	.	1	.	.	.	.	.	.	2	2	.
	" 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	" 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
	" 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	" 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	" 19,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	" 26,	26·0	3·5	15	.	.	.	.	1	.	.	.	1	2	1	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Oct. 8,	18·1	1·6	11	.	.	.	.	1	.	.	.	.	1	2	.
	" 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
	" 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
	" 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
	" 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
	" 19,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	" 26,	28·0	3·3	17	.	1	.	.	1	.	.	.	.	1	5	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Oct. 8,	34·0	6·8	25	.	.	.	.	.	.	.	1	4	3	5	.
	" 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
	" 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
	" 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
	" 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
	" 19,	35·3	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	" 26,	25·8	6·8	19	.	4	.	.	1	.	.	.	.	1	4	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Oct. 8,	20·0	2·9	7	.	.	.	.	.	.	.	.	1	3	.	.
	" 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
	" 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	" 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
	" 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
	" 19,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.
	" 26,	25·7	5·7	9	.	2	.	.	.	.	.	.	.	.	2	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Oct. 8,	19·9	3·7	16	.	.	.	.	2	.	.	.	1	4	3	1
	" 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
	" 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
	" 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
	" 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	1
	" 19,	22·4	3·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	" 26,	24·9	2·5	20	.	1	.	.	.	.	.	.	1	1	5	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Oct. 8,	8·9	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	" 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	" 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
	" 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2
	Nov. 5.	28·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
	" 12,	23·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
	" 19,	32·6	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1
	" 26,	31·2	3·0	21	.	1	.	.	1	.	.	.	.	2	5	2

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 83,203.	Oct. 8,	6·3	1·6	4	.	.	.	.	.	.	.	.	1	1	.	1
	" 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	" 22,	18·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	.
	" 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	" 12,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	1
	" 19,	26·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
	" 26,	14·1	3·1	9	.	2	.	.	.	.	.	.	.	1	2	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Oct. 8,	12·0	.	6	.	.	.	.	.	.	.	.	.	2	1	.
	" 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	" 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	" 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5.	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	" 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	" 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	" 26.	18·0	.	9	.	.	.	.	.	.	.	.	.	.	3	1
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Oct. 8,	14·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1
	" 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	" 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	" 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	" 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
	" 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	1
	" 26,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.
Belfast. Pop. in 1904 (Est.) 358,680.	Oct. 8,	19·2	2·6	132	.	5	.	1	1	.	.	5	7	24	23	1
	" 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
	" 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
	" 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	26	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	" 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	" 19,	19·8	2·2	136	.	8	1	.	.	1	.	1	4	17	42	4
	" 26,	19·6	2·2	135	.	7	.	.	.	.	.	5	3	23	42	3
Cork. Pop. (in 1901) 76,122.	Oct. 8,	18·5	2·1	27	.	.	.	.	.	.	.	.	3	2	4	1
	" 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	" 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	" 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
	" 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
	" 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
	" 26,	16·4	0·7	24	.	.	.	.	.	.	.	1	.	4	7	1
Londonderry. Pop. in 1904 (Est.) 41,397	Oct. 8,	11·3	.	9	.	.	.	.	.	.	.	.	.	1	3	.
	" 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	" 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	" 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	" 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	" 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
	" 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	2	.
Limerick. Pop. (in 1901) 38,151.	Oct. 8,	10·9	.	8	.	.	.	.	.	.	.	.	.	.	1	.
	" 15	22·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	" 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	" 29.	26·0	1·4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	" 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	" 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	" 26,	15·0	1·4	11	.	.	.	.	.	.	.	.	1	.	4	.
Waterford. Pop. (in 1901) 26,769.	Oct. 8,	15·6	3·9	8	.	.	.	.	.	.	.	.	2	.	.	.
	" 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	" 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	" 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	" 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	" 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	" 26,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th November, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	5	28·3	.	8	2	1	3	2	.	.	.	.	.	.	.	.	.	.	7	.	.	2
Do. 2 ,,	47,959	20	17·4	3·3	16	1	2	8	5	.	1	.	.	.	.	.	.	2	1	2	.	1	2
Do. 3 ,,	47,214	14	17·7	3·3	16	4	1	9	2	.	2	.	.	.	.	.	1	.	3	4	1	2	2
Do. 4 ,,	40,911	18	29·3	3·8	23	6	3	11	3	.	2	.	.	.	.	.	1	.	6	5	.	.	9
Do. 5 ,,	17,387	4	6·0	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 6 ,,	48,122	14	15·2	3·3	14	1	2	7	4	.	.	.	.	.	.	.	2	1	2	3	1	1	2
Do 7 ,,	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 ,,	5,060	.	30·9	.	3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Do. 9 ,,	19,569	9	21·3	.	8	.	.	6	2	.	.	.	.	.	.	.	.	.	3	1	.	1	2
Do. 10 ,,	23,064	10	29·4	4·5	13	2	6	4	1	.	2	.	.	.	.	.	.	.	.	5	.	2	.
Do 11 ,,	34,802	11	22·5	.	15	2	3	7	3	.	.	.	.	.	.	.	.	.	7	4	.	.	1
Do. 12 ,,	33,588	27	20·2	1·6	13	1	3	5	4	.	.	.	.	.	.	.	1	.	.	7	.	1	2
Do 13 ,,	15,006	10	13·9	.	4	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	1	1	1
Do. 14 ,,	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	142	20·2	2·2	135	20	23	65	27	.	7	.	.	.	.	.	5	3	23	42	3	9	23
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	5	16·2	4·1	4	.	.	3	1	.	.	.	.	.	.	.	1	.	1	.	1	.	2
Do. 2 ,,	10,701	4	19·5	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.
Do 3 ,,	9,978	2	10·5	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1
Do. 4 ,,	8,666	4	36·1	.	6	.	.	5	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1
Do. 5 ,,	6,592	6	15·8	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 ,,	10,702	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do, 7 ,,	16,616	9	18·8	.	6	2	1	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Total,	76,122	32	16·4	0·7	24	3	1	16	4	.	.	.	.	.	.	.	1	.	4	7	1	1	5

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered,	245	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226	238	215	215	142
DEATHS registered.	133	130	126	121	119	122	114	112	115	109	138	128	120	124	127	123	122	121	132	110	122	125	118	128	136	135
Annual Death-rate per 1,000 of estimated Population.	19·8	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8	19·6
AGES, Under 1 year,	28	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	33	33	33	29	31	35	40	29	20
AGES, 1–5 years,	13	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22	23
AGES, 5–60 years,	70	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51	58	65
AGES, 60 years and upwards,	22	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27	27
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8	7
" Scarlet Fever,	1	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	.
" Typhus,	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	
" Whooping cough,	7	4	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1	.	.
" Diphtheria,	3	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Simple Continued Fever,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
" Enteric Fever,	2	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	2	1	4	1	5
" Diarrhœal Diseases,	1	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4	3
" Phthisis	25	21	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	13	15	14	17	23
" Diseases of Respiratory System,	24	19	30	17	13	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31	42	42
Violent Deaths,	1	7	2	3	3	5	.	3	2	2	3	2	2	3	2	4	9	4	1	2	3	1	4	.	4	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th November, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	3	.	.	.	3
" " 1, West,	.	.	.	1	.	.	.	.	1	1	.	.	.	3
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	.	.	.	1	.	.	2	2	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	1	.	3	6	.	.	11
" " 2,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
" " 3,	.	.	.	2*	.	.	2	.	.	.	.	.	.	4
" " 4,	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	4*	.	.	5	1	1	9	8	.	.	28

* Including one "scarlatina and diphtheria."

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th November, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th November.			
	Nov. 5.	Nov. 12.	Nov. 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	63	65	94	19	19	3	91
Scarlet Fever,	60	60	71	10	6	1	74*
Typhus "	3	4	4	.	1	.	3
Diphtheria,	20	20	26	6	2	.	30
Enteric Fever,	46	44	38	9	9	.	38
Pneumonia,	19	17	16	3	2	1	16

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,649,088	Nov. 26,	2,356	1,502	16·8	.	14	19	11	10	3	18
EDINBURGH,	331,977	„ 26,	130	98	15·4	.	1	.	3	.	.	.
GLASGOW,	798,357	„ 26,	427	308	20·1	.	1	1	5	18	2	11
CALCUTTA,	847,796	Oct. 8,	.	381	23·3	1	.	.	1	.	124	39*
BOMBAY,	776,006	„ 25,	446	624	41·8	2	1	.	.	.	48‡	46
MADRAS,	509,346	„ 7,	426	289	29·5	.	1	?	?	?	86‡	39
PARIS,	2,660,559	Nov. 12,	1,020	879	17·0	1	3	1	4†	1	14	32
BRUSSELS (with 8 Faubourgs).	586,936	„ 5,	197	147	13·0	.	3	.	1†	1	.	6
AMSTERDAM,	550,150	„ 5,	278	135	12·8	.	9	.	3	5	1	5
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN	417,000	Nov. 5,	230	100	12·5	.	1	2	1	4	.	6
CHRISTIANIA,	223,649	„ 12,	122	51	11·9	.	3	.	4	1	.	.
ST. PETERSBURG,	1,248,122	„ 12,	610	555	23·2	.	5	15	21	6	16	51
BERLIN,	1,964,315	Oct. 29,	818	566	14·9	.	3	8	6†	7	1	51
HAMBURG,	751,842	Nov. 5,	.	199	13·8	.	3	3	2†	3	.	8
BRESLAU,	445,679	„ 12,	.	194	22·7	.	2	.	3†	?	.	14
MUNICH,	520,000	„ 12,	.	188	18·8	.	.	1	1†	1	.	18
VIENNA (with suburbs).	1,816,303	„ 12,	833	521	14·9	.	4	3	6†	.	.	40
BUDA-PESTH	813,399	„ 12,	371	262	16·8	.	6	12	3†	.	3	15
PRAGUE and Faubourgs.	430,569	„ 5,	203	154	18·6	.	1	.	2†	2	1	9
ROME,	505,371	Sept. 24,	204	158	16·3	.	.	.	.	.	9	24
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Oct. 15,	74	47	14·6	.	.	.	.	1	1	7
NEW YORK,	3,838,024	„ 29,	1,907	1,061	14·5	.	7	8	17†	3	16	48
PHILADELPHIA,	1,408,154	„ 22,	.	380	14·0	1	.	1	11†	.	11	28

* Including 6 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 63 deaths from bubonic fever in Bombay, and 1 in Madras.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 26th November, 1904:—

"Many years have passed since so cold a week has been experienced in November. The intensity of the cold was determined by a heavy snowstorm early in the period, the thermometer giving way quickly as is usual over a snow-covered country. On Sunday morning a large and very deep atmospheric depression was central over Lapland and the extreme North of Norway where the barometer was down to 28·64 inches at Bodö. Polar winds from N.W. swept down upon the British Isles, coming from Iceland and first reaching the Scottish and Irish coasts. By 8 a.m. the centre of a subsidiary depression had arrived off the N.W. of Ireland, travelling southeastwards. This system was accompanied by a severe snowstorm, the North of Ireland and Northern and Central England receiving the brunt of the storm. At 8 a.m. of Tuesday this disturbance, which had developed much energy as it moved, was central off the mouth of the Humber, where the barometer had fallen to 29·17 inches (at Spurn Head). From this point it passed slowly eastwards across the North Sea, leaving the British Isles plunged into mid-winter with snow and frost. At 8 a.m. of Thursday the thermometer marked 15° at Nottingham, 17° at Oxford, and 22° at Bath,—even at Manchester the minimum was 16°; at Nottingham it was 13°. Friday morning brought a change—a new baric depression had reached the N.W. of Scotland, and affected the weather in that country and in Ireland, causing a shift of wind to S.W., a rapid rise of temperature and rain: at 8 a.m. the highest and lowest temperatures reported in the British Isles were found in Ireland and at no great distance from one another, the maximum being 44° at Blacksod Point, the lowest 24° at Birr, King's Co. On this day hail and wet snow fell in Dublin, quickly changing to rain. Saturday was calm, with dense fog in the forenoon, but clear sunshine later—frost returned in the evening. In Dublin the mean height of the barometer was 29·859 inches—highest, 30·095 inches at 9 a.m. of Sunday (wind, W.); lowest, 29·627 inches at 9 a.m. of Wednesday (wind, W.). The mean temperature was 35·9°, or 12·5° below that of the previous week. The mean dry bulb reading at 9 a.m. and 9 p.m. was 33·9°. The screened thermometers rose to 44·3° on Sunday and fell to 27·3° on Tuesday. W. and N.W. winds prevailed. Bright sunshine amounted to 15 hours, 5 falling on Sunday. The rainfall was ·346 inch on 2 days, ·292 inch being measured on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·875 inches. The highest reading (30·09) was on Sunday at 9 a.m., wind W., and the lowest (29·627) on Wednesday at 9 a.m., wind N.W.

The mean temperature for the week was 33·6°, being 9·8° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Saturday, on which day the thermometer registered 45·0°, and was lowest on Tuesday, the mercury having fallen to 23·1°. The mean of the Dry Bulb for the week was 32·2°, and of the Wet Bulb 31·0°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 24·3 hours. The rainfall during the week measured ·385 inch.

At Greenwich the mean temperature for the week was 33·7°, the maximum 46·9°, and the minimum 23·2°; at Glasgow the maximum was 40·8°, the minimum 21·8°, and the mean 32.1°; and at Edinburgh the maximum was 38·5°, the minimum 24·5°, and the mean 31·9°. The rainfall at Greenwich measured 0·18 inch; at Glasgow 0·46 inch; and at Edinburgh 0·12 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Nov. 20,	30·075	42·7	33·5	38·1	35·5	34·4	·89	·6	5·5	·005	W.	W.
Monday, " 21,	29·712	36·1	26·1	31·1	30·4	29·5	·92	·8	1·6	·045	S.W.	W.
Tuesday, " 22,	29·742	36·1	23·1	29·6	31·1	30·1	·87	·4	3·2	·010	W.	N.W.
Wednesday, " 23,	29·737	39·5	26·9	33·2	30·0	28·4	·75	·8	2·8	·005	N.W.	N.
Thursday, " 24,	29·938	41·3	28·1	34·7	31·8	29·2	·88	·4	5·8	—	N.	N.W.
Friday, " 25,	29·872	41·2	25·9	33·6	35·1	34·8	·96	·4	0·0	·320	N.W.	N.W.
Saturday, " 26,	30·052	45·0	25·4	35·2	31·3	30·5	·86	·2	5·4	—	Calm.	Calm.
Mean, . . .	29·875	40·3	27·0	33·6	32·2	31·0	·88	·5	Total 24·3	·385	Prevailing Wind, N.W.	

* *Sunday*—A cloudy day, shower 11.30 a.m.; night sky clear, snow 8.30 a.m. to 9 a.m. *Monday*—A cloudy day, snow 9 a.m. to 10 a.m.; night sky clear, snow a.m. *Tuesday*—A cloudy day, snow showers a.m.; night cloudy. *Wednesday*—A cloudy day, snow 10.30 a.m. to 11.30 a.m.; night clear. *Thursday*—A fine day; night clear. *Friday*—Day overcast, snow 9 a.m. to 10.30 a.m., rain to 7.30 p.m.; night overcast p.m., cloudy a.m. *Saturday*—A cloudy day; night clear p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

OFFICIAL.

VEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH

Price 1½*d.*

OL. XLI.] WEEK ENDING SATURDAY, 3RD DECEMBER, 1904. [No. 48.

General Register Office, Charlemont House, Dublin, 5th December, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in ie Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 22·7 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,093,289.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alphaetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 12.	Week ending Nov. 19.	Week ending Nov. 26.	Week ending Dec. 3.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 12.	Week ending Nov. 19.	Week ending Nov. 26.	Week ending Dec. 3.	Average Rate for 4 weeks.
2 Town Dists.	18·9	21·2	18·8	22·7	20·4	Lisburn,	9·1	13·6	27·3	27·3	19·3
rmagh,	20·6	20·6	6·9	13·7	15·5	Londonderry	17·6	16·4	12·6	16·4	15·8
allymena,	4·8	14·4	4·8	33·5	14·4	Lurgan,	35·4	39·8	13·3	13·3	25·4
elfast,	18·6	19·8	19·6	22·5	20·1	Newry,	8·4	12·6	8·4	12·6	10·5
lonmel,	15·4	46·2	15·4	10·3	21·8	Newtownards,	45·8	17·2	11·4	5·7	20·0
ork,	21·2	20·5	16·4	14·4	18·1	Portadown,	20·7	5·2	5·2	25·8	14·2
rogheda,	24·5	16·3	12·3	8·2	15·3	Queenstown,	.	13·2	26·4	6·6	11·6
ublin Reg. Area,	20·2	24·2	22·6	27·0	23·5	Sligo,	4·8	33·6	14·4	19·2	18·0
undalk,	8·0	12·0	27·9	19·9	17·0	Tralee,	.	10·6	15·9	5·3	8·0
alway,	11·7	31·1	.	50·5	23·3	Waterford,	17·5	13·6	15·6	21·4	17·0
ilkenny,	29·5	14·7	4·9	24·6	18·4	Wexford,	23·3	14·0	14·0	28·0	19·8
imerick,	17·8	21·9	15·0	17·8	18·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last veek * were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fteen of the districts to 4·9 in Kilkenny. Among the 155 deaths from all causes in Belfast are 11 from measles, one from whooping-cough, one from simple continued ever, 2 from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—107 boys and 125 girls; and the deaths to 204—105 males and 99 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 28·1 in every ,000 of the population; omitting the deaths (numbering 8) of persons admitted nto public institutions from localities outside the Area, the rate was 27·0 per 1,000. During the forty-eight weeks ending with Saturday last the death-rate averaged 24·4, nd was 1·3 below the mean rate for the corresponding portions of the ten years 894–1903.

The deaths registered from measles numbered 12; there were 3 deaths from whooping

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*), Table II. ‡ See columns 10–18 of Table II.

cough, one death from diphtheria, 2 deaths from enteric fever, and 3 deaths from diarrhœal diseases. In the three weeks preceding, deaths from measles were 7, 8, and 12; and deaths from diarrhœal diseases were 5, 5, and 4, respectively.

Three deaths from croupous pneumonia, 5 deaths from broncho-pneumonia, and 11 deaths from *pneumonia* were registered.

The deaths due to tuberculous disease comprise 10 from tuberculous phthisis, 19 from *phthisis*, 2 from tuberculous meningitis, one from tabes mesenterica, and 10 deaths from other forms of the disease.

Six deaths were ascribed to carcinoma, and 3 to *cancer*, *malignant disease*.

The deaths of 2 infants prematurely born were registered.

Fifteen deaths occurred from diseases of the brain and nervous system; of these, 5 were caused by *convulsions*, 3 of the latter being infants under one year old.

There were 20 deaths from diseases of the heart and blood-vessels.

Of 40 deaths from diseases of the respiratory system (exclusive of the pneumonias), 37 were attributed to bronchitis.

Of 2 deaths from accidental causes, one was that of a child, 3 months old, caused by suffocation in bed.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 7 were under one month old), and 55 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (females) were stated to have been aged 98 and 103 years, respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·0 per 1,000; the rate in the City was 28·4 (North City Districts, 27·7; South, 29·2), and in the Suburbs, 21·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·2 (0·7 in the North City Districts, and 5·8 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 38·6 per 1,000. There was one death from *diarrhœa*, tuberculous disease caused 3 deaths, broncho-pneumonia caused one death, *pneumonia* caused 2 deaths, and there were 5 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000. Tuberculous disease caused 3 deaths, and bronchitis caused 3 deaths.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. There were 5 deaths from tuberculous disease, one death from croupous pneumonia, and one death from *pneumonia* registered.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 29·6 per 1,000. Five deaths were due to tuberculous disease, and diseases of the heart and blood-vessels caused 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 41·6, and Finglas and Glasnevin, part of, 23·5. There was one death from diphtheria tabulated for Coolock and Drumcondra, No. 1, part of.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 35·3 per 1,000. There were 6 deaths from measles, one death from *diarrhœa*, 4 deaths from tuberculous disease, and 10 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000. One death from enteric fever, 4 deaths from tuberculous disease, one death from broncho-pneumonia, and one death from *pneumonia* were registered.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 28·6 per 1,000. Measles and whooping-cough each caused one death, there were 5 deaths from tuberculous disease, one death from broncho-pneumonia, 2 deaths from *pneumonia*, and 5 deaths from bronchitis.

No. 4 South City District (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Three deaths from measles, 2 deaths from whooping-cough, and one death from epidemic diarrhœa were registered; there were 3 deaths from tuberculous disease, one death from croupous pneumonia, one death from broncho-pneumonia, 5 deaths from bronchitis, and one death from accidental violence.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 26·7; Pembroke, 20·0; Blackrock, 17·9; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts consist of 2 from measles for Rathmines and Rathgar. The 17 deaths from all causes for this district include 2 from tuberculous disease, one from broncho-pneumonia, 2 from *pneumonia*, and 4 from bronchitis. The 10 deaths from all causes for Pembroke include 2 from *phthisis*, 3 from diseases of the nervous system, one from broncho-pneumonia, and one from *pneumonia*. There was one death from accidental violence tabulated for Kingstown.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 3rd December, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 12,	.	—	—	4	3	.	5	.	7	8	18	.	—	—	—	—	—	45
	Nov. 19,	.	—	—	7	.	.	7	.	.	13	12	.	—	—	—	—	—	39
	Nov. 26,	.	—	—	4	.	.	5	1	1	9	8	.	—	—	—	—	—	28
	Dec. 3,	.	—	—	7	.	.	4	.	2	10	15	.	—	—	—	—	—	38
Rathmines and Rathgar Urban District.	Nov. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	1	—	2
	Nov. 19,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	.	—	3
	Nov. 26,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	.	—	4
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	3	.	—	—	—	.	—	3
Pembroke Urban District.	Nov. 12,	.	12	.	.	.	.	.	.	.	1	.	.	.	6	.	—	—	19
	Nov. 19,	.	4	.	3	.	.	.	.	.	1	.	.	.	.	.	—	—	8
	Nov. 26,	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	—	—	3
	Dec. 3,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	—	—	2
Blackrock Urban District.	Nov. 12,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 19,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 26,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Dec. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Nov. 12,	.	—	—	1	.	.	1	.	.	.	.	.	.	—	—	—	—	2
	Nov. 19,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	—	4
	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.
	Dec. 3,	.	—	—	2	.	.	.	.	.	1	.	.	.	—	—	—	—	3
City of Belfast.	Nov. 12,	5	—	—	10	.	.	4	2	19	8	11	.	—	—	—	—	—	59
	Nov. 19,	1	—	—	15	.	.	10	3	17	13	8	.	—	—	—	—	—	67
	Nov. 26,	6	—	—	18	.	.	7	2	10	10	5	.	—	—	—	—	—	58
	Dec. 3,	3	—	—	23	.	.	2	4	6	9	9	.	—	—	—	—	—	56

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd December, 1904.

From this it appears that:—

Twenty-nine cases of measles were admitted to hospital during the week, 28 were discharged, there were 4 deaths, and 88 patients remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 11 were discharged, and 75* cases remained under treatment at the close of the week.

Two cases of typhus were discharged during the week and one case remained under treatment at its close.

Four cases of diphtheria were admitted to hospital, 3 were discharged, there were 2 deaths, and 29 cases remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital, 4 were discharged, there was one death, and 42 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, patients were discharged, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 21·7), was equal to an average annual death-rate of 21·6 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·2 per 1,000, the rate for Glasgow being 23·9, and for Edinburgh 15·6.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd December, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 3rd December, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
Total of 22 Town Districts	1,093,289	19·2	30·9	22·7	2·1	648	475	89	132	.	23	.	1	6	1	1	4	7	56	129	4	11	132
Dublin Registration Area:— Total,‡	378,994	27·5	31·9	27·0	2·8	232	196	32	54	.	12	.	.	3	1	.	1	3	27	59	2	5	70
City of Dublin	293,385	37·1	35·5	28·4	3·2	200	160	29	43	.	10	.	.	3	1	.	1	3	23	47	1	4	63
Urban Districts. Rathmines and Rathgar	33,203	19·4	22·0	26·7	3·1	14	17	1	6	.	2	.	.	.	.	.	.	.	2	7	.	.	2
Pembroke	26,025	16·4	18·0	20·0	.	9	10	1	2	.	.	.	.	.	.	.	.	.	2	3	.	.	2
Blackrock	8,759	8·1	6·0	17·9	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Kingstown	17,622	12·1	23·7	17·8	.	8	6	1	1	.	.	.	.	.	.	.	.	.	.	1	1	1	2
Urban Districts.																							
Belfast	358,680	24·4	31·1	22·5	2·6	214	155	36	33	.	11	.	.	1	.	1	2	3	21	40	1	5	29
Cork	76,122	33·6	27·4	14·4	0·7	40	21	3	6	.	.	.	.	.	.	.	1	.	2	2	.	.	9
Londonderry	41,397	19·1	21·4	16·4	.	17	13	1	6	.	.	.	.	.	.	.	.	.	2	6	.	.	.
Limerick	38,151	18·1	50·6	17·8	.	37	13	2	5	.	.	.	.	.	.	.	.	.	1	4	1	.	3
Waterford	26,769	18·7	17·5	21·4	.	9	11	1	3	.	.	.	.	.	.	.	.	.	1	4	.	.	6
Galway	18,426	2·5	42·7	50·5	.	11	13	3	7	.	.	.	.	.	.	.	.	.	.	2	.	.	6
Dundalk	18,076	2·4	31·9	19·9	.	8	5	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Drogheda	12,760	8·6	40·9	8·2	.	10	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	16·8	12·6	.	4	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lurgan	11,782	18·8	13·3	13·3	4·4	3	3	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.
Lisburn	11,461	10·1	31·8	27·3	.	7	6	1	3	.	.	.	.	.	.	.	.	.	.	2	.	.	4
Wexford	11,168	28·2	42·0	28·0	4·7	9	6	1	2	.	.	.	.	1	.	.	.	.	1	2	.	.	.
Ballymena	10,886	8·9	33·5	33·5	4·8	7	7	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	2
Sligo	10,870	3·7	24·0	19·2	.	5	4	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Kilkenny	10,609	11·5	49·1	24·6	4·9	10	5	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	2
Clonmel	10,167	7·8	5·1	10·3	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Portadown	10,092	13·2	20·7	25·8	.	4	5	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tralee	9,867	16·6	21·1	5·3	.	4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	34·3	5·7	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Queenstown	7,909	14·4	33·0	6·6	.	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Armagh	7,588	22·2	34·4	18·7	.	5	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

Towns and Districts.	Meteorology.† Week ending 3rd Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area: Total,‡	§53·4	24·9	41·3	0·10	§45·0	23·1	33·6	0·39	§57·5	30·6	45·3	0·05
City of Dublin	a54·7 / b54·9	30·0 / 26·0	43·7 / 41·2	0·10 / 0·10	a44·3 / b45·9	27·3 / 24·0	35·9 / 34·5	0·35 / 0·36	a57·8 / b57·8	33·1 / 31·0	48·4 / 46·1	0·02 / 0·03
Rathmines and Rathgar	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	55·7	30·0	44·5	0·06	47·7	29·0	37·6	0·47	59·2	38·0	49·4	0·00
Belfast	51·6	30·2	40·5	0·09	45·9	28·0	36·7	0·57	55·5	39·6	47·8	0·11
Cork	53	32	43·7	0·28	48	30	39·4	0·33	56	39	49·5	0·07
Londonderry	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	.	.	.	.	.	.	.	.	.	.	.	.
Galway	55	33	37	0·35	48	27	36·3	0·77	58	36	47·8	0·54
Dundalk	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	.	.	.	.	.	.	.	.	.	.	.	.
Newry	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70	55·1	39·3	48·8	0·19
Lurgan	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70	55·1	39·3	48·8	0·19
Lisburn	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70	55·1	39·3	48·8	0·19
Wexford	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	51·5	34·0	42·6	0·71	46·2	23·8	34·6	2·77	56·2	38·4	48·3	0·33
Kilkenny	54	29	40·6	0·25	45	23	33·3	0·53	57	34	47	0·02
Clonmel	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70	55·1	39·3	48·8	0·19
Tralee	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	51	34	42·8	0·28	44	29	38·2	0·43	55	42	48·1	0·09
Queenstown	53	32	43·7	0·28	48	30	39·4	0·33	56	39	49·5	0·07
Armagh	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70	55·1	39·3	48·8	0·19

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 3rd of December, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICT OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District									TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	NORTH CITY No. 1 E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	6	.	1	3	.	2	.	.	.	12	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	3	.
Diphtheria,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Diarrhœal Diseases,	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Phthisis,	1	1	3	4	.	1	.	4	2	3	3	1	2	2	.	.	27	2
Other General Diseases,	3	4	2	3	1	2	.	2	3	4	.	.	2	.	.	1	27	1
Total,	5	5	5	7	1	4	.	13	6	9	9	1	6	2	.	1	74	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	.	3	.	3	.	.	.	.	2	2	.	.	.	3	.	1	14	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	2	1	3	1	1	1	1	.	1	.	1	3	1	.	.	19	1
Respiratory System,	8	3	4	1	.	2	.	10	3	9	7	.	7	3	1	1	59	.
Digestive System,	1	1	.	.	.	.	1	1	.	.	1	.	.	.	2	.	7	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Urinary System,	.	.	.	2	.	.	1	.	.	1	.	.	.	.	.	.	4	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Integumentary System,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	12	9	5	10	1	3	3	12	5	14	8	1	11	7	3	2	106	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	4	3	1	1	.	1	.	1	.	.	.	.	.	1	.	2	14	.
E. VIOLENT DEATHS	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	.
Deaths from all Causes,	21	17	11	18	2	8	3	26	11	23	18	2	17	10	3	6	196	8
Annual Rate of Mortality in every 1,000 of the population	38·6	22·6	19·1	29·6	21·7	41·6	23·5	35·3	31·4	28·6	26·7	11·7	26·7	20·0	17·9	17·8	27·0	.
	27·7							29·2					21·9					
	28·4																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	3	2	3	2	.	2	1	6	1	3	.	.	1	2	1	2	29	8
Workhouse Hospitals	4	5	3	8	.	.	.	4	6	7	3	.	1	.	.	.	41	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths, at Eight periods of Life from each Disease** fegi
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years 1894-1903.	In the Week ending Sat 3rd December, 1904. Deaths of Persons of the					
	Dec. 1, 1894.	Nov. 30, 1895.	Nov. 28, 1896.	Dec. 4, 1897.	Dec. 3, 1898.	Dec. 2, 1899.	Dec. 1, 1900.	Nov. 30, 1901.	Nov. 29, 1902.	Dec. 5, 1903.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40
Mean Temperature.	41·0	44·7	45·0	40·3	41·7	47·1	43·4	42·1	43·5	34·6	42·3	Mean Temp. 41·3					
ALL CAUSES.	142	168	212	170	212	259	167	141	230	207	190·8	204	7	25	34	13	2
Small-pox, Vaccinated,	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Small-pox, Unvaccinated,	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	.	1	29	.	.	14	.	4·6	12	.	3	9	.	.
Scarlet Fever	1	1	5	3	4	2	.	1	8	2	2·7	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	1	1	2	1	1	1	.	3	2	1·3	.	.	.	.	.	.
Whooping Cough,	1	2	7	2	3	1	6	1	.	5	2·8	3	.	3	.	.	.
Diphtheria,	.	1	.	2	1	2	1	.	4	2	1·3	1	.	.	1	.	.
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.
Enteric Fever,	2	4	2	11	2	6	4	2	4	2	3·9	2	.	.	.	1	1
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	3	1	5	.	.	4	1	4	2	.	2·5	1	1	.	.	.	.
Diarrhœa, Dysentery,									5	.		2	.	2	.	.	.
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease,	.	.	.	2	2	.	2	.	2	1	·9	1	.	1	.	.	.
Puerperal Septicæmia, Sapræmia,									.	.		.	.	.	.	.	.
Puerperal Pyæmia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Fever,									.	.		.	.	.	.	.	.
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	2	·2	1	.	.	.	.	1
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas,	.	.	.	.	.	1	.	1	1	.	·3	.	.	.	.	.	.
Septicæmia (not Puerperal),									.	.		.	.	.	.	.	.
Pyæmia (not Puerperal),	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.
Tuberculous Phthisis,	24	26	15	19	34	35	14	23	4	5	23·5	10	.	.	.	1	4
"*Phthisis*,"									18	18		19	.	.	1	3	8
Tuberculous Meningitis, (Acute Hydrocephalus).	1	3	6	4	7	4	2	1	3	2	3·3	2	.	.	2	.	.
Tuberculous Peritonitis,									1	.		.	.	.	.	.	.
Tabes Mesenterica,	4	3	4	4	2	4	4	.	.	1	2·7	1	.	.	1	.	.
Tuberculous Dis. (other),									8	5		10	.	1	5	2	1
Scrofula,	1	5	3	1	4	7	7	3	.	.	4·4	.	.	.	.	.	.
Alcoholism,	2	2	1	.	1	.	.	1	2	1	1·0	.	.	.	.	.	.
Rheumatic Fever,	.	.	1	.	.	1	.	1	1	.	·4	.	.	.	.	.	.
Gout,	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.

* The figures for the years 1894-1900 r

TY-EIGHTH WEEK ending Saturday, 3rd December, 1904, with the deaths from each cause in the corresponding
average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 1, 1894.	Nov. 30, 1895.	Nov. 28, 1896.	Dec. 4, 1897.	Dec. 3, 1898.	Dec. 2, 1899.	Dec. 1, 1900.	Nov. 30, 1901.	Nov 29, 1902.	Dec. 5, 1903.	Averages in 48th Week of the 10 years 1894–1903.	In the Week ending Saturday, 3rd December, 1904. Deaths of Persons of the Ages of: All Ages.	Under 1 month.	0 to 5. 1 month and under a year.	0 to 5. 1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 41·0	° 44·7	° 45·0	° 40·3	° 41·7	° 47·1	° 43·4	° 42·1	° 43·5	° 34·6	° 42·3	° 41·3								
...oma	6	6	5	5	8	9	13	5	3	6	7·7	6	.	.	.	.	1	1	4	.
...a									.	.		.	.	.	.	.	.	.	.	.
... *Malignant Disease* ...									6	5		3	.	.	.	.	1	2	.	.
...es Mellitus	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	.
...ure Birth	2	1	6	6	2	2	.	3	1	3	2·6	2	2	.	.	.	.	.	.	.
...itis (not tuberc.)									2	4		.	.	.	.	.	.	.	.	.
...y, G. P. of Insane									2	.		3	.	.	.	.	2	1	.	.
...y									1	.		2	.	.	.	.	.	.	2	.
...ions									10	13		5	.	3	1	1	.	.	.	.
...otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
...egia Dis. of Cord									.	2		2	.	.	.	.	1	1	.	.
...s System (other Dis.) ...	33	25	43	38	42	38	38	25	2	3	37·6	3	.	.	.	1	1	1	.	.
...is., Endocarditis									2	6		4	.	.	.	.	1	1	1	1
... Hæm. Thromb.									4	3		2	.	.	.	.	1	1	.	.
...y, *Hemiplegia*									5	9		2	.	.	.	.	2	.	.	.
...sm									.	.		.	.	.	.	.	.	.	.	.
...sm, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
...and Blood Vessel Dis.									11	15		12	.	.	.	1	.	3	6	2
...not Spasm. or Memb.) ...	1	.	1	.	.	.	2	1	1	.	·6	.	.	.	.	.	.	.	.	.
...itis	15	25	30	24	44	48	32	11	36	36	30·1	37	.	6	7	1	.	8	2	3
...us Pneumonia									.	.		3	.	.	.	.	1	1	1	.
...o-Pneumonia	8	15	18	11	10	17	9	8	9	8	12·0	5	.	2	3	.	.	.	.	.
...*onia*"									5	2		11	.	.	3	.	2	4	2	.
...s, Emphysema									.	.		.	.	.	.	.	.	.	.	.
...y	4	2	9	.	3	1	2	2	.	.	2·6	.	.	.	.	.	.	.	.	.
...tory Dis. (other)									2	1		3	1	.	.		.	1	1	.
...tis, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
...is (not Epid.)	.	2	.	1	.	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.
... *Enteritis*									2	1		1	1	.	.	.	.	.	.	.
...itis (not Puerp.)	1	1	.	1	1	1	2	.	1	1	·9	.	.	.	.	.	.	.	.	.
...is of Liver	1	4	2	1	1	3	1	4	.	1	2·3	3	.	.	.	.	2	1	.	.
...is. (other)									5	.		1	.	.	.	.	.	1	.	.
...ve Dis. (other)	1	2	6	5	6	5	3	2	6	7	4·3	3	.	.	.	1	1	.	1	.
...tis, Acute									3	.		2	.	.	.	1	.	.	1	.
...s Dis., Albuminuria ...	2	2	3	2	3	3	4	3	2	3	3·4	1	.	.	.	.	.	1	.	.
...y Sys. (Other Dis.) ...									3	1		1	.	.	.	.	.	.	1	.
...tive Organs Dis.	.	1	.	.	1	.	.	1	.	1	·4	1	.	.	.	.	1	.	.	.
...rth (Accid. of)	.	1	.	.	.	2	.	.	.	1	·4	1	.	.	.	.	.	1	.	.
... ...	9	12	13	7	13	14	10	16	5	5	10·4	7	.	.	.	.	.	.	3	4
...Diseases	13	11	18	15	14	14	7	19	19	14	14·4	10	2	3	1	.	1	1	2	.
ACCIDENT.																				
...ways	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.
...icles and Horses	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
...s, Boats, Docks (exclusive ...owning)	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
...ding Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
...lagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
...ns, Scalds, Explosions ...	.	2	2	.	.	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.
...wning	1	.	.	.	.	1	.	1	1	1	·5	.	.	.	.	.	.	.	.	.
...ocation in Bed	.	.	.	.	.	.	.	1	.	.	·1	1	.	1	.	.	.	.	.	.
...on or Poisonous Vapours...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
...Deaths by Accidents ...	1	5	4	.	1	1	1	.	.	2	1·5	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																				
...de	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.
... ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
...ion	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

...gistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
No. of weeks in Annual Series.	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	202	182	296	210	202	172	240	243	188	269	260	236	254	182	177	222	258	178	202	257	196	217	203	194	149	232
*Average Births in corresponding week of previous 10 years,**	223	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199	183	188
DEATHS registered,	143	169	149	126	138	143	131	136	161	199	183	178	150	157	184	194	146	180	162	191	156	162	156	183	170	204
Annual Death-rate per 1,000,	19·7	23·3	20·5	17·3	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·	21·5	25·2	23·4	28·1
*Average Deaths in corresponding week of previous 10 years,**	155	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183	191	191
AGES, Under 5 years,	34	37	32	34	32	54	41	52	72	91	81	86	65	68	61	67	55	45	68	82	50	66	43	66	63	66
5—20 ,,	18	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12	11	13
20—40 ,,	30	42	30	15	21	21	25	28	17	28	31	21	17	20	13	29	22	28	15	30	33	28	26	26	24	28
40—60 ,,	30	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38	32	21	31	26	29	19	34	36	22	42
60—80 ,,	27	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37	44	45
80 years and upwards,	4	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6	6	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7	8	12	12
,, Scarlet Fever	1	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	1	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.	4	4	3
,, Diphtheria,	.	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1	.	1
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2	.	2
,, Diarrhœal Diseases,	.	.	.	1	5	2	5	5	15	33	38	35	26	26	14	28	16	10	8	11	6	5	5	5	4	3
,, Phthisis,	30	26	28	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23	15	29
,, Diseases of Heart and Blood Vessels,	21	34	28	21	24	17	26	23	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23	23	20
,, Diseases of Respiratory System.	29	28	28	20	16	26	17	21	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	33	37	59
Violent Deaths,	2	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5	8	2
Mean Temperature of the Air (Phœnix Park),	53·1	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8	33·6	41·3
Average Mean Temperature in corresponding week of previous 10 years.	55·2	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3	43·4	42·3
Rainfall in inches,	·505	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050	·385	·100
Mean Humidity of the Air, complete Saturation 1·0,	·84	·78	·82	·73	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·83	·82	·88	·88	·86	·90	·92	·87	·91	·91	·88	·93

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd December, 1904: the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 3rd December, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,850	28·3	204	66	13	28	42	45	10	.	12	.	.	3	1	.	2	3	21	29	5	59	2	88
	CLASSES. **Deaths in Families of the—**																								
I.	Professional and Independent Class,	17,436	12·0	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4
II.	Middle Class,	87,188	20·3	34	5	1	10	6	10	2	.	1	.	.	.	1	.	1	1	4	4	.	9	.	17
III.	Artisan Class and Petty Shopkeepers	110,423	22·7	48	10	2	6	16	12	2	.	2	.	.	.	.	.	.	.	2	5	1	15	1	24
IV.	General Service Class,	154,279	38·4	77	44	9	7	10	6	1	.	9	.	.	3	.	.	1	2	15	8	3	23	1	27
V.	Inmates of Workhouses,	6,024		41	7	1	5	9	16	3	.	.	.	.	.	.	.	.	.	.	12	1	12	.	16
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	20·1	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	2	.	3	3	2	.	.	1	.	.	.	.	.	.	1	2	2	.	2	.	4
	6. Clerks and Commercial Assistants,	30,432	17·1	10	2	1	2	2	2	1	.	.	.	.	.	1	.	.	.	1	.	.	2	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	1	.	4	1	4	1	.	.	.	.	.	.	.	1	.	1	1	.	5	.	4
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	9. Building and Furnishing Trades,	29,801	22·7	13	3	2	1	3	4	.	.	.	.	.	.	.	.	.	.	.	2	.	4	1	6
	10. Clothing Trades,	28,260	24·7	11	.	.	2	3	5	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	7
	11. Food Supply Trades,	9,242	16·9	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	24·1	14	5	.	1	6	1	1	.	2	.	.	.	.	.	.	.	2	1	.	4	.	7
	13. Petty Shopkeepers,	7,894	19·8	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	27·2	7	3	1	1	1	1	.	.	2	.	.	.	.	.	.	.	2	1	.	2	.	2
	15. Domestic Servants,	36,603	7·1	5	1	1	2	.	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	1
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	5	.	1	.	.	.	.	2	.	.	.	.	.	.	.	2	1	.	3	.	.
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·2	59	35	7	3	9	4	1	.	5	.	.	3	.	.	1	1	10	4	3	17	1	24
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	6,024	.	41	7	1	5	9	16	3	.	.	.	.	.	.	.	.	.	.	12	1	12	.	16

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Oct. 15,	16·6	.	9	.	.	.	.	.	.	.	.	.	.	2	1
	" 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	" 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
	" 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 19,	31·3	3·7	17	.	.	.	.	1	.	.	1	.	2	4	1
	" 26,	27·6	1·8	15	.	.	.	.	.	.	.	.	1	3	3	1
	Dec. 3,	38·6	1·8	21	.	.	.	.	.	.	.	.	1	1	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Oct. 15,	20·0	1·3	15	.	.	.	.	.	.	.	.	1	2	2	.
	" 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
	" 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
	Nov 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
	" 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	" 19,	15·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	" 26,	32·0	1·3	24	.	1	.	.	.	.	.	.	.	3	6	1
	Dec. 3,	22·6	.	17	.	.	.	.	.	.	.	.	.	1	3	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Oct. 15,	13·9	.	8	.	.	.	.	.	.	.	.	.	.	.	1
	" 22,	21·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
	" 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	" 14,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	" 19,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	" 26,	26·0	3·5	15	.	.	.	.	1	.	.	.	1	2	1	1
	Dec. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	3	4	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Oct. 15,	23·0	3·3	14	.	.	.	.	.	.	.	.	2	1	2	.
	" 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
	" 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
	" 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
	" 19,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	" 26,	28·0	3·3	17	.	1	.	.	1	.	.	.	.	1	5	.
	Dec. 3,	29·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	Oct. 15,	28·5	1·4	21	.	.	.	.	.	.	.	1	.	1	6	.
	" 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
	" 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
	" 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
	" 19,	35·8	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	" 26,	25·8	6·8	19	.	4	.	.	1	.	.	.	.	1	4	1
	Dec. 3,	35·3	9·5	26	.	6	.	.	.	.	.	.	1	4	10	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Oct. 15,	45·6	11·4	16	.	.	.	.	.	.	.	.	4	.	6	.
	" 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	" 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 5,	26·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
	" 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
	" 19,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.
	" 26,	25·7	5·7	9	.	2	.	.	.	.	.	.	.	.	2	.
	Dec. 3,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	2	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Oct. 15,	24·9	1·2	20	.	.	.	.	.	.	.	.	1	3	2	.
	" 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
	" 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
	" 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	1
	" 19,	22·4	3·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	" 26,	24·9	2·5	20	.	1	.	.	.	.	.	.	1	1	5	1
	Dec. 3,	18·6	2·5	23	.	1	.	.	1	.	.	.	.	3	9	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Oct. 15,	20·8	.	14	.	.	.	.	.	.	.	.	.	1	1	.
	" 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
	" 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2
	Nov. 5,	18·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
	" 12,	28·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
	" 19,	32·6	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1
	" 26,	31·2	3·0	21	.	1	.	.	1	.	.	.	.	2	5	2
	Dec. 3,	26·7	3·9	18	.	3	.	.	2	.	.	.	1	3	7	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 88,208.	Oct. 15,	20·4	1·6	13	.	.	.	.	1	.	.	.	.	.	5	.
	„ 22,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	.
	„ 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 12,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	1
	„ 19,	26·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
	„ 26,	14·1	3·1	9	.	2	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	26·7	3·1	17	.	2	.	.	.	.	.	.	.	2	7	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Oct. 15,	10·0	2·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	„ 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5,	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	„ 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	„ 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	3	1
	Dec. 3,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Oct. 15,	14·8	3·0	5	.	.	.	.	1	.	.	.	.	.	1	.
	„ 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	„ 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
	„ 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	1
	„ 26,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 3,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1
Belfast. Pop. in 1904 (Est.) 358,660.	Oct. 15,	16·0	2·2	110	.	3	.	.	3	.	.	1	8	13	21	2
	„ 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
	„ 29,	18·2	3·2	115	.	4	1	.	.	.	.	9	8	12	26	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	„ 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	„ 19,	19·8	2·2	136	.	8	1	.	.	1	.	1	4	17	42	4
	„ 26,	19·6	2·2	135	.	7	.	.	.	.	.	5	3	23	42	3
	Dec. 3,	22·5	2·6	155	.	11	.	.	1	.	1	2	3	21	40	1
Cork Pop. (in 1901) 76,122.	Oct. 15,	17·1	1·4	25	.	.	.	.	.	1	.	.	1	7	1	2
	„ 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	„ 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
	„ 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
	„ 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
	„ 26,	16·4	0·7	24	.	.	.	.	.	.	.	1	.	4	7	1
	Dec. 3,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	2	.
Londonderry. Pop. in 1904 (Est.) 41,397	Oct. 15,	16·4	1·3	13	.	.	.	.	.	1	.	.	.	1	4	.
	„ 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	„ 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	16·4	.	13	.	.	.	.	.	.	.	.	.	2	6	.
Limerick. Pop. (in 1901) 38,151.	Oct. 15,	23·2	1·4	17	.	.	.	.	.	.	.	.	1	2	5	.
	„ 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29	26·0	1·4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	„ 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 26,	15·0	1·4	11	.	.	.	.	.	.	.	.	1	.	4	.
	Dec. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1
Waterford. Pop. (in 1901) 26,769	Oct. 15,	5·8	.	3	.	.	.	.	.	.	.	.	.	1	1	.
	„ 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	„ 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 3,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	4	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd December, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	8	14·2	.	4	.	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	2	2
Do. 2 "	47,959	26	16·3	2·2	15	4	2	6	3	.	1	.	.	.	.	.	1	.	1	2	1	1	5
Do. 3 "	47,214	16	23·2	4·4	21	3	7	6	5	.	3	.	.	.	.	.	.	1	1	6	.	1	3
Do. 4 "	40,911	32	25·5	3·8	20	6	2	7	5	.	1	.	.	1	.	.	.	1	2	5	.	.	7
Do. 5 "	17,387	7	30·0	3·0	10	3	2	4	1	.	1	.	.	.	.	.	.	.	1	3	.	.	3
Do. 6 "	48,122	22	24·9	2·2	23	4	.	13	6	.	.	.	.	.	.	1	.	1	5	6	.	.	2
Do 7 "	1,524	8	.	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 8 "	5,060	2	30·9	.	3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 9 "	19,569	9	24·0	2·7	9	3	.	6	.	.	1	.	.	.	.	.	.	.	3	1	.	.	.
Do. 10 "	23,064	26	38·4	9·0	17	4	6	5	2	.	4	.	.	.	.	.	.	.	3	6	.	.	.
Do 11 "	34,802	27	18·0	.	12	4	.	5	3	.	.	.	.	.	.	.	.	.	2	4	.	.	.
Do. 12 "	33,588	17	21·7	1·6	14	3	1	5	5	.	.	.	.	.	.	.	1	.	2	4	.	1	4
Do 13 "	15,006	14	17·4	.	5	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	342,180	214	23·1	2·7	155	36	23	63	33	.	11	.	.	1	.	1	2	3	21	40	1	5	29
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	13	20·3	.	5	1	.	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do. 2 "	10,701	7	14·6	4·9	3	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do 3 "	9,978	6	20·9	.	4	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Do. 4 "	8,666	2	12·0	.	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 "	6,592	3	15·8	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	2	9·7	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2
Do, 7 "	16,616	7	9·4	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Total,	76,122	40	14·4	0·7	21	3	2	10	6	.	.	.	.	.	.	.	1	.	2	2	.	.	9

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered,	243	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226	238	215	215	142	214
DEATHS registered.	130	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125	118	128	136	135	155
Annual Death-rate per 1,000 of estimated Population,	18·9	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8	19·6	22·5
AGES, Under 1 year,	29	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33	33	29	31	35	40	29	20	36
AGES, 1–5 years,	18	22	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22	23	23
AGES, 5–60 years,	58	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51	58	65	63
AGES, 60 years and upwards,	25	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27	27	33
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	4	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8	7	11
" Scarlet Fever,	1	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	.	.
" Typhus,	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.
" Whooping cough,	4	7	7	8	2	8	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1	.	.	1
" Diphtheria,	.	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
" Simple Continued Fever,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1
" Enteric Fever,	2	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4	1	5	2
" Diarrhœal Diseases,	2	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4	3	3
" Phthisis	21	22	23	18	20	18	18	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14	17	23	21
" Diseases of Respiratory System,	19	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31	42	42	40
Violent Deaths,	7	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.	4	3	1

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd December, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 1, West,	.	.	.	1	.	.	.	.	.	.	3	.	.	4
" " 2,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 3,	.	.	.	2	.	.	.	.	2	1	5	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	1	.	.	5	7	.	.	14
" " 2,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 3,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
" " 4,	.	.	.	.	.	.	.	.	.	1	.	.	.	1
New Kilmainham,	.	.	.	1	.	.	1	.	.	.	.	.	.	2
Total,	.	.	.	7	.	.	4	.	2	10	15	.	.	38

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd December, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd December.			
	Nov. 12.	Nov. 19.	Nov. 26.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	65	94	91	29	28	4	88
Scarlet Fever,	60	71	74	12	11	.	75*
Typhus "	4	4	3	.	2	.	1
Diphtheria,	20	26	30	4	3	2	29
Enteric Fever,	44	38	38	9	4	1	42
Pneumonia,	17	16	16	2	4	.	14

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,649,088	Dec. 3,	2,542	1,932	21·7	.	32	5	18	15	8	16
EDINBURGH,	331,977	„ 3,	161	99	15·6	.	.	.	.	7	.	1
GLASGOW,	793,357	„ 3,	395	365	23·9	.	2	.	4	25	3	3
CALCUTTA,	847,793	Oct. 15,	.	391	23·9	.	.	.	.	.	133‡	42*
BOMBAY,	776,006	Nov. 1,	431	600	40·2	1	1	.	.	.	44‡	57*
MADRAS,	509,346	Oct. 14,	395	260	26·5	.	.	?	?	?	74	31
PARIS,	2,660,559	Nov. 19,	1,031	813	15·8	3	.	6	5†	1	6	9
BRUSSELS (with 8 Faubourgs).	586,936	„ 12,	209	153	13·5	.	3	.	3†	.	1	9
AMSTERDAM,	550,150	„ 12,	276	154	14·6	.	6	1	1	1	1	3
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN,	417,000	Nov. 12,	190	101	12·6	.	1	1	.	.	1	3
CHRISTIANIA,	223,649	„ 19,	102	42	9·1	.	.	.	2	.	.	2
ST. PETERSBURG,	1,248,122	„ 19,	622	545	22·8	1	8	9	16	1	14	56
BERLIN,	1,964,315	„ 5,	810	573	15·1	.	2	10	9†	6	2	42
HAMBURG,	751,842	„ 12,	.	194	13·4	.	2	1	2†	1	.	7
BRESLAU,	445,679	„ 19,	.	159	18·6	.	2	.	4†	?	.	17
MUNICH,	520,000	„ 19,	.	196	19·6	.	2	1	3†	1	1	17
VIENNA (with suburbs).	1,816,303	„ 19,	1,040	518	14·8	.	1	2	12†	2	2	30
BUDA-PESTH	813,399	„ 19,	417	303	19·4	.	5	6	4†	.	7	8
PRAGUE and Faubourgs.	426,4 2	„ 12,	207	168	20·3	.	3	2	2†	2	1	17
ROME,	505,371	Oct. 1,	216	169	17·4	1	.	1	1	.	6	14
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	„ 22,	72	51	15·9	.	.	.	.	.	1	6
NEW YORK,	3,838,024	Nov. 5,	1,982	1,234	16·8	.	5	9	23†	5	20	56
PHILADELPHIA,	1,408,154	Oct. 29,	.	407	15·0	.	.	3	18†	.	7	21

* Including 8 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
‡ Exclusive of 2 deaths from bubonic fever in Calcutta, and 60 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 3rd December, 1904:—

"Opening with severely cold weather—especially in England—this week ultimately proved chiefly fine and mild. The change was brought about by the gradual extension of a warm westerly wind from the Atlantic over the British Isles and finally over Europe at large. At 8 a.m. of Sunday the thermometer read as low as 22° at Bath, 23° at Oxford, 24° at Nottingham, and 26° in London: at 9 a.m. the reading in Dublin was 37·5° (it had been down to 30° during the previous night). By Monday morning a further rise of temperature was pretty general—in Dublin, however, the thermometer again read 37·5° at 9 a.m. Some rainfall was reported from most of the Irish and Scottish stations. The barometer fell generally—most in the N.—during Tuesday, and at 8 a.m. of Wednesday was down to 29·30 inches on the west coast of Norway. A decided warm westerly current now came in from the Atlantic, leading to a marked rise of temperature, 55° being the maximum at North Shields and in Dublin on Thursday, when also 53° was recorded at many British and Irish stations. This day turned out rainy in Dublin, but the rainfall was only ·079 inch. Early on Friday a shallow secondary V-shaped depression was found lying over St. George's Channel. This system equalised atmospheric pressure in Ireland and caused fair, bright but cold weather. Saturday was at first fine and bright, but afterwards cloudy and changeable. In Dublin the mean height of the barometer was 29·874 inches, pressure ranging between 30·114 inches at 9 a.m. of Tuesday (wind, W.S.W.) and 29·580 inches at 9 p.m. of Saturday (wind, S.W.). The corrected mean temperature was 43·7°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 43·0°. On Sunday the screened thermometers fell to 30·0°, on Thursday they rose to 54·7°. Bright sunshine was estimated at 10½ hours, of which 4 hours fell on Friday and 3 hours on Thursday. The dominant wind was W.S.W. The rainfall was ·103 inch on 2 days, ·079 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·879 inches. The highest reading (30·118) was on Tuesday at 9 p.m., wind W., and the lowest (29·584) on Saturday at 9 p.m., wind S.S.E.

The mean temperature for the week was 41·3°, being 1·0° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Thursday, on which day the thermometer registered 53·4°, and was lowest on Sunday, the mercury having fallen to 24·9°. The mean of the Dry Bulb for the week was 41·8°, and of the Wet Bulb 40·0°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 15·6 hours. The rainfall during the week measured ·100 inch.

At Greenwich the mean temperature for the week was 40·5°, the maximum 52·3°, and the minimum 25·9°; at Glasgow the maximum was 51·4°, the minimum 26·0°, and the mean 41.3°; and at Edinburgh the maximum was 49·8°, the minimum 27·4°, and the mean 41·0°. The rainfall at Greenwich measured 0·07 inch; at Glasgow 0·43 inch; and at Edinburgh 0·07 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.	9 A.M.	9 P.M.
Sunday, Nov. 27,	29·932	39·7	24·9	32·3	37·9	37·4	·96	·6	0·0	—	W.S.W.	W.
Monday, „ 28,	29·909	43·3	31·7	37·5	34·4	34·1	·97	·3	2·8	—	W.	N.W.
Tuesday, „ 29,	30·118	45·7	30·8	38·3	40·9	40·4	·96	·4	2·5	—	N.W.	W.
Wednesday, „ 30,	30·020	50·2	43·9	47·1	46·8	45·4	·91	·6	1·3	—	W.	W.
Thursday, Dec. 1,	29·854	53·4	44·8	49·1	47·9	40·3	·89	·8	3·3	·080	S.W.	W.
Friday, „ 2,	29·704	46·0	35·9	41·0	38·8	37·6	·91	·6	4·3	—	W.	S.W.
Saturday, „ 3,	29·614	51·5	36·0	43·8	46·1	44·6	·89	·6	1·4	·020	W.	S.S.E.
Mean, . . .	29·879	47·1	35·4	41·3	41·8	40·0	·93	·6	Total 15·6	·100	Prevailing Wind, W.	

Sunday—Day overcast; night cloudy. *Monday*—Day fine but cloudy; night clear p.m., cloudy a.m. *Tuesday*—Day cloudy, overcast intervals; night cloudy. *Wednesday*—Day fine but cloudy; night cloudy. *Thursday*—A cloudy day, showery p.m.; night overcast and showery. *Friday*—Day fine but cloudy; night clear. *Saturday*—Day fine but cloudy; night overcast and showery.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360, Wt. P 289. 9. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 10TH DECEMBER, 1904 [No. 49.

General Register Office, Charlemont House, Dublin, 12th December, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 19.	Week ending Nov. 26.	Week ending Dec. 3.	Week ending Dec. 10.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 19.	Week ending Nov. 26.	Week ending Dec. 3.	Week ending Dec. 10.	Average Rate for 4 weeks.
22 Town Dists.	21·2	18·8	22·7	22·7	21·4	Lisburn, . .	13·6	27·3	27·3	22·7	22·7
Armagh, . .	20·6	6·9	13·7	20·6	15·5	Londonderry .	16·4	12·6	16·4	23·9	17·3
Ballymena, .	14·4	4·8	33·5	9·6	15·6	Lurgan, . .	39·8	13·3	13·3	13·3	19·9
Belfast, . .	19·8	19·6	22·5	24·3	21·5	Newry, . .	12·6	8·4	12·6	.	8·4
Clonmel, . .	46·2	15·4	10·3	5·1	19·3	Newtownards, .	17·2	11·4	5·7	22·9	14·3
Cork, . . .	20·5	16·4	14·4	24·7	19·0	Portadown, .	5·2	5·2	25·8	25·8	15·5
Drogheda, . .	16·3	12·3	8·2	16·3	13·3	Queenstown, .	13·2	26·4	6·6	13·2	14·9
Dublin Reg. Area,	24·2	22·6	27·0	25·2	24·8	Sligo, . . .	33·6	14·4	19·2	24·0	22·8
Dundalk, . .	12·0	27·9	19·9	31·9	22·9	Tralee, . .	10·6	15·9	5·3	5·3	9·3
Galway, . .	31·1	.	50·5	7·8	22·3	Waterford, .	13·6	15·6	21·4	15·6	16·6
Kilkenny, . .	14·7	4·9	24·6	9·8	13·5	Wexford, . .	14·0	14·0	28·0	28·0	21·0
Limerick, . .	21·9	15·0	17·8	13·7	17·1						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·9 in Armagh. Among the 167 deaths from all causes in Belfast are 18 from measles, one from simple continued fever, and 3 from enteric fever; and the 36 deaths from all causes in Cork include 2 from measles and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—99 boys and 86 girls; and the deaths to 192—92 males and 100 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 26·4 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 25·2 per 1,000. During the forty-nine weeks ending with Saturday last the death-rate averaged 24·4, and was 1·3 below the mean rate for the corresponding portions of the ten years 1894–1903.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

There were 10 deaths from measles, one from scarlet fever, one from influenza, one from diphtheria, 2 from enteric fever, and one from *diarrhœa*. In the three weeks preceding, the deaths from measles numbered 8, 12, and 12, respectively.

One death from croupous pneumonia, 6 from broncho-pneumonia, and 8 from *pneumonia* were registered.

There were 39 deaths from tuberculous disease, including 9 from tuberculous phthisis, 18 from *phthisis*, 2 from tuberculous meningitis, 2 from tuberculous peritonitis, and 8 from other forms of the disease.

Five deaths were ascribed to carcinoma, and 3 to *cancer, malignant disease.*

The deaths of 9 infants were attributed to premature birth.

Diseases of the brain and nervous system caused 8 deaths, including 4 (all of infants under one year old) from *convulsions.*

There were 32 deaths from diseases of the heart and blood-vessels.

Of 23 deaths from diseases of the respiratory system (exclusive of the pneumonias), 18 were attributed to bronchitis.

There were 2 deaths from accidental violence, including one of a child, aged 9 years, from burns.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under one year old and the death of one person aged 68 years.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 13 were under one month old), and 49 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 10 were octogenarians.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·2 per 1,000; the rate in the City was 26·8 (North City Districts, 22·5; South, 31·4), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·3 (0·3 in the North City Districts, and 4·4 in the South), and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·9 per 1,000. One was caused by enteric fever, 4 by tuberculous disease, one by broncho-pneumonia, 2 by *pneumonia*, and 3 by bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annu rate of 25·3 per 1,000. Tuberculous disease caused 4 deaths, diseases of the heart and blood-vessels 4, and bronchitis 4.

No. 2 North City District (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Six deaths were caused by tuberculous disease, 3 by diseases of the heart and blood-vessels, and 2 by bronchitis.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 19·8 per 1,000. Among them are 2 from tuberculous disease, 2 from diseases of the heart and blood-vessels, one from broncho-pneumonia, and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 21·7 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 7·8. There were no deaths from any of the principal epidemic diseases tabulated for these districts.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 36·7 per 1,000. They include 6 from measles, 3 from tuberculous disease, 6 from diseases of the heart and blood-vessels, one from broncho-pneumonia, one from *pneumonia*, and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 per 1,000. There was one death from enteric fever, 4 from tuberculous disease, and 2 from diseases of heart and blood-vessels.

No. 3 South City District (Peter-street).—The deaths (25) are equal to an annual rate of 31·1 per 1,000. Measles caused 2 deaths, *diarrhœa* one, tuberculous disease 7, broncho-pneumonia one, *pneumonia* one, and bronchitis one.

No. 4 South City District (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. Among them are 2 from measles, 2 from tuberculous disease, 3 from *pneumonia*, and 2 from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·7; Pembroke, 24·0; Blackrock, 23·8; and Kingstown, 17·8. The only death from any of the principal epidemic diseases tabulated for these districts was from scarlet fever for Rathmines and Rathgar, the 10 deaths from all causes tabulated for that district including one from influenza, and 3 from tuberculous disease; and the 12 deaths from all causes for Pembroke include 4 from diseases of the heart and blood-vessels, one from croupous pneumonia, and 2 from broncho-pneumonia.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Cawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 10th December, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 19,	.	—	—	7	.	.	7	.	.	13	12	.	—	—	—	—	—	39
	Nov. 26,	.	—	—	4	.	.	5	1	1	9	8	.	—	—	—	—	—	28
	Dec. 3,	.	—	—	7	.	.	4	.	2	10	15	.	—	—	—	—	—	38
	Dec. 10,	.	—	—	8	.	.	3	.	3	9	18	.	—	—	—	—	—	41
Rathmines and Rathgar Urban District.	Nov. 19,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	.	—	3
	Nov. 26,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	.	—	4
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	3	.	—	—	—	.	—	3
	Dec. 10,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	.	—	3
Pembroke Urban District.	Nov. 19,	.	4	.	3	.	.	.	.	.	1	.	.	.	.	.	—	—	8
	Nov. 26,	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	—	—	3
	Dec. 3,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	—	—	2
	Dec. 10,	.	12	.	4	.	.	1	.	.	1	.	.	.	.	.	—	—	18
Blackrock Urban District.	Nov. 19,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Nov. 26,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Dec. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 10,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Nov. 19,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	—	4
	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.
	Dec. 3,	.	—	—	2	.	.	.	.	.	1	.	.	.	—	—	—	—	3
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.
City of Belfast.	Nov. 19,	1	—	—	15	.	.	10	3	17	13	8	.	—	—	—	—	—	67
	Nov. 26,	6	—	—	18	.	.	7	2	10	10	5	.	—	—	—	—	—	58
	Dec. 3,	3	—	—	23	.	.	2	4	6	9	9	.	—	—	—	—	—	56
	Dec. 10,	7	—	—	10	.	.	4	2	11	7	16	1	—	—	—	—	—	58

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS

Table XI. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 10th December, 1904.

From this it appears that:—

Thirty-three cases of measles were admitted to hospital during the week, 33 were scharged, there were 5 deaths, and 83 patients remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 5 were discharged, and 80* ses remained under treatment at the close of the week.

One case of typhus remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 13 were discharged, there was e death, and 22 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 7 were discharged, there was one eath, and 45 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, patients were discharged, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 18·1), was equal to an average annual death-rate of 18·5 per 1,000 persons living; e average rate for 8 principal towns of Scotland was 19·7 per 1,000, the rate for Glasgow ing 23·1, and for Edinburgh 16·3.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th December, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 10th December, 1904. Annual Rate per 1,000 persons represented by. Births.	Deaths. From all Causes.	Deaths. From Diseases, in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 10th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th Nov., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	25·3	22·7	2·1	530	476	87	111	.	30	1	.	3	.	2	5	4	65	105	9	14	140	°	°	°		°	°	°		°	°	°	
																								.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:—																																			
Total,‡	373,994	27·5	25·5	25·2	1·9	185	183	34	47	.	10	1	.	.	.	.	2	1	26	38	2	4	74	§53·5	26·9	40·4	0·49	§53·4	24·9	41·3	0·10	§45·0	23·1	33·6	0·39
City of Dublin	298,385	37·1	27·2	26·8	2·3	153	151	27	35	.	10	.	.	.	.	.	2	1	22	34	2	4	67	a59·0 b57·8	30·7 27·0	42·5 41·8	0·73 0·50	a54·7 b54·9	30·0 26·0	43·7 41·2	0·10 0·10	a44·3 b45·9	27·3 24·0	35·9 34·5	0·35 0·36
Urban Districts. Rathmines and Rathgar.	33,203	19·4	14·1	15·7	1·6	9	10	2	2	.	.	1	.	.	.	.	.	.	1	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	26·0	24·0	.	13	12	2	7	.	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	17·9	23·8	.	3	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	20·7	17·8	.	7	6	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	53·7	32·5	42·9	0·98	55·7	30·0	44·5	0·06	47·7	29·0	37·6	0·47
Urban Districts.																																			
Belfast	358,680	24·4	29·7	24·3	3·2	204	167	34	36	.	18	.	.	.	.	1	3	.	21	47	2	4	37	51·5	30·0	40·0	0·90	51·6	30·2	40·5	0·09	45·9	28·0	36·7	0·57
Cork	76,122	33·6	19·9	24·7	2·1	29	36	4	8	.	2	.	.	.	.	.	.	1	8	7	1	1	13	54	34	44·1	1·74	53	32	43·7	0·28	48	30	39·4	0·33
Londonderry	41,397	19·1	32·7	23·9	.	26	19	2	6	.	.	.	.	.	.	.	.	.	1	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	9·6	13·7	1·4	7	10	3	2	.	.	.	.	.	.	.	.	1	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	19·5	15·6	1·9	10	8	2	2	.	.	.	.	.	.	.	.	1	1	3	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	11·7	7·8	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	56	27	41	0·63	55	33	37	0·35	48	27	36·3	0·77
Dundalk	18,076	3·4	23·9	31·9	.	6	8	1	2	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	32·7	16·3	4·1	8	4	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	25·2	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70
Lurgan	11,782	13·8	39·8	13·8	4·4	9	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70
Lisburn	11,461	10·1	4·5	22·7	.	1	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70
Wexford	11,168	23·2	23·3	28·0	4·7	5	6	1	2	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	19·2	9·6	.	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·0	27·9	38·8	1·18	51·5	34·0	42·6	0·71	46·2	23·8	34·6	2·77
Sligo	10,870	3·7	14·4	24·0	.	3	5	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	56	25	38·0	0·77	54	29	40·6	0·25	45	23	33·3	0·53
Kilkenny	10,609	11·5	.	9·8	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Clonmel	10,167	7·8	30·8	5·1	.	6	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70
Portadown	10,092	13·2	31·0	25·3	.	6	5	1	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tralee	9,867	16·6	10·6	5·3	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	53	28	39·3	0·61	51	34	42·8	0·23	44	29	38·2	0·45
Newtownards	9,110	18·9	22·9	22·9	.	4	4	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	54	34	44·1	1·74	53	32	43·7	0·28	48	30	39·4	0·33
Queenstown	7,909	14·4	13·2	13·2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18	42·5	19·5	33·0	0·70
Armagh	7,588	22·2	27·5	20·6	6·9	4	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2												

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 10th of December, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	6	.	2	2	.	.	.	.	.	10	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Phthisis,	2	2	6	1	.	.	.	2	3	4	2	.	1	1	1	1	26	1
Other General Diseases,	2	3	4	2	.	.	.	1	2	7	3	.	6	.	1	1	32	2
Total,	5	5	10	3	.	.	.	9	6	14	7	.	8	1	2	2	72	4
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	2	2	.	1	.	.	.	.	.	1	.	.	1	.	.	8	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	1	4	3	2	1	.	.	6	2	2	1	.	2	4	1	1	30	6
Respiratory System,	6	4	2	4	.	.	1	5	1	4	7	.	.	3	.	1	38	.
Digestive System,	.	1	1	1	.	.	.	2	1	2	2	.	.	1	1	.	12	.
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Urinary System,	.	1	.	1	.	.	.	1	.	1	1	.	.	.	.	.	5	2
Generative System,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Diseases of Locomotive System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
„ Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	8	13	8	8	2	.	1	15	4	10	13	.	2	10	2	2	98	5
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	.	1	.	1	.	.	.	3	.	1	.	2	.	1	.	2	11	.
E. VIOLENT DEATHS	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Deaths from all Causes,	13	19	18	12	2	.	1	27	11	25	21	2	10	12	4	6	183	9
Annual Rate of Mortality in every 1,000 of the population	23·9	25·3	31·2	19·8	21·7	.	7·8	36·7	31·4	31·1	31·2	11·7	15·7	24·0	23·8	17·8	25·2	.
	22·5							31·4					19·5					
	26·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	3	3	2	1	1	.	.	10	4	7	6	.	5	.	.	.	42	8
Workhouse Hospitals	2	5	8	4	.	.	.	4	1	3	3	.	.	2	.	.	32	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regi
week of the ten years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years 1894–1903.	In the Week ending Sat 10th December, 190					
												Deaths of Persons of the					
												ALL AGES.	0 to 5.				
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40
	Dec. 8, 1894.	Dec. 7, 1895.	Dec. 5, 1896.	Dec. 11, 1897.	Dec. 10, 1898.	Dec. 9, 1899	Dec. 8, 1900.	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.							
Mean Temperature.	° 36·8	° 42·4	° 40·9	° 42·8	° 48·1	° 44·3	° 45·8	° 45·4	° 38·5	° 40·9	° 42·6	° 40·4					
ALL CAUSES.	170	135	198	171	170	258	189	153	196	186	182·6	192	13	22	27	8	
Small-pox, Vaccinated,	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	
Small-pox, Unvaccinated,	6	.	.	.	.	.	.	.	.	.	·6	.	.	.	.	.	
Small-pox, No Statement,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cowpox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	30	.	.	9	1	4·0	10	.	2	8	.	
Scarlet Fever	1	.	4	4	.	1	1	1	2	.	1·4	1	.	.	1	.	
Typhus,	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	
Plague,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	6	4	1	1	2	2	2	3	1	5	2·7	1	.	.	.	.	
Whooping Cough,	1	2	7	.	3	1	4	.	.	7	2·5	.	.	.	.	.	
Diphtheria,	1	.	.	1	.	3	.	2	2	.	·9	1	.	.	1	.	
Cerebro Spinal Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Continued Fever,	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	
Enteric Fever,	2	1	4	7	4	2	3	1	2	1	2·7	2	.	.	.	.	
Asiatic Cholera,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery,	3	2	.	3	1	4	3	4	. / 1	. / 2	2·3	. / 1	.	. / 1	.	.	
Hydrophobia,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Glanders,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Anthrax, Splenic Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Venereal Disease,	.	.	1	1	2	1	.	.	.	1	·6	1	.	.	1	.	
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, *Puerperal Fever*,	1	.	.	.	1	.	.	.	. / 1	. / .	·3	. / . / .	.	. / .	.	.	
Infective Endocarditis,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas,	1	.	2	.	.	1	.	.	1	.	·5	.	.	.	.	.	
Septicæmia (not Puerperal), Pyæmia (not Puerperal),	.	1	1	2	.	1	.	2	2 / .	. / 1	1·0	. / .	.	.	.	.	
Septic Dis. (other),	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	
Tuberculous Phthisis, "*Phthisis*,"	25	16	28	18	17	27	18	32	1 / 25	2 / 20	22·9	9 / 18	.	.	1	. / 2	
Tuberculous Meningitis, (Acute Hydrocephalus).	2	4	3	1	1	5	7	1	3	4	3·1	2	.	2	.	.	
Tuberculous Peritonitis, Tabes Mesenterica,	3	5	3	4	6	8	5	2	1 / .	. / .	3·7	2 / .	.	.	.	1 / .	
Tuberculous Dis. (other), *Scrofula*,	4	.	1	2	8	7	7	4	3 / .	5 / .	4·1	8 / .	.	1	4	. / .	
Alcoholism,	2	.	.	1	1	.	1	1	1	1	·8	.	.	.	.	.	
Rheumatic Fever,	.	.	1	1	.	.	2	.	.	.	·4	.	.	.	.	.	
Gout,	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	

* The figures for the years 1894–1900

TY-NINTH WEEK ending Saturday, 10th December, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 8, 1894.	Dec. 7, 1895.	Dec. 5, 1896.	Dec. 11, 1897.	Dec. 10, 1898.	Dec. 9, 1899.	Dec. 8, 1900.	Dec. 7, 1901.	Dec. 6, 1902.	Dec. 12, 1903.	Averages in 49th Week of the 10 years 1894–1903.	In the Week ending Saturday, 10th December, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 36·8	° 42·4	° 40·9	° 42·8	° 48·1	° 44·3	° 45·8	° 45·4	° 38·5	° 40·9	° 42·6	° 40·4								
ma									3	1		5	.	.	.	.	.	5	.	.
a	1	6	1	4	8	12	6	5	1	.	6·0	.	.	.	.	.	.	.	.	.
Malignant Disease ...									5	7		3	.	.	.	1	1	.	1	
s Mellitus	.	.	.	.	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.
ure Birth	2	3	7	4	1	4	4	2	2	1	3·0	9	8	1	.	.	.	.	.	.
itis (not tuberc.)									1	4		1	.	.	.	1	.	.	.	.
r, G. P. of Insane									.	2		1	.	.	.	.	.	.	1	.
y									.	1		.	.	.	.	.	.	.	.	.
ions									11	7		4	2	2	.	.	.	.	.	.
tor Ataxy									.	.		.	.	.	.	.	.	.	.	.
gia Dis. of Cord									2	3		1	.	.	.	.	.	.	1	.
s System (other Dis.) ...	38	27	42	31	28	40	47	29	1	1	36·5	1	.	1	.	.	.	.	.	.
is., Endocarditis									3	3		6	.	.	.	.	1	3	2	.
Hæm. Thromb.									1	1		3	.	.	.	.	.	1	1	1
y, *Hemiplegia*									7	6		9	.	.	.	.	1	3	3	2
sm									2	.		.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)									.	.		1	.	.	.	1	.	.	.	.
nd Blood Vessel Dis.									13	14		13	.	.	.	.	2	3	5	3
not Spasm. or Memb.) ...	.	1	2	1	2	2	.	.	1	.	·9	1	.	.	1	.	.	.	.	.
itis	24	13	29	27	31	38	19	18	38	32	26·9	18	.	2	4	.	1	4	7	.
is Pneumonia									.	1		1	.	1	.	.	.	.	.	.
o-Pneumonia	8	13	12	5	9	25	15	5	8	8	12·3	6	.	2	1	1	.	.	2	.
onia"									4	10		8	.	.	.	3	3	2	.	.
, Emphysema									1	.		.	.	.	.	.	.	.	.	.
... ...	4	4	5	3	1	5	2	2	.	.	3·0	.	.	.	.	.	.	.	.	.
tory Dis. (other)									1	2		4	.	.	1	.	1	1	1	.
tis, Quinsy	.	1	.	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
s (not Epid.)	.	1	1	1	.	.	.	2	2	1	·9	.	.	.	.	.	.	.	.	.
Enteritis									.	1		1	.	.	.	1	.	.	.	.
tis (not Puerp.)	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.
s of Liver	.	2	2	2	4	5	2	4	2	.	2·8	2	.	.	.	.	.	1	1	.
is. (other)									3	2		1	.	.	.	.	.	.	1	.
e Dis. (other)	4	4	3	5	6	2	8	5	4	3	4·4	8	1	2	.	.	1	1	3	.
is, Acute									3	2		2	.	.	.	.	.	.	2	.
Dis., Albuminuria ...	4	4	5	7	2	4	4	7	5	1	5·0	1	.	.	.	.	.	1	.	.
Sys. (Other Dis.) ...									.	2		4	.	.	.	.	.	1	2	1
ive Organs Dis.	.	.	.	.	.	1	2	.	.	1	·4	2	.	.	.	.	.	1	1	.
rth (Accid. of)	1	1	.	1	.	.	.	1	.	.	·4	2	.	.	.	.	2	.	.	.
... ...	11	5	11	18	8	12	8	6	3	4	8·6	3	.	.	.	.	.	.	2	1
Diseases	12	9	16	11	14	8	14	11	9	5	10·9	13	2	5	4	1	.	.	1	.
ACCIDENT.																				
ways	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.
icles and Horses	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
, Boats, Docks (exclusive owning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ling Operations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	.	2	4	2	6	.	1	2	1	3	2·1	1	.	.	.	1	.	.	.	.
wning	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.
ocation in Bed	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	2	.	.	2	1	2	1	1	.	2	1·1	1	.	.	.	.	.	1	.	.
OLENCE OTHER THAN ACCIDENTAL.																				
de	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.
... ...	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
No. of weeks in Annual Series.	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	182	296	210	202	172	240	243	188	269	260	236	254	182	177	222	258	178	202	257	196	217	203	194	149	232	185
*Average Births in corresponding week of previous 10 years,**	201	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199	183	188	197
DEATHS registered,	169	149	126	188	146	181	136	161	199	183	178	150	157	134	194	146	130	162	191	156	162	156	183	170	204	192
Annual Death-rate per 1,000,	23·3	20·5	17·8	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3	21·5	25·2	23·4	28·1	26·4
*Average Deaths in corresponding week of previous 10 years,**	152	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183	191	191	183
AGES,— Under 5 years,	37	32	34	32	54	41	52	73	91	81	86	65	68	61	67	55	45	68	82	50	66	43	66	63	66	62
5—20 ,,	21	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12	11	13	8
20—40 ,,	42	30	15	21	21	25	28	17	28	31	21	17	20	13	29	22	23	15	30	33	28	26	26	24	28	30
40—60 ,,	32	28	27	37	29	24	33	23	28	29	23	28	21	23	38	32	21	31	26	29	19	34	36	22	42	43
60—80 ,,	29	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37	44	45	39
80 years and upwards,	8	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6	6	10	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7	8	12	12	10
,, Scarlet Fever	.	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1	.	1
,, Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.	4	4	3	.
,, Diphtheria,	.	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1	.	1	1
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	1	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2	.	2	2
,, Diarrhœal Diseases,	.	.	1	5	2	5	5	15	33	33	35	26	26	14	28	16	10	8	11	6	5	5	5	4	3	1
,, Phthisis,	26	23	14	23	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23	15	29	27
,, Diseases of Heart and Blood Vessels,	34	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23	23	20	32
,, Diseases of Respiratory System.	28	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	38	37	59	33
Violent Deaths,	1	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5	8	2	2
Mean Temperature of the Air (Phœnix Park),	56·3	55·4	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8	33·6	41·3	40·4
Average Mean Temperature in corresponding week of previous 10 years.	53·8	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3	43·4	42·3	42·6
Rainfall in inches,	·725	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050	·385	·100	·485
Mean Humidity of the Air, complete Saturation 1·0,	·78	·82	·73	·81	·87	·61	·84	·73	·82	·85	·84	·84	·81	·82	·82	·88	·88	·86	·90	·92	·87	·91	·91	·88	·93	·85

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10TH December, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 10th December, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 30.	30 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	26·7	192	62	8	30	43	39	10	.	10	1	.	.	1	.	2	1	15	27	4	38	2	106
	CLASSES. Deaths in Families of the—																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	26·9	9	.	.	.	.	6	3	.	.	.	.	.	.	.	.	.	.	.	.	4	.	5
II.	MIDDLE CLASS,	87,188	18·5	31	8	2	8	7	4	2	.	.	.	.	.	.	.	.	.	.	4	.	2	.	24
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	18·4	39	14	1	4	11	8	1	.	2	1	.	.	.	.	.	.	3	6	1	3	1	25
IV.	GENERAL SERVICE CLASS,	154,279	36·8	80	36	5	10	13	15	1	.	8	.	.	.	1	.	1	1	11	8	3	21	1	36
V.	INMATES OF WORKHOUSES,	6,024		33	4	.	8	12	6	3	.	.	.	.	.	.	.	.	.	.	9	.	8	.	16
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	26·7	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	31·2	5	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	23·7	10	1	.	3	3	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	8
	6. Clerks and Commercial Assistants,	30,432	8·6	5	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,038	27·0	14	5	2	2	2	2	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	13
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	9. Building and Furnishing Trades,	29,801	21·0	12	3	1	.	5	3	.	.	1	.	.	.	.	.	.	.	1	1	.	.	1	9
	10. Clothing Trades,	28,260	15·7	7	4	.	.	1	1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	5
	11. Food Supply Trades,	9,242	23·6	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3
	12. Other Trades and Callings ranking with Trades,	30,352	17·2	10	3	.	3	2	2	.	.	1	.	.	.	.	.	.	.	1	3	.	2	.	4
	13. Petty Shopkeepers,	7,894	13·2	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	46·6	12	3	.	2	2	4	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	9
	15. Domestic Servants,	36,603	10·0	7	2	1	2	.	2	.	.	1	.	.	.	.	.	.	1	2	1	.	.	.	4
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	32·6	9	2	1	1	3	2	.	.	1	.	.	.	.	.	.	.	1	3	.	2	.	3
	17. Hawkers, Porters, Labourers, &c.,	89,861	30·2	52	29	3	5	8	7	.	.	6	.	.	.	1	.	1	.	8	4	3	16	1	20
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	33	4	.	8	12	6	3	.	.	.	.	.	.	.	.	.	.	9	.	.	.	16

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN: the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of).	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidents, Homicide and Suicide).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,882.	Oct. 22,	25·8	.	14	.	.	.	.	.	.	.	.	.	1	1	1
	„ 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
	„ 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	31·3	3·7	17	.	.	.	.	1	.	.	1	.	2	4	1
	„ 26,	27·6	1·8	15	.	.	.	.	.	.	.	.	1	3	3	1
	Dec. 3,	38·6	1·3	21	.	.	.	.	.	.	.	.	1	1	3	.
	„ 10,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	2	6	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 89,146.	Oct. 22,	24·0	2·7	18	.	.	.	.	.	.	.	.	2	5	2	.
	„ 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	5	4	.
	Nov 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
	„ 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	„ 19,	18·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	32·0	1·3	24	.	1	.	.	.	.	.	.	.	3	6	1
	Dec. 3,	22·6	.	17	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	25·3	.	19	.	.	.	.	.	.	.	.	.	2	4	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 80,107.	Oct. 22,	27·7	5·2	16	.	.	.	.	.	.	.	.	3	3	5	.
	„ 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	„ 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	18·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	„ 26,	26·0	3·5	15	.	.	.	.	1	.	.	.	1	2	1	1
	Dec. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	3	4	.
	„ 10,	31·2	.	18	.	.	.	.	.	.	.	.	.	6	2	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,673.	Oct. 22,	28·0	6·6	17	.	2	.	.	.	1	.	.	1	1	6	.
	„ 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
	„ 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
	„ 19,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	„ 26,	28·0	3·3	17	.	1	.	.	1	.	.	.	.	1	5	.
	Dec. 3,	29·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 10,	19·8	.	12	.	.	.	.	.	.	.	.	.	1	4	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 88,884.	Oct. 22,	29·9	5·4	22	.	2	.	.	.	.	.	.	2	1	4	.
	„ 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
	„ 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
	„ 19,	35·3	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	„ 26,	25·8	6·8	19	.	4	.	.	1	.	.	.	.	1	4	1
	Dec. 3,	35·3	9·5	26	.	6	.	.	.	.	.	.	1	4	10	.
	„ 10,	36·7	8·2	27	.	6	.	.	.	.	.	.	.	2	5	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Oct. 22,	25·7	.	9	.	.	.	.	.	.	.	.	.	2	1	.
	„ 29,	8·6	.	3	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.
	„ 26,	25·7	5·7	9	.	2	.	.	.	.	.	.	.	.	2	.
	Dec. 3,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	2	3	.
	„ 10,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	3	1	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Oct. 22,	21·1	1·2	17	.	1	.	.	.	.	.	.	.	1	7	.
	„ 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
	„ 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	.
	„ 19,	22·4	3·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	„ 26,	24·9	2·5	20	.	1	.	.	.	.	.	.	1	1	5	1
	Dec. 3,	28·6	1·5	23	.	1	.	.	1	.	.	.	.	3	9	1
	„ 10,	31·1	3·7	25	.	2	.	.	.	.	.	.	1	4	4	.
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,138	Oct. 22,	25·2	3·0	17	.	1	.	.	.	.	.	.	1	2	3	.
	„ 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2
	Nov. 5.	28·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	23·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
	„ 19,	32·6	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1
	„ 26,	31·2	3·0	21	.	1	.	.	1	.	.	.	.	2	5	2
	Dec. 3,	26·7	8·9	18	.	3	.	.	2	.	.	.	1	3	7	1
	„ 10,	31·2	3·0	21	.	2	.	.	.	.	.	.	.	2	7	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal, and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Oct. 22,	23·6	1·6	15	.	.	.	.	.	.	.	.	1	.	1	.
	„ 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 12,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	1
	„ 19,	26·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
	„ 26,	14·1	3·1	9	.	2	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	26·7	3·1	17	.	2	.	.	.	.	.	.	.	2	7	.
	„ 10,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	1	.	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Oct. 22,	16·0	.	8	.	.	.	.	.	.	.	.	.	3	.	1
	„ 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5,	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	„ 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	„ 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	3	1
	Dec. 3,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Oct. 22,	20·7	3·0	7	.	.	.	.	.	.	.	.	1	.	.	.
	„ 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
	„ 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	1
	„ 26,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 3,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Oct. 22,	17·7	1·6	122	.	1	1	.	1	.	.	2	6	16	33	3
	„ 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	26	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	„ 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	„ 19,	19·8	1·2	136	.	8	1	.	.	1	.	1	4	17	42	4
	„ 26,	19·6	2·2	135	.	7	.	.	.	.	.	5	3	23	41	3
	Dec. 3,	22·5	2·6	155	.	11	.	.	1	.	1	2	3	21	40	1
	„ 10,	24·3	3·2	167	.	18	.	.	.	.	1	3	.	21	47	2
Cork Pop. (in 1901) 76,122.	Oct. 22,	19·9	.	29	.	.	.	.	.	.	.	.	.	8	1	.
	„ 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
	„ 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
	„ 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
	„ 26,	16·4	0·7	24	.	.	.	.	.	.	.	1	.	4	7	1
	Dec. 3,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	2	.
	„ 10,	24·7	2·1	36	.	2	.	.	.	.	.	.	1	8	7	1
Londonderry. Pop. in 1904 (Est.) 41,397	Oct. 22,	8·8	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	„ 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	16·4	.	13	.	.	.	.	.	.	.	.	.	2	6	.
	„ 10,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	1	.
Limerick. Pop. (in 1901) 38,151.	Oct. 22,	27·3	.	20	.	.	.	.	.	.	.	.	.	2	2	.
	„ 29	26·0	1·4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	„ 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 26,	15·0	1·4	11	.	.	.	.	.	.	.	.	1	.	4	.
	Dec. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1
	„ 10,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
Waterford. Pop. (in 1901) 26,769	Oct. 22,	5·8	.	3	.	.	.	.	.	.	.	.	.	.	.	1
	„ 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	„ 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 3,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 10,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	3	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th December, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	3	24·8	.	7	1	.	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 2 "	47,959	31	31·5	4·3	29	9	3	12	5	.	1	.	.	.	.	1	2	.	3	11	.	.	7
Do. 3 "	47,214	26	19·9	5·5	18	3	6	6	3	.	5	.	.	.	.	.	.	.	1	5	.	1	1
Do. 4 "	40,911	25	30·6	3·8	24	10	4	5	5	.	3	.	.	.	.	.	.	.	3	3	.	.	10
Do. 5 "	17,387	9	33·0	9·0	11	1	3	5	2	.	3	.	.	.	.	.	.	.	1	3	.	.	4
Do. 6 "	48,122	16	23·8	.	22	3	2	8	9	.	.	.	.	.	.	.	.	.	2	11	.	.	7
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	3	20·6	10·3	2	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 "	19,569	12	18·7	.	7	2	.	5	.	.	.	.	.	.	.	.	.	.	1	3	.	.	1
Do. 10 "	23,064	11	24·9	11·3	11	1	4	5	1	.	5	.	.	.	.	.	.	.	2	2	.	.	1
Do 11 "	34,862	16	28·5	.	19	4	.	12	3	.	.	.	.	.	.	.	.	.	5	4	2	3	3
Do. 12 "	33,588	33	20·2	1·6	13	.	2	7	4	.	.	.	.	.	.	.	1	.	2	4	.	.	2
Do 13 "	15,006	18	13·9	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	204	24·9	3·3	167	34	24	73	36	.	18	.	.	.	.	1	3	.	21	47	2	4	37
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	4	32·4	.	8	1	.	5	2	.	.	.	.	.	.	.	.	.	.	2	.	.	4
Do. 2 "	10,701	5	29·2	.	6	1	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	1
Do 3 "	9,978	1	26·1	.	5	.	.	4	1	.	.	.	.	.	.	.	.	.	2	2	.	.	2
Do. 4 "	8,666	4	12·0	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do. 5 "	6,592	1	23·7	.	3	.	.	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	3
Do. 6 "	10,702	3	14·6	.	3	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do, 7 "	16,616	11	28·2	9·4	9	2	2	4	1	.	2	.	.	.	.	.	.	1	2	1	.	.	2
Total,	76,122	29	24·7	2·1	36	4	3	21	8	.	2	.	.	.	.	.	.	1	8	7	1	1	13

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered,	216	225	229	255	174	258	195	211	227	205	196	181	196	233	220	197	218	229	230	226	238	215	215	142	214	204
DEATHS registered.	126	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125	118	128	136	135	155	167
Annual Death-rate per 1,000 of estimated Population.	18·3	17·6	17·3	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8	19·6	22·5	24·3
AGES, Under 1 year,	27	14	24	33	23	30	36	32	46	46	27	41	43	38	29	32	33	33	29	31	35	40	29	20	36	34
AGES, 1–5 years,	22	19	13		9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22	23	23	24
AGES, 5–60 years,	59	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51	58	65	63	78
AGES, 60 years and upwards,	18	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27	27	33	36
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	6	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8	7	11	18
" Scarlet Fever,	.	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	.	.	.
" Typhus,	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	7	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1	.	.	1	.
" Diphtheria,	.	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
" Simple Continued Fever,	.	.		.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
" Enteric Fever,	2	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4	1	5	2	3
" Diarrhœal Diseases,	5	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4	3	3	.
" Phthisis	22	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14	17	23	21	21
" Diseases of Respiratory System,	30	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31	42	42	40	47
Violent Deaths,	2	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.	4	3	1	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th December, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	2	.	.	.	.	2	1	.	.	.	5
" " 1, West,	.	.	.	.	.	.	.	.	1	.	4	.	.	5
" " 2,	.	.	.	.	.	.	.	.	.	1	1	.	.	2
" " 3,	.	.	.	.	.	.	.	.	.	1	3	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	.	.	1	8	.	.	9
" " 2,	.	.	.	1	.	.	.	.	.	2	1	.	.	4
" " 3,	.	.	.	3	.	.	3	.	.	2	1	.	.	9
" " 4,	.	.	.	2	.	.	.	.	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	8	.	.	3	.	3	9	18	.	.	41

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th December, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th December.			
	Nov. 19.	Nov. 26.	Dec. 3.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	94	91	88	33	33	5	83
Scarlet Fever,	71	74	75	10	5	.	80*
Typhus "	4	3	1	.	.	.	1
Diphtheria,	26	30	29	7	13	1	22
Enteric Fever,	38	38	42	11	7	1	45
Pneumonia,	16	16	14	6	3	.	17

* Exclusive of 5 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON . .	4,649,088	Dec. 10,	2,185	1,613	18·1	.	22	9	23	19	11	16
EDINBURGH, .	331,977	„ 10,	121	104	16·3	.	.	.	.	3	.	3
GLASGOW, . .	798,357	„ 10,	471	354	23·1	.	2	.	2	32	.	6
CALCUTTA, . .	847,793	Oct. 22,	.	391	23·4	.	1	.	.	.	136‡	60*
BOMBAY, . .	776,006	Nov. 8,	449	609	40·8	2	.	.	.	.	40‡	40
MADRAS, . .	509,346	Oct. 21,	438	297	30·3	.	2	?	?	?	83	36
PARIS, . . .	2,660,559	Nov. 26,	994	824	16·0	.	2	1	.	4	5	16
BRUSSELS (with 8 Faubourgs).	586,936	„ 19,	231	162	14·4	1	3	.	2†	.	1	7
AMSTERDAM,	550,150	„ 19.	268	159	15·1	.	14	1	2	7	.	3
ROTTERDAM .	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN. .	417,000	Nov. 19,	221	87	10·9	.	1	.	1†	1	.	3
CHRISTIANIA, .	223,649	„ 26,	91	50	11·6	.	.	.	.	1	.	1
ST. PETERSBURG,	1,248,122	„ 26,	596	635	26·5	.	8	11	14	3	12	68
BERLIN, . .	1,964,315	„ 12,	884	574	15·1	.	2	11	16†	8	.	31
HAMBURG, . .	751,842	„ 19,	.	216	14·9	.	6	.	2†	1	.	6
BRESLAU, . .	445,679	„ 26.	.	219	25·6	.	1	.	2†	?	.	15
MUNICH, . .	520,900	„ 26,	.	204	20·4	.	2	2	3†	1	.	19
VIENNA (with suburbs).	1,816,303	„ 26,	845	656	18·8	1	10	.	14†	.	.	26
BUDA-PESTH .	813,399	„ 26,	409	295	18·9	.	6	7	8†	.	2	6
PRAGUE and Faubourgs.	426,402	„ 19,	176	159	19·2	.	2	.	1†	.	3	7
ROME, . . .	505,371	—	.	.	.	.	.	.	.	.	.	.
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	167,741	Oct. 29,	64	56	17·4	.	.	.	.	.	.	5
NEW YORK, .	3,838,024	Nov. 12,	1,792	1,228	16·7	.	3	8	27†	3	22	52
PHILADELPHIA,	1,408,154	„ 5,	.	386	14·3	.	.	2	11†	1	4	24

* Including 14 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 3 deaths from bubonic fever in Calcutta, and 52 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 10th December, 1904:—

"This week opened with a day of unusual warmth for December—the mean temperature in Dublin being 54·0°, and the range from 49·1° to 59·0°. By Monday, however, a change to normally cold weather for the season had begun and from Wednesday inclusive onward the thermometer ruled low in most districts. The warmth at the beginning was connected with the southerly winds of a vast atmospheric depression, of which the centre reached the Shetlands from S.W. at 8 a.m. of Monday, when the barometer read as low as 28·38 inches at Sumburgh Head. At the same moment the reading at Lyons was 30·21 inches, so that very steep gradients for S.W. winds existed over N.W. Europe. Gales were prevalent on Sunday night and Monday morning. In the afternoon of the latter day a new depression advanced to the mouth of the English Channel, causing heavy rains in the S. of England, but fine, bright weather in Ireland and Scotland, where temperature fell. In London ·94 inch of rain was measured at 8 a.m. of Wednesday. Thursday was very frosty, and at night the screened thermometer fell to 20° at Nairn, 21° at Nottingham, and 22° at Wick and Aberdeen. But meanwhile a large and deep cyclonic system rapidly spread across Ireland from W., bringing a dangerous E. to S.E. gale and heavy rain—at Liverpool snow fell on Friday morning, but it was soon followed by a thaw and rain. By Saturday morning the disturbance was passing off to the eastward, and a clearing sky and northerly winds brought a renewed fall of temperature to Ireland, frost setting in towards evening. In Dublin the mean atmospheric pressure was 29·438 inches, the barometer falling to 29·098 inches at 5 p.m. of Sunday (wind, S.W.) and rising to 29·822 inches at 9 a.m. of Thursday (wind, W.). The corrected mean temperature was 42·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·5°. On Sunday the screened thermometers rose to 59·0°, on Thursday they fell to 30·7°. Variable winds prevailed, W. being dominant. Bright sunshine was estimated at 26·5 hours, 6 hours falling on Thursday. Rain fell on 5 days to the amount of ·731 inch, ·439 inch being measured on Friday and ·232 inch on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·449 inches. The highest reading (29·847) was on Thursday at 9 a.m., wind W., and the lowest (29·204) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 40·4°, being 2·2° below the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Sunday, on which day the thermometer registered 53·5°, and was lowest on Thursday, the mercury having fallen to 26·9°. The mean of the Dry Bulb for the week was 39·5°, and of the Wet Bulb 37·7°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 28·0 hours The rainfall during the week measured ·485 inch.

At Greenwich the mean temperature for the week was 42·3°, the maximum 53·7°, and the minimum 26·2°; at Glasgow the maximum was 56·8°, the minimum 27·5°, and the mean 38.8°; and at Edinburgh the maximum was 55·1°, the minimum 28·1°, and the mean 37·2°. The rainfall at Greenwich measured 1·54 inches; at Glasgow 1·02 inches; and at Edinburgh 0·81 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 4,	29·314	53·5	47·8	50·7	52·3	48·9	·78	·6	0·7	·030	S.W.	S.W.
Monday, „ 5,	29·422	49·3	39·9	44·6	42·1	39·5	·80	·4	5·3	—	S.W.	S.W.
Tuesday, „ 6,	29·290	45·2	37·5	41·4	39·6	37·3	·82	·8	5·6	—	S.W.	W.
Wednesday, „ 7,	29·406	42·9	31·9	37·4	35·2	34·2	·92	·4	4·4	·015	W.	N.W.
Thursday, „ 8,	29·737	38·7	26·9	32·8	34·2	32·2	·81	·2	6·0	·100	W.	S.
Friday, „ 9,	29·278	44·7	37·9	41·3	41·7	41·2	·97	·4	0·0	·325	E.	E.
Saturday, „ 10,	29·699	41·3	27·5	34·4	31·7	30·3	·82	·2	6·0	·015	N.N.W.	N.W.
Mean, . .	29·449	45·1	35·6	40·4	39·5	37·7	·85	·4	Total 28·0	·485	Prevailing Wind, S.W.	

Sunday—Day cloudy a.m., overcast, squally, and wet, p.m.; night cloudy, squally and wet. *Monday*—A fine day; night clear. *Tuesday*—A fine day; night clear. *Wednesday*—A fine day, light rain 5.30 p.m. to 6.15 p.m.; night clear. *Thursday*—A fine day; night clear to 10 p.m., overcast and drizzling rain to 9 a.m. *Friday*—Day overcast and wet all day; night overcast and wet. *Saturday*—A fine day; night clear p.m. cloudy a.m., snow 6.30 a.m. to 7.30 a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P 289. 9. 1904.

OFFICIAL.

'EEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

NSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

'WENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH

Price 1½*d.*

)L. XLI.] WEEK ENDING SATURDAY, 17TH DECEMBER, 1904. [No. 50.

General Register Office, Charlemont House, Dublin, 19*th December,* 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in e Dublin Registration Area and the twenty-one principal provincial Urban Districts Ireland was 22·8 per 1,000 of their aggregate population, which, for the purposes these Returns, is estimated at 1,093,289.† The deaths registered in each of the st four weeks, and during the whole of that period, in the several Districts, alphatically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Nov. 26.	Week ending Dec. 3.	Week ending Dec. 10.	Week ending Dec. 17.	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 26.	Week ending Dec. 3.	Week ending Dec. 10.	Week ending Dec. 17.	Average Rate for 4 weeks.
! Town Dists.	18·8	22·7	22·7	22·8	21·8	Lisburn, . .	27·3	27·3	22·7	4·5	20·5
'magh, . .	6·9	13·7	20·6	20·6	15·5	Londonderry .	12·6	16·4	23·9	27·7	20·2
ıllymena, .	4·8	33·5	9·6	19·2	16·8	Lurgan, . .	13·3	13·3	13·3	22·1	15·5
elfast, . .	19·6	22·5	24·3	21·7	22·0	Newry, . .	8·4	12·6	.	16·8	9·5
onmel, . .	15·4	10·3	5·1	25·6	14·1	Newtownards, .	11·4	5·7	22·9	11·4	12·9
ork, . . .	16·4	14·4	24·7	19·9	18·9	Portadown, .	5·2	25·8	25·8	20·7	19·4
rogheda, . .	12·3	8·2	16·3	24·5	15·3	Queenstown, .	26·4	6·6	13·2	13·2	14·9
ublin Reg. Area,	22·6	27·0	25·2	25·3	25·0	Sligo, . . .	14·4	19·2	24·0	9·6	16·8
undalk, . .	27·9	19·9	31·9	16·0	23·9	Tralee, . .	15·9	5·3	5·3	10·6	9·3
alway, . .	.	50·5	7·8	7·8	16·5	Waterford, .	15·6	21·4	15·6	21·4	18·5
ilkenny, . .	4·9	24·6	9·8	14·7	13·5	Wexford, . .	14·0	28·0	23·0	9·3	19·8
imerick, . .	15·0	17·8	13·7	45·1	22·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last eek * were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in eventeen of the districts to 13·3 in Lurgan, the 5 deaths from all causes registered in at district including 3 from whooping cough. Among the 149 deaths from all causes in elfast are 16 from measles, 5 from enteric fever, and 3 from diarrhœal diseases; and he 29 deaths from all causes in Cork include one from measles and one from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 89—90 boys and 99 girls; and the deaths to 197—98 males and 99 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 27·1 in every ,000 of the population; omitting the deaths (numbering 13) of persons admitted ito public institutions from localities outside the Area, the rate was 25·3 per 1,000. During the fifty weeks ending with Saturday last the death-rate averaged 24·5, and as 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903. The deaths from measles, which in the 3 preceding weeks were 12, 12, and 10,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective istricts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

respectively, fell in the weekly period under review to 6. There were 2 deaths from influenza; cerebro spinal fever caused one death, enteric fever caused 2 deaths, and 3 deaths from diarrhœal diseases were registered.

Two deaths from croupous pneumonia, 5 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* were registered.

The 45 deaths referred to tuberculous disease, comprise 10 from tuberculous phthisis, 20 from *phthisis*, 2 from tuberculous meningitis, 1 from tuberculous peritonitis, 2 from tabes mesenterica, and 10 deaths from other forms of the disease.

Three deaths, each, were attributed to carcinoma, and to *cancer*, *malignant disease*.

The deaths of 6 children born prematurely were registered.

Of 14 deaths from diseases of the brain and nervous system, 6 of infants under one year old were due to *convulsions*.

The deaths from diseases of the heart and blood-vessels numbered 31.

Of the 32 deaths attributed to diseases of the respiratory system (exclusive of the pneumonias), 26 were due to bronchitis.

Five deaths from accidental causes were registered, one of these being that of a child, aged 3 years, from scalds.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 5 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Sixty-five of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 17 were under one month old), and 48 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 9 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·3 per 1,000; the rate in the City was 27·0 (North City Districts, 23·2; South, 31·1), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (0·3 in the North City Districts, and 2·6 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·8 per 1,000. There was one death from influenza, tuberculosis caused 3 deaths, broncho-pneumonia and *pneumonia* each caused one death, and there were 2 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. There were 4 deaths from tuberculous disease, 2 deaths from bronchitis, and one death from accidental violence

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There were 5 deaths from tuberculous disease of the lungs; croupous pneumonia and *pneumonia*, each caused one death, and bronchitis caused 4 deaths

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 19·8 per 1,000. There were 5 deaths from tuberculous disease, and there were 3 deaths from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4, and Finglas and Glasnevin, part of, 23·5. The only death tabulated for the first-named district was from enteric fever. There was one death from accidental violence tabulated for Finglas and Glasnevin, part of.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 28·5 per 1,000. Measles caused 3 deaths, *diarrhœa* caused one death; there were 3 deaths from tuberculous disease, 5 deaths from bronchitis, and one death from accidental violence.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. There were 2 deaths from tuberculous disease, and 6 deaths from diseases of the respiratory system.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 29·8 per 1,000. Measles, *diarrhœa*, and influenza each caused one death; there was one death from cerebro-spinal fever, there were 6 deaths from tuberculous disease, there was one death due to *pneumonia*, and one death from accidental violence was registered.

No. 4 South City District (Grand Canal-street).—The deaths (27) are equivalent to an annual rate of 40·1 per 1,000. One death from measles, 6 deaths from tuberculous disease, one death from croupous-pneumonia, 3 deaths from bronchitis, and one accidental death, were registered.

New Kilmainham District.—The one death is equal to an annual rate of 5·9 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 20·0; Blackrock, 29·8; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles and one from *diarrhœa* for Rathmines and Rathgar. The 10 deaths from all causes tabulated for Pembroke include 2 from tuberculous phthisis, 2 from *convulsions*, and 3 from diseases of the heart and blood-vessels; and the 8 deaths from all causes for Kingstown include 2 from *phthisis* and 3 from diseases of the respiratory system.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Tawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 17th December, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Nov. 26,	.	—	—	4	.	.	5	1	1	9	8	.	—	—	—	—	—	28
	Dec. 3,	.	—	—	7	.	.	4	.	2	10	15	.	—	—	—	—	—	38
	Dec. 10,	.	—	—	8	.	.	3	.	3	9	18	.	—	—	—	—	—	41
	Dec. 17,	.	—	—	6	.	.	.	.	4	8	14	.	—	—	—	—	—	32
Rathmines and Rathgar Urban District.	Nov. 26,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	4
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	3	.	—	—	—	—	—	3
	Dec. 10,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	—	3
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Pembroke Urban District.	Nov. 26,	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	—	—	3
	Dec. 3,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	—	—	2
	Dec. 10,	.	12	.	4	.	.	1	.	.	1	.	.	.	.	.	—	—	18
	Dec. 17,	.	19	.	1	.	.	.	.	.	.	.	.	.	.	.	—	—	20
Blackrock Urban District.	Nov. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1
	Dec. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Nov. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 3,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	3
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Nov. 26,	6	—	—	18	.	.	7	2	10	10	5	.	—	—	—	—	—	58
	Dec. 3,	3	—	—	23	.	.	2	4	6	9	9	.	—	—	—	—	—	56
	Dec. 10,	7	—	—	10	.	.	4	2	11	7	16	1	—	—	—	—	—	58
	Dec. 17,	5	—	—	7	.	.	4	2	14	6	11	1	—	—	—	—	—	50

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th December, 1904.

From this it appears that :—

Forty-six cases of measles were admitted to hospital during the week, 7 were discharged, there were 5 deaths, and 117 patients remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 21 were discharged, and 68* cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital during the week, and none remained under treatment at its close.

Five cases of diphtheria were admitted to hospital, one was discharged, and 26 cases remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 7 were discharged, there were 2 deaths, and 41 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, patients were discharged, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·0), was equal to an average annual death-rate of 19·2 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 22·6 per 1,000, the rate for Glasgow being 26·6, and for Edinburgh 17·1.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th December, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	REGISTRATION—Week ending Saturday, 17th December, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases in cols. 10-18.	Births.	Numbers Registered. Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	METEOROLOGY.† Week ending 17th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(8)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,098,289	19·2	27·4	22·8	1·9	574	479	81	116	.	24	.	.	3	1	.	6	6	67	116	11	21	126	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,‡	373,994	27·5	26·0	25·3	1·4	189	184	39	46	.	6	.	.	.	.	.	1	3	27	41	5	6	51	§57·0	26·8	42·6	0·74	§53·5	26·9	40·4	0·49	§53·4	24·9	41·3	0·10
City of Dublin	298,385	37·1	28·6	27·0	1·4	161	152	35	33	.	5	.	.	.	.	.	1	2	23	35	5	6	47	a58·5 b56·8	31·2 27·6	44·5 42·4	0·51 0·84	a59·0 b57·8	30·7 27·0	42·5 41·8	0·73 0·50	a54·7 b54·9	30·0 26·0	43·7 41·2	0·10 0·10
Urban Districts. Rathmines and Rathgar.	33,203	19·4	18·8	14·1	3·1	12	9	1	2	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	10·0	20·0	.	5	10	2	5	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	35·7	29·8	.	6	5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	14·8	23·7	.	5	8	1	4	.	.	.	.	.	.	.	.	.	2	3	.	.	2	59·2	34·0	45·3	0·33	58·7	32·5	42·9	0·98	55·7	30·0	44·5	0·06
Urban Districts.																																			
Belfast	358,680	24·4	30·4	21·7	3·5	209	149	29	30	.	16	.	.	.	.	.	5	3	24	42	2	8	28	56·0	26·3	38·7	1·48	51·5	30·0	40·0	0·90	51·6	30·2	40·5	0·09
Cork	76,122	33·6	37·0	19·9	1·4	54	29	3	7	.	1	.	.	.	1	.	.	.	3	10	.	2	8	53	33	45·3	0·81	54	34	44·1	1·74	53	32	43·7	0·28
Londonderry	41,397	19·1	27·7	27·7	.	22	22	5	7	.	.	.	.	.	.	.	.	.	1	5	1	1	5	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	13·3	45·1	.	9	33	1	8	.	.	.	.	.	.	.	.	.	2	8	.	.	25	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	18·4	21·4	1·9	12	11	1	6	.	1	.	.	.	.	.	.	.	.	2	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	11·7	7·8	.	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	56	30	42·5	2·37	56	27	41	0·68	55	33	37	0·35
Dundalk	18,076	3·4	19·9	16·0	.	5	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	16·3	24·5	.	4	6	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	16·8	16·8	.	4	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18
Lurgan	11,783	13·8	22·1	22·1	13·3	5	5	.	.	.	.	.	.	3	.	.	.	.	1	1	.	.	.	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18
Lisburn	11,461	10·1	31·8	4·5	.	7	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18
Wexford	11,168	23·2	14·0	9·3	.	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,866	8·9	14·4	19·2	.	3	4	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	3·7	28·8	9·6	.	6	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	54·7	30·0	41·0	1·48	55·0	27·9	38·8	1·18	51·5	34·0	42·6	0·71
Kilkenny	10,609	11·5	49·1	14·7	.	10	3	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	55	30	42·6	0·57	56	25	38·0	0·77	54	29	40·6	0·25
Clonmel	10,167	7·8	20·5	25·6	.	4	5	.	1	.	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,099	13·2	15·5	20·7	.	3	4	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18
Tralee	9,867	16·6	26·4	10·6	.	5	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	51·5	11·4	.	9	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	53	28	41·6	1·27	53	28	39·3	0·61	51	34	42·8	0·28
Queenstown	7,909	14·4	33·0	18·2	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	33	45·3	0·81	54	34	44·1	1·74	53	32	43·7	0·28
Armagh	7,588	22·2	20·6	20·6	.	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43	51·0	30·1	41·7	0·18

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 17th of December, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICT OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	GLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	3	.	1	1	.	1	.	.	.	6	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœal Diseases,	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
Phthisis,	2	3	5	3	.	.	.	2	1	2	4	.	.	2	1	2	27	3
Other General Diseases,	4	4	1	2	.	1	.	2	3	10	3	.	4	.	1	1	36	2
Total,	6	7	6	5	1	1	.	8	4	14	8	.	6	2	2	3	73	6
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	.	.	.	.	.	1	1	3	2	.	.	2	.	.	13	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	.	3	3	2	.	.	1	4	.	3	4	.	1	3	3	2	29	2
Respiratory System,	4	2	6	3	.	.	1	5	6	2	6	.	2	1	.	3	41	1
Digestive System,	.	1	1	1	.	.	.	.	.	.	2	.	.	.	.	.	5	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	6	9	10	6	.	.	2	10	7	8	14	.	3	7	3	5	90	7
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	2	2	.	1	.	1	.	2	1	1	4	1	.	1	.	.	16	.
E. VIOLENT DEATHS	.	1	.	.	.	.	1	1	.	1	1	.	.	.	.	.	5	.
Deaths from all Causes,	14	19	16	12	1	2	3	21	12	24	27	1	9	10	5	8	184	13
Annual Rate of Mortality in every 1,000 of the population	25·8	25·3	27·7	19·8	10·8	10·4	22·5	28·5	34·2	29·8	40·1	5·9	14·1	20·0	29·8	23·7	25·3	.
	23·2							31·1					19·5					
	27·0																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	3	1	3	1	.	.	.	5	2	4	6	.	.	1	.	1	27	12
Workhouse Hospitals	.	5	3	3	.	1	.	4	1	2	3	.	.	.	1	1	24	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease reg
week of the ten years.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years 1894-1903.	In the Week ending Sa 17th December, 19				
												Deaths of Persons of the				
	Dec. 15, 1894.	Dec. 14, 1895.	Dec. 12, 1896.	Dec. 18, 1897.	Dec. 17, 1898.	Dec. 16, 1899.	Dec. 15, 1900.	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.		ALL AGES.	0 to 5.			
												Mean Temp.	Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.
Mean Temperature.	° 45·8	° 38·4	° 39·9	° 45·2	° 46·4	° 38·9	° 48·1	° 37·6	° 40·0	° 41·7	° 42·2	° 42·6				
ALL CAUSES.	182	153	173	191	169	256	184	138	219	193	185·8	197	17	22	26	17
Small-pox, Vaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.
Small-pox, Unvaccinated, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	23	1	.	10	.	3·5	6	.	.	6	.
Scarlet Fever	1	.	10	4	1	1	1	.	1	2	2·1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	1	1	.	6	.	1	1	4	1·8	2	.	.	1	.
Whooping Cough, ...	4	1	4	2	5	3	7	1	.	4	3·1	.	.	.	.	.
Diphtheria, ...	.	1	2	2	3	2	.	.	1	2	1·3	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Simple Continued Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.
Enteric Fever, ...	4	2	2	10	6	2	1	.	5	1	3·3	2	.	.	.	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	3	3	2	.	3	2	.	5	1	2·2	3	.	.	2	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	.	1	.	1	.	.	·2	4	.	2	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	2	.	.	.	·3	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	.	.	.	1	.	.	2	1	1	.	·5	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	16	18	24	22	21	36	19	15	18	2 14	20·5	10 20	.	. 1	. 2	2 3
Tuberculous Meningitis, (Acute Hydrocephalus).	5	1	1	5	2	6	3	.	6	4	3·3	2	.	.	.	2
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	5	5	.	4	3	3	2	1 1	2 .	2·8	1 2	.	. 1	. .	. 1
Tuberculous Dis. (other), ... *Scrofula*, ...	4	3	2	3	.	5	3	2	4 .	9 .	3·5	10 .	.	3 .	2 .	2 .
Alcoholism, ...	1	2	.	1	.	.	.	.	1	.	·5	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	2	1	1	.	.	·5	.	.	.	.	.
Gout, ...	.	.	.	.	1	.	3	.	.	.	·4	.	.	.	.	.

* The figures for the years 1894-190

IFTIETH WEEK ending Saturday 17th December, 1904, with the deaths from each cause in the corresponding ie average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Dec. 15, 1894.	Dec. 14, 1895.	Dec. 12, 1896.	Dec. 18, 1897.	Dec. 17, 1898.	Dec. 16, 1899.	Dec. 15, 1900.	Dec. 14, 1901.	Dec. 13, 1902.	Dec. 19, 1903.	Averages in 50th Week of the 10 years 1894-1903.	In the Week ending Saturday, 17th December, 1904. Deaths of Persons of the Ages of ALL AGES.	Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 45·8	° 38·4	° 39·9	° 45·2	° 46·4	° 38·9	° 48·1	° 37·6	° 40·0	° 41·7	° 42·2		° 42·6								
inoma	9	5	3	11	7	3	8	6	3	6	7·5	3					1		2	
oma									.	2		.							.	
er, *Malignant Disease* ...									6	6		3						1	2	
etes Mellitus	.	.	.	.	.	.	.	.	.	.		1						1		
iature Birth	2	3	2	2	1	7	2	3	1	3	2·6	6	6							
ngitis (not tuberc.)									3	3		3		1	2					
nity, G. P. of Insane									2	3		1						1		
epsy									3	.		.								
ulsions									9	10		6	2	4						
motor Ataxy									.	.		.								
plegia Dis. of Cord									.	1		3				1			2	
ous System (other Dis.) ...	46	35	33	34	32	41	34	37	6	3	38·8	1					1			
. Dis., Endocarditis									3	4		4				1	1	2		
br. Hæm. Thromb.									3	3		5				1	2	2		
lexy, Hemiplegia									4	6		3					1	1	1	
rysm									.	1		1					1			
olism, Thromb. (not cerebral)									.	.		.								
t and Blood Vessel Dis.									9	20		18	1			1	1	5	8	2
p (not Spasm. or Memb.) ...	.	1	.	.	.	1	.	1	1	1	·5	.								
chitis	30	16	23	21	29	42	36	19	37	26	27·9	26	1	7	5	1	1	4	6	1
pous Pneumonia									.	.		2		.	1	.	1	.	.	
cho-Pneumonia	12	14	12	9	14	21	7	12	11	4	13·0	5		1	1	1	.	2	.	
umonia"									11	3		3		1	1	.	.	1	.	
ma, Emphysema									1	.		1		.	.	.	.	1	.	
risy	6	2	4	4	1	2	3	1	1	.	3·2	2		.	.	.	1	.	1	
iratory Dis. (other)									3	4		3		.	1	.	.	1	1	
illitis, Quinsy	.	.	.	2	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
ritis (not Epid.)									.	2		.	.	.	.	.	.	.	.	.
o Enteritis	.	.	.	.	.	.	.	.	1	1	·4	.	.	.	.	.	.	.	.	.
onitis (not Puerp.)	.	2	1	2	1	.	.	1	1	.	·8	.	.	.	.	.	.	.	.	.
osis of Liver									3	1		.	.	.	.	.	.	.	.	.
Dis. (other)	.	3	2	6	2	3	5	3	2	2	3·2	1	1	.	.	.	.	.	.	.
itive Dis. (other)	2	1	3	3	4	9	10	2	7	7	4·8	5		.	.	1	1	2	1	.
ritis, Acute									4	2		2		.	.	.	1	1	.	.
it's Dis., Albuminuria ...	3	9	6	8	2	3	3	6	1	5	5·3	.	.	.	.	.	.	.	.	.
ary Sys. (Other Dis.) ...									1	.		1	.	.	.	.	.	.	1	.
rative Organs Dis.	1	.	1	4	.	1	2	.	.	1	1·0	1	.	.	.	.	.	1	.	.
ibirth (Accid. of)	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.
Age	8	7	9	14	13	11	9	4	9	8	9·2	7	.	.	.	.	.	.	4	3
r Diseases	9	14	14	15	15	13	13	17	15	7	13·2	11	5	1	1	.	1	.	3	.
ACCIDENT.																					
ailways	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
ehicles and Horses	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.
ips, Boats, Docks (exclusive Drowning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
uilding Operations	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
onflagrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
urns, Scalds, Explosions ...	1	2	1	1	3	2	.	1	.	.	1·1	1	.	.	1	.	.	.	.	.
rowning	.	.	.	.	1	2	2	1	.	.	·6	.	.	.	.	.	.	.	.	.
uffocation in Bed	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
oison or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
r Deaths by Accidents ...	2	.	2	1	1	1	1	.	1	1	1·0	3	1	.	.	.	1	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL.																					
icide	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
de	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
ution	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Registration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.
No. of weeks in Annual Series.	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	296	210	202	172	240	243	188	269	260	236	254	182	177	222	258	178	202	257	196	217	203	194	149	232	185	189
*Average Births in corresponding week of previous 10 years,**	205	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199	183	188	197	182
DEATHS registered,	149	126	138	146	181	136	161	199	188	178	150	157	184	194	146	130	162	191	156	162	156	183	170	204	192	197
Annual Death-rate per 1,000,	20·5	17·3	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3	21·5	25·2	23·4	28·1	26·4	27·1
*Average Deaths in corresponding week of previous 10 years,**	147	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183	191	191	183	186
AGES, Under 5 years,	82	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82	50	66	43	66	63	66	62	65
5—20 ,,	18	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12	11	13	8	17
20—40 ,,	30	15	21	21	25	23	17	23	31	21	17	20	13	29	22	23	15	30	33	28	26	26	24	23	30	30
40—60 ,,	28	27	37	29	24	33	23	23	29	23	28	21	23	38	32	21	31	26	29	19	34	36	22	42	43	37
60—80 ,,	30	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37	44	45	39	39
80 years and upwards,	11	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6	6	10	10	9
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	1	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7	8	12	12	10	6
,, Scarlet Fever	.	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1	.	1	.
,, Typhus,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	.	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.	4	4	.	.	.
,, Diphtheria,	3	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1	.	1	1	.
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2	.	2	2	2
,, Diarrhœal Diseases,	.	1	5	2	5	5	15	33	33	35	26	26	14	28	16	10	8	11	6	5	5	5	4	3	1	3
,, Phthisis,	23	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23	15	29	27	30
,, Diseases of Heart and Blood Vessels,	28	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23	23	20	32	31
,, Diseases of Respiratory System.	28	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	33	37	59	38	42
Violent Deaths,	3	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5	8	2	2	5
Mean Temperature of the Air (Phœnix Park),	55·4	54·8	57·2	58·8	59·8	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8	33·6	41·3	40·4	42·6
Average Mean Temperature in corresponding week of previous 10 years,	56·1	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3	43·4	42·3	42·6	42·2
Rainfall in inches,	·180	·140	·120	·400	·430	·375	·290	·350	·955	·540	·335	·330	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050	·385	·100	·485	·740
Mean Humidity of the Air, complete Saturation 1·0,	·82	·73	·81	·37	·81	·84	·73	·82	·85	·84	·84	·81	·82	·82	·88	·83	·86	·90	·92	·87	·91	·91	·88	·93	·85	·88

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17TH December, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 17th December, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	27·4	197	65	17	30	37	39	9	.	6	.	.	.	.	.	2	3	11	30	6	42	5	103
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,486	26·9	9	.	1	1	2	3	2	.	.	.	.	.	.	.	1	.	1	.	.	1	.	7
II.	MIDDLE CLASS,	87,188	21·5	36	10	2	6	6	10	2	.	2	.	.	.	.	.	.	1	3	3	.	3	1	26
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	16·5	35	8	.	6	10	7	.	.	.	.	.	.	.	.	.	.	.	8	3	8	.	16
IV.	GENERAL SERVICE CLASS,	154,279	33·1	92	43	10	14	13	11	1	.	4	.	.	.	.	.	1	2	7	13	3	24	4	41
V.	INMATES OF WORKHOUSES,	6,024		25	4	.	3	6	8	4	.	.	.	.	.	.	.	.	.	.	6	.	6	.	13
I.	PROFESSIONAL AND INDEPENDENT CLASS.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	18·7	3	.	1	.	.	.	2	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2
II.	MIDDLE CLASS.																								
	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	20·3	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	30·8	13	5	.	2	1	4	1	.	2	.	.	.	.	.	.	.	2	2	.	1	1	7
	6. Clerks and Commercial Assistants,	30,432	15·4	9	4	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	7
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	21·2	11	1	.	3	1	5	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	9
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	9. Building and Furnishing Trades,	29,801	21·0	12	2	1	1	5	3	.	.	.	.	.	.	.	.	.	.	.	3	2	3	.	4
	10. Clothing Trades,	38,260	9·0	4	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	1
	11. Food Supply Trades,	9,242	22·6	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
	12. Other Trades and Callings ranking with Trades,	30,352	15·5	9	4	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	5
	13. Petty Shopkeepers,	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	23·3	6	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	2
	15. Domestic Servants,	36,603	5·7	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	2
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	2	1	2	2	3	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7
	17. Hawkers, Porters, Labourers, &c.,	89,861	41·8	72	39	9	9	8	6	1	.	4	.	.	.	.	.	1	2	7	9	3	19	4	30
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates,	6,024	.	25	4	.	3	6	8	4	.	.	.	.	.	.	.	.	.	.	6	.	6	.	13

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhoal Diseases.	Phthisis.	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
City of Dublin (part of).																
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,382.	Oct. 29,	16·6	1·8	9	.	.	.	.	1	.	.	.	.	3	.	.
	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
	„ 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	3·7	3·7	17	.	.	.	.	1	.	.	1	.	2	4	1
	„ 26,	27·6	1·8	15	.	.	.	.	.	.	.	.	1	3	3	1
	Dec. 3,	3·6	1·8	21	.	.	.	.	.	.	.	.	1	1	8	.
	„ 10,	18·9	1·8	13	.	.	.	.	.	.	.	1	.	2	6	.
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est. 39,145.	Oct. 29,	33·3	2·7	25	.	.	.	.	.	.	.	.	2	3	4	.
	Nov. 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
	„ 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	„ 19,	15·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	32·0	1·3	24	.	1	.	.	.	.	.	.	.	3	6	1
	Dec. 3,	22·6	.	17	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	25·3	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 17,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	2	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Oct. 29,	19·1	.	11	.	.	.	.	.	.	.	.	.	1	2	1
	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	„ 12,	20·8	.	13	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	„ 26,	26·0	3·5	15	.	.	.	.	1	.	.	.	1	2	1	1
	Dec. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	3	4	.
	„ 10,	31·3	.	18	.	.	.	.	.	.	.	.	.	5	3	.
	„ 17,	27·7	.	16	.	.	.	.	.	.	.	.	.	5	6	.
North City, No. 3. (*Office, Benburb-street*) Pop. in 1904 (Est.) 31,673.	Oct. 29,	19·8	1·6	12	.	.	.	.	.	.	.	1	.	2	3	.
	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
	„ 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
	„ 19,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	„ 26,	28·0	3·3	17	.	1	.	.	1	.	.	.	.	1	5	.
	Dec. 3,	29·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 10,	19·8	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 17,	19·8	.	12	.	.	.	.	.	.	.	.	.	3	3	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,884.	Oct. 29,	19·0	2·7	14	.	2	.	.	.	.	.	.	.	1	4	.
	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
	„ 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
	„ 19,	35·3	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	„ 26,	25·8	6·8	19	.	4	.	.	1	.	.	.	.	1	4	1
	Dec. 3,	35·3	9·5	26	.	6	.	.	.	.	.	.	1	4	10	.
	„ 10,	36·7	8·2	27	.	6	.	.	.	.	.	.	.	2	5	.
	„ 17,	28·5	5·4	21	.	3	.	.	.	.	.	.	1	2	5	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Oct. 29,	8·6	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
	„ 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	28·6	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.
	„ 26,	15·7	5·7	9	.	2	.	.	.	.	.	.	.	.	2	.
	Dec. 3,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	2	3	.
	„ 10,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	3	1	1
	„ 17,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	6	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Oct. 29,	27·4	6·2	22	.	2	1	.	1	.	.	.	1	2	3	.
	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
	„ 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	.
	„ 19,	22·4	3·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	„ 26,	24·9	2·5	20	.	1	.	.	.	.	.	.	1	1	5	1
	Dec. 3,	28·6	2·5	23	.	1	.	.	1	.	.	.	.	3	9	1
	„ 10,	31·1	3·7	25	.	2	.	.	.	.	.	.	1	4	4	.
	„ 17,	29·8	2·5	24	.	1	.	.	.	.	.	.	1	2	2	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Oct. 29,	22·3	3·0	15	.	.	.	.	.	.	.	.	2	1	3	2
	Nov. 5,	28·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	29·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
	„ 19,	32·8	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1
	„ 26,	31·2	3·0	21	.	1	.	.	1	.	.	.	.	2	5	1
	Dec. 3,	26·7	8·9	18	.	3	.	.	2	.	.	.	1	3	7	1
	„ 10,	31·2	3·0	21	.	2	.	.	.	.	.	.	.	2	7	1
	„ 17,	40·1	1·5	27	.	1	.	.	.	.	.	.	.	4	6	1

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 55,308.	Oct. 29,	18·8	1·6	12	.	.	.	.	.	1	.	.	.	3	1	1
	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 12,	20·4	.	13	.	.	.	.	.	.	.	.	.	2	2	1
	„ 19,	16·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
	„ 26,	14·1	3·1	9	.	2	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	26·7	5·1	17	.	2	.	.	.	.	.	.	.	2	7	.
	„ 10,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	1	.	.
	„ 17,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	.	2	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Oct. 29,	6·0	2·0	3	.	.	1	.	.	.	.	.	.	1	.	.
	Nov. 5.	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	„ 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	„ 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	3	1
	Dec. 3,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 17,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Oct. 29,	17·8	3·0	6	.	.	.	.	.	.	.	.	1	.	.	.
	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
	„ 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	1
	„ 26,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 3,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	3	.
Belfast. Pop. in 1904 (Est.) 358,680.	Oct. 29,	18·2	3·2	125	.	4	1	.	.	.	.	9	8	12	26	1
	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	„ 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	„ 19,	19·8	2·2	136	.	8	1	.	.	1	.	1	4	17	42	4
	„ 26,	19·6	2·2	135	.	7	.	.	.	.	.	5	3	23	41	3
	Dec. 3,	22·5	2·6	155	.	11	.	.	1	.	1	2	3	21	40	1
	„ 10,	24·3	3·2	167	.	18	.	.	.	.	1	3	.	21	47	2
	„ 17,	21·7	3·5	149	.	16	.	.	.	.	.	5	3	24	42	2
Cork. Pop. (in 1901) 76,122.	Oct. 29,	18·5	0·7	27	.	.	.	.	.	.	.	.	1	6	4	1
	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	9	6	.
	„ 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
	„ 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
	„ 26,	16·4	0·7	24	.	.	.	.	.	.	.	1	.	4	7	1
	Dec. 3,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	2	.
	„ 10,	24·7	2·1	36	.	2	.	.	.	.	.	.	1	8	7	1
	„ 17,	19·9	1·4	29	.	1	.	.	.	1	.	.	.	3	10	.
Londonderry. Pop. in 1904 (Est.) 41,397	Oct. 29,	25·2	.	20	.	.	.	.	.	.	.	.	.	6	3	1
	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	„ 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	16·4	.	13	.	.	.	.	.	.	.	.	.	2	6	.
	„ 10,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 17,	27·7	.	22	.	.	.	.	.	.	.	.	.	1	5	1
Limerick. Pop. (in 1901) 38,151.	Oct. 29,	26·0	1·4	19	.	.	.	.	.	.	.	.	1	2	5	.
	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	„ 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 26,	15·0	1·4	11	.	.	.	.	.	.	.	.	1	.	4	.
	Dec. 3,	17·8	..	13	.	.	.	.	.	.	.	.	.	1	4	1
	„ 10,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	45·1	.	33	.	.	.	.	.	.	.	.	.	2	8	.
Waterford. Pop. (in 1901) 26,769	Oct. 29,	21·4	1·9	11	.	.	.	.	.	.	.	.	1	2	.	.
	Nov. 5,	13·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	„ 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 3,	21·	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 10,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	3	1
	„ 17,	21·4	1·	11	.	1	.	.	.	.	.	.	.	.	2	1

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th December, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	DEATHS FROM: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,734	10	24·8	.	7	2	.	4	1	.	.	.	.	.	.	.	.	.	3	1	.	1	.
Do. 2 "	47,959	22	21·7	3·3	20	3	5	7	5	.	1	.	.	.	.	.	1	1	1	6	.	.	7
Do. 3 "	47,214	31	26·5	6·6	24	8	6	5	5	.	4	.	.	.	.	.	1	1	3	6	.	2	2
Do. 4 "	40,911	29	25·5	1·3	20	4	3	9	4	.	1	.	.	.	.	.	.	.	4	3	.	1	6
Do. 5 "	17,387	9	27·0	9·0	9	1	3	1	4	.	3	.	.	.	.	.	.	.	1	4	1	2	2
Do. 6 "	48,122	29	17·3	2·2	16	1	2	10	3	.	.	.	.	.	.	.	2	.	3	7	.	.	3
Do 7 "	1,524	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Do. 8 "	5,060	8	30·9	10·3	3	1	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.
Do. 9 "	19,569	10	24·0	2·7	9	.	2	4	3	.	.	.	.	.	.	.	.	1	2	2	1	1	1
Do. 10 "	23,064	9	24·9	6·8	11	2	6	3	.	.	3	.	.	.	.	.	.	.	1	3	.	1	2
Do 11 "	34,802	20	15·0	1·5	10	2	2	5	1	.	1	.	.	.	.	.	.	.	3	3	.	.	1
Do. 12 "	33,588	24	15·5	1·6	10	1	2	6	1	.	.	.	.	.	.	.	1	.	1	4	.	.	2
Do 13 "	15,006	7	31·3	6·9	9	3	1	4	1	.	2	.	.	.	.	.	.	.	2	.	.	.	.
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	209	22·3	3·6	149	29	32	58	30	.	16	.	.	.	.	.	5	3	24	42	2	8	23
City of Cork.																							
CORK URBAN No. 1 DISTRICT,	12,867	8	24·3	.	6	2	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	3
Do. 2 "	10,701	5	34·1	4·9	7	.	4	2	1	.	.	.	.	.	1	.	.	.	1	3	.	.	3
Do 3 "	9,978	10	31·4	5·2	6	.	2	2	2	.	1	.	.	.	.	.	.	.	.	4	.	2	.
Do. 4 "	8,666	4	24·1	.	4	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2
Do. 5 "	6,592	11	7·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 "	10,702	9	14·6	.	3	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Do, 7 "	16,616	7	6·3	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Total,	76,122	54	19·9	1·4	29		10	9	7	.	1	.	.	.	1	.	.	.	5	10	.	2	8

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	D. 1
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered,	225	229	255	174	258	195	211	227	205	196	181	196	283	220	197	213	229	230	226	238	215	215	142	214	204	209
DEATHS registered.	121	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125	118	128	136	135	155	167	149
Annual Death-rate per 1,000 of estimated Population.	17·6	17·8	17·7	16·6	16·8	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8	19·6	22·5	24·3	21·7
AGES, Under 1 year,	14	24	33	28	30	36	32	46	46	27	41	43	38	29	33	33	33	29	31	35	40	29	20	36	34	29
AGES, 1-5 years,	19	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22	23	23	24	32
AGES, 5-60 years,	64	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51	58	65	63	73	58
AGES, 60 years and upwards,	24	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27	27	33	36	30
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8	7	11	18	16
" Scarlet Fever,	.	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	.	.	.	.
" Typhus,	.	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	7	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1	.	.	1	.	.
" Diphtheria,	.	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
" Simple Continued Fever,	.		.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.
" Enteric Fever,	2	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4	1	5	2	3	5
" Diarrhœal Diseases,	2	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4	3	3	.	3
" Phthisis	23	18	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14	17	23	21	21	24
" Diseases of Respiratory System,	17	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31	42	42	40	47	42
Violent Deaths,	3	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.	4	3	1	2	2

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th December, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	1	.	.	.	.	.	1	1	.	.	3
" " 2,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3,	.	.	.	1	.	.	.	.	3	4	7	.	.	15
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	1	.	.	.	.	.	.	5	.	.	6
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	.	.	.	1	.	.	.	2
" " 4,	.	.	.	2	.	.	.	.	.	1	.	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Total,	.	.	.	6	.	.	.	.	4	8	14	.	.	32

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th December, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th December.			
	Nov. 26.	Dec. 3.	Dec. 10.	No. admitted.	Dis-charged.	Died	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	91	88	83	46	7	5	117
Scarlet Fever,	74	75	80	9	21	.	68*
Typhus "	3	1	1	.	1	.	.
Diphtheria,	30	29	22	5	1	.	26
Enteric Fever,	38	42	45	5	7	2	41
Pneumonia,	16	14	17	9	3	.	23

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,649,088	Dec. 17,	2,446	1,696	19·0	.	32	6	12	20	4	16
EDINBURGH,	331,977	„ 17,	139	109	17·1	.	1	.	.	3	.	2
GLASGOW,	798,357	„ 17,	432	407	26·6	.	3	1	5	26	4	6
CALCUTTA,	847,796	Oct. 29,	.	393	24·1	.	.	.	.	.	143‡	55*
BOMBAY,	776,006	Nov. 15,	422	638	42·7	7	1	.	.	.	47‡	51*
MADRAS,	509,346	Oct. 28,	423	312	31·8	.	.	?	?	?	81	46
PARIS,	2,660,559	Dec. 3,	931	957	18·6	.	2	2	4†	1	4	27
BRUSSELS (with 8 Faubourgs).	586,936	Nov. 26,	221	160	14·2	.	.	.	1†	1	2	5
AMSTERDAM,	550,150	„ 26.	275	132	12·5	.	4	.	.	2	1	2
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN.	417,000	Nov. 26,	189	113	14·1	.	1	1	.	.	1	5
CHRISTIANIA.	223,649	Dec. 3,	131	61	14·2	.	.	.	1†	.	.	3
ST. PETERSBURG,	1,248,122	„ 3,	567	687	28·7	.	8	14	24	7	14	61
BERLIN.	1,964,315	Nov. 19,	900	607	15·9	.	4	11	8†	4	2	31
HAMBURG.	751,842	„ 26.	.	219	15·1	.	1	4	3†	4	.	7
BRESLAU.	445,679	Dec. 3,	.	187	21·9	.	.	1	1†	?	1	10
MUNICH.	520,000	„ 3,	.	205	20·5	.	1	2	1†	2	.	25
VIENNA (with suburbs).	1,816,303	„ 3,	919	620	17·7	.	3	2	17†	.	2	41
BUDA-PESTH	813,399	„ 3,	426	270	17·3	.	7	12	4†	.	2	11
PRAGUE and Faubourgs.	426,402	Nov. 26.	135	170	20·5	.	8	1	2†	.	1	8
ROME,	505,371	—	.	.	.	.	.	.	.	.	.	.
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Nov. 5,	69	58	18·0	.	.	.	.	1	.	3
NEW YORK,	3,838,024	„ 19,	1,894	1,232	16·7	.	7	15	36†	1	20	39
PHILADELPHIA,	1,408,154	„ 12,	.	422	15·6	.	.	1	9†	1	3	22

* Including 8 deaths from cholera in Calcutta, and 1 in Bombay.
† Including deaths from croup.
‡ Exclusive of 9 deaths from bubonic fever in Calcutta, and 75 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 17th December, 1904:—

"The weather of this week was very unsettled as regards atmospheric pressure, temperature, wind, and precipitation. Sunday broke fair and cold—a very intense frost prevailing in Scotland, where the thermometer had been down to 13° at Nairn, 19° at Aberdeen, and 22° at Leith, during the previous night. A large and deep atmospheric depression was already spreading in from the Atlantic. It was of strangely irregular shape, appearing at 8 a.m. of Monday as a large quadrilateral, central over Scotland, the northern half of England and the Irish Sea, in all of which districts the barometer stood a little below 28·90 inches. Strong S. winds blew in Belgium, Holland and Norway, squally W. winds over France, and equally strong N. winds along the W. coast of Ireland. In the central area of the depression baric gradients were slight and the winds therefore were weak and variable. By Tuesday morning this disturbance had reached Holland but was quickly filling up. This day was quiet and very cold in Ireland—in Dublin the thermometer did not rise above 38·6°. But a remarkable change now set in—a new depression arrived off the north-western shores of the British Isles, causing S.W. winds, clouds, rain and a brisk increase of temperature. It was quickly followed by another low-pressure system, which sent the thermometer in Dublin up to 57·8° in the course of Thursday night and to 58·0° on Friday. This wave of warmth lasted till 2 p.m. of Saturday when the wind shifted to N.W. in a V-shaped depression, and rain fell with a decrease of temperature from 58·5° to 49·7° at 9 p.m. In Dublin the mean atmospheric pressure was 29·517 inches, the range being from 28·900 inches at 4 a.m. of Monday (wind, S.W.) to 30·016 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 44·5°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 44·0°. On Sunday the screened thermometers fell to 31·2°, on Saturday they rose to 58·5°. Bright sunshine was estimated at 11·5 hours, of which 4·5 were observed on Wednesday. S.W. winds prevailed. Rain fell on six days to the amount of ·507 inch, ·190 inch being recorded on Tuesday and ·173 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·522 inches. The highest reading (30·030) was on Saturday at 9 p.m., wind S.W., and the lowest (28·951) on Monday at 9 p.m., wind N.W.

The mean temperature for the week was 42·6°, being 0·4° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 57·0°, and was lowest on Tuesday, the mercury having fallen to 26·8°. The mean of the Dry Bulb for the week was 42·8°, and of the Wet Bulb 41·4°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 11·0 hours The rainfall during the week measured ·740 inch.

At Greenwich the mean temperature for the week was 43·4°, the maximum 56·0°, and the minimum 30·6°; at Glasgow the maximum was 56·1°, the minimum 19·0°, and the mean 40.4°; and at Edinburgh the maximum was 56·0°, the minimum 24·2°, and the mean 39·3°. The rainfall at Greenwich measured 0·50 inch; at Glasgow 1·90 inches; and at Edinburgh 1·39 inches.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 11,	29·273	46·1	26·9	36·5	40·2	39·4	·93	·7	1·3	·060	N.W.	S.W.
Monday, " 12	29·211	45·7	30·9	38·3	35·1	33·5	·86	·8	0·0	·020	W.	N.W.
Tuesday, " 13,	29·669	36·7	26·8	31·8	31·1	30·2	·87	·3	2·4	·285	W.	Calm.
Wednesday, " 14,	29·407	48·4	32·1	40·3	41·3	39·8	·88	·2	4·9	—	S.W.	W.
Thursday, " 15,	29·583	52·5	38·7	45·6	46·1	44·2	·87	·8	1·3	·125	S.W.	S.
Friday, " 16,	29·615	57·0	51·1	54·1	54·3	52·5	·88	·8	0·7	·010	S.W.	S.W.
Saturday, " 17,	29·894	56·1	47·5	51·8	51·6	50·0	·90	·8	0·4	·240	S.W.	S.W.
Mean, . . .	29·522	48·9	36·3	42·6	42·8	41·4	·88	·6	Total 11·0	·740	Prevailing Wind, S.W.	

Sunday—Overcast a.m., cloudy p.m., heavy showers from 5.30 p.m.; night overcast, showers p.m., clear a.m. *Monday*—Day overcast, light showers.; night cloudy. *Tuesday*—Day fine but cloudy; night overcast, heavy rain 1.0 p.m. to 4.30 p.m. *Wednesday*—A fine day; night clear. *Thursday*—Day fine but cloudy; night cloudy, showery 8.30 p.m. to 11.30 p.m. *Friday*—A cloudy day, showery p.m.; night overcast, drizzling showers. *Saturday*—A dull day, heavy rain from 1.30 p.m.; night overcast, rain p.m., cloudy a.m.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P 289. 9. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 24TH DECEMBER, 1904. [No. 51.

General Register Office, Charlemont House, Dublin, 27th December, 1904.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 3.	Week ending Dec. 10.	Week ending Dec. 17.	Week ending Dec. 24.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 3.	Week ending Dec. 10.	Week ending Dec. 17.	Week ending Dec. 24.	Average Rate for 4 weeks.
22 Town Dists.	**22·7**	**22·7**	**22·8**	**21·7**	**22·5**	Lisburn, . .	27·3	22·7	4·5	22·7	19·3
Armagh, . .	13·7	20·6	20·6	27·5	20·6	Londonderry .	16·4	23·9	27·7	18·9	21·7
Ballymena, .	33·5	9·6	19·2	9·6	18·0	Lurgan, . .	13·3	13·3	22·1	17·7	16·6
Belfast, . .	22·5	24·3	21·7	20·6	22·3	Newry, . .	12·6	.	16·8	21·0	12·6
Clonmel, . .	10·3	5·1	25·6	20·5	15·4	Newtownards, .	5·7	22·9	11·4	45·8	21·5
Cork, . . .	14·4	24·7	19·9	20·5	19·9	Portadown, .	25·8	25·8	20·7	15·5	22·0
Drogheda, . .	8·2	16·3	24·5	16·3	16·3	Queenstown, .	6·6	13·2	13·2	19·8	13·2
Dublin Reg. Area,	27·0	25·2	25·3	24·5	25·5	Sligo, . . .	19·2	24·0	9·6	24·0	19·2
Dundalk, . .	19·9	31·9	16·0	16·0	21·0	Tralee, . .	5·3	5·3	10·6	5·3	6·6
Galway, . .	50·5	7·8	7·8	46·6	28·2	Waterford, .	21·4	15·6	21·4	17·5	19·0
Kilkenny, . .	24·6	9·8	14·7	9·8	14·7	Wexford, . .	28·0	28·0	9·3	9·3	18·7
Limerick, . .	17·8	13·7	45·1	19·1	23·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·9 in Armagh. Among the 142 deaths from all causes in Belfast are 14 from measles, 2 from diphtheria, 2 from enteric fever, and one from diarrhœa; and the 30 deaths from all causes in Cork include 2 from measles, one from diphtheria, and one from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—96 boys and 90 girls; and the deaths to 184—90 males and 94 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 24·5 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

During the fifty-one weeks ending with Saturday last the death-rate averaged 24·5, an was 1·2 below the mean rate for the corresponding portions of the ten years 1894–1903

There were 10 deaths from measles, one from enteric fever, and one from epidemi enteritis; the deaths from measles in the 3 preceding weeks numbered 12, 10, and 6 respectively.

Broncho-pneumonia caused 9 deaths and *pneumonia* 7.

The 23 deaths from tuberculous disease include 6 from tuberculous phthisis, 8 fron *phthisis*, one from tuberculous peritonitis, and 8 from from other forms of the disease.

Three deaths were caused by carcinoma, and 2 by *cancer, malignant disease.*

The deaths of 6 infants were attributed to premature birth.

Eighteen deaths were caused by diseases of the brain and nervous system, includin 9 (all of children under 5 years of age) from *convulsions.*

There were 42 deaths from diseases of the heart and blood-vessels.

Of the 31 deaths attributed to diseases of the respiratory system (exclusive of th pneumonias), 26 were caused by bronchitis.

Six deaths from accidental causes were registered.

In 9 instances the cause of death was "uncertified," there having been no medica attendant during the last illness; these cases include the deaths of 5 children under on year old and the death of one person aged 78 years.

Fifty-nine of the persons whose deaths were registered during the week were unde 5 years of age (38 being infants under one year, of whom 12 were under one month old) and 57 were aged 60 years and upwards, including 29 persons aged 70 and upwards, o whom 6 were octogenarians.

Seventy of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 7 took place in the North Dublin Union Work house, and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns fo last week, deaths in Public Institutions being assigned to the districts from whic the deceased were admitted, and the annual death-rate for each District calculated o the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·5 per 1,000; the rate i the City was 26·8 (North City Districts, 22·8; South, 31·1), and in the Suburbs, 16·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,00 inhabitants, the rate for the City being 2·0 (0·3 in the North City Districts, and 3·7 in the South) and for the Suburbs, 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rat of 20·2 per 1,000. They include one from tuberculous disease, 3 from diseases of the heart and blood vessels, 2 from *pneumonia*, and one from accidental violence,

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24 per 1,000. Tuberculous disease caused one death, diseases of the heart and blood-vessels 4, *pneumon* one, and bronchitis 2.

No. 2 North City District (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29 per 1,000. Among them are one from enteric fever, 2 from tuberculous disease, 2 from broncho pneumonia, 3 from bronchitis, and one from accidental violence.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 13·2 pe 1,000. Tuberculous disease caused 2 deaths, diseases of the heart and blood-vessels 2, and bronchitis

Other North City Districts.—The annual death-rates represented by the deaths recorded last wee are:—Coolock and Drumcondra, No. 1, part of, 36·4 per 1,000 inhabitants; Clontarf and Howth, N 1, part of, 0·0; and Finglas and Glasnevin, part of, 39·1. There was one death from accidental violenc tabulated for Finglas and Glasnevin, part of,

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 35·3 pe 1,000. Measles caused 3 deaths, epidemic enteritis one, tuberculous disease 4, broncho-pneumonia and bronchitis 5.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·4 pe 1,000. They include one from tuberculous phthisis, one from *pneumonia*, 2 from bronchitis, and on from accidental violence.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 33·6 pe 1,000. Measles caused 3 deaths, tuberculous disease 3, diseases of the heart and blood-vessels broncho-pneumonia one, bronchitis 2; and one was due to accidental violence.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23 per 1,000. Among them are 3 from measles, 2 from tuberculous disease, 3 from diseases of the hear and blood-vessels, 2 from broncho-pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 29·3 per 1,000. They com prise 3 from diseases of the heart and blood-vessels, and 2 from diseases of the respiratory system.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorde last week are:—Rathmines and Rathgar, 18·8; Pembroke, 22·0; Blackrock, 11·9; and Kingstown, 5 The only death from any of the principal epidemic diseases tabulated for any of these districts wa one from measles for Pembroke. Among the 12 deaths from all causes tabulated for Rathmines an Rathgar are 2 from tuberculous disease, 5 from diseases of the heart and blood-vessels, one fron *pneumonia*, and 2 from bronchitis; and the 11 deaths from all causes for Pembroke include 3 fron diseases of the heart and blood-vessels, one from broncho-pneumonia, and 2 from *pneumonia.*

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoide when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 24th December, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 3,	.	—	—	7	.	.	4	.	2	10	15	.	—	—	—	—	—	38
	Dec. 10,	.	—	—	8	.	.	3	.	3	9	18	.	—	—	—	—	—	41
	Dec. 17,	.	—	—	6	.	.	.	.	4	8	14	.	—	—	—	—	—	32
	Dec. 24,	.	—	—	6	.	.	5	.	2	7	13	.	—	—	—	—	—	33
Rathmines and Rathgar Urban District.	Dec. 3,	.	—	—	.	.	.	.	.	.	.	3	.	—	—	—	—	—	3
	Dec. 10,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	—	3
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 24,	.	—	—	1	.	.	2	.	.	2	1	.	—	—	—	—	—	6
Pembroke Urban District.	Dec. 3,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	—	—	2
	Dec. 10,	.	12	.	4	.	.	1	.	.	1	.	.	.	.	.	—	—	18
	Dec. 17,	.	19	.	1	.	.	.	.	.	.	.	.	.	.	.	—	—	20
	Dec. 24,	.	6	.	1	.	.	.	.	.	.	.	.	.	3	.	—	—	10
Blackrock Urban District.	Dec. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 24,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
Kingstown Urban District.	Dec. 3,	.	—	—	2	.	.	.	.	.	1	.	.	—	—	—	—	—	3
	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1
City of Belfast.	Dec. 3,	3	—	—	23	.	.	2	4	6	9	9	.	—	—	—	—	—	56
	Dec. 10,	7	—	—	10	.	.	4	2	11	7	16	1	—	—	—	—	—	58
	Dec. 17,	5	—	—	7	.	.	4	2	14	6	11	1	—	—	—	—	—	50
	Dec. 24,	11	—	—	11	.	.	3	.	3	11	8	.	—	—	—	—	—	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th December, 1904.

From this it appears that:—

Twenty-four cases of measles were admitted to hospital during the week, 33 were discharged, there were 6 deaths, and 102 patients remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 16 were discharged, and 65* cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 10 were discharged, and 19 cases remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 4 were discharged, there was one death, and 44 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 4 patients were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·6), was equal to an average annual death-rate of 19·4 per 1,000 persons living; the average rate for 8 principal towns of Scotland was 21·2 per 1,000, the rate for Glasgow being 23·7, and for Edinburgh 17·0.

* See note (*) Table XI.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th December, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Births.	Deaths. Total Number.	Under 1 year of Age.	At 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Week ending 24th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,093,289	19·2	25·6	21·7	2·0	536	456	78	186	.	27	.	.	1	6	.	4	3	50	115	12	21	119	° .	° .	° .	.	° .	° .	° .	.	° .	° .	° .	.
Dublin Registration Area:— Total,‡	878,994	27·5	25·6	24·5	1·7	186	178	38	54	.	10	.	.	.	.	.	1	1	13	44	6	8	64	§49·5	25·9	38·2	0·00	§57·0	26·8	42·6	0·74	§53·5	26·9	40·4	0·49
City of Dublin	298,385	37·1	29·5	26·8	2·0	166	151	35	41	.	9	.	.	.	.	.	1	1	11	36	5	8	58	a51·2 b49·3	28·2 27·0	41·8 38·9	0·01 0·01	a58·5 b56·8	31·2 27·6	44·5 42·4	0·51 0·84	a59·0 b57·8	30·7 27·0	42·5 41·8	0·78 0·50
Urban Districts. Rathmines and Rathgar.	33,203	19·4	15·7	18·8	.	10	12	2	6	.	.	.	.	.	.	.	.	.	1	4	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	18·0	22·0	2·0	9	11	1	4	.	1	.	.	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	.	11·9	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	8·0	5·9	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	49·2	29·5	41·5	0·03	59·2	34·0	45·3	0·33	58·7	32·5	42·9	0·98
Urban Districts.																																			
Belfast	358,680	24·4	30·4	20·6	2·8	209	142	24	23	.	14	.	.	.	2	.	2	1	18	43	3	8	20	56·5	27·0	42·8	0·17	56·0	26·8	38·7	1·48	51·5	30·0	40·0	0·90
Cork	76,122	33·6	20·5	20·5	2·7	30	30	5	11	.	2	.	.	.	1	.	1	.	7	8	1	1	14	51	37	46·0	0·06	53	33	45·3	0·81	54	34	44·1	1·74
Londonderry	41,397	19·1	18·9	18·9	1·3	11	15	1	7	.	.	.	.	.	1	.	.	.	3	4	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	12·3	19·1	1·4	9	14	2	8	.	.	.	.	.	.	.	.	1	1	4	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	19·5	17·5	.	10	9	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	19·4	46·6	3·9	5	12	1	3	.	1	.	.	.	.	.	.	.	2	3	.	.	5	54	34	45	0·13	56	30	42·5	2·37	56	27	41	0·68
Dundalk	13,076	3·4	16·0	16·0	.	4	4	.	3	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	24·5	16·8	.	6	4	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	12·6	21·0	.	3	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43
Lurgan	11,782	13·8	13·3	17·7	.	3	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43
Lisburn	11,461	10·1	9·1	22·7	.	2	5	.	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43
Wexford	11,168	23·2	28·0	9·3	.	6	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,886	8·9	28·7	9·6	4·8	6	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,870	8·7	14·4	24·0	4·8	3	5	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	3	47·7	28·5	39·5	0·01	54·7	30·0	41·0	1·48	56·0	27·9	38·8	1·18
Kilkenny	10,609	11·5	24·6	9·8	.	5	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	50	30	44·5	0·00	55	30	42·6	0·57	56	25	38·0	0·77
Clonmel	10,167	7·8	35·9	20·5	.	7	4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	51·7	15·5	.	10	3	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43
Tralee	9,867	16·6	31·7	5·3	.	6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	28·6	45·8	.	5	8	2	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	47	31	40·9	0·00	53	28	41·6	1·27	53	28	39·3	0·61
Queenstown	7,909	14·4	46·1	19·8	.	7	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	51	37	46·0	0·06	53	33	45·3	0·81	54	34	44·1	1·74
Armagh	7,588	22·2	20·6	27·5	6·9	3	4	2	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17	55·8	26·6	38·5	0·43

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown registered during the week ending Saturday, the 24th of December, 1904. *The Deaths in Public Institutions are assigned to the Districts from which the decease were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN												URBAN DISTRICT OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	3	.	3	3	.	.	1	.	.	10	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diarrhœal Diseases,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Phthisis,	.	.	1	.	.	1	1	2	1	3	2	.	1	1	.	.	13	1
Other General Diseases,	2	3	2	3	.	.	1	5	3	.	3	.	1	1		.	24	1
Total,	2	3	4	3	.	1	2	11	4	6	8	.	2	3	.	.	49	2
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	3	2	.	.	1	1	5	.	4	1	.	.	.	.	.	18	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Heart and Blood Vessels,	3	4	2	2	.	2	.	1	2	9	3	3	5	3	2	1	42	.
Respiratory System,	3	3	6	2	.	2	.	7	3	4	4	2	4	4	.	.	44	3
Digestive System,	.	3	1	.	.	1	.	.	.	1	.	.	.	1	.	.	7	.
Lymphatic System, &c.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Urinary System,	.	.	1	.	.	.	.	1	.	2	.	.	.	.	.	.	4	1
Generative System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
,, Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	14	12	4	.	6	2	14	6	20	8	5	9	8	2	1	118	4
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	1	.	1	.	.	.	1	.	.	.	.	1	.	.	.	5	.
E. VIOLENT DEATHS	1	.	1	.	.	.	1	.	1	1	.	.	.	.	.	1	6	.
Deaths from all Causes,	11	18	17	8	.	7	5	26	11	27	16	5	12	11	2	2	178	6
Annual Rate of Mortality in every 1,000 of the population	20·2	24·0	29·4	13·2	.	36·4	39·1	35·3	31·4	33·6	23·7	29·3	18·8	22·0	11·9	5·9	24·5	.
	22·8							31·1					16·4					
	26·8																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	2	3	4	.	.	2	.	8	3	6	2	1	2	.	1	1	35	5
Workhouse Hospitals	.	1	2	4	.	.	.	4	5	8	2	1	2	.	.	.	29	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years 189

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years 1894-1903.	In the Week ending Satur 24th December, 1904. Deaths of Persons of the Ag					
	Dec. 22, 1894.	Dec. 21, 1895.	Dec. 19, 1896	Dec. 25, 1897.	Dec. 24, 1898.	Dec. 23, 1899	Dec. 22, 1900.	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.		ALL AGES. Mean Temp.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	44·6°	35·7°	33·8°	41·7°	42·5°	40·5°	—	33·5°	46·7°	39·7°	39·9°†	38·2°					
ALL CAUSES.	178	168	183	146	169	285	175	196	235	153	188·8	184	12	26	21	10	26
Small-pox, Vaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.
Small-pox, No Statement, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	24	.	.	9	1	3·4	10	.	2	6	2	.
Scarlet Fever	1	1	5	3	2	1	1	2	1	1	1·8	.	.	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	1	2	2	8	1	1	1	1	2·0	.	.	.	.	.	.
Whooping Cough, ...	5	1	12	.	4	2	6	4	3	3	4·0	.	.	.	.	.	.
Diphtheria, ...	.	1	1	1	.	3	1	3	.	.	1·0	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.
Enteric Fever, ...	7	3	2	5	1	3	3	4	3	2	3·3	1	.	.	.	.	1
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis,	3	2	.	4	3	5	4	2	1	.	2·6	1	.	.	1	.	.
Diarrhœa, Dysentery, ...									2	.		.	.	.	.	.	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	.	1	1	.	.	.	3	·5	.	.	.	.	.	.
Puerperal Septicæmia, Sapræmia,	1	.	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.
Puerperal Pyæmia, ...									.	.		.	.	.	.	.	.
Puerperal Fever, ...									.	.		.	.	.	.	.	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	2	1	1	1	.	.	1	.	.	·8	.	.	.	.	.	.
Septicæmia (not Puerperal),	.	2	1	1	.	.	1	.	.	.	·6	.	.	.	.	.	.
Pyæmia (not Puerperal), ..									.	1		.	.	.	.	.	.
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.
Tuberculous Phthisis, ..	21	24	13	15	15	30	26	24	3	8	22·7	6	.	1	.	1	3
"*Phthisis*,"									25	23		8	.	.	.	.	4
Tuberculous Meningitis, (Acute Hydrocephalus).	3	3	1	3	6	3	2	5	2	3	3·1	.	.	.	.	.	.
Tuberculous Peritonitis, ...	4	3	4	.	7	9	3	2	1	.	3·3	1	.	1	.	.	.
Tabes Mesenterica, ...									.	.		.	.	.	.	.	.
Tuberculous Dis. (other), ...	3	4	6	4	5	4	6	3	8	6	4·9	8	.	1	2	5	.
Scrofula, ...									.	.		.	.	.	.	.	.
Alcoholism, ...	.	.	1	1	.	.	.	1	.	.	·3	1	.	.	.	.	1
Rheumatic Fever, ...	.	1	.	.	.	2	.	1	.	.	·4	.	.	.	.	.	.
Gout, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

† For nine years only.

* The figures for the years 1894-1900 a

y-FIRST WEEK ending Saturday 24th December, 1904, with the deaths from each cause in the corresponding verage for those weeks.*

AUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 22, 1894.	Dec. 21, 1895.	Dec. 19, 1896.	Dec. 25, 1897.	Dec. 24, 1898.	Dec. 23, 1899.	Dec. 22, 1900.	Dec. 21, 1901.	Dec. 20, 1902.	Dec. 26, 1903.	Averages in 51st Week of the 10 years 1894–1903.	In the Week ending Saturday 24th December, 1904. Deaths of Persons of the Ages of: All Ages.	0 to 5: Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
lean Temperature.	° 44·6	° 35·7	° 33·8	° 41·7	° 42·5	° 40·5	–	° 33·5	° 46·7	° 39·7	° 39·9†	° 38·2								
an	10	4	6	12	4	7	10	7	4	2	7·8	3	.	.	.	.	.	2	1	.
... ...									.	.		.	.	.	.	.	.	.	.	.
Malignant Disease ...									6	6		2	.	.	.	.	.	.	2	.
Mellitus	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.
re Birth	.	.	3	2	5	2	2	7	2	2	2·5	6	5	1	.	.	.	.	.	.
is (not tuberc.)									5	1		2	.	1	1	.	.	.	.	.
G. P. of Insane									2	1		3	.	.	.	.	1	1	1	.
.. ..									3	1		1	.	.	.	.	1	.	.	.
ns									9	10		9	3	5	1	.	.	.	.	.
or Ataxy									.	.		.	.	.	.	.	.	.	.	.
ia Dis. of Cord									1	2		.	.	.	.	.	.	.	.	.
System (other Dis.) ...	34	44	33	29	43	54	40	42	5	1	40·8	3	.	.	.	.	.	1	1	1
,, Endocarditis									3	3		9	.	.	.	.	2	4	2	1
Iæm. Thromb.									2	1		4	.	.	.	.	.	1	2	1
Hemiplegia									9	4		10	.	.	1	.	.	5	4	.
n									1	1		.	.	.	.	.	.	.	.	.
n, Thromb. (not cerebral)									.	1		.	.	.	.	.	.	.	.	.
d Blood Vessel Dis. ..									14	9		19	1	.	1	.	3	5	8	1
ot Spasm. or Memb.) ...	1	1	.	.	2	2	.	.	.	.	·6	.	.	.	.	.	.	.	.	.
is	28	25	38	20	24	44	27	24	40	16	28·6	26	.	7	2	.	.	4	13	.
Pneumonia									.	.		.	.	.	.	.	.	.	.	.
Pneumonia	10	11	13	10	5	24	6	8	7	4	10·9	9	.	3	4	.	1	.	1	.
nia"									6	5		7	.	3	.	1	3	.	.	.
Emphysema									1	.		2	.	.	.	.	.	1	.	1
... ...	3	3	3	.	1	3	2	.	1	.	2·0	1	.	.	.	1	.	.	.	.
ry Dis. (other)									3	.		2	.	.	.	.	.	.	2	.
s, Quinsy	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
(not Epid.)	.	1	.	.	.	.	.	.	1	1	·3	2	1	.	.	.	.	.	1	.
iteritis									.	.		1	.	1	.	.	.	.	.	.
is (not Puerp.)	.	.	.	1	1	.	2	1	.	.	·5	1	.	.	.	.	1	.	.	.
of Liver									1	.		.	.	.	.	.	.	.	.	.
(other)	2	1	2	3	2	2	6	.	2	1	2·2	1	.	.	.	.	1	.	.	.
Dis. (other)	4	1	4	2	3	8	1	10	5	3	4·1	2	.	.	.	.	1	.	1	.
, Acute									1	.		.	.	.	.	.	.	.	.	.
Dis., Albuminuria ...	2	5	3	2	2	5	2	9	4	8	4·6	3	.	.	.	.	2	.	1	.
Sys. (Other Dis.) ...									2	1		2	.	.	.	.	.	2	.	.
e Organs Dis.	.	.	1	1	.	.	1	.	.	.	·3	1	.	.	.	.	.	.	1	.
h (Accid. of)	.	1	2	.	.	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.
... ...	7	9	8	10	8	21	3	8	8	3	8·5	4	.	.	.	.	.	.	3	1
eases	18	11	14	10	15	14	12	12	20	11	13·7	7	1	.	2	.	.	2	2	.
ACCIDENT.																				
ays	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	1	.	.	.
es and Horses	1	.	.	.	2	1	.	.	1	.	·5	2	.	.	.	.	.	2	.	.
Boats, Docks (exclusive rning)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
g Operations	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
rations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scalds, Explosions ...	.	.	2	1	1	.	3	4	2	1	1·4	1	.	.	.	.	.	.	1	.
ing	1	.	1	1	1	.	.	3	.	1	·8	.	.	.	.	.	.	.	.	.
ation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
or Poisonous Vapours...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
aths by Accidents ...	.	.	1	2	2	1	1	3	3	.	1·3	2	1	.	.	.	.	.	1	.
ENCE OTHER THAN ACCIDENTAL.																				
... ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
... ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

stration Area as then constituted.

† For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

Dublin Registration Area.	1904—Week ending																									
	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.
No. of weeks in Annual Series.	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Births registered,	210	202	172	240	243	188	209	260	236	254	182	177	222	258	178	202	257	196	217	208	194	149	232	185	189	186
*Average Births in corresponding week of previous 10 years,**	223	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199	183	188	197	182	158
Deaths registered,	126	188	146	131	136	161	199	183	178	150	157	134	194	146	130	162	191	156	162	156	183	170	204	192	197	184
Annual Death-rate per 1,000,	17·8	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·8	26·3	21·5	22·3	21·5	25·2	23·4	28·1	26·4	27·1	25·3
*Average Deaths in corresponding week of previous 10 years,**	145	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183	191	191	183	186	189
Ages, Under 5 years,	34	32	54	41	52	72	94	81	86	65	68	61	67	55	45	68	82	50	66	43	66	63	66	62	65	59
5—20 "	17	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12	11	13	8	17	10
20—40 "	15	21	21	25	23	17	28	31	21	17	20	13	29	22	23	15	30	33	28	26	26	24	28	30	30	26
40—60 "	27	37	29	24	33	23	28	29	23	28	21	28	38	32	21	31	26	29	19	34	36	22	43	43	37	32
60—80 "	28	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37	44	45	39	39	51
80 years and upwards,	5	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6	6	10	10	9	6
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	2	2	10	5	4	3	5	4	7	1	1	.	1	.	.	.	6	4	6	7	8	12	12	10	6	10
" Scarlet Fever	2	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1	.	1	.	.
" Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping-cough,	1	3	3	3	2	4	4	3	4	1	4	.	4	1	3	3	.	2	1	.	4	4	3	.	.	.
" Diphtheria,	1	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1	.	1	1	.	.
" Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Enteric Fever,	.	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2	.	2	2	2	1
" Diarrhœal Diseases,	1	5	2	5	5	15	33	38	35	26	26	14	28	16	10	8	11	6	5	5	5	4	3	1	3	1
" Phthisis,	14	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23	15	29	27	30	14
" Diseases of Heart and Blood Vessels,	21	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23	23	20	32	31	42
" Diseases of Respiratory System.	20	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	38	37	59	38	42	47
Violent Deaths,	4	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5	8	2	2	5	6
Mean Temperature of the Air (Phœnix Park),	54·8	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8	33·6	41·3	40·4	42·6	38·2
Average Mean Temperature in corresponding week of previous 10 years	59·1	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3	43·4	42·3	42·6	42·2	†39·9
Rainfall in inches,	·140	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050	·385	·100	·485	·740	·000
Mean Humidity of the Air, complete Saturation 1·0,	·78	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·88	·86	·90	·92	·87	·91	·91	·88	·93	·85	·88	·93

* See note at foot of Table IV. † For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th December, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental Homicidal, and Suicidal).	Other Causes.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,850	25·6	184	59	10	26	32	51	6	.	10	.	.	.	.	.	1	1	12	14	9	47	6	96
	CLASSES. **Deaths in Families of the—**																								
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12·0	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3
II.	MIDDLE CLASS,	37,188	21·5	36	7	1	3	8	14	3	.	.	.	.	.	.	.	.	.	.	5	1	7	.	23
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	18·4	39	14	1	6	2	16	.	.	.	.	.	.	.	.	.	.	.	1	2	12	1	23
IV.	GENERAL SERVICE CLASS,	154,279	34·2	75	33	7	13	11	10	1	.	10	.	.	.	.	.	1	1	12	4	4	20	5	30
V.	INMATES OF WORKHOUSES,	6,024		30	5	1	3	10	10	1	.	.	.	.	.	.	.	.	.	.	4	2	7	.	17
	PROFESSIONAL AND INDEPENDENT CLASS.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	6·7	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,860	18·7	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
	MIDDLE CLASS.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	13·5	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	26·1	11	2	.	1	4	4	.	.	.	.	.	.	.	.	.	.	.	3	1	1	.	6
	6. Clerks and Commercial Assistants,	30,432	12·0	7	2	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	1	.	4	.	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	30·9	16	3	1	2	1	8	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	14
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	21·1	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1
	9. Building and Furnishing Trades,	29,801	22·7	18	6	.	2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	6	.	6
	10. Clothing Trades,	23,260	13·5	6	1	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	11. Food Supply Trades,	9,242	16·9	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2
	12. Other Trades and Callings ranking with Trades,	30,352	12·0	7	2	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7
	13. Petty Shopkeepers,	7,894	39·6	6	2	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	2
	GENERAL SERVICE CLASS.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	7·8	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	15. Domestic Servants,	36,603	11·4	8	2	.	1	2	3	.	.	.	.	.	.	.	.	1	.	1	.	.	4	.	3
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	36·2	10	4	.	4	2	.	.	.	1	.	.	.	.	.	.	.	1	1	2	1	.	5
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·9	55	27	7	7	6	7	1	.	9	.	.	.	.	.	.	1	10	3	2	15	5	20
	INMATES OF WORKHOUSES.																								
V.	18. Workhouse Inmates,	6,024	.	30	5	1	3	10	10	1	.	.	.	.	.	.	.	.	.	.	4	2	7	.	17

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,892.	Nov. 5,	18·4	.	10	.	.	.	.	.	.	.	.	.	4	3	.
	" 12,	3·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	" 19,	31·3	3·7	17	.	.	.	.	1	.	.	1	1	2	4	1
	" 26,	27·6	1·8	15	.	.	.	.	.	.	.	.	1	5	3	1
	Dec 3,	33·6	1·8	21	.	.	.	.	.	.	.	.	1	1	8	.
	" 10,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	2	6	.
	" 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.
	" 24,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Nov 5,	18·6	1·3	14	.	.	.	.	.	.	.	.	1	2	3	.
	" 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	" 19,	18·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	" 26,	32·0	1·3	24	.	1	.	.	.	.	.	.	.	3	6	1
	Dec. 3,	22·6	.	17	.	.	.	.	.	.	.	.	.	1	3	.
	" 10,	25·3	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	" 17,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	2	1
	" 24,	24·0	.	18	.	.	.	.	.	.	.	.	.	.	3	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Nov. 5,	29·4	.	17	.	.	.	.	.	.	.	.	.	4	4	.
	" 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	" 19,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	" 26,	26·0	3·5	15	.	.	.	.	1	.	.	.	1	2	1	1
	Dec. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	3	4	.
	" 10,	31·2	.	18	.	.	.	.	.	.	.	.	.	6	2	.
	" 17,	27·7	.	16	.	.	.	.	.	.	.	.	.	5	6	.
	" 24,	29·4	1·7	17	.	.	.	.	.	.	.	1	.	1	6	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,673.	Nov. 5,	21·4	1·6	13	.	1	.	.	.	.	.	.	.	1	4	1
	" 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
	" 19,	28·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	" 26,	28·0	3·3	17	.	1	.	.	1	.	.	.	.	1	5	.
	Dec. 3,	29·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	" 10,	19·8	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	" 17,	19·8	.	12	.	.	.	.	.	.	.	.	.	3	3	.
	" 24,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Nov. 5,	29·9	4·1	22	.	2	.	.	.	.	.	.	1	2	6	1
	" 12,	25·8	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
	" 19,	35·3	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	" 26,	25·8	6·8	19	.	4	.	.	1	.	.	.	.	1	4	1
	Dec. 3,	35·3	9·5	26	.	6	.	.	.	.	.	.	1	4	10	.
	" 10,	36·7	8·2	27	.	6	.	.	.	.	.	.	.	2	5	.
	" 17,	28·5	5·4	21	.	3	.	.	.	.	.	.	1	2	5	1
	" 24,	35·3	5·4	26	.	3	.	.	.	.	.	.	1	2	7	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Nov. 5,	28·5	2·9	10	.	1	.	.	.	.	.	.	.	2	1	.
	" 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
	" 19,	28·5	5·7	10	.	.	.	.	.	.	.	.	2	1	2	.
	" 26,	25·7	5·7	9	.	2	.	.	.	.	.	.	.	.	2	.
	Dec. 3,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	2	3	.
	" 10,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	3	1	1
	" 17,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	6	.
	" 24,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	3	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Nov. 5,	21·1	2·5	17	.	1	.	.	.	.	.	.	1	1	5	.
	" 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	.
	" 19,	22·4	3·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	" 26,	24·9	2·5	20	.	1	.	.	.	.	.	.	1	1	5	1
	Dec. 3,	28·6	2·5	23	.	1	.	.	1	.	.	.	.	3	9	1
	" 10,	31·1	3·7	25	.	2	.	.	.	.	.	.	1	4	4	.
	" 17,	29·8	2·5	24	.	1	.	.	.	.	.	.	1	2	2	1
	" 24,	33·6	3·7	27	.	3	.	.	.	.	.	.	.	3	4	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Nov. 5.	26·2	.	19	.	.	.	.	.	.	.	.	.	.	3	.
	" 12,	23·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
	" 19,	32·6	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1
	" 26,	31·2	3·0	21	.	1	.	.	1	.	.	.	.	2	5	2
	Dec. 3,	26·7	8·9	18	.	3	.	.	2	.	.	.	1	3	7	1
	" 10,	31·2	3·0	21	.	2	.	.	.	.	.	.	.	2	7	1
	" 17,	40·1	1·5	27	.	1	.	.	.	.	.	.	.	4	6	1
	" 24,	23·7	4·5	16	.	3	.	.	.	.	.	.	.	2	4	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal and Suicidal).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Nov. 5,	14·1	1·6	9	.	.	.	.	1	.	.	.	.	1	1	.
	„ 12,	20·4	.	18	.	.	.	.	.	.	.	.	.	2	2	1
	„ 19,	26·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
	„ 26,	14·1	3·1	9	.	2	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	26·7	3·1	17	.	2	.	.	.	.	.	.	.	2	7	.
	„ 10,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	1	.	.
	„ 17,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	.	2	.
	„ 24,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	4	.
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Nov. 5,	14·0	4·0	7	.	.	1	.	.	.	.	.	1	1	.	.
	„ 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	„ 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	3	1
	Dec. 3,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 17,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	1	4	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Nov. 5,	14·8	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	.
	„ 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	1
	„ 26,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 3,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 24,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	1
Belfast. Pop. in 1904 (Est.) 358,680.	Nov. 5,	17·2	2·0	118	.	6	2	.	.	.	.	1	5	15	32	4
	„ 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	„ 19,	19·8	2·2	136	.	8	1	.	.	1	.	1	4	17	42	4
	„ 26,	19·6	2·2	135	.	7	.	.	.	.	.	5	3	23	42	3
	Dec. 3,	22·5	2·6	155	.	11	.	.	1	.	1	2	3	21	40	1
	„ 10,	21·3	3·2	167	.	18	.	.	.	.	1	3	.	21	47	2
	„ 17,	21·7	3·5	149	.	16	.	.	.	.	.	5	3	24	42	2
	„ 24,	20·6	2·8	142	.	14	.	.	.	2	.	2	1	18	48	3
Cork Pop. (in 1901) 76,122.	Nov. 5,	25·3	1·4	37	.	.	.	.	.	.	.	1	1	2	6	.
	„ 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	8	7	2
	„ 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
	„ 26,	16·4	0·7	24	.	.	.	.	.	.	.	1	.	4	7	1
	Dec. 3,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	2	.
	„ 10,	24·7	2·1	36	.	2	.	.	.	.	.	.	1	8	7	1
	„ 17,	19·9	1·4	29	.	1	.	.	.	1	.	.	.	3	10	.
	„ 24,	20·5	2·7	30	.	2	.	.	.	1	.	1	.	7	8	1
Londonderry. Pop. in 1904 (Est.) 41,397	Nov. 5,	10·1	.	8	.	.	.	.	.	.	.	.	.	.	3	.
	„ 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	„ 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	16·4	.	13	.	.	.	.	.	.	.	.	.	2	6	.
	„ 10,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 17,	27·7	.	22	.	.	.	.	.	.	.	.	.	1	5	1
	„ 24,	18·9	1·3	15	.	.	.	.	.	1	.	.	.	2	4	.
Limerick. Pop. (in 1901) 38,151.	Nov. 5,	19·1	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	„ 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 26,	15·0	1·4	11	.	.	.	.	.	.	.	.	1	.	4	.
	Dec. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1
	„ 10,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	45·1	.	33	.	.	.	.	.	.	.	.	.	2	8	.
	„ 24,	19·1	1·4	14	.	.	.	.	.	.	.	.	1	1	4	.
Waterford. Pop. (in 1901) 26,769	Nov. 5,	15·6	.	8	.	.	.	.	.	.	.	.	.	1	2	1
	„ 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	„ 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	2	1
	Dec. 3,	21·	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 10,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	3	1
	„ 17,	21·4	1·9	11	.	1	.	.	.	.	.	.	.	.	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	3	.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th December, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	7	17·7	.	5	2	.	2	1	.	.	.	.	.	.	.	.	.	1	3	.	.	2
Do. 2 "	47,959	21	21·7	2·2	20	3	5	10	2	.	1	.	.	.	.	.	.	1	1	8	.	2	2
Do. 3 "	47,214	30	26·5	5·5	24	2	9	10	3	.	4	.	.	.	1	.	.	.	5	7	.	.	.
Do. 4 "	40,911	34	14·0	.	11	2	.	7	2	.	.	.	.	.	.	.	.	.	1	4	1	1	2
Do. 5 "	17,387	12	30·0	6·0	10	2	2	5	1	.	1	.	.	.	.	.	1	.	1	3	.	.	2
Do. 6 "	48,122	20	18·4	1·1	17	1	1	11	4	.	.	.	.	.	1	.	.	.	3	4	1	2	5
Do 7 "	1,524	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	3	30·9	10·3	3	1	1	.	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.
Do. 9 "	19,569	11	24·0	.	9	2	.	4	3	.	.	.	.	.	.	.	.	.	2	1	.	1	2
Do. 10 "	23,064	12	29·4	4·5	13	6	2	4	1	.	2	.	.	.	.	.	.	.	1	7	.	.	.
Do 11 "	34,802	21	21·0	3·0	14	1	2	9	2	.	1	.	.	.	.	.	1	.	1	2	.	.	2
Do. 12 "	33,588	22	15·5	4·7	10	1	5	4	.	.	3	.	.	.	.	.	.	.	2	1	1	2	2
Do 13 "	15,006	15	20·8	3·5	6	1	1	1	3	.	1	.	.	.	.	.	.	.	.	1	.	.	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	209	21·2	2·8	142	24	28	67	23	.	14	.	.	.	2	.	2	1	18	43	3	8	20
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	6	36·5	4·1	9	1	.	5	3	.	.	.	.	.	1	.	.	.	3	2	.	.	4
Do 2 "	10,701	7	14·6	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	2
Do 3 "	9,978	7	10·5	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Do. 4 "	8,666	3	30·1	6·0	5	.	.	3	2	.	.	.	.	.	.	.	1	.	2	.	.	.	5
Do. 5 "	6,592	.	15·8	.	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Do. 6 "	10,702	2	14·6	.	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	1	.
D 7 "	16,616	5	18·3	6·3	6	.	2	3	1	.	2	.	.	.	.	.	.	.	.	2	.	.	2
Total,	76,122	30	20·5	2·7	30	5	2	12	11	.	2	.	.	.	1	.	1	.	7	8	1	1	14

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered,	229	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	280	226	238	215	215	142	214	204	209	209
DEATHS registered.	119	122	114	112	115	109	128	128	120	124	127	123	122	121	132	110	122	125	118	128	136	135	155	167	149	142
Annual Death-rate per 1,000 of estimated Population,	17·8	17·7	16·6	16·8	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8	19·6	22·5	24·3	21·7	20·6
AGES, Under 1 year,	24	23	23	30	36	32	46	46	27	41	43	38	29	32	33	33	29	31	35	40	29	20	36	34	29	24
AGES, 1–5 years,	13	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22	23	23	24	32	28
AGES, 5–60 years,	53	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51	58	65	68	73	58	67
AGES, 60 years and upwards,	29	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27	27	33	36	30	23
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Measles,	3	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8	7	11	18	16	14
" Scarlet Fever,	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	.	.	.	.	.
" Typhus,	.	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	8	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3	1	.	.	1	.	.	1	.	.	.
" Diphtheria,	1	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
" Simple Continued Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.
" Enteric Fever,	3	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4	1	5	2	3	5	2
" Diarrhœal Diseases,	2	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4	3	3	.	3	1
" Phthisis	18	20	18	18	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14	17	23	21	21	24	18
" Diseases of Respiratory System,	18	13	20	25	11	15	12	10	15	13	8	14	13	17	23	21	33	26	32	31	42	42	40	47	42	43
Violent Deaths,	3	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.	4	3	1	2	2	3

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th December, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	1	.	1	.	.	.	.	2
" " 1, West,	.	.	.	.	.	.	1	.	.	3	.	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	.	1	.	.	1
" " 3,	.	.	.	.	.	.	1	.	.	2	3	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	2	.	.	.	.	1	.	1	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	3	.	.	.	.	.	2	4	.	.	9
" " 2,	.	.	.	.	.	.	.	.	.	.	2	.	.	2
" " 3,	.	.	.	.	.	.	1	.	.	.	1	.	.	2
" 4,	.	.	.	1	.	.	1	.	.	.	1	.	.	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	6	.	.	5	.	2	7	13	.	.	33

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th December, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th December.			
	Dec. 3.	Dec. 10.	Dec. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	88	83	117	24	33	6	102
Scarlet Fever,	75	80	68	13	16	.	65*
Typhus "	1	1	.	.	.	.	.
Diphtheria,	29	22	26	3	10	.	19
Enteric Fever,	42	45	41	8	4	1	44
Pneumonia,	14	17	23	3	4	.	22

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON . .	4,649,088	Dec. 24,	2,122	1,572	17·6	.	26	3	13	17	7	12
EDINBURGH,	331,977	„ 24,	136	108	17·0	.	1	1	1	2	.	2
GLASGOW, . .	798,357	„ 24,	530	363	23·7	.	7	.	2	24	8	13
CALCUTTA, . .	847,796	Nov. 5,	.	418	25·6	.	.	.	.	.	132‡	47*
BOMBAY, . .	776,006	„ 22,	496	635	42·5	2	4	.	.	1	57‡	32
MADRAS, . .	509,346	„ 4,	410	279	28·4	1	1	?	?	?	87	38
PARIS, . . .	2,660,559	Dec. 10,	985	907	18·6	.	2	1	3†	3	5	23
BRUSSELS (with 8 Faubourgs).	586,936	„ 3,	244	164	14·5	.	1	.	.	1	.	6
AMSTERDAM,	550,150	„ 3.	282	174	16·5	.	7	1	.	5	.	6
ROTTERDAM .	320,991	—	.	.	.	.	.	.	.	.	.	
THE HAGUE, .	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, .	417,000	Dec. 3,	228	110	13·8	.	3	2	.	.		6
CHRISTIANIA, .	223,649	„ 10,	119	50	11·6	.	1	.	1†	1	.	2
ST. PETERSBURG,	1,248,122	„ 10,	685	648	27·1	.	9	15	11	2	16	63
BERLIN, . .	1,964,315	Nov. 26,	834	582	15·2	.	11	10	8†	4	2	37
HAMBURG, . .	751,842	Dec. 3,	.	220	15·2	.	1	2	3†	5	.	10
BRESLAU, . .	445,679	„ 10,	.	211	24·7	.	.	1	2†	?	3	24
MUNICH, . .	520,000	„ 10,	.	173	17·3	.	1	1	1†	1	.	17
VIENNA (with suburbs).	1,816,303	„ 10,	916	581	16·6	.	9	2	9†	.	1	30
BUDA-PESTH, .	813,399	„ 10,	423	311	19·9	.	8	8	8†	.	2	12
PRAGUE and Faubourgs.	426,402	„ 3.	208	170	20·5	.	1	.	4†	1	3	12
ROME, . . .	505,371	Oct. 8,	230	155	16·0	1	.	.	.	.	11	12
TURIN, . .	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE, . .	167,741	Nov. 12,	80	54	16·8	.	.	.	1†	.	.	7
NEW YORK, .	3,838,024	„ 26,	1,802	1,328	15·1	.	9	9	40†	1	12	27
PHILADELPHIA,	1,408,154	„ 19,	.	401	14·8	.	.	1	12†	.	8	9

* Including 11 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 9 deaths from bubonic fever in Calcutta, and 57 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 24th December, 1904:—

"Rainless, but generally dull and foggy, weather held throughout this week. Only on Sunday was the sky free of cloud—afterwards dense fogs and clouds blotted out sun, moon and stars to the end of the week. Already on Sunday a brisk increase of atmospheric pressure was taking place over the West of Europe, and by Monday morning the barometer had risen to or above 30·4 inches all over the British Isles, and to or above 30·6 inches over the greater part of England, Holland, Belgium, the W. of Germany, and Northeastern France. A complete anticyclonic circulation of air developed round the high-pressure area. As Ireland got the southerly and Scotland the southwesterly winds of the system, the weather was mild in those countries and remained so for the most part. In England, however, calms prevailed so that temperature fell many degrees—frosts and dense fogs being the result. So brisk was the fall of temperature at Oxford that the thermometer read 27° at 8 a.m. of Monday, or 25° below the reading of twenty hours previously, namely 52°. Tuesday showed a considerable rise of temperature, but on and after Wednesday fog and frost prevailed over the greater part of England. In Dublin a brief frost was felt very early on Thursday morning, when the thermometer fell to 28·2° in the screen in the south-eastern district of the city. The dense cloud and fog canopy afterwards checked terrestrial radiation, so that the diurnal range was very small—only 3·7° on Friday and 3·8° on Saturday. In Dublin the mean height of the barometer was 30·361 inches, the barometer rising to 30·550 inches at 9 p.m. of Sunday (wind, calm) and falling to 30·057 inches at 9 p.m of Saturday (wind, calm). The corrected mean temperature was 41·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·4°. On Monday the screened thermometers rose to 51·2°, on Thursday they fell to 28·2°. Light variable winds—at first from S.E. then from W.—or calms prevailed. Only 6¾ hours of sunshine were observed, of which 6 fell on Sunday. No rain fell, but ·007 inch of water was collected in the rain-gauge, the result of damp fog."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·372 inches. The highest reading (30·562) was on Sunday at 9 p.m., air calm, and the lowest (30·045) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 38·2°, being 1·7° below the average for the corresponding period of the 9 years 1894-1899 and 1901-3. The temperature was highest on Monday, on which day the thermometer registered 49·5°, and was lowest on Thursday, the mercury having fallen to 25·9°. The mean of the Dry Bulb for the week was 38·0°, and of the Wet Bulb 37·4°. The mean humidity of the air was ·93, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 7·1 hours There was no rainfall during the week.

At Greenwich the mean temperature for the week was 34·1°, the maximum 54·0°, and the minimum 24·8°; at Glasgow the maximum was 48·4°, the minimum 31·5°, and the mean 40·3°; and at Edinburgh the maximum was 46·5°, the minimum 33·4°, and the mean 39·1°. The rainfall at Greenwich measured 0·04 inch; and at Edinburgh 00·1 inch. There was no rainfall at Glasgow*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 18,	30·476	49·1	28·5	38·8	33·2	32·6	·81	·1	6·2	—	W.	Calm.
Monday, „ 19,	30·504	49·5	28·5	39·0	43·5	43·3	·99	·0	0·0	—	Calm.	Calm.
Tuesday, „ 20,	30·397	47·7	38·6	43·2	44·1	43·5	·96	·0	0·0	—	S.E.	S.E.
Wednesday, „ 21,	30·393	43·7	28·7	36·2	33·3	32·9	·94	·0	0·0	—	Calm.	Calm.
Thursday, „ 22,	30·396	39·0	25·9	32·5	35·8	35·3	·97	·0	0·9	—	Calm.	Calm.
Friday, „ 23,	30·323	40·7	37·6	39·2	38·3	37·7	·95	·3	0·0	—	Calm.	Calm.
Saturday, „ 24,	30·116	40·2	36·9	38·6	37·7	36·6	·92	·2	0·0	—	Calm.	Calm.
Mean, . .	30·372	44·3	32·1	38·2	38·0	37·4	·93	·1	Total 7·1	·000	—	

Sunday—A fine day: night clear. *Monday*—A dull day; night overcast, heavy fog. *Tuesday*—A dull day; night overcast. *Wednesday*—A dull day; night overcast, foggy. *Thursday*—A cloudy day; night overcast, foggy. *Friday*—A dull day; night overcast. *Saturday*—A dull day; night overcast.

Note.—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrars-General of England and Scotland.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P 289. 9. 1904.

OFFICIAL.

WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE, BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or EYRE & SPOTTISWOODE, EAST HARDING-STREET, FLEET-STREET, E.C.; or OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] WEEK ENDING SATURDAY, 31ST DECEMBER, 1904. [No. 52.

General Register Office, Charlemont House, Dublin, 2nd January, 1905.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,093,289.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000:—

Towns, &c.	Week ending Dec. 10.	Week ending Dec. 17.	Week ending Dec. 24.	Week ending Dec. 31.	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 10.	Week ending Dec. 17.	Week ending Dec. 24.	Week ending Dec. 31.	Average Rate for 4 weeks.
22 Town Dists.	22·7	22·8	21·7	23·8	22·8	Lisburn, . .	22·7	4·5	22·7	18·2	17·0
Armagh, . .	20·6	20·6	27·5	41·2	27·5	Londonderry .	23·9	27·7	18·9	12·6	20·8
Ballymena, .	9·6	19·2	9·6	28·7	16·8	Lurgan, . .	13·3	22·1	17·7	39·8	23·2
Belfast, . .	24·3	21·7	20·6	23·6	22·6	Newry, . .	.	16·8	21·0	21·0	14·7
Clonmel, . .	5·1	25·6	20·5	25·6	19·2	Newtownards, .	22·9	11·4	45·8	28·6	27·2
Cork, . . .	24·7	19·9	20·5	18·5	20·9	Portadown, .	25·8	20·7	15·5	5·2	16·8
Drogheda, . .	16·3	24·5	16·3	12·3	17·4	Queenstown, .	13·2	13·2	19·8	6·6	13·2
Dublin Reg. Area,	25·2	25·3	24·5	25·0	25·0	Sligo, . . .	24·0	9·6	24·0	24·0	20·4
Dundalk, . .	31·9	16·0	16·0	23·9	22·0	Tralee, . .	5·3	10·6	5·3	37·0	14·6
Galway, . .	7·8	7·8	46·6	33·8	25·2	Waterford, .	15·6	21·4	17·5	25·3	20·0
Kilkenny, . .	9·8	14·7	9·8	29·5	16·0	Wexford, . .	28·0	9·3	9·3	56·0	25·6
Limerick, . .	13·7	45·1	19·1	17·8	23·9						

The deaths from certain epidemic diseases ‡ registered in the 22 districts during last week * were equal to an annual rate of 3·0 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·3 in Wexford, the 12 deaths from all causes in that district including one from scarlet fever and one from whooping-cough. Among the 162 deaths from all causes in Belfast are one from small pox, 17 from measles, 2 from scarlet fever, 2 from diphtheria, 2 from enteric fever, and 3 from diarrhœal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 220—106 boys and 114 girls; and the deaths to 187—92 males and 95 females.

DEATHS.

The deaths registered represent an annual rate of mortality of 25·7 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 25·0 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*), Table II. ‡ See columns 10-18 of Table II.

During the fifty-two weeks ending with Saturday last the death-rate averaged 24·5, and was 1·3 under the mean rate for the corresponding portions of the ten years 1894–1903.

There were 16 deaths from measles, one from scarlet fever, 2 from whooping-cough, 2 from enteric fever, and 6 from diarrhœal diseases; the deaths from measles in the 3 weeks preceding numbered 10, 6, and 10, respectively.

Croupous pneumonia caused 2 deaths, broncho-pneumonia 5, and *pneumonia* 5.

The 30 deaths from tuberculous disease include 6 from tuberculous phthisis, 15 from *phthisis*, 3 from tuberculous meningitis, one from tabes mesenterica, and 5 from other forms of the disease.

Five deaths were caused by carcinoma, and 2 by *cancer, malignant disease.*

The deaths of 2 infants were attributed to premature birth.

Diseases of the brain and nervous system caused 9 deaths, including 6 (all of children under 5 years of age) from *convulsions.*

There were 23 deaths from diseases of the heart and blood-vessels.

Of the 35 deaths attributed to diseases of the respiratory system (exclusive of the pneumonias), 30 were caused by bronchitis.

There were 2 deaths caused by accidental violence and one by homicide.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old).

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 4 were under one month old), and 49 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 8 were octogenarians, and 2 (females) were stated to have been aged 91 and 110 years respectively.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·0 per 1,000; the rate in the City was 27·9 (North City Districts, 24·2; South, 31·8), and in the Suburbs, 15·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·6 per 1,000 inhabitants, the rate for the City being 4·3 (2·4 in the North City Districts, and 6·2 in the South), and for the Suburbs, 1·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 22·1 per 1,000. There was one death from epidemic enteritis, tuberculous disease caused 3 deaths, *pneumonia* caused 2 deaths, and bronchitis caused one death.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. One death was due to *diarrhœa*, tuberculous disease caused 3 deaths; there was one death from broncho-pneumonia, and there were 3 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 34·6 per 1,000. Whooping-cough and *diarrhœa* each caused one death, *phthisis* caused 4 deaths, *pneumonia* caused one death, and bronchitis caused 2 deaths.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 28·0 per 1,000. Measles, whooping-cough, enteric fever, and *pneumonia*, each caused one death; 5 deaths were caused by bronchitis, and one by accidental violence.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 10·4; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (30) represent an annual rate of 40·8 per 1,000. Eleven deaths from measles were registered; there was one death from *diarrhœa*; tuberculous phthisis and tuberculous meningitis each caused one death, there was one death from croupous-pneumonia, and bronchitis caused 4 deaths.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·2 per 1,000. There was one death from measles; there were 6 deaths from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 32·3 per 1,000. Measles and *diarrhœa* each caused one death; there were 4 deaths from tuberculous disease of the lungs, 2 from broncho-pneumonia, 7 from bronchitis, and one death from homicide.

No. 4 South City District (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Two deaths from measles, 4 deaths from tuberculous disease of the lungs, one death from broncho-pneumonia, and 3 deaths from bronchitis, were registered.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·6 per 1,000.

Urban Districts.—The annual death-rates per 1,000 inhabitants represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·1; Pembroke, 14·0; Blackrock, 6·0; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts consist of one from scarlet fever and one from *diarrhœa* for Pembroke. Among 9 the deaths from all causes tabulated for Rathmines and Rathgar are 4 from diseases of the heart and blood-vessels and one from *pneumonia*; and the 8 deaths for Kingstown include one from *phthisis*, and 3 from diseases of the heart and blood-vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the city of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Whitaker, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 31st December, 1904, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Meningitis.	Diarrhœal Diseases.	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 10,	.	—	—	8	.	.	3	.	3	9	18	.	—	—	—	—	—	41
	Dec. 17,	.	—	—	6	.	.	.	.	4	8	14	.	—	—	—	—	—	32
	Dec. 24,	.	—	—	6	.	.	5	.	2	7	13	.	—	—	—	—	—	33
	Dec. 31,	.	—	—	2	.	.	3	.	2	2	6	.	—	—	—	—	—	15
Rathmines and Rathgar Urban District.	Dec. 10,	.	—	—	1	.	.	.	.	.	.	2	.	—	—	—	—	—	3
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 24,	.	—	—	1	.	.	2	.	.	2	1	.	—	—	—	—	—	6
	Dec. 31,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	3
Pembroke Urban District.	Dec. 10,	.	12	.	4	.	.	1	.	.	1	.	.	.	.	.	—	—	18
	Dec. 17,	.	19	.	1	.	.	.	.	.	.	.	.	.	.	.	—	—	20
	Dec. 24,	.	6	.	1	.	.	.	.	.	.	.	.	.	3	.	—	—	10
	Dec. 31,	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	—	—	6
Blackrock Urban District.	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 24,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1
	Dec. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
Kingstown Urban District.	Dec. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
	Dec. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1
	Dec. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.
City of Belfast.	Dec. 10,	7	—	—	10	.	.	4	2	11	7	16	1	—	—	—	—	—	58
	Dec. 17,	5	—	—	7	.	.	4	2	14	6	11	1	—	—	—	—	—	50
	Dec. 24,	11	—	—	11	.	.	3	.	3	11	8	.	—	—	—	—	—	47
	Dec. 31,	4	—	—	16	.	.	1	2	7	4	7	.	—	—	—	—	—	41

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XI. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st December, 1904.

From this it appears that:—

Forty-eight cases of measles were admitted to hospital during the week, 9 were discharged, there were 10 deaths, and 131 patients remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 4 were discharged, there was one death, and 69* cases remained under treatment at the close of the week.

Two cases of diphtheria were admitted to hospital, there was one death, and 20 cases remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 8 were discharged, there was one death, and 46 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 8 patients were discharged, there were 2 deaths, and 17 cases remained under treatment at the end of the week.

ENGLAND.†

The mortality last week in 76 large English towns, including London (in which the rate was 21·0), was equal to an average annual death-rate of 22·4 per 1,000 persons living,

* See note (*) Table XI. † Return for Principal Towns of Scotland not received.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 31st December, 1904, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.*	Population. Persons to an Acre	Registration—Week ending Saturday, 31st December, 1904. Annual Rate per 1,000 persons represented by Births.	Deaths. From all Causes.	Deaths. From Diseases. in cols. 10-18.	Numbers Registered. Births. Total Number.	Deaths. Under 1 year of Age.	Deaths. At 60 years & upwards.	Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.	Meteorology.† Week ending 31st Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th Dec., 1904. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)
Total of 22 Town Districts	1,093,289	19·2	28·3	23·8	3·0	593	498	101	123	1	35	5	.	6	2	.	3	10	57	128	8	17	148	.	.	.	.	.	.	.	.	.	.	.	.
Dublin Registration Area:— Total,	378,994	27·5	30·3	25·0	3·6	220	182	40	48	.	16	1	.	2	.	.	1	6	21	46	3	3	74	52·9	36·0	44·1	0·21	49·5	25·9	38·2	0·00	57·0	26·8	42·6	0·74
City of Dublin	298,385	37·1	31·3	27·9	4·3	176	157	37	36	.	16	.	.	2	.	.	1	5	20	41	2	3	66	a55·1 / 55·7	39·0 / 33·8	46·3 / 44·5	0·16 / 0·21	a51·2 / 49·3	28·2 / 27·0	41·8 / 38·9	0·01 / 0·01	a58·5 / 56·8	31·2 / 27·6	44·5 / 42·4	0·51 / 0·84
Urban Districts. Rathmines and Rathgar	33,203	19·4	42·4	14·1	.	27	9	.	6	.	.	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke	26,025	16·4	20·0	14·0	4·0	10	7	1	2	.	.	1	.	.	.	.	.	1	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock	8,759	8·1	6·0	6·0	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown	17,622	12·1	17·8	23·7	.	6	8	2	3	.	.	.	.	.	.	.	.	.	1	1	.	.	2	55·2	39·5	46·1	0·08	49·2	29·5	41·5	0·03	59·2	34·0	45·3	0·33
Urban Districts.																																			
Belfast (c)	358,680	24·4	27·6	23·6	3·9	190	162	31	30	1	17	2	.	.	2	.	2	3	20	41	2	7	28	53·5	30·0	42·6	0·38	56·5	27·0	42·8	0·17	56·0	26·3	38·7	1·48
Cork	76,192	38·6	32·9	18·5	1·4	48	27	6	5	.	2	.	.	.	.	.	.	.	3	8	.	.	8	53	40	47·6	0·2	51	37	46·0	0·06	53	33	45·3	0·81
Londonderry	41,397	19·1	30·2	12·6	.	24	10	1	4	.	.	.	.	.	.	.	.	.	2	3	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Limerick	38,151	18·1	46·5	17·8	.	34	18	2	3	.	.	.	.	.	.	.	.	.	1	6	.	.	6	.	.	.	.	.	.	.	.	.	.	.	.
Waterford	26,769	18·7	9·7	25·3	1·9	5	13	.	2	.	.	1	.	.	.	.	.	.	3	5	.	1	8	.	.	.	.	.	.	.	.	.	.	.	.
Galway	18,426	2·5	28·3	38·8	.	6	10	1	5	.	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.	54	34	45	0·13	56	30	42·5	2·37
Dundalk	18,076	9·4	27·9	23·9	.	7	6	1	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Drogheda	12,760	8·6	8·2	12·8	.	2	3	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Newry	12,405	17·8	12·6	21·0	4·2	3	5	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	52·2	38·3	43·0	0·18	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17
Lurgan	11,782	13·8	17·7	39·8	8·9	4	9	3	3	.	.	.	.	2	.	.	.	.	.	2	.	.	2	52·2	33·3	43·0	0·18	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17
Lisburn	11,461	10·1	18·2	18·2	.	4	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	52·2	33·3	43·0	0·18	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17
Wexford	11,168	23·2	28·0	56·0	9·3	6	12	6	3	.	.	1	.	1	.	.	.	.	2	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Ballymena	10,686	8·9	23·9	28·7	.	5	6	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Sligo	10,820	8·7	19·2	24·0	.	4	5	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	54·4	32·3	44·0	0·76	47·7	28·5	39·5	0·01	54·7	30·0	41·0	1·48
Kilkenny	10,609	11·5	14·7	19·5	.	3	6	.	1	.	.	.	.	.	.	.	.	.	3	1	.	.	3	53	37	44·3	0·24	50	30	44·5	0·00	55	30	42·6	0·57
Clonmel	10,167	7·8	35·9	25·6	.	7	5	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Portadown	10,092	13·2	5·2	5·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52·2	33·3	43·0	0·18	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17
Tralee	9,867	16·6	26·4	37·0	.	5	7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
Newtownards	9,110	18·9	51·5	28·6	.	9	5	.	2	.	.	.	.	.	.	.	.	.	.	2	1	1	1	53	35	48·6	0·08	47	31	40·9	0·00	53	28	41·6	1·27
Queenstown	7,909	14·4	19·8	6·6	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	53	40	47·6	0·22	51	37	46·0	0·06	53	33	45·3	0·81
Armagh	7,588	22·2	20·6	41·2	6·9	3	6	2	2	.	.	.	.	1	.	.	.	.	.	1	1	1	1	52·2	33·3	43·0	0·18	49·1	24·9	38·8	0·02	56·0	26·4	40·3	1·17

* According to the Census of 1901, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1904.

† It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Mullaghmore for Sligo, and those at Keadue for Tralee.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown registered during the week ending Saturday, the 31st of December 1904. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration
	REGISTRATION DISTRICTS IN												URBAN DISTRICT OF					
	Dublin North Superintendent Registrar's District.							Dublin Sth. Superintendent Reg.'s District										
	NORTH CITY No. 1E.	NORTH CITY No 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF & HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA, No. 1 (pt. of)	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES AND RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
A. GENERAL DISEASES:																		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	11	1	1	2	.	.	.	.	.	16	.
Scarlet Fever (Scarlatina),	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diarrhœal Diseases,	1	1	1	.	.	.	.	1	.	1	.	.	.	1	.	.	6	.
Phthisis,	2	3	4	.	.	.	.	1	2	4	4	.	.	.	.	1	21	.
Other General Diseases,	1	1	2	3	.	1	.	3	5	3	2	1	2	1	.	.	25	2
Total,	4	5	8	6	.	1	.	16	8	9	8	1	2	3	.	1	72	3
B. LOCAL DISEASES:																		
Diseases of: Nervous System	1	2	3	.	.	.	.	1	.	.	1	.	.	.	.	1	9	.
Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Heart and Blood Vessels,	1	1	3	2	.	.	.	4	1	.	1	1	4	1	1	3	23	.
Respiratory System,	3	5	4	6	.	1	.	6	3	9	4	.	2	2	.	1	46	1
Digestive System,	1	2	2	.	.	.	.	.	.	3	.	1	.	1	.	1	11	1
Lymphatic System, &c.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary System,	1	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	5	.
Generative System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Accidents of Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotive System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Integumentary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	7	11	12	8	.	1	.	12	4	14	7	2	6	4	1	6	95	2
C. OTHER SPECIFIED DISEASES	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
D. ILL-DEFINED AND NOT SPECIFIED DISEASES,	1	2	.	2	1	.	.	2	.	2	1	.	.	.	.	1	12	.
E. VIOLENT DEATHS	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	3	.
Deaths from all Causes,	12	18	20	17	1	2	.	30	12	26	16	3	9	7	1	8	182	5
Annual Rate of Mortality in every 1,000 of the population	22·1	24·0	34·6	28·0	10·8	10·4	.	40·8	34·2	32·3	23·7	17·6	14·1	14·0	6·0	23·7	25·0	.
	24·2							31·8					15·2					
	27·9																	

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons and Lunatic Asylums,	1	2	3	4	.	.	.	11	4	3	2	1	3	1	.	1	41	5
Workhouse Hospitals	1	5	3	3	.	.	.	6	3	4	3	2	1	1	.	1	33	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regist
week of the ten years 18

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years 1894–1903.	In the Week ending Satu 31st December, 1904. Deaths of Persons of the A					
	Dec. 29, 1894.	Dec. 28, 1895.	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.		ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.
Mean Temperature.	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	° 42·8	° 35·2	° 46·5	° 36·3	° 40·8	Mean Temp. ° 44·1					
ALL CAUSES.	170	156	178	223	186	280	149	200	188	240	197·0	187	4	36	26	9	28
Small-pox, Vaccinated, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.
Small-pox, Unvaccinated, ...	6	1	.	.	.	.	.	.	.	.	·7	.	.	.	.	.	.
Small-pox, No Statement, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.
Cowpox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	2	1	.	15	.	.	7	1	2·6	16	.	6	10	.	.
Scarlet Fever	2	.	3	1	1	1	1	.	2	2	1·3	1	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.
Plague, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	2	3	2	9	.	3	.	2	2·5	.	.	.	.	.	.
Whooping Cough, ...	3	.	15	2	4	2	5	.	1	12	4·4	2	.	2	.	.	.
Diphtheria, ...	.	1	.	2	1	1	.	2	3	.	1·0	.	.	.	.	.	.
Cerebro Spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Continued Fever, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.
Enteric Fever, ...	3	1	.	5	1	2	3	5	3	1	2·4	2	.	.	.	.	2
Asiatic Cholera, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epid. Diarrh., Epid. Enteritis, *Diarrhœa*, Dysentery, ...	3	.	.	1	2	1	2	3	1 / 3	. / .	1·6	1 / 5	.	1 / 3	.	. / 1	.
Hydrophobia, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Glanders, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Anthrax, Splenic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Disease, ...	.	.	.	2	.	.	.	.	.	3	·5	3	.	2	1	.	.
Puerperal Septicæmia, Sapræmia, Puerperal Pyæmia, ... *Puerperal Fever*, ...	1	.	.	1	.	.	.	.	. / . / .	. / . / .	·2	. / . / .	.	. / . / .	.	. / . / .	.
Infective Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epidemic Pneumonia, Pneu. Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	1	.	.	.	2	2	.	·7	.	.	.	.	.	.
Septicæmia (not Puerperal), Pyæmia (not Puerperal), ..	1	.	1	.	1	1	.	1	. / .	1 / .	·6	1 / .	.	.	.	.	1
Septic Dis. (other), ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.
Tuberculous Phthisis, .. "*Phthisis*,"	17	17	15	22	18	28	17	21	3 / 20	7 / 18	20·3	6 / 15	.	.	.	.	3
Tuberculous Meningitis, (Acute Hydrocephalus),	1	4	8	.	6	6	2	4	4	3	3·8	3	.	1	.	1	8
Tuberculous Peritonitis, ... Tabes Mesenterica, ...	2	1	4	5	4	5	1	1	1 / 1	. / 1	2·6	. / 1	.	.	.	. / 1	1
Tuberculous Dis. (other), ... *Scrofula*, ...	.	.	5	1	5	3	3	4	7 / .	7 / .	3·5	5 / .	.	.	3	. / .	.
Alcoholism, ...	.	.	1	1	.	2	1	.	.	3	·8	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	1	.	.	.	2	.	.	·4	1	.	.	.	.	.
Gout, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.

* The figures for the years 1894–1900

TY-SECOND WEEK ending Saturday, 31st December, 1904, with the deaths from each cause in the corresponding average for those weeks.*

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday: Dec. 29, 1894.	Dec. 28, 1895.	Dec. 26, 1896.	Jan. 1, 1898.	Dec. 31, 1898.	Dec. 30, 1899.	Dec. 29, 1900.	Dec. 28, 1901.	Dec. 27, 1902.	Jan. 2, 1904.	Averages in 52nd Week of the 10 years 1894–1903.	In the Week ending Saturday, 31st December, 1904. Deaths of Persons of the Ages of: ALL AGES.	0 to 5. Under 1 month.	1 month and under a year.	1 to 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards
Mean Temperature.	° 42·9	° 39·5	° 38·9	° 45·4	° 44·5	° 35·9	42·8	° 35·2	° 46·5	° 36·3	° 40·8	Mean Temp. ° 44·1								
oma	5	11	1	9	4	5	9	4	1	3	6·1	5	.	.	.	.	1	3	1	.
ia									.	.		.	.	.	.	.	.	.	.	.
Malignant Disease ...									4	5		2	.	.	.	.	1	1	.	.
es Mellitus	.	.	.	.	.	.	.	.	.	.	·	1	.	.	.	1	.	.	.	.
ture Birth	.	.	1	1	6	5	1	1	.	2	1·7	2	2	.	.	.	.	.	.	.
itis (not tuberc.)									4	1		1	.	.	1	.	.	.	.	.
y, G. P. of Insane									2	3		.	.	.	.	.	.	.	.	.
sy									2	.		.	.	.	.	.	.	.	.	.
tions									6	6		6	1	4	1	.	.	.	.	.
otor Ataxy									.	.		.	.	.	.	.	.	.	.	.
egia Dis. of Cord									1	2		1	.	.	.	.	.	.	1	.
is System (other Dis.) ...	35	32	28	48	41	43	36	53	4	2	42·0	1	.	.	.	.	1	.	.	.
is., Endocarditis									5	11		6	.	.	.	.	.	4	1	1
Hæm. Thromb.									.	6		3	.	.	.	.	.	.	3	.
y, *Hemiplegia*									3	6		7	.	.	.	.	1	.	6	.
sm									1	.		.	.	.	.	.	.	.	.	.
sm, Thromb. (not cerebral)									.	.		.	.	.	.	.	.	.	.	.
nd Blood Vessel Dis. ...									15	24		7	.	.	.	.	1	3	1	2
not Spasm. or Memb.) ...	1	1	.	1	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.
itis	22	27	37	36	22	72	25	37	25	34	33·7	30	.	5	2	1	2	5	12	3
us Pneumonia									.	1		2	.	.	1	.	1	.	.	.
o-Pneumonia	13	11	13	14	7	22	12	7	7	10	13·5	5	.	2	2	.	.	1	.	.
nonia"									8	10		5	.	1	1	.	3	.	.	.
, Emphysema									1	1		.	.	.	.	.	.	.	.	.
y	1	1	2	3	5	4	2	2	.	.	2·4	.	.	.	.	.	.	.	.	.
tory Dis. (other)									.	2		5	.	1	.	1	.	1	1	1
tis, Quinsy	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
is (not Epid.)	.	.	.	1	.	.	.	2	.	2	·5	1	.	.	.	.	.	1	.	.
Enteritis									.	.		.	.	.	.	.	.	.	.	.
itis (not Puerp.)	.	.	.	2	.	1	.	1	2	1	·7	.	.	.	.	.	.	.	.	.
is of Liver	4	4	3	2	5	1	2	2	1	.	2·8	1	.	.	.	.	.	1	.	.
is. (other)									1	3		.	.	.	.	.	.	.	.	.
ve Dis. (other)	6	2	1	6	8	5	1	4	5	7	4·5	10	.	5	1	.	1	1	2	.
is, Acute									.	1		1	.	.	.	.	.	1	.	.
s Dis., Albuminuria ...	2	9	7	7	3	3	1	5	3	4	4·6	4	.	.	.	.	1	2	1	.
y Sys. (Other Dis.) ...									.	1		.	.	.	.	.	.	.	.	.
tive Organs Dis.	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.
rth (Accid. of)	.	.	.	1	.	.	1	.	1	2	·5	.	.	.	.	.	.	.	.	.
... ...	14	11	6	6	14	22	10	11	4	9	10·7	5	.	.	.	.	.	.	4	1
Diseases	14	13	12	24	18	14	8	14	12	12	14·1	11	1	3	1	1	1	.	3	1
ACCIDENT.																				
ways	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.
icles and Horses	2	1	1	.	.	1	.	1	1	.	·7	.	.	.	.	.	.	.	.	.
s, Boats, Docks (exclusive	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.
owning)																				
ling Operations	.	.	.	.	3	1	.	.	.	.	·4	.	.	.	.	.	.	.	.	.
agrations	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ns, Scalds, Explosions ...	1	2	5	5	.	1	2	2	2	4	2·4	1	.	.	.	1	.	.	.	.
wning	1	2	1	1	3	1	.	1	1	1	1·2	.	.	.	.	.	.	.	.	.
ocation in Bed	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
on or Poisonous Vapours...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
eaths by Accidents ...	.	2	1	4	2	3	2	3	4	1	2·2		.	.	.	.	.	.	.	1
OLENCE OTHER THAN ACCIDENTAL.																				
le	.	.	.	.	.	.	.	.	.	.	.	1				.	1	.	.	.
... ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.
on	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

gistration Area as then constituted.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1904—Week ending																									
	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug 20.	Aug. 27.	Sept. 3.	Sept. 10	Sept. 17.	Sept. 24.	Oct. 1.	Oct 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.
No. of weeks in Annual Series.	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	202	172	240	243	188	269	260	236	254	182	177	222	258	178	202	257	196	217	203	194	149	232	185	189	186	220
*Average Births in corresponding week of previous 10 years,**	194	195	189	201	209	197	201	192	210	204	217	195	213	187	182	195	193	190	191	199	183	188	197	182	158	173
DEATHS registered,	188	146	181	186	161	199	183	178	150	157	184	194	146	180	162	191	156	162	156	183	170	204	192	197	184	187
Annual Death-rate per 1,000,	19·0	20·1	8·0	18·7	22·2	27·4	25·2	24·5	20·6	21·6	18·4	26·7	20·1	17·9	22·3	26·3	21·5	22·3	21·5	25·2	23·4	28·1	26·4	27·1	25·3	25·7
*Average Deaths in corresponding week of previous 10 years,**	146	142	151	155	164	161	159	169	161	171	166	168	163	158	170	168	176	173	178	183	191	191	183	186	189	197
AGES, Under 5 years,	32	54	41	52	72	91	81	86	65	68	61	67	55	45	68	82	50	66	43	66	68	66	62	65	59	66
5—20 ,,	11	10	9	9	11	11	13	15	10	9	17	14	5	10	8	10	11	9	8	12	11	13	8	17	10	9
20—40 ,,	21	21	25	23	17	28	31	21	17	20	13	29	22	23	15	30	33	26	26	26	24	28	30	30	26	28
40—60 ,,	37	29	24	33	23	28	29	23	23	21	23	38	32	21	31	26	29	19	34	36	22	42	43	37	32	35
60—80 ,,	31	28	24	15	32	32	21	31	25	31	19	34	26	27	33	30	27	33	36	37	44	45	39	39	51	39
80 years and upwards,	6	4	8	4	6	6	8	2	5	8	1	12	6	4	7	13	6	7	9	6	6	10	10	9	6	10
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Measles,	2	10	5	4	3	3	4	7	1	1	.	1	.	.	.	6	4	6	7	8	12	12	10	6	10	16
,, Scarlet Fever	.	.	.	.	1	1	.	1	.	.	.	.	.	1	.	.	2	1	1	.	1	.	1	.	.	1
,, Typhus,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Whooping-cough,	3		3	2		4	3	4	1	4	.	4	1	3	3	.	2	1	.	4	4	3	.	.	.	2
,, Diphtheria,	.	1	.	1	2	2	1	1	.	.	2	.	.	.	.	1	1	1	.	1	.	1	1	.	.	.
,, Simple Continued Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Enteric Fever,	.	2	2	1	.	1	1	1	1	.	2	1	2	1	1	.	1	.	.	2	.	2	2	2	1	2
,, Diarrhœal Diseases,	5	2	5	5	15	33	33	35	26	26	14	28	16	10	8	11	6	5	5	5	4	3	1	3	1	6
,, Phthisis,	28	21	14	15	10	25	21	19	21	20	11	25	11	24	8	25	25	20	22	23	15	29	27	30	14	21
,, Diseases of Heart and Blood Vessels,	24	17	26	20	25	19	25	19	20	25	11	27	20	27	26	23	24	23	19	23	23	20	32	31	42	23
,, Diseases of Respiratory System.	16	26	17	24	24	21	8	20	14	12	17	26	13	20	34	33	21	31	29	33	37	59	38	42	47	47
Violent Deaths,	1	5	6	5	2	3	4	2	5	.	2	2	5	3	2	4	3	4	5	5	8	2	2	5	6	3
Mean Temperature of the Air (Phœnix Park),	57·2	58·8	59·3	60·2	61·5	57·1	55·8	54·6	58·8	55·5	55·9	52·6	50·6	48·3	47·9	53·9	47·6	49·0	46·7	45·8	33·6	41·3	40·4	42·6	38·2	41·1
Average Mean Temperature in corresponding week of previous 10 years.	58·5	58·9	60·3	58·6	58·9	56·9	58·3	57·5	56·1	55·2	55·0	†54·3	53·4	51·2	49·1	47·6	46·5	47·3	46·5	44·3	43·4	42·3	42·6	42·2	†39·9	40·8
Rainfall in inches,	·120	·400	·430	·375	·290	·350	·955	·540	·835	·360	·725	·000	·315	·150	·080	·430	·000	·010	·970	·050	·385	·100	·485	·740	·000	·210
Mean Humidity of the Air, complete Saturation 1·0.	·81	·87	·81	·84	·78	·82	·85	·84	·84	·81	·82	·82	·88	·83	·86	·90	·92	·87	·91	·91	·83	·93	·85	·88	·93	·91

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st December, 1904; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from each of the Principal Causes of Death.

Class	Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 31st December, 1904. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total Cols. 10-18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	875,850	26·0	187	66	9	28	35	39	10	.	16	1	.	2	.	.	2	6	27	21	6	47	3	83
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	23·9	8	.	.	1	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	6
II.	Middle Class,	87,188	16·1	27	7	2	6	6	6	.	.	1	1	.	1	.	.	2	2	7	.	.	6	1	13
III.	Artisan Class and Petty Shopkeepers	110,423	21·7	46	12	3	10	9	11	1	.	1	.	.	1	.	.	.	2	4	9	4	12	.	17
IV.	General Service Class,	154,279	34·5	73	40	4	7	13	6	3	.	14	.	.	.	.	.	.	2	16	7	2	22	2	24
V.	Inmates of Workhouses,	6,024		33	7	.	4	6	12	4	.	.	.	.	.	.	.	.	.	.	5	.	5	.	23
	Professional and Independent Class.																								
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,799	40·1	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	5
	2. Merchants and Manufacturers, Higher Class,	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described,	8,360	12·5	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
	Middle Class.																								
II.	4. General Body of Officials—Civil Service, Banking, &c.,	7,712	6·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers) Business Managers, &c.,	22,016	28·4	12	4	1	2	4	1	.	.	1	1	.	.	.	.	.	2	4	.	.	2	.	6
	6. Clerks and Commercial Assistants,	30,432	12·0	7	2	.	3	1	1	.	.	.	.	.	1	.	.	1	.	2	.	.	2	1	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above,	27,028	13·5	7	.	1	1	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	5
	Artisan Class and Petty Shopkeepers.																								
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers,	9,874	26·4	5	1	.	2	1	.	1	.	.	.	.	.	.	.	.	1	2	2	.	1	.	2
	9. Building and Furnishing Trades,	29,801	17·5	10	7	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	2	4	1	.	1
	10. Clothing Trades,	23,260	11·2	5	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	3
	11. Food Supply Trades,	9,242	33·9	6	1	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	3
	12. Other Trades and Callings ranking with Trades,	30,352	30·9	18	2	2	3	2	9	.	.	.	.	.	.	.	.	.	1	1	3	.	7	.	7
	13. Petty Shopkeepers,	7,894	13·2	2	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	1
	General Service Class.																								
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	8·9	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	15. Domestic Servants,	86,603	10·0	7	2	.	2	2	1	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	5
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	21·7	6	3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1
	17. Hawkers, Porters, Labourers, &c.,	89,861	34·2	59	35	3	5	10	5	1	.	13	.	.	.	.	.	.	2	15	7	2	16	2	17
	Inmates of Workhouses.																								
V.	18. Workhouse Inmates,	6,024	.	33	7	.	4	6	12	4	.	.	.	.	.	.	.	.	.	.	5	.	5	.	23

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN; the Annual Rate per 1,000 of the the Mortality from the principal causes, *the Deaths in Public Institutions being assigned to the* vincial County

City of Dublin (part of). DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living: From all Causes.	Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13	Total Deaths.	Number of Deaths from: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental, Homicidal and Suicidal.)
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
North City, No. 1 (E.) (*Office, Clarence-street, Nth.*) Pop. in 1904 (Est.) 28,889.	Nov. 12,	8·7	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	„ 19,	31·3	3·7	17	.	.	.	.	1	.	.	1	.	2	4	1
	„ 26,	27·6	1·8	15	.	.	.	.	.	.	.	.	1	3	3	1
	Dec. 3,	33·6	1·8	21	.	.	.	.	.	.	.	.	1	1	3	.
	„ 10,	23·9	1·8	13	.	.	.	.	.	.	.	1	.	2	6	.
	„ 17,	25·8	.	14	.	.	.	.	.	.	.	.	.	2	4	.
	„ 24,	20·2	.	11	.	.	.	.	.	.	.	.	.	.	3	1
	„ 31,	22·1	1·8	12	.	.	.	.	.	.	.	.	1	2	3	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1904 (Est.) 39,146.	Nov. 12,	17·3	.	13	.	.	.	.	.	.	.	.	.	1	5	1
	„ 19,	18·6	.	14	.	.	.	.	.	.	.	.	.	1	4	.
	„ 26,	32·0	1·3	24	.	1	.	.	.	.	.	.	.	3	6	1
	Dec. 3,	22·6	.	17	.	.	.	.	.	.	.	.	.	1	3	.
	„ 10,	25·3	.	19	.	.	.	.	.	.	.	.	.	2	4	.
	„ 17,	25·3	.	19	.	.	.	.	.	.	.	.	.	3	2	1
	„ 24,	24·0	.	18	.	.	.	.	.	.	.	.	.	.	3	.
	„ 31,	24·0	1·3	18	.	.	.	.	.	.	.	.	1	3	5	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1904 (Est.) 30,107.	Nov. 12,	20·8	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 19,	13·9	1·7	8	.	.	.	.	.	.	.	.	1	2	4	.
	„ 26,	26·0	3·5	15	.	.	.	.	1	.	.	.	1	2	1	1
	Dec. 3,	19·1	.	11	.	.	.	.	.	.	.	.	.	3	4	.
	„ 10,	31·2	.	18	.	.	.	.	.	.	.	.	.	6	2	.
	„ 17,	27·7	.	16	.	.	.	.	.	.	.	.	.	5	6	.
	„ 24,	29·4	1·7	17	.	.	.	.	.	.	.	1	.	1	6	1
	„ 31,	34·6	3·5	20	.	.	.	.	1	.	.	.	1	4	4	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1904 (Est.) 31,678.	Nov. 12,	11·5	4·2	7	.	2	.	.	.	.	.	.	1	.	.	.
	„ 19,	26·0	1·6	17	.	.	.	.	1	.	.	.	.	2	4	.
	„ 26,	26·0	3·3	17	.	1	.	.	1	.	.	.	.	1	5	.
	Dec. 3,	29·6	.	18	.	.	.	.	.	.	.	.	.	4	1	.
	„ 10,	19·8	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 17,	19·8	.	12	.	.	.	.	.	.	.	.	.	3	3	.
	„ 24,	13·2	.	8	.	.	.	.	.	.	.	.	.	.	2	.
	„ 31,	28·0	4·9	17	.	1	.	.	1	.	.	1	.	.	6	1
South City, No. 1. (*Office, South Earl-street.*) Pop. in 1904 (Est.) 38,384.	Nov. 12,	25·3	2·7	19	.	2	.	.	.	.	.	.	.	4	4	1
	„ 19,	35·3	6·8	26	.	4	.	.	.	.	.	1	.	4	2	.
	„ 26,	25·8	6·8	19	.	4	.	.	1	.	.	.	.	1	4	1
	Dec. 3,	35·8	9·5	26	.	6	.	.	.	.	.	.	1	4	10	.
	„ 10,	36·7	8·2	27	.	6	.	.	.	.	.	.	.	2	6	.
	„ 17,	28·5	5·4	21	.	3	.	.	.	.	.	.	1	2	5	1
	„ 24,	35·3	5·4	26	.	3	.	.	.	.	.	.	1	2	7	.
	„ 31,	40·8	16·3	30	.	11	.	.	.	.	.	.	1	1	6	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1904 (Est.) 18,286.	Nov. 12,	20·0	5·7	7	.	2	.	.	.	.	.	.	.	1	1	.
	„ 19,	28·5	5·7	10	.	.	.	.	.	.	.	.	3	1	2	.
	„ 26,	25·7	5·7	9	.	2	.	.	.	.	.	.	.	.	2	.
	Dec. 3,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	2	3	.
	„ 10,	31·4	2·9	11	.	.	.	.	.	.	.	1	.	3	1	1
	„ 17,	34·2	.	12	.	.	.	.	.	.	.	.	.	1	6	.
	„ 24,	31·4	.	11	.	.	.	.	.	.	.	.	.	1	3	1
	„ 31,	34·2	2·9	12	.	1	.	.	.	.	.	.	.	2	3	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1904 (Est.) 41,940.	Nov. 12,	41·0	2·5	33	.	.	.	.	.	.	.	.	2	7	5	.
	„ 19,	22·4	5·7	18	.	1	.	.	.	.	.	.	2	2	1	1
	„ 26,	24·9	2·5	20	.	1	.	.	.	.	.	.	1	1	5	1
	Dec. 3,	28·6	2·5	23	.	1	.	.	1	.	.	.	.	3	9	1
	„ 10,	31·1	5·7	25	.	2	.	.	.	.	.	.	1	4	4	.
	„ 17,	29·8	2·5	24	.	1	.	.	.	.	.	.	1	2	2	1
	„ 24,	33·6	5·7	27	.	3	.	.	.	.	.	.	.	3	4	1
	„ 31,	32·3	2·5	26	.	1	.	.	.	.	.	.	1	4	2	1
South City, No. 4. (*Office, Grand Canal-street*) Pop. in 1904 (Est.) 35,188	Nov. 12,	23·7	1·5	16	.	1	.	.	.	.	.	.	.	3	4	.
	„ 19,	32·6	5·9	22	.	2	.	.	2	.	.	.	.	3	7	1
	„ 26,	31·2	3·0	21	.	1	.	.	1	.	.	.	.	2	5	2
	Dec. 3,	26·7	8·9	18	.	3	.	.	2	.	.	.	1	3	7	1
	„ 10,	31·2	3·0	21	.	2	.	.	.	.	.	.	.	2	7	1
	„ 17,	40·1	1·5	27	.	1	.	.	.	.	.	.	.	4	6	1
	„ 24,	23·7	4·5	16	.	3	.	.	.	.	.	.	.	2	4	.
	„ 31,	23·7	3·0	16	.	2	.	.	.	.	.	.	.	4	4	.

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Districts from which the deceased were admitted;* also, similar Statistics for each of the Pro-Boroughs in Ireland.

DISTRICTS.	1904. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	From Diseases in Cols. 5-18	Total Deaths.	Number of Deaths from Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough	Diphtheria.	Simple Continued Fever.	Enteric Fever	Diarrhœal Diseases.	Phthisis	Diseases of Respiratory System.	Violent Deaths (Accidental Homicidal and Suicidal).
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
Rathmines and Rathgar Urban District. Pop. in 1904 (Est.) 38,208.	Nov. 12,	20·4	.	18	.	.	.	.	.	.	.	.	.	2	2	1
	„ 19,	26·7	1·6	17	.	1	.	.	.	.	.	.	.	1	4	.
	„ 26,	14·1	3·1	9	.	2	.	.	.	.	.	.	.	1	2	.
	Dec 3,	26·7	3·1	17	.	2	.	.	.	.	.	.	.	2	7	.
	„ 10,	15·7	1·6	10	.	.	1	.	.	.	.	.	.	1	.	.
	„ 17,	14·1	3·1	9	.	1	.	.	.	.	.	.	1	.	2	.
	„ 24,	18·8	.	12	.	.	.	.	.	.	.	.	.	1	4	.
	„ 31,	14·1	.	9	.	.	.	.	.	.	.	.	.	.	2	1
Pembroke Urban District. Pop. in 1904 (Est.) 26,025.	Nov. 12,	16·0	2·0	8	.	.	.	.	.	.	.	.	1	.	1	1
	„ 19,	18·0	.	9	.	.	.	.	.	.	.	.	.	1	2	.
	„ 26,	18·0	.	9	.	.	.	.	.	.	.	.	.	.	3	1
	Dec. 3,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	3	.
	„ 10,	24·0	.	12	.	.	.	.	.	.	.	.	.	1	3	.
	„ 17,	20·0	.	10	.	.	.	.	.	.	.	.	.	2	1	.
	„ 24,	22·0	2·0	11	.	1	.	.	.	.	.	.	.	1	4	.
	„ 31,	14·0	4·0	7	.	.	1	.	.	.	.	.	1	.	2	.
Kingstown Urban District. Pop. in 1904 (Est.) 17,622.	Nov. 12,	20·7	3·0	7	.	.	1	.	.	.	.	.	.	.	.	1
	„ 19,	23·7	3·0	8	.	.	.	.	.	1	.	.	.	1	2	.
	„ 26,	8·9	3·0	3	.	.	.	.	.	.	.	.	1	.	.	.
	Dec. 3,	17·8	.	6	.	.	.	.	.	.	.	.	.	.	1	1
	„ 10,	17·8	.	6	.	.	.	.	.	.	.	.	.	1	1	.
	„ 17,	23·7	.	8	.	.	.	.	.	.	.	.	.	2	3	.
	„ 24,	5·9	.	2	.	.	.	.	.	.	.	.	.	.	.	1
	„ 31,	23·7	.	8	.	.	.	.	.	.	.	.	.	1	1	.
Belfast. Pop. in 1904 (Est.) 358,680.	Nov. 12,	18·6	3·1	128	.	12	1	.	1	.	.	4	3	14	31	.
	„ 19,	19·8	2·2	136	.	8	1	.	.	1	.	1	4	17	42	4
	„ 26,	19·6	2·2	135	.	7	.	.	.	.	.	5	3	23	42	3
	Dec. 3,	22·5	2·6	155	.	11	.	.	1	.	1	2	3	21	40	1
	„ 10,	24·3	3·2	167	.	18	.	.	.	.	1	3	.	21	47	2
	„ 17,	21·7	3·5	149	.	16	.	.	.	.	.	5	3	24	42	2
	„ 24,	20·6	2·8	142	.	14	.	.	.	2	.	2	1	18	43	3
	„ 31,	23·6	3·9	162	1	17	2	.	.	2	.	2	3	20	41	2
Cork. Pop. (in 1901) 76,122.	Nov. 12,	21·2	.	31	.	.	.	.	.	.	.	.	.	3	7	2
	„ 19,	20·5	0·7	30	.	1	.	.	.	.	.	.	.	4	5	1
	„ 26,	16·4	0·7	24	.	.	.	.	.	.	.	1	.	4	7	1
	Dec. 3,	14·4	0·7	21	.	.	.	.	.	.	.	1	.	2	2	.
	„ 10,	24·7	2·1	36	.	2	.	.	.	.	.	.	1	3	7	1
	„ 17,	19·9	1·4	29	.	1	.	.	.	1	.	.	.	3	10	.
	„ 24,	20·5	2·7	30	.	2	.	.	.	1	.	1	.	7	8	1
	„ 31,	18·5	1·4	27	.	2	.	.	.	.	.	.	.	3	8	.
Londonderry. Pop. in 1904 (Est.) 41,397	Nov. 12,	17·6	.	14	.	.	.	.	.	.	.	.	.	2	4	2
	„ 19,	16·4	.	13	.	.	.	.	.	.	.	.	.	.	1	3
	„ 26,	12·6	.	10	.	.	.	.	.	.	.	.	.	1	2	.
	Dec. 3,	16·4	.	13	.	.	.	.	.	.	.	.	.	2	6	.
	„ 10,	23·9	.	19	.	.	.	.	.	.	.	.	.	1	1	.
	„ 17,	27·7	.	22	.	.	.	.	.	.	.	.	.	1	5	1
	„ 24,	18·9	1·3	15	.	.	.	.	.	1	.	.	.	2	4	.
	„ 31,	12·6	.	10	.	.	.	.	.	.	.	.	.	2	3	1
Limerick. Pop. (in 1901) 38,151.	Nov. 12,	17·8	1·4	13	.	.	.	.	.	.	.	1	.	1	3	.
	„ 19,	21·9	.	16	.	.	.	.	.	.	.	.	.	2	4	.
	„ 26,	15·0	1·4	11	.	.	.	.	.	.	.	.	1	.	4	.
	Dec. 3,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	4	1
	„ 10,	13·7	1·4	10	.	.	.	.	.	.	.	.	1	2	.	.
	„ 17,	45·1	.	33	.	.	.	.	.	.	.	.	.	2	8	.
	„ 24,	19·1	1·4	14	.	.	.	.	.	.	.	.	1	1	4	.
	„ 31,	17·8	.	13	.	.	.	.	.	.	.	.	.	1	6	.
Waterford. Pop. (in 1901) 26,769.	Nov. 12,	17·5	.	9	.	.	.	.	.	.	.	.	.	5	.	.
	„ 19,	13·6	.	7	.	.	.	.	.	.	.	.	.	1	1	.
	„ 26,	15·6	.	8	.	.	.	.	.	.	.	.	.	2	3	1
	Dec. 3,	21·4	.	11	.	.	.	.	.	.	.	.	.	1	4	.
	„ 10,	15·6	1·9	8	.	.	.	.	.	.	.	.	1	1	3	1
	„ 17,	21·4	1·9	11	.	1	.	.	.	.	.	.	.	.	2	1
	„ 24,	17·5	.	9	.	.	.	.	.	.	.	.	.	.	3	.
	„ 31,	25·3	1·9	13	.	.	1	.	.	.	.	.	.	3	5	.

[a] Including, for the week ended 31st December, the death from small-pox of a person admitted to the Small-pox Hospital, Purdysburn, from the City of Belfast.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST* and CORK, registered during the week ended 31st December, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES, &c.

CITIES AND REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from: Small-pox.	Measles	Scarlet Fever (Scarlatina).	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN No 1 DISTRICT,	14,784	6	24·8	.	7	2	.	4	1	.	.	.	.	.	.	.	.	.	2	1	1	1	.
Do. 2 "	47,959	32	26·1	2·2	24	4	3	10	7	.	1	.	.	.	.	.	1	.	3	8	.	2	2
Do. "	47,214	29	27·6	7·7	25	9	6	6	4	.	3	1	.	.	2	.	.	1	3	7	.	2	2
Do. 4 "	40,911	17	25·5	8·9	20	4	6	7	3	.	5	.	.	.	.	.	.	2	1		1	1	4
Do. 5 "	17,387	9	27·0	6·0	9	2	3	3	1	.	2	.	.	.	.	.	.	.	.	2	.	.	.
Do. 6 "	48,122	24	28·2	3·3	26	3	3	14	6	.	2	1	.	.	.	.	.	.	3	8	.	.	9
Do 7 "	1,524	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 "	5,060	2	20·6	10·3	2	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Do. 9 "	19,569	10	21·3	.	8	1	.	5	2	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Do. 10 "	28,064	7	22·6	4·5	10	2	.	5	3	.	1	.	.	.	.	.	1	.	2	2	.	.	2
Do 11 "	34,802	21	24·0	.	16	2	2	10	2	.	.	.	.	.	.	.	.	.	2	7	.	.	2
Do. 12 "	33,588	22	14·0	1·6	9	1	2	5	1	1	.	.	.	.	.	.	.	.	1	2	.	.	5
Do 13 "	15,006	10	20·8	6·9	6	1	2	3	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1
Do. 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	190	24·2	4·0	162	31	29	72	30	1	17	2	.	.	2	.	2	3	20	41	2	7	28
City of Cork.																							
CORK URBAN No. 1 DISTRICT.	12,867	9	16·2	.	4	.	.	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Do 2 "	10,701	8	19·5	4·9	4	.	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Do 3 "	9,978	7	20·9	.	4	3	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.
Do. 4 "	8,666	5	36·1	.	6	.	1	4	1	.	.	.	.	.	.	.	.	.	2	1	.	.	2
Do. 5 "	6,592	3	7·9	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 6 "	10,702	10	9·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 "	16,616	6	18·3	3·1	6	2	2	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	1
Total,	76,122	48	19·5	1·4	27	6	6	10	5														

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1904—Week ending																									
	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec 24.	Dec. 31.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered,	255	174	258	195	211	227	205	196	181	196	233	220	197	213	229	230	226	238	215	215	142	214	204	209	209	190
DEATHS registered *	122	114	112	115	109	128	128	120	124	127	123	122	121	133	110	122	125	118	128	136	135	155	167	149	142	162
Annual Death-rate per 1,000 of estimated Population,	17·7	16·6	16·3	16·7	15·8	18·6	18·6	17·4	18·0	18·5	17·9	17·7	17·6	19·2	16·0	17·7	18·2	17·2	18·6	19·8	19·6	22·5	24·3	21·7	20·6	23·6
AGES, Under 1 year,	33	23	30	36	32	46	46	27	41	43	38	29	32	33	31	29	31	35	40	29	20	36	34	29	24	31
AGES, 1–5 years,	8	9	11	6	10	12	9	14	17	7	14	14	17	19	20	15	16	15	16	22	18	23	24	32	28	29
AGES, 5–60 years,	56	60	48	50	47	53	59	61	44	53	53	54	55	59	37	60	60	41	51	58	65	68	73	58	67	72
AGES, 60 years and upwards,	25	22	23	23	20	17	14	18	22	24	18	25	17	21	20	18	18	27	21	27	27	38	36	30	23	30
Deaths from Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Measles,	2	1	.	2	.	.	1	1	4	1	2	5	2	5	3	1	4	6	12	8	7	11	18	16	14	17
" Scarlet Fever,	2	.	.	.	.	.	.	1	.	1	.	1	.	.	.	1	1	2	1	1	.	.	.	.	.	2
" Typhus,	.	.	.	.	1	.	1	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
" Whooping cough,	2	3	2	2	2	5	2	1	2	1	1	2	2	1	3		.	.	1	.	.	1	.	.	.	.
" Diphtheria,	1	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	2
" Simple Continued Fever,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
" Enteric Fever,	3	3	4	1	3	1	.	1	2	3	3	6	.	5	1	2	9	1	4	1	5	2	3	5	2	2
" Diarrhœal Diseases,	1	3	7	16	11	17	16	17	18	16	14	12	10	7	8	6	8	5	3	4	3	3	.	3	1	3
" Phthisis	20	18	13	17	17	16	25	16	14	25	20	15	10	24	13	16	12	15	14	17	23	21	21	24	18	20
" Diseases of Respiratory System,	13	20	25	11	15	12	10	15	13	8	14	13	17	28	21	33	26	32	31	42	42	40	47	42	43	41
Violent Deaths,	5	.	3	2	2	3	2	9	3	2	4	9	4	1	2	3	1	4	.	4	3	1	2	2	3	2

* Including, for the week ending 31st December, the death from small-pox of a person admitted to the Small-pox Hospital, Purdysburn, from the City of Belfast.

TABLE X.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st December, 1904.

DISTRICTS.	Small-pox.	Measles.	German Measles.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Continued Fever.	Typhoid or Enteric Fever.	Erysipelas.	Puerperal Fever.	Other Notifiable Diseases.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West,	.	.	.	.	.	.	1	.	.	.	1	.	.	2
" " 2,	.	.	.	.	.	.	.	.	.	2	.	.	.	2
" " 3,	.	.	.	.	.	.	.	.	2	.	3	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	2	.	.	.	2	.	.	4
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
" " 4,	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	.	.	2	.	.	3	.	2	2	6	.	.	15

TABLE XI.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st December, 1904, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st December.			
	Dec. 10.	Dec. 17.	Dec. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small Pox,	.	.	.	.	.	.	.
Measles,	83	117	102	48	9	10	131
Scarlet Fever,	80	68	65	9	4	1	69*
Typhus "	1	.	.	.	.	.	.
Diphtheria,	22	26	19	2	.	1	20
Enteric Fever,	45	41	44	11	8	1	46
Pneumonia,	17	23	22	5	8	2	17

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

TABLE XII.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and 23 INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ending	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1,000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,649,088	Dec. 31,	2,320	1,868	21·0	.	44	15	17	25	8	15
EDINBURGH,	331,977	—	.	.	.	.	.	.	.	.	.	.
GLASGOW,	798,357	—	.	.	.	.	.	.	.	.	.	.
CALCUTTA,	847,793	Nov. 12,	.	459	28·1	.	1	.	2	.	168‡	66*
BOMBAY,	776,006	„ 29,	481	685	45·9	5	5	.	.	.	69‡	52*
MADRAS,	509,346	„ 11,	432	301	30·7	.	1	?	?	?	85	42
PARIS,	2,660,559	Dec. 17,	966	927	18·0	1	4	.	.	2	8	17
BRUSSELS (with 8 Faubourgs).	586,936	„ 10,	216	161	14·2	.	4	.	1†	.	1	7
AMSTERDAM,	550,831	„ 10,	252	165	15·6	.	11	.	3	7	1	1
ROTTERDAM	320,991	—	.	.	.	.	.	.	.	.	.	.
THE HAGUE,	205,328	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN.	417,000	Dec. 10,	237	103	12·9	.	4	2	1†	.		4
CHRISTIANIA,	223,649	„ 17,	111	63	14·6	1	.	.	2†	1	.	2
ST. PETERSBURG,	1,248,122	„ 17,	470	726	30·3	1	11	8	16	2	19	77
BERLIN,	1,964,315	„ 3,	891	655	17·1	1	8	14	6†	7	1	22
HAMBURG,	751,842	„ 10,	.	228	15·8	.	2	5	3†	3	.	7
BRESLAU,	445,679	„ 17,	.	227	26·6	.	2	1	.	.	.	20
MUNICH.	520,000	„ 17,	.	176	17·6	.	2	2	2	4	.	15
VIENNA (with suburbs).	1,816,303	„ 17,	875	618	17·7	.	10	3	4†	.	1	39
BUDA-PESTH	813,399	„ 17,	452	311	19·9	.	6	4	3†	1	2	8
PRAGUE and Faubourgs.	426,402	„ 10,	180	194	23·4	.	13	.	.	1	8	8
ROME,	503,857	Oct. 15,	202	149	15·4	.	.	.	1	.	6	10
TURIN,	344,203	—	.	.	.	.	.	.	.	.	.	.
VENICE,	167,741	Nov. 19,	64	58	18·0	.	.	.	.	.	1	5
NEW YORK,	3,838,024	Dec. 3,	1,902	1,350	18·4	.	6	10	30†	4	20	27
PHILADELPHIA,	1,408,154	Nov. 26,	.	417	15·4	1	.	2	10†	.	7	8

* Including 32 deaths from cholera in Calcutta and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 6 deaths from bubonic fever in Calcutta, and 74 in Bombay.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., F.R.C.P.I., F.R.MET.SOC., has favoured the Registrar-General with the following remarks on the weather during the week ended Saturday, 31st December, 1904:—

"Mild, but dull, damp weather prevailed during the greater part of this week—only a little more than 3 hours of sunshine being observed in Dublin. The monotony of cloud, gloom and fog was broken on Thursday when the atmosphere became much drier in front of a dangerous cyclonic storm which raged during the succeeding night. At the beginning of the period the anticyclone, which had caused such fog and frost in England during the previous week, was still in evidence though fast dispersing. Areas of relatively low atmospheric pressure were found on Sunday and Monday both in the Baltic basin and off the S.W. of Ireland, but as gradients were slight the weather remained quiet and dull. On Tuesday the barometer rose very generally and after some rain the sky cleared for a while with a lower temperature. On Wednesday there was a change—a large depression passed southeastwards across Lapland, while the centre of high pressure shifted to France, where the barometer rose to 30·5 inches. Extraordinary changes of temperature occurred in Sweden, the thermometer rising about 30° in front of the depression, only to fall even more abruptly as the centre passed. On Thursday, the air became dry over the British Isles and temperature rose to 55° or 56° at many stations. At night a very energetic cyclonic system passed rapidly eastwards across Scotland, reaching the southern coast of Norway at 8 a.m. of Friday, when the barometer read 28·96 inches at Skudesnæs, being at the same time 30·51 inches at Lyons. Strong S.W. to N.W. gales accompanied the disturbance, which also caused high tides in the North Sea and floods on the adjoining coasts. On Saturday an anticyclone formed over Ireland, spreading eastwards, and the week, month and year closed with cool, dry but cloudy weather. In Dublin the mean barometer reading was 30·179 inches, the mercury falling to about 29·890 inches at 2 a.m. of Friday (wind, S.W.) and rising to 30·459 inches at 9 p.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 46·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·4°. The screened thermometers fell to 39·0° on Sunday and rose to 55·1° on Thursday. Sunshine lasted for only 3¼ hours. S.E. and W.S.W. winds were the most prevalent. Rain fell on 4 days to the amount of ·160 inch, ·072 inch being measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·194 inches. The highest reading (30·469) was on Saturday at 9 p.m., air calm, and the lowest (29·928) on Sunday at 9 p.m., wind E.

The mean temperature for the week was 44·1°, being 3·3° above the average for the corresponding period of the 10 years 1894-1903. The temperature was highest on Friday, on which day the thermometer registered 52·9°, and was lowest on Tuesday, the mercury having fallen to 36·0°. The mean of the Dry Bulb for the week was 44·3°, and of the Wet Bulb 42·9°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 1·7 hours. The rainfall during the week measured 0·210 inch.

At Greenwich the mean temperature for the week was 41·6°, the maximum 55·7°, and the minimum 30·5°. The rainfall measured 0·09 inch.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

Furnished by direction of the Superintendent of the Ordnance Survey.

1904. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude.	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete saturation = 1·0.	Ozone 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) In.		
Sunday, Dec. 25,	30·000	45·8	36·2	41·0	43·7	42·7	·93	·1	0·0	—	E.	E.
Monday, „ 26,	29·993	47·0	40·9	44·0	43·6	43·2	·97	·0	0·0	·045	S.E.	Calm.
Tuesday, „ 27,	30·227	43·1	36·0	39·6	38·8	38·5	·99	·0	1·0	·025	Calm.	Calm.
Wednesday, „ 28,	30·306	52·6	36·8	44·7	47·7	46·7	·93	·5	0·0	—	Calm.	S.W.
Thursday, „ 29,	30·218	52·8	50·7	51·8	52·5	48·6	·75	·8	0·0	·085	S.W.	S.W.
Friday, „ 30,	30·161	52·9	38·8	45·9	43·2	41·1	85	·9	0·7	—	W.	W.
Saturday, „ 31,	30·452	44·4	38·9	41·7	40·4	39·3	·92	·2	0·0	·055	Calm.	Calm.
Mean, . .	30·194	48·4	39·8	44·1	44·3	42·9	·91	·4	Total 1·7	·210	—	

Sunday—Cloudy a.m., overcast p.m.; night overcast. *Monday*—Day overcast, light showers p.m.; night overcast, showery. *Tuesday*—Cloudy, heavy fog a.m., overcast p.m.; night overcast., rain 10.30 p.m. to 11.30 p.m. *Wednesday*—Day overcast: night cloudy. *Thursday*—A dull day; night cloudy and wet. *Friday*—Day overcast, cloudy intervals; night clear p.m., cloudy a.m. *Saturday*—A dull day, showers p.m.; night cloudy p.m., overcast a.m., drizzling showers.

Note.—The information in columns 1, 2, 3 and 4 is the mean of observations taken at 9 A.M. and 9 P.M.

* Kindly furnished by the Registrar-General of England.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

360. Wt. P 289. 9. 1904.

OFFICIAL.

QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

Price 1½*d.*

VOL. XLI.] QUARTER ENDING SATURDAY, 31ST DECEMBER, 1904. [No. 52A.

DUBLIN REGISTRATION AREA.—Births.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1904, 378,994, there were registered during the thirteen weeks ended on Saturday, 31st December, 1904, 2,604 births—1,299 boys and 1,305 girls—being equal to an annual ratio of 1 in 36·4, or 27·5 in every 1,000 of the population.

The number of births registered in the city was 2,213, equivalent to an annual rate of 30·2 in every 1,000 of the population; and in the urban districts named above, 391, equal to an annual rate of 18·3 in every 1,000 of the population.

There were registered in London during the same period 31,471 births—being equal to an annual birth-rate of 27·1 in every 1,000 of the estimated population; in Glasgow there were registered 5,865, being equal to 29·4 per 1,000; and in Edinburgh, 1,879—a number affording an annual birth-rate of 22·6 in every 1,000 of the estimated population.

Deaths.—The number of deaths registered in the Dublin Registration Area during the quarter was 2,274—1,132 males and 1,142 females—affording an annual ratio of 1 in 41·7, or 24·0 in every 1,000 of the estimated population; omitting the deaths (93) of persons admitted into Public Institutions from localities outside the Area, the rate was 23·0 per 1,000. The annual mortality represented by the deaths registered during the fourth quarter of the ten years 1894–1903 in the Dublin Registration Area as then constituted, was 25·3 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 831, representing an annual mortality of 22·1 in every 1,000 of the population; and the number in the South City districts was 972, equivalent to a rate of 27·3 per 1,000. In the urban districts the number of deaths registered was 378, being equal to an annual death-rate of 17·7 in every 1,000.

The number of deaths registered in London during the same period was 19,675—a number equal to an annual rate of mortality of 16·9 in every 1,000 of the inhabitants; in Glasgow the number was 4,027, equal to 20·2 in every 1,000; and in Edinburgh, 1,341, affording an annual death-rate of 16·2 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 215, being 136 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·3, being 1·4 below the rate for the preceding three months.

Small-pox.—The returns show that no mortality from small-pox was recorded during the quarterly period for the Dublin Registration Area: moreover from Table I. it would appear that nobody suffering from the disease was admitted to or treated in Dublin Hospitals during the period under notice.

Measles.—The total deaths which were caused by measles numbered 97. This figure is above the average (64), for the fourth quarter of the 10 years, 1894-1903, and equal to an annual rate of 1·0 per 1,000 of the estimated population of the Area. In the preceding quarters of 1904, namely, March, June, and September, deaths from measles were 19, 32, and 43 respectively. Of the total deaths, 9 appertained to North City Districts, 81 to South City Districts, 6 to the Urban District of Rathmines and Rathgar, and 1 to Pembroke Urban District. Of the 81 deaths which appertain to South City Districts 45 were for South City No. 1 District, 6 for South City No. 2 District, 14 for South City No. 3 District, and 16 for South City No. 4 District. From Table I. it appears that at the close of the quarter preceding 45 cases of measles were under treatment in Dublin Hospitals; that during the period now under notice 389 patients were admitted, 260 were discharged, 43 died in hospitals, and 131 remained under treatment at the close of the quarter.

Scarlet Fever.—Although the deaths registered from scarlet fever (8 in number), are below the average (22) for the corresponding period of the 10 years ending in 1903, they show an increase of 5 deaths over the preceding quarter. In the first three quarters of 1904, deaths registered from scarlet fever were 8, 7, and 3, respectively.

From Table I. it appears that 5 deaths from scarlet fever occurred in Dublin hospitals, and that 140 cases were admitted for treatment during the quarterly period.

Typhus.—The records do not contain any entry of death from typhus during the quarter. Six cases of typhus which were under treatment during the period were discharged from hospital.

Influenza.—The deaths attributed directly to influenza were 7 in number, the average for the corresponding quarterly period of the 10 years, 1894–1903, being 20.

Whooping-cough.—Of 22 deaths from whooping-cough, 8 were assigned to North City Districts, 10 to South City Districts, and 4 to the Urban Districts which, with the city, constitute the Dublin Registration Area. The 22 deaths represent an annual rate of 0·2 per 1,000 of the estimated population of the area, and are 8 under the average for the corresponding quarterly period of the 10 years preceding.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*) page 862.

Diphtheria.—Deaths from diphtheria, which numbered 7 in the March quarter of 1904, rose to 12 in the June quarter of that year, declined to 10 in the September quarter, and to 6 in the December quarter of the year—the average for the December quarter of the ten years, 1894-1903, being 14. From Table I. it would appear that 89 cases of diphtheria were under treatment in Dublin Hospitals, that 7 deaths occurred during the quarter, and that 20 cases remained under treatment at its close.

Cerebro-Spinal Fever.—Three deaths from cerebro-spinal fever were recorded.

Enteric Fever.—Deaths registered from enteric fever in the first three quarters of 1904 show a decrease in each succeeding period; they numbered 30, 16, and 14 respectively; in the period now the subject of review, the number registered was again 14, the average for the December quarterly period of the 10 years 1894–1903 being 48. Of the deaths 6 appertained to North City Districts, and 5 to South City Districts. No deaths from enteric fever were registered during the quarter for the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, or Kingstown; three deaths were, however, registered of persons who died of enteric fever, who were admitted to Institutions from without the Dublin Registration Area. From Table I. it may be gathered that 164 cases of enteric fever were under treatment during the quarter, 9 deaths occurred in hospitals, and 46 patients were under treatment in hospitals at the close of the period.

Diarrhœal Diseases.—The deaths from diarrhœa (68) show a marked fall, when compared with the number (243) registered in the September Quarter of 1904, but are slightly above the average (64) for the corresponding period of the 10 years preceding. Of the deaths 57 appertained to City Districts, and 10 to the Urban Districts, one death from diarrhœa being registered of a person admitted to an institution from without the area.

Pneumonia.—The deaths from pneumonia (161) include one from epidemic pneumonia, 19 from croupous pneumonia, 74 from broncho-pneumonia and 67 from *pneumonia* (undefined).

Tuberculosis.—The deaths in the quarterly period registered and attributed to tuberculous disease for the Dublin Registration Area amount to 420, the total from the infective diseases discussed in the preceding text amounting to 386.

The above total (420) includes 87 deaths ascribed to tuberculous phthisis, 196 to *phthisis*, 29 to tuberculous meningitis, 10 to tuberculous peritonitis, 11 to *tabes mesenterica*, and 87 to other forms of the disease. The 420 deaths represent an annual rate of 4·4 per 1,000 of the estimated population of the Dublin Registration Area, the rate for the pulmonary forms (tuberculous phthisis and *phthisis*) being 3.0 per 1,000. In the three quarters preceding the annual rates for the total deaths from tuberculosis were 5·3, 5·0, and 4·1, and for the pulmonary forms 3·6, 3·2, and 2·5 per 1,000 respectively, of the estimated population.

Cancer, Malignant Disease.—Forty-seven deaths were attributed to carcinoma, 3 to sarcoma, and 39 to *cancer* (undefined).

Premature Birth.—The deaths of 62 infants registered during the quarterly period were attributed to premature birth.

Other General Diseases.—Amongst the deaths from "other general diseases," 1 death from infective endocarditis, and 3 deaths from erysipelas were registered.

Diseases of the Brain and Nervous System.—The deaths, 169 in number, include 79 registered from *convulsions*, all but one of the latter being of children under five years of age.

Diseases of the Heart and Blood Vessels.—The deaths tabulated to this group amount to 336, and include 4 from aneurysm.

Diseases of the Respiratory System.—The total, 316 (exclusive of the pneumonias), includes 280 deaths attributed to bronchitis.

Accidental Deaths.—Of 49 deaths assigned to accidental violence, 11 (4 being of children under 5 years of age) were caused by burns, scalds or explosions, and 9 were due to drowning.

Homicide, Suicide.—One death was referred to homicide, and two deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 31st December, 1904.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Dis-charged.	Died.	No. under treatment on above date.
Small-pox, . .	.	.	.	.	.
Measles, . . .	45	389	260	43	131
Scarlet Fever, . .	50	140	116	5	69*
Typhus „ . .	1	5	6	.	.
Diphtheria, . .	19	70	62	7	20
Enteric Fever, . .	52	112	109	9	46
Pneumonia, . .	19	64	62	4	17

In 103 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 103 cases, 70, or 68·0 per cent., were deaths of children under 5 years of age: these 70 deaths form 8·7 per cent. of the total number of deaths of children of that age. Of the deaths of 127 infants under one month old registered, there were 32 (or 25·2 per cent.) regarding which the cause was uncertified.

From Table II., on page 860*b*, it will be seen that, excluding 93 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,181, equal to an annual rate of 23·0 per 1,000 of the estimated population, and that 209 of these deaths, representing an annual rate of 2·2 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 24·6 per 1,000, and for the urban districts 17·7 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·5, and in the urban districts 1·3, the rates for the several districts varying from 0·4 in New Kilmainham to 6·3 in South City, No 1, the 298 deaths from all causes registered in that district including 45 from measles, one from whooping-cough, 3 from enteric fever, and 11 from diarrhœal diseases.

Occupations.—Table III., on page 861, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·3 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·8; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 33·1.

*Exclusive of 14 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

† See note (*) page 862.

Ages.—Of the 2,274 persons whose deaths were registered in the Dublin Registration Area during the quarter, 801 were under 5 years of age, this number being equal to an annual mortality of 84·0 in every 1,000 children at that age (according to the Census of 1901); 136 were between the ages of 5 and 20, representing an annual rate of 5·1 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 25·9 per 1,000 of the population at that age (according to the Census of 1901); 347 or 10·2 per 1,000 persons were between 20 and 40; 407 or 23·7 per 1,000 between 40 and 60; 480 or 79·1 per 1,000 between 60 and 80; 103 or 216·4 per 1,000 were aged 80 and upwards, including 10 persons aged 90 and upwards, of whom 2 were females whose ages were stated to be 103 and 110 years respectively.

Public Institutions.—Of the 2,274 deaths recorded during the quarter, 841, or 37·0 per cent., occurred in public institutions, viz., 485 in the various hospitals, prisons, and lunatic asylums; 170 in the North Dublin Union Workhouse; 182 in the South Dublin Union Workhouse; and 4 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 44·6°. At Greenwich for the quarter, it was 44·5°; at Glasgow, 44·3° (average for 12 weeks); and at Edinburgh, 43·1°.

The rainfall at Dublin during the thirteen weeks measured 3·610 inches; at Greenwich, 5·48 inches; at Glasgow, 6·67 inches (average for 12 weeks); and at Edinburgh, 3·96 inches.

TABLE II.—Showing, for the **Quarter** (13 weeks) **ended 31st December, 1904,** the number of DEATHS Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate pe 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the princip Epidemic Diseases;* with the Mortality from each of the principal causes, *the Deaths in Public Institutions bei assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Population, estimated to middle of 1904.†	QUARTER (13 WEEKS) ENDED 31ST DECEMBER, 1904. Annual Rate of Mortality per 1,000 Living represented by Deaths: From all Causes.	From Diseases in Cols. 5–13.	Total Deaths.	Deaths Caused by: Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple Continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal,
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16
NORTH CITY.																
North City, No. 1, E.,	28,332	21·9	1·0	155	.	.	.	.	2	.	.	2	8	20	38	5
,, 1, W.	39,146	23·2	0·9	227	.	1	.	.	.	.	.	.	8	32	45	3
,, 2, .	30,107	24·0	1·3	181	.	.	1	.	2	.	.	1	6	34	43	4
,, 3, .	31,673	22·1	2·3	175	.		.	.	4	1	.	2	4	17	42	2
Clontarf & Howth, No. 1, part of, .	4,806	10·8	1·7	13	.	.	.	.	.	.	.	1	1	1	2	.
Coolock & Drumcondra, No. 1, part of, .	10,017	19·6	0·8	49	.	1	.	.	.	1	.	.	.	8	11	.
Finglas and Glasnevin, part of, .	6,665	18·6	0·6	31	.	.		.	.	.	.	.	1	3	4	3
SOUTH CITY.																
South City, No. 1, .	38,384	31·1	6·3	298	.	45	.	.	1	.	.	3	11	28	68	4
,, 2, .	18,286	28·0	3·3	128	.	6	.	.	.	.	.	2	7	18	29	2
,, 3, .	41,940	27·5	3·0	288	.	14	1	.	4	.	.	.	12	37	59	7
,, 4, .	35,138	26·0	2·8	228	.	16	.	.	5	.	.	.	4	29	55	8
New Kilmainham, .	8,891	13·5	0·4	30	.	.	1	.	.	.	.	.	.	3	6	.
URBAN DISTRICTS.																
Rathmines and Rathgar, . .	33,203	17·9	1·6	149	.	6	1	.	2	1	.	.	3	13	31	3
Pembroke, .	26,025	16·1	1·2	105	.	1	3	.	1	.	.	.	3	14	21	3
Blackrock, . .	8,759	21·9	0·5	48	.	.	.	.	.	.	.	.	1	6	5	1
Kingstown, .	17,622	17·2	1·4	76	.	.	1	.	1	1	.	.	3	6	9	4
Total City, North, .	150,746	22·1	1·3	831	.	9	1	.	8	2	.	6	23	115	185	17
Total City, South, .	142,639	27·3	3·7	972	.	81	2	.	10	.	.	5	34	115	217	21
Total City, N. & S., .	293,385	24·6	2·5	1,803	.	90	3	.	18	2	.	11	57	230	402	38
Total Urban Districts,	85,609	17·7	1·3	378	.	7	5	.	4	2	.	.	10	39	66	11
Total Registration Area, ...	378,994	23·0	2·2	2,181	.	97	8	.	22	4	.	11	67	269	468	49
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . .				93	.	.	.	.	.	2	.	3	1	14	8	3

* See note (*) on page 862. † See note (*) on page 863.

Class.	Occupation or Social Position [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 Years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Causes of Death. Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Total. Cols. 10–18.	Phthisis.	Convulsions.	Diseases of the Respiratory System.	Violence (Accidental, Homicidal, and Suicidal).	Other Causes.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
	ALL PERSONS,	375,350	24·2	2,274	801	136	347	407	480	103	.	97	8	.	22	6	.	14	68	215	283	79	476	52	1,169
	CLASSES. Deaths in Families of the—																								
I.	Professional and Independent Class,	17,436	16·3	71	4	2	9	9	29	18	.	.	.	.	.	.	.	1	3	4	3	.	16	.	48
II.	Middle Class,	87,188	16·5	359	82	21	62	67	104	23	.	5	2	.	5	2	.	4	11	29	32	7	62	4	225
III.	Artisan Class and Petty Shopkeepers,	110,423	18·8	519	179	29	84	107	107	13	.	17	2	.	4	2	.	1	15	41	69	27	110	11	261
IV.	General Service Class,	154,279	33·1	969	481	73	139	138	118	20	.	74	4	.	13	2	.	8	34	135	105	42	211	37	439
V.	Inmates of Workhouses,	6,024		356	55	11	53	86	122	29	.	1	.	.	.	.	.	.	5	6	74	3	77	.	196
I.	Professional and Independent Class.																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,	7,799	25·6	50	3	1	7	7	19	13	.	.	.	.	.	.	.	.	3	3	3	.	10	.	34
	2. Merchants and Manufacturers, Higher Class,	1,277	6·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	3. Persons of Rank and Property, not otherwise described,	8,360	9·1	19	.	1	2	2	9	5	.	.	.	.	.	.	.	1	.	1	.	.	6	.	12
II.	Middle Class.																								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	14·5	28	7	2	3	4	10	2	.	.	.	.	.	.	.	.	1	1	2	1	6	.	18
	5. Traders (except Petty Shopkeepers), Business Managers, &c.,	22,016	21·1	116	24	4	22	30	30	6	.	4	2	.	1	1	.	.	6	14	10	2	14	1	75
	6. Clerks and Commercial Assistants,	30,432	11·8	90	35	4	17	15	16	5	.	.	.	.	4	1	.	1	2	8	11	3	21	1	46
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above,	27,028	18·5	125	18	11	20	18	48	10	.	1	.	.	.	.	.	3	2	6	9	1	21	2	86
III.	Artisan Class and Petty Shopkeepers.																								
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers,	9,874	21·9	54	18	1	15	14	3	3	.	.	.	.	.	1	.	.	.		14	2	11	1	25
	9. Building and Furnishing Trades,	29,801	21·1	157	64	14	20	31	26	2	.	6	.	.	3	1	.	.	6	16	20	9	34	3	75
	10. Clothing Trades,	23,260	14·1	82	24	3	14	14	22	5	.	1	2	.	.	.	.	.	2	5	6	2	20	.	49
	11. Food Supply Trades,	9,242	13·8	32	8	3	4	8	9	.	.	.	.	.	.	.	.	.	.	.	3	2	7	.	20
	12. Other Trades and Callings ranking with Trades,	30,352	21·1	160	50	6	30	32	39	3	.	8	.	.	1	.	.	1	5	15	26	8	31	3	77
	13. Petty Shopkeepers,	7,894	17·2	34	15	2	1	8	8	.	.	2	.	.	.	.	.	.	2	4	.	4	7	4	15
IV.	General Service Class.																								
	14. Army, Police, Postal Delivery, and Prison Services, &c.,	13,425	24·4	82	28	3	15	12	20	4	.	2	1	.	1	.	.	.	4	8	9	.	17	1	47
	15. Domestic Servants,	36,603	8·2	75	21	5	25	10	12	2	.	2	.	.	.	.	.	2	2	6	13	.	11	3	42
	16. Coach and Car Drivers, Vanmen, &c.,	14,390	26·7	96	44	5	14	24	8	1	.	6	.	.	1	.	.	1	3	11	13	4	22	4	42
	17. Hawkers, Porters, Labourers, &c.,	89,861	31·9	716	388	60	85	92	78	13	.	64	3	.	11	2	.	5	25	110	70	38	161	29	308
V.	Inmates of Workhouses.																								
	18. Workhouse Inmates,	6,024	.	356	55	11	53	86	122	29	.	1	.	.	.	.	.	.	5	6	74	3	77	.	196

Twenty-two Principal Town Districts of Ireland.—The average annual deatl rate represented by the deaths from all causes registered during last quarter in th Dublin Registration Area and twenty-one of the principal Urban Districts o Ireland (exclusive of deaths in Public Institutions of persons admitted from withou the districts), was 20·4 per 1,000 persons, the respective rates for the severa districts being as follow, ranging in order from the lowest to the highest :—

Newry, 12·6; Tralee, 13·0; Ballymena, 13·6; Portadown, 13·9; Queenstowr 14·2; Drogheda, 14·7; Lisburn, 16·0; Waterford, 16·3; Londonderry, 16·7; Dundalk 17·4; Kilkenny, 18·1; Newtownards, 18·9; Armagh, 19·0; Lurgan, 19·3; Sligo 19·5; Cork, 19·6; Belfast, 19·9; Limerick, 21·1; Wexford, 21·5; Clonmel, 21·6 Dublin Registration Area, 23·0; and Galway, 23·2.

The average annual rate represented by the deaths from the principal epidemi diseases* in the 22 districts is 2·0 per 1,000 of the population, the rates varying fro 0·0 in Lisburn, Clonmel, and Queenstown, to 4·4 in Lurgan, the 57 deaths from al causes registered in that district including 11 from whooping-cough, one fro diphtheria, and one from diarrhœa. The 1,785 deaths from all causes registered i Belfast include 5 from small-pox, 122 from measles, 8 from scarlet fever, 7 fro whooping-cough, 5 from diphtheria, 2 from simple continued fever, 42 from enteri fever, and 54 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases in the *twenty-one provincial urban districts* already named, and Tables IV. and V give in detail the results of the registration for the quarter :—

Small-pox.—Five deaths of residents of Belfast County Borough took place in th Small-pox Hospital, Purdysburn.

Measles.—In Belfast 122 deaths were registered, in Cork 8, and one death wa registered in each of the Urban Districts of Waterford and Galway.

Scarlet Fever.—Eight deaths in Belfast, 2 deaths in Newtownards, and one deat in each of the Urban Districts of Waterford and Wexford were registered.

Typhus.—In Kilkenny Urban District one death from typhus was registered.

Whooping-cough.—In Belfast 7 deaths, in Lurgan 11, in Wexford 8, in Armagh 4 were registered, and in each of the Urban Districts of Drogheda, Newry, and Tralee one death was registered.

Diphtheria.—In Belfast 5, in Cork 3, and in Londonderry 2 deaths from diphtheri were registered, and in each of the Urban Districts of Lurgan, Ballymena, Sligo, an Portadown one death was registered.

Enteric Fever.—In Belfast 42, and in Cork 4 deaths from enteric fever wer registered, also one death in each of the Urban Districts of Limerick, Ballymena an Sligo was registered.

Diarrhœal Diseases.—Fifty-four of the deaths (82) registered appertained to Belfast 7 to Cork, and 5 to Limerick.

Phthisis.—The death-rate for phthisis for the 22 towns in the aggregate, for th Dublin Registration Area, for Belfast County Borough, and for the Urba Districts collectively (exclusive of Belfast and Dublin Registration Area), were 2· per 1,000, 2·8 per 1,000, 2·7 per 1,000, and 2·3 per 1,000 of their respectiv populations.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, simple continued fever, enteri fever, and diarrhœal diseases.

REGISTRATION—QUARTER (13 WEEKS) ENDED SATURDAY, 31ST DECEMBER, 1904.

TOWNS AND DISTRICTS.	Census Statistics of Districts.* Population.	Persons to an Acre.	Annual Rate per 1,000 persons represented by BIRTHS.	DEATHS from All Causes.	DEATHS from Diseases in Cols. 10-18.	NUMBER REGISTERED. BIRTHS.	DEATHS. TOTAL NUMBER.	Under 1 year of Age.	At 60 years and upwards.	Caused by Small-pox.	Measles.	Scarlet Fever.	Typhus.	Whooping-Cough.	Diphtheria.	Simple continued Fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis.	Diseases of Respiratory System.	Violence.	Inquest Cases.	No. in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
TOTAL OF 22 TOWN DISTRICTS,	1,093,289	19·2	27·5	20·4	2·0	7,508	5,573	1,155	1,371	5	229	20	1	55	18	3	60	149	712	1,228	115	204	1,482
DUBLIN REGISTRATION AREA,	378,994	27·5	27·5	23·0	2·2	2,604	2,181	479	565	.	97	8	.	22	4	.	11	67	269	468	49	72	748
URBAN DISTRICTS.																							
BELFAST,†	358,680	24·4	30·5	19·9	2·7	2,734	1,785	404	331	5	122	8	.	7	5	2	42	54	238	463	28	76	323
CORK,	76,122	33·6	25·9	19·6	1·2	492	373	60	93	.	8	.	.	.	3	.	4	7	71	70	10	17	131
LONDONDERRY,	41,397	19·1	24·4	16·7	0·3	253	173	27	56	.	.	.	.	.	2	.	.	1	20	40	8	10	28
LIMERICK,	38,151	18·1	25·7	21·1	0·6	245	201	42	56	.	.	.	.	.	.	.	1	5	17	50	1	2	70
WATERFORD,	26,769	18·7	18·4	16·3	0·9	123	109	18	34	.	1	1	.	.	.	.	.	4	17	23	5	5	48
GALWAY,	13,426	2·5	22·0	23·2	0·6	74	78	12	25	.	1	.	.	.	.	.	.	1	8	15	2	1	20
DUNDALK,	13,076	9·4	20·2	17·4	0·9	66	57	8	19	.	.	.	.	.	.	.	.	3	6	13	1	4	6
DROGHEDA,	12,760	8·6	24·5	14·7	0·6	78	47	7	18	.	.	.	.	1	.	1	.	.	.	4	.	.	9
NEWRY,	12,405	17·8	21·0	12·6	1·0	65	39	7	14	.	.	.	.	1	.	.	.	2	.	2	.	.	.
LURGAN,	11,782	13·8	27·5	19·3	4·4	81	57	10	13	.	.	.	.	11	1	.	.	1	8	8	1	.	10
LISBURN	11,461	10·1	22·0	16·0	.	63	46	8	11	.	.	.	.	.	.	.	.	.	6	5	.	2	11
WEXFORD,	11,168	23·2	24·7	21·5	3·9	69	60	16	13	.	.	1	.	8	.	.	.	2	10	16	.	.	3
BALLYMENA,	10,886	8·9	25·3	13·6	1·1	69	37	4	15	.	.	.	.	.	1	.	1	1	3	5	1	2	3
SLIGO,	10,870	8·7	20·6	19·5	0·7	56	53	7	17	.	.	.	.	.	1	.	1	.	6	5	.	3	13
KILKENNY,	10,609	11·5	29·0	18·1	0·4	77	48	8	14	.	.	.	1	.	.	.	.	.	9	11	.	.	18
CLONMEL,	10,167	7·8	23·2	21·6	.	59	55	8	21	.	.	.	.	.	.	.	.	.	10	8	2	3	19
PORTADOWN,	10,092	13·2	27·3	13·9	0·4	69	35	7	12	.	.	.	.	.	1	.	.	.	5	6	2	2	.
TRALEE,	9,867	16·6	20·7	13·0	0·8	51	32	4	9	.	.	.	.	1	.	.	.	1	3	1	.	.	9
NEWTOWNARDS,	9,110	18·9	33·4	18·9	0·9	76	43	6	16	.	.	2	.	.	.	.	.	.	2	10	2	2	7
QUEENSTOWN,	7,909	14·4	30·3	14·2	.	60	28	4	10	.	.	.	.	.	.	.	.	.	2	.	2	2	.
ARMAGH,	7,588	22·2	23·2	19·0	2·1	44	36	9	9	.	.	.	.	4	.	.	.	.	2	5	1	1	6

* The Population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1904; that for each of the other districts is the Population according to the Census of 1901.

† Including 5 deaths from Small-pox of persons admitted to the Small-pox Hospital, Purdysburn, from the City of Belfast.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST* and CORK registered during the **Quarter** (13 weeks) ended 31st DECEMBER, 1904, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population in 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at each of four AGE PERIODS; the Number of Deaths from the Principal CAUSES; &c.

REGISTRARS' DISTRICTS.	Population in 1901.	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes.	Diseases in Cols. 10-18.	Total No. of Deaths.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 60 years.	60 years and upwards.	Deaths from Principal Epidemic Diseases: Small-pox.	Measles.	Scarlet Fever	Typhus.	Whooping Cough.	Diphtheria	Simple continued fever.	Enteric Fever.	Diarrhœal Diseases.	Phthisis or Pulmonary Consumption.	Diseases of the Respiratory System.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)
City of Belfast.																							
BELFAST URBAN, No. 1 DISTRICT,	14,734	113	24·7	3·0	91	24	6	42	19	.	.	.	.		.	.	3	8	13	25	2	9	20
" 2 "	47,959	330	19·8	2·3	238	44	31	109	54	2	6	.	.	1	.	1	7	10	28	64	2	7	46
" 3 "	47,214	364	20·6	4·4	243	56	57	92	38	.	36	1	.	1	3	.	4	7	32	58	3	14	29
" 4 "	40,911	398	22·8	3·1	233	70	37	89	37	1	15	3	.	1	1	.	2	9	26	48	4	8	73
" 5 "	17,887	115	23·5	4·1	102	21	22	39	20	.	11	.	.	.	.	.	6	1	11	33	2	6	25
" 6 "	48,122	251	19·0	2·0	229	39	15	115	60	1	2	1	.	.	1	1	10	8	31	66	5	10	54
" 7 "	1,524	20	23·6	2·6	9	2	1	5	1	.	.	.	.	.	.	.	1	.	.	3	.	.	5
" 8 "	5,060	36	20·6	4·0	26	8	6	7	5	.	5	.	.	.	.	.	.	.	1	10	.	.	3
" 9 "	19,569	153	19·4	2·2	95	18	11	49	17	.	9	.	.	.	.	.	.	2	20	16	1	3	11
" 10 "	23,064	188	25·0	6·4	144	35	42	53	14	.	27	2	.	2	.	.	1	5	17	35	.	4	11
" 11 "	34,802	260	17·9	1·0	156	33	17	76	30	.	2	.	.	.	.	.	3	4	29	50	4	5	13
" 12 "	33,588	358	19·1	1·2	160	42	28	67	23	1	3	1	.	.	.	.	5	.	21	46	4	8	27
" 13 "	15,006	148	15·7	2·1	59	12	10	24	13	.	6	.	.	2	.	.	.	.	9	9	1	2	6
" 14 "	240	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	349,180	2,734	20·4	2·8	1,785	404	288	767	331	5	122	8	.	7	5	2	42	54	238	463	28	76	323
City of Cork.																							
CORK URBAN, No. 1 DISTRICT,	12,867	88	23·0	0·6	74	12	2	39	21	.	.	.	.	.	1	.	1	.	13	11	1	.	37
" 2 "	10,701	74	20·9	1·9	56	13	6	27	10	.	1	.	.	.	1	.	2	1	10	19	2	2	17
" 3 "	9,973	74	22·0	2·0	55	10	8	25	12	.	2	.	.	.	.	.	.	3	12	17	2	4	22
" 4 "	8,666	50	19·8	.	43	1	6	25	11	.	.	.	.	.	.	.	.	.	9	4	1	2	16
" 5 "	6,592	41	17·6	0·6	29	4	2	12	11	.	.	.	.	.	.	.	1	.	2	5	1	5	6
" 6 "	10,702	53	11·6	.	31	5	2	17	7	.	.	.	.	.	.	.	.	.	9	.	2	3	6
" 7 "	16,616	112	20·5	2·2	85	15	14	35	21	.	5	.	.	.	1	.	.	3	16	14	1	1	27
Total,	76,122	492	19·6	1·2	373	60	40	180	93	.	8	.	.	.	3	.	4	7	71	70	10	17	131

* Including 5 deaths from Small-pox of persons admitted to the Small-pox Hospital, Purdysburn, from the City of Belfast.

GENERAL REGISTER OFFICE, ROBERT E. MATHESON

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & CO. (Limited), 87, 88, and 89, Abbey-street.
360. P. 289. 9. 1904.